

Scout Report sent off

Noted in the NID File

Location map pinned

Approval or Disapproval Letter

Date Completed, P. & A. or operations suspended

2 - 60 PT

Pin changed on location map

Affidavit and Record of A & P

Water Shut-Off Test

Gas-Oil Ratio Test

Well Log Filed

*See plot in FH 7-R*

# FILE NOTATIONS

Entered in NID File	.....✓.....	Checked by Chief	.....
Entered in R Sheet	.....✓.....	Copy NID to Field Office	.....
Location Map Pinned	.....✓.....	Approval Letter	.....✓.....
Card Mailed	.....✓.....	Disapproval Letter	.....
IWR for State or Fee Land	.....		

COMPLETION DATA: 1-21-60

Date Will Completed	<u>[REDACTED]</u>	Location Inspected	.....
OW.....	WV.....	TA.....	Bond released
GW.....	OS.....	PA <u>X</u>	State of Fee Land

## LOGS FILED

Driller's Log S-26-60  
 Electric Logs (No. 1) no electric logs

E..... L..... EI..... GR..... GR-N..... Micro.....  
 Lat..... Mi-L..... Sonic..... Others.....



COMPANY **FREER & LYON**

Well Name & No.


Lease No.

Location **2235' FROM THE SOUTH LINE & 1895' FROM THE EAST LINE**

Being in **NE NW SE**

Sec. 12, T 41S, R 24 E, S.L.M., San Juan County, Utah

Ground Elevation **4443.2'** ungraded ground



Scale — 4 inches equals 1 mile

Surveyed **11 January**

19 **59**

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

*James P. Leese*

Registered Land Surveyor.

James P. Leese

Utah Reg. No. 1472

SAN JUAN ENGINEERING CO., FARMINGTON, NEW MEXICO

( COPY )

October 22, 1959

Mr. Joe Lyon, Jr.  
343 South State Street  
Salt Lake City, Utah

Dear Mr. Lyon:

This is to acknowledge receipt of the notices of intention to drill for the following wells which are to be located in Township 41 South, Range 24 East, BLM, San Juan County, Utah:

Well No. FL 7-2, to be located 660 feet from the south line and 660 feet from the west line of Section 2;

Well No. FL 4-11, to be located 1980 feet from the south line and 660 feet from the east line of Section 11;

Well No. FL 5-11, to be located 1980 feet from the north line and 1980 feet from the east line of Section 11;

Well No. FL 6-11, to be located 660 feet from the north line and 1980 feet from the west line of Section 11;

---

Well No. FL 1-12, to be located 1980 feet from the south line and 1980 feet from the east line of Section 12;

---

Well No. FL 2-12, to be located 660 feet from the south line and 1980 feet from the west line of Section 12;

Well No. FL 3-12, to be located 1980 feet from the south line and 660 feet from the west line of Section 12.

Please be advised that approval to drill said wells is hereby granted.

Approval terminates within 90 days if the above mentioned wells are not spaced in within said period.

Please take note that should it become necessary to plug and abandon any of these wells you are hereby requested to give advance notice of the date and time said plugging will take place to one of the following named

Mr. Joe Lyon, Jr.

Page No. Two

October 22, 1959

individuals, by phone or otherwise, in order that our petroleum engineer may be present to inspect the manner in which the wells are being plugged:

H. G. Henderson, Chief Petroleum Engineer:  
Office Phone: DA 2-4721, Ext. 438 or DA 8-0701  
Home Phone:

C. B. Feight, Executive Secretary:  
Office Phone: DA 2-4721, Ext. 438 or DA 8-0701  
Home Phone: Hs 5-2721.

Address all other communications to the Utah Oil and Gas Conservation Commission at 310 Newhouse Building, Salt Lake City, Utah.


Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT  
EXECUTIVE SECRETARY

CBF:cc

cc: Utah State Land Board  
105 State Capitol Building  
Salt Lake City 14, Utah  
Attn: Frank J. Allen, Director



STATE OF UTAH  
OIL & GAS CONSERVATION COMMISSION

STATE CAPITOL BUILDING  
SALT LAKE CITY 14, UTAH

Fee and Patented.....  
State .....  
Lease No. ML 11328.....  
Public Domain .....  
Lease No. ....  
Indian .....  
Lease No. ....

SUNDRY NOTICES AND REPORTS ON WELLS

Notice of Intention to Drill Amended.....	<input checked="" type="checkbox"/>	Subsequent Report of Water Shut-off.....	
Notice of Intention to Change Plans.....		Subsequent Report of Altering Casing.....	
Notice of Intention to Redrill or Repair.....		Subsequent Report of Redrilling or Repair.....	
Notice of Intention to Pull or Alter Casing.....		Supplementary Well History.....	
Notice of Intention to Abandon Well.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

January 12, 19 60

Well No. FL 1-12 is located 2235 ft. from ~~N~~<sub>S</sub> line and 1895 ft. from ~~E~~<sub>W</sub> line of Sec. 12

NWSE Sec. 12                      41 South                      24 East                      S.L.M.

(1/4 Sec. and Sec. No.)                      (Twp.)                      (Range)                      (Meridian)

McElmo                      San Juan County                      Utah

(Field)                      (County or Subdivision)                      (State or Territory)

The elevation of the derrick floor above sea level is 4460 feet.

A drilling and plugging bond has been filed with Utah State Land Board

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important work, surface formation, and date anticipate spudding-in.)

Objective Sand: Desert Creek at 5200 feet. 8-5/8" csg. at 1300 feet. Cement w/800 sacks cement. 5 1/2" csg. at 5500 feet. Cement W/300 sacks cement.

Surface formation: Alluvium Quaternary.

Anticipated date of spudding in: Feb. 15, 1960.

This well will be whipstocked so that the producing zones will be penetrated at a point not more than 160 feet from the normal location. Said normal location being 1980 feet from the South line and 1980 feet from the East line of Section 12, T. 41 South, R. 24 East.

I understand that this plan of work must receive approval in writing by the Commission before operations may be commenced.

Company Joe Lyon, Jr.

Address 343 South State Street  
Salt Lake City, Utah

By Joe Lyon Jr.

Title

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.

COMPANY **PIER & LYON**

Well Name & No.


Lease No.

Location **2235' FROM THE SOUTH LINE & 1895' FROM THE EAST LINE**

Being in **NE NW SE**

Sec. **12**, T **41S**, R **24 E**, S.L.W., San Juan County, Utah

Ground Elevation **4443.2'** ungraded ground



Scale -- 4 inches equals 1 mile

Surveyed **11 January**


. 19 **59**

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Registered Land Surveyor.

James P. Leese

Utah Reg. No. 1472



STATE OF UTAH  
OIL & GAS CONSERVATION COMMISSION

STATE CAPITOL BUILDING  
SALT LAKE CITY 14, UTAH

Fee and Patented.....  
State .....  
Lease No. ML11328  
Public Domain .....  
Lease No. ....  
Indian .....  
Lease No. ....

SUNDRY NOTICES AND REPORTS ON WELLS

Notice of Intention to Drill..... <u>Amended</u>	Subsequent Report of Water Shut-off.....
Notice of Intention to Change Plans.....	Subsequent Report of Altering Casing.....
Notice of Intention to Redrill or Repair.....	Subsequent Report of Redrilling or Repair.....
Notice of Intention to Pull or Alter Casing.....	Supplementary Well History.....
Notice of Intention to Abandon Well.....	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

..... January 14, 1960

Well No. FL 1-12 is located 2235 ft. from ~~SW~~ S line and 1895 ft. from ~~SW~~ E line of Sec. 12  
NWSE Sec. 12      T. 41 S.      R. 24 E.      S.L.M.  
(¼ Sec. and Sec. No.)      (Twp.)      (Range)      (Meridian)  
McElmo      San Juan County      Utah  
(Field)      (County or Subdivision)      (State or Territory)

The elevation of the derrick floor above sea level is 4460 feet.

A drilling and plugging bond has been filed with Utah State Land Board

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important work, surface formation, and date anticipate spudding-in.)

Objective Sand: Desert Creek at 5200 feet. 8-5/8" casing at 1300 feet. Cement w/800 sacks cement. 5 1/2" casing at 5500 feet. Cement w/300 sacks cement.

Surface formation: Alluvium Quaternary.

Anticipated date of spudding in: February 15, 1960

This well will be whipstocked so that the producing zones will be penetrated at a point not more than 50 feet from a point which is 2090 feet from the south line and 1895 feet from the east line. Said point (2090' from the south line and 1895 feet from the east line) is not more than 110 feet from the normal location, said normal location being 1980 feet from the south line and 1980 feet from the east line of Sec. 12, T.41 S., R.24 E. Any penetration not more than 50 feet from said point 2090 feet from S. line and 1895 feet from east line would be at the minimum 60 feet from normal location and at the maximum 160 feet from normal.

It is planned to set whipstock at point below the bottom of the 8-5/8" casing somewhere between 1300' and 1800'.

I understand that this plan of work must receive approval in writing by the Commission before operations may be commenced.

~~COMPANY~~ Joe Lyon, Jr.  
343 S. State St.  
Address Salt Lake City, Utah

By Joe Lyon Jr.  
Title .....

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.

COMPANY **FEHR & LYON**

Well Name & No.


Lease No.

Location **2235' FROM THE SOUTH LINE & 1895' FROM THE EAST LINE**

Being in **NE NW SE**

Sec. 12, T 41S, R 24 E, S.L.W., San Juan County, Utah

Ground Elevation **4443.2'** ungraded ground



Scale 4 inches equals 1 mile


Surveyed **11 January**

19 **59**

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Registered Land Surveyor.  
James P. Leese  
Utah Reg. No. 1472

SAN JUAN ENGINEERING CO., FARMINGTON NEW MEXICO



STATE OF UTAH  
OIL & GAS CONSERVATION COMMISSION

STATE CAPITOL BUILDING  
SALT LAKE CITY 14, UTAH

Fee and Patented.....  
State .....  
Lease No. ML 11328.....  
Public Domain .....  
Lease No. ....  
Indian .....  
Lease No. ....

SUNDRY NOTICES AND REPORTS ON WELLS

Notice of Intention to Drill..... Amended.....	Subsequent Report of Water Shut-off.....
Notice of Intention to Change Plans.....	Subsequent Report of Altering Casing.....
Notice of Intention to Redrill or Repair.....	Subsequent Report of Redrilling or Repair.....
Notice of Intention to Pull or Alter Casing.....	Supplementary Well History.....
Notice of Intention to Abandon Well.....	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

..... January 15, 19 60

Well No. FL 1-12 is located 2255 ft. from ~~XX~~ S line and 1895 ft. from ~~XX~~ E line of Sec. 12

NWSE Sec. 12                      T. 41 S.                      R. 24 E.                      SLM

( $\frac{1}{4}$  Sec. and Sec. No.)                      (Twp.)                      (Range)                      (Meridian)

McElmo                      San Juan County                      Utah

(Field)                      (County or Subdivision)                      (State or Territory)

The elevation of the derrick floor above sea level is 4460 feet.

A drilling and plugging bond has been filed with Utah State Land Board

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important work, surface formation, and date anticipate spudding-in.)

Objective Sand: Desert Creek at 5200 feet. 8-5/8" casing at 1300 feet. Cement w/800 sacks cement. 5 1/2" casing at 5500 feet. Cement w/300 sacks cement.

Surface formation: Alluvium Quaternary.

Anticipated date of spudding in: February 15, 1960

This well will be whipstocked so that the producing zones will be penetrated at a point not more than 50 feet from a point which is 2090 feet from the south line and 1895 feet from the east line. Said point (2090' from the south line and 1895' from the east line) is not more than 110 feet from the normal location, said normal location being 1980 feet from the south line and 1980 feet from the east line of Sec. 12, T. 41 S., R. 24 E. Any penetration not more than 50 feet from said point 2090 feet from South line and 1895 feet from East line would be at the minimum 60 feet from normal location and at the maximum 160 feet from normal. (It is planned to set whipstock at point below the bottom of the 8-5/8" casing somewhere between 1300' and 1800')

I understand that this plan of work must receive approval in writing by the Commission before operations may be commenced.

~~Company~~ Joe Lyon, Jr.  
343 South State St.  
Address Salt Lake City, Utah

By Joe Lyon Jr.  
Title \_\_\_\_\_

*Handwritten note:* Initial approval 1-15-60

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.

COMPANY **FREER & LYON**

Well Name & No.


Lease No.

Location **2235' FROM THE SOUTH LINE & 1895' FROM THE EAST LINE**

Being in **NE NW SE**

Sec. 12, T 41S, R 24 E, S.L.M., San Juan County, Utah

Ground Elevation **4443.2'** ungraded ground



Scale -- 4 inches equals 1 mile

Surveyed **11 January**

19 **59**

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

*James P. Leese*

Registered Land Surveyor.

James P. Leese

Utah Reg. No. 1472

SAN JUAN ENGINEERING CO., FARMINGTON, NEW MEXICO

**January 18, 1960**

**Mr. Joe Lyon, Jr.  
343 South State Street  
Salt Lake City, Utah**

**Dear Mr. Lyon:**

**This is to acknowledge receipt of your amended notice of intention to drill for Well No. State PL 1-12, dated January 15, 1960.**

**Please be advised that approval to drill said well is hereby granted as follows:**

- 1. Surface location shall be 2255 feet from the south line and 1895 feet from the east line of Section 12, Township 41 South, Range 24 East, SLM, San Juan County**
- 2. Target shall be 2090 feet from the south line and 1895 feet from the east line of Section 12, Township 41 South, Range 24 East, SLM, and the producing zones shall be penetrated at a point not more than fifty feet from the target.**

**This approval terminates within 90 days if the above mentioned well is not spudded in within said period.**

**Please take note that should it become necessary to plug and abandon said well you are hereby requested to give advance notice of the date and time said plugging will take place to one of the following named individuals, by phone or otherwise, in order that our petroleum**

Mr. Joe Lyon, Jr.

Page No. Two

January 18, 1960

may be present to inspect the manner in which the well is being plugged:

H. G. Henderson, Chief Petroleum Engineer:  
Office Phone: DA 8-0701 or DA 2-4721, Ext. 438  
Home Phone: DA 2-4496

C. B. Feight, Executive Secretary:  
Office Phone: DA 8-0701 or DA 2-4721, Ext. 438  
Home Phone: HU 3-2721

Address all other communications to the Utah Oil and Gas Conservation Commission at 310 Newhouse Building, Salt Lake City, Utah.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT  
EXECUTIVE SECRETARY

CBF:cc

cc: State Land Board  
105 State Capitol Building  
Salt Lake City, Utah

P. T. McGrath, Dist. Eng.  
U. S. Geological Survey  
Farmington, New Mexico


to be  
AWK  
✓

10

Form OGCC-3

STATE OF UTAH  
OIL & GAS CONSERVATION COMMISSION

Salt Lake City, Utah



LOCATE WELL CORRECTLY

To be kept Confidential until \_\_\_\_\_  
(Not to exceed 4 months after filing date)

LOG OF OIL OR GAS WELL

Operating Company Joe Lyon, Jr. Address 343 South State Street  
Lease or Tract ML 11328 Field McElmo State Utah  
Well No. FL 1-12 Sec. 12 T. 41 R. 24 Meridian S. L. County San Juan  
Location 2255 ft. N. of S. Line and 1895 ft. W. of E Line of Sec. 12 Elevation 4460  
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed Joe Lyon Jr. Title Owner - Operator

Date \_\_\_\_\_

The summary on this page is for the condition of the well at above date.

Commenced drilling January 18, 19 60 Finished drilling January 21, 19 60

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from \_\_\_\_\_ to \_\_\_\_\_ No. 4, from \_\_\_\_\_ to \_\_\_\_\_  
No. 2, from \_\_\_\_\_ to \_\_\_\_\_ No. 5, from \_\_\_\_\_ to \_\_\_\_\_  
No. 3, from \_\_\_\_\_ to \_\_\_\_\_ No. 6, from \_\_\_\_\_ to \_\_\_\_\_

IMPORTANT WATER SANDS

No. 1, from 15 to 35 No. 3, from \_\_\_\_\_ to \_\_\_\_\_  
No. 2, from \_\_\_\_\_ to \_\_\_\_\_ No. 4, from \_\_\_\_\_ to \_\_\_\_\_

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From-	To-	
<u>13 5/8</u>							<u>None</u>		

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used

PLUGS AND ADAPTERS

✓

2

OLD MARK

**PLUGS AND ADAPTERS**

Heaving plug—Material ..... Length ..... Depth set .....

Adapters—Material ..... Size .....

**SHOOTING RECORD**

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

**TOOLS USED**

Rotary tools were used from ..... feet to ..... feet, and from ..... feet to ..... feet

Cable tools were used from ..... **0** feet to ..... **35** feet, and from ..... feet to ..... feet

**DATES**

Date P & A....., 19..... Put to producing ....., 19.....

The production for the first 24 hours was ..... barrels of fluid of which .....% was oil; .....% emulsion; .....% water; and .....% sediment. Gravity, °Bé. ....

If gas well, cu. ft. per 24 hours ..... Gallons gasoline per 1,000 cu. ft. of gas .....

Rock pressure, lbs. per sq. in. ....

**EMPLOYEES**

**Floyd Preston** ....., Driller ..... , Driller

....., Driller ..... , Driller

**FORMATION RECORD**

FROM—	TO—	TOTAL FEET	FORMATION
			At the end of complete Driller's Log add Geologic Tops. State whether from Electric Logs or samples.
0'	35'		Aluvium sand and gravel

(OVER)

AUG 25 1960

W.

--	--	--

---

### HISTORY OF OIL OR GAS WELL

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of re-drilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidetracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or bailing.

State whether electric logs were run.

Well abandoned at this date to be used as water well.

Total depth 35'. No electric logs run. Casing left in well.

GEORGE D. FEHR  
343 SOUTH STATE STREET  
SALT LAKE CITY 11, UTAH  
PHONE DAVIS 2-3474

January 19, 1960

Utah Oil and Gas Conservation Commission  
310 Newhouse Building  
Salt Lake City, Utah

Gentlemen:

On October 20, 1959, seven Notices of Intention to Drill were filed with the Utah Oil and Gas Commission on locations in the San Juan River bed embraced within NL-11328.

Said well locations were named as follows: FL 1-12, FL 2, 12, FL 3-12, FL 4-11, FL 5-11, FL 6-11, and FL 7-2.

This is to advise with regard to these locations that consultations and negotiations have been conducted with a drilling contractor. Surveying in and staking of locations has proceeded, equipment has been moved to the FL 1-12 location and drilling operations on the FL 1-12 location have been commenced and are proceeding. The well was spudded January 18, 1960.

Due to presently rugged weather conditions, having other equipment snow bound in the Dove Creek area of Colorado, and due to other problems, it was impossible to commence operations on more than one well prior to now. Accordingly, it is respectfully requested that an extension of time in which to spud the following locations be granted: FL 2-12, FL 3-12, FL 4-11, FL 5-11, FL 6-11, and FL 7-2.

Your favorable consideration of this request will be appreciated.

Yours very truly,



Joe Lyon, Jr.

JL:fk

**STATE OF UTAH**  
**OIL & GAS CONSERVATION COMMISSION**  
 State Capitol Building  
 Salt Lake City 14, Utah

**REPORT OF OPERATIONS AND WELL STATUS REPORT**

State.....Utah..... County.....San Juan..... Field or Lease .....McElmo.....

The following is a correct report of operations and production (including drilling and producing wells) for

.....January 19....., 19..60.

Agent's address ..... Company ..... Joe Lyon, Jr.....

..... 343 South State Street..... Signed *Joe Lyon Jr*.....  
 Salt Lake City, Utah

Phone ..... DA2-3474..... Agent's title ..... Operator.....

State Lease No. ....ML-11328..... Federal Lease No. .... Indian Lease No. .... Fee & Pat.

Sec. & 1/4 of 1/4	Twp.	Range	Well No.	*Status	Oil Bbls.	Water Bbls.	Gas MCF's	REMARKS (If drilling, Depth; if shut down, Cause; Date & Results of Water Shut-Off Test; Contents of Gas; and Gas-Oil Ratio Test)
NW 1/4 of the SE 1/4 of 12	41S	25E	FL1-12	Spudded, drilling at 15'				Drilling ahead

NOTE: Report on this form as provided for in Rule C-22. (See back of form.)

FILE IN DUPLICATE

\*STATUS: F-Flowing P-Pumping GL-Gas Lift  
 SI-Shut In D-Dead  
 GI-Gas Injection TA-Temp. Aban.  
 WI-Water Injection

7/

JOE LYON, JR.  
343 SOUTH STATE STREET  
SALT LAKE CITY 11, UTAH

PHONE DA 2-3474

August 17, 1961

Oil & Gas Conservation Commission  
310 Newhouse Building  
10 Exchange Place  
Salt Lake City 11, Utah

Gentlemen:

On January 18, 1960, I spudded in a well known as FL 1-12, located in the NW SE of Section 12, T. 41 S., R. 24 E., SLM, San Juan County, Utah, being located on Utah State Mineral Lease 11328.

*PA date used.*

On January 21, a representative of the Navajo Tribe ordered us to cease operations and move off the location. This was done and the location was cleared of all equipment and debris and left in a condition satisfactory to the Navajo Tribe. Thirty-five feet of 13 5/8 inch casing was set to the bottom and left so that it could serve as a water well.

At the present time the State's title to the land embraced in the lease is in question and in litigation. Therefore, I have decided to temporarily abandon the well and this letter will serve as your notification.

In connection with this, we would appreciate having the drilling bond #40376 released on this lease.

Yours truly,

*Joe Lyon Jr.*

Joe Lyon, Jr.

JL:fk

**August 24, 1961**

**Utah State Land Board  
105 State Capitol Bldg.  
Salt Lake City, Utah**

**Gentlemen:**

In view of the attached copy of a letter from Mr. Lyon, it is requested that the drilling Bond covering Mineral Lease No. 11328 be released.

**Very truly yours,**

**OIL & GAS CONSERVATION COMMISSION**

**CLEON B. FEIGHT,  
EXECUTIVE SECRETARY**

**CBF:avg  
cc: Mr. Joe Lyon, Jr.**

# THE NAVAJO TRIBE

WINDOW ROCK, ARIZONA

OFFICE OF THE GENERAL COUNSEL

2 October 1961

Cleon B. Feight, Executive Secretary  
Utah Oil and Gas Conservation Commission  
310 Newhouse Building  
Salt Lake City, Utah

Re: Joe Lyon, Jr., Well

Dear Mr. Feight:

We have investigated the situation of the 45 foot pipe set by the driller hired by Joe Lyon, Jr., in early 1960 pursuant to your request.

The pipe is not bothersome to the Tribe and we would appreciate its being left in place for possible use as a water source should we so desire. The pipe will not be a hazard in its present location and we agree that Mr. Lyon should be released from his bond concerning the drilling of this well.

Kindest regards.

Sincerely yours,



Associate Attorney

*a copy of this letter  
sent to State Land Board  
10-5-61 - 107*

Mr. Feight

THE STATE OF UTAH  
STATE LAND BOARD

SALT LAKE CITY, UTAH

Oct. 18, 1961

Re: Mineral Lease  
No. 11328

Mr. Joe Lyon, Jr.  
343 South State Street  
Salt Lake City 11, Utah

Dear Mr. Lyon:

In accordance with your request in a letter addressed to the Oil and Gas Conservation Commission under date of August 17, 1961, we have terminated United Pacific Insurance Company Bond No. 40376 in the sum of \$5,000 on our records. This bond was held in connection with your Mineral Lease No. 11328 embracing certain lands in San Juan County.

Yours very truly,

MAX C. GARDNER  
DIRECTOR

AT  
CC:O&GCC