

FILE NOTATIONS

Entered in NID File ✓
 Entered On S R Sheet _____
 Location Map Pinned ✓
 Card Indexed ✓
 I W R for State or Fee Land _____

Checked by Chief RJD
 Copy NID to Field Office _____
 Approval Letter ✓
 Disapproval Letter _____

COMPLETION DATA:

Date Well Completed 5-25-62
 OW _____ WW _____ TA _____
 GW _____ OS _____ PA X

Location Inspected Wls
 Bond released _____
 State of Fee Land _____

LOGS FILED

Driller's Log 6-4-62
 Electric Logs (No.) 3

E _____ I _____ E-I ✓ GR _____ GR-N ✓ Micro _____
 Lat _____ Mi-L _____ Sonic ✓ Others _____

Copy to HC

| | |
|--|---|
| | X |
| | |
| | |
| | |

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake City

Lease No. SL-067804-B

Unit Deadman Canyon

Verbal approval received from Jerry Long of
USGS on April 23, 1962.

SUNDRY NOTICES AND REPORTS ON WELLS

| | | | |
|--|---|--|--|
| NOTICE OF INTENTION TO DRILL | X | SUBSEQUENT REPORT OF WATER SHUT-OFF | |
| NOTICE OF INTENTION TO CHANGE PLANS | | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING | |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF | | SUBSEQUENT REPORT OF ALTERING CASING | |
| NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL | | SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR | |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE | | SUBSEQUENT REPORT OF ABANDONMENT | |
| NOTICE OF INTENTION TO PULL OR ALTER CASING | | SUPPLEMENTARY WELL HISTORY | |
| NOTICE OF INTENTION TO ABANDON WELL | | | |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Deadman Canyon

Farmington, New Mexico April 23, 1962

Well No. 3 is located 660 ft. from N line and 1980 ft. from E line of sec 30

NW/4 NE/4 of Section 30 T-37-S R-24-E SIM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat San Juan Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is _____ ft. (To be reported later.)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We propose to drill Deadman Canyon Well No. 3 with rotary tools to an approximate total depth of 6450' to test and develop the Paradox zone. Stimulation and completion will be as indicated upon reaching total depth.

The following casing program is proposed:

| HOLE SIZE | CASING SIZE | DEPTH | CEMENT | REMARKS |
|-----------|-------------|-------|-----------|--|
| 12 1/4" | 9 5/8" | 500' | 225 sacks | Incor with 2% calcium chloride. Circulate. |
| 7 7/8" | 5 1/2" | 6450' | 250 sacks | 150 sacks Incorporate 4% gel with 1 1/2 lbs. Tuf Plug per sack with 100 sacks Incorporate neat on bottom or sufficient cement to fill to top of Hermosa. |

Copies of location plat are attached. A copy of any survey taken will be submitted upon completion of well.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Pan American Petroleum Corporation

Address P. O. Box 480

Farmington, New Mexico

Attn: L. O. Speer, Jr.

By [Signature]

Title Senior Petroleum Engineer

COMPANY Pan American Petroleum Corporation

Well Name & No. Deadman Canyon No. 3

Federal


Lease No. SL-067804-B

Location 660 feet from the North line and 1980 feet from the East line

Being in NW 1/4 NE 1/4

Sec. 30, T37^S R24^E, S.L.M., San Juan County, Utah

Ground Elevation



Surveyed April 19, 19 62

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Ernest V. Echohawk

Ernest V. Echohawk

Registered Land Surveyor

N. M. Reg. # ~~355~~ 3602

Practicing in Utah under Laws
regulating Professional Engrs.
and Land Surveyors, Utah Code 1953,
Title 58-10-16

Seal:

Farmington, New Mexico

April 24, 1962

Pan American Petroleum Corp.
P. O. Box 480
Farmington, New Mexico

Attn: L. O. Spear, Jr.

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Deadman Canyon Unit #3, which is to be located 660 feet from the north line and 1980 feet from the east line of Section 30, Township 37 South, Range 24 East, S13M, San Juan County, Utah.

Please be advised that insofar as this office is concerned approval to drill said well is hereby granted.

This approval terminates within 90 days if the above mentioned well has not been spudded in within said period.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT,
EXECUTIVE DIRECTOR

CBF:kb

cc: Jerry W. Long, Dist. Eng.
U. S. Geological Survey

H. L. Coonts - OGCC, Moab

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LAND OFFICE Salt Lake City
LEASE NUMBER SL-067804 B
UNIT Deadman Canyon

LESSEE'S MONTHLY REPORT OF OPERATIONS

State Utah County San Juan Field Wildcat

The following is a correct report of operations and production (including drilling and producing wells) for the month of April, 1962,

Agent's address P. O. Box 480 Company Pan American Petroleum Corporation
Farmington, New Mexico Signed [Signature]

Phone 325-8841 Agent's title Area Superintendent

| SEC. AND 1/4 OF 1/4 | TWP. | RANGE | WELL NO. | Date PRODUCED | BARRELS OF OIL | GRAVITY | CU. FT. OF GAS (In thousands) | GALLONS OF GASOLINE RECOVERED | BARRELS OF WATER (If none, so state) | REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas) |
|--|------|-------|----------|---------------|----------------|---------|-------------------------------|-------------------------------|--------------------------------------|--|
| NW/4 NE/4 Sec. 30 | 37S | 24E | 3 | - | | | | | | Deadman Canyon Well No. 3 was spudded on April 26, 1962. Drilling 681' (Wildcat Paradox Test) |
| FORM FILED IN LIEU OF FORM <u>06CC-4</u> | | | | | | | | | | |

NOTE.—There were No runs or sales of oil; No M cu. ft. of gas sold;

No runs or sales of gasoline during the month. (Write "no" where applicable.)

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

copy to 1C

R.S.

(Experimental Form April-1962)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

LEASE DESIGNATION AND SERIAL Deadman Canyon Unit SL - 067804-13

SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill, deepen or plug-back. Another form is provided for such proposals.)

OIL WELL [X] GAS WELL [] OTHER [] DRY []

OPERATOR Pan American Petroleum Corporation

ADDRESS P. O. Box 480, Farmington, New Mexico

LOCATION (Report location clearly and in accordance with any State requirements. See also space 17 below) At surface 660' from North Line and 1980' from East Line of Section 30, T-37-S, R-24-E.

IF INDIAN, ALLOTTEE OR TRIBE NAME

UNIT AGREEMENT NAME Deadman Canyon Unit

FARM OR LEASE NAME

WELL NO. 3

FIELD AND POOL, OR WILDCAT Wildcat

SEC., T., R., M., OR BLK. & SURVEY OR BLK. & AREA Section 30, T-37-S, R-24-E.

EXPLANATIONS Derick Floor Rotary Kelly Bushing Rotary Table Ground Other To Be Reported Later.

COUNTY OR PARISH San Juan

STATE Utah

INDICATE BELOW BY CHECK MARK NATURE OF REPORT, NOTICE OR OTHER DATA

Table with columns for NOTICE OF INTENTION TO: (Submit in triplicate) and SUBSEQUENT REPORT OF: (Submit in duplicate, except abandonment.)

DESCRIBE PROPOSED OR COMPLETED OPERATIONS Clearly, state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.

On April 26, 1962 the above well was spudded and drilled to a depth of 498'. 9 5/8" casing was set at that depth with 300 sacks Incor cement containing 2% calcium chloride. Cement circulated to surface. After waiting on cement casing was tested with 1000 psi for 30 minutes. Test ok. Reduced hole to 8 3/4" at 498' and resumed drilling.

I hereby certify that the ORIGINALS of the work or operation performed is a true and correct report of such work or operation. SIGNED R. M. Bauer, Jr. TITLE Senior Petroleum Engineer DATE May 10, 1962

(This space for Federal or State office use)

APPROVED BY CONDITIONS OF APPROVAL, IF ANY: TITLE DATE

| | | |
|--|---|--|
| | X | |
| | | |
| | | |
| | | |

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake City
Lease No. SI-067804-B
Unit Deadman Canyon

SUNDRY NOTICES AND REPORTS ON WELLS

| | | | |
|---|---|---|--|
| NOTICE OF INTENTION TO DRILL..... | | SUBSEQUENT REPORT OF WATER SHUT-OFF..... | |
| NOTICE OF INTENTION TO CHANGE PLANS..... | | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING..... | |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF..... | | SUBSEQUENT REPORT OF ALTERING CASING..... | |
| NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL..... | | SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR..... | |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE..... | | SUBSEQUENT REPORT OF ABANDONMENT..... | |
| NOTICE OF INTENTION TO PULL OR ALTER CASING..... | | SUPPLEMENTARY WELL HISTORY..... | |
| NOTICE OF INTENTION TO ABANDON WELL..... | X | | |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Deadman Canyon

Farmington, New Mexico May 25, 1962

Well No. 3 is located 660 ft. from N line and 1980 ft. from E line of sec. 30
NW/4 NE/4 Section 30 T-37-S R-24-E SIX
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat San Juan Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5818 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

As a result of not encountering commercial zones of oil or gas nor production lithologies, the above well is to be plugged and abandoned as follows:

1. Spot 60 sacks cement plug 4966-5066 across top of Hermosa.
2. Spot 50 sacks cement plug 2083-2183 across top of Chinle.
3. Spot 50 sacks cement plug 448-548 across base of surface casing.
4. Spot 10 sacks cement plug in top of surface pipe and erect abandonment marker.
5. Use heavy mud laden fluid between all plugs.
6. Clean up location after moving out rig.

Verbal approvals received for above procedure 5-22-62 from Mr. John Dulstaky-USGS and Mr. Robert Schmidt -UCOGC.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Pan American Petroleum Corporation

Address Box 480

Farmington, New Mexico

Original signed by
R. M. BAUER, JR.

By _____

Attn: L. O. Spear, Jr.

Title Senior Petroleum Engineer

(SUBMIT IN TRIPLICATE)

Land Office Salt Lake City

Lease No. SL-067804-B

Unit Deadman Canyon

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

| | | | | |
|--|--|---|--|--|
| | | | | |
| | | X | | |
| | | | | |
| | | | | |
| | | | | |

SUNDRY NOTICES AND REPORTS ON WELLS

| | | |
|---|---|---|
| NOTICE OF INTENTION TO DRILL..... | SUBSEQUENT REPORT OF WATER SHUT-OFF..... | |
| NOTICE OF INTENTION TO CHANGE PLANS..... | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING..... | |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF..... | SUBSEQUENT REPORT OF ALTERING CASING..... | |
| NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL..... | SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR..... | |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE..... | SUBSEQUENT REPORT OF ABANDONMENT..... | |
| NOTICE OF INTENTION TO PULL OR ALTER CASING..... | SUPPLEMENTARY WELL HISTORY..... | X |
| NOTICE OF INTENTION TO ABANDON WELL..... | | |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Deadman Canyon Unit Farmington, New Mexico May 29, 1962

Well No. 3 is located 660 ft. from N line and 1980 ft. from E line of sec. 30

N1/4, NE1/4 Section 30 T-37-S R-24-E S1M
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Wilcox San Juan Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5818 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

In order to fully evaluate the upper Hermosa section the above well was plugged back with 150 sacks cement plug containing 15% sand and 1% calcium chloride. Plug set 5198' to 5442'. Cleaned out to 5216' and drilled good hard cement to 5219'.

Drillater test 5125-5219 (Two packers set at 5221 and 5225') Tool open 1 1/2 hours. Weak blow of air immediately, blow died in 10 minutes. Recovered 32' with no shows. Initial 30 minute shut in bottom hole pressure 398; Bottom hole pressure flowing 30. Final 30 minute shut in bottom hole pressure 135. Hydrostatic head in 2475, out 2525.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Pan American Petroleum Corporation

Address P. O. Box 180

Farmington, New Mexico

Attn: L. O. Spear, Jr.

ORIGINAL SIGNED BY

By R. M. Bauer, Jr.

Title Senior Petroleum Engineer

(SUBMIT IN TRIPLICATE)

Land Office Salt Lake City

Lease No. SL-06780-3

Unit Deadman Canyon

| | | | |
|--|--|---|--|
| | | X | |
| | | | |
| | | | |
| | | | |

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

| | | |
|---|---|---|
| NOTICE OF INTENTION TO DRILL..... | SUBSEQUENT REPORT OF WATER SHUT-OFF..... | |
| NOTICE OF INTENTION TO CHANGE PLANS..... | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING..... | |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF..... | SUBSEQUENT REPORT OF ALTERING CASING..... | |
| NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL..... | SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR..... | |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE..... | SUBSEQUENT REPORT OF ABANDONMENT..... | X |
| NOTICE OF INTENTION TO PULL OR ALTER CASING..... | SUPPLEMENTARY WELL HISTORY..... | |
| NOTICE OF INTENTION TO ABANDON WELL..... | | |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Deadman Canyon Unit Farmington, New Mexico May 29, 1962

Well No. 3 is located 660 ft. from N line and 1980 ft. from E line of sec. 30

NW/4 E/4 Section 30
(1/4 Sec. and Sec. No.)

T-37-S
(Twp.)

R-21-E
(Range)

S1M
(Meridian)

Wildcat
(Field)

San Juan
(County or Subdivision)

Utah
(State or Territory)

The elevation of the derrick floor above sea level is 5818 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

The above well was plugged and abandoned on May 25, 1962 as follows:

1. 150 sack plug set 5198 to 5442.
2. 60 sack plug 4966-5066 across top of Hermosa.
3. 50 sack plug 2083-2183 across top of Chinle.
4. 50 sack plug 448-548 across bottom of surface casing.
5. 10 sack plug 0-15 at surface and erected marker.
6. Hole filled with mud between all plugs.
7. Location cleaned up and ground returned to original contours.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Pan American Petroleum Corporation

Address P. O. Box 480

Farmington, New Mexico

Attn: L. O. Speer, Jr.

ORIGINAL SIGNED BY
R. M. Bauer, Jr.

By _____

Title Senior Petroleum Engineer

100-22

(Experimental Form April-1962)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

(SUBMIT IN DUPLICATE)

5. LEASE DESIGNATION AND SERIAL

SL-06701-B

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Deadman Canyon Unit

8. FARM OR LEASE NAME

9. WELL NO.

3

10. FIELD & POOL, OR WILDCAT

Wildcat

11. SEC., T., R., OR BLK. & SURVEY, OR BLK. & AREA

Section 30, T-37-S, R-24-E

DESIGNATE TYPE OF COMPLETION OIL WELL GAS WELL OTHER DRY NEW WELL WORK OVER DEE-PEN PLUG BACK SAME RESVR DIFF. RESVR

2. OPERATOR Pan American Petroleum Corporation

3. ADDRESS P. O. Box 480, Farmington, New Mexico

4. LOCATION (Report location clearly and in accordance with any State requirements) At surface 660' from North line and 1980' from East line of Section 30, T-37-S, R-24-E At total depth

14. PERMIT NO. DATE ISSUED PREVIOUS PERMIT NO. DATE ISSUED 12. COUNTY OR PARISH 13. STATE San Juan Utah

15. DATE SPUNDED April 26, 1962 16. DATE T.D. REACHED May 20, 1962 17. DATE COMPL. (Ready to Prod.) Plugged 5/25/62 18. ELEVATIONS (DF, RKB, RT, GR, etc.)* 5918

20. TOTAL DEPTH (MD & TVD) 6410 21. PLUG. BACK T.D. (MD & TVD) 22. IF MULTIPLE COMPL., HOW MANY* 23. INTERVALS DRILLED BY 24. ROTARY TOOLS C-6410

24. PRODUCING INTERVAL(S), THIS COMPLETION, TOP, BOTTOM, NAME (MD & TVD)* Well dry. Plugged and abandoned May 25, 1962. 25. DATE DIRECTIONAL SURVEY SUBMITTED.

26. TYPE ELECTRIC AND OTHER LOGS RUN (Circle those filed) Induction Electric, Neutron, Gamma Ray-Sonic-Caliper, Diameter; Filed 5/28/62 27. WAS WELL CORED No

CASING RECORD (Report all strings set in well) Table with columns: CASING SIZE, DEPTH SET (MD), HOLE SIZE, WEIGHT LBS./FT., PURPOSE, SACKS CEMENT, AMOUNT PULLED

29. LINER RECORD and 30. TUBING RECORD tables with columns: SIZE, TOP (MD), BOTTOM (MD), SACKS CEMENT*, SCREEN (MD), SIZE, DEPTH SET (MD), PACKER SET (MD)

31. PERFORATION RECORD and 32. ACID, SHOT, FRAC., CEMENT SQUEEZE, Etc. tables with columns: DEPTH INTERVAL (MD), HOLES PER FT., SIZE AND TYPE, PURPOSE, AMOUNT AND KIND OF MATERIAL USED, DEPTH INTERVAL (MD)

33. PRODUCTION table with columns: DATE FIRST PRODUCTION, PRODUCING METHOD, WELL STATUS, DATE OF TEST, HOURS TESTED, CHOKE SIZE, PRODUCTION FOR TEST, OIL, GAS, WATER, OIL GRAVITY-APT

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) TEST WITNESSED BY

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing information is complete and correct as determined from all available records SIGNED: R. M. Bauer, Jr. TITLE: Senior Petroleum Engineer DATE: May 31, 1962

*SEE INSTRUCTIONS ON REVERSE SIDE

I N S T R U C T I O N S

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Supplemental instructions by local Federal and/or State offices will govern the use of this form.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see space 36.

Space 1: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements.

Space 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Spaces 22 and 24: If this well is completed for separate production from more than one zone (multiple-zone completion), so state in space 25, and in space 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the zone reported in space 33. Submit a separate completion report on this form for each interval (zone) to be separately produced.

Space 29: "Backs Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Space 33: Submit a separate completion report on this form for each interval (zone) to be separately produced. (See instruction for spaces 22 and 24 above.)

JUN 4 1962

| SUMMARY OF SIGNIFICANT WATER ZONES AND OIL AND GAS ZONES (Except as shown on the front hereof) | | | | GEOLOGIC MARKERS | | |
|--|----------------------|------------------|-------------------------------------|------------------|--------------|------------------|
| KIND OF FORMATION (Sandstone, limestone, shale, etc.) | DEPTH TO TOP OF ZONE | | CONTENTS; PRODUCTIVE RATE, IF KNOWN | NAME | DEPTH TO TOP | |
| | MEAS. DEPTH | TRUE VERT. DEPTH | | | MEAS. DEPTH | TRUE VERT. DEPTH |
| | | | | Entrada | 1042 | |
| | | | | Navajo | 1206 | |
| | | | | Wingate | 1843 | |
| | | | | Chinle | 2133 | |
| | | | | Cutler | 2934 | |
| | | | | Hermosa | 5016 | |
| | | | | Ismay | 6091 | |
| | | | | Lower Ismay | 6230 | |
| | | | | Desert Creek | 6302 | |

6W
jd

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LAND OFFICE Salt Lake City
LEASE NUMBER SL-067804 B
UNIT Deadman Canyon

LESSEE'S MONTHLY REPORT OF OPERATIONS

State Utah County San Juan Field Wildcat

The following is a correct report of operations and production (including drilling and producing wells) for the month of May, 1962,

Agent's address P. O. Box 480 Company Pan American Petroleum Corporation
Farmington, New Mexico Signed [Signature]

Phone 325-8811 Agent's title Area Superintendent

| SEC. AND 1/4 OF 1/4 | TWP. | RANGE | WELL No. | DAYS PRODUCED | BARRELS OF OIL | GRAVITY | CU. FT. OF GAS (In thousands) | GALLONS OF GASOLINE RECOVERED | BARRELS OF WATER (If none, so state) | REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas) |
|----------------------|------|-------|----------|---------------|----------------|---------|-------------------------------|-------------------------------|--------------------------------------|---|
| NW/4 NE/4 Sec. 30 | 37S | 24E | 3 | — | | | | | | Deadman Canyon Well No. 3 Total Depth 6410'. As a result of not obtaining oil or gas in commercial quantities well was plugged and abandoned on May 25, 1962. Final Report. |

FORM FILED IN LIEU OF FORM 06-CC-4

NOTE.—There were No runs or sales of oil; No M cu. ft. of gas sold; No runs or sales of gasoline during the month. (Write "no" where applicable.)

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.