

FILE NOTATIONS

Entered in NID File \_\_\_\_\_  
Entered On S R Sheet \_\_\_\_\_  
Location Map Pinned \_\_\_\_\_  
Card Indexed \_\_\_\_\_  
IWR for State or Fee Land \_\_\_\_\_

Checked by Chief \_\_\_\_\_  
Copy NID to Field Office \_\_\_\_\_  
Approval Letter \_\_\_\_\_  
Disapproval Letter \_\_\_\_\_

COMPLETION DATA:

Date Well Completed 6-9-57  
OW \_\_\_\_\_ WW \_\_\_\_\_ TA \_\_\_\_\_  
GW \_\_\_\_\_ OS \_\_\_\_\_ PA ✓

Location Inspected \_\_\_\_\_  
Bond released \_\_\_\_\_  
State of Fee Land \_\_\_\_\_

LOGS FILED

Driller's Log 225-57  
Electric Logs (No. ) 3

E \_\_\_\_\_ I \_\_\_\_\_ E-I \_\_\_\_\_ GR \_\_\_\_\_ GR-N \_\_\_\_\_ Micro \_\_\_\_\_  
Lat. ✓ Mi-L ✓ Sonic \_\_\_\_\_ Others Radiactivity

42691 for

# PAN AMERICAN PETROLEUM CORPORATION

Rangely, Colorado

April 2, 1957

File: GH-376-WF

Subject: OGCC Report

Oil and Gas Conservation Commission  
of the State of Utah  
Room 105, Capitol Building  
Salt Lake City, Utah

Dear Sir:

Please find attached 2 sets of 2 copies each of the USGS Form 9-331a, Sundry Notices and Reports on Wells. This is our notice of our Intention to Drill Martha Featherstone "B" Lease Well #1 and Montezuma Creek Unit Well #1.

We will forward the additional information required as soon as it is available.


Please return one copy for our files.

Yours very truly,



G. H. Lancaster  
Field Superintendent

CCB:ab  
Attachments



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Salt Lake

Lease No. \_\_\_\_\_

Unit Martha Featherstone

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

..... April 1 ....., 1957.

Well No. 1 is located 660 ft. from S line and 1980 ft. from E line of sec. 23

SW SE Section 23 40S 22E Salt Lake  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Recapture Creek San Juan Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is Unknown ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Pan American Petroleum Corporation proposed to drill Martha Featherstone USA "B" Inc. Well #1 a 5800 foot development well thru the Paradox Formation. The following is the proposed Casing Program:

150' - 13 3/8" 35.6# SJ Armo  
1300' - 9 5/8" 32.3# H-40 ST&C  
5860' - 5 1/2" 14# J-55 ST&C

Additional information will be forwarded when available.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Pan American Petroleum Corporation


Address Rangely, Colorado

By [Signature]

Title Field Superintendent

Attached is a plat as required by Rule C-4 (a).


Yours very truly,



G. H. Lancaster  
Field Superintendent

FKK:lrs  
Attachment  
CC: C. V. Walton w/o Att.

T 40 S



R 22 E

PAN AMERICAN PETROLEUM CORP.  
 STANOLIND OIL AND GAS COMPANY  
 TULSA, OKLA.

Plot showing surveyed location  
 B-#1 M. Featherstone - U.S.A.

DR.	TR.	CK.	AP.	NO.
-----	-----	-----	-----	-----

SCALE 1" = 1,000' DATE 4-8-57

April 5, 1957

Pan American Petroleum Corporation  
Rangely,  
Colorado

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Martha Featherstone USA "B" 1, which is to be located 660 feet from the south line and 1980 feet from the east line of Section 23, Township 40 South, Range 22 East, S1EM, San Juan County, Utah.

Please be advised that insofar as this office is concerned, approval to drill said well is hereby granted.

However, said approval is conditional upon a plat being submitted in accordance with Rule C-4, General Rules and Regulations and Rules of Practice and Procedure, Oil and Gas Conservation Commission, State of Utah.

Yours very truly,


OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT  
SECRETARY

CBF:cn

cc: Don Russell, Dist. Eng.  
USGS, Federal Building  
Salt Lake City, Utah

Pan American Petroleum Corp.  
P. O. Box 238  
Salt Lake City, Utah



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Salt Lake  
Lease No. \_\_\_\_\_  
Unit North Featherston "F"

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL <u>Supplemental</u>	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 11, 1957

Well No. 1 is located 910 ft. from [S] line and 1300 ft. from [E] line of sec. 23

SW 23 Section 23 (1/4 Sec. and Sec. No.)    40N (Twp.)    23E (Range)    Salt Lake (Meridian)  
Wasatch Creek (Field)    San Juan (County or Subdivision)    Utah (State or Territory)

The elevation of the ground above sea level is 4326 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

**Pan American Petroleum Corporation proposes to drill North Featherston 30A "F" Inc. Well #1 a 3000 foot development well thru the Paradox Formation. The location has been moved 250' North of the original notice.**

**The elevation has been added.**

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Pan American Petroleum Corporation

Address Engely, Colorado

By [Signature]

Title Field Superintendent

April 15, 1957

Pan American Petroleum Corporation  
Rangely,  
Colorado

Gentlemen:

This is to acknowledge receipt of your supplemental notice of intention to drill Well No. Martha Featherstone USA "B" INC. #1, 910 feet from the south line and 1980 feet from the east line of Section 23, Township 48 South, Range 22 East, SEEM, San Juan County, Utah.

Before approval can be given for the drilling of this well, it will be necessary for you to furnish this office sufficient information to justify an unorthodox location as required by Rule G-3(e) of our general rules and regulations.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

GLENN B. WRIGHT  
SECRETARY

CBF:en

cc: Phil McGrath/ Mr. Long  
USGS, Farmington, N. M.

Pan American Petroleum Corp.  
P. O. Box 238  
Salt Lake City, Utah

*F K Krebill*  
*Pan American Pet Co*  
*Rangely, Colorado*

# PAN AMERICAN PETROLEUM CORPORATION

Rangely, Colorado

April 18, 1957

File:       GHL-461-Well File

Re:         Location M. Featherstone USA  
            "B" No. 1 Inc.

AIR MAIL

Oil and Gas Conservation Commission  
of the State of Utah

Room 105  
Capitol Building  
Salt Lake City 14, Utah

Dear Sir:

We furnish the following information concerning the unorthodox location of subject well as required by Rule C-3 (c) as per your request of April 15, 1957.

This location was moved 250' north of the center of the SW SE of Sec. 23 T40S R22E SLBM, San Juan County, Utah, to avoid unfavorable terrain. The center of the 40 acre tract fell in the middle of the Recapture Creek stream bed. Even though the Creek is dry at this time, there are certain times of the year when the Creek has considerable water in it and as a consequence we felt that locating the well in the river bed constituted a hazard and an inconvenience. The regular location represented a hazard in view of a flash flood possibly destroying rig foundation during drilling as well as possible contamination of the stream drainage by drilling mud and oil or gas during drilling and subsequent production. Regular location represented considerable inconvenience due to the large thickness of soft silt which would not make suitable rig foundation as well as the possibility of having a producing well in an untenable position during periods of high water.

All lease ownership is common to the well location for a distance of 660 feet on all sides of the well, therefore there will be no controversy with offset lease holders.

April 18, 1957

F. K. Kimball  
Pan American Petroleum Corporation  
Bangely, Colorado

Dear Mr. Kimball:

With reference to our telephone conversation of this date, please be advised that approval is hereby granted to drill Well No. Martha Featherstone USA "B" Inc. 1, 910 feet from the south line and 1980 feet from the east line of Section 23, Township 40 South, Range 22 East, S1EM, San Juan County, Utah.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

GLENN B. FRIGHT  
SECRETARY

GBF:en

cc: Phil McGrath/ Mr. Long  
U.S.G.S. Farmington,  
New Mexico

Pan American Petroleum Corp.  
P. O. Box 238  
Salt Lake City, Utah

# PAN AMERICAN PETROLEUM CORPORATION

Rangely, Colorado

April 22, 1957

File: GHL-463-WF

Subject: Sundry Notices

Oil and Gas Conservation Commission  
of the State of Utah  
Room 105, Capitol Building  
Salt Lake City, Utah

Gentlemen:

Please find attached the plat covering the survey location of  
our Martha Featherstone "B" Lse. Well No. 2.

Yours very truly,



G. H. Lancaster  
Field Superintendent

CCB:lrs

# PAN AMERICAN PETROLEUM CORPORATION

Rangely, Colorado

April 30, 1957

File: GH-500-WF

Subject: Sundry Notices and Reports on Wells

*Noted O.K.  
OK  
5-3-57.*

Oil and Gas Conservation Commission  
of the State of Utah  
Room 105, Capitol Building  
Salt Lake City, Utah

Dear Sir:

Please find attached 2 copies of USGS Form 9-331a, Sundry Notices and Reports on Wells, covering our Subsequent Report of Setting Casing on our Martha Featherstone "B" Lease Well No. 1.


Please return one approved copy to this office for our file.

Yours very truly,



G. H. Lancaster  
Field Superintendent

CCB:ab  
Attachments



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Salt Lake City

Lease No. 969910

Unit \_\_\_\_\_

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	<b>Subsequent Report of Setting Casing X</b>	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 30, 1957

Well No. 1 is located 910 ft. from S line and 1900 ft. from E line of sec. 23

SE 22 Section 23 (1/4 Sec. and Sec. No.)    40S (Twp.)    22E (Range)    Salt Lake (Meridian)  
Beaumont Creek (Field)    San Juan (County or Subdivision)    Utah (State or Territory)

The elevation of the derrick floor above sea level is 4396 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

*Notes OK,  
and approved  
C.H.H.  
5-3-57.*

**Martha Featherstone "F" Lease Well #1**  
**140 ft. 13 3/8" 32.60 #1 Annex Casing Set at 160 with 150 sacks cement**  
**1 1/2 percent Ca Cl.**  
**1512 ft. 9 5/8" 32.36 #2-40 ST&C Casing Set at 1300 with 500 sacks cement.**  
**Ground Elevation 4387**  
**190 Elevation 4396**


I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Pan American Petroleum Corporation

Address Englevale, Colorado

By [Signature]

Title Field Superintendent



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Salt Lake City

Lease No. 069908

Unit \_\_\_\_\_

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	<input checked="" type="checkbox"/>		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 10, 1957

Well No. 1 is located 910 ft. from [S] line and 1980 ft. from [E] line of sec. 23

SW SE Section 23 (1/4 Sec. and Sec. No.) 40E (Twp.) 22E (Range) Salt Lake (Meridian)  
Reception Creek (Field) San Juan (County or Subdivision) Utah (State or Territory)

The elevation of the ~~ground~~ floor above sea level is 4307 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

**Pan American Petroleum Corporation proposes to plug and abandon our Martha Featherstone "B" Inc. Well #1 as follows:**

- 5370 to 5285 - 25 Sax
- 4968 to 4903 - 20 Sax
- 3195 to 3130 - 20 Sax
- 2087 to 2022 - 20 Sax
- 1330 to 1264 - 25 Sax
- 49 to Surface w/ marker - 20 Sax

See reverse side  
for Formation Tops

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Pan American Petroleum Corporation

Address Rangely, Colorado

By [Signature]

Title Field Superintendent

# PAN AMERICAN PETROLEUM CORPORATION

Rangely, Colorado

June 11, 1957

File: GHL-681-WF

Subject: Sundry Notices and Reports on Wells

*Noted  
CMT  
6-17-57*


Oil and Gas Conservation Commission  
of the State of Utah  
Room 105, Capitol Building  
Salt Lake City, Utah

Dear Sir:

Please find attached 2 copies of USGS Form 9-331a, Sundry Notices and Reports on Wells, covering our Notice of Intention to Abandon our Martha Featherstone "B" Lease Well #1.

Please return an approved copy for our files.

Yours very truly,



G. H. Lancaster  
Field Superintendent

CCB:ab  
Attachments

June 14, 1957

Pan American Petroleum Corporation  
Rangely,  
Colorado

Attention: G. H. Lancaster, Field Superintendent

Gentlemen:

This is to acknowledge receipt of the USGS Forms 9-331a, Sundry Notices and Reports on Wells, covering your Notice of Intention to Abandon Well Nos. Coal Bed Canyon Unit Inc. Well No. 4, and Martha Featherstone "B" Lease Well No. 1.

Thankyou very much.

Approved copies covering both wells, are enclosed herewith.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION


CLEON B. FREIGHT  
SECRETARY

CBF:en

Encl.

15

U. S. LAND OFFICE Salt Lake City  
SERIAL NUMBER 069908  
LEASE OR PERMIT TO PROSPECT \_\_\_\_\_



LOCATE WELL CORRECTLY

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

*Noted  
CASH  
7-1-57*

LOG OF OIL OR GAS WELL

Company Pan American Petroleum Corp. Address Rangely, Colorado  
Lessor or Tract U.S.A. Field Recapture Creek State Utah  
Well No. B-1 Sec. 21 T. 40S R. 22E Meridian Salt Lake County San Juan  
Location 910 ft.  $\left\{ \begin{matrix} N \\ S \end{matrix} \right\}$  of S. Line and 1980 ft.  $\left\{ \begin{matrix} E \\ W \end{matrix} \right\}$  of E. Line of Sec. 23 Elevation 4397  
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed G. H. Pancoast

Date 6-14-57 Title Field Superintendent

The summary on this page is for the condition of the well at above date.

Commenced drilling 4-25, 1957 Finished drilling 6-9, 1957

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from \_\_\_\_\_ to \_\_\_\_\_ No. 4, from \_\_\_\_\_ to \_\_\_\_\_  
No. 2, from \_\_\_\_\_ to \_\_\_\_\_ No. 5, from \_\_\_\_\_ to \_\_\_\_\_  
No. 3, from \_\_\_\_\_ to \_\_\_\_\_ No. 6, from \_\_\_\_\_ to \_\_\_\_\_

IMPORTANT WATER SANDS

No. 1, from 420' to 750' No. 3, from \_\_\_\_\_ to \_\_\_\_\_  
No. 2, from \_\_\_\_\_ to \_\_\_\_\_ No. 4, from \_\_\_\_\_ to \_\_\_\_\_

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	
13-3/8	36	8PT	Armaco	150	Floot				
9-5/8	34.3	8PT	Armaco	1300	Guide				

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud-gravity	Amount of mud used
13-3/8	189'	150	Two-Plug		
9-5/8	1298'	500	Two-Plug		

PLUGS AND ADAPTERS

Heaving plug—Material \_\_\_\_\_ Length \_\_\_\_\_ Depth set \_\_\_\_\_  
Adapters—Material \_\_\_\_\_ Size \_\_\_\_\_

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

FOLD MARK

**MUDDING AND CEMENTING RECORD**

FOLD MARK

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
13-3/8	189'	150	Two-Plug		
9-5/8	1298'	500	Two-Plug		

**PLUGS AND ADAPTERS**

Heaving plug—Material \_\_\_\_\_ Length \_\_\_\_\_ Depth set \_\_\_\_\_  
 Adapters—Material \_\_\_\_\_ Size \_\_\_\_\_

**SHOOTING RECORD**

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

**TOOLS USED**

Rotary tools were used from Surface feet to 5534 feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 Cable tools were used from \_\_\_\_\_ feet to \_\_\_\_\_ feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet

**DATES**

\_\_\_\_\_, 19\_\_\_\_ Put to producing \_\_\_\_\_, 19\_\_\_\_

The production for the first 24 hours was \_\_\_\_\_ barrels of fluid of which \_\_\_\_\_% was oil; \_\_\_\_\_% emulsion; \_\_\_\_\_% water; and \_\_\_\_\_% sediment. Gravity, °Bé. \_\_\_\_\_

If gas well, cu. ft. per 24 hours \_\_\_\_\_ Gallons gasoline per 1,000 cu. ft. of gas \_\_\_\_\_  
 Rock pressure, lbs. per sq. in. \_\_\_\_\_

**EMPLOYEES**

D. R. Randolph \_\_\_\_\_, Driller J. W. McCrary \_\_\_\_\_, Driller  
J. C. Mercer \_\_\_\_\_, Driller J. D. Egan \_\_\_\_\_, Tool Pusher Driller

**FORMATION RECORD**

FROM-	TO-	TOTAL FEET	FORMATION
0	240	240	Morrison
240	294	54	Entrada
294	338	44	Carmel
338	750	412	Navajo
750	810	60	Koyenta
810	1210	400	Wingate
1210	1967	757	Chinle
1967	2057	90	Shinarump
2057	2289	232	Moenkopi
2289	3165	896	Cutler
3165	4237	1072	Rice
4237	4958	721	Hermosa
4958	5156	198	Paradox "A"
5156	5360	204	Paradox "B"
5360	5530	170	Paradox "C"
5530	5534	4	Salt

(OVER)



# PAN AMERICAN PETROLEUM CORPORATION

Rangely, Colorado

June 18, 1957

File: GHL-724-420.13

Re: Well Log -  
M. Featherstone B-1

Oil and Gas Conservation Commission  
of the State of Utah  
Room 105  
Capitol Building  
Salt Lake City, Utah

Gentlemen:


Attached please find 1 copy of the well log for our M. Featherstone  
"B" No. 1 in San Juan County, Utah. Copies of the Radioactivity  
and Electric Logs will be forwarded upon our receipt of final  
prints.

Yours very truly,



G. H. Lancaster  
Field Superintendent

GJS:lrs  
Attachment



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Salt Lake City

Lease No. 064008

Unit \_\_\_\_\_

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	<b>X</b>
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

..... June 18, ....., 1957 .....

Well No. 1 is located 919 ft. from N line and 1380 ft. from E line of sec. 23

Sw 1/4 Sec. 23 40E 23E Salt Lake  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Escapture Creek San Juan Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the ~~rock~~ <sup>ground</sup> floor above sea level is 4387 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

**Pan American Petroleum Corporation has plugged and abandoned its Martha Featherstone "B" No. 1 as follows:**

- 5370 - 5135 - 25 sax
- 4968 - 4903 - 20 sax
- 3195 - 3130 - 20 sax
- 2687 - 2022 - 20 sax
- 1330 - 1264 - 25 sax
- 49 to surface w/ marker 20 sax

*Approved*  
*W. A. Houghton*  
*7-1-57*

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Pan American Petroleum Corporation

Address Rangely, Colorado

By [Signature]

Title Field Superintendent

# PAN AMERICAN PETROLEUM CORPORATION

Rangely, Colorado

June 19, 1957

File: GHL-732-980.2

Re: Sundry Notice on  
M. Featherstone B-1

Oil and Gas Conservation Commission  
of the State of Utah  
Room 105  
Capitol Building  
Salt Lake City 1, Utah

Gentlemen:

Attached please find 2 copies of the Subsequent Report of Aban-  
donment on our M. Featherstone "B" No. 1 in San Juan County,  
Utah. Please return one approved copy to this office.

Yours very truly,



G. H. Lancaster  
Field Superintendent

GJS:lrs  
Attachments

# PAN AMERICAN PETROLEUM CORPORATION

Rangely, Colorado

July 22, 1957

File: GHL-861-WF

Subject: Well Logs -  
M. Featherstone B-1  
Coal Bed Canyon Unit #4

*Handwritten:*  
Voted  
CMT  
7-30-57

Oil and Gas Conservation Commission  
of the State of Utah  
Room 105  
Capitol Building  
Salt Lake City 1, Utah

Gentlemen:

Enclosed please find one copy each of the Electric and Radioactivity Logs run on our M. Featherstone "B" No. 1 and Coal Bed Canyon Unit #4 in San Juan County, Utah.

Yours very truly,



G. H. Lancaster  
Field Superintendent

CC: Mr. J. O. Fair  
MEJ:lrs  
Enclosure