

FILE NOTATIONS

Entered in NID File _____
Copied On SR Sheet _____
Location Map Pinned _____
Checked Indexed _____
IWD State or Fee Land _____

Checked by Chief _____
Copy NID to Field Office _____
Approval Letter _____
Disapproval Letter _____

COMPLETION DATA:

Date Well Completed 8-1-59
OW _____ WW _____ TA _____
GW _____ OS _____ PA X

Location Inspected 12-3-59
Bond released _____
State of Fee Land _____

LOGS FILED

Drillers Log 10-2-59
Electric Logs (No.) 4

E I _____ E-I _____ GR _____ GR-N _____ Micro _____
Lit _____ Mi-L _____ Sonic _____ Others _____

Radioactivity Log
Swirl Log
Contact Log

Scout Report sent out



Noted in the NID File



Location map pinned



Approval or Disapproval Letter



Date Completed P. & A. or
operations suspended

8-1-58

Pin changed on location map



Affidavit and Record of A & P



Water Shut-Off Test



Gas-Oil Ratio Test



Well Log Filed



Inspected S/K

ART RAMSEY


Company C. G. PERRY DRILLING COMPANY

Lease..... Well No.....

Sec. 16, T. 34 S., R. 25 E., S.L.M.

Location 660 FEET FROM THE NORTH LINE & 1980 FEET FROM THE WEST LINE

Elevation 6819' ungraded ground



Scale—4 inches equal 1 mile.

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Seal:

James P. Leese

Registered Land Surveyor.
James P. Leese
Utah Reg. No. 1472

Surveyed 7 February, 1958

SAN JUAN ENGINEERING COMPANY, FARMINGTON, N. M.

April 8, 1958

Mr. Arthur Ramsey
c/o Continental Oil Company
P. O. Box 3312
Durango, Colorado

Dear Sir:

It has come to the attention of this office that you have spudded in Well No. State 1, located in the 0 NE NW of Section 16, Township 34 South, Range 25 East, S1E4, San Juan County, Utah.

Under the general rules and regulations adopted by the Utah Oil & Gas Conservation Commission, any individual or corporation intending to drill for oil and/or gas in the State of Utah must file a notice of intention to drill with this office and have the same approved by the Commission before spudding in, except for those cases which fall under Rule A-3 of these rules and regulations.

It appears that this well does not fall within the exception provided for under Rule A-3.

Therefore, you are requested to cease drilling operations until you have complied with the rules and regulations of this commission.

Under the terms of the lease to Continental Oil Company covering the above mentioned section, a drilling bond must also be filed with the State Land Board. Failure to do so can result in said lease being cancelled.

Enclosed herewith are some of our Forms OGCC-1, Notice of Intention to Drill, and a copy of our rules and regulations for your information and use.

Yours very truly,


OIL & GAS CONSERVATION COMMISSION

GLENN B. FEIGHT
SECRETARY

CBF:cn

cc: L. W. Heiny
Continental Oil Co.
P. O. Box 3312
Durango, Colorado

State Land Board
Room 105, Capitol Bldg.
Salt Lake City, Utah



(SUBMIT IN TRIPLICATE)

Land Office 45672
Utah
Lease No. 72833
Unit _____

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 9, 1958

Well No. 1 is located 660 ft. from N line and 1980 ft. from W line of sec. 16
NW/4 16 34S 25E SLM
(¼ Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat San Juan Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6830 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Contract TD 6200' or top of Paradox Salt

210' Surface cased from top to bottom - set on line
 10 3/4" casing 13 1/2" hole
 to 4' TD w/ 6 7/8"

6-4-58 Mr Ramsey called this date and gave above casing information. Spindle to be spud-in on Friday 6 June.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Art Ramsey
 Address Box 3022
Durango, Colorado
 By W. E. Carr
 Title Geologist

April 16, 1958

6-4-58 Mr Ramsey
called - approval granted
to spend in on Friday
provided new N.O submitted
& plat
CBF

Mr. Art Ramsey
P. O. Box 3022
Durango, Colorado

Attention: W. E. Carr, Geologist

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Federal 1, which is to be located 660 feet from the north line and 1980 feet from the west line of Section 16, Township 34 South, Range 25 East, SLEM, San Juan County, Utah.

Please be advised that before approval can be given for the drilling of this well, it will be necessary for you to submit a plat or map prepared by a licensed surveyor or engineer, showing the proposed well location, as required by Rule C-4(a) of our rules and regulations.

Also, we are returning your notice of intention to drill, as it will be necessary for you to furnish this office information relative to the proposed casing program for the above mentioned well.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

OLEON B. FEIGHT
SECRETARY

CBF:cn

Encls.

Cont. - Duvo 190
Cherry 7-2580

5-22-58
well not drilled as far as he is
concerned - Will check &
let us know CBF

Mr. W.E. Carr
Cherry
73076
Durango

#

INSTRUCTIONS TO DELIVERING EMPLOYEEDeliver *ONLY* to
addresseeShow address where
delivered*(Additional charges required for these services)***RETURN RECEIPT**

Received the numbered article described on other side.

SIGNATURE OR NAME OF ADDRESSEE (must always be filled in)

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

Art Ramsey

DATE DELIVERED

*5-8-59**AR*

ADDRESS WHERE DELIVERED (only if requested in item #1)

Laura Ramsey

POST OFFICE DEPARTMENT
OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE TO AVOID
PAYMENT OF POSTAGE, \$300



POSTMARK OF
DELIVERING OFFICE

INSTRUCTIONS: Fill in items below and complete #1 on other side, when applicable. Moisten gummed ends and attach to back of article. Print on front of article RETURN RECEIPT REQUESTED.

← RETURN
TO

REGISTERED NO.

8240

NAME OF SENDER

Oil & Gas Conservation Comm.

CERTIFIED NO.

STREET AND NO. OR P. O. BOX

310 Newhouse Bldg, 10 Ex Place

INSURED NO.

CITY, ZONE AND STATE

Salt Lake City 11, Utah

5-71548-4

POD Form 3811 J. 958

	X	

STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION

STATE CAPITOL BUILDING
SALT LAKE CITY 14, UTAH

Fee and Patented.....
 State.....
 Lease No. 72833.....
 Public Domain.....
 Lease No.
 Indian.....
 Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

Notice of Intention to Drill.....	<input checked="" type="checkbox"/>	Subsequent Report of Water Shut-off.....	
Notice of Intention to Change Plans.....	<input type="checkbox"/>	Subsequent Report of Altering Casing.....	
Notice of Intention to Redrill or Repair.....	<input type="checkbox"/>	Subsequent Report of Redrilling or Repair.....	
Notice of Intention to Pull or Alter Casing.....	<input type="checkbox"/>	Supplementary Well History.....	
Notice of Intention to Abandon Well.....	<input type="checkbox"/>		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

..... 6 - 12 19 58

Well No. 1 is located 660 ft. from $\left\{ \begin{matrix} N \\ S \end{matrix} \right\}$ -line and 1980 ft. from $\left\{ \begin{matrix} E \\ W \end{matrix} \right\}$ line of Sec. 16
 nw $\frac{1}{4}$ 16 34S 25E SIM
($\frac{1}{4}$ Sec. and Sec. No.) (Twp.) (Range) (Meridian)
 Wildcat San Juan Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6820 feet. est.

A drilling and plugging bond has been filed with (to be drilled under Continental Oil Co. bond)
DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important work, surface formation, and date anticipate spudding-in.)

Operator proposes to drill a test well to the top of the Paradox salt, expected at a depth of 6075, or to a depth of 6200 feet in the event that salt is not encountered at a lesser depth.

Operator proposes to run 36 pound, 10 3/4" surface casing to a depth of approximately 210 feet, circulating cement to surface.

Operator proposes to run 7" intermediate casing if uncontrollable water flows are encountered.

Operator proposes to run 5 1/2" production casing if commercial production is indicated.

I understand that this plan of work must receive approval in writing by the Commission before operations may be commenced.

Company Art Ramsey
 Address P. O. Box 3022 Durango, Colorado
 By W. E. Carr Consulting Geologist
 Title P. O. Box 3311 Durango, Colorado

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.

June 17, 1958

Mr. Art Ramsey
c/o Mr. W. E. Carr,
Consulting Geologist
P. O. Box 3311
Durango, Colorado

Dear Sir:

This is to acknowledge receipt of your notice of intention to drill and the accompanying surveyor's plat for Well No. 1, which is to be located 660 feet from the north line and 1980 feet from the west line of Section 16, Township 34 South, Range 25 East, S18M, San Juan County, Utah.

Please be advised that this is to confirm our verbal approval of June 4, 1958, to drill the above well at the above location.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FREIGHT
SECRETARY

CRF:en

cc: Art Ramsey, Operator
P. O. Box 3022
Durango, Colorado

Phil McGrath
USGS, Farmington,
New Mexico

State Land Board
Rm. 105, BUILDING



CEMENTING SERVICE TICKET

No. _____

DATE 8-1-58	CUSTOMER'S ORDER NO.	CUSTOMER'S REQ. NO.	SEC. 16	TWP. 34	RNG. 25E	TRK.	CALLED OUT DATE A.M. P.M.	ON LOCATION DATE A.M. P.M.	JOB BEGAN DATE A.M. P.M.	JOB COMPLETED DATE A.M. P.M.
-----------------------	----------------------	---------------------	-------------------	-------------------	--------------------	------	------------------------------	-------------------------------	-----------------------------	---------------------------------

WELL NO. AND FARM #1 Ballin Mall	PLACE OR DESTINATION Monticello Utah	COUNTY San Juan Utah	STATE Utah
--	--	--------------------------------	----------------------

OWNER Ramsay Oil Co	CONTRACTOR H-D-H	CHARGE TO Ramsay Oil Co
-------------------------------	----------------------------	-----------------------------------

DUNCAN USE ONLY	Cus. Inv. Req. Orig. & <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> Other	MAILING ADDRESS
	No. Copies	CITY & STATE
		TERMS
		Cash discount will be allowed if paid by 20th of following month. 6% interest charged after 60 days from date of invoice.

OWNER, OPERATOR OR HIS AGENT STATES THE WELL IS IN CONDITION FOR THE SERVICE JOB TO BE PERFORMED AND SUBMITS THE FOLLOWING DATA:

TYPE OF JOB (X) ONE	CASING	HOLE DATA		TUBING OR DRILL PIPE		CEMENTING PACKER		MAKE FLOAT EQUIPMENT	
		BORE SIZE	SIZE	SIZE	TYPE	TYPE	TYPE	TYPE	TYPE
SURFACE	NEW	7 7/8	4 1/2"					FLOAT COLLAR	
INTERMEDIATE	USED							GUIDE SHOE	
PRODUCTION	SIZE	TOTAL DEPTH 5982	TYPE FH					FLOAT SHOE	
SQUEEZE	WEIGHT	ROTARY	WEIGHT 1660					OTHER EQUIPMENT	
PUMPING	DEPTH	CABLE TOOL	TOTAL DEPTH 4450						
PLUG BACK	DEPTH								
GROUTING	TYPE								
OTHER (WRITE IN)									

PURPOSE	DEPTH FROM	TO APPROX.	CASING	IN SIZE HOLE
WATER				
GAS				
ABANDON	0	4450		7 7/8

BULK?	SACKED?	MIXED WT. PER GAL.	OTHER ADMIX
200 Reg	Reg	15.50	

PLUGS AND HEADS		PRESSURE	
BOTTOM PLUG	TYPE	CIRCULATING	400
TOP PLUG	TYPE	MINIMUM	400
TYPE HEAD	4 1/2" FH RW	MAXIMUM	400

DEPTH OF JOB	PRICE REF.	SERVICE AND RENTAL CHARGES	AMOUNT
4450 FT.	72	BASE CHARGE	499.00
		ADD'N CHARGE	800
		EXTRA TRUCK	
		STAND BY TRUCK	
		MILEAGE	@

CEMENT LEFT IN CASING _____ FT.
 BY REQUEST NECESSITY MEASURED WITH LINE?

The following information is urgently requested in order that we may be fully advised, and to enable us to keep our standard of service up to the highest point.

Was operation of the cementing equipment satisfactory? **over** Was the work of the crew performed in a satisfactory manner?

Was cementing job satisfactorily completed? Suggestions: _____

TRUCK NO. & TYPE	TITLE	NAME	LOCATION
5705	CEMENTER	Steve J. Cortez	Monticello
	DRIVER	Switzer	
	CEMENTER		
	DRIVER		
	CEMENTER		
	DRIVER		

We certify that the Fair Labor Standards Act of 1938, as amended, has been complied with in the production of goods and/or with respect to services furnished covered by this invoice.	SUB-TOTAL	567.00
	SALES TAX	
	TOTAL	

	Plug	Depth	Int Fill	Plug Top
# 1	44.50'	50.	162'	4288'
# 2	3740	48	130'	2610'
# 3	1700	40	130'	1570'
# 4	1280	25	81'	1199'
# 5	1020	25	81'	929'
# 6	Top csg	10.	—	Surface

Thurs
July 31

'58.
8:30 P.M.

7.3076
7.2497

W.E. Carr, Durango
cherry ~~7.1076~~ 7.3076

See 16 34^S.25^E

Ramsey - Boulder Knoll.

T.D. 5978' To P₁a₂
Paradox Salt.

P₁a plugging program
approved - see attached sheet -
by Cass this date.

Surface ^{10³/₄"} 210' / 100
Halliburton ^{box}

50 box Top of Hermosa 4446'
25 - base Shinerump 2740'
25 - top " 2680'

Keyenta
Wind 9

40 box Water
1700

Navajo Top 1260
1650?
Entrada top 1000

25 box 1280
at 1240

Salt } 5965'
5978'

2500 x 1020'

10 box

Jack

Phone El 5.3629
Res.

Road log to Well -

E. of Monticello.

9 mi E. of Monticello.

then 2 mi So. South side of road
200 yds.

T. C. Fisher Allred.

Need NI to P&A
SR of P&A
Log of well

Plugging + Abandonment of

Memo
for
File

Ramsey - Boulder Knoll Well #1 Fee

NE⁴ NE⁴ Sec 16, T.34S, R.25E, Uintah Co.,

T.D. 5978' Paradox Salt.

On July 31 '58 W.E. Carr, Supt called from Durango saying Company had reached T.D. of 5978' in Paradox Salt and were ready to plug and abandon the well.

The following procedure was approved by C. Hauptman

Salt 5965 } 50 sack plug spotted by Halliburton
5978 } at 4446', Top of Hermosa.

Top Shinarump 268.0' } 40 sack plug in
base " 2740 } Shinarump.

Top Navajo (water) 1260 } 40 sack plug spotted at
base " 1650 } 1700' and above.

Top Entrada 1000 } 25 sack plug spotted at
base " 1240 } 1280' and above.

10³/₄ surface Csg Cntd } 25 sack plug spotted at
w/ 100 sack, T. to B. } 1020 and above - 939'

10 sacks dumped at surface of 10³/₄ to hold
marker.

All worked witnessed by C. Hauptman Aug. 1 '58
to Aug 2, 58

Aug 11, 1958 C. Hauptman Petroleum.

58
7-10
5-33
15
Ma Kop
February 3, 1959

Art Ramsey
P. O. Box 3022
Durango, Colorado

Re: Well No. Federal 1, NW Sec.
16, T. 34 S, R. 25 E, SLEM,
San Juan County, Utah

Dear Sir:

This letter is to advise you that the well log for the above mentioned well is due and has not as yet been filed with this office as required by our rules and regulations.

Please complete the enclosed Forms OGCC-3, Log of Oil or Gas Well, in duplicate, and forward them to this office as soon as possible.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT
EXECUTIVE SECRETARY

CBF:co

Encls. (Forms 3) 0

April 1, 1959

Art Ramsey
P. O. Box 3022
Durango, Colorado

Dear Sir:

Re: Well No. Federal 1, NW Sec. 16,
T. 34S, R. 25E, SLBM, San Juan Co.

Please refer to our letter of February 3, 1959, requesting your prompt attention to the filing of a well log on the above well.

As yet, we have received no reply to our letter. All logs, electric, driller's, etc., should have been filed with this office no later than November 9, 1958. Would you please give this matter your immediate attention.

Thank you.

Yours very truly,
OIL & GAS CONSERVATION COMMISSION

C. Peterson
Statistician

cp

May 14, 1959

REGISTERED - MAIL

Art Ramsey
P. O. Box 3022
Durango, Colorado

Dear Sir:

Re: Well No. Federal 1, NW Sec. 16,
Township 34 South, Range 25 East,
SEPM, San Juan County

9 mi E } of Monticello
2 " S }

Please be advised that this Commission will not approve any future drilling operations by you until the enclosed form, OGCC-3, Log of Oil or Gas Well, and any electric or induction logs you may have made are furnished to us, as requested by our letters of February 3, 1959 and April 1, 1959.

Should you continue to ignore our request until such a time as you contemplate drilling another well in the State of Utah, you will be required to furnish this Commission with a \$5,000.00 Drilling and Plugging Bond, in addition to the bond furnished ~~to us by~~ the U. S. Geological Survey.

We suggest that May 20, 1959, is a reasonable time in which to comply.

Yours very truly,
OIL & GAS CONSERVATION COMMISSION

CLAYTON B. FREIGHT
Executive Secretary

CBF/olp

cc: Dan Russell, Dist. Eng.
U. S. G. S., Salt Lake City

Phil McGrath
U.S.G.S., Farmington, New Mexico

Continental Oil Company
Box 3312
Durango, Colorado

May 3, 1959

Hartford Fire Insurance Company Group
720 California Street
San Francisco 20, California

Attention: Mr. H. D. Rigney,
Surety Department

Re: Bond No. 3045237 - Continental
Oil Company Oil & Gas Lease
Bond - \$5,000.00

Gentlemen:

Pursuant to your letter of April 7, 1959 to the Utah State Land Board relative to the above, that agency requested this office for a report on possible cancellation of this bond.

On April 22, 1959, I visited the well site and found the mud pits had not been filled, new location restored to original leveled-condition; also, an adequate regulation marker had not been erected.

Accordingly, recommendation is hereby made to the State Land Board that this bond be not cancelled until final work above mentioned be performed and inspection of same made by this office.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

G. A. HARTMAN
PETROLEUM ENGINEER

CAH:cc

cc: State Land Board - Attn: Miss Thompson
Greece - Box 1312 - Durango, Colorado
Arthur Ramsey - Box 1022 - Durango, Colorado
H. G. Henderson - U 04000 - Moab, Utah

No log yet
received as
requested last
April + May.
See Jack's letters.
CAH.

August 3, 1959

Art Ramsey
P. O. Box 3022
Durango, Colorado

Dear Sir:

Re: Well No. State 1, NW Sec. 16,
T. 34 S, R. 25 E, SLEM, San Juan
County, Utah

Please refer to our letter of May 4, 1959, requesting the well log and any other electric or induction logs run on the above mentioned well. As yet we have received no information relative to our request.

Please be advised that insofar as this Commission is concerned the bond for this well will not be cancelled until the above information is furnished to us.

Your immediate attention to this matter will be greatly appreciated.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FREIGHT
EXECUTIVE SECRETARY

CBF:ep

cc: State Land Board - Attn: Miss Thompson

Hartford Fire Insurance Company Group
720 California Street
San Francisco 20, California

September 14, 1959

State Land Board
State Capitol Building
Room 105
Salt Lake City, Utah

Gentlemen:

Re: Well No. State 1, NW Sec. 16,
T. 34 S., R. 25 E., SLEM, San Juan
County, Utah.

This letter is to advise you that we have still not received any logs on the above mentioned well relative to our letters of May 4, 1959, and August 3, 1959.

We recommend that the bond not be cancelled until all logs have been furnished to this Commission as required by our rules and regulations.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLAREN B. FREIGHT
EXECUTIVE SECRETARY

CBF:cp

cc: Arthur Ramsey
Box 3022
Durango, Colorado

Hartford Fire Insurance Company Group
720 California Street
San Francisco 20, California



CONTINENTAL OIL COMPANY

Box 1121
Durango, Colorado
September 23, 1959

Utah Oil and Gas Conservation Commission
310 Newhouse Building
10 Exchange Place
Salt Lake City 11, Utah

Re: Ramsey Oil Co.
Art Ramsey Boulder Knoll #1
T34N, R25E, S16,
San Juan County, Utah

Attn.: Mr. Cleon B. Feight

Dear Mr. Feight:

I am sending you a set of logs on the Art Ramsey Boulder Knoll #1 well for your files as requested in a recent letter to Kenneth D. Kirkland, Division Land Superintendent for Continental Oil Co.

I am sorry that you did not receive your logs from this well but we assumed that Mr. Ramsey would take care of the data distribution on this well. Obviously he didn't and since we have no record of what has been submitted and what has not, I would appreciate hearing from you if there are any other materials which you should have and have not received.

Yours very truly,

Charles V. Lee
Geologist

CVL-HP
Enc: Logs
cc: KK

6961 9 2 178

September 29, 1959

Continental Oil Company
P. O. Box 1121
Durango, Colorado

Attention: Charles V. Lee,
Geologist

Re: Art Ramsey - Well No. Boulder
Knoll 1, 16-34S-25 E, SLEM,
San Juan County, Utah

Gentlemen:

Thank you very much for your letter of September 23, 1959 and the enclosed logs for the above mentioned well.

It would be greatly appreciated if you could complete the enclosed Forms OGCC-3, Log of Oil or Gas Well, to the best of your ability, so that we can complete our file on this well.

Your cooperation in this matter is greatly appreciated.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT
EXECUTIVE SECRETARY

CBF:co

Encls. (Forms 3)



CONTINENTAL OIL COMPANY

Box 1121
Durango, Colorado
September 30, 1959

Mr. Cleon B. Feight
Executive Secretary
The State of Utah
Oil and Gas Conservation Commission
310 Newhouse Building
10 Exchange Place
Salt Lake City 11, Utah

Re: Art Ramsey
Boulder Knoll Well #1
S16, T34S, R25E, SLBM
San Juan County, Utah

Dear Mr. Feight:

Enclosed are the forms OGCC-3 on the subject well. Our data on this well is very limited and these forms have been completed in the light of the best dope that we have on the well.

I hope this is satisfactory for your purposes.

Yours very truly,

A handwritten signature in cursive script that reads "Charles V. Lee".


Charles V. Lee
Geologist

CVL-HP
Enc: Form in triplicate

100

**STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION**

State Capitol Building
Salt Lake City 14, Utah



LOCATE WELL CORRECTLY

To be kept Confidential until _____
(Not to exceed 4 months after filing date)

LOG OF OIL OR GAS WELL

Operating Company Ramsey Oil Co. Address _____
 Lease or Tract: State Field Wildcat State Utah
 Well No. 1 Sec. 16 T. 34S R. 25E Meridian SLM County San Juan
 Location 660 ft. N. of N. Line and 1980 ft. E. of W. Line of Sec. 16 Elevation 6819 DF
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed Charles V. Lee

Date 10-1-59 Title Geologist

The summary on this page is for the condition of the well at above date.

Commenced drilling Feb. 26, 1958 Finished drilling August 1, 1958

OIL OR GAS SANDS OR ZONES
(Denote gas by G)

No. 1, from _____ to _____ No. 4, from _____ to _____
 No. 2, from _____ to _____ No. 5, from _____ to _____
 No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from _____ to _____ No. 3, from _____ to _____
 No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	
10 3/4"	75#		Lone Star	211					Surface

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
10 3/4"	210'	100 sacks regular	Haliburton		

MARK

FOLD

PLUGS AND ADAPTERS

Heaving plug—Material Length Depth set
 Adapters—Material Size

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from 210' feet to 5978' feet, and from feet to feet
 Cable tools were used from Surface feet to 210' feet, and from feet to feet

DATES

....., 19..... Put to producing P & A 8-1-1958

The production for the first 24 hours was barrels of fluid of which % was oil; % emulsion; % water; and % sediment. Gravity, °Bé.

If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas
 Rock pressure, lbs. per sq. in.

EMPLOYEES

....., Driller Driller
 Driller Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
Log tops: Surface	55	55	Dakota Cretaceous
55	190	135	Burro Canyon
190	378	188	Morrison
378	500	122	Salt Wash ss
500	896	396	Bluff ss
896	1044	148	Summerville Jurassic
1044	1203	159	Entrada
1203	1241	38	Carmel
1241	1708	467	Navajo
1708	1771	63	Kayenta
1771	2017	246	Wingate
2017	2593	576	Chinle
2593	2675	82	Shinarump Triassic
2675	2767	92	Moenkopi
2767	4448	1681	Cutler Permian
4448	5435	987	Hermosa
5435	5965	530	Paradox Pennsylvanian
5965	5975 TD	10	Paradox Salt

[OVER]

OCT 2 1959

At the end of complete Driller's Log, add Geologic Tops. State whether from Electric Logs or samples.

--	--	--	--

HISTORY OF OIL OR GAS WELL


It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidetracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or bailing.

Plugging record:

50 sax @ 4450
40 sax @ 2740
40 sax @ 1700
25 sax @ 1280
25 sax @ 1020
10 sax @ surface

(SUBMIT IN DUPLICATE)

LAND:



STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION

STATE CAPITOL BUILDING
SALT LAKE CITY 14, UTAH

Fee and Patented.....
 State.....
 Lease No. **72833**.....
 Public Domain.....
 Lease No.
 Indian.....
 Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

Notice of Intention to Drill.....	Subsequent Report of Water Shut-off.....	
Notice of Intention to Change Plans.....	Subsequent Report of Altering Casing.....	
Notice of Intention to Redrill or Repair.....	Subsequent Report of Redrilling or Repair.....	
Notice of Intention to Pull or Alter Casing.....	Supplementary Well History.....	
Notice of Intention to Abandon Well.....	Report of Cleaning Location	X

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

..... **November 9,**, 19 **59**

Well No. **1** is located **660** ft. from **{N}** line and **1980** ft. from **{W}** line of Sec. **16**
NW 1/4 Sec. 16 **T34S** **R25E** **Salt Lake**
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat **San Juan County** **Utah**
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **6820** feet. (Est.)

A drilling and plugging bond has been filed with (~~drilled under Continental Oil Company bond~~)
DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important work, surface formation, and date anticipate spudding-in.)

Final report for Art Ramsey Boulder Knoll No. 1
State well drilled on Conoco farmout.

P. & A. 8-1-58. Location has been cleaned, pits filled and dry hole monument erected by Continental Oil Company.

I understand that this plan of work must receive approval in writing by the Commission before operations may be commenced.

Company **Continental Oil Company**.....
 Address **P. O. Box 3312**.....
Durango, Colorado.....
 Original Signed By: **H. D. HALEY**.....
 By.....
 Title **District Superintendent**.....

WAB-mb
 INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.

Utah OGCC(4), GHO, WCB, NDH



CONTINENTAL OIL COMPANY

P. O. Box 1121
Durango, Colorado
December 31, 1959

Utah Oil and Gas Conservation Commission
State Capitol Building
Salt Lake City 14, Utah

Attention of Mr. C. B. Feight

Gentlemen:

Re: Art Ramsey
Our Contract 9833
Our Lease No. 72833
No. 1 Boulder Knoll
T34S, R25E, Sec. 16.
San Juan County, Utah

Continental has now completed the clean up job on the well site and furnished your Commission with the proper data. We now request that we be released from liability under the bond which was posted and under which Mr. Ramsey drilled this well. Our bond is number 3045237, in the amount of \$5,000.

The reason we have done the work and have requested the release here is that we have been unable to obtain any satisfaction from Mr. Ramsey as to his obligation to us.

The report of cleaning location was sent to you under signature of H. D. Haley, District Production Superintendent, on November 9, 1959. The log of oil or gas well was sent to you by Mr. C. V. Lee on October 1, 1959.

I believe this completes our obligation to the Oil and Gas Conservation Commission and we would now appreciate your consideration in the cancellation of our bond.

Very truly yours,


George F. Maddox
Land Section
Durango Division

GFM-GM

cc: Utah State Land Board

January 5, 1960

**The State Land Board
105 State Capitol Building
Salt Lake City 14, Utah**

Attention: Frank J. Allen, Director

**Re: ML 72833 Bond No. 3045237
Art Ramsey - Well No. Boulder
Knoll State 1, 16-348-25E, SLEM,
San Juan County, Utah**

Gentlemen:

On December 3, 1959, our petroleum engineer, Mr. Harvey L. Coonts, visited the well site of the above mentioned well. The location had been satisfactorily cleaned and marked in accordance with our rules and regulations. Therefore, we recommend that the bond covering the drilling and plugging of Well No. Boulder Knoll State 1 be released.

Yours very truly,

UTAH OIL & GAS CONSERVATION COMMISSION

**CLENN B. FRIGHT
EXECUTIVE SECRETARY**

CBF:co

**cc: Continental Oil Company
Land Section - Attn: George F. Maddox
P. O. Box 1121
Durango, Colorado**