

FILE NOTATIONS

Entered in NID file ✓

Entered On S.R. Sheet ✓

Location Map Pinned ✓

Card Indexed ✓

HW R for State or Fee Land _____

Checked by Chief ✓

Copy NID to Field Office ✓

Approval Letter ✓

Disapproval Letter _____

COMPLETION DATA:

Date Well Completed 7-12-59

OH _____ WW _____ TA _____

GN _____ OS _____ PA X

Location Indexed _____

Bond released _____

State of Fee Land _____

LOGS FILED

Driller's Log ✓

Electric Logs (No.) 3

E _____ I _____ E-I ✓ OR _____ GR-N ✓ MIEFB ✓

Lat _____ Mi-L _____ Sonic _____ Others _____

(SUBMIT IN TRIPPLICATE)


Indian Agency Window Rock,

Arizona

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee Tribal Lands

Lease No. 14-20-603-249



SUNDRY NOTICES AND REPORTS ON WELLS

| | | | |
|--|-------------------------------------|---|--|
| NOTICE OF INTENTION TO DRILL..... | <input checked="" type="checkbox"/> | SUBSEQUENT REPORT OF WATER SHUT-OFF..... | |
| NOTICE OF INTENTION TO CHANGE PLANS..... | | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING..... | |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF..... | | SUBSEQUENT REPORT OF ALTERING CASING..... | |
| NOTICE OF INTENTION TO REDRILL OR REPAIR WELL..... | | SUBSEQUENT REPORT OF REDRILLING OR REPAIR..... | |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE..... | | SUBSEQUENT REPORT OF ABANDONMENT..... | |
| NOTICE OF INTENTION TO PULL OR ALTER CASING..... | | SUPPLEMENTARY WELL HISTORY..... | |
| NOTICE OF INTENTION TO ABANDON WELL..... | | | |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 6, 19 57

Desert Creek

Well No. 22-1 is located 2136 ft. from N line and 2092 ft. from W line of sec. 1

14/4 1 42S 23E 51M
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Desert Creek San Juan County Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the ground above sea level is 5170 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

1. Drill 11" hole to 1750'±.
2. Cement 8-5/8" casing at 1750'± with 500 sacks cement.
3. Drill 7-7/8" hole to 5560'±.
4. Cement 5-1/2" casing at 5560'± with 250 sacks cement.
5. Clean out to 5540'.
6. Perforate four 1/2" jet holes per foot in selected zones in the intervals 5440 - 5470 and 5490 - 5540.
7. Wash perforations with 500 gal. mud acid. Inject 2000 gal XFW acid.
8. Stub well onto production and establish initial rate.

Surface formation: San Rafael group

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


Company Shell Oil Company

Address 108 North Behrend Avenue

Farmington, New Mexico

By B. W. Shepard

Title B. W. Shepard
Exploration Engineer



R.23E. S.L.M.

REFERENCE POINT DATUM-


1"x2" stakes set at 10' N., S., E., & W. of Loc.
 1"x2" stake and 3' flag set at 183'S., 158'W., 185'N., and 146' N.26°03'W. of Loc.
 1"x4" pipe and 10' flag set at Loc. being 2032' East and 2146' South of the NW. cor. of Sec. 1, T.42S., R23E. S.L.M.
 1"x2" hub and 3' flag bears N.26°03'W. 146' from Loc. for B.M.
 Elevation Data shown hereon is in reference to graded ground at Shell Desert Cr. No. 2. of 4901.


This is to certify that the above plat was prepared from field notes of actual surveys made under my supervision, and that the same are true and correct to the best of my knowledge and belief.

John A. Kroeger
 John A. Kroeger, Reg. L.S.
 Utah Reg. No. 1648

| | | |
|------------------------|--------------------------|-------------------|
| Drawn By: A.C.T. | SHELL OIL COMPANY | Scale: 1" = 1000' |
| Checked By: <i>JAK</i> | | |
| Date: 5/29/57 | | |

LOCATION OF DESERT CREEK 22-1
 SAN JUAN COUNTY, UTAH, TR. 80, Sec. 1, T.42S., R.23E., S.L.M.





ELEVATION DATA
 GROUND U.G. 5070
 MATT
 D.F.
 K.B.
 B.M. 5106.1

REFERENCE POINT DATUM-

1"x2" stakes set at 10' N., S., E., & W. of Loc.
 1"x2" stake and 3' flag set at 183'S., 158'W., 185'N., and 146' N.26°03'W. of Loc.
 1"x4' pipe and 10' flag set at Loc. being 2032' East and 2146' South of the NW. cor. of Sec. 1, T.42S., R23E. S.L.M.
 1"x2" hub and 3' flag bears N.26°03'W. 146' from Loc. for B.M.
 Elevation Data shown hereon is in reference to graded ground at Shell Desert Cr. No. 2. of 4901.

This is to certify that the above plat was prepared from field notes of actual surveys made under my supervision, and that the same are true and correct to the best of my knowledge and belief.

John A. Kroeger
 John A. Kroeger, Reg. L.S.
 Utah Reg. No. 1648

| | | |
|---|--------------------------|------------------|
| Drawn By: A.C.T. | SHELL OIL COMPANY | Scale: 1" = 400' |
| Checked By: <i>SAK</i> | | |
| Date: 5/29/57 | | |
| LOCATION OF DESERT CREEK 22-1 SAN JUAN COUNTY, UTAH, TR. 80, Sec. 1, T.42S., R.23E. S.L.M. | | |

June 7, 1957

Shell Oil Company
108 North Behrend Avenue
Farmington, New Mexico

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Desert Creek 22-1, which is to be located 2136 feet from the north line and 2032 feet from the west line of Section 1, Township 42 South, Range 23 East, S1E1W, San Juan County, Utah.

Please be advised that insofar as this office is concerned, approval to drill said well is hereby granted.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT
SECRETARY


CRF:en

cc: Phil McGrath/ Jerry Long
U.S.G.S. Farmington,
New Mexico

(SUBMIT IN TRIPLICATE)

Indian Agency Navajo
Allottee Tribal Lands
Lease No. 14-20-603-249

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



SUNDRY NOTICES AND REPORTS ON WELLS

| | | | |
|---|--|--|---|
| NOTICE OF INTENTION TO DRILL | | SUBSEQUENT REPORT OF WATER SHUT-OFF | |
| NOTICE OF INTENTION TO CHANGE PLANS | | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING | |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF | | SUBSEQUENT REPORT OF ALTERING CASING | |
| NOTICE OF INTENTION TO REDRILL OR REPAIR WELL | | SUBSEQUENT REPORT OF REDRILLING OR REPAIR | |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE | | SUBSEQUENT REPORT OF ABANDONMENT | |
| NOTICE OF INTENTION TO PULL OR ALTER CASING | | SUPPLEMENTARY WELL HISTORY | X |
| NOTICE OF INTENTION TO ABANDON WELL | | | |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) **June 27,** **57**

Desert Creek
22-1
Well No. _____ is located **2136** ft. from **N** line and **2032** ft. from **W** line of sec. **1**
NW 1 **42S** **23E** **SLM**
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Desert Creek **San Juan** **Utah**
(Field) (County or Subdivision) (State or Territory)

Handwritten notes:
7-8-57

The elevation of the **Kelly Bushing** ~~indicator~~ above sea level is **5082.2** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

6-18, 19-57 Ran and cemented 1666' of 8 5/8" 32# J-55 casing at 1678' with 150 sacks pozzo mix and 200 sacks treated construction cement. No cement returns to surface. Cemented around outside of casing with 100 sacks. Flanged up and waited on cement. Pressure tested casing and BOP with 700 psi for 15 minutes, OK.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Shell Oil Company
Address 108 N. Behrend
Farmington, New Mexico
By B. W. Shepard
Title B. W. Shepard
Exploitation Engineer

DRILLING REPORT

FOR PERIOD ENDING

July 8, 1957

WELL NO.

1

(SECTION OR LEASE)

T42S, R23E

(TOWNSHIP OR RANCHO)

Desert Creek

(FIELD)

San Juan, Utah

(COUNTY)

| DAY | DEPTHS | | REMARKS |
|--------------|--------|------|--|
| | FROM | TO | |
| 57 | | | |
| | | | Location: 2136' S and 2032' E of NW Corner, Sec 1, T42S, R23E, SLBM San Juan County, Utah |
| | | | Elevations DF 5080.9 Grd 5070.7 KB 5082.2 |
| 6-15 | 0 | 125 | Spudded 4:00 PM 6-15-57 |
| 6-16 to 6-17 | 125 | 1654 | <u>Drilled 1529'</u> |
| 6-18 to 6-19 | 1654 | 1703 | <u>Drilled 49'</u> . Ran and cemented 1666' (37 jts) 8 5/8", 32# casing at 1678' with 150 sacks pozzo mix followed by 200 sacks cement (all treated with calcium chloride. No returns to surface. Cemented around outside of surface casing with 130 sacks cement. Flanged up and waited on cement. Pressure tested casing and BOP with 700 psi, OK |
| 6-20 to 7-6 | 1703 | 5524 | <u>Drilled 3821'</u> . |
| 7-7 | 5524 | 5568 | <u>Drilled 44'</u> . Ran Electrical-Induction Log, Microlog and Gamma Ray-Neutron Log. |
| 7-8 | 5568 | TD | <u>DST #1 5490-5568</u> (Paradox) Cook Testers, Ran tester with 2 BT 6 5/8" packers at 5495, 2 pressure recorders AK-1 at 5553 and 5548. No water cushion, Initial shut in 30 minutes, open 1 hour. Final shut in 30 minutes. Very light blow for 7 minutes---dead. Recovered 40' slightly gas cut mud. ISIP 90, IFP 65, FFP 75, FSIP 143, HP 3070. |

CONDITION AT BEGINNING OF PERIOD

| HOLE | | | CASING SIZE | DEPTH SET |
|-------------------------|------|----|-------------|-----------|
| SIZE | FROM | TO | | |
| | | | | |
| DRILL PIPE 4 1/2" SIZES | | | | |

B. B. ROBINSON

SIGNED

DRILLING REPORT

FOR PERIOD ENDING

1

(SECTION OR LEASE)

Desert Creek

(FIELD)

San Juan, Utah

(COUNTY)

July 10, 1957

T42S, R23E

(TOWNSHIP OR RANCHO)

| DAY | DEPTHS | | REMARKS |
|-------------------|--------|----|---|
| | FROM | TO | |
| 57 | | | |
| 7-9 to 7-10 | 5568 | TD | <p>Plugged well as follows with open end drill pipe:</p> <p>30 sacks cement at 5450'</p> <p>30 sacks cement at 4620'</p> <p>30 sacks cement at 3720'</p> <p>30 sacks cement at 3050'</p> <p>50 sacks cement at 2600'</p> <p>100 sacks cement at 1690'</p> <p>Located top plug at 1500'. Japped with a 10 sack cement cap and installed marker -- Abandoned 7-10-57</p> <p>Checked BOP Daily</p> <p>Mud Summary 6-15-57 to 7-9-57</p> <p>Wt 9.2-10.6 #/gal</p> <p>Vis 42-67 sec</p> <p>WL 2.4-9 cc</p> <p>FC 1-2/32 in</p> |

CONDITION AT BEGINNING OF PERIOD

| HOLE | | | CASING SIZE | DEPTH SET |
|------------------|------|------|-------------|-----------|
| SIZE | FROM | TO | | |
| 12 | 0 | 1678 | 8 5/8" | 1678' |
| 7 7/8" | 1678 | 5568 | | |
| DRILL PIPE SIZES | | | 4 1/2" | |

Contractor:
Hewit-Gulick Drilling Co
Drillers:
J. R. Mercer
G. E. Kennedy
E. C. Wayland


B. B. ROBINSON

SIGNED

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Indian Agency Window Rock,
Arizona
Allottee Tribal Lands
Lease No. 14-30-603-249



SUNDRY NOTICES AND REPORTS ON WELLS

*Notes
cut
7-12-57*

| | | | |
|--|-------------------------------------|---|--|
| NOTICE OF INTENTION TO DRILL..... | | SUBSEQUENT REPORT OF WATER SHUT-OFF..... | |
| NOTICE OF INTENTION TO CHANGE PLANS..... | | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING..... | |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF..... | | SUBSEQUENT REPORT OF ALTERING CASING..... | |
| NOTICE OF INTENTION TO REDRILL OR REPAIR WELL..... | | SUBSEQUENT REPORT OF REDRILLING OR REPAIR..... | |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE..... | | SUBSEQUENT REPORT OF ABANDONMENT..... | |
| NOTICE OF INTENTION TO PULL OR ALTER CASING..... | <input checked="" type="checkbox"/> | SUPPLEMENTARY WELL HISTORY..... | |
| NOTICE OF INTENTION TO ABANDON WELL..... | | | |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 9, 19 57

Desert Creek
Well No. **22-1** is located **2136** ft. from **N** line and **2032** ft. from **EX** line of sec. **1**
1N **1** **42S** **23E** **SLM**
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Desert Creek **San Juan County** **Utah**
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **5082.2** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Stratig: Total Depth **5568'**
Casing: **2-5/8"** at **1678'**
Hole size: **7-7/8"** from **1678'** to **5548'** (TD)

Proposed Work:

1. Plug through open end drill pipe as follows:

- (a) 30 sacks cement 5350-5450
- (b) 30 sacks cement 4520-4620
- (c) 30 sacks cement 3620-3720
- (d) 30 sacks cement 2950-3050

(OVER)

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **SHELL OIL COMPANY**
Address **108 North Behrend Avenue**
Farmington, New Mexico
By **B. W. Shepard**
B. W. Shepard
Title **Exploitation Engineer**

W


(SUBMIT IN TRIPLICATE)

Indian Agency Hawai

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee Tribal Lands

Lease No. 14-20-603-249



SUNDRY NOTICES AND REPORTS ON WELLS

| | | |
|--|---|-------------------------------------|
| NOTICE OF INTENTION TO DRILL..... | SUBSEQUENT REPORT OF WATER SHUT-OFF..... | |
| NOTICE OF INTENTION TO CHANGE PLANS..... | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING..... | |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF..... | SUBSEQUENT REPORT OF ALTERING CASING..... | |
| NOTICE OF INTENTION TO REDRILL OR REPAIR WELL..... | SUBSEQUENT REPORT OF REDRILLING OR REPAIR..... | |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE..... | SUBSEQUENT REPORT OF ABANDONMENT..... | |
| NOTICE OF INTENTION TO PULL OR ALTER CASING..... | SUPPLEMENTARY WELL HISTORY..... | <input checked="" type="checkbox"/> |
| NOTICE OF INTENTION TO ABANDON WELL..... | | |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 12, 1957

Desert Creek
Well No. 22-1 is located 2136 ft. from N line and 2032 ft. from W line of sec. 1

NW 1 (¼ Sec. and Sec. No.) 42S (Twp.) 23E (Range) S1EM (Meridian)
Desert Creek (Field) San Juan (County or Subdivision) Utah (State or Territory)

The elevation of the derrick floor above sea level is 5082.2 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

7-8-57 DST #1 5490-5568 (Paradox) Initial shut in 30 minutes, open 60 minutes, very light blow 7 minutes then dead. Shut in 30 minutes. Recovered 40' slightly gas cut mud. ISIP 120, IFF 90, FPP 90, PSIP 150.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Shell Oil Company

Address 101 South Behrend

Farmington, New Mexico

Original signed by
R. S. MacALISTER, JR.

By _____


R. S. MacAlister, Jr.

Title Division Exploitation Engineer

Form 9-381b
(April 1952)

(SUBMIT IN TRIPLICATI)

Indian Agency Navajo



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee Tribal Lands

Lease No. 14-20-603-249

*Noted
C.A.H.
8-21-57*

SUNDRY NOTICES AND REPORTS ON WELLS

| | | | |
|---|--|--|-------------------------------------|
| NOTICE OF INTENTION TO DRILL | | SUBSEQUENT REPORT OF WATER SHUT-OFF | |
| NOTICE OF INTENTION TO CHANGE PLANS | | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING | |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF | | SUBSEQUENT REPORT OF ALTERING CASING | |
| NOTICE OF INTENTION TO REDRILL OR REPAIR WELL | | SUBSEQUENT REPORT OF REDRILLING OR REPAIR | |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE | | SUBSEQUENT REPORT OF ABANDONMENT | <input checked="" type="checkbox"/> |
| NOTICE OF INTENTION TO PULL OR ALTER CASING | | SUPPLEMENTARY WELL HISTORY | |
| NOTICE OF INTENTION TO ABANDON WELL | | | |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 15, 1957

Desert Creek
Well No. 22-1 is located 2136ft. from N line and 2032ft. from W line of sec. 1

NW 1 42S 23E S1EM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Desert Creek San Juan Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5082.2ft.

DETAILS OF WORK.

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Abandonment Work:

- Plugged well as follows:
30 sacks cement each at 5450' (5350-5450), 4520' (4520-4620), 3720' (3620-3720), and 3050' (2950-3050).
50 sacks cement at 2600'. (2450-2600')
100 sacks cement at 1690', checked top plug at 1500'.
- Backed off bottom flange. Plugged casing with 10 sack cement cap. Installed marker and abandoned according to USGS regulations. 7-10-57.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Shell Oil Company

Address 101 South Behrend

Farmington, New Mexico

By B. W. Shepard
B. W. Shepard
Title Exploitation Engineer

(g) 50 sacks cement 2193-2100
(f) 75 sacks cement 1450-1490


2. Cap with a 10 sack cement plug, install marker, and abandon in accordance with U.S.G.S. regulations.

Note: Verbal approval of plugging program: P.T. McGrath to B. W. Shepard 7/2/57.

JUL 1 0 1957

U. S. LAND OFFICE Window Rock, Ariz.
SERIAL NUMBER 14-20-603-219
LEASE OR PERMIT TO PROSPECT _____

Form 9-190



Handwritten: PTA
from 7 hole

Handwritten: H 7 notes
1-7-53

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

LOCATE WELL CORRECTLY

FILE

Company Shell Oil Company Address 101 South Belmont, Lexington, N.Y.
Lessor & Tract Tribal Land Field Desert Creek State Ariz.
Well No. 22-1 Sec. 1 T. 42N R. 23E Meridian SLEM County Coconino
Location 2135 ft. N of 1 Line and 2032 ft. E of 1 Line of Section 1 Elevation 5382 ft.
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed K. W. Shepard

Date September 6, 1957 Title Exploitation Engineer

The summary on this page is for the condition of the well at above date

Commenced drilling June 15, 19 57 Finished drilling July 6, 19 57

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from surface to None No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from _____ to _____ No. 3, from None to _____
No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

| Size casing | Weight per foot | Threads per inch | Make | Amount | Kind of shoe | Cut and pulled from | Perforated | | Purpose |
|---------------|-----------------|------------------|----------------------|--------------|--------------|---------------------|------------|-----|----------------|
| | | | | | | | From- | To- | |
| <u>8-5/8"</u> | <u>32#</u> | <u>8</u> | <u>Republic 1666</u> | <u>Baker</u> | | | | | <u>Surface</u> |

HISTORY OF OIL OR GAS WELL

MUDDING AND CEMENTING RECORD

| Size casing | Where set | Number sacks of cement | Method used | Mud gravity | Amount of mud used |
|---------------|-------------|------------------------|---------------------|-------------|--------------------|
| <u>8-5/8"</u> | <u>1678</u> | <u>480</u> | <u>Displacement</u> | | |

PLUGS AND ADAPTERS

Heaving plug—Material Cement Length _____ Depth set See attached
Adapters—Material _____ Size _____

W
MARK
FOLD

PLUGS AND ADAPTERS

Heaving plug—Material Cement Length _____ Depth set See attached
 Adapters—Material _____ Size _____

SHOOTING RECORD

| Size | Shell used | Explosive used | Quantity | Date | Depth shot | Depth cleaned out |
|------|------------|----------------|-------------|------|------------|-------------------|
| | | | <u>None</u> | | | |
| | | | | | | |

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet
 Cable tools were used from _____ feet to 5563 feet, and from _____ feet to _____ feet

DATES

Plugged and abandoned _____, 19____ Put to producing _____, 19____

The production for the first 24 hours was _____ barrels of fluid of which _____% was oil; _____% emulsion; _____% water; and _____% sediment. Gravity, °Bé. _____

If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____

Rock pressure, lbs. per sq. in. _____

EMPLOYEES

_____, Driller
J. R. Carson
 _____, Driller
G. W. Kennedy

Hewitt and Gulick Drilling Company
 _____, Driller
E. S. Heyland
 _____, Driller

FORMATION RECORD

| FROM— | TO— | TOTAL FEET | FORMATION |
|-------|------|------------|---------------|
| 2505 | 2560 | 55 | Shinerump |
| 2560 | 2725 | 165 | Benkopi |
| 2725 | 4570 | 1845 | Outler |
| 4570 | 5406 | 836 | Upper Hermosa |
| 5406 | - | - | Paradox |

LEON

LO

JULY 1944

(OVER)

FORMATION

16-43094-4

December 6, 1957

Shell Oil Company
108 South Behrend
Farmington, New Mexico

Re: Well No. Desert Creek 22-1,
Sec. 1, T. 42 S, R. 23 E,
SEEM, San Juan County, Utah

Gentlemen:

This letter is to advise you that the well log for the above mentioned well has not as yet been filed with this office as required by our rules and regulations.

Please complete the enclosed Forms OGC-3, Log of Oil or Gas Well, in duplicate, and forward them to this office as soon as possible.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT
SECRETARY

CBF:cn