

UTAH OIL AND GAS CONSERVATION COMMISSION

REMARKS:

*+* NEVER Spudded IN *house file*

DATE FILED 7-26-57  
 LAND: FEE & PATENTED STATE LEASE NO. ML 3156 PUBLIC LEASE NO. INDIAN  
 DRILLING APPROVED: 7-26-57  
 SPUDDED IN:  
 COMPLETED:  
 INITIAL PRODUCTION:  
 GRAVITY A. P. I.  
 GOR:  
 PRODUCING ZONES:  
 TOTAL DEPTH:  
 WELL ELEVATION: *4510 Gk*  
 DATE ABANDONED: *7-26-58 Paid*  
 FIELD OR DISTRICT: *Jr Aneth 3/86*  
 COUNTY: San Juan  
 WELL NO. STATE THREE 44-16 *43-037-11073*  
 LOCATION: 661 FT. FROM (X) (S) LINE, 662 FT. FROM (E) (X) LINE. SE SE QUARTER - QUARTER SEC. 16  
*16*

TWP.	RGE.	SEC.	OPERATOR	TWP.	RGE.	SEC.	OPERATOR
				40 S	24 E	16	SHELL OIL COMPANY *

Seal Report sent out

Noted in the NID File

Location map pinned

Approval or Disapproval Letter

Date Completed, P. & A, or operations suspended

Pin changed on location map

Affidavit and Record of A & P

Water Shut-Off Test


Gas-Oil Ratio Test

Well Log Filed

*Never spudded in*

*Location Abandoned  
Well was never drilled*

*5-22-91  
for*



STATE OF UTAH  
OIL & GAS CONSERVATION COMMISSION

STATE CAPITOL BUILDING  
SALT LAKE CITY 14, UTAH

Fee and Patented.....  
State .....  
Lease No. ML 3156.....  
Public Domain .....  
Lease No. ....  
Indian .....  
Lease No. ....

SUNDRY NOTICES AND REPORTS ON WELLS

Notice of Intention to Drill.....	<input checked="" type="checkbox"/>	Subsequent Report of Water Shut-off.....	
Notice of Intention to Change Plans.....		Subsequent Report of Altering Casing.....	
Notice of Intention to Redrill or Repair.....		Subsequent Report of Redrilling or Repair.....	
Notice of Intention to Pull or Alter Casing.....		Supplementary Well History.....	
Notice of Intention to Abandon Well.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

State Three ..... July 24, 19 57  
Well No. 44-16 is located 661 ft. from XX } S line and 662 ft. from E } XX line of Sec. 16  
SE 16 ..... 40S ..... 24E ..... SLRM  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Aneth ..... San Juan ..... Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the ~~drill floor~~ ~~above sea level~~ is 4590 feet. (Approx. ground)

A drilling and plugging bond has been filed with State of Utah

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important work, surface formation, and date anticipate spudding-in.)

1. Drill 11" hole to 1200'±.
2. Cement 8-5/8" casing at 1200'± with 400 sacks pozmix and 200 sacks construction cement.
3. Drill 7-7/8" hole to 5399'±.
4. Cement 5-1/2" casing at 5399'± with 200 sacks construction cement.
5. Drill 4-3/4" hole to 5444'±.
6. Acidize with 200 gal mud acid and 2000 gal XFW acid.
7. Swab well in and make production test.
8. Drill 4-3/4" hole to 5584' T.D.
9. Wash formation with 420 gal mud acid.
10. Swab well into production, establish initial rate.

I understand that this plan of work must receive approval in writing by the Commission before operations may be commenced.

Company Shell Oil Company  
Address 101 South Behrend  
Farmington, New Mexico  
By B.W. Shepard  
B. W. Shepard  
Title Exploitation Engineer

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.

R. 24 E. S.L.M.

N 89° 57' W 2639.6'

Mound of Stone

N


N 0° 02' W 5280'

T. 40 S.

16

ELEVATION DATA

GROUND 4590' UG  
MATT  
D.F.  
K.B.  
B.M. 4603.9'



Stone Cor. Found

N 89° 59' W 5286.1'

REFERENCE POINT DATUM-

1" X 2" STAKES SET AT 10' N., S., E., & W. OF LOC.

- 1" x 2" stake and 3' flag set at 147' N., 223' E., 150' W., & 176' S.
- 1 1/2" x 3' IP with lead cap and 10' flag set at Loc. being 661' N. and 662' W. of the SE Cor. of Sec. 16, T. 40 S., R. 24 E.; SLM.
- 1" x 2" hub and 3' flag bears North 147' from Loc. for BM.

This is to certify that the above plat was prepared from field notes of actual surveys made under my supervision, and that the same are true and correct to the best of my knowledge and belief.

*John A. Kroeger*  
John A. Kroeger, Reg. L. S.  
Utah Reg. No. 1648



Drawn By: Ritter

Checked By: *JAK*

Date: 6/22/57

SHELL OIL COMPANY

Scale 1" = 1000'

Z20-521

LOCATION OF STATE III - 44 - 16

SAN JUAN COUNTY, UTAH, SEC. 16, T. 40 S., R. 24 E., S.L.M.

July 26, 1957

Shell Oil Company  
101 South Behrend  
Farmington, New Mexico

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. State Three 44-16, which is to be located 661 feet from the south line and 662 feet from the east line of Section 16, Township 40 South, Range 24 East, S1EM, San Juan County, Utah.

Please be advised that approval to drill said well is hereby granted.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

OLEON B. FEIGHT  
SECRETARY

CRF:cn

cc: State Land Board  
Rm. 105, Capitol Building  
Salt Lake City, Utah

DR-USGS