

**FILE INFORMATION**

Entered in HD File  \_\_\_\_\_  
 Entered On S R Sheet  \_\_\_\_\_  
 Location Map Pinned  \_\_\_\_\_  
 Card Indexed  \_\_\_\_\_  
 IWR for State of Fee Land \_\_\_\_\_

Checked by Chief \_\_\_\_\_  
 Copy Not Dite Field Office \_\_\_\_\_  
 Approval Letter \_\_\_\_\_  
 Disapproval Letter \_\_\_\_\_

**COMPLETION DATA:**

Date Well Completed 12-24-57 \_\_\_\_\_  
 Location Inspected \_\_\_\_\_  
 OW \_\_\_\_\_ WW \_\_\_\_\_ FA \_\_\_\_\_  
 Bond released \_\_\_\_\_  
 @W \_\_\_\_\_ GE \_\_\_\_\_ PA  \_\_\_\_\_  
 State of Fee Land \_\_\_\_\_

**LOGS FILED**

Driller's Log 12-11-57 \_\_\_\_\_  
 Electric Logs (No. 1) \_\_\_\_\_

G \_\_\_\_\_ L-E  \_\_\_\_\_ EI \_\_\_\_\_ GR \_\_\_\_\_ GRN \_\_\_\_\_ Misc \_\_\_\_\_  
 Lat \_\_\_\_\_ MEL \_\_\_\_\_ Sonic \_\_\_\_\_ Glass \_\_\_\_\_

(SUBMIT IN TRIPLICATE)

Indian Agency Navajo Tribe

Window Rock, Arizona

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Allottee \_\_\_\_\_

Lease No. 14-20-603-289

	(15)	

43-S

22-E

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL _____	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF _____	
NOTICE OF INTENTION TO CHANGE PLANS _____		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING _____	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF _____		SUBSEQUENT REPORT OF ALTERING CASING _____	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL _____		SUBSEQUENT REPORT OF REDRILLING OR REPAIR _____	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE _____		SUBSEQUENT REPORT OF ABANDONMENT _____	
NOTICE OF INTENTION TO PULL OR ALTER CASING _____		SUPPLEMENTARY WELL HISTORY _____	
NOTICE OF INTENTION TO ABANDON WELL _____			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

NAVAJO TRIBAL 3 SAN JUAN

May 6, 1957

Well No. 2 is located 2080 ft. from N line and 2140 ft. from E line of sec. 15

SW/4 NE/4 Sec. 15      43S      22E      S.L.M.  
(1/4 Sec. and Sec. No.)      (Twp.)      (Range)      (Meridian)

Boundary Butte      San Juan      Utah  
(Field)      (County or Subdivision)      (State or Territory)

The elevation of the ~~Surface~~ <sup>Surface</sup> above sea level is 4941 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

The above location has been staked to test the "X" Zone Paradax Formation at approximately 4750 feet.

We will run and cement 8-5/8" OD casing at approximately 300 feet (cemented top to bottom). We will run and cement 5-1/2" OD casing as the oil string.

We will drill this well with rotary tools.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Sinclair Oil & Gas Company  
e/o G. L. Weger  
Address 601 Denver Club Building  
Denver 2, Colorado

By G. L. Weger

Title Div. Supt. - Production Dept.

COMPANY Sinclair Oil & Gas Company


Well Name & No. \_\_\_\_\_ Lease No. \_\_\_\_\_

Location 2080' from the North line and 2140' from the East line.

Being in SWNE

Sec. 15, T. 43 <sup>S</sup> N., R. 22 <sup>E</sup> W., S.L.M., San Juan County, Utah.

Ground Elevation 4941



Scale -- 4 inches equals 1 mile

Surveyed April 24, 1957

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Ernest V. Echohawk

Ernest V. Echohawk

Registered Land Surveyor

N. M. Reg. #1545

Practicing in Utah under Laws  
regulating Professional Engrs.  
and Land Surveyors, Utah Code 1953,  
Title 58-10-16

Seal:



May 7, 1957

Sinclair Oil & Gas Company  
c/o G. L. Weger  
601 Denver Club Building  
Denver 2, Colorado

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Navajo Tribal 3 San Juan 2, which is to be located 2080 feet from the north line and 2140 feet from the east line of Section 15, Township 43 South, Range 22 East, SLBM, San Juan County, Utah.

Please be advised that insofar as this office is concerned, approval to drill said well is hereby granted.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT  
SECRETARY

CBF:cn

cc: Phil McGrath/ Jerry Long  
U.S.G.S. Farmington,  
New Mexico

(SUBMIT IN TRIPPLICATE)

Indian Agency Navajo Tribe

Window Rock, Arizona

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Allottee \_\_\_\_\_

Lease No. 14-20-603-289

(15)	43-S	

22-E

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	<u>Report - Run, cemented &amp; tested</u>	
	<u>surface casing.</u>	<u>XX</u>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

NAVAJO TRIBAL 3 SAN JUAN

May 24, 1957

Well No. 2 is located 2080 ft. from N line and 2140 ft. from E line of sec. 15

SW/4 NE/4 Sec. 15 43S 22E S.L.M.  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Boundary Butte San Juan Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the Surface ~~derrick floor~~ above sea level is 4941 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

- 5-22-57 Commenced drilling 12-1/4" hole at 1:00 P.M.
- 5-23-57 Having drilled to 339 ft., we ran and cemented 8-5/8" OD casing at 339 ft. with 275 sacks cement. Plug down at 4:30 P.M.
- 5-24-57 Tested casing at 800# for 30 minutes. Tested okay.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Sinclair Oil & Gas Company  
601 Denver Club Building  
Address Denver 2, Colorado  
Attn: G. L. Weger

By G. L. Weger

Title Div. Supt. - Production Department

(SUBMIT IN TRIPPLICATE)

Indian Agency Navajo Tribe

Window Rock, Arizona

	(15)	

43-8

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Allottee \_\_\_\_\_

Lease No. 11-20-603-289

*Noted  
C.A.H.  
7-1-57*

22-4

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	<b>XX</b>
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

NAVAJO TRIBAL 3 SAN JUAN

June 17, 19 57

Well No. 2 is located 2080 ft. from N line and 210 ft. from W line of sec. 15

SW/4 NE/4 Sec. 15 439 22E S.L.M.  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Boundary Butte San Juan Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the ~~Actual~~ <sup>Surface</sup> above sea level is 4942 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

- 6-12-57 Top Coconino 1310' Top Oregon Rock 1660' Top Hermosa 3390' Top "J" Paradox 4288'. DST "J" zone Paradox 4270-4320', 3/4" bottom choke, open 1 hour. Few bubbles & died. Closed & re-opened tool; few bubbles & died. Recovered 28' mud. FP 35#, 60 minutes SIP 50#. BHT 126 degrees.
- 6-15-57 Cored 4370-90', Paradox. Recovered 20' - 3 1/2' limestone, light grey, fine crystals, fair veg. porous, bleeding oil & gas; 13 1/2' limestone, light grey, very fine crystals, hard & tight; 2' limestone, light grey, fair veg. porous, slight bleeding oil & gas; 1' limestone, light grey, very fine crystals, hard & tight. Prepare DST.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Sinclair Oil & Gas Company  
c/o G. L. Weger  
Address 601 Denver Club Building  
Denver 2, Colorado

By Ford Weger

Title Asst. Div. Supt. - Production Dept.

(SUBMIT IN TRIPLICATE)

Indian Agency Navajo Tribe  
Window Rock, Arizona

(15)		

43-8

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Allottee \_\_\_\_\_  
Lease No. 14-20-603-289

22-E

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	<b>XX</b>
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

NAVAJO TRIBAL 3 SAN JUAN

June 21, 19 57

Well No. 2 is located 2080 ft. from  $\left\{ \begin{matrix} N \\ S \end{matrix} \right\}$  line and 2140 ft. from  $\left\{ \begin{matrix} E \\ W \end{matrix} \right\}$  line of sec. 15

SW/4 NE/4 Sec. 15 43S 22E S.L.M.  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Boundary Butte San Juan Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the ~~drill hole~~ <sup>Surface</sup> above sea level is 4941 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

- 6-18-57 DST Paradox "K" zone 4340-90 ft., open 1 hour; recovered 45 ft. drilling mud. 1 hour ISIP 660#; FP 20#, 1 hour FSIP 630#.  
DST 4490-4520 ft., Paradox "K" zone, open 1 hour, very weak blow, dead in 22 minutes; recovered 2 ft. drilling mud. FP 20#, 1 hour SIP 25#.
- 6-19-57 DST 4577-4621 ft., Paradox "K" zone, open 45 minutes, no blow. Recovered 8 ft. drlg mud. FP 50-60#, 45 minutes SIP 105#.
- 6-21-57 DST "K" zone Paradox 4728-78 ft., open 30 minutes, good blow throughout. Recovered 67 ft. sulphur water cut mud. FP 95-100#, 30 minutes SIP 450#, not max.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Sinclair Oil & Gas Company  
c/o G. L. Weger  
Address 601 Denver Club Building  
Denver 2, Colorado

By [Signature]

Title Asst. Div. Supt. - Production Dept.

(SUBMIT IN TRIPPLICATE)

Indian Agency Navajo Tribe

Window Rock, Arizona

(15)		

43-S

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Allottee .....

Lease No. 14-20-603-289

22-E

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	XX		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

NAVAJO TRIBAL 3 SAN JUAN

June 22, 19 57

Well No. 2 is located 2080 ft. from N line and 2140 ft. from W line of sec. 15

SW/4 NE/4 Sec. 15  
(¼ Sec. and Sec. No.)

43S  
(Twp.)

22E  
(Range)

S.I.M.  
(Meridian)

Boundary Butte  
(Field)

San Juan  
(County or Subdivision)

Utah  
(State or Territory)

The elevation of the ~~Surface~~ Surface above sea level is 4941 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

6-22-57 Having drilled to 5000 ft., TD, having cored, tested and run electric logs and having found no oil or gas in commercial quantities in any zone, per verbal agreement this date, your office with our Mr. J. E. Taylor, we now propose to plug and abandon this well as follows:

- Spot 250 ft. cement plug 4500-4250 ft.
- Spot 250 ft. cement plug 3500-3250 ft.
- Spot 250 ft. cement plug 2600-2350 ft.
- Spot 150 ft. cement plug 1350-1200 ft.
- Spot 75 ft. cement plug 383-308 ft.

All intervening spaces will be filled with heavy mud. After standing for two weeks, we will cement regulation 4" pipe marker & clean up location as per regulations.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Sinclair Oil & Gas Company  
c/o G. L. Weger

Address 601 Denver Club Building  
Denver 2, Colorado

By [Signature]

Title Asst. Div. Supt. - Production Dept.


(SUBMIT IN TRIPLICATE)

Indian Agency Navajo Tribe

Window Rock, Arizona

Allottee \_\_\_\_\_

Lease No. 14-20-603-289



43-8

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	<b>AMENDED REPORT</b>	<b>XX</b>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

NAVAJO TRIBAL 3 SAN JUAN

July 2, 1957

Well No. 2 is located 2080 ft. from N line and 2140 ft. from E line of sec. 15

SW/4 NE/4 Sec. 15  
(¼ Sec. and Sec. No.)

43S  
(Twp.)

22E  
(Range)

S.L.M.  
(Meridian)

Boundary Butte  
(Field)

San Juan  
(County or Subdivision)

Utah  
(State or Territory)

The elevation of the ~~depth~~ <sup>Surface</sup> above sea level is 4941 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

CORRECTION

"NOTICE OF INTENTION TO ABANDON WELL" report, dated June 22, 1957, as reports total depth 5000 ft. in error. Actual total depth should be 4976 ft.

All other depths remain as stated.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Sinclair Oil & Gas Company

c/o G. L. Weger

Address 601 Denver Club Building

Denver 2, Colorado


By [Signature]

Title Asst. Div. Supt. - Production Dept.

**STATE OF UTAH  
OIL & GAS CONSERVATION COMMISSION**

State Capitol Building  
Salt Lake City 14, Utah

*file*  
*1-7-58*



LOCATE WELL CORRECTLY

To be kept Confidential until \_\_\_\_\_  
(Not to exceed 4 months after filing date)

**LOG OF OIL OR GAS WELL**

Operating Company SINCLAIR OIL & GAS COMPANY Address 601 Denver Club Bldg., Denver, Colo.  
 Lease or Tract: Navajo Tribal 3 San Juan 2 Field Boundary Butte State Utah  
 Well No. 2 Sec. 15 T. 43S R. 22E Meridian Salt Lake County San Juan  
 Location 2080 ft. N. of N. Line and 2140 ft. E. of E. Line of Section 15 Elevation 4941 GL  
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed \_\_\_\_\_

Date August 29, 1957 Title Asst Div. Supt

The summary on this page is for the condition of the well at above date.

Commenced drilling May 22, 1957 Finished drilling June 24, 1957

**OIL OR GAS SANDS OR ZONES**

*(Denote gas by G)*

No. 1, from NONE to \_\_\_\_\_ No. 4, from \_\_\_\_\_ to \_\_\_\_\_  
 No. 2, from \_\_\_\_\_ to \_\_\_\_\_ No. 5, from \_\_\_\_\_ to \_\_\_\_\_  
 No. 3, from \_\_\_\_\_ to \_\_\_\_\_ No. 6, from \_\_\_\_\_ to \_\_\_\_\_

**IMPORTANT WATER SANDS**

No. 1, from 450 to 490 No. 3, from 1250 to 1345  
 No. 2, from 860 to 930 No. 4, from 1660 to 1735

**CASING RECORD**

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From--	To--	
<u>8-5/8"</u>	<u>24#</u>	<u>8R</u>	<u>J-55</u>	<u>338</u>	<u>None</u>				<u>Surface</u>

**MUDDING AND CEMENTING RECORD**

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
<u>8-5/8"</u>	<u>339</u>	<u>275</u>	<u>Rocky Mtn Cmtres</u>		

*W*  
*RK*

**PLUGS AND ADAPTERS**

Heaving plug—Material None Length \_\_\_\_\_ Depth set \_\_\_\_\_

Adapters—Material None Size \_\_\_\_\_

**SHOOTING RECORD**

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

**TOOLS USED** 4976'

Rotary tools were used from 0 feet to ~~5000~~ feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet

Cable tools were used from \_\_\_\_\_ feet to \_\_\_\_\_ feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet

**DATES**

\_\_\_\_\_, 19\_\_\_\_ Put to producing DRY HOLE, 19\_\_\_\_

The production for the first 24 hours was \_\_\_\_\_ barrels of fluid of which \_\_\_\_\_% was oil; \_\_\_\_\_% emulsion; \_\_\_\_\_% water; and \_\_\_\_\_% sediment. Gravity, °Bé. \_\_\_\_\_

If gas well, cu. ft. per 24 hours \_\_\_\_\_ Gallons gasoline per 1,000 cu. ft. of gas \_\_\_\_\_

Rock pressure, lbs. per sq. in. \_\_\_\_\_

**EMPLOYEES**

Leo E. Beck \_\_\_\_\_, Driller Clyde Waggoner \_\_\_\_\_, Driller

H. H. Owens \_\_\_\_\_, Driller Warren-Bradshaw Expl. Co \_\_\_\_\_, Driller

**FORMATION RECORD**

FROM—	TO—	TOTAL FEET	FORMATION
0	3314	3314	Sand & shale
3314	4002	688	Shale, sandy shale & limestone
4002	4048	46	Sand, chert, limestone and shale
4048	5507	1459	Limestone
<b>GEOLOGICAL TOPS—Schlumberger</b>			<b>CORING RECORD:</b> Cored 4370-90, Paradox, Rec 20' 3½' limestone, light grey, fine crys., fair vug, porosity, bleeding oil & gas; 13½' limestone, light grey very fine crystals, hard, tight; 2' limestone, light grey, fair vug, porosity, slight bleeding oil & gas; 1' limestone, light grey, very fine crystals, hard and tight.
Kootenai	1252	3689	
Oregon rock	1660	3281	
Cedar Mesa	2480	2461	
Hermosa	3390	1551	
Paradox	4355	586	
Lower Hermosa	4658	283	
<b>SIZE HOLE DRILLED:</b> 12¼" to 339' 7-7/8" to 5000 TD			
<b>COMPLETION:</b> Completed dry hole 6-24-57, PLUGGED AND ABANDONED as follows: Spotted 250' cmt plug 4500-4250; spotted cmt plug (250') 3500-3250; spotted 250' cmt plug 2600-2350; spotted 150' cmt plug 1350-1200; spotted 75' cmt plug 383-308. All intervening spaces have been filled with heavy mud and after standing for two weeks, cmtd regulation 4" pipe marker and cleaned up location as per regulations.			

[OVER]

DEC 11 1957

21

December 5, 1957

Sinclair Oil & Gas Company  
601 Denver Club Building  
Denver, Colorado

Attention: G. L. Weger

Re: Well No. Navajo Tribal 3  
San Juan 2, Sec. 15, T. 43 S,  
R. 22 E, San Juan County, Utah

*Noted H  
1-7-58*

Gentlemen:

This letter is to advise you that the well log for the above mentioned well has not as yet been filed with this office as required by our rules and regulations.

Please complete the enclosed Forms OGCC-3, Log of Oil or Gas Well, in duplicate, and return them to this office as soon as possible.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT  
SECRETARY

CBF:en