

FILE NOTATIONS

Entered in NID File ✓
 Entered On S R Sheet _____
 Location Map Pinned ✓
 Card Indexed ✓
 I W R for State or Fee Land _____

Checked by Chief RLL
 Copy NID to Field Office ✓
 Approval Letter ✓
 Disapproval Letter _____

COMPLETION DATA:

Date Well Completed 4-17-62
 OW _____ WW _____ TA _____
 GW _____ OS _____ PA ✓

Location Inspected MSR
 Bond released _____
 State of Fee Land _____

LOGS FILED

Driller's Log 5-4-62
 Electric Logs (No.) 2

E _____ I _____ E-I ✓ GR _____ GR-N _____ Micro _____
 Lat. _____ Mi-L _____ Sonic ✓ Others _____

8-29-91
 JHC

(SUBMIT IN TRIPLICATE)

Indian Agency _____

	X	
29		

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Window Rock

Allettee Navajo

Lease No. 14-20-603-712

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 14, 19 62

Superior-Humble
Well No. 'R' 32-29 is located 1832 ft. from [N] line and 1834 ft. from [E] line of sec. 29

SW NE Section 29 42S 26E SLB&M
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat San Juan Utah
(Field) (County or Subdivision) (State or Territory)

The elevation ~~of the ground surface~~ above sea level is 4782 ft. Ungraded Ground

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Propose to drill well to test Paradox Formation to a depth of 5900'.

Set approximately 80' of 13-3/8" conductor pipe.

Set approximately 500' of 8-5/8" surface pipe.

Will set 5-1/2" casing through any zones of commercial production encountered.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company THE SUPERIOR OIL COMPANY

Address P. O. DRAWER "G"

CORTEZ, COLORADO

Original Signed By
W. M. RAMSBURG

By W. M. Ramsburg

Title Drilling Engineer

March 15, 1952

Superior Oil Company
P. O. Drawer "G"
Cortez, Colorado

Attn: W. M. Ramsburg, Drilling Engineer

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Superior-Humble 'R' 32-29, which is to be located 1832 feet from the north line and 1834 feet from the east line of Section 29, Township 42 South, Range 26 East, S1EM, San Juan County, Utah.

Please be advised that insofar as this office is concerned approval to drill said well is hereby granted.

This approval terminates within 90 days if the above mentioned well has not been spudded in within said period.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT,
EXECUTIVE DIRECTOR

CBF:kpb

cc: P. T. McGrath, Dist. Eng.
U. S. Geological Survey

H. L. Coonts - OGCC, Moab

(SUBMIT IN TRIPLICATE)


Indian Agency

Window Rock

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee Navajo

Lease No.



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	X		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 16, 19 62

Navajo 'R'
Well No. #32-29 is located 1832 ft. from N line and 1834 ft. from E line of sec. 29

SW NE Section 29 42S 26E SLB&M
(4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Wildcat San Juan Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of ~~the ground surface~~ above sea level is 4781 ft. **Graded Ground**

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Expected TD: 6045' Chimney Rock

Propose to plug and abandon well by equalizing the following cement plugs:

- Plug #1: 100 sacks w/DP hung to 5900'
- #2: 50 sacks w/DP hung 50' below base of Hermosa
- #3: 50 sacks w/DP hung at top of Hermosa
- #4: 50 sacks w/DP hung 50' below base of DeChelly
- #5: 50 sacks w/DP hung at top of DeChelly
- #6: 50 sacks at base of surface pipe at 1452'

(Over)

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company THE SUPERIOR OIL COMPANY

Address P. O. DRAWER 'G'


CORTEZ, COLORADO

Original Signed By
W. M. RAMSBURG
By W. M. Ramsburg
Title Drilling Engineer

Will place 10 sack plug in top of surface pipe and install dry hole marker in manner approved by USGS.

Verbal approval by Mr. Baer, April 16, 1962.

APR 17 1962



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Indian Agency _____
Window Rock
Allottee **Navajo**
Lease No. **14-20-603-712**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	X
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	X
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

May 2, 1962

Well No. **Navajo 'R'**
#32-29 is located **1832** ft. from **[N]** line and **1834** ft. from **[E]** line of sec. **29**

SW NE Section 29 **42S** **26E** **SLB&M**
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat **San Juan** **Utah**
(Field) (County or Subdivision) (State or Territory)

The elevation of ~~the surface of the~~ **Graded Ground** above sea level is **4781** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

SPUDDED: March 19, 1962

ABANDONED: April 17, 1962

TOTAL DEPTH: 6044' Paradox Salt

CASING: 13-3/8" set at 110' with 100 sacks.
8-5/8" set at 1452' with 600 sacks.

(Over)

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **THE SUPERIOR OIL COMPANY**


Address **P. O. DRAWER "C"**

CORTEZ, COLORADO

Original Signed By
W. M. RAMSBURG

By **W. M. Ramsburg**

Title **Drilling Engineer**



Scale: 1" = 1000'

WELL LOCATION: The Superior Oil Co. - Humble - Navajo "R" 32-29

Located 1832 feet South of the North line and 1834 feet West of the East line of Section 29,
 Township 42 South, Range 26 East, Salt Lake Base & Meridian.
 San Juan Co., Utah
 Existing ground elevation determined at 4782 feet based on U.S.G.S. datum.


I hereby certify the above plat represents a survey made under my supervision and that it is accurate to the best of my knowledge and belief.

Elmer M. Clark

ELMER M. CLARK
 Registered Land Surveyor
 State of Utah (No. 2307)

THE SUPERIOR OIL CO.	
WELL LOCATION PLAT Sec. 29 - T.42 S.-R.26 E. San Juan Co., Utah	
E.M. CLARK & ASSOC. Durango, Colorado	DATE: Oct. 3, 1961 FILE NO: 61070

U. S. LAND OFFICE Salt Lake
SERIAL NUMBER 14-20-603-712
LEASE OR PERMIT TO PROSPECT Navajo



LOCATE WELL CORRECTLY

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

Company The Superior Oil Company Address P. O. Drawer 'G', Cortez, Colorado
Lessor or Tract Navajo 'R' Field Wildcat State Utah
Well No. 31-29 Sec. 29 T. 42S R. 26E Meridian SLBM County San Juan
Location 1432 ft. S. of N. Line and 1834 ft. W. of E. Line of Section 29 Elevation 4781' Grd.
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Original Signed by W. M. RAMSBERG
Signed W. M. Ramsberg Drilling Engineer

Date May 2, 1962

The summary on this page is for the condition of the well at above date.

Commenced drilling March 19, 19 62 Finished drilling April 17, 19 62

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from None to _____ No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from None to _____ No. 3, from _____ to _____
No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	
<u>1 1/2"</u>	<u>110</u>	<u>8</u>	<u>AMCO</u>	<u>100</u>	<u>Open</u>	<u>Surface</u>	<u>None</u>	<u>None</u>	<u>Collector</u>
<u>8-5/8"</u>	<u>145</u>	<u>8</u>	<u>AMCO</u>	<u>600</u>	<u>Open</u>	<u>Surface</u>	<u>None</u>	<u>None</u>	<u>Collector</u>

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
<u>13-5/8"</u>	<u>110'</u>	<u>100</u>	<u>Circ. to surface</u>		
<u>8-5/8"</u>	<u>1452'</u>	<u>600</u>	<u>Circ. to surface.</u>		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____
Adapters—Material _____ Size _____

SHOOTING RECORD

FOLD MARK

MUDDING AND CEMENTING RECORD

FOLD MARK

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
13-3/8	110'	100	Circ. to surface		
8-5/8	1432'	600	Circ. to surface.		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____
 Adapters—Material _____ Size _____

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet
 Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

DATES

_____, 19____ ~~Put to producing~~ **Plugged & Abandoned** _____, 19____
April 17 62
 The production for the first 24 hours was _____ barrels of fluid of which _____% was oil; _____% emulsion; _____% water; and _____% sediment. Gravity, °Bé. _____
 If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
 Rock pressure, lbs. per sq. in. _____

EMPLOYEES

Contractor: **Mountain States Drilling Co., Inc.**, Driller _____, Driller
 _____, Driller _____, Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
			LOG TOPS:
			De Chelly 2950'
			Organ Rock 3139'
			Hermosa 4802'
			Ismay 5708'
			Lower Ismay 5866' 5791'
			Gothic Shale 5846'
			Desert Creek 5936'
			Chimney Rock 6008'
			Paradox Salt 6042' (by samples)