

Unable to obtain a Subsequent Report of Abandonment 7-21-61. any
(See Sitton #1 File)

CHECKS	
Entered in NID File	<input checked="" type="checkbox"/>
Entered On S R Sheet	<input checked="" type="checkbox"/>
Location Map Pinned	<input checked="" type="checkbox"/>
Card Indexed	<input checked="" type="checkbox"/>
IWR for State or Fee Land	<input type="checkbox"/>
Checked by Chief	<input type="checkbox"/>
Copy NID to Field Office	<input type="checkbox"/>
Approval Letter	<input type="checkbox"/>
Disapproval Letter	<input checked="" type="checkbox"/>

COLLECTION DATA	
Date Well Completed	7-25-55
GW. NY.	TX
GW. SS.	PA.
Location requested	<input type="checkbox"/>
Boundaries	<input type="checkbox"/>
State or Fee Land	<input type="checkbox"/>

LOGS FILED	
Diller's Log	3-20-54
Electric Logs (No.)	1
E.	I.
Lat.	M-L.
Sonic.	GR.
Others.	GR-N.
	Micro

Radioactivity Log

A. LEE CHRISTENSEN

1572 Orchard Drive - Salt Lake City, Utah

August 1, 1955

107
C4

Mr. Lee E. Young,
Utah State Land Board,
Capitol Building,
Salt Lake City, Utah.

Dear Mr. Young;

Pursuant to our conversation in your office a few days ago, I am submitting in behalf of White Canyon Mining Company, triplicate copies of Notice of Intention to Drill a well for oil or gas in the SW $\frac{1}{4}$ of Sec. 21, T. 33 S. R. 25 E.

Yours very truly,

A. Lee Christensen

A. Lee Christensen

Director, White Canyon Mining Company.


N.B. Please address future correspondence concerning this well to Mr. F. A. Sitton, President, White Canyon Mining Company, Dove Creek, Colorado.

Form 9-331a
(Feb. 1951)

(SUBMIT IN TRIPLICATE)

Land Office _____
Lease No. _____
Unit _____

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

_____ Aug. 1 _____, 1955

Well No. Sutton No 3 is located 1320 ft. from S line and 1320 ft. from W line of sec. 21

SW 1/4 Sec. 21 (1/4 Sec. and Sec. No.) T. 33 S. R. 25 E. (Twp.) (Range) Salt Lake B & M (Meridian)
Wildcat (Field) San Juan (County or Subdivision) Utah (State or Territory)

The elevation of the derrick floor above sea level is 6815 ft. Approx.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Well will test Devonian Formations at estimated depth of 8800 ft.
Surface casing 10 in., cemented at approx. depth of 390 ft. 7 inch casing from surface to 5850, to be cemented at 5850.

Casing and cementing program below 5850 will be determined by formations and conditions encountered in drilling. This will be first well in area to be drilled to that depth, so no previous history is available on which to base a detailed casing program

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company White Canyon Mining Company
Address Dove Creek, Colo.
Attention Mr. F. A. Sutton
By A. Lee Christensen
Title A. Lee Christensen
Director

STATE OF UTAH
OIL AND GAS CONSERVATION COMMISSION
LOG OF OIL OR GAS WELL

FORM 0000-3

Well No. Sitton #3, which is located 1320 ft. from (N/S) line and 1320 ft. from (E/W) line of Section 21, Twp. 33S, R. 25E, S.L. -, - San Juan (Meridian) (Field or Unit) (County)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records as of 3-7-57 and is to be kept confidential until 19 (See Rule C-5)

Drilling operations were ~~(completed)~~ ~~(suspended)~~ temporarily (abandoned) on 7.25.55

Date: _____, 19____ Signed: _____ Title: _____
Company: _____

OIL OR GAS SANDS OR ZONES

No. 1, from 5818 to 5857 No. 3, from _____ to _____
No. 2, from 5862 to 5914 No. 4, from _____ to _____

IMPORTANT WATER SANDS OR ZONES

No. 1, from _____ to _____ No. 3, from _____ to _____
No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size of Hole	Size Casing	Weight per ft.	Threads per Inch	Make	Amount	Kind of Shoe	Cut & Pulled from	Perforated from to	Purpose
	10 3/4				307			6014-34	
	5 1/2				6087			5574-84	
								5602-5690	

MUDDING AND CEMENTING RECORD

Size Casing	Where Set	Number of Sacks of Cement	Method Used	Mud Gravity	Amount of Mud Used
10 3/4	307	175			
5 1/2	6087	200			

TOOLS USED

Cable Tools were used from _____ to _____ and from _____ to _____
Rotary Tools were used from Surface to 6087 and from _____ to _____

PRODUCTION

Put to producing: _____, 19____
OIL WELLS: The production during the first 24 hours was _____ barrels of liquid of which _____% was oil; _____% was emulsion; _____% was water; and _____% was sediment. Gravity: _____

GAS WELLS: The production during the first 24 hours was _____ MCF plus _____ barrels of liquid hydrocarbon. Shut in Pressure _____ lbs. Length of time shut in _____

FORMATION RECORD (Over)

From	To	Thickness in feet	Formation	From	To	Thickness in feet	Formation

HISTORY OF WELL

(if additional space is needed use back of page or attach separate sheet)

FORMATION RECORD

	From	to	Thickness
Morrison	245	738	493
Summerville	738	940	202
Curtis	940	1048	108
Entrada	1048	1215	167
Carson	1215	1600	385
Wingate	1600	2070	470
Chinley	2070	2538	468
Shinarump	2538	2647	109
Moenkopi	2647	2715	68
Cutler	2715	3785	1070
Rico	3785	4460	675
Hermosa	4460	5559	1099
Paradox	5559	6063	504
Salt	6063	-	-

MAR 20 1957

THE STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION
Salt Lake City 14, Utah

September 25, 1956

White Canyon Mining Company
Dove Creek,
Colorado

Gentlemen:

It has come to the attention of this office that Well No. Sitton 3, which was drilled by you on Section 21, Twp. 33 South, Range 25 East, San Juan County, has been completed, plugged and abandoned, or shut down as of about 6/2/56, 1956.

Rule C-5 (a), General Rules and Regulations and Rules of Practice and Procedure, Utah Oil and Gas Conservation Commission, provides that within 90 days after the suspension of operations, abandonment of, or the completion of any well drilled for the production of oil or gas and within 90 days after the completion of any further operations on it, if such operations involved drilling deeper or drilling or re-drilling any formation, the well log shall be filed with the Commission, as well as a copy of the electric and radioactivity logs, if run.


If our information is correct, will you please forward the well log or logs to this office as required by the above mentioned rule. If our information is not correct, will you so notify us.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT

CBF:ro



STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION

STATE CAPITOL BUILDING
SALT LAKE CITY 14, UTAH

Fee and Patented.....
State
Lease No.
Public Domain
Lease No.
Indian
Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

Notice of Intention to Drill.....		Subsequent Report of Water Shut-off.....	
Notice of Intention to Change Plans.....		Subsequent Report of Altering Casing.....	
Notice of Intention to Redrill or Repair.....		Subsequent Report of Redrilling or Repair.....	
Notice of Intention to Pull or Alter Casing.....		Supplementary Well History.....	
Notice of Intention to Abandon Well.....	X		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

5-12, 19 59

Well No. Sitton #3 is located ft. from $\left\{ \begin{matrix} N \\ S \end{matrix} \right\}$ line and ft. from $\left\{ \begin{matrix} E \\ W \end{matrix} \right\}$ line of Sec.
C SW Sec. 21 T. 33S. R. 25E. SLBM
(¼ Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Monticello (W) San Juan Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6835 feet.

*7/14
5/18*

A drilling and plugging bond has been filed with

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important work, surface formation, and date anticipate spudding-in.)

Well is to be plugged and abandoned in accordance with instructions of Commission Engineer, H. G. Henderson, as follows:-

1. Retrieve as much casing as possible.
2. Set 100' cement, plug at 5250.
3. Set 100' cement, plug at cut-off casing stub.
4. Set 50' cement, plug at 1250.
5. Set 10 sacks surface plug.
6. Erect regulation dry hole marker.

*Plugging program approved
- H.G. Henderson*

I understand that this plan of work must receive approval in writing by the Commission before operations may be commenced.

Company White Canyon Mining Company
Address 1129 Colorado Avenue
Grand Junction, Colorado

UNITED CASING PULLERS, INC.
By J. O. Barnett
Title President

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.