

FILE NOTATIONS:

Entered in NID File ✓
 Entered On S R Sheet _____
 Location Map Pinned _____
 Card Indexed ✓
 I W R for State or Fee Land _____

Checked by Chief *R.S.D.*
 Copy NID to Field Office ✓
 Approval Letter ✓
 Disapproval Letter _____


COMPLETION DATA:

Date Well Completed 6-27-62 Location Inspected _____
 OW _____ WW _____ TA _____ Bond released _____
 GW _____ OS _____ PA ✓ State of Fee Land _____

Subsequent Report
 LOGS FILED

Driller's Log 7-6-62
 Electric Logs (No.) 2

E _____ I _____ E-I ✓ GR _____ GR-N _____ Micro _____
 Lat _____ Mi-L _____ Sonic ✓ Others _____



Delhi-Government
WELL LOCATION: Alco Oil & Gas Company - # B-1 /

Located 1979 feet South of the North line and 1987 feet West of the East line of Section 13,
 Township 39 South, Range 21 East, Salt Lake Base & Meridian
 San Juan Co., Utah
 Existing ground elevation determined at 4764 feet based on U S. G. S. datum.

I hereby certify the above plat represents a survey made under my supervision and that it is accurate to the best of my knowledge and belief.

Elmer M. Clark

 ELMER M. CLARK
 Registered Land Surveyor
 State of Utah # 2307

ALCO OIL & GAS COMPANY

WELL LOCATION PLAT
 SW 1/4 - NE 1/4 Sec. 13, T39S, R21E
 San Juan Co., Utah

E. M. CLARK & ASSOC.
 Durango, Colorado

DATE: April 19, 1962
 FILE NO: 62021

SUPERVISOR, OIL AND GAS OPERATIONS:

DESIGNATION OF OPERATOR

The undersigned is, on the records of the Bureau of Land Management, holder of oil and gas lease

DISTRICT LAND OFFICE: **Salt Lake City**
 SERIAL NO.: **SL-067702**

and hereby designates

NAME: **Zoller & Danneberg**
 ADDRESS: **Patterson Building, Denver 2, Colorado**

as his operator and agent, with full authority to act in his behalf in complying with the terms of the lease and regulations applicable thereto and on whom the supervisor or his representative may serve written or oral instructions in securing compliance with the Oil and Gas Operating Regulations with respect to (describe acreage to which this designation is applicable):

Township 39 South, Range 21 East, S.L.M.

Section 13: W/2 NE/4

It is understood that this designation of operator does not relieve the lessee of responsibility for compliance with the terms of the lease and the Oil and Gas Operating Regulations. It is also understood that this designation of operator does not constitute an assignment of any interest in the lease.

In case of default on the part of the designated operator, the lessee will make full and prompt compliance with all regulations, lease terms, or orders of the Secretary of the Interior or his representative.

The lessee agrees promptly to notify the oil and gas supervisor of any change in the designated operator.

DELHI-TAYLOR OIL CORPORATION

By W. Smith

(Signature of lessee) Vice President



April 17, 1962

(Date)

Fidelity Union Tower, Dallas 1, Texas

(Address)

H. E. ZOLLER, JR.
K. I. DANNEBERG

ZOLLER AND DANNEBERG

324 PATTERSON BUILDING
DENVER 2, COLORADO

May 4, 1962

State Oil and Gas Commission
310 Newhouse Building
Salt Lake City, Utah

Gentlemen:

Enclosed please find two copies of "Notice of Intention to Drill" that we are forwarding the U.S.G.S. in Durango.


In addition, we are also enclosing two copies of our survey plat and two photostat copies of the "Designation of Operator" executed by Delhi-Taylor Oil Corporation designating us as their agent on the drill site acreage.

Will you please advise us whether or not your proposed changes for bond requirements covers this case where the Federal Government owns the acreage and we are designated as another party's operating agent and are not operating as the lessee of record.

As I am sure you all well know we have definite bond requirements from the Federal Government; therefore it is not clear whether we must now file additional bond with your agency.

Yours very truly,

Zoller and Danneberg



K. I. Danneberg

KID/jw
Enclosures

May 7, 1962

Zoller and Danneberg
324 Patterson Building
Denver 2, Colorado

Attn: K. Danneberg, Partner

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Delhi-Government 2-1, which is to be located 1979 feet from the north line 1987 feet from the east line of Section 13, Township 39 South, Range 22 East, S12M, San Juan County, Utah.

Please be advised that insofar as this office is concerned approval to drill said well is hereby granted.

This approval terminates within 90 days if the above mentioned well has not been spudded in within said period.

Incidentally, it is not necessary for you to file a bond with this Commission since one has been filed with the Federal Government.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT,
EXECUTIVE DIRECTOR

CBF:kb

cc: Jerry W. Long
Dist. Eng.
U. S. Geological Survey

H. L. Coonts - OGCC, Moab

May 11, 1962

Zoller and Danneberg
324 Patterson Building
Denver 2, Colorado

Attn: K. I. Danneberg, Partner

Gentlemen:

Due to the fact that your notice of intention to drill Well No. Delhi-Government B-1 filed on May 3, 1962 was submitted in error as to range location, we are again sending this approval with the corrected location which is Section 13, Township 39 South, Range 21 East, SEM, San Juan County, Utah.

Please be advised that insofar as this office is concerned approval to drill said well is hereby granted.

This approval terminates within 90 days if the above mentioned well has not been spudded in within said period.

Incidentally, it is not necessary for you to file a bond with this Commission since one has been filed with the Federal Government.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT,
EXECUTIVE DIRECTOR

CBF:kb

cc: Jerry W. Long, Dist. Eng.
U. S. Geological Survey

H. L. Coonts - OGCC, Moab

H. E. ZOLLER, JR.
K. I. DANNEBERG

ZOLLER AND DANNEBERG

324 PATTERSON BUILDING
DENVER 2, COLORADO

June 7, 1962

State of Utah Oil & Gas Conservation Commission
310 Newhouse Building
Salt Lake City 11, Utah

Attention: Mr. Feight

Gentlemen:

Would you please modify our notice of Intention to Drill the Delhi Government B-1 located in Sec. 13-39S-21E SLBN, San Juan County, Utah, to the following:


790' W of the E Line
1905' N of the S Line
Elevation: 4702 G.L.
4713 D.F..

As we explained to you on the phone the drilling contractor moved onto the wrong location by mistake but we are drilling at 3,000 ft. and do not feel that we can correct this now.

Will you please confirm this as soon as possible.

Yours very truly,

Zoller & Danneberg


K. I. Danneberg

KID:eh

H. E. ZOLLER, JR.
K. I. DANNEBERG

ZOLLER AND DANNEBERG

324 PATTERSON BUILDING
DENVER 2, COLORADO

June 11, 1962

State of Utah Oil & Gas
Conservation Commission
310 Newhouse Building
Salt Lake City 11, Utah

Attention: Mr. Feight

Gentlemen:

Enclosed please find a copy of the
survey plat on the Zoller and Danneberg
#B-1.

Very truly yours,

Zoller and Danneberg

K. I. Danneberg
K. I. Danneberg *K. I.*

Encl.
KID:eh

H. E. ZOLLER, JR.
K. I. DANNEBERG

ZOLLER AND DANNEBERG

324 PATTERSON BUILDING
DENVER 2, COLORADO

June 12, 1962

State of Utah Oil & Gas
Conservation Commission
310 Newhouse Building
Salt Lake City 11, Utah

Attention: Mr. Feight

Gentlemen:

Enclosed please find a corrected Notice of Intention to Drill. As we advised you verbally, the change was necessitated by the contractor moving onto the wrong location. Under separate cover we have forwarded new staking plats.

Yours very truly,

Zoller and Danneberg

K. I. Danneberg

Encl.
KID:eh

EN
JW

Copy to HC

KTS

Form 9-331a
(Feb. 1961)

		0

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office _____
Lease No. _____
Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 12, 1962

Well No. B-1 is located 1905 ft. from N line and 790 ft. from E line of sec. 13

12/4 31/4 37S 21E 3120N
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat San Juan County Utah
 (Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4702 ft. 4713 d.f.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)


Location changed because rig was moved onto wrong spot, and drilling operations were under way before mistake was realized.

Log 15 TD 5800' Desert Creek 5595
8 5/8" x 1600'/650 sz.
DET all shows.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Zeller & Lemberg
 Address 324 Patterson Bldg.
Denver, Colorado
 By [Signature]
 Title Partner

W



WELL LOCATION: Alco Oil & Gas Company - # B-1.

Located 1905 feet North of the South line and 790 feet West of the East line of Section 13,
 Township 39 South, Range 21 East, Salt Lake Base & Meridian.
 San Juan Co., Utah
 Existing ground elevation determined at 4702 feet based on U.S.G.S. datum.

I hereby certify the above plat represents a survey made under my supervision and that it is accurate to the best of my knowledge and belief.

Elmer M. Clark

ELMER M. CLARK
 Registered Land Surveyor
 State of Utah # 2307

ALCO OIL & GAS COMPANY

WELL LOCATION PLAT
 NE 1/4 - SE 1/4 Sec. 13, T39S, R21E
 San Juan Co., Utah

E.M. CLARK & ASSOC.
 Durango, Colorado

DATE: April 19, 1962
 FILE NO: 62021

(SUBMIT IN TRIPLICATE)

Land Office SALT LAKE

Lease No. 067702

Unit _____

			X

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	X		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

ZOLLER & DANNEBERG #1-B DELHI-GOVERNMENT

JUNE 27, 1962

Well No. 1-B is located 1905 ft. from N line and 790 ft. from E line of sec. 13

NE SE 13 (1/4 Sec. and Sec. No.) 39S (Twp.) 21E (Range) SLM (Meridian)
WILDCAT (Field) SAN JUAN (County or Subdivision) UTAH (State or Territory)

The elevation of the derrick floor above sea level is 4712 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

RECOMMENDED PLUGGING PROCEDURE:

125' PLUG OVER DST ZONE (SALT WATER RECOVERED)	5600-5725
100' PLUG AT TOP OF HERMOSA (4650)	4600-4700
75' PLUG OVER IN 8 5/8" CASING SHOE	1550-1625

10 SACKS AT SURFACE W/4" MONUMENT

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company ZOLLER & DANNEBERG

324 PATTERSON BUILDING

Address DENVER 2, COLORADO

By W. E. Carr

Title AGENT

June 28, 1962

MEMO FOR FILING

Re: Zoller & Danneberg
Delhi-Gov't #B-1
Sec. 13, T. 39 S, R. 21 E.,
San Juan County, Utah

On June 27, 1962 I approved the following plugging program on the above well.

T.D. 5881' in shale below Desert Creek
Top Ismay - 5540'
Top Hermosa - 4650'
8 5/8" casing set at 1600' in Wingate

The operator ran 2 DST's in the Ismay and recovered 480' of free oil and 3500' of salt water on one and drilling mud on the other. There was no appreciable water in the DeChelly.


Plugs:

125' - from 5600'-5675'
100' - from 4600'-4700'
75' - from 1550'-1650'
10 sacks at surface.

HARVEY L. COONTS
PETROLEUM ENGINEER

HLC:cn

U. S. LAND OFFICE SALT LAKE
SERIAL NUMBER 067702
LEASE OR PERMIT TO PROSPECT _____



LOCATE WELL CORRECTLY

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

Company ZOLLER & DANNEBERG Address 324 PATTERSON BUILDING DENVER 2, COLORADO
Lessor or Tract DELHI-GOVERNMENT Field WILDCAT State UTAH
Well No. 1-B Sec. 13 T. 39S R. 21E Meridian SLM S. 5852 b21 County SAN JUAN
Location 1905 ft. (N. of S. Line of 5852 ft. E. of 5000 ft. E. Line of SECTION 3) Elevation 4712 (Derrick floor relative to sea level)

The information given here with is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Date JUNE 28, 1962 Title AGENT

Commenced drilling MAY 28, 1962 Finished drilling JUNE 26, 1962

OIL OR GAS SANDS OR ZONES

No. 1, from to 121b (30 WINNIES) No. 4, from to 102 b21
No. 2, from to 112 b21 No. 5, from to 102 b21
No. 3, from to 121b (30 WINNIES) No. 6, from to 102 b21

IMPORTANT WATER SANDS

No. 1, from to 121b (30 WINNIES) No. 3, from to 102 b21
No. 2, from to 112 b21 No. 4, from to 102 b21

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	
13 3/8	43#	8							SURE
8 5/8	27#	8							INTERMEDIATE (WATER FLOW SHUT-OFF)

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
13 3/8	168	100	PUMP & PLUG		CEMENT CIRCULATED
8 5/8	1608	650	" "		" "

PLUGS AND ADAPTERS

Heaving plug—Material NONE Length _____ Depth set _____

Adapters—Material _____ Size _____

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

PLUGGED & ABANDONED

DATES

JUNE 27, 1962

Put to producing _____, 19____

The production for the first 24 hours was _____ barrels of fluid of which _____% was oil; _____% emulsion; _____% water; and _____% sediment. Gravity, °Bé. _____

If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____

Rock pressure, lbs. per sq. in. _____

EMPLOYEES

_____, Driller _____, Driller

_____, Driller _____, Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
			JURASSIC MORRISON FORMATION
			<u>JURASSIC</u>
			<u>TRIASSIC</u>
			CHINLE SHALE
			SHINARUMP CONGLOMERATE
			MOENKOPI SHALE
			<u>PERMIAN</u>
			DECHELLY SANDSTONE
			CUTLER EVAPORITE
			<u>PENNSYLVANIAN</u>
			HERMOSA GROUP
			PARADOX FORMATION
			ISMAY ZONE
			DESERT CREEK ZONE
			TOTAL DEPTH: 5881' SCHLUMBERGER 5880' DRILLER

INCLUDING VAD GENERALING RECORD

16-48094-2 U. S. GOVERNMENT PRINTING OFFICE

HISTORY OF OIL OR GAS WELL

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidetracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or bailing.

DATE	DEPTH	TEST	RESULTS	REMARKS
------	-------	------	---------	---------

INTERMEDIATE CASING SET TO 1600' TO SHUT OFF WATER FLOW FROM NAVAJO SANDSTONE. CASING LEFT IN HOLE WITH CEMENT PLUG OVER SHOE.


DRILLSTEM TEST #1 5594-5651 TOOL OPEN 1 HOUR, 15 MINUTES; WEAK BLOW AIR 5 MINUTES & DIED; RECOVERED 240' DRILLING MUD, NO SHOWS.

ISIP (30 MINUTES)	260	PSI
IFP	145	PSI
FFP	145	PSI
FSIP (30 MINUTES)	185	PSI
HP IN	2830	PSI

OUTER GAS BANDS OF 2830

DRILLSTEM TEST #2 5649-5710 TOOL OPEN 1 HOUR, 30 MINUTES; OPENED W/GOOD BLOW AIR, GAS TO SURFACE IN 15 MINUTES, 18 TM, RECOVERED 3655' FLUID -- 60' HO & GCDM, 450' OIL, 3145' SALT WATER.

ISIP (45 MINUTES)	2140	PSI
IFP	390	PSI
FFP	1795	PSI
FSIP (30 MINUTES)	2070	PSI
HP IN	2845	PSI
OUT	2825	PSI




LOG OF OIL OR GAS WELL

GEOLOGICAL SURVEY
DEPARTMENT OF THE INTERIOR
UNITED STATES

NAME OF WELL TO BE DRILLED
SERIAL NUMBER
U. S. FIELD OFFICE

Form 9-331a
(Feb. 1951)



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office SALT LAKE
Lease No. 067702
Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	X
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

ZOLLER & DANNEBERG #1-B DELHI-GOVERNMENT

JULY 2, 1962

Well No. 1-B is located 1905 ft. from $\left\{ \begin{matrix} N \\ S \end{matrix} \right\}$ line and 790 ft. from $\left\{ \begin{matrix} E \\ W \end{matrix} \right\}$ line of sec. 13

NE SE 13 39S 21E SLM
(¼ Sec. and Sec. No.) (Twp.) (Range) (Meridian)

WILDCAT SAN JUAN UTAH
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4712 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

PLUGGING DATA: 45 SACKS COVERING INTERVAL 5600-5725, 7 7/8" HOLE
35 SACKS COVERING INTERVAL 4600-4700, 7 7/8" HOLE
25 SACKS COVERING INTERVAL 1550-1625, 7 7/8" HOLE BELOW 1600,
8 5/8" CASING ABOVE
10 SACKS AT SURFACE w/4" MONUMENT BEARING WELL NAME & LOCATION
115 SACKS TOTAL

8 5/8" CASING REMAINS IN HOLE TO 1600' -- INTERMEDIATE CASING TO SHUT OFF WATER FLOW FROM NAVAJO SANDSTONE. ALL WATER ZONES BELIEVED TO BE ISOLATED.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company ZOLLER & DANNEBERG
324 PATERSON BUILDING
Address DENVER 2, COLORADO

By W. E. Carr
Title AGENT

W. E. CARR
GEOLOGIST
P. O. BOX 9311 CH 7-3078
206 CENTURY BUILDING
DURANGO, COLORADO

July 2, 1962

State of Utah
Oil & Gas Conservation Commission
Salt Lake City, Utah

Gentlemen:

With regard to the Zoller & Danneberg No. 1-B Delhi-Government well, located in the northeast quarter of the southeast quarter of section 13-T39S-R21E, SLM, San Juan County, Utah, you will please find enclosed two copies of each of the following U. S. G. S. well data forms:

Form 9-330, LOG OF OIL OR GAS WELL.


Form 9-331a, SUNDRY NOTICES AND REPORTS ON WELLS, Notice of Intention to Abandon Well.

Form 9-331a, SUNDRY NOTICES AND REPORTS ON WELLS, Subsequent Report of Abandonment.

The subject well was plugged and abandoned on June 27, 1962 in accordance with instructions by the U. S. G. S., and following a telephone discussion of the plugging program with your District Engineer in Moab.

I trust the above completed forms satisfy requirements set forth by the State of Utah.

Very truly yours,



W. E. Carr

cc: Zoller & Danneberg
324 Patterson Building
Denver 2, Colorado



WARREN E. CARR

GEOLOGIST

P. O. BOX 3311 • 206 CENTURY BUILDING • DURANGO, COLORADO • PHONE 247-3078

MESSAGE

REPLY

TO State of Utah
Oil & Gas Conservation
Commission
Salt Lake City, Utah

DATE July 5, 1962

Gentlemen:

On July 3, 1962 I mailed to you a letter covering transmittal of well data forms in regard to the Zoller & Danneberg #1-B Delhi-Government, ne se 13-T39S-R21E.

It is apparent that the forms were not included in the letter and I am enclosing the described forms herewith.

Please notify me, at the above address, if the situation is not entirely clear.

Very truly yours,

BY

Warren E. Carr

INSTRUCTIONS TO SENDER:

1. KEEP YELLOW COPY. 2. SEND WHITE AND PINK COPIES WITH CARBON INTACT.

DATE July 13, 1962

Dear Mr. Carr:

Thank you very much for sending the following reports for Well No. 1-B Delhi-Government located 13-T39S-R21E., San Juan County, Utah: Log of Oil or Gas Well, Notice of Intention to Abandon and Subsequent Report of Abandonment.

Very Truly yours,

OIL & GAS CONSERVATION COMMISSION

Cleon B. Feight
CLEON B. FEIGHT,
EXECUTIVE DIRECTOR

CBF:awg

SIGNED

INSTRUCTIONS TO RECEIVER:

1. WRITE REPLY. 2. DETACH STUB, KEEP WHITE COPY, RETURN PINK COPY TO SENDER.