

Scout Report sent out
 Noted in the NID File
 Location map pinned
 Approval or Disapproval Letter
 Date Completed, P. & A. or
 operations suspended
 (if) changed on location map
 Affidavit and Record of A & P
 Water Shut-Off Test
 Gas-Oil Ratio Test
 Well Log Filed

-
-
-
-
-
-
-
-
-

FILE NOTATIONS

Entered in NID File
 Entered in P. & A. Sheet
 Location Map Pinned
 Card test and
 IWR for State or Fee Land

Checked by Chief
 Copy NID to Field Office
 Approval Letter
 Disapproval Letter

COMPLETION DATA:

Date Well Completed 1/9/59
 OW WW TA
 GW OS PA


Location Inspected
 Bond released
 State of Fee Land

LOGS FILED

Driller's Log 1/20/59
 Electric Logs (No.) 3
 E I EQ GR GR-NI Micro
 Lt M-L Sonic Others

(SUBMIT IN TRIPLICATE)

Indian Agency NAVAJO



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee _____

Lease No. 14-20-603-407
Conoco No. 70350

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL _____	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF _____	
NOTICE OF INTENTION TO CHANGE PLANS _____		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING _____	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF _____		SUBSEQUENT REPORT OF ALTERING CASING _____	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL _____		SUBSEQUENT REPORT OF REDRILLING OR REPAIR _____	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE _____		SUBSEQUENT REPORT OF ABANDONMENT _____	
NOTICE OF INTENTION TO PULL OR ALTER CASING _____		SUPPLEMENTARY WELL HISTORY _____	
NOTICE OF INTENTION TO ABANDON WELL _____			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

December 5, 1958

Navajo
Well No. B-14 is located 1975 ft. from [N] line and 2010 ft. from [E] line of sec. 30

NE 1/4 Sec. 30 41S 24E S.L.B.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

White Mesa San Juan County Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4845 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We propose to drill this well with rotary tools to an estimated depth of 5800' to test the Paradox formation. Approximately 200' of 13 5/8" surface casing will be run and cemented. If unconsolidated sands or water flows are encountered, approximately 1400' of 8 5/8" intermediate casing will be run and cemented. If commercial production is found a string of 5 1/2" production casing will be run and cemented and the well completed.

"The above description of the well location is in relation to section lines established by private survey. Such location, with respect to the lease boundaries, is shown on the attached plat marked Exhibit "A".

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Continental Oil Company

Address Box 3312


Durango, Colorado

ORIGINAL SIGNED BY:
By BURTON HALL

Title District Superintendent

WAB-ec
USGS (4), UTAH (2), FER, LNH, JBH

CERTIFICATE OF SURVEY



WELL LOCATION: The Continental Oil Co. — Navajo "B" No. 14

Located 1975 feet South of the North line and 2010 feet West of the East line of Section 30.
 Township 41 South Range 24 East Salt Lake Meridian
 San Juan County, Utah
 Existing ground elevation determined at 4834 feet.

I hereby certify the above plat represents a survey made under my supervision and is accurate to the best of my knowledge and belief.


Elmer M. Clark

ELMER M. CLARK
 Registered Land Surveyor
 State of Colo. (No. 2279)

PLANET ENGINEERS, INC.
 Durango, Colorado
 OCTOBER 30, 1958

Exhibit "A"

To Notice of Intention to Drill for
Well No. Navajo B-14 (Continental)
Indian Lease No. 14-20-603-407



T41S - R24E
San Juan County, Utah

Scale 1" = 2000'

————— Lease Boundary
----- Section Lines

12

December 8, 1958

Continental Oil Company
P. O. Box 3512
Durango, Colorado

Attention: Burton Hall, District Superintendent

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Navajo B-14, which is to be located 1975 feet from the north line and 2010 feet from the east line of Section 30, Township 41 South, Range 24 East, S1E1M, San Juan County, Utah.

Please be advised that insofar as this office is concerned, approval to drill said well is hereby granted.

This approval terminates within 90 days if the above mentioned well is not spudded in within said period.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT
SECRETARY


CBF:co

cc: Paul McGrath
USGS, Farmington,
New Mexico

NAV 26192
1959

Navajo Tribe
No. 14-20-603-407

U. S. LAND OFFICE _____
SERIAL NUMBER _____
LEASE OR PERMIT TO PROSPECT _____



LOCATE WELL CORRECTLY

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

Company Continental Oil Company Address Box 3312, Durango, Colorado
Lessor or Tract Navajo Field White Mesa State Utah
Well No. B-14 Sec. 30 T. 41S R. 24E Meridian S.L.B.M. County San Juan
Location 1975 ft. ^{xxx} of N Line and 2010 ft. ^{xxx} of E Line of Sec. 30 Elevation 5845'
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.
Signed _____ ORIGINAL SIGNED BY: BURTON HALL

Date January 21, 1959 Title District Superintendent

The summary on this page is for the condition of the well at above date.

Commenced drilling December 9, 1958 Finished drilling January 8, 1959

OIL OR GAS SANDS OR ZONES
(Denote gas by G)

No. 1, from _____ to _____ No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from _____ to _____ No. 3, from _____ to _____
No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	
13 3/8"	48#	8rd	H-40	163'	Baker		5682	5693	Surface Production
5 1/2"	14#	8rd	J-55	5785'			5708	5726	
							5732	5737	

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
13 3/8"	163'	200 neat	Displacement		
5 1/2"	5785'	275 reg. plus perlite	Displacement		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____
Adapters—Material _____ Size _____

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

FOLD MARK

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
3 3/8"	163'	200 neat	Displacement		
5 1/2"	5785'	275 reg. plus perlite	Displacement		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____
 Adapters—Material _____ Size _____

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from 0 feet to 5785 feet, and from _____ feet to _____ feet
 Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

DATES

January 21, 1959 Put to producing January 9, 1959
 The production for the first 24 hours was 672 barrels on 1/2" choke of which 99% was oil; 1%
 condition; _____% water; and _____% sediment. Gravity, °Bé. ~~xx~~ API 41.6 @ 60°
 If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
 Rock pressure, lbs. per sq. in. _____

EMPLOYEES

_____, Driller Contractor: _____, Driller
 _____, Driller Mountain States Drilling Co., Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
1508	2360	852	Chinle
2360	2525	165	Shinarump
2525	2852	327	Cutler
2852	3540	688	Organ Rock
3540	4566	1026	Cedar Mesa
4566	5396	830	Hermosa
5396	5606	210	Paradox
5606	5785	179	Aneth

[OVER]

10-43004-4

WAB-ec
 USGS(3), UTAH O&GCC(2), REW, JBH

HISTORY OF OIL OR GAS WELL

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidetracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or bailing.

SPUDDed 12-9-58, ran 5 jts., 163', 13 3/8" surface casing, cemented with 200 sacks neat. Drilled to 5785' TD, ran 179 jts., 5785', 5 1/2" production casing, cemented with 275 sacks regular plus perlite. Perforated 5682-93', 5708-26', and 5732-37' with 4 jets per ft. Set packer at 5550' and acidized with 850 gals. MCA, swabbed & flowed well. Acidized with 10,000 gals. retarded and 11,000 gals. regular using 2 temporary plugs. Pulled packer and landed 2 7/8" tubing at 5731'. Released rig 1-8-59. IFP 672 BOPD on 1/2" choke, gravity 41.6 @ 60°

(SUBMIT IN TRIPLICATE)

Indian Agency NAVAJO

	X	
30		

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee _____
Lease No. 14-20-603-407
Conoco #70350

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	X
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

January 21, 1959

Well No. Navajo B-14 is located 1975 ft. from N line and 2010 ft. from E line of sec. 30
NE/4 Sec. 30 T41S, R24E S.L.B.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
White Mesa San Juan County Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4845 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded 12-9-58, ran 5 jts., 163', 1 3/8" surface casing, cemented with 200 sacks neat. Drilled to 5785' TD, ran 179 jts., 5 1/2" production casing, cemented with 275 sacks regular plus perlite. Perforated 5682-93', 5708-26', and 5732-37' with 4 jets per ft. Set packer at 5550' and acidized with 850 gals. MCA, swabbed & flowed well. Acidized with 10,000 gals. retarded and 11,000 gals. regular using 2 temporary plugs. Pulled packer and landed 2 7/8" tubing at 5731'. Released rig 1-8-59. IFP 672 BOPD on 1/2" choke, gravity 41.6 @ 600.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Continental Oil Company
 Address Box 3312
Durango, Colorado
 By BURTON HALL
 Title District Superintendent

WAB-ec
USGS(3), UTAH O&GCC(2), LWH, JBH

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE
(Other instructions on
reverse side)

Form approved.
Budget Bureau No. 42-R1424

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

5. LEASE DESIGNATION AND SERIAL NO.

14-20-603-407

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Navajo

7. UNIT AGREEMENT NAME

SU-I-4192

8. FARM OR LEASE NAME

Rutherford Unit

9. WELL NO.

30-32

10. FIELD AND POOL, OR WILDCAT

Greater Aneth Field

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

30-415-24E SIEM

12. COUNTY OR PARISH

San Juan

13. STATE

Utah

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
Phillips Petroleum Company

3. ADDRESS OF OPERATOR
Drawer 1150, Cortez, Colorado 81321

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

NE/4 Sec. 30 1975' FWL; 2010' FEL

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4845' DF

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Acidize well with 3000 gallons 15% regular acid and return to production.

PRESENT PRODUCTION: Well shut down since 10/2/68. Production prior to shut down was 0 BO and 1100 BW from Zone II. Packer isolation tests of Zone I was 0 BO, 0 BW.

18. I hereby certify that the foregoing is true and correct

SIGNED

C. M. Boles

TITLE

District Superintendent

DATE

12-19-68

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

Orig & 2 cc: HEM USGS, Farmington, NH

2 cc: Utah OAGCC, Salt Lake City

1 cc: B'ville

1 cc: Denver

1 cc: File

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIP
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424

5. LEASE DESIGNATION AND SERIAL NO.

14-20-603-407

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Navajo

7. UNIT AGREEMENT NAME

SW-I-4192

8. FARM OR LEASE NAME

Rutherford Unit

9. WELL NO.

30-32

10. FIELD AND POOL, OR WILDCAT

Greater Aneth

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

30-418-24E SLBM

12. COUNTY OR PARISH 13. STATE

San Juan

Utah

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR

Phillips Petroleum Company

3. ADDRESS OF OPERATOR

Drawer 1150, Cortez, Colorado 81321

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)
At surface

NE/4 Sec. 30 1975' FNL; 2010' FEL

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4845 D.F.

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

On Jan. 20, 1969, ran retrievematic packer, set at 5631'. Acidized Desert Creek Zone I perforations 5682-93' with 3000 gallons 15% regular acid in one stage. (Zone II perforations 5708-26' and 5732-37' are below retainer set at 5700'). Swabbed and flowed well, pulled packer, ran pumping equipment, started well pumping 1-23-69.

PREVIOUS PRODUCTION: 0 BOPD, 0 MCFPD, 0 BHPD (Well shut down since 10/2/68).

PRESENT PRODUCTION: 21 BOPD, 34 MCFPD, 8 BHPD.

NOTE: Desert Creek Zone II perforations 5708-26 and 5732-37' are isolated below Model K retainer set at 5700'. Last test from well with Zone I and Zone II both open was 0 BO, 0 MCF Gas, and 1100 BW in 24 hours, flowing.

18. I hereby certify that the foregoing is true and correct

SIGNED

C. M. Boles

TITLE District Superintendent

DATE 2-26-69

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

Orig. & 2 cc: USGS, Farmington NM
2 cc: Utah O&GCC, SIC
1 cc: B'ville
1 cc: Denver
1 cc: Superior Oil, Cortez
1 cc: File

*See Instructions on Reverse Side

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/> 2. NAME OF OPERATOR Phillips Oil Company 3. ADDRESS OF OPERATOR P. O. Box 2920, Casper, WY 82602 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface See Attached		5. LEADER DESIGNATION AND SERIAL NO. 96-004192 ✓ 6. IF INDIAN, ALLOTTEE OR TRIBE NAME Navajo 7. UNIT AGREEMENT NAME Ratherford Unit ✓ 8. FARM OR LEASE NAME 9. WELL NO. 10. FIELD AND POOL, OR WILDCAT N/A 11. SEC., T., R., M., OR B.L. AND SURVEY OR AREA See Attached 12. COUNTY OR PARISH San Juan 13. STATE Utah
14. PERMIT NO. See Attached	15. ELEVATIONS (Show whether OF, XT, GR, etc.)	

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> SHOOT OR ACIDIZE <input type="checkbox"/> REPAIR WELL <input type="checkbox"/> (Other) <input type="checkbox"/>	FULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPLETE <input type="checkbox"/> ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/>
--	--


SUBSEQUENT REPORT OF:

WATER SHUT-OFF <input type="checkbox"/> FRACTURE TREATMENT <input type="checkbox"/> SHOOTING OR ACIDIZING <input type="checkbox"/> (Other) <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> ABANDONMENT <input type="checkbox"/>
--	---

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

To show change of Operator only. Phillips Oil Company assumed operations effective December 1, 1983 from Phillips Petroleum Company. See attached for list of wells.

100 x 100 30-32



Org. & 3-BLM

- 1-The Navajo Nation
- 1-Mary Wiley Black
- 1-Lawrence E. Brock
- 1-Cheveron USA
- 1-Ralph Fixel
- 1-Royal Hogan
- 1-W. O. Keller
- 1-Dee Kelly Corp.

- 1-Robert Klabzuba
- 1-Micheal J. Moncrief
- 1-Richard B. Moncrief
- 1-Lee W. Moncrief
- 1-Mary H. Morgan
- 1-W. A. Moncrief
- 1-W. A. Moncrief, Jr.
- 1-L. F. Peterson

- 1-Shell Oil Co.
- 1-Southland Royalty Co.
- 1-Superior Oil Co.
- 1-Leroy Shave
- 1-Texaco, Inc.
- 1-Wade Wiley, Jr.
- 1-Edwin W. Word, Jr.
- 1-File

18. I hereby certify that the foregoing is true and correct

SIGNED A. E. Stuart TITLE Area Manager

DATE 12/6/83

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

<u>WELL NO.</u>	<u>WELL LOCATION</u>	<u>API NO.</u>	<u>STATUS</u>
29-34	SW SE Sec. 29-T41S-R24E	43-037-15340	Act.
30-23	NE SW Sec. 30-T41S-R24E	43-037-15341	SI
30-32	SW NE Sec. 30-T41S-R24E	43-037-15342	SI
32-4I	NE NE Sec. 32-T41S-R24E	43-037-15344	SI
1-13	NW SW Sec. 1-T41S-R24E	43-037-15838	Act.
1-24	SE SW Sec. 1-T41S-R24E	43-037-15839	Act.
1-44	SE SE Sec. 1-T41S-R24E	43-037-15840	Act.
6-14	SW SW Sec. 6-T41S-R24E	43-037-15894	Act.
7-12	SW NW Sec. 7-T41S-R24E	43-037-15985	SI
7-14	SW SW Sec. 7-T41S-R24E	43-037-15986	SI
7-23	NE SW Sec. 7-T41S-R24E	43-037-15987	SI
7-32	SW NE Sec. 7-T41S-R24E	43-037-15988	SI
7-34	SW SE Sec. 7-T41S-R24E	43-037-15989	Act.
11-42	SE NE Sec. 11-T41S-R23E	43-037-15841	Act.
11-44	SE SE Sec. 11-T41S-R23E	43-037-15842	Act.
12-11	NW NW Sec. 12-T41S-R23E	43-037-15843	Act.
12-14	SW SW Sec. 12-T41S-R23E	43-037-15844	Act.
12-22	SE NW Sec. 12-T41S-R23E	43-037-15845	Act.
12-23	NE SW Sec. 12-T41S-R23E	43-037-15846	Act.
12-31	NW NE Sec. 12-T41S-R23E	43-037-15847	Act.
12-33	NW SE Sec. 12-T41S-R23E	43-037-15848	Act.
12-41	NE NE Sec. 12-T41S-R23E	43-037-15849	Act.
12-42	SE NE Sec. 12-T41S-R23E	43-037-15850	Act.
13-13	NW SW Sec. 13-T41S-R23E	43-037-15851	Act.
13-22	SE NW Sec. 13-T41S-R23E	43-037-15852	Act.
13-24	SE SW Sec. 13-T41S-R23E	43-037-15853	Act.
13-31	NW NE Sec. 13-T41S-R23E	43-037-15854	Act.
13-33	NW SE Sec. 13-T41S-R23E	43-037-15855	Act.
13-42	SE NE Sec. 13-T41S-R23E	43-037-15857	Act.
14-32	SW NE Sec. 14-T41S-R23E	43-037-15858	Act.
14-33	NW SE Sec. 14-T41S-R23E	43-037-15859	SI
14-42	SE NE Sec. 14-T41S-R23E	43-037-15860	Act.
24-11	NW NW Sec. 24-T41S-R23E	43-037-15861	SI
24-31	NW NE Sec. 24-T41S-R23E	43-037-15862	Act.
E11-14	SW SW Sec. 11-T41S-R24E	43-037-16167	Act.
3-12	SW NW Sec. 3-T41S-R24E	43-037-15620	Act.
3-14	SW SW Sec. 3-T41S-R24E	43-037-15124	Act.
3-23	NE SW Sec. 3-T41S-R24E	43-037-15125	SI
3-32	SW NE Sec. 3-T41S-R24E	43-037-15621	SI
3-44	SE SE Sec. 3-T41S-R24E	43-037-15031	Act.
4-14	SW SW Sec. 4-T41S-R24E	43-037-16163	Act.
4-22	SE NW Sec. 4-T41S-R24E	43-037-15622	SI
4-32	SW NE Sec. 4-T41S-R24E	43-037-15623	SI
4-34	SW SE Sec. 4-T41S-R24E	43-037-16164	Act.
4-42	SE NE Sec. 4-T41S-R24E	43-037-15624	SI
5-34	SW SE Sec. 5-T41S-R24E	43-037-15983	SI
8-12	SW NW Sec. 8-T41S-R24E	43-037-15991	Act.
8-14	SW SW Sec. 8-T41S-R24E	43-037-15992	Act.
8-21	NE NW Sec. 8-T41S-R24E	43-037-15993	Act.
8-23	NE SW Sec. 8-T41S-R24E	43-037-15994	Act.
8-32	SW NE Sec. 8-T41S-R24E	43-037-15995	SI

**UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**

SUBMIT IN TRIPLICATE
(Other instructions on re-
verse side)

Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

<p>1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/></p> <p>2. NAME OF OPERATOR Phillips Oil Company</p> <p>3. ADDRESS OF OPERATOR P.O. Box 2920, Casper, WY 82602</p> <p>4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 1975' FNL, 2010' FEL</p>		<p>5. LEASE DESIGNATION AND SERIAL NO. 14-20-603-407</p> <p>6. IF INDIA, ALLOTTEE OR TRIBE NAME Navajo</p> <p>7. UNIT AGREEMENT NAME SW-I-4192</p> <p>8. FARM OR LEASE NAME Ratherford Unit</p> <p>9. WELL NO. #30-32</p> <p>10. FIELD AND POOL, OR WILDCAT Greater Aneth</p> <p>11. SEC., T., R., N., OR S.E. AND SURVEY OR AREA Sec. 30-T41S-R24E</p> <p>12. COUNTY OR PARISH San Juan</p> <p>13. STATE Utah</p>
<p>14. PERMIT NO. 43-037-15342</p>	<p>15. ELEVATIONS (Show whether SP, ST, GR, etc.) 4847' RKB</p>	

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

<p>TEST WATER SHUT-OFF <input type="checkbox"/></p> <p>FRACTURE TREAT <input type="checkbox"/></p> <p>SHOOT OR ACIDIZE <input checked="" type="checkbox"/></p> <p>REPAIR WELL <input type="checkbox"/></p> <p>(Other) <input type="checkbox"/></p>	<p>PLUG OR ALTER CASING <input type="checkbox"/></p> <p>MULTIPLE COMPLETS <input type="checkbox"/></p> <p>ABANDON <input type="checkbox"/></p> <p>CHANGE PLANS <input type="checkbox"/></p>
--	---

SUBSEQUENT REPORT OF:

<p>WATER SHUT-OFF <input type="checkbox"/></p> <p>FRACTURE TREATMENT <input type="checkbox"/></p> <p>SHOOTING OR ACIDIZING <input type="checkbox"/></p> <p>(Other) <input type="checkbox"/></p>	<p>REPAIRING WELL <input type="checkbox"/></p> <p>ALTERING CASING <input type="checkbox"/></p> <p>ABANDONMENT <input type="checkbox"/></p> <p>(Other) <input type="checkbox"/></p>
---	--

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

It is proposed to retrieve the stuck pump, perforate the Ismay formation, 5539'-44' and 5573'-77', and Desert Creek Zone I, 5646'-48', 5667'-70', 5653'-62'. The new perforations and existing perforations, 5682'-93', will be acidized with 5000 gallons of 28% HCL. Ratherford Unit #30-32 will then be returned to operation, producing from the Ismay and Desert Creek Zone I.

A 10' x 8' x 6' fenced pit will be constructed on location in a previously disturbed area. Upon completion of the workover, the pit will be dried and recovered.

5-BLM, Farmington, NM
2-Utah O&G CC, Salt Lake City, Utah
1-P. J. Adamson
1-B. Conner, 318B-TRW
1-J. R. Weichbrodt
1-C. M. Anderson
1-File RC

**ACCEPTED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING**

DATE: 7/16/85
BY: John R. Baya

18. I hereby certify that the foregoing is true and correct

SIGNED A. E. Staff TITLE Area Manager DATE July 11, 1985

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

Federal approval of this action is required before commencing operations.

*See Instructions on Reverse Side

Mobil Oil Corporation

P.O. BOX 5444
DENVER, COLORADO 80217-5444

May 14, 1986

Utah Board of Oil, Gas and Mining
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

Attn: R. J. Firth
Associate Director

RECEIVED
MAY 16 1986

DIVISION OF
OIL, GAS & MINING

SUPERIOR OIL COMPANY MERGER

Dear Mr. Firth:

On September 20, 1984, The Superior Oil Company (Superior) became a wholly owned subsidiary of Mobil Corporation. Since January 1, 1985, Mobil Oil Corporation (MOC), another wholly owned subsidiary of Mobil Corporation, has acted as agent for Superior and has operated the Superior-owned properties.

On April 24, 1986, Superior was merged with Mobil Exploration and Producing North America Inc. (MEPNA), which is also a wholly owned subsidiary of Mobil Corporation. MEPNA is the surviving company of the merger.

This letter is to advise you that all properties held in the name of Superior will now be held in the name of MEPNA; and that these properties will continue to be operated by MOC as agent for MEPNA.

Attached is a listing of all wells and a separate listing of injection-disposal wells, Designation of Agent and an organization chart illustrating the relationships of the various companies. If you have any questions or require additional documentation of this merger, please feel free to contact me at the above address or (303) 298-2577.

Very truly yours,



R. D. Baker
Environmental Regulatory Manager

CNE/rd
CNE8661

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back into different reservoirs.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO. 14-20-603-407										
2. NAME OF OPERATOR Phillips Petroleum Company		6. IF INDIAN, ALLOTTEE OR TRIBE NAME Navajo										
3. ADDRESS OF OPERATOR P. O. Box 1150, Cortez, CO 81321		7. UNIT AGREEMENT NAME SW-I-4192										
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1975' FNL, 2010' FEL		8. FARM OR LEASE NAME Ratherford Unit										
14. PERMIT NO. 43-037-15342	15. ELEVATIONS (Show whether DF, RT, GR, etc.) 4847' RKB	9. WELL NO. 30-32										
16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data		10. FIELD AND POOL, OR WILDCAT Greater Aneth										
<p>NOTICE OF INTENTION TO:</p> <table border="0"> <tr> <td>TEST WATER SHUT-OFF <input type="checkbox"/></td> <td>PULL OR ALTER CASING <input type="checkbox"/></td> </tr> <tr> <td>FRACTURE TREAT <input type="checkbox"/></td> <td>MULTIPLE COMPLETE <input type="checkbox"/></td> </tr> <tr> <td>SHOOT OR ACIDIZE <input checked="" type="checkbox"/></td> <td>ABANDON* <input type="checkbox"/></td> </tr> <tr> <td>REPAIR WELL <input type="checkbox"/></td> <td>CHANGE PLANS <input type="checkbox"/></td> </tr> <tr> <td>(Other) <input type="checkbox"/></td> <td></td> </tr> </table>		TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	SHOOT OR ACIDIZE <input checked="" type="checkbox"/>	ABANDON* <input type="checkbox"/>	REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 30-T41S-R24E
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>											
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>											
SHOOT OR ACIDIZE <input checked="" type="checkbox"/>	ABANDON* <input type="checkbox"/>											
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>											
(Other) <input type="checkbox"/>												
		12. COUNTY OR PARISH 13. STATE San Juan Utah										

RECEIVED
JUN 25 1990
DIVISION OF OIL, GAS & MINING

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

It is proposed to perforate the Ismay formation, 5564'-5570', and 5573'-5578', and the Desert Creek Zone I, 5642'-5648', 5652'-5662', and 5666'-5671'. The new perforations and existing perforations from 5682'-5693' will be acidized with 3200 gallons of 15% HCl with 800 gallons of Xylene. The well will then be returned to operation, producing from the Ismay and Desert Creek Zone I.

cc: 5-BLM, Farmington
2-Utah O & G CC
1-S. H. Oden
1-P. J. Konkell
1-P.P.Co., Cortez - RC

OIL AND GAS	
DFN	RJF
1-JEB	GLH
INS	SLS
1-DIVE	
3-DIVE	
4- MICROFILM	
5- FILE	

18. I hereby certify that the foregoing is true and correct

SIGNED M. L. Menghin TITLE District Superintendent DATE 6/15/90

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____

CONDITIONS OF APPROVAL, IF ANY:

Federal approval of this action is required before commencing operations

ACCEPTED BY THE STATE OF UTAH DIVISION OF OIL, GAS, AND MINING

DATE: 7-16-90

BY: John R. Daga

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-1135
Expires September 30, 1990

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

5. Lease Designation and Serial No.
14-20-603-407

6. If Indian, Allottee or Tribe Name
Navajo Tribal

7. If Unit or CA, Agreement Designation
Ratherford Unit
SW-I-4192


8. Well Name and No.
Ratherford Unit #30-32

9. API Well No.
43-037-15342 POW

10. Field and Pool, or Exploratory Area
Greater Aneth

11. County or Parish, State
San Juan County, Utah

SUBMIT IN TRIPLICATE



1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
Phillips Petroleum Company

3. Address and Telephone No.
P. O. Box 1150, Cortez, CO 81321 (303) 565-3426

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
1975' FNL & 2010' FEL, SW NE, Sec. 30-T418-R24E

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection

Perforate additional zones & acidize
(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

July 30, 1990 Through August 3, 1990

MI & RU well service unit 7/30/90. COOH w/rods & pump. ND WH, NU BOP. Rel TAC and COOH w/2-7/8" tbg. GIH w/blade bit & scraper & cleaned out well to PBDT 5700'. COOH w/bit & scraper & RU wireline service. Perforated intervals 5564-5570', 5573-5578', 5642-5648', 5652-5662', and 5666-5671' w/4" csg guns, 2 SPF. GIH w/Mtn. States 5-1/2" RBP & 5-1/2" R-3 pkr. Moved tools & acidized stage 1 perfs (5682-5693') w/800 gals 15% HCL MSR-100. Moved tools & acidized stage 2 perfs (Zone I, 5642-5671' OA) w/300 gals diverter, 250 gals 28% MSR-100 acid & 1450 gals 15% MSR-100, displaced w/produced wtr. Moved tools & acidized stage 3 perfs (Ismay 5564-5570') w/1000 gals 28% & 500 gals 15% MSR-100. Moved tools. Swabbed load. COOH w/pkr & RBP. TIH w/prod tbg, set TAC @ 5630' & SN at 5692'. ND BOP, NU wellhead. Ran rods & pump & returned well to production from Ismay & Desert Creek Zone I perfs 8/3/90.

Test prior to workover - 20 BOPD, 0 BWPD, 8 MCFGPD
Test after workover - 43 BOPD, 287 BWPD, 17 MCFGPD

Distribution

- | | | | | |
|---------------------|----------------|-------------------|-------------------|-----------------|
| 5 - BLM, Farmington | 1 - N. Anstine | 1 - P. J. Konkell | 1 - Texaco, Inc. | 1 - PPCO Cortez |
| 2 - Utah O&GCC | 1 - V. S. Shaw | 1 - Chieftain | 1 - Chevron | |
| 1 - EPA, Denver | 1 - S. H. Oden | 1 - Mobil Oil | 1 - PPCO, Houston | |

14. I hereby certify that the foregoing is true and correct

Signed S. H. Oden S. H. Oden Title District Superintendent Date 9/17/90

(This space for Federal or State office use)

Approved by _____ Title _____ Date _____
Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS:

ACCOUNT NUMBER: N0772

P J KONKEL
PHILLIPS PETROLEUM COMPANY
5525 HWY 64 NBU 3004
FARMINGTON NM 87401

RECEIVED
AUG 16 1993
DIVISION OF
OIL, GAS & MINING

REPORT PERIOD (MONTH/YEAR):

6 / 93

AMENDED REPORT (Highlight Changes)

Well Name API Number	Entity	Location	Producing Zone	Well Status	Days Oper	Production Volumes		
						OIL(BBL)	GAS(MCF)	WATER(BBL)
#21-23 4303713754	06280	41S 24E 21	DSCR	POW	29	1374	883	58
#3-44 4303715031	06280	41S 24E 3	DSCR	POW	30	111	94	2905
#3-14 4303715124	06280	41S 24E 3	DSCR	POW	30	67	23	302
#9-12 4303715126	06280	41S 24E 9	DSCR	POW	30	112	654	17363
#9-14 4303715127	06280	41S 24E 9	DSCR	POW	30	201	315	423
#28-12 4303715336	06280	41S 24E 28	PRDX	POW	29	112	47	2428
#29-12 4303715337	06280	41S 24E 29	PRDX	POW	29	56	0	672
#29-32 4303715339	06280	41S 24E 29	DSCR	POW	29	1402	287	2224
#29-34 4303715340	06280	41S 24E 29	DSCR	POW	29	757	48	0
#30-32 4303715342	06280	41S 24E 30	DSCR	POW	29	588	1049	3744
#3-12 4303715620	06280	41S 24E 3	DSCR	POW	30	268	11	363
#9-34 4303715711	06280	41S 24E 9	DSCR	POW	30	45	46	9800
#10-12 4303715712	06280	41S 24E 10	DSCR	POW	30	45	23	1088
TOTALS						5138	3480	41370

COMMENTS: Effective July 1, 1993, Phillips Petroleum Company has sold its interest in the Ratherford Unit to Mobil Exploration and Producing U.S., Incorporated, P. O. Box 633, Midland, Texas 79702. Mobil assumed operations on July 1, 1993.

I hereby certify that this report is true and complete to the best of my knowledge. Date: 8/11/93

Name and Signature: PAT KONKEL *Pat Konkell*

Telephone Number: 505 599-3452

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

5. LEASE DESIGNATION & SERIAL NO.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

NAVAJO TRIBAL

7. UNIT AGREEMENT NAME

RATHERFORD UNIT

8. FARM OR LEASE NAME

9. WELL NO.

10. FIELD AND POOL OR WILDCAT
GREATER ANETH

11. SEC., T., R., M. OR BLK. AND SURVEY OR AREA

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR

MOBIL OIL CORPORATION

3. ADDRESS OF OPERATOR

P. O. BOX 633 MIDLAND, TX 79702

SEP 15 1993

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)

At surface

At proposed prod. zone

DIVISION OF
OIL, GAS & MINING

14. API NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

12. COUNTY

SAN JUAN

13. STATE

UTAH

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other) CHANGE OF OPERATOR

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

APPROX. DATE WORK WILL START _____

DATE OF COMPLETION _____

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

* Must be accompanied by a cement verification report.

AS OF JULY1, 1993, MOBIL OIL CORPORATION IS THE OPERATOR OF THE RATHERFORD UNIT. ATTACHED ARE THE INDIVIDUAL WELLS.

18. I hereby certify that the foregoing is true and correct

SIGNED

Shirley Todd

TITLE

ENV. & REG TECHNICIAN

DATE

9-8-93

(This space for Federal or State office use)

APPROVED BY _____

TITLE _____

DATE _____

CONDITIONS OF APPROVAL, IF ANY:

MONTHLY OIL AND GAS DISPOSITION REPORT

OPERATOR NAME AND ADDRESS:

L.B. Sheffield
BRIAN BERRY
~~M E P N A~~ MOBIL
POB 219031 1807A RENTWY *P.O. DRAWER G*
DALLAS TX 75221-9031 *CORTEZ, Co. 81321*

UTAH ACCOUNT NUMBER: N7370

REPORT PERIOD (MONTH/YEAR): 7 / 93

AMENDED REPORT (Highlight Changes)

**931006 updated.
jlc*

ENTITY NUMBER	PRODUCT	GRAVITY	BEGINNING INVENTORY	VOLUME PRODUCED	DISPOSITIONS				ENDING INVENTORY
		BTU			TRANSPORTED	USED ON SITE	FLARED/VENTED	OTHER	
05980	OIL			177609	177609	0			
	GAS			72101	66216	5885			
11174	OIL								
	GAS								
	OIL								
	GAS								
	OIL								
	GAS								
	OIL								
	GAS								
	OIL								
	GAS								
	OIL								
	GAS								
TOTALS				249710	243825	5885			

RECEIVED

SEP 13 1993

DIVISION OF
OIL, GAS & MINING

COMMENTS: *PLEASE NOTE ADDRESS change. Mobin ~~ASSO~~ PRODUCTION REPORTS will be COMPILED AND sent from the Cortez, Co. office IN THE FUTURE.*

I hereby certify that this report is true and complete to the best of my knowledge.

Date: 9/5/93

Name and Signature:

L. B. Sheffield

Telephone Number:

*303 565 2212
244 658 2528*

Sept 29, 1993

TO: Lisha Cordova - Utah Mining
Oil & Gas

FROM: Janice Easley
BLM Farmington, NM
505 599-6355

Here is copy of Rotherford Unit
Successor Operator,

4 pages including this one.

File: Ratherford Unit (GC)

RECEIVED
BLM

JUL 27 11:44

Navajo Area Office
P. O. Box 1060
Gallup, New Mexico 87305-1060

070 FARMINGTON, NM

ARES/543

JUL 26 1993

Mr. G. D. Cox
Mobil Exploration and
Producing North America, Inc.
P. O. Box 633
Midland, Texas 79702

MINERALS DIVISION
NO. 1072
DATE
BY
3
2
APPROVED
GPS
ALL SUPPLY
FILE

Dear Mr. Cox:

Enclosed for your information and use is the approved Designation of Operator between the Phillips Petroleum Company and Mobil Exploration and Producing North America, Inc. for the Ratherford Unit.

Please note that all other concerned parties will be furnished their copy of the approved document.

Sincerely,

ACTING Area Director

Enclosure

cc: Bureau of Land Management, Farmington District Office w/enc.
TNN, Director, Minerals Department w/enc.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF INDIAN AFFAIRS

RECEIVED
BLM

DESIGNATION OF OPERATOR

Phillips Petroleum Company is, on the records of the Bureau of Indian Affairs, operator of the Ratherford Unit,
JUN 27 11:44

AREA OFFICE: Window Rock, Arizona
LEASE NO: Attached hereto as Exhibit "A"

070 FARMINGTON, NM

and, pursuant to the terms of the Ratherford Unit Agreement, is resigning as Unit Operator effective July 1, 1993, and hereby designates

NAME: Mobil Exploration and Producing North America Inc., duly elected pursuant to the terms of the Ratherford Unit Agreement,

ADDRESS: P. O. Box 633, Midland, Texas 79702
Attn: G. D. Cox

as Operator and local agent, with full authority to act on behalf of the Ratherford Unit lessees in complying with the terms of all leases and regulations applicable thereto and on whom the authorized officer may serve written or oral instructions in securing compliance with the Operating Regulations (43 CFR 3160 and 25 CFR 211 and 212) with respect to (described acreage to which this designation is applicable):

Attached hereto as Exhibit "A"

Bond coverage under 25 CFR 211, 212 or 225 for lease activities conducted by the above named designated operator is under Bond Number 05202782 (attach copy). Evidence of bonding is required prior to the commencement of operations.

It is understood that this designation of operator does not relieve any lessee of responsibility for compliance with the terms of the leases and the Operating Regulations. It is also understood that this designation of operator does not constitute an assignment of any interest in the leases.

In case of default on the part of the designated operator, the lessees will make full and prompt compliance with all regulations, lease terms, stipulations, or orders of the Secretary of the Interior or his representative.

Attached is the appropriate documentation relevant to this document.

The designated operator agrees to promptly notify the authorized officer of any change in the operatorship of said Ratherford Unit.

Phillips Petroleum Company

June 17, 1993

By: M. B. [Signature]
Attorney-in-Fact

Mobil Exploration and Producing
North America Inc.

June 11, 1993

By: B. D. Martiny
Attorney-in-Fact B.D. MARTINY

[Signature] ACTING AREA DIRECTOR
APPROVED BY TITLE DATE
7/9/93

APPROVED PURSUANT, TO SECRETARIAL REDELEGATION ORDER 209 DM 8 AND 230 DM 3.

This form does not constitute an information collection as defined by 44 U.S.C. 3502 and therefore does not require OMB approval.

EXHIBIT "A"

ATTACHED TO AND MADE A PART OF DESIGNATION OF SUCCESSOR OPERATOR, RATHERFORD UNIT

EXHIBIT "C"

Revised as of September 29, 1992
SCHEDULE OF TRACT PERCENTAGE PARTICIPATION

<u>Tract Number</u>	<u>Description of Land</u>	<u>Serial Number and Effective Date of Lease</u>	<u>Tract Percentage Participation</u>
1	S/2 Sec. 1, E/2 SE/4 Sec. 2, E/4 Sec. 11, and all of Sec. 12, T-41-S, R-23-E, S.L.M. San Juan County, Utah	14-20-603-246-A Oct. 5, 1953	11.0652565
2	SE/4 and W/2 SW/4 Sec. 5, the irregular SW/4 Sec. 6, and all of Sec. 7 and 8, T-41-S, R-24-E, San Juan County, Utah	14-20-603-368 Oct. 26, 1953	14.4159942
3	SW/4 of Sec. 4, T-41-S, R-24-E, San Juan County, Utah	14-20-603-5446 Sept. 1, 1959	.5763826
4	SE/4 Sec. 4, and NE/4 Sec. 9, T-41-S, R-24-E, San Juan County, Utah	14-20-603-4035 March 3, 1958	1.2587779
5	SW/4 of Sec. 3, T-41-S, R-24-E, S.L.M., San Juan County, Utah	14-20-603-5445 Sept. 3, 1959	.4667669
6	NW/4 of Sec. 9, T-41-S, R-24-E, S.L.M., San Juan County, Utah	14-20-603-5045 Feb. 4, 1959	1.0187043
7	NW/4, W/2 NE/4, and SW/4 Sec. 10, SE/4 Sec. 9, T-41-S, R-24-E, San Juan County, Utah	14-20-603-4043 Feb. 18, 1958	3.5097575
8	SW/4 Sec. 9, T-41-S, R-24-E, S.L.M. San Juan County, Utah	14-20-603-5046 Feb. 4, 1959	1.1141679
9	SE/4 Sec. 10 and S/2 SW/4 Sec. 11 T-41-S, R-24-E, San Juan County, Utah	14-20-603-4037 Feb. 14, 1958	2.6186804
10	All of Sec. 13, E/2 Sec. 14, and E/2 SE/4 and N/2 Sec. 24, T-41-S, R-23-E, S.L.M., San Juan County, Utah	14-20-603-247-A Oct. 5, 1953	10.3108861
11	Sections 17, 18, 19 and 20, T-41-S, R-24-E, San Juan County Utah	14-20-603-353 Oct. 27, 1953	27.3389265
12	Sections 15, 16, 21, and NW/4, and W/2 SW/4 Sec. 22, T-41-S, R-24-E, San Juan County, Utah	14-20-603-355 Oct. 27, 1953	14.2819339
13	W/2 Section 14, T-41-S, R-24-E, San Juan County, Utah	14-20-603-370 Oct. 26, 1953	1.8500847
14	N/2 and SE/4, and E/2 SW/4 Sec. 29, NE/4 and E/2 SE/4 and E/2 W/2 irregular Sec. 30, and E/2 NE/4 Sec. 32, T-41-S, R-24-E, San Juan County, Utah	14-20-603-407 Dec. 10, 1953	6.9924969
15	NW/4 Sec. 28, T-41-S, R24-E San Juan County, Utah	14-20-603-409 Dec. 10, 1953	.9416393
16	SE/4 Sec. 3, T-41-S, R-24-E San Juan County, Utah	14-20-0603-6504 July 11, 1961	.5750254
17	NE/4 Sec. 3, T-41-S, R-24-E San Juan County, Utah	14-20-0603-6505 July 11, 1961	.5449292
18	NW/4 Sec. 3, T-41-S, R-24-E San Juan County, Utah	14-20-0603-6506 July 11, 1961	.5482788
19	NE/4 Sec. 4, T-41-S, R24-E San Juan County, Utah	14-20-0603-7171 June 11, 1962	.4720628
20	E/2 NW/4 Sec. 4, T-41-S, R-24-E San Juan County, Utah	14-20-0603-7172 June 11, 1962	.0992482
100% Indian Lands	TOTAL 12,909.74		100.0000000

Division of Oil, Gas and Mining
PHONE CONVERSATION DOCUMENTATION FORM

Route original/copy to:

Well File _____

(Location) Sec ___ Twp ___ Rng ___
(API No.) _____

Suspense
(Return Date) _____
(To - Initials) _____

Other
OPERATOR CHANGE

1. Date of Phone Call: 10-6-93 Time: 9:30

2. DOGM Employee (name) L. CORDOVA (Initiated Call
Talked to:

Name GLEN COX (Initiated Call - Phone No. (915) 688-2114

of (Company/Organization) MOBIL

3. Topic of Conversation: OPERATOR CHANGE FROM PHILLIPS TO MOBIL "RATHERFORD UNIT".

(NEED TO CONFIRM HOW OPERATOR WANTS THE WELLS SET UP - MEPNA AS PER BIA APPROVAL

OR MOBIL OIL CORPORATION AS PER SUNDRY DATED 9-8-93?)

4. Highlights of Conversation: _____

MR. COX CONFIRMED THAT THE WELLS SHOULD BE SET UNDER ACCOUNT N7370/MEPNA AS

PER BIA APPROVAL, ALSO CONFIRMED THAT PRODUCTION & DISPOSITION REPORTS WILL NOW

BE HANDLED OUT OF THEIR CORTEZ OFFICE RATHER THAN DALLAS.

MEPNA-

PO DRAWER G

CORTEZ, CO 81321

(303)565-2212

*ADDRESS CHANGE AFFECTS ALL WELLS CURRENTLY OPERATED BY MEPNA, CURRENTLY

REPORTED OUT OF DALLAS (MCELMO CREEK).

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

Routing:

1-VLC/87-SJ
2-DES/58-AJH
3-VLC
4-RJF
5-JE
6-RV

Attach all documentation received by the division regarding this change.
 Initial each listed item when completed. Write N/A if item is not applicable.

- Change of Operator (well sold) Designation of Agent
 Designation of Operator Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 7-1-93)

TO (new operator)	<u>M E P N A</u>	FROM (former operator)	<u>PHILLIPS PETROLEUM COMPANY</u>
(address)	<u>PO DRAWER G</u>	(address)	<u>5525 HWY 64 NBU 3004</u>
	<u>CORTEZ, CO 81321</u>		<u>FARMINGTON, NM 87401</u>
	<u>GLEN COX (915)688-2114</u>		<u>PAT KONKEL</u>
	phone <u>(303)565-2212</u>		phone <u>(505)599-3452</u>
	account no. <u>N7370</u>		account no. <u>N0772(A)</u>

Well(s) (attach additional page if needed): ***RATHERFORD UNIT (NAVAJO)**

Name: **SEE ATTACHED**	API: <u>43-03745342</u>	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

- Sec 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). *(Reg. 8-20-93) (6/93 Prod. Rpt. 8-16-93)*
- Sec 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form). *(Reg. 8-31-93) (Rec'd 9-14-93)*
- N/A 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes/no) _____ If yes, show company file number: _____.
- Sec 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of Federal and Indian well operator changes should take place prior to completion of steps 5 through 9 below.
- Sec 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. *(O&G wells 10-6-93) (Wiw's 10-26-93)*
- Sec 6. Cardex file has been updated for each well listed above. *(O&G wells 10-6-93) (Wiw's 10-26-93)*
- Sec 7. Well file labels have been updated for each well listed above. *(O&G wells 10-6-93) (Wiw's 10-26-93)*
- Sec 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission. *(10-6-93)*
- Sec 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) no (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only)

1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
2. A copy of this form has been placed in the new and former operators' bond files.
3. The former operator has requested a release of liability from their bond (yes/no) no. Today's date 11-17 1993. If yes, division response was made by letter dated 11-17 1993.

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated 11-17 1993, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
2. Copies of documents have been sent to State Lands for changes involving State leases.

FILMING

1. All attachments to this form have been microfilmed. Date: 11-17 1993.

FILING

1. Copies of all attachments to this form have been filed in each well file.
2. The original of this form and the original attachments have been filed in the Operator Change file.

COMMENTS

931006 BIA/Bhm Approved 7-9-93.

✓ 19W-21	43-037-15741	14-20-603-353	SEC. 19, T41S, R24E	NE/NW 660' FNL 1860' FWL
✓ 19-22	43-037-31046	14-20-603-353	SEC. 19, T41S, R24E	SE/NW 1840' FNL; 1980' FWL
✓ 19W-23	43-037-15742	14-20-603-353	SEC. 19, T41S, R24E	NE/SW 2080' FSL; 1860' FWL
✓ 19-31	43-037-31047	14-20-603-353	SEC. 19, T41S, R24E	NW/NE 510' FNL; 1980' FEL
✓ 19-32	43-037-15743	14-20-603-353	SEC. 19, T41S, R24E	SW/NE 1980' FNL; 1980' FEL
✓ 19-33	43-037-31048	14-20-603-353	SEC. 19, T41S, R24E	NW/SE 1980' FSL; 1980' FEL
✓ 19-34	43-037-15744	14-20-603-353	SEC. 19, T41S, R24E	SW/SE 660' FSL; 1980' FEL
✓ 19W-41	43-037-15745	14-20-603-353	SEC. 19, T41S, R24E	NE/NE 660' FNL; 660' FEL
✓ 19-42	43-037-30916	14-20-603-353	SEC. 19, T41S, R24E	SE/NE 1880' FNL, 660' FEL
✓ 19W-43	43-037-16420	14-20-603-353	SEC. 19, T41S, R24E	NE/SE 1980' FSL; 760' FEL
✓ 19-44	43-037-31081	14-20-603-353	SEC. 19, T41S, R24E	SE/SE 660' FSL; 660' FEL
✓ 19-97	43-037-31596	14-20-603-353	SEC. 19, T41S, R24E	2562' FNL, 30' FEL
✓ 20-11	43-037-31049	14-20-603-353	SEC. 20, T41S, R24E	NW/NW 500' FNL; 660' FWL
✓ 20-12	43-037-15746	14-20-603-353	SEC. 20, T41S, R24E	1980' FNL, 660' FWL
✓ 20-13	43-037-30917	14-20-603-353	SEC. 20, T41S, R24E	NW/SW 2140' FSL, 500' FWL
✓ 20-14	43-037-15747	14-20-603-353	SEC. 20, T41S, R24E	660' FSL; 660' FWL
✓ 20W-21	43-037-16423	14-20-603-353	SEC. 20, T41S, R24E	660' FNL; 1880' FWL
✓ 20-22	43-037-30930	14-20-603-353	SEC. 20, T41S, R24E	SE/NW 2020' FNL; 2090' FWL
✓ 20W-23	43-037-15748	14-20-603-353	SEC. 20, T41S, R24E	NW/SW 2080; 2120' FWL
✓ 20-24	43-037-30918	14-20-603-353	SEC. 20, T41S, R24E	SE/SW 820' FSL; 1820' FWL
✓ 20-31	43-037-31050	14-20-603-353	SEC. 20, T41S, R24E	NW/NE 660' FNL; 1880' FEL
✓ 20-32	43-037-15749	14-20-603-353	SEC. 20, T41S, R24E	SW/NE 1980' FNL, 1980' FEL
✓ 20-33	43-037-30931	14-20-603-353	SEC. 20, T41S, R24E	NW/SE 1910' FSL; 2140' FEL
✓ 20-34	43-037-15750	14-20-603-353	SEC. 20, T41S, R24E	660' FSL; 1850' FEL
✓ 20W-41	43-037-15751	14-20-603-353	SEC. 20, T41S, R24E	NE/NE 660' FNL; 660' FEL
✓ 20-42	43-037-31051	14-20-603-353	SEC. 20, T41S, R24E	SE/NE 1980' FNL; 660' FEL
✓ 20W-43	43-037-16424	14-20-603-353	SEC. 20, T41S, R24E	2070' FSL; 810' FEL
✓ 20-44	43-037-30915	14-20-603-353	SEC. 20, T41S, R24E	SE/SE 620' FSL; 760' FEL
✓ 20-66	43-037-31592	14-20-603-353	SEC. 20, T41S, R24E	SW/NW 1221' FWL; 1369' FNL
✓ 21-11	43-037-31052	14-20-603-355	SEC. 21, T41S, R24E	NW/NW 660' FNL; 660' FWL
✓ 21-12	43-037-15752	14-20-603-355	SEC. 21, T41S, R24E	2080' FNL; 660' FWL
✓ 21-13	43-037-30921	14-20-603-355	SEC. 21, T41S, R24E	NW/SW 2030' FSL; 515' FWL
✓ 21-14	43-037-15753	14-20-603-355	SEC. 21, T41S, R24E	SW/SW 660' FSL; 460' FWL
✓ 21W-21	43-037-16425	14-20-603-355	SEC. 21, T41S, R24E	NE/NW 660' FNL; 2030' FWL
✓ 21-32	43-037-15755	14-20-603-355	SEC. 21, T41S, R24E	SW/NE 1880' FNL; 1980' FEL
21-33	NA	14-20-603-355	SEC. 21, T41S, R24E	2000' FSL, 1860' FEL
✓ 21-34	43-037-15756	14-20-603-355	SEC. 21, T41S, R24E	SW/SE 660' FSL; 1980' FEL
✓ 21W-41	43-037-16426	14-20-603-355	SEC. 21, T41S, R24E	660' FNL; 810' FEL
✓ 21W-43	43-037-16427	14-20-603-355	SEC. 21, T41S, R24E	NE/NE 1980' FSL; 660' FEL
✓ 24-11	43-037-15861	14-20-603-247A	SEC. 24, T41S, R24E	510' FNL; 810' FWL
✓ 24W-21	43-037-16429	14-20-603-247	SEC. 24, T41S, R24E	4695' FSL; 3300' FEL
✓ 24W-43	43-037-16430	14-20-603-247	SEC. 24, T41S, R24E	2080' FSL; 660' FEL
✓ 24-31W	43-037-15862	14-20-603-247A	SEC. 24, T41S, R24E	NW/NE 560' FNL; 1830' FEL
✓ 24-32	43-037-31593	14-20-603-247A	SEC. 24, T41S, R24E	SW/NE 2121' FNL; 1846' FEL
✓ 24-41	43-037-31132	14-20-603-247A	SEC. 24, T41S, R24E	NE/NE 660' FNL; 710' FEL
✓ 24W-42	43-037-15863	14-20-603-247A	SEC. 24, T41S, R24E	660' FSL; 1980' FNL
✓ 28-11	43-037-30446	14-20-603-409	SEC. 28, T41S, R24E	NW/NW 520' FNL; 620' FWL
✓ 28-12	43-037-15336	14-20-603-409B	SEC. 28, T41S, R24E	SW/SE/NW 2121' FNL; 623' FWL
✓ 29-11	43-037-31053	14-20-603-407	SEC. 29, T41S, R24E	NW/NW 770' FNL; 585' FWL
✓ 29W-21	43-037-16432	14-20-603-407	SEC. 29, T41S, R24E	NE/NW 667' FNL; 2122' FWL
✓ 29-22	43-037-31082	14-20-603-407	SEC. 29, T41S, R24E	SE/NW 2130' FNL; 1370' FWL
✓ 29W-23	43-037-15338	14-20-603-407	SEC. 29, T41S, R24E	NE/SW 1846' FSL; 1832' FWL
✓ 29-31	43-037-30914	14-20-603-407	SEC. 29, T41S, R24E	NW/NE 700' FNL; 2140' FEL
✓ 29-32	43-037-15339	14-20-603-407	SEC. 29, T41S, R24E	1951' FNL; 1755' FEL
✓ 29-33	43-037-30932	14-20-603-407	SEC. 29, T41S, R24E	NW/SE 1860' FSL; 1820' FEL
✓ 29-34	43-037-15340	14-20-603-407	SEC. 29, T41S, R24E	817 FSL; 2096' FEL
✓ 29W-41	43-037-16433	14-20-603-407	SEC. 29, T41S, R24E	557' FNL; 591' FEL
✓ 29W-42	43-037-30937	14-20-603-407	SEC. 29, T41S, R24E	SE/NE 1850' FNL; 660' FEL
✓ 29W-43	43-037-16434	14-20-603-407	SEC. 29, T41S, R24E	NE/SE 1980' FSL; 660' FEL
✓ 30-21W	43-037-16435	14-20-603-407	SEC. 30, T41S, R24E	660' FNL; 1920' FWL
✓ 30-32	43-037-15342	14-20-603-407	SEC. 30, T41S, R24E	SW/NE 1975' FNL; 2010' FEL
✓ 30W-41	43-037-15343	14-20-603-407	SEC. 30, T41S, R24E	NE/NE 660' FNL; 660' FEL
✓ 9-34	NA 4303715711	NA 14206034043	NA SEC. 9, T. 41S, R. 24E	NA SWSE 660' FSL 1980' FEL
✓ 12-43	43-307-31202	14-20-603-246	SEC. 12, T41S, R23E	2100' FSL; 660' FEL
✓ 12W31	43-037-15847	14-20-603-246	SEC. 12, T41S, R23E	661' FNL; 1981' FEL
✓ 13W24	43-037-15853	14-20-603-247	SEC. 13, T41S, R23E	SE/SW 660' FSL; 3300' FEL
✓ 15W23	43-037-16412	14-20-603-355	SEC. 15, T41S, R24E	2140' FSL; 1820' FWL
✓ 17-24	43-037-31044	14-20-603-353	SEC. 17, T41S, R24E	SE/SW 720' FSL; 1980' FWL
✓ 18-13	43-037-15734	14-20-603-353	SEC. 18, T41S, R24E	NW/NW 1980' FSL; 500' FWL
✓ 18W32	43-037-15736	14-20-603-353	SEC. 18, T41S, R24E	SW/NE 2140' FNL; 1830' FEL
✓ 20-68	43-037-31591	14-20-603-353	SEC. 20, T41S, R24E	NW/SW 1276' FWL; 1615' FSL
✓ 21-23	43-037-13754	14-20-603-355	SEC. 21, T41S, R24E	NE/SW 1740' FSL 1740' FWL
✓ 28W21	43-037-16431	14-20-603-409	SEC. 29, T41S, R24E	660' FNL; 2022' FWL

PAID

PAID

PAID

PAID

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

5. Lease Designation and Serial No.

14-20-603-407

6. If Indian, Allottee or Tribe Name

Navajo

7. If Unit or CA, Agreement Designation

Ratherford

8. Well Name and No.

RU 30-32

9. API Well No.

43-037-15342

10. Field and Pool, or Exploratory Area

Greater Aneth

11. County or Parish, State

San Juan, Ut.

SUBMIT IN TRIPLICATE

231991

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

MEPUS for MPT&NM and MEPNA* (915) 688-2114

3. Address and Telephone No.

P.O. Box 633, Midland, Tx. 79702 Attn: Glen Cox

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

**Surface: SWNE 30-41s-24e
BHL: N/A**

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>Pipeline</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

*Mobil Exploration & Producing U. S. Inc. as agent for Mobil Producing Texas & New Mexico Inc. and Mobil Exploration & Producing North America Inc.

Will bury water injection pipeline ≈30" deep. (Application to convert well will be filed separately.) Pipeline will be ≈2400' long and run northeast from well to an existing injection pipeline by 30-41. All in unit. All on Navajo Tribal Trust. All sites avoided.

Pipeline will be ≈3-1/2" OD coiled steel tubing. Wall thickness is 0.190". Pipe rated to API5LX42. Maximum operating pressure will be ≈500 psi. Hydrotested to ≈5800 psi. Burst pressure is ≈7200 psi. Tubing will be unreeled from spool mounted on bulldozer.

cc: BIA, BLM, Cox, UDOGM

14. I hereby certify that the foregoing is true and correct

Signed [Signature]
(This space for Federal or State office use)

Title

**Accepted by the
Utah Division of
Oil, Gas and Mining**

Date

6-20-94

Approved by _____
Conditions of approval, if any:


Title

Date

FOR RECORD ONLY

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side



STATE OF UTAH
DIVISION OF OIL, GAS AND MINING
 355 West North Temple, 3 Triad, Suite 350, Salt Lake City, UT 84180-1203

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS:

C/O MOBIL OIL CORP
 M E P N A
 PO DRAWER G
 CORTEZ CO 81321

UTAH ACCOUNT NUMBER: N7370

REPORT PERIOD (MONTH/YEAR): 6 / 95

AMENDED REPORT (Highlight Changes)

Well Name	API Number	Entity	Location	Producing Zone	Well Status	Days Oper	Production Volumes		
							OIL(BBL)	GAS(MCF)	WATER(BBL)
MCELMO CREEK UNIT G-22	4303731204	05980	41S 24E 13	IS-DC					
MCELMO CREEK UNIT J-24	4303731205	05980	41S 25E 18	IS-DC					
#21-23									
4303713754	06280	41S 24E 21	DSCR						
#3-44									
4303715031	06280	41S 24E 3	DSCR						
#3-14									
4303715124	06280	41S 24E 3	DSCR						
#9-12									
4303715126	06280	41S 24E 9	DSCR						
-14									
4303715127	06280	41S 24E 9	DSCR						
RATHERFORD UNIT 28-12 (RE-ENTRY)	4303715336	06280	41S 24E 28	DSCR					
RATHERFORD UNIT 29-12 (RE-ENTRY)	4303715337	06280	41S 24E 29	DSCR					
RATHERFORD UNIT 29-32 (RE-ENTRY)	4303715339	06280	41S 24E 29	DSCR					
#29-34									
4303715340	06280	41S 24E 29	DSCR						
#30-32									
4303715342	06280	41S 24E 30	DSCR						
#3-12									
4303715620	06280	41S 24E 3	DSCR						
TOTALS									

COMMENTS: _____

I hereby certify that this report is true and complete to the best of my knowledge. Date: _____
 Name and Signature: _____ Telephone Number: _____

PHONE CONVERSATION DOCUMENTATION FORM

Route original/copy to:

Well File _____

(Location) Sec ___ Twp ___ Rng ___
(API No.) _____

Suspense
(Return Date) _____
(To - Initials) _____

Other
OPER NM CHG _____

1. Date of Phone Call: 8-3-95 Time: _____

2. DOGM Employee (name) L. CORDOVA (Initiated Call)
Talked to:

Name R. J. FIRTH (Initiated Call) - Phone No. () _____
of (Company/Organization) _____

3. Topic of Conversation: M E P N A / N7370

4. Highlights of Conversation: _____

OPERATOR NAME IS BEING CHANGED FROM M E P N A (MOBIL EXPLORATION AND PRODUCING
NORTH AMERICA INC) TO MOBIL EXPLOR & PROD. THE NAME CHANGE IS BEING DONE AT
THIS TIME TO ALLEVIATE CONFUSION, BOTH IN HOUSE AND AMONGST THE GENERAL PUBLIC.
*SUPERIOR OIL COMPANY MERGED INTO M E P N A 4-24-86 (SEE ATTACHED).

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

Routing	
1-LEC	7-PL
2-LWP	8-SJ
3-DES	9-FILE
4-VLC	
5-RJF	
6-LWP	

Attach all documentation received by the division regarding this change.
 Initial each listed item when completed. Write N/A if item is not applicable.

- Change of Operator (well sold) Designation of Agent
 Designation of Operator Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 8-2-95)

TO (new operator) <u>MOBIL EXPLOR & PROD</u>	FROM (former operator) <u>M E P N A</u>
(address) <u>C/O MOBIL OIL CORP</u>	(address) <u>C/O MOBIL OIL CORP</u>
<u>PO DRAWER G</u>	<u>PO DRAWER G</u>
<u>CORTEZ CO 81321</u>	<u>CORTEZ CO 81321</u>
phone <u>(303) 564-5212</u>	phone <u>(303) 564-5212</u>
account no. <u>N7370</u>	account no. <u>N7370</u>

Well(s) (attach additional page if needed):

Name: <u>** SEE ATTACHED **</u>	API: <u>037-15342</u>	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

- N/A 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form).
- N/A 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form).
- N/A 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes/no) _____ If yes, show company file number: _____
- N/A 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of **Federal and Indian** well operator changes should take place prior to completion of steps 5 through 9 below.
- lc 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. (8-3-95)
- JP 6. Cardex file has been updated for each well listed above. 8-31-95
- JP 7. Well file labels have been updated for each well listed above. 9-28-95
- ec 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission. (8-3-95)
- lc 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

- Lee* 1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/*no*) ____ (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
- N/A* 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only) ** No Fee Lease Wells at this time!*

- N/A* / *Lee* 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
- ___ 2. A copy of this form has been placed in the new and former operators' bond files.
- ___ 3. The former operator has requested a release of liability from their bond (yes/no) ____.
Today's date _____ 19____. If yes, division response was made by letter dated _____ 19____.

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

- N/A* 1. (Rule R615-2-10) The former operator/lessee of any **fee lease** well listed above has been notified by letter dated _____ 19____, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested. *UTS 8/5/95*
- N/A* 2. Copies of documents have been sent to State Lands for changes involving State leases.

FILMING

- ✓* 1. All attachments to this form have been microfilmed. Date: October 6 1995.

FILING

- ___ 1. Copies of all attachments to this form have been filed in each well file.
- ___ 2. The original of this form and the original attachments have been filed in the Operator Change file.

COMMENTS

950803 LIC F5 / Not necessary!

ExxonMobil Production Comp
U.S. West
P.O. Box 4358
Houston, Texas 77210-4358

June 27, 2001

ExxonMobil
Production

Mr. Jim Thompson
State of Utah, Division of Oil, Gas and Mining
1549 West North Temple
Suite 1210
Salt Lake City, UT 84114-5801

Change of Name – Mobil Oil Corporation to
ExxonMobil Oil Corporation

Dear Mr. Thompson

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.


Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.

A copy of the Certification, Bond Rider and a list of wells are attached.

If you have any questions please feel free to call Joel Talavera at 713-431-1010

Very truly yours,



Charlotte H. Harper
Permitting Supervisor

ExxonMobil Production Company
a division of Exxon Mobil Corporation,
acting for ExxonMobil Oil Corporation

RECEIVED

JUN 29 2001

DIVISION OF
OIL, GAS AND MINING



United States Department of the Interior

BUREAU OF INDIAN AFFAIRS
XXXXXXXXXXXXXXXXXXXX
Navajo Area Office
NAVAJO REGION

P.O. Box 1060
Gallup, New Mexico 87305-1060

AUG 30 2001

SEP 11 11:15 AM '01

IN REPLY REFER TO:

RRES/543

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Charlotte H. Harper, Permitting Supervisor
Exxon Mobil Production Company
U. S. West
P. O. Box 4358
Houston, TX 77210-4358

Dear Ms. Harper:

This is to acknowledge receipt of your company's name change from Mobil Oil Corporation to ExxonMobil Oil Corporation effective June 1, 2001. The receipt of documents includes the Name Change Certification, current listing of Officers and Directors, Listing of Leases, Financial Statement, filing fees of \$75.00 and a copy of the Rider for Bond Number 8027 31 97. There are no other changes.

Please note that we will provide copies of these documents to other concerned parties. If you need further assistance, you may contact Ms. Bertha Spencer, Realty Specialist, at (928) 871-5938.

Sincerely,

CEMMI DENETSONE

Regional Realty Officer

cc: BLM, Farmington Field Office w/enclosures ✓
Navajo Nation Minerals Office, Attn: Mr. Akhtar Zaman, Director/w enclosures

MINERAL RESOURCES	
ADM J	<i>DMC</i>
NATV AM MN COORD	
SOLID MIN TEAM	
PETRO MIN TEAM	2
O & G INSPECT TEAM	
ALL TEAM LEADERS	
LAND RESOURCES	
ENVIRONMENT	
FILES	

ExxonMobil Production Company
U.S. West
P.O. Box 4358
Houston, Texas 77210-4358


File 7/12/2001
JH
593
File

June 27, 2001

ExxonMobil
Production

Certified Mail
Return Receipt Requested

Ms. Genni Denetsone
United States Department of the Interior
Bureau of Indian Affairs, Navajo Region
Real Estate Services
P. O. Box 1060
Gallup, New Mexico 87305-1060
Mail Code 543



Change of Name -
Mobil Oil Corporation to
ExxonMobil Oil Corporation

Dear Ms. Denetsone:

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.

Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.

Attached is the Name Change Certification, Current listing of Officers and Directors, Filing Fee of \$75/-, Listing of Leases, Financial Statement and a copy of the Rider for Bond number 8027 31 97. The original Bond Rider has been sent to Ms. Barbar Davis at your Washington Office.


If you have any questions , please contact Alex Correa at (713) 431-1012.

Very truly yours,

Charlotte H. Harper

Charlotte H. Harper
Permitting Supervisor

Attachments



ExxonMobil Production Company
a division of Exxon Mobil Corporation,
acting for ExxonMobil Oil Corporation

NOTE: Check forwarded to Ella Issac

Bureau of Indian Affairs
Navajo Region Office
Attn: RRES - Mineral and Mining Section
P.O. Box 1060
Gallup, New Mexico 87305-1060

Gentlemen:

The current listing of officers and director of ExxonMobil Oil Corporation (Name of Corporation), of New York (State) is as follows:

OFFICERS

President	<u>F.A. Risch</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Vice President	<u>K.T. Koonce</u>	Address <u>800 Bell Street Houston, TX 77002</u>
Secretary	<u>F.L. Reid</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Treasure	<u>B.A. Maher</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>

DIRECTORS

Name	<u>D.D. Humphreys</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Name	<u>P.A. Hanson</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Name	<u>T.P. Townsend</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Name	<u>B.A. Maher</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Name	<u>F.A. Risch</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>

Sincerely,



Alex Correa

This is to certify that the above information pertaining to ExxonMobil Oil Corporation (Corporation) is trust and correct as evidenced by the records and accounts covering business for the State of Utah and in the custody of Corporation Service Company (Agent), Phone: 1 (800) 927-9800 whose business address is One Utah Center, 201 South Main Street, Salt Lake City, Utah 84111-2218



Signature

AGENT AND ATTORNEY IN FACT

Title

CERTIFICATION

I, the undersigned Assistant Secretary of ExxonMobil Oil Corporation. (formerly Mobil Oil Corporation), a corporation organized and existing under the laws of the State of New York, United States of America, DO HEREBY CERTIFY, That, the following is a true and exact copy of the resolutions adopted by the Board of Directors on May 22, 2001:

CHANGE OF COMPANY NAME

WHEREAS, the undersigned Directors of the Corporation deem it to be in the best interest of the Corporation to amend the Certificate of Incorporation of the Corporation to change the name and principal office of the Corporation:

NOW THEREFORE BE IT RESOLVED, That Article 1st relating to the corporate name is hereby amended to read as follows:

"1st The corporate name of said Company shall be,
ExxonMobil Oil Corporation",

FURTHER RESOLVED, That the amendment of the Corporation's Certificate of Incorporation referred to in the preceding resolutions be submitted to the sole shareholder of the Corporation entitled to vote thereon for its approval and, if such shareholder gives its written consent, pursuant to Section 803 of the Business Corporation Law of the State of New York, approving such amendment, the proper officers of the Corporation be, and they hereby are, authorized to execute in the name of the Corporation the Certificate of Amendment of Certificate of Incorporation, in the form attached hereto;

FURTHER RESOLVED, That the proper officers of the Corporation be and they hereby are authorized and directed to deliver, file and record in its behalf, the Certificate of Amendment of Certificate of Incorporation, and to take such action as may be deemed necessary or advisable to confirm and make effective in all respects the change of this Company's name to EXXONMOBIL OIL CORPORATION.

WITNESS, my hand and the seal of the Corporation at Irving, Texas, this 8th day of June, 2001.

S. A. Miller
Assistant Secretary

COUNTY OF DALLAS)
STATE OF TEXAS)
UNITED STATES OF AMERICA)

Sworn to and subscribed before me at Irving, Texas, U. S. A. on this the 8th day of June, 2001.

Janice M. Phillips
Notary Public



LISTING OF LEASES OF MOBIL OIL CORPORATION**Lease Number**

- 1) 14-20-0603-6504
- 2) 14-20-0603-6505
- 3) 14-20-0603-6506
- 4) 14-20-0603-6508
- 5) 14-20-0603-6509
- 6) 14-20-0603-6510
- 7) 14-20-0603-7171
- 8) 14-20-0603-7172A
- 9) 14-20-600-3530
- 10) 14-20-603-359
- 11) 14-20-603-368
- 12) 14-20-603-370
- 13) 14-20-603-370A
- 14) 14-20-603-372
- 15) 14-20-603-372A
- 16) 14-20-603-4495
- 17) 14-20-603-5447
- 18) 14-20-603-5448
- 19) 14-20-603-5449
- 20) 14-20-603-5450
- 21) 14-20-603-5451

6/1/01

CHUBB GROUP OF INSURANCE COMPANIES

2001 West Loop South, Suite 1900, Houston, Texas 77027-3301
Telephone: (713) 297-4600 • Facsimile: (713) 297-4750

NW Bond

FEDERAL INSURANCE COMPANY RIDER
to be attached to and form a part of

BOND NO 8027 31 97

wherein

Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc. is
named as Principal and

FEDERAL INSURANCE COMPANY AS SURETY,

in favor of **United States of America, Department of the Interior**
Bureau of Indian Affairs

in the amount of **\$150,000.00**
bond date: **11/01/65**

IT IS HEREBY UNDERSTOOD AND AGREED THAT effective June 1, 2001
the name of the Principal is changed

FROM: Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc.

TO : ExxonMobil Oil Corporation

All other terms and conditions of this Bond are unchanged.

Signed, sealed and dated this 12th of June, 2001.

ExxonMobil Oil Corporation

By :



FEDERAL INSURANCE COMPANY

By:



Mary Pierson, Attorney-in-fact



POWER OF ATTORNEY

Federal Insurance Company
Vigilant Insurance Company
Pacific Indemnity Company

Attn.: Surety Department
15 Mountain View Road
Warren, NJ 07059

Know All by These Presents, That FEDERAL INSURANCE COMPANY, an Indiana corporation, VIGILANT INSURANCE COMPANY, a New York corporation, and PACIFIC INDEMNITY COMPANY, a Wisconsin corporation, do each hereby constitute and appoint Mary Pierson, Philana Berros, and Jody E. Specht of Houston, Texas-----

R.F. Bobo,

each as their true and lawful Attorney-in-Fact to execute under such designation in their names and to affix their corporate seals to and deliver for and on their behalf as surety thereon or otherwise, bonds and undertakings and other writings obligatory in the nature thereof (other than bail bonds) given or executed in the course of business, and any instruments amending or altering the same, and consents to the modification or alteration of any instrument referred to in said bonds or obligations.

In Witness Whereof, said FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY have each executed and attested these presents and affixed their corporate seals on this 10th day of May, 2001.

Kenneth C. Wendel
Kenneth C. Wendel, Assistant Secretary

Frank E. Robertson
Frank E. Robertson, Vice President

STATE OF NEW JERSEY } ss.
County of Somerset

On this 10th day of May, 2001, before me, a Notary Public of New Jersey, personally came Kenneth C. Wendel, to me known to be Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY, the companies which executed the foregoing Power of Attorney, and the said Kenneth C. Wendel being by me duly sworn, did depose and say that he is Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY and knows the corporate seals thereof, that the seals affixed to the foregoing Power of Attorney are such corporate seals and were thereto affixed by authority of the By-Laws of said Companies; and that he signed said Power of Attorney as Assistant Secretary of said Companies by like authority; and that he is acquainted with Frank E. Robertson, and knows him to be Vice President of said Companies; and that the signature of Frank E. Robertson, subscribed to said Power of Attorney is in the genuine handwriting of Frank E. Robertson, and was thereto subscribed by authority of said Companies in the presence of



Notary Public State of New Jersey
No. 2231647
Commission Expires Oct 28, 2004

Karen Price
Notary Public

Extract from the By-Laws of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY:

"All powers of attorney for and on behalf of the Company may and shall be executed in the name and on behalf of the Company, either by the Chairman or the President or a Vice President or an Assistant Vice President, jointly with the Secretary or an Assistant Secretary, under their respective designations. The signature of such officers may be engraved, printed or lithographed. The signature of each of the following officers: Chairman, President, any Vice President, any Assistant Vice President, any Secretary, any Assistant Secretary and the seal of the Company may be affixed by facsimile to any power of attorney or to any certificate relating thereto appointing Assistant Secretaries or Attorneys-in-Fact for purposes only of executing and attesting bonds and undertakings and other writings obligatory in the nature thereof, and any such power of attorney or certificate bearing such facsimile signature or facsimile seal shall be valid and binding upon the Company and any such power so executed and certified by such facsimile signature and facsimile seal shall be valid and binding upon the Company with respect to any bond or undertaking to which it is attached."

I, Kenneth C. Wendel, Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY (the "Companies") do hereby certify that

- (i) the foregoing extract of the By-Laws of the Companies is true and correct,
- (ii) the Companies are duly licensed and authorized to transact surety business in all 50 of the United States of America and the District of Columbia and are authorized by the U. S. Treasury Department; further, Federal and Vigilant are licensed in Puerto Rico and the U. S. Virgin Islands, and Federal is licensed in American Samoa, Guam, and each of the Provinces of Canada except Prince Edward Island; and
- (iii) the foregoing Power of Attorney is true, correct and in full force and effect.

Given under my hand and seals of said Companies at Warren, NJ this 12th day of June, 2001



Kenneth C. Wendel
Kenneth C. Wendel, Assistant Secretary

IN THE EVENT YOU WISH TO NOTIFY US OF A CLAIM, VERIFY THE AUTHENTICITY OF THIS BOND OR NOTIFY US OF ANY OTHER MATTER, PLEASE CONTACT US AT ADDRESS LISTED ABOVE, OR BY Telephone (908) 903-3485 Fax (908) 903-3656 e-mail: surety@chubb.com

CSC

5184334741

06/01 '01 08:46 NO.410 03/05

CSC

06/01 '01 09:06 NO.135 02/04

F010601000187

CERTIFICATE OF AMENDMENT
OF
CERTIFICATE OF INCORPORATION
OF
MOBIL OIL CORPORATION

CSC 45

(Under Section 805 of the Business Corporation Law)

Pursuant to the provisions of Section 805 of the Business Corporation Law, the undersigned President and Secretary, respectively, of Mobil Oil Corporation hereby certify:

FIRST: That the name of the corporation is MOBIL OIL CORPORATION and that said corporation was incorporated under the name of Standard Oil Company of New York.

SECOND: That the Certificate of Incorporation of the corporation was filed by the Department of State, Albany, New York, on the 10th day of August, 1882.

THIRD: That the amendments to the Certificate of Incorporation effected by this Certificate are as follows:

(a) Article 1st of the Certificate of Incorporation, relating to the corporate name, is hereby amended to read as follows:

"1st The corporate name of said Company shall be,
ExxonMobil Oil Corporation",

(b) Article 7th of the Certificate of Incorporation, relating to the office of the corporation is hereby amended to read as follows:

The office of the corporation within the State of New York is to be located in the County of Albany. The Company shall have offices at such other places as the Board of Directors may from time to time determine.

CSC
CSC

5184334741

06/01 '01 08:47 NO.410 04/05
06/01 '01 07:06 NO.133 03/04

FOURTH: That the amendments to the Certificate of Incorporation were authorized by the Board of Directors followed by the holder of all outstanding shares entitled to vote on amendments to the Certificate of Incorporation by written consent of the sole shareholder dated May 22, 2001.


IN WITNESS WHEREOF, this Certificate has been signed this 22nd Day of May, 2001.



F. A. Risch, President 

STATE OF TEXAS)
COUNTY OF DALLAS)

F. L. REID, being duly sworn, deposes and says that he is the Secretary of MOBIL OIL CORPORATION, the corporation mentioned and described in the foregoing instrument; that he has read and signed the same and that the statements contained therein are true.




F. L. REID, Secretary

SUBSCRIBED AND SWORN TO before me, the undersigned authority, on this the 22nd day of May, 2001.

[SEAL]



NOTARY PUBLIC, STATE OF TEXAS



CSC
CSC

5184334741

06/01 '01 09:01 NO.411 02/02
06/01 '01 09:06 NO.133 04/04
F010601000187

CSC 45

CERTIFICATE OF AMENDMENT

OF

MOBIL OIL CORPORATION

Under Section 805 of the Business Corporation Law

SAC

**STATE OF NEW YORK
DEPARTMENT OF STATE**

100 cc

Filed by: EXXONMOBIL CORPORATION
(Name)

FILED JUN 01 2001


6949 Las Colinas Blvd.
(Mailing address)

TAX \$ _____
BY: *SAC*

Irving, TX 75039-2298
(City, State and Zip code)

ny Albany

Cust Ref # 165578MPJ



010601000195

State of New York }
Department of State } ss:

I hereby certify that the annexed copy has been compared with the original document in the custody of the Secretary of State and that the same is a true copy of said original.

Witness my hand and seal of the Department of State on **JUN 01 2001**



Special Deputy Secretary of State

6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BIA-06/01/01

7. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 06/01/2001

8. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: N/A

9. **Underground Injection Control ("UIC")**

The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 04/15/2002
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 04/15/2002
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: N/A

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: N/A

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: 80273197

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number N/A
2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS:

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

ROUTING
1. DJJ
2. CDW

X Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective: 6/1/2006	
FROM: (Old Operator): N1855-ExxonMobil Oil Corporation PO Box 4358 Houston, TX 77210-4358 Phone: 1 (281) 654-1936	TO: (New Operator): N2700-Resolute Natural Resources Company 1675 Broadway, Suite 1950 Denver, CO 80202 Phone: 1 (303) 534-4600
CA No.	Unit: RATHERFORD

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 4/21/2006
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 4/24/2006
3. The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/7/2006
4. Is the new operator registered in the State of Utah: YES Business Number: 5733505-0143
5. If **NO**, the operator was contacted on:
- 6a. (R649-9-2)Waste Management Plan has been received on: requested
- 6b. Inspections of LA PA state/fee well sites complete on: n/a
- 6c. Reports current for Production/Disposition & Sundries on: ok
7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM n/a BIA not yet
8. **Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: not yet
9. **Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a
10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 6/12/2006

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 6/22/2006
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 6/22/2006
3. Bond information entered in RBDMS on: n/a
4. Fee/State wells attached to bond in RBDMS on: n/a
5. Injection Projects to new operator in RBDMS on: 6/22/2006
6. Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: n/a
2. Indian well(s) covered by Bond Number: PA002769
3. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number n/a
- a. The **FORMER** operator has requested a release of liability from their bond on: n/a
The Division sent response by letter on: n/a

LEASE INTEREST OWNER NOTIFICATION:

4. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>Unit Agreement</u>		5. LEASE DESIGNATION AND SERIAL NUMBER: <u>See attached list</u>
2. NAME OF OPERATOR: <u>Resolute Natural Resources Company</u> <u>N2700</u>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: <u>Navajo Tribe</u>
3. ADDRESS OF OPERATOR: <u>1675 Broadway, Suite 1950</u> CITY <u>Denver</u> STATE <u>CO</u> ZIP <u>80202</u>		7. UNIT or CA AGREEMENT NAME: <u>Ratherford Unit</u>
4. LOCATION OF WELL FOOTAGES AT SURFACE: <u>See attached list</u>		8. WELL NAME and NUMBER: <u>See attached list</u>
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____		9. API NUMBER: <u>Attached</u>
COUNTY: <u>San Juan</u>		10. FIELD AND POOL, OR WILDCAT: <u>Greater Aneth</u>
STATE: <u>UTAH</u>		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective June 1, 2006 Exxon Mobil Oil Corporation resigns as operator of the Ratherford Unit. Also effective June 1, 2006 Resolute Natural Resources Company is designated as successor operator of the Ratherford Unit.

A list of affected producing and water source wells is attached. A separate of affected injection wells is being submitted with UIC Form 5, Transfer of Authority to Inject.

As of the effective date, bond coverage for the affected wells will transfer to BIA Bond # PA002769.

NAME (PLEASE PRINT) <u>Dwight E Mallory</u>	TITLE <u>Regulatory Coordinator</u>
SIGNATURE	DATE <u>4/20/2006</u>

(This space for State use only)

APPROVED 6127106
Earlene Russell
Division of Oil, Gas and Mining (see instructions on Reverse Side)
Earlene Russell, Engineering Technician

RECEIVED
APR 24 2006
DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER:
2. NAME OF OPERATOR: ExxonMobil Oil Corporation <i>N1855</i>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Ship Rock
3. ADDRESS OF OPERATOR: P.O. Box 4358 CITY Houston STATE TX ZIP 77210-4358		7. UNIT or CA AGREEMENT NAME: UTU68931A
4. LOCATION OF WELL FOOTAGES AT SURFACE: QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		8. WELL NAME and NUMBER: Ratherford 9. API NUMBER: attached
		10. FIELD AND POOL, OR WILDCAT: Aneth
		COUNTY: San Juan
		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>6/1/2006</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

ExxonMobil Oil Corporation is transferring operatorship of Greater Aneth field, Ratherford lease to Resolute Natural Resources Company. All change of operator notices should be made effective as of 7:00 AM MST on June 1, 2006.

Attached please find a listing of producers and water source wells included in the transfer.

NAME (PLEASE PRINT) <u>Laurie Kilbride</u>	TITLE <u>Permitting Supervisor</u>
SIGNATURE <i>Laurie B. Kilbride</i>	DATE <u>4/19/2006</u>

(This space for State use only) **APPROVED** 6/13/06
Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

RECEIVED
APR 21 2006
DIV. OF OIL, GAS & MINING

Ratherford Unit - Producer Well List

minus P&A's

Lease	Number	API #	Status	Lease #	Location					
					Sec	T	R	QTR/QTR	NSFoot	EWFoot
Ratherford	01-14	430373116200S1	Producing	1420603246A	1	41S	23E	SWSW	0660FSL	0660FWL
Ratherford	01-34	430371638501S1	SI	1420603246A	1	41S	23E	SWSE	1133FSL	1980FEL
Ratherford	11-41	430373154400S1	Producing	1420603246A	11	41S	23E	NENE	0860FNL	0350FEL
Ratherford	11-43	430373162201S1	Producing	1420603246A	11	41S	23E	NESE	1980FSL	0660FEL
Ratherford	12-12	430373119000S1	Producing	1420603246A	12	41S	23E	SWNW	1850FNL	0660FWL
Ratherford	12-14	430371584400S1	SI	1420603246A	12	41S	23E	SWSW	0660FSL	4622FEL
Ratherford	12-21	430373120100S1	Producing	1420603246A	12	41S	23E	NENW	0660FNL	1980FWL
Ratherford	12-23	430371584601S1	Producing	1420603246A	12	41S	23E	NESW	1958FSL	3300FEL
Ratherford	12-32	430373120300S1	Producing	1420603246A	12	41S	23E	SWNE	1820FNL	1820FEL
Ratherford	12-34	430373112600S1	Producing	1420603246A	12	41S	23E	SWSE	0675FSL	1905FEL
Ratherford	12-43	430373120200S1	SI	1420603246A	12	41S	23E	NESE	2100FSL	0660FEL
Ratherford	13-12	430373112701S1	Producing	1420603247A	13	41S	23E	SWNW	1705FNL	0640FWL
Ratherford	13-14	430373158900S1	Producing	1420603247A	13	41S	23E	SWSW	0660FSL	0660FWL
Ratherford	13-21	430373112801S1	SI	1420603247A	13	41S	23E	NENW	0660FNL	1920FWL
Ratherford	13-23	430373112900S1	Producing	1420603247A	13	41S	23E	NESW	1980FSL	1930FWL
Ratherford	13-34	430373113001S1	Producing	1420603247A	13	41S	23E	SWSE	0660FSL	1980FEL
Ratherford	13-41	430371585601S1	Producing	1420603247A	13	41S	23E	NENE	660FNL	660FEL
Ratherford	13-43	430373113100S1	Producing	1420603247A	13	41S	23E	NESE	1700FSL	0960FEL
Ratherford	14-32	430371585801S1	Producing	1420603247A	14	41S	23E	SWNE	2130FNL	1830FEL
Ratherford	14-41	430373162300S1	Producing	1420603247A	14	41S	23E	NENE	0521FNL	0810FEL
Ratherford	24-32	430373159300S1	Producing	1420603247A	24	41S	23E	SWNE	2121FNL	1846FEL
Ratherford	24-41	430373113200S1	Producing	1420603247A	24	41S	23E	NENE	0660FNL	0710FEL
Ratherford	17-11	430373116900S1	Producing	1420603353	17	41S	24E	NWNW	1075FNL	0800FWL
Ratherford	17-13	430373113301S1	Producing	1420603353	17	41S	24E	NWSW	2100FSL	0660FWL
Ratherford	17-22	430373117001S1	Producing	1420603353	17	41S	24E	SENE	1882FNL	1910FWL
Ratherford	17-24	430373104400S1	Producing	1420603353	17	41S	24E	SESW	0720FSL	1980FWL
Ratherford	17-31	430373117800S1	Producing	1420603353	17	41S	24E	NWNE	0500FNL	1980FEL
Ratherford	17-33	430373113400S1	Producing	1420603353	17	41S	24E	NWSE	1980FSL	1845FEL
Ratherford	17-42	430373117700S1	Producing	1420603353	17	41S	24E	SENE	1980FNL	0660FEL
Ratherford	17-44	430371573201S1	Producing	1420603353	17	41S	24E	SESE	0660FSL	0660FEL
Ratherford	18-11	430371573300S1	SI	1420603353	18	41S	24E	NWNW	0720FNL	0730FWL
Ratherford	18-13	430371573401S1	Producing	1420603353	18	41S	24E	NWSW	1980FSL	0500FWL
Ratherford	18-22	430373123600S1	Producing	1420603353	18	41S	24E	SENE	2200FNL	2210FWL
Ratherford	18-24	430373107900S1	Producing	1420603353	18	41S	24E	SESW	0760FSL	1980FWL
Ratherford	18-31	430373118101S1	Producing	1420603353	18	41S	24E	NWNE	0795FNL	2090FEL
Ratherford	18-33	430373113501S1	Producing	1420603353	18	41S	24E	NWSE	1870FSL	1980FEL
Ratherford	18-42	430373118200S1	Producing	1420603353	18	41S	24E	SENE	2120FNL	0745FEL
Ratherford	18-44	430373104500S1	SI	1420603353	18	41S	24E	SESE	0660FSL	0660FEL
Ratherford	19-11	430373108000S1	Producing	1420603353	19	41S	24E	NWNW	0660FNL	0660FWL
Ratherford	19-13	430373171900S1	Producing	1420603353	19	41S	24E	NWSW	1980FSL	0660FWL
Ratherford	19-22	430373104601S1	Producing	1420603353	19	41S	24E	SENE	1840FNL	1980FWL
Ratherford	19-24	430373175401S1	Producing	1420603353	19	41S	24E	SESW	0600FSL	1980FWL
Ratherford	19-31	430373104701S1	Producing	1420603353	19	41S	24E	NWNE	510FNL	1980FEL
Ratherford	19-33	430373104800S1	Producing	1420603353	19	41S	24E	NWSE	1980FSL	1980FEL
Ratherford	19-42	430373091600S1	Producing	1420603353	19	41S	24E	SENE	1880FNL	0660FEL
Ratherford	19-44	430373108100S1	Producing	1420603353	19	41S	24E	SESE	0660FSL	0660FEL
Ratherford	19-97	430373159600S1	Producing	1420603353	19	41S	24E	SENE	2562FNL	0030FEL
Ratherford	20-11	430373104900S1	Producing	1420603353	20	41S	24E	NWNW	0500FNL	0660FWL
Ratherford	20-13	430373091700S1	Producing	1420603353	20	41S	24E	NWSW	2140FSL	0500FWL
Ratherford	20-22	430373093000S1	Producing	1420603353	20	41S	24E	SENE	2020FNL	2090FWL
Ratherford	20-24	430373091800S1	Producing	1420603353	20	41S	24E	SESW	0820FSL	1820FWL

Ratherford Unit - Producer Well List

minus P&A's

Lease	Number	API #	Status	Lease #	Location					
					Sec	T	R	QTR/QTR	NSFoot	EWFoot
Ratherford	20-31	430373105001S1	Producing	1420603353	20	41S	24E	NWNE	0660FNL	1880FEL
Ratherford	20-33	430373093100S1	Producing	1420603353	20	41S	24E	NWSE	1910FSL	2140FEL
Ratherford	20-42	430373105100S1	Producing	1420603353	20	41S	24E	SENE	1980FNL	0660FEL
Ratherford	20-44	430373091501S1	Producing	1420603353	20	41S	24E	SESE	0620FSL	0760FEL
Ratherford	20-66	430373159201S1	Producing	1420603353	20	41S	24E	SWNW	1369FNL	1221FWL
Ratherford	20-68	430373159100S1	Producing	1420603353	20	41S	24E	NWSW	1615FSL	1276FWL
Ratherford	15-12	430371571501S1	Producing	1420603355	15	41S	24E	SWNW	1820FNL	0500FWL
Ratherford	15-22	430373044900S1	SI	1420603355	15	41S	24E	SENE	1980FNL	2050FWL
Ratherford	15-32	430371571700S1	Producing	1420603355	15	41S	24E	SWNE	1980FNL	1980FEL
Ratherford	15-33	430371571800S1	Producing	1420603355	15	41S	24E	NWSE	1650FSL	1980FEL
Ratherford	15-41	430371571900S1	TA	1420603355	15	41S	24E	NENE	0660FNL	0660FEL
Ratherford	15-42	430373044800S1	Producing	1420603355	15	41S	24E	SENE	2020FNL	0820FEL
Ratherford	16-13	430373116801S1	Producing	1420603355	16	41S	24E	NWSW	1980FSL	660FWL
Ratherford	16-32	430371572300S1	Producing	1420603355	16	41S	24E	SWNE	1980FNL	1980FEL
Ratherford	16-41	430371572500S1	Producing	1420603355	16	41S	24E	NENE	0660FNL	0660FEL
Ratherford	16-77	430373176800S1	Producing	1420603355	16	41S	24E	NESW	2587FSL	2410FWL
Ratherford	21-23	430371375400S1	Producing	1420603355	21	41S	24E	NESW	1740FSL	1740FWL
Ratherford	21-24	430373172001S1	SI	1420603355	21	41S	24E	SESW	487FSL	2064FWL
Ratherford	21-32	430371575500S1	SI	1420603355	21	41S	24E	SWNE	1880FNL	1980FEL
Ratherford	21-77	430373175801S1	SI	1420603355	21	41S	24E	NWSE	2511FSL	2446FEL
Ratherford	07-11	430373116300S1	Producing	1420603368	7	41S	24E	NWNW	0660FNL	0710FWL
Ratherford	07-13	430373116400S1	Producing	1420603368	7	41S	24E	NWSW	2110FSL	0740FWL
Ratherford	07-22	430373116500S1	Producing	1420603368	7	41S	24E	SENE	1980FNL	1980FWL
Ratherford	07-24	430373116600S1	Producing	1420603368	7	41S	24E	SESW	0880FSL	2414FWL
Ratherford	07-44	430373118900S1	SI	1420603368	7	41S	24E	SESE	0737FSL	0555FEL
Ratherford	08-12	430371599100S1	Producing	1420603368	8	41S	24E	SWNW	1909FNL	0520FWL
Ratherford	08-21	430371599300S1	Producing	1420603368	8	41S	24E	NENW	0616FNL	1911FWL
Ratherford	08-23	430371599400S1	Producing	1420603368	8	41S	24E	NESW	1920FSL	2055FWL
Ratherford	08-32	430371599500S1	Producing	1420603368	8	41S	24E	SWNE	1980FNL	1980FEL
Ratherford	08-34	430371599600S1	Producing	1420603368	8	41S	24E	SWSE	0660FSL	1980FEL
Ratherford	04-34	430371616400S1	Producing	14206034035	4	41S	24E	SWSE	0660FSL	1980FEL
Ratherford	11-14	430371616700S1	Producing	14206034037	11	41S	24E	SWSW	0660FSL	0660FWL
Ratherford	09-34	430371571100S1	SI	14206034043	9	41S	24E	SWSE	0660FSL	1980FEL
Ratherford	10-12	430371571200S1	Producing	14206034043	10	41S	24E	SWNW	1980FNL	0660FWL
Ratherford	10-14	430371571300S1	Producing	14206034043	10	41S	24E	SWSW	0510FSL	0710FWL
Ratherford	10-32	430371571400S1	TA	14206034043	10	41S	24E	SWNE	2080FNL	1910FEL
Ratherford	10-44	430373045100S1	TA	14206034043	10	41S	24E	SESE	0820FSL	0510FEL
Ratherford	29-11	430373105300S1	Producing	1420603407	29	41S	24E	NWNW	0770FNL	0585FWL
Ratherford	29-22	430373108200S1	Producing	1420603407	29	41S	24E	SENE	2130FNL	1370FWL
Ratherford	29-31	430373091401S1	Producing	1420603407	29	41S	24E	NWNE	0700FNL	2140FEL
Ratherford	29-33	430373093200S1	SI	1420603407	29	41S	24E	NWSE	1860FSL	1820FEL
Ratherford	29-34	430371534000S1	SI	1420603407	29	41S	24E	SWSE	0817FSL	2096FEL
Ratherford	29-42	430373093700S1	SI	1420603407	29	41S	24E	SENE	1850FNL	0660FEL
Ratherford	30-32	430371534200S1	Producing	1420603407	30	41S	24E	SWNE	1975FNL	2010FEL
Ratherford	28-11	430373044600S1	Producing	1420603409	28	41S	24E	NWNW	0520FNL	0620FWL

Ratherford Unit - Producer Well List

minus P&A's

Lease	Number	API #	Status	Lease #	Location					
					Sec	T	R	QTR/QTR	NSFoot	EWFoot
Ratherford	09-12	430371512600S1	Producing	14206035045	9	41S	24E	SWNW	1865FNL	0780FWL
Ratherford	09-14	430371512700S1	Producing	14206035046	9	41S	24E	SWSW	0695FSL	0695FWL
Ratherford	04-14	430371616300S1	Producing	14206035446	4	41S	24E	SWSW	0500FSL	0660FWL
Ratherford	03-12	430371562000S1	Producing	14206036506	3	41S	24E	SWNW	2140FNL	0660FWL

Water Source Wells (Feb 2006)

RU	S1	4303700001	Active
RU	S2	4303700002	Active
RU	S3	4303700003	Active
RU	S4	4303700004	Active
RU	S5	4303700005	Active
RU	S6	4303700006	Active
RU	S7	4303700007	Active
RU	S8	4303700008	Active
RU	S9	4303700009	Active
RU	S10	4303700010	Active
RU	S11	4303700011	Active
RU	S12	4303700012	Active
RU	S13	4303700013	Active
RU	S14	4303700014	Active
RU	S16	4303700016	Active
RU	S17	4303700017	Active

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	FORM 9 5. LEASE DESIGNATION AND SERIAL NUMBER: 14-20-603-407
---	--

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: NAVAJO 7. UNIT or CA AGREEMENT NAME: RATHERFORD
--	--

1. TYPE OF WELL Oil Well	8. WELL NAME and NUMBER: 30-32
------------------------------------	--

2. NAME OF OPERATOR: RESOLUTE NATURAL RESOURCES	9. API NUMBER: 43037153420000
---	---

3. ADDRESS OF OPERATOR: 1675 Boradway Ste 1950 , Denver, CO, 80202	PHONE NUMBER: 303 534-4600 Ext	9. FIELD and POOL or WILDCAT: GREATER ANETH
--	--	---

4. LOCATION OF WELL FOOTAGES AT SURFACE: 1975 FNL 2010 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SWNE Section: 30 Township: 41.0S Range: 24.0E Meridian: S	COUNTY: SAN JUAN STATE: UTAH
---	---

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT Approximate date work will start: 1/27/2014 <input type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: <input type="checkbox"/> SPUD REPORT Date of Spud: <input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input checked="" type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: <input style="width: 100px;" type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Resolute proposes to pull tubing, cleanout to plug-back depth, acidize and attempt to repair the tubing in the subject well to enhance oil production. The proposed procedure and well bore schematic are attached. Work is to commence in late January, 2014.

**Accepted by the
 Utah Division of
 Oil, Gas and Mining**

Date: January 08, 2014

By: Dark Quif

NAME (PLEASE PRINT) Sherry Glass	PHONE NUMBER 303 573-4886	TITLE Sr Regulatory Technician
SIGNATURE N/A	DATE 1/8/2014	

RESOLUTE

NATURAL RESOURCES

RU 30-32
1975' FNL, 2010' FEL
SWNE section 30-T40S-R24E
43-037-15342
Pump Change

Job Scope

Job Scope includes: POOH with rods and insert pump, Pull tubing, Make bit & scraper cleanout to PBD, Acidize, Replace tbg, Run new pump & reconditioned rods.

(Acid planned? **Y**; Change of tubing size? **N**; Paraffin expected? **N**)

Work History

7/30/1990: Recompletion - Cleaned out to 5700' PBD, Added perforations 2 SPF 5564' to 5671' (5 intervals/ 32' total), Acidized all perms in 3 stages with 4000 gal 15% & 28% HCl, swabbed back load, Ran production tbg & bha, Ran rods & returned to production from Ismay & DC-1 on 8/3/1990.

9/12/1991: Rod part - 7/8 pin break on rod #57.

11/7/1991: Pump change - Travelling valve cage was cracked; trash in pump; SV ball wear & plunger fluid cut.

12/2/1991: Pump change - Standing valve ball wear & scale caused pump failure.

2/28/1992: Pump change - Standing valve was leaking; Changed 2" to 1-3/4" insert pump, Re-ran rods.

3/9/1995: Rod job - Pulled & LD 1" x 7/8" rod string; Ran new 1" x 7/8" x 3/4" rod string (grade not recorded), Ran new 1-1/2" insert pump.

10/5/1995: Tubing repair - Pulled rods and 1-1/2" insert pump; Pulled tubing; HIT depth not recorded; No tag; Re-ran 2-7/8 tubing with 3 new jts; Re-ran rods w/new Axelson 1-1/2" insert pump.

Procedure

Horsley Witten: Yes

1. MIRU WSU, LOTO, Kill well as necessary.
2. Pressure test tubing to 1000 psig (plan to pull tbg regardless; was rerun in 1995).
3. POOH with rods and 1-1/2" insert pump, inspect & lay down rods (new in Mar 1995), Call and notify Bill Albert 970-371-9682, if unavailable contact Tech Support (Virgil Holly @ 435-444-0020 or Julius Claw @ 435-444-0156).
4. NDWH, NUBOP, prepare to pull tubing.
5. Unseat Tubing anchor at 5463.5' KB, install pkr & test BOPE. LD pkr.
6. POOH standing back tbg. Call and notify Bill Albert 970-371-9682 to inspect tubing.
7. TIH with bit and scraper spaced ~150' apart plus 1 added jt and tag bottom (PBD @ 5700' KB);
If needed, POOH & change to bit only & use Global N2 for cleanout to PBD.
8. POOH & LD bit & scraper; LD 2-7/8 tubing & send for inspection.
9. RIH w/5-1/2" treating packer w/bypass & 6 jts tailpipe to acidize perms 5564' to 5693' (43' net) w/2500 gal inhibited 20% HCl.
10. Set packer at ~ 5500' w/TP to ~5690'. Pressure test casing to 500 psi. Bleed off.
11. Open bypass & spot acid around end of TP and up to 5564'. Close bypass, soak 15 min.
12. Put 500 psi on backside; Pump acid away at max rate possible, staying under 3500 psi TP. Monitor annulus pressure.
13. Overdisplace past the end of TP with 20 bbls fresh water. Record ISIP, 5 min, 10 min, and 15 min SI pressures. SI 2 hours, or overnight if possible.
14. Flow/swab back at least 1.5 times the acid & displacement load volume ~ 100 bbls.
15. Re-kill the well with brine & POOH w/treating packer & TP.
16. TIH with 2-7/8" MA joint, CSN, 4 jts tubing, TAC, new 2-7/8 FBNAU tubing to surface.
17. EOT to be at ~5690' KB, CSN at ~ 5658' KB, TAC at ~5530' KB.
18. NDBOP, NUWH.
19. RIH with rods & new pump. Contact Tech Support for pump and rod details.
20. Long stroke pump to test for good pumping action.
21. Leave enough polished rod for operators to correctly space pump as required.
22. Notify the Area Production Supervisor Alfred Redhouse (435) 619-7227 that well is ready to return to production.
23. RDMOL. Hook up appropriate chemical treatment.


RATHERFORD UNIT #30-32

Greater Aneth Field
1975' FNL & 2010' FEL
Sec. 30, T41S, R24E
San Juan County, Utah

PRODUCER

API #43-037-15342

PRISM ID 0043147



K.B. Duham 12-19-02 R.U. #30-32

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9	
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		5. LEASE DESIGNATION AND SERIAL NUMBER: 14-20-603-407	
		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: NAVAJO	
1. TYPE OF WELL Oil Well		7. UNIT or CA AGREEMENT NAME: RATHERFORD	
2. NAME OF OPERATOR: RESOLUTE NATURAL RESOURCES		8. WELL NAME and NUMBER: 30-32	
3. ADDRESS OF OPERATOR: 1675 Boradway Ste 1950 , Denver, CO, 80202		9. API NUMBER: 43037153420000	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1975 FNL 2010 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SWNE Section: 30 Township: 41.0S Range: 24.0E Meridian: S		9. FIELD and POOL or WILDCAT: GREATER ANETH	
		COUNTY: SAN JUAN	
		STATE: UTAH	
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start: <input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 4/10/2014 <input type="checkbox"/> SPUD REPORT Date of Spud: <input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input checked="" type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: <input style="width: 100px;" type="text"/>
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.			
Resolute Natural Resources submits this sundry as a subsequent report of the T&A of the above wellbore. Attached are the procedures and the final T&A wellbore schematic. If there are any questions regarding this submission please call me at (303) 573-4886 x 1875.			
Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY April 17, 2014			
NAME (PLEASE PRINT) Erin Joseph	PHONE NUMBER 303 573-4886	TITLE Sr. Regulatory Analyst	
SIGNATURE N/A		DATE 4/16/2014	

Activity Summary 3/7/14 - 4/9/14: Ratherford Unit Producer 30-32 Temporary Abandonment

NOTE: This work began as a routine repair of a tubing leak, anticipating that the well would be restored to production. As work progressed, casing damage became apparent and drove the decision to TA the well.

Rigged up Well Service Unit, pulled & LD insert pump & rods. Tried to release TAC – unsuccessful. RU electric line & ran free point; Ran chemical cutter & cut 2-7/8 tbg at 5444' KB. RD electric line. PU test packer & tested BOP & Hydril high & low pressure test – good; LD test pkr, POOH & LD 2-7/8 tubing.

This well was listed on the Horsley-Witten study list for Chinle remediation, however the H-W study was apparently not aware of the 8-5/8 casing string run in this well to 1682' and cemented back to surface. Top of Chinle at 1505' by Resolute geologist Jason Burris; 18-5/8 surface csg shoe @ 1682'. Thus the Chinle was actually cemented previously. The Hermosa top is at 4566' per State of Utah well file.

RIH w/4.75" bit and tagged hard at 2645' KB. Re-tagged, POOH to check bit – was covered with old drilling mud and red beds. Ran back with 4.75" bladed drag bit, tagged at 795', drilled up 1' bridge, continue in hole to 1197', wash thru to 1207', circ clean w/polymer sweep – recovered red beds & cement. Continued in hole washing & rotating to 3322', circ clean w/polymer sweep – more red beds & cement. POOH & LD bit; run test packer & RBP to locate apparent hole in casing. Leaky section at 1633-65'; 1665-2594' has 50 psi leakoff/3 min; 2594-3567'(RBP) good test. POOH & LD packer. RU electric line & ran casing inspection log 3550' to surface, placed 4 sx sand on RBP at 3567'.

Sent the initial cement squeeze proposal for 1633' to surface plus casing inspection log to Stephen Mason /BLM on the afternoon of March 14 and received verbal approval from Troy Salyers after just missing Stephen Mason by phone.

Resolute completed the cement squeeze from 1633' back to surface as follows:

Confirmed circ to surface via csg leak at 1633', then RIH & set cement retainer at 1530'. Spotted in cementers, PT lines and pumped cement through the 5-1/2" casing leak at 1633' as follows: 79 bbls 14.6 ppg, 1.37 yield Type III 'G' cement total, with full returns to surface; hesitation sqz'd 4.5 bbls to 790 psi final sqz pressure after shutting in returns at surface, which is included in the 79 bbls total cement volume. Stung out of retainer & reversed out; POOH tbg & left 500 psi on 5-1/2" casing. WOC.

RIH w/rock bit & drilled out cement & retainer from 1416' to 1544', POOH to check bit – worn out; PU bladed bit & RIH, drilled 1544' to 1744'. POOH & LD bit. Ran bit & scraper to 3560'. Ran test pkr to 3372', PT'd squeeze & 5-1/2" csg back to surface at 550 psi: lost 100 psi/3 minutes. Test from 1633' back to surface – good test at 620 psi. Test from 2401' to RBP at 3567' – good test at 500 psi. POOH & LD packer; ran magnet & recovered bottom piece of retainer. RIH, washed off & retrieved RBP at 3567'. RIH w 4.5" drag bit to 3712' (tag), CO fill to 4068'; bad casing 4066-68', torquing up & red beds in returns. Continued CO to 4343', circ clean with polymer sweep. RU electric line & logged casing

inspection log back to previous log depth 3000' and CBL 4182' back to surface. CIL confirms 2' gap in the casing at 4056-58'KB.

Submitted cement squeeze proposal #2 and the two logs via e-mail to Stephen Mason/ BLM and notice of change of plans to temporarily abandon the well on March 24, 2014. Received approval to proceed on March 25 by e-mail from Stephen Mason.

Ran & set test packer at 3503', PT'd down tbg to 500 psi, lost 150 psi/3 min, no communication to backside; PT'd backside to 500 psi, lost 90 psi/3 min, no communication to tubing. POOH & LD pkr. Ran OE tubing to 4114'KB to spot balanced cement plug. Spotted 14 bbls of 14.2 ppg, 1.47 yield Type III 'G' cement from 4114' up to 3540', pulled tbg to 3403' & reversed out. Shut in csg & hesitation squeezed away 7 bbls total cement to 815 psi final sqz pressure. Wait on cement. Drilled out cement to 4108' & dropped out. Tagged 4391' bridge & continued CO to 5444' top of fish. Circ clean with polymer sweep. RU electric line & logged CIL & CBL 5440' to 4100'; observed that the Hermosa has no cement coverage (Hermosa top at 4566'; top of cement ~4890' KB). RD electric line.

Submitted revised TA proposal, including Hermosa cement squeeze, by e-mail on April 2, 2014 and received verbal approval to proceed from William Tambekou/BLM about 4:20 pm on April 2. Further details were agreed to by phone on April 3 with Stephen Mason/BLM, including the perforation depth for the Hermosa cement job.

RIH w/bit to top of fish & circulated 160 bbls fresh water. POOH. RU electric line & attempt to run 4-5/8" composite plug – unable to pass problem area at 4056'. POOH; RIH taper/string mill and dress csg 4056-60' several passes; POOH. Ran 4-5/8" composite bridge plug on e-line and set at 5430'. RIH tbg & spotted 100' 14.6 ppg Type III neat cement plug on top of composite plug. POOH & WOC. RIH & spot 20 bbls inhibited packer fluid above cement plug. RU electric line & tagged cmt top at 5329' KB; perforated for Hermosa sqz at 4625-27' (8 holes). Hermosa top at 4566' KB. RIH & set pkr at 4560' for injectivity test: 2 bpm at 400 psi down tbg, had returns on the backside at 3 bbls pumped; suspect returns are from the problem area at 4056'. POOH. Ran cement retainer & set at 4555' KB. Unsting from retainer, mix & spot 24 bbls Type III neat cement at 14.2 ppg, 1.37 yield down to end of tubing, sting back into retainer. Continued pumping 17 bbls cement, shut in returns, switch to water displacement, pump 0.7 bbls and tbg pressured up to 600 psi. Tried to sting out of retainer – cannot. Pumped down tbg & regained circulation at 800 psi. Circ 10 bbls at 230 psi while attempting to unsting – unsuccessful. At 15.5 bbls pumped tbg pressured up to 800 psi; RU swivel & try to rotate & sting out – unsuccessful. RU wireline, tagged cement inside tbg at 2558'; cut tubing at 2550'. POOH & RD wireline.

Received verbal approval from Stephen Mason/BLM on April 8 to alter the TA procedure (top cement plug) in light of the added fish in the wellbore.

Ran tubing to 2502' & spotted 25.6 bbls 14.6 ppg 1.37 yield Type III 'G' cmt up to 1442' in two steps. Circulated wellbore to inhibited packer fluid from 1442' to surface. LD workstring, ND BOP, cap well with B-1 flange. Rig down Well Service Unit on April 9, 2014; Temporary Abandonment complete.


Attachment No. 1: Final TA Wellbore Diagram, RU 30W-32

RATHERFORD UNIT #30-32

Greater Aneth Field
 1975' FNL & 2010' FEL
 Sec. 30, T41S, R24E
 San Juan County, Utah

PRODUCER
 API #43-037-15342

Attachment 1: Final TA'd Wellbore



STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	FORM 9 5. LEASE DESIGNATION AND SERIAL NUMBER: 14-20-603-407
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: NAVAJO 7. UNIT or CA AGREEMENT NAME: RATHERFORD
1. TYPE OF WELL Oil Well	8. WELL NAME and NUMBER: 30-32
2. NAME OF OPERATOR: RESOLUTE NATURAL RESOURCES	9. API NUMBER: 43037153420000
3. ADDRESS OF OPERATOR: 1675 Boradway Ste 1950 , Denver, CO, 80202	PHONE NUMBER: 303 534-4600 Ext
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1975 FNL 2010 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SWNE Section: 30 Township: 41.0S Range: 24.0E Meridian: S	9. FIELD and POOL or WILDCAT: GREATER ANETH COUNTY: SAN JUAN STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT Approximate date work will start: 4/8/2014 <input type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: <input type="checkbox"/> SPUD REPORT Date of Spud: <input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input checked="" type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: <input style="width: 100px;" type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Resolute Natural Resources respectfully submits this sundry as notice to T&A the above wellbore. Attached are the T&A procedures, current wellbore schematic and proposed wellbore schematic.

**Accepted by the
 Utah Division of
 Oil, Gas and Mining**

Date: April 21, 2014
By: *Derek Quist*

NAME (PLEASE PRINT) Erin Joseph	PHONE NUMBER 303 573-4886	TITLE Sr. Regulatory Analyst
SIGNATURE N/A	DATE 4/14/2014	

The following TA procedure for RU 30-32 has been approved by the BLM: Cement to be 14.6 ppg Type III G Neat at 1.37 yield


- 1) Set composite plug at 5430' KB on electric line.
- 2) Spot 100' balanced plug of cement on top of composite plug – up to 5330'.
- 3) Tag 5330' cement top & Perforate 2' @ 4 spf 4625-27' for Hermosa squeeze (Hermosa top at 4566').
- 4) Run packer & set at ~4560'; pump in to confirm injectivity into sqz perms.
- 5) Run & set cement retainer at 4555' KB.
- 6) Perform Hermosa cement squeeze to 800 psi final sqz pressure.
- 7) Unsting from retainer & lay in cement 4555' up to 4000'.
- 8) WOC & tag cement top.
- 9) Spot inhibited packer fluid from 4000' up to 2600'.
- 10) Spot balanced cement plug 2650' to 1550' in two steps.
- 11) WOC & tag cement top.
- 12) Spot inhibited packer fluid from 1550' to surface.
- 13) Pressure test csg from 1550' cmt top to surface at 500 psi.
- 14) RDMO.

RATHERFORD UNIT #30-32

Greater Aneth Field
 1975' FNL & 2010' FEL
 Sec. 30, T41S, R24E
 San Juan County, Utah

PRODUCER
 API #43-037-15342
 PRISM ID 0043147

Attachment 1: Current Wellbore




RATHERFORD UNIT #30-32

Greater Aneth Field
 1975' FNL & 2010' FEL
 Sec. 30, T41S, R24E
 San Juan County, Utah

PRODUCER
 API #43-037-15342
 PRISM ID 0043147

Attachment 2: Proposed TA Wellbore



STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9	
SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER: 14-20-603-407	
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: NAVAJO	
		7. UNIT or CA AGREEMENT NAME: RATHERFORD	
1. TYPE OF WELL Oil Well		8. WELL NAME and NUMBER: 30-32	
2. NAME OF OPERATOR: RESOLUTE NATURAL RESOURCES		9. API NUMBER: 43037153420000	
3. ADDRESS OF OPERATOR: 1675 Boradway Ste 1950 , Denver, CO, 80202	PHONE NUMBER: 303 534-4600 Ext	9. FIELD and POOL or WILDCAT: GREATER ANETH	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1975 FNL 2010 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SWNE Section: 30 Township: 41.0S Range: 24.0E Meridian: S		COUNTY: SAN JUAN	
		STATE: UTAH	
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start: <input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 4/9/2014 <input type="checkbox"/> SPUD REPORT Date of Spud: <input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input checked="" type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: <input style="width: 100px;" type="text"/>
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.			
Resolute Natural Resources respectfully submits this sundry as notice of completion of the T&A of the above wellbore. If there are any questions with this submission please contact me at 303/573-4886 x1875			
Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY April 24, 2014			
NAME (PLEASE PRINT) Erin Joseph	PHONE NUMBER 303 573-4886	TITLE Sr. Regulatory Analyst	
SIGNATURE N/A		DATE 4/21/2014	

Activity Summary 3/7/14 - 4/9/14: Ratherford Unit Producer 30-32 Temporary Abandonment

NOTE: This work began as a routine repair of a tubing leak, anticipating that the well would be restored to production. As work progressed, casing damage became apparent and drove the decision to TA the well.

Rigged up Well Service Unit, pulled & LD insert pump & rods. Tried to release TAC – unsuccessful. RU electric line & ran free point; Ran chemical cutter & cut 2-7/8 tbg at 5444' KB. RD electric line. PU test packer & tested BOP & Hydril high & low pressure test – good; LD test pkr, POOH & LD 2-7/8 tubing.

This well was listed on the Horsley-Witten study list for Chinle remediation, however the H-W study was apparently not aware of the 8-5/8 casing string run in this well to 1682' and cemented back to surface. Top of Chinle at 1505' by Resolute geologist Jason Burris; 18-5/8 surface csg shoe @ 1682'. Thus the Chinle was actually cemented previously. The Hermosa top is at 4566' per State of Utah well file.

RIH w/4.75" bit and tagged hard at 2645' KB. Re-tagged, POOH to check bit – was covered with old drilling mud and red beds. Ran back with 4.75" bladed drag bit, tagged at 795', drilled up 1' bridge, continue in hole to 1197', wash thru to 1207', circ clean w/polymer sweep – recovered red beds & cement. Continued in hole washing & rotating to 3322', circ clean w/polymer sweep – more red beds & cement. POOH & LD bit; run test packer & RBP to locate apparent hole in casing. Leaky section at 1633-65'; 1665-2594' has 50 psi leakoff/3 min; 2594-3567'(RBP) good test. POOH & LD packer. RU electric line & ran casing inspection log 3550' to surface, placed 4 sx sand on RBP at 3567'.

Sent the initial cement squeeze proposal for 1633' to surface plus casing inspection log to Stephen Mason /BLM on the afternoon of March 14 and received verbal approval from Troy Salyers after just missing Stephen Mason by phone.

Resolute completed the cement squeeze from 1633' back to surface as follows:

Confirmed circ to surface via csg leak at 1633', then RIH & set cement retainer at 1530'. Spotted in cementers, PT lines and pumped cement through the 5-1/2" casing leak at 1633' as follows: 79 bbls 14.6 ppg, 1.37 yield Type III 'G' cement total, with full returns to surface; hesitation sqz'd 4.5 bbls to 790 psi final sqz pressure after shutting in returns at surface, which is included in the 79 bbls total cement volume. Stung out of retainer & reversed out; POOH tbg & left 500 psi on 5-1/2" casing. WOC.

RIH w/rock bit & drilled out cement & retainer from 1416' to 1544', POOH to check bit – worn out; PU bladed bit & RIH, drilled 1544' to 1744'. POOH & LD bit. Ran bit & scraper to 3560'. Ran test pkr to 3372', PT'd squeeze & 5-1/2" csg back to surface at 550 psi: lost 100 psi/3 minutes. Test from 1633' back to surface – good test at 620 psi. Test from 2401' to RBP at 3567' – good test at 500 psi. POOH & LD packer; ran magnet & recovered bottom piece of retainer. RIH, washed off & retrieved RBP at 3567'. RIH w 4.5" drag bit to 3712' (tag), CO fill to 4068'; bad casing 4066-68', torquing up & red beds in returns. Continued CO to 4343', circ clean with polymer sweep. RU electric line & logged casing

inspection log back to previous log depth 3000' and CBL 4182' back to surface. CIL confirms 2' gap in the casing at 4056-58'KB.

Submitted cement squeeze proposal #2 and the two logs via e-mail to Stephen Mason/ BLM and notice of change of plans to temporarily abandon the well on March 24, 2014. Received approval to proceed on March 25 by e-mail from Stephen Mason.

Ran & set test packer at 3503', PT'd down tbg to 500 psi, lost 150 psi/3 min, no communication to backside; PT'd backside to 500 psi, lost 90 psi/3 min, no communication to tubing. POOH & LD pkr. Ran OE tubing to 4114'KB to spot balanced cement plug. Spotted 14 bbls of 14.2 ppg, 1.47 yield Type III 'G' cement from 4114' up to 3540', pulled tbg to 3403' & reversed out. Shut in csg & hesitation squeezed away 7 bbls total cement to 815 psi final sqz pressure. Wait on cement. Drilled out cement to 4108' & dropped out. Tagged 4391' bridge & continued CO to 5444' top of fish. Circ clean with polymer sweep. RU electric line & logged CIL & CBL 5440' to 4100'; observed that the Hermosa has no cement coverage (Hermosa top at 4566'; top of cement ~4890' KB). RD electric line.

Submitted revised TA proposal, including Hermosa cement squeeze, by e-mail on April 2, 2014 and received verbal approval to proceed from William Tambekou/BLM about 4:20 pm on April 2. Further details were agreed to by phone on April 3 with Stephen Mason/BLM, including the perforation depth for the Hermosa cement job.

RIH w/bit to top of fish & circulated 160 bbls fresh water. POOH. RU electric line & attempt to run 4-5/8" composite plug – unable to pass problem area at 4056'. POOH; RIH taper/string mill and dress csg 4056-60' several passes; POOH. Ran 4-5/8" composite bridge plug on e-line and set at 5430'. RIH tbg & spotted 100' 14.6 ppg Type III neat cement plug on top of composite plug. POOH & WOC. RIH & spot 20 bbls inhibited packer fluid above cement plug. RU electric line & tagged cmt top at 5329' KB; perforated for Hermosa sqz at 4625-27' (8 holes). Hermosa top at 4566' KB. RIH & set pkr at 4560' for injectivity test: 2 bpm at 400 psi down tbg, had returns on the backside at 3 bbls pumped; suspect returns are from the problem area at 4056'. POOH. Ran cement retainer & set at 4555' KB. Unsting from retainer, mix & spot 24 bbls Type III neat cement at 14.2 ppg, 1.37 yield down to end of tubing, sting back into retainer. Continued pumping 17 bbls cement, shut in returns, switch to water displacement, pump 0.7 bbls and tbg pressured up to 600 psi. Tried to sting out of retainer – cannot. Pumped down tbg & regained circulation at 800 psi. Circ 10 bbls at 230 psi while attempting to unsting – unsuccessful. At 15.5 bbls pumped tbg pressured up to 800 psi; RU swivel & try to rotate & sting out – unsuccessful. RU wireline, tagged cement inside tbg at 2558'; cut tubing at 2550'. POOH & RD wireline.

Received verbal approval from Stephen Mason/BLM on April 8 to alter the TA procedure (top cement plug) in light of the added fish in the wellbore.

Ran tubing to 2502' & spotted 25.6 bbls 14.6 ppg 1.37 yield Type III 'G' cmt up to 1442' in two steps. Circulated wellbore to inhibited packer fluid from 1442' to surface. LD workstring, ND BOP, cap well with B-1 flange. Rig down Well Service Unit on April 9, 2014; Temporary Abandonment complete.


Attachment No. 1: Final TA Wellbore Diagram, RU 30W-32

RATHERFORD UNIT #30-32

Greater Aneth Field
 1975' FNL & 2010' FEL
 Sec. 30, T41S, R24E
 San Juan County, Utah

PRODUCER
 API #43-037-15342

Attachment 1: Final TA'd Wellbore



Wellbore displaced to chemically Inhibited Brine

Chinle Top @ 1505' by Jason Burris, Resolute Geologist

Tubing cut at 2550', cmt top at 2558 inside tubing

Hermosa Top @ 4566', State of Utah file

Perfs: