

**FILE NOTATIONS**

Entered in NID File

Entered On S R Sheet

Location Map Pinned

Card Indexed

IWR for State or Fed Land

Checked by Chief

Copy NID to Field Office

Approval Letter

Disapproval Letter

**COMPLETION DATA:**

Date Well Completed 5-25-58

Location Proposed

CVA  VAD  TA

Bound by Land

EW  CC  FA

State of Fed Land

**LOGS FILED**

Driller's Log 7-28-58

Electric Logs (No.) 3

E  I  E-I  GR  GR-N  Micro

Lat  Mi-L  Sonic  Others TRACER

Scout Report sent out

Noted in the NID File

Location map pinned

Approval or Disapproval Letter

Date Completed, P. & A, or operations suspended 5-25-58

Pin changed on location map

Affidavit and Record of A & P

Water Shut-Off Test

Gas-Oil Ratio Test

Well Log Filed

UTAH OIL AND GAS CONSERVATION COMMISSION

REMARKS: HAVE FILE: Well 3, 3 El logs

4-2-63 Notice of intention to perform commingled production

\* 7-11-63 Subsequent Report of perforating + Commingling Production

910611 Texaco Inc. to TEXACO E.E.P. Inc. c.H. 1-1-91.

DATE FILED 9- 3-57 I-149-Ind-  
 LAND: FEE & PATENTED STATE LEASE NO. PUBLIC LEASE NO. INDIAN 8834  
 DRILLING APPROVED: 9-3-57  
 SPURRED IN: 12-7-57 \* 4-10-63  
 COMPLETED: ~~5-25-58~~ 1-13-58 \* 4-17-63  
 INITIAL PRODUCTION: 34 BOPD & 57 BWPD \* Commingling Desert Creek + Army production  
 GRAVITY A. P. I. 40° \* 120 BOPD 108 BWPD  
 GOR:  
 PRODUCING ZONES: 5638-98'  
 TOTAL DEPTH: 5861'  
 WELL ELEVATION: 4782' DF  
 DATE ABANDONED:  
 FIELD OR DISTRICT: Aneth  
 COUNTY: San Juan  
 WELL NO. NAVAJO TRIBE E-12 (ANETH F115) API 43-237-16074  
 LOCATION: 690 FT. FROM (N) LINE, 2140 FT. FROM (W) LINE. NE NW QUARTER - QUARTER SEC. 15 ✓

TWP.	RGE.	SEC.	OPERATOR	TWP.	RGE.	SEC.	OPERATOR
40 S	24 E	15	TEXACO				

## GEOLOGIC TOPS:

QUATERNARY	Star Point		Sinbad	Brazer
Recent	Wahweap		PERMIAN	Pilot shale
Alluvium	Masuk		Kaibab	Madison
Lake beds	Colorado		Coconino	Leadville
Pleistocene	Mancos		Cutler	Redwall
Lake beds	Upper		Hoskinnini	DEVONIAN
TERTIARY	Middle		DeChelly	2710' e
Pliocene	Lower		White Rim	Upper
Humboldt	Emery		Organ Rock	2803' e
Salt Lake	Blue Gate		Cedar Mesa	Lower
Miocene	Ferron		Halgaite tongue	Ouray
Bishop conglomerate	Frontier		Phosphoris	Elbert
Oligocene	Dakota		Park City	Guilmette
Norwood	Burro Canyon		Rico (Goodridge)	Simonson dolomite
Eocene	Cedar Mountain		Supai	Sevy dolomite
Duchesne River	Buckhorn		Bird Springs	North Point
Uinta	JURASSIC		CARBONIFEROUS	SILURIAN
Bridger	Morrison		Pennsylvanian	Laketown dolomite
Green River	Salt Wash		Oquirrh	ORDOVICIAN
Upper	San Rafael Gr.		Weber	Eureka quartzite
Middle	Summerville		Morgan	Pogonip limestone
Lower	Bluff sandstone		Hermosa	CAMBRIAN
Wasatch	Curtis		Upper	4626' e
Colton	Entrade		Lower	Lynch
Flagstaff	Moab tongue		Molas	Bowman
Almy	Carmel		Paradox	5798' e
Paleocene	Glen Canyon Gr.		A	Tapeats
Current Creek	Navajo	800' e	B	Ophir
North Horn	Kayento	1078' e	C	Tintic
CRETACEOUS	Wingate	1258' e	Manning Canyon	PRE-CAMBRIAN
Montana	TRIASSIC		Mississippian	
Mesaverde	Chinle	1594' e	Chainman shale	
Price River	Shinarump		Humbug	
Blackhawk	Moen	2517' e	Joana limestone	

STATE OF UTAH  
OIL AND GAS CONSERVATION COMMISSION

FORM OCCC-1

NOTICE OF INTENTION TO DRILL

Lease No. 146022  
Navajo Indian Tribal Lands "E"  
OIL AND GAS CONSERVATION COMMISSION

Fort Worth, Texas, August 15, 1957

In compliance with Rule C-4, notice is hereby given that it is our intention to commence the work of drilling Well No. 12 NE NW, which is located 690 feet from (N) line and 2140 feet from (W) line of Sec. 15, Twp. 40-S, R. 24-E, S.L.M. (Meridian), Aneth, San Juan, on or about the \_\_\_\_\_ day of \_\_\_\_\_ 19\_\_\_\_. (Field or Unit) (County)

LAND: Fee and Patented (X) Name of Owner  
State ( ) of Patent or Lease THE TEXAS COMPANY  
Lease No. \_\_\_\_\_ Address P. O. Box 1720  
Public Domain ( ) Fort Worth 1, Texas  
Lease No. \_\_\_\_\_

Is location a regular or exception to spacing rule? Regular. Has a surety bond been filed? Yes. With whom? Indian Land-Federal Area in drilling unit? --. (State or Federal)

Elevation of ground above sea level is 4771 feet. All depth measurements taken from top of Derrick Floor which is 11 feet above ground. (Derrick Floor, Rotary Table or Kelly Bushing)

Type of tools to be used Rotary. Proposed drilling depth 5800 feet. Objective Formation is Aneth. Surface Formation is Jurassic.

PROPOSED CASING PROGRAM

Size of Casing Inches A. P. I.	Weight per Foot	Grade and Type	Amount Ft. In.	Top	Bottom	Cementing Depths
8-5/8"	24.0#	New	1200'	0	1200'	1200'
5-1/2"	14.0#	New	5500'	0	5500'	
5-1/2"	15.5#	New	300'	5500'	5800'	5800'

REMARKS:

1,500 sacks of cement to be used.

AFFIDAVIT

I hereby certify under the penalty of perjury, that the information contained and statements herein made are to the best of my knowledge and belief, true, correct and complete.


Approved [Signature] By J. J. Velten  
Date 8-3 19 57 J. J. Velten  
By [Signature] Division Civil Engineer  
Title Secretary THE TEXAS COMPANY (Title or Position)  
Address P. O. Box 1720 (Company or Operator)  
Fort Worth 1, Texas

wlh

INSTRUCTIONS:

1. Complete this form in duplicate and mail both copies to the Oil and Gas Conservation Commission, Room 140, State Capitol Building, Salt Lake City, Utah.
2. A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.
3. Any information required by this form that cannot be furnished at the time said form is submitted must be forwarded to the Commission as soon as available.
4. Use back of form for remarks.

T 40 - S 1



This is to certify that the courses, distances and objects reflected on the plat to which this certificate is affixed were observed and compiled under my supervision and, according to my best knowledge and belief, are true and correct.

*J. J. Felton*

Division Civil Engineer  
 The Texas Company  
 Registered Professional Engineer - State of Texas

September 3, 1957

The Texas Company  
P. O. Box 1720  
Fort Worth, Texas

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Navajo E-12, which is to be located 690 feet from the north line and 2140 feet from the west line of Section 15, Township 40 South, Range 24 East, SEEM, San Juan County, Utah.

Please be advised that insofar as this office is concerned, approval to drill said well is hereby granted.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FREIGHT  
SECRETARY

CBF:en

cc: Phil McGrath  
USGS, Farmington,  
New Mexico

DR-USGS

Form 9-831b  
(April 1962)


(SUBMIT IN TRIPLICATE)

Indian Agency Navajo  
Tribal

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Allottee \_\_\_\_\_

Lease No. I-149-IND-8834



SUNDRY NOTICES AND REPORTS ON WELLS

*Noted  
+ 2/17*

NOTICE OF INTENTION TO DRILL _____	SUBSEQUENT REPORT OF WATER SHUT-OFF _____	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS _____	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING _____	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF _____	SUBSEQUENT REPORT OF ALTERING CASING _____	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL _____	SUBSEQUENT REPORT OF REDRILLING OR REPAIR _____	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE _____	SUBSEQUENT REPORT OF ABANDONMENT _____	
NOTICE OF INTENTION TO PULL OR ALTER CASING _____	SUPPLEMENTARY WELL HISTORY _____	
NOTICE OF INTENTION TO ABANDON WELL _____		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

January 29, 19 58

Navajo Tribe "E"  
Well No. 12 is located 690 ft. from  $\left[ \begin{smallmatrix} N \\ E \end{smallmatrix} \right]$  line and 2140 ft. from  $\left[ \begin{smallmatrix} E \\ W \end{smallmatrix} \right]$  line of sec. 15

NW 1/4 of Sec. 15 40-S 24-E SLM  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Aneth San Juan Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4782 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded 11:00 P.M., December 7, 1957

Drilled 11" hole to 1504' and cemented 1494' of 8-5/8" O.D. casing at 1504' with 1050 sacks of cement. Cement circulated. Tested casing with 1000# pressure for 30 minutes. Tested OK.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Texas Company

Address Box 817

Farmington, New Mexico

By [Signature]

Title Dist. Supt.

Form 9-331b  
(April 1952)

(SUBMIT IN TRIPLICATE)


Indian Agency Navajo

Tribal

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Allottee

Lease No. I-149-IND-8834



7/14  
3-28

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Navajo Tribe "E"

March 14, 19 58

Well No. 12 is located 690 ft. from N line and 2140 ft. from W line of sec. 15

NW 1/4 of Sec. 15  
(1/4 Sec. and Sec. No.)

40-S  
(Twp.)

24-E  
(Range)

SLM  
(Meridian)

Anoth  
(Field)

San Juan  
(County or Subdivision)

Utah  
(State or Territory)

The elevation of the derrick floor above sea level is 4782 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Drilled 7-7/8" hole to 5861' and cemented 5851' of 5-1/2" O.D. casing at 5861' with 250 sacks of cement. Top of cement 4660'. Tested casing with 800# pressure for 30 minutes. Tested OK.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Texas Company

Address Box 817

Farmington, New Mexico

By [Signature]

Title District Superintendent

Form 9-331b  
(April 1952)

(SUBMIT IN TRIPLICATE)


Indian Agency Navajo

Tribal

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Allottee

Lease No. I-149-IND-8834



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	X
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Navajo Tribe "E" July 24, 1958

Well No. 12 is located 690 ft. from N line and 2140 ft. from W line of sec. 15

NW 1/4 of Sec. 15  
(1/4 Sec. and Sec. No.)

40-S  
(Twp.)

24-E  
(Range)

SLM  
(Meridian)

Aneth

(Field)

San Juan

(County or Subdivision)

Utah

(State or Territory)

The elevation of the derrick floor above sea level is 4782 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Total depth 5861'. Plugged back depth 5847'.

Perforated 5-1/2" casing from 5682' to 5698' with 4 jet shots per foot. Acidized perforations through tubing with 1000 gallons regular 15% acid. Spotted 400 gallons fix-a-frac over perforations. Set C.I. bridge plug at 5672'. Perforated 5-1/2" casing from 5638' to 5648' and 5660' to 5670' with 4 jet shots per foot. Spotted 5 gallons fix-a-frac on bridge plug and acidized perforations with 1000 gallons regular 15% acid. Spotted 300 gallons fix-a-frac and reacidized with 1000 gallons regular 15% acid. Drilled out bridge plug and cleaned out to MBTD, 5847'. After swabbing for several days, swabbed at the rate of 61 barrels of oil and 85 barrels of salt water  
I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. in 24 hrs.

Company The Texas Company

Address Box 817


Farmington, New Mexico

By C. H. McLeaf

Title Asst. Dist. Supt.

W

U. S. LAND OFFICE Navajo Tribal  
SERIAL NUMBER I-149-IND-8834  
LEASE OR PERMIT TO PROSPECT \_\_\_\_\_



LOCATE WELL CORRECTLY

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

71-4  
8-11-58

LOG OF OIL OR GAS WELL

Company The Texas Company Address Box 817, Farmington, N. M.  
Lessor or Tract Navajo Tribe "E" Field Aneth State Utah  
Well No. 12 Sec. 15 T. 40-S R. 24-E Meridian SLM County San Juan  
Location 690 ft. S. of N Line and 2140 ft. E. of W Line of Section 15 Elevation 4782'  
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed C. H. McLeod

Date July 24, 1958 Title Asst. Dist. Sup't.

The summary on this page is for the condition of the well at above date.

Commenced drilling December 7, 19 57 Finished drilling January 13, 19 58

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from 5638' to 5698' No. 4, from \_\_\_\_\_ to \_\_\_\_\_  
No. 2, from \_\_\_\_\_ to \_\_\_\_\_ No. 5, from \_\_\_\_\_ to \_\_\_\_\_  
No. 3, from \_\_\_\_\_ to \_\_\_\_\_ No. 6, from \_\_\_\_\_ to \_\_\_\_\_

IMPORTANT WATER SANDS

No. 1, from None to \_\_\_\_\_ No. 3, from \_\_\_\_\_ to \_\_\_\_\_  
No. 2, from \_\_\_\_\_ to \_\_\_\_\_ No. 4, from \_\_\_\_\_ to \_\_\_\_\_

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	
8-5/8	24	8R	Smls	1494	Baker	None			
5-1/2	14	8R	Smls	6500	Baker	None			
5-1/2	15.5	8R	Smls	351	Baker	None			

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
8-5/8	1504'	1050	Halliburton		
5-1/2	5861'	250	Halliburton		

PLUGS AND ADAPTERS

Heaving plug—Material None Length \_\_\_\_\_ Depth set \_\_\_\_\_  
Adapters—Material None Size \_\_\_\_\_

SHOOTING RECORD

FOLD MARK

W/ MARK FOLD

casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
8-5/8	1504'	1050	Halliburton		
5-1/2	5861'	250	Halliburton		

**PLUGS AND ADAPTERS**

Heaving plug—Material None Length \_\_\_\_\_ Depth set \_\_\_\_\_  
 Adapters—Material None Size \_\_\_\_\_

**SHOOTING RECORD**

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out
<u>None</u>						

**TOOLS USED**

Rotary tools were used from 0 feet to 5861 feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 Cable tools were used from None feet to \_\_\_\_\_ feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet

**DATES**

Tested July 23, 1958 Put to producing May 25, 1958  
 The production for the first 24 hours was 91 barrels of fluid of which 37% was oil; \_\_\_\_\_% emulsion; 63% water; and \_\_\_\_\_% sediment. Gravity, °Bé. 40°  
 If gas well, cu. ft. per 24 hours \_\_\_\_\_ Gallons gasoline per 1,000 cu. ft. of gas \_\_\_\_\_  
 Rock pressure, lbs. per sq. in. \_\_\_\_\_ Pump test. 16 strokes per minute.  
54" strokes. 1-1/2" x 16' pump.

**EMPLOYEES**

M. O. Bear, Driller E. W. Griffin, Driller  
Arvie Bryant, Driller \_\_\_\_\_, Driller

**FORMATION RECORD**

FROM—	TO—	TOTAL FEET	FORMATION
0	200	200	Sand & Rock
200	515	315	Sand & Shale
515	1310	795	Sand & Red Bed
1310	1583	273	Red Bed
1583	2663	1080	Sand & Red Bed
2663	4711	2048	Sand & Shale
4711	4866	155	Lime & Shale
4866	4899	33	Lime
4899	5558	659	Lime & Shale
5558	5572	14	Lime & Chert
5572	5650	78	Lime
5650	5760	110	Lime & Shale
5760	5800	40	Lime
5800	5857	57	Lime & Shale
5857	5861	4	Salt
Total Depth 5861'			
Plugged Back Depth 5847'			

W/

JUL 28 1958






*Copy H.P.C.*

*✓*  
*PMB*

(SUBMIT IN TRIPLICATE)

Indian Agency Navajo



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Allottee \_\_\_\_\_

Lease No. I-149-IND-8834

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 2, 1963

**Aneth Unit**  
Well No. F115 is located 690 ft. from N line and 2140 ft. from E line of sec. 15  
NW 1/4 of Sec. 15 40-S 24-N S1M  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Aneth San Juan Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4762 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

**Proposed remedial work is for the purpose of completing well in the Ismay Pay Zone and commingling the Desert Creek and Ismay production. Procedure for proposed work is as follows:**

**Pull rods and tubing and perforate 5 1/2" casing from 5589' to 5594' with 10 jet shots and from 5602' to 5610' with 10 jet shots. Run tubing with retrievable bridge plug and packer. Set bridge plug at 5625' and packer at 5560'. Acidize perforations 5589' to 5610' with 500 gallons of HCLST acid and 1500 gallons of retarded acid. Pull tubing with packer and bridge plug. Rerun tubing and rods and returned well to pumping.**


I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company TEXACO Inc.  
Address P. O. Box 810  
Farmington, New Mexico  
By [Signature]  
Title District Superintendent

*H-*

20

Form 9-831b  
(April 1952)



*Copy H.K.E.*  
**(SUBMIT IN TRIPLICATE)**

Form approved.  
Budget Bureau No. 42-R359.4.

*Part 2*  
*Z*

**UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY**

Indian Agency **Navajo**

Allottee \_\_\_\_\_

Lease No. **I-149-IND-8934**

**SUNDRY NOTICES AND REPORTS ON WELLS**

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 11, 1963

**Aneth Unit**  
Well No. **F115** is located **690** ft. from **[N]** line and **2140** ft. from **[W]** line of sec. **15**

**NW 1/4 of Sec. 15** (1/4 Sec. and Sec. No.) **40-S** (Twp.) **24-E** (Range) **SLM** (Meridian)

**Aneth** (Field) **San Juan** (County or Subdivision) **Utah** (State or Territory)

The elevation of the derrick floor above sea level is **4782** ft.

**DETAILS OF WORK**

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

**Commenced workover 4-10-63.**

**Reason for remedial work was to complete well in the Ismay pay zone and commingle the Desert Creek and Ismay production.**

**Pulled rods and tubing and perforated 5 1/2" casing from 5589' to 5594' with 10 jet shots and from 5602' to 5610' with 10 jet shots. Set retrievable bridge plug at 5625' and packer at 5560'. Treated perforations 5589' to 5610' through tubing with 500 gallons of non-emulsified acid and 1500 gallons of retarded acid. Treating pressure 5000 to 3300 PSI with an average injection rate of 1.5 barrels per minute. 5 minute shut-in pressure 0. After completing treatment, swabbed and flowed 48 barrels of acid water, 22 barrels of lead oil**

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **TEXACO Inc.**

Address **Box 810**  
**Farmington, New Mexico**

By *[Signature]*

Title **District Superintendent**

and 344 barrels of new oil in 24 hours. Pulled tubing with packer and bridge plug. Reran tubing and rods and connected up pumping unit. On 24 hours test ending 4-17-63, pumped 120 barrels of oil and 108 barrels of water. Length of pump stroke 84" with 15 strokes per minute.

APR 15 1963

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

**SUNDRY NOTICES AND REPORTS ON WELLS**

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well  gas well  other

2. NAME OF OPERATOR  
Texaco, Inc.

3. ADDRESS OF OPERATOR  
P.O. Box EE, Cortez, Colo, 81321

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
NE 1/4 - NW 1/4 - Sec 15  
AT SURFACE: 690' FNL & 2140' FWL  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH:

5. LEASE  
I-149 AND 18834

6. IF INDIAN, ALIEN OR TRIBE NAME  
Navajo

7. UNIT AGREEMENT NAME  
Aneth Unit

8. FARM OR LEASE NAME  
Unit

9. WELL NO.  
F115

10. FIELD OR WILDCAT NAME  
Aneth

11. SEC., T., R., M. OR BLK. AND SURVEY OR AREA  
Sec 15 T40S R24E

12. COUNTY OR PARISH  
San Juan

13. STATE  
Utah

14. API NO.

15. ELEVATIONS (SHOW DEPTH OF KDB AND WD)  
4783 KB

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	<input type="checkbox"/>		<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>		<input type="checkbox"/>
SHOOT OR ACIDIZE	<input checked="" type="checkbox"/>		<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>		<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>		<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>		<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>		<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>		<input type="checkbox"/>
(other)			

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Texaco, Inc. plans to perforate and acidize additional Desert Creek pay in AU well F115. All work will be done in accordance with USGS and UOGCC regulations. The proposed procedure is as follows:

1. MIRUSU. Pull production equipment.
2. Perforate intervals 5733-36 and 5720-28 with 2 JSPF.
3. RIH with treating packer and tubing.
4. Spot 250 gal 28% HCl across interval 5720-36. Let soak 1/2 hour.
5. Acidize interval 5720-36 with 2000 gal 18% HCl in 2 stages.
6. Swab back load fluid.
7. Run production equipment and return well to production.

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Abin R. Mart TITLE Field Supt. DATE 1-20-82

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

USGS(4) UOGCC(3) Navajo Tribe-Superior Oil-CDE-ARM  
**APPROVED BY THE STATE OF UTAH DIVISION OF OIL, GAS, AND MINING**

\*See Instructions on Reverse Side

DATE: 2/10/82  
UB

# DAILY DRILLING REPORT

Denver - Farmington District                      DIVISION

AS OF 7 A.M. March 20,21,22, 1982

LEASE	WELL NO.	COMMENCED DRILLING	SIZE AND DEPTH LAST STRING CASING SET	FORMATION AND REMARKS	DEPTH YESTERDAY	DEPTH TODAY
<u>UTAH</u>						
<u>IDC WORKOVERS</u>						
Ismay-Flodine Park Est #14405	Unit U227	12-12-60	5 1/2"	3-20: P24 hrs, 2 B0, 99 BW	5679' TD 5640' PBD	
				3-21: P24 hrs, 1 B0, 104 BW	5679' TD 5640' PBD	
				3-22: P24 hrs, 2 B0, 100 BW	5679' TD 5640' PBD	
Aneth Unit Est #14404	F115	12-7-57	5 1/2"	3-20: P19 hrs, no test SUM: TP 20 psi; released pkr; TOOH; install SN; TIH w/tbg & pkr; set pkr @ 5707'; ran 1 1/2" pump & rods; hang well on; RDMOSU.	5861' TD 5847' PBD	
				3-21: P19 hrs, 5 B0, 124 BW	5861' TD 5847' PBD	
				3-22: P24 hrs, 20 B0, 166 BW	5861' TD 5847' PBD	

**RECEIVED**

MAR 25 1982

DIVISION OF  
OIL, GAS & MINING

# DAILY DRILLING REPORT

Denver - Farmington District

DIVISION

AS OF 7 A.M. March 23,24,25,26, 1982

LEASE	WELL NO.	COMMENCED DRILLING	SIZE AND DEPTH LAST STRING CASING SET	FORMATION AND REMARKS	DEPTH YESTERDAY	DEPTH TODAY
<u>UTAH</u>						
<u>IDC WORKOVERS</u>						
Ismay-Flodine Park Est #14405	Unit	U227	12-12-60	5 1/2"	3-23: P24 hrs, 3 B0, 99 BW	5679' TD
						5640' PBT
					3-24: P24 hrs, 2 B0, 99 BW	5679' TD
						5640' PBT
Aneth Unit Est #14404	F115	12-7-57	5 1/2"	3-23: P24 hrs, 21 B0, 147 BW Running rod string	5861' TD	
					5847' PBT	
				3-24: P8 hrs, 10 B0, 44 BW Down 16 hrs parted rods MISU; fished parted rods; pulled rods, tbg, & pkr.	5861' TD	
					5847' PBT	
				3-25: P20 hrs, no test SUM: Run in hole w/tbg & anchor; run rods & 1 1/2" pump; MOSU.	5861' TD	
				3-26: P12 hrs, 18 B0, 15 BW SN 5618'.	5847' PBT	

RECEIVED

MAR 30 1982

DIVISION OF  
OIL, GAS & MINING

# DAILY DRILLING REPORT

Denver - Farmington District                      DIVISION

AS OF 7 A.M. March 30, 31, April 1,  
2, 1982

LEASE	WELL NO.	COMMENCED DRILLING	SIZE AND DEPTH LAST STRING CASING SET	FORMATION AND REMARKS	DEPTH YESTERDAY	DEPTH TODAY
<b>UTAH</b>						
<b>IDC WORKOVERS</b>						
Ismay-Flodine Park Unit Est #14405 Location: 2120' FNL, 3330' FWL Sec 27, T40S, R26E San Juan Co., Utah	U227	12-12-60	5 1/2"	3-30: P24 hrs, 3 BO, 144 BW  FINAL REPORT 3-31: P24 hrs, 5 BO, 152 BW Purpose of WO: Perf additional Ismay & acidize Perfs: 5510-20', 5562-70', 5598-5606' Prod. Before WO: 7 BO, 56 BW Prod. After WO: 5 BO, 152 BW SUCCESSFUL Completion Date: 3-31-82 <u>DROPPING FROM REPORT</u>	5679' 5640'	TD PBTD
Aneth Unit Est #14404 Location: 690' FNL, 2140' FWL Sec 15, T40S, R24E San Juan Co., Utah	F115	12-7-57	5 1/2"	3-30: P24 hrs, 72 BO, 162 BW  3-31: P24 hrs, 45 BO, 158 BW  FINAL REPORT 4-1: P24 hrs, 42 BO, 156 BW Purpose of WO: Perf & acidize Perfs: 5682-98', 5660-70', 5638-48', 5589-94', 5602-10' Prod. Before WO: 28 BO, 87 BW Prod. After WO: 42 BO, 156 BW SUCCESSFUL Date of Completion: 4-1-82 <u>DROPPING FROM REPORT</u>	5861' 5847'	TD PBTD

RECEIVED

APR 06 1982

DIVISION OF  
OIL, GAS & MINING

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

**SUNDRY NOTICES AND REPORTS ON WELLS**

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well  gas well  other

2. NAME OF OPERATOR  
**Texaco, Inc.**

3. ADDRESS OF OPERATOR  
**P.O. Box EE, Cortez, Colo. 81321**

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
**NE $\frac{1}{4}$ -NW $\frac{1}{4}$ -Sec 15**  
AT SURFACE: **690' FNL & 2140' FWL**  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

5. LEASE  
**I-149-IND-8834**

6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
**Navajo**

7. UNIT AGREEMENT NAME  
**Aneth Unit**

8. FARM OR LEASE NAME

9. WELL NO.  
**F115**

10. FIELD OR WILDCAT NAME  
**Aneth**

11. SEC., T., R., M.; OR BLK. AND SURVEY OR AREA  
**Sec 15, T40S, R24E**

12. COUNTY OR PARISH 13. STATE  
**San Juan Utah**

14. API NO.

15. ELEVATIONS (SHOW DF, OF, AND WD)  
**4783 KB**

REQUEST FOR APPROVAL TO:	SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF <input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	<input checked="" type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE <input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES <input type="checkbox"/>	<input type="checkbox"/>
ABANDON* <input type="checkbox"/>	<input type="checkbox"/>
(other) <input type="checkbox"/>	<input type="checkbox"/>

RECEIVED  
APR 19 1982  
DIVISION OF  
OIL, GAS & MINING

(NOTE: Report results of multiple completion or log change on Form 9-337)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

**3-14-82 : MIRUSU. Perforated Desert Creek intervals 5720-28 and 5733-36 with 2 JSPF. TIH with tubing and packer. Spotted 250 gal 28% HCl across new perforations. Set packer at 5714' KB. Let acid soak for 1/2 hour, and then overdisplaced acid into formation by two bbls. using produced water. Fluid went into formation on vacuum. Swabbed back load fluid. TOOH with tubing and packer. TIH with production string. BOP.**

**Test Before: 26 BOPD/87 BWPD Test After: 60 BOPD/159 BWPD (seven day average)**

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Alvin R. Manf TITLE Field Supt. DATE 4-12-82

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

**USGS(4) UOGCC(3) Superior Oil-CDF-ARM-Navajo Tribe**

\*See Instructions on Reverse Side

**UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY**

**SUNDRY NOTICES AND REPORTS ON WELLS**

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well  gas well  other

2. NAME OF OPERATOR  
**Texaco Inc.**

3. ADDRESS OF OPERATOR  
**P.O. Box EE Cortez, Colo. 81321**

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
**NE $\frac{1}{4}$ -NW $\frac{1}{4}$ - Sec-15**  
AT SURFACE:  
AT TOP PROD. INTERVAL: **690' FNL & 2140' FWL**  
AT TOTAL DEPTH:

5. LEASE  
**I-149-ND-8834**

6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
**Navajo**

7. UNIT AGREEMENT NAME  
**Aneth Unit**

8. FARM OR LEASE NAME  
**Unit**

9. WELL NO.  
**F115**

10. FIELD OR WILDCAT NAME  
**Aneth Field**

11. SEC., T., R., OR BLK. AND SURVEY OR AREA  
**Sec-15 T40S R24E**

12. COUNTY OR PARISH  
**San Juan**

13. STATE  
**Utah**

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)  
**4783KB**

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:	SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF <input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL <input checked="" type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE <input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES <input type="checkbox"/>	<input type="checkbox"/>
ABANDON* <input type="checkbox"/>	<input type="checkbox"/>
(other) <input type="checkbox"/>	<input type="checkbox"/>

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

**Texaco Inc. plans to repair suspected casing leak in well AU F115**

1. MIRUSU - TOOH W/rods & tubing.
2. Run in hole W/retrievable bridge plug, packer tubing.
3. Isolate suspected csg. leak (S)
4. Squeeze csg leak W/150 sx class B cement, 1000 psi, sur. pres.
5. Drill out cement.
6. Pressure test csg to 900 psi. surface pressure.
7. Put well back on production.

Verbal approval given for above procedure to workover.

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Alvin R. Mann TITLE Field Supt. DATE 10/28/82

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

MMS (4) UOGCC (3) Superior Oil - Navajo Tribe CDF - ARM

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well  gas well  other

2. NAME OF OPERATOR  
**Texaco Inc**

3. ADDRESS OF OPERATOR  
**P.O. Box EE Cortez, Colo. 81321**

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
**NE $\frac{1}{4}$ -NW $\frac{1}{4}$  Sec-15**  
AT SURFACE:  
AT TOP PROD. INTERVAL: **690'FNL & 2140'FWL**  
AT TOTAL DEPTH:

5. LEASE  
**I-149-1100-8834**

6. IF INDIAN, ALLIGEE OR TRIBE NAME  
**Navajo**

7. UNIT AGREEMENT NAME  
**Aneri Unit**

8. FARM OR LEAS NAME  
**Unit**

9. WELL NO.  
**F15**

10. FIELD OR WILDCAT NAME  
**Aneri**

11. SEC., T., R., OR BLK. AND SURVEY OR AREA  
**Sec-15 T-40S R-24E**

12. COUNTY OR PARISH  
**San Juan**

13. STATE  
**Utah**

14. API NO.

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

PULL OR ALTER CASING

MULTIPLE COMPLETE

CHANGE ZONES

ABANDON\*

(other)

RECEIVED

OCT 14 1982

DIVISION OF  
OIL, GAS & MINING

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

9-2-82 MIRUSU-TOOH W/rods, pump & tbq. TIH W/RBP, pkr. **3950'KB**. TOOH W/bit & scraper, Tagged PBD at 5800 KB. TOOH W/fools. TIH W/RBP, pkr, & tbq. Isolated hole at 2404-08 KB. Squeezed hole W/150sx class B cmt. W/2% CaCl<sub>2</sub> to 2000 psi sur. pres. Staged cmt. and left 1600# on csg. Drilled out cmt. pressure tested csg to 000# bled off to 700# in 3 min. TIH WRBP, pkr, & tbq. Isolated 2nd. hole from 3666 to 3744' Squeezed W/50 sx class B cmt. 2% CaCl<sub>2</sub> to 2000 psi surface pressure Tested csg to 800#, bled to 700# in 5 min. TOOH W/pkr & tbq. TIH W/bit & scraper. Drilled out cmt. pressure tested csg. to 800# TIH W/rods & tbq. & pump. Put well back on production.

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct  
SIGNED Alvin R. Mays TITLE Field Supt. DATE 10-14-82

(This space for Federal or State office use)  
APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

MMS (4) UOGCC (3) Superior - Navajo Tribe - CDE ARM

\*See Instructions on Reverse Side

DATE: 05/02/91

## WELLS BY OPERATOR

PAGE: 89

ACCT NUM	COMPANY NAME	FLD NUM	FIELD NAME	TOWN SHIP	RANGE	SEC	QTR QTR	API NUMBER	PROD ZONE	WELL STATUS	ENTITY	WELL NAME		
NO960	TERRA RESOURCES, INC.	160	BAR X	S170	E250	1	SWSW	4301930591		LA	99998	BAR X UNIT #10		
				S170	E250	11	SESW	4301930607		LA	99998	BAR X UNIT #17		
				S170	E250	12	NWNW	4301930616		LA	99998	BAR X UNIT #18		
NO970	TETON ENERGY CO INC	1	WILDCAT	S170	E260	18	SWNW	4301930592		PA	99998	BAR X UNIT #11		
				S140	E080	27	SWSW	4300730065		PA	99998	HALEY SIDING STATE #27-3		
		65	BLUEBELL	S140	E080	36	NESE	4300730042		PA	99998	HALEY'S SIDING #36-4		
				SO10	W030	13	SWNE	4301330436		LA	99998	UTE TRIBAL #13-1		
				SO10	W030	14	NWNE	4301330437		LA	99998	UTE TRIBAL #14-1		
				SO10	W030	23	NENW	4301330438		LA	99998	UTE TRIBAL #23-1		
				SO60	E200	8	NENW	4304730377		PA	99998	FEDERAL #1-8		
				NO980	TEXACO INC	200	FENCE CANYON	S155	E230	33	SWSE	4301916046	DKTA	SGW
		380	ISMAY	S400	E260	16	SWSE	4303715545	ISMAY	POW	7010	ST WOOLLEY 2 (U416)		
				S400	E260	16	SWNW	4303715546	ISMAY	POW	7010	ST WOOLLEY 3 (S216)		
365	GREATER ANETH	S400	E230	12	SWSW	4303715822	DSCR	POW	7000	BURTON 14-12 (A412)				
		S400	E230	13	NENW	4303715824	DSCR	POW	7000	BURTON 21-13 (B113)				
		S400	E230	12	SWSE	4303715829	DSCR	POW	7000	BURTON 34-12 (C412)				
		S400	E240	16	SWNE	4303715835	DSCR	POW	7000	ST THREE 32-16 (G216)				
		S400	E240	16	NESE	4303715837	DSCR	POW	7000	ST THREE 43-16 (H316)				
		S400	E230	14	SWSW	4303716031	DSCR	SOW	7000	ARROWHEAD 8 (A414)				
		S400	E230	11	NESE	4303716037	DSCR	SOW	7000	MESA 2 (ANTH D311)				
		S400	E240	15	SWNW	4303716058	IS-DC	POW	7000	NAV TRB E-2 (E215)				
		S400	E240	15	NENW	4303716074	IS-DC	POW	7000	NAV TRB E-12 (F115)				
		S400	E240	25	SENW	4303716080	DSCR	POW	7000	NAV TRB C-20 (F225)				
		S400	E240	35	NWNE	4303716098	DSCR	PA	7000	NAV TRB Q-1 (G135)				
		S400	E240	22	SWNE	4303716099	DSCR	POW	7000	NAV TRB D-1 (G222)				
		S400	E240	15	SESE	4303716126	IS-DC	POW	7000	NAV TRB E-1 (H415)				
		380	ISMAY	S400	E260	7	SWSW	4303716174	ISMAY	POW	7010	NAV TRB H-2 (S407)		
				S400	E260	17	SWSW	4303716175	ISMAY	SOW	7010	NAV TRB J16 (S417)		
				S400	E260	18	SWSW	4303716176	ISMAY	SOW	7010	NAV TR K-10 (S418)		
				S400	E260	17	SWNE	4303716180	ISMAY	POW	7010	NAV TRB J12 (U217)		
				S400	E260	18	SWNE	4303716181	ISMAY	SOW	7010	NAV TR K-2 (U218)		
				S400	E260	21	SWNE	4303716182	ISMAY	PA	7010	NAV TR J-14 (U221)		
				S400	E260	18	NENE	4303716189	ISMAY	SOW	7010	NAV TR K-6 (V118)		
S400	E260			18	NENE	4303716189	ISMAY	SOW	7010	NAV TR K-6 (V118)				
365	GREATER ANETH	S400	E240	34	NWNE	4303716225	DSCR	POW	7000	ANETH 34-C1 (G134)				
		S400	E240	34	SESE	4303716230	IS-DC	POW	7000	ANETH 34-D4 (H434)				
380	ISMAY	S400	E260	27	SWNW	4303716231	ISMAY	POW	7010	E ANETH 27A2 (S227)				
365	GREATER ANETH	S400	E240	11	SESE	4303716325	IS-DC	PA	99998	NAVAJO A 44-11 (ANETH H-4)				
380	ISMAY	S400	E260	20	SENE	4303720055	ISMAY	PA	7010	WATER WELL 2 (V220)				
365	GREATER ANETH	S400	E240	14	NWNW	4303730093	IS-DC	POW	7000	ANETH U E114				
		S400	E240	7	NESW	4303730115	IS-DC	POW	7000	ANETH U F307				
		S400	E240	21	NENW	4303730117	DSCR	POW	7000	ANETH U F121				
		S400	E240	18	NESE	4303730136	IS-DC	POW	7000	ANETH U H318				
		S400	E240	20	SWNW	4303730150	DSCR	POW	7000	ANETH U E220				
		S400	E240	7	SWSE	4303730151	DSCR	POW	7000	ANETH U G407				
		S400	E240	17	NENE	4303730153	DSCR	POW	7000	ANETH U H117				
		S400	E240	18	NENW	4303730155	DSCR	WIW	7000	ANETH U F118				
		S400	E230	13	NESE	4303730162	DSCR	POW	7000	ANETH U D313				



Texaco Exploration and Production Inc  
Midland Producing Division

P O Box 3109  
Midland TX 79702-3109

May 22, 1991

RECEIVED

MAY 28 1991

DIVISION OF  
OIL GAS & MINING

Division of Oil, Gas, and Mining  
Attn: Ms. Lisha Romero  
355 West North Temple  
3 Triad Center, Suite 350  
Salt Lake City, Utah 84180-1203

Gentlemen:

This is to advise that as a part of a reorganization of Texaco Inc., a Delaware corporation, the name of Texaco Producing Inc., a Delaware corporation and wholly owned subsidiary of Texaco Inc., has been changed to Texaco Exploration and Production Inc. Further, Texaco Exploration and Production Inc. will succeed to the rights, titles, interests and obligations of Texaco Inc.

This means that Texaco Exploration and Production Inc. will be the operator for all the oil and gas properties that were operated by Texaco Inc. and Texaco Producing Inc. We plan to abbreviate the name as Texaco E & P Inc. for purposes of submitting production reports, etc., via computer, and we suggest that for consistency you use that abbreviation also.

We have enclosed a Sundry Notice with a list of the wells which Texaco operates in Utah. Also attached is UIC Form 5 for transfer of injection authority. Please note that Texaco has two Divisions which operate wells in Utah. One is located in Denver, Colorado, and the other is in Midland, Texas. We have enclosed separate Sundry Notices and lists of wells for each Division. If you have questions concerning the Denver-operated wells, please call Roger Hadley at (303) 793-4833. If you have questions concerning the Midland-operated wells, please call Ken Miller at (915) 688-4834.

Please change any of your other records as necessary to reflect this change.

Yours very truly,

R. S. Lane  
Assistant Division Manager

RKH/KMM-CC

Attachments

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS, AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO.
2. NAME OF OPERATOR Texaco Exploration and Production Inc.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR P.O. Box 46510, Denver, CO 80201		7. UNIT AGREEMENT NAME
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface		8. FARM OR LEASE NAME
14. PERMIT NO.		9. WELL NO.
15. ELEVATIONS (Show whether OF, BT, OR, etc.)		10. FIELD AND POOL, OR WILDCAT
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
		12. COUNTY OR PARISH 13. STATE

RECEIVED  
MAY 28 1991

DIVISION OF  
OIL GAS & MINING

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF	<input type="checkbox"/>	FULL OR ALTER CASING	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	MULTIPLE COMPLETE	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	ABANDON*	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	CHANGE PLANS	<input type="checkbox"/>
(Other) Transfer of Plugging Bond	<input checked="" type="checkbox"/>		

SUBSEQUENT REPORT OF:

WATER SHUT-OFF	<input type="checkbox"/>	REPAIRING WELL	<input type="checkbox"/>
FRACTURE TREATMENT	<input type="checkbox"/>	ALTERING CASING	<input type="checkbox"/>
SHOOTING OR ACIDIZING	<input type="checkbox"/>	ABANDONMENT*	<input type="checkbox"/>
(Other) Transfer of Owner/Operator	<input checked="" type="checkbox"/>		

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Texaco Inc. has assigned all its ownership rights in the subject well. As of January 1, 1991, Texaco Inc. is no longer the Operator of subject well. The New Operator Texaco Exploration and Production Inc. hereby accepts operating responsibility and liability under its good and sufficient bond or other security accepted by the Commission for proper plugging and surface restoration of the subject well.

Former Operator:

TEXACO INC.

Signed:

[Signature]  
Attorney-in-Fact  
for Texaco Inc.

Date:

3/1/91

New Operator:

Texaco Exploration and Production Inc.

Signed:

[Signature]

Title:

Division Manager

Date:

3/1/91

18. I hereby certify that the foregoing is true and correct

SIGNED

[Signature]

TITLE

Division Manager

DATE

3/1/91

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CHIEF OF APPROVAL, IF ANY:



Routing:	
1- LCR/GIL	✓
2- DTS/DTS	✓
3- VLC	✓
4- RJF	✓
5- RWM	✓
6- LCR	✓

Attach all documentation received by the Division regarding this change.  
 Initial each listed item when completed. Write N/A if item is not applicable.

Change of Operator (well sold)       Designation of Agent  
 Designation of Operator       Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 1-1-91)  
**(TEXACO EXPLORATION AND PRODUCTION INC.)**  
 TO (new operator) TEXACO E & P INC. FROM (former operator) TEXACO INC.  
 (address) 3300 NORTH BUTLER (address) 3300 NORTH BUTLER  
FARMINGTON, NM 87401 FARMINGTON, NM 87401  
BRENT HELQUIST FRANK  
 phone (505) 325-4397 phone (505) 325-4397  
 account no. N 5700 (6-5-91) account no. N 0980

Well(s) (attach additional page if needed):

Name: <u>(SEE ATTACHED)</u>	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____

**OPERATOR CHANGE DOCUMENTATION**

- See 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). (5-28-91)
- N/A 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form).
- See 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes) no \_\_\_\_ If yes, show company file number: #114097.
- See 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of Federal and Indian well operator changes should take place prior to completion of steps 5 through 9 below.
- See 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. (6-11-91)
- See 6. Cardex file has been updated for each well listed above.
- See 7. Well file labels have been updated for each well listed above. (will update when filing?)
- See 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission.
- See 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ITY REVIEW

- 1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) no (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
- 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

DVERIFICATION (Fee wells only)

- 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond. #K0290791-4 80,000-Ins. Co. of N. America rec. 2-11-91.
- 2. A copy of this form has been placed in the new and former operators' bond files.
- 3. The former operator has requested a release of liability from their bond (yes/no) yes. Today's date \_\_\_\_\_ 19\_\_\_\_. If yes, division response was made by letter dated \_\_\_\_\_ 19\_\_\_\_. #m157448 80,000-Ins. Co. of N. America

SE INTEREST OHNER NOTIFICATION RESPONSIBILITY

- 1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated \_\_\_\_\_ 19\_\_\_\_, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
- 2. Copies of documents have been sent to State Lands for changes involving State leases. 6-27-91

MING

- 1. All attachments to this form have been microfilmed. Date: July 15 1991.

ING

- 1. Copies of all attachments to this form have been filed in each well file.
- 2. The original of this form and the original attachments have been filed in the Operator Change file.

MENTS

910606 Btm/Farmington N.M. - Duane Spencer (505) 327-5344 will follow up & call back.

910607 Btm/Farmington - Approved 4-2-91 "Company Merger" Includes Aneth Unit and Ismay Flodine Unit.

910607 St. Lands approved 4-15-91 "merger".

**UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT**

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT --" for such proposals

5. Lease Designation and Serial No.  
I-149-IND-8834

6. If Indian, Alottee or Tribe Name  
Navajo Tribe

7. If Unit or CA, Agreement Designation  
Aneth Unit

8. Well Name and Number  
ANETH UNIT  
F115

9. API Well No.  
4303716074

10. Field and Pool, Exploratory Area  
Dessert Creek

11. County or Parish, State  
SAN JUAN, UTAH

**SUBMIT IN TRIPLICATE**

1. Type of Well:  OIL WELL  GAS WELL  OTHER INJECTION WELL

2. Name of Operator  
TEXACO EXPLORATION & PRODUCTION, INC.

3. Address and Telephone No.  
3300 N. Butler Ave, Ste100 Farmington NM 87401 325-4397

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
Unit Letter C : 690 Feet From The NORTH Line and 2140 Feet From The  
WEST Line Section 15 Township T40S Range R24E

12. Check Appropriate Box(s) To Indicate Nature of Notice, Report, or Other Data

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input checked="" type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log Form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work).\*

\*\*\*\*\* THIS SUNDRY IS FOR UTAH SEVERANCE TAX CALCULATION INFORMATION PURPOSES ONLY \*\*\*\*\*

Texaco E&P has converted F115 from a producer to a Injection well.

10/6-19/99 MIRUSU TOOH W/ RODS AND PUMP. NIPPLE UP BOP's TOOH W/ TBG. RIG UP HYDROTESTER, PICK UP 4-3/4" BIT AND 5-1/2" SCRAPER, HYDROTEST TBG. IN HOLE. TAG FILL @ 5632' CLEANED OUT TO PBTD 5847' CIRCULATED CLEAN. TOOH W/ TBG. AND TOOLS. LAID DOWN TOOLS PICKED UP 5-1/2" RBP TIH W/ 169 JTS. SET RBP. PULLED 2 JTS PRESS TEST CASING TO 1,000 PSI LOST 75# IN 10 MIN. TOOH W/ TBG. LAID DOWN RETRIEVING TOOL AND PICKED UP PACKER, TIH. ISOLATED HOLE IN CASING @ 36126'- 3744'. TOH W/TBG. AND PACKER. LAY DOWN PKR. PICK UP RBP#2 TIH TO 3940' SET RBP. TOH W/TBG AND TOOL. PICK UP 9 JTS TAIL PIPE AND 5-1/2" PKR TIH UNTIL END OF PIPE@ 3544'. RIG UP DOWELL SPOT SAND TO EOT. SQUEEZED W/ 25 SAX SQUEEZECRETE. RIG DOWN DOWELL. TOOH W/TBG AND PKR. PICK UP 4-3/4" BIT TAGGED CMT. @ 3554', DRILLED OUT CEMENT. TESTED TO 1,000# HELD FOR 30 MIN. CIRCULATED CLEAN TOOH W/TBG AND BIT. LAY DOWN BIT, PICK UP RERTRIEVING TOOL TIH CIRCULATED SAND OFF #2 RBP RETRIEVED RBP AND TOOH W/TBG AND RBP. TIH W/ TOOL AND TBG. CIRCULATED #1 RBP CLEAN, RETRIEVED AND TOOH W/ TBG AND RBP. RIG UP HALLIBURTON WIRELINE AND RAN CCL AND GAMMA RAY LOGS THEN PERFORATED 5740'-44' AND 5755'-60' W/ 4 JSPF.TIH W/ PKR AND TBG, SET PKR @ 5398' ACIDIZED W/ 2500 GAL 28% HCL TOOH W/ TBG AND PKR. LAYING DOWN WORK STRING. PICK UP INJ. PKR. TIH W/ PKR AND DOULINE TBG. INHIBITED CSG. SET PKR @ 5480' NIPPLE DOWN BOP'S MIT CASING TO 1,000 PSI HELD RDMOSU PUT WELL ON INJ. 12/17/99

**RECEIVED**

JAN 06 2000

DIVISION OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

SIGNATURE Rached Hindi TITLE Senior  
TYPE OR PRINT NAME Rached Hindi

**Accepted by the  
Utah Division of  
Oil, Gas and Mining  
FOR RECORD ONLY**

DATE 12/20/1999

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY: \_\_\_\_\_

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



CONTRACTORS PROVIDING SERVICES VALUED AT MORE THAN \$3,000.00

CONTRACTOR	LOCATION (CITY, STATE)	SERVICE PROVIDED
DINE RIGS	MONTAZUMA CREEK, UTAH	SERVICE UNIT
WEATHERFORD COMPLETIONS	FARMINGTON, N.M.	RENTAL AND DOWN HOLE EQUIP.
DOWELL SCHLUMBERG	FARMINGTON, N.M.	CEMENT AND ACID
RICE ENGINEERING	MIDLAND, TEXAS	LINED TBG.

WORKING INTREST OWNERS WHO TAKE PRODUCT IN KIND AND ARE AUTHORIZED TO SHARE IN THE TAX CREDIT

ANETH UNIT

NAME	ADDRESS	UTAH ACCT. NO.	PERCENT OF ENTREST
TEXACO E & P	3300 N. BUTLER FARMINGTON, NEW MEXICO 87401	N-0980	70.877930%
CHIEFTAIN INTERNATIONAL	1201 TORONTO DOMINION TOWER EDMONTON CENTER EDMONTON ALBERTA, CANADA T5J2Z1	N-0300	13.365860%
MEPNA	MOBIL E&P INC. JT. INT. OBO P.O. BOX 219031 DALLAS, TEXAS 75221-9031	N-7370	9.936690%
HELBING & PODPECHAN	C/O FRANK W PODPECHAN P.O. BOX 549 CLAREMORE, OKLAHOMA 74018	N-2370	2.667860%
MARATHON OIL COMPANY	1501 STAMPEDE AVE. CODY, WYOMING 82414-4721	N-3490	1.539080%
RESOURCE STRATEGIES LLC	601 CORPORATE CIRCLE GOLDEN, COLO. 80401		1.539090%
JN EXPLORATION & PRODUCTION LP	P.O. BOX 7167 BILLINGS, MONTANA 59103-7167	N-2955	0.073490%

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT --" for such proposals

5. Lease Designation and Serial No.  
I-149-IND-8834

6. If Indian, Alottee or Tribe Name  
Navajo Tribe

7. If Unit or CA, Agreement Designation  
Aneth Unit

8. Well Name and Number  
ANETH UNIT  
F115

9. API Well No.  
4303716074

10. Field and Pool, Exploratory Area  
Dessert Creek

11. County or Parish, State  
SAN JUAN, UTAH

SUBMIT IN TRIPLICATE

1. Type of Well:  OIL WELL  GAS WELL  OTHER

2. Name of Operator  
TEXACO EXPLORATION & PRODUCTION, INC.

3. Address and Telephone No.  
3300 N. Butler Ave, Ste100 Farmington NM 87401 325-4397

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
Unit Letter C : 690 Feet From The NORTH Line and 2140 Feet From The  
WEST Line Section 15 Township T40S Range R24E

12. Check Appropriate Box(s) To Indicate Nature of Notice, Report, or Other Data

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input checked="" type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log Form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Texaco E&P has converted F115 from a producer to a Injection well.

10/6-19/99 MIRUSU TOOH W/ RODS AND PUMP. NIPPLE UP BOP's TOOH W/ TBG. RIG UP HYDROTESTER, PICK UP 4-3/4" BIT AND 5-1/2" SCRAPER, HYDROTEST TBG. IN HOLE. TAG FILL @ 5632' CLEANED OUT TO PBD 5847' CIRCULATED CLEAN. TOOH W/ TBG. AND TOOLS. LAID DOWN TOOLS PICKED UP 5-1/2" RBP TIH W/ 169 JTS. SET RBP. PULLED 2 JTS PRESS TEST CASING TO 1,000 PSI LOST 75# IN 10 MIN. TOOH W/ TBG. LAID DOWN RETRIEVING TOOL AND PICKED UP PACKER, TIH. ISOLATED HOLE IN CASING @ 36126'- 3744'. TOH W/TBG. AND PACKER. LAY DOWN PKR. PICK UP RBP#2 TIH TO 3940' SET RBP. TOH W/TBG AND TOOL. PICK UP 9 JTS TAIL PIPE AND 5-1/2" PKR TIH UNTIL END OF PIPE@ 3544'. RIG UP DOWELL SPOT SAND TO EOT. SQUEEZED W/ 25 SAX SQUEEZECECRETE. RIG DOWN DOWELL. TOOH W/TBG AND PKR. PICK UP 4-3/4" BIT TAGGED CMT. @ 3554', DRILLED OUT CEMENT. TESTED TO 1,000# HELD FOR 30 MIN. CIRCULATED CLEAN TOOH W/TBG AND BIT. LAY DOWN BIT, PICK UP RERTRIEVING TOOL TIH CIRCULATED SAND OFF #2 RBP RETRIEVED RBP AND TOOH W/TBG AND RBP. TIH W/ TOOL AND TBG. CIRCULATED #1 RBP CLEAN, RETRIEVED AND TOOH W/ TBG AND RBP. RIG UP HALLIBURTON WIRELINE AND RAN CCL AND GAMMA RAY LOGS THEN PERFORATED 5740'-44' AND 5755'-60' W/ 4 JSPF. TIH W/ PKR AND TBG, SET PKR @ 5398' ACIDIZED W/ 2500 GAL 28% HCL TOOH W/ TBG AND PKR. LAYING DOWN WORK STRING. PICK UP INJ. PKR. TIH W/ PKR AND DOULINE TBG. INHIBITED CSG. SET PKR @ 5480' NIPPLE DOWN BOP'S MIT CASING TO 1,000 PSI HELD RDMSU PUT WELL ON INJ. 12/17/99

**RECEIVED**

OCT 8 9 2001

DIVISION OF  
OIL, GAS AND MINING

14. I hereby certify that the foregoing is true and correct

SIGNATURE Rached Hindi TITLE Senior Engineer DATE 12/20/1999

TYPE OR PRINT NAME Rached Hindi

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**ACCEPTED FOR RECORD**

JAN 26 2000

**OPERATOR**

FARMINGTON FIELD OFFICE  
BY \_\_\_\_\_



**Chevron U.S.A. Production Company**  
Mid-Continent Business Unit  
P.O. Box 36366  
Houston, TX 77236  
Phone 713 754 2000

April 9, 2002

Mr. John Baza,  
Associate Director of Oil and Gas  
Utah Department of Natural Resources  
Division of Oil, Gas & Mining  
1594 W. North Temple St., Suite 1210  
Salt Lake City, UT 84114-5801

**RECEIVED**

APR 12 2002

DIVISION OF  
OIL, GAS AND MINING


Dear Mr. Baza:

As you may recall from our meeting last year, we planned to combine the assets of Chevron U.S.A. Inc. ("CUSA"), by merger, and Texaco Exploration and Production Inc. ("TEPI"), by assignment, into a new entity which we referred to as "Newco LP". Along the way, additional information came to light and it was decided that this proposed corporate restructure would not be preferable. Therefore, CUSA and TEPI have continued to operate as separate entities.

We are now planning a simpler restructuring process where TEPI will assign most of its assets/operatorship to CUSA effective May 1, 2002. We plan to use the existing CUSA bonds/letters of credit, operator identification numbers, etc., for the TEPI assets that will be assigned.

A task force of Land, Regulatory and Environmental Compliance personnel are finishing the work that was begun last year to assign TEPI's assets—using the same forms and procedures as before. We have "new faces" in this task force due to reassignments and departures. In some cases, it may be worthwhile to visit you and your staff in person where new people are involved or if we need to review/clarify your forms and procedures. Otherwise, we will endeavor to complete the work to assign TEPI's assets/operatorship to CUSA and deliver the requisite materials to you in a timely manner.

During discussions last year, our focus was on Land, Regulatory and Environmental matters. The Finance organization also desires to join in this effort. For State Tax, Royalty and Regulatory reporting purposes (applicable to production from May 2002 through December 2002), we intend to generate two reports and two payments.



However, the reporting company name and identification number will be CUSA's. Beginning with January 2003 production and thereafter, we will issue only one CUSA report and payment. We trust this plan meets with your approval. Any questions or comments should be directed to Rick Dunlavy (telephone 713/752-7411, rickdunlavy@chevrontexaco.com).

We appreciate the cooperation and guidance you provided us in the past, and we look forward to bringing these efforts to a conclusion.

Respectfully submitted,

A handwritten signature in cursive script that reads "Don R. Sellars".

Don R. Sellars

Sr. Environmental Specialist

Chevron U.S.A. Inc.  
 Permian Business Unit  
 Aneth Operations  
 San Juan County, Utah

Name / Operatorship Change  
 Texaco Exploration and Production Inc.  
 to  
 Chevron U.S.A. Inc.  
 Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	11	400S	230E	4303716034	MESA 1 (ANETH C411)	1	I	WI
N5700	12	400S	230E	4303716272	BURTON 23-12 (ANETH B312)	1	A	WI
N5700	12	400S	230E	4303716274	BURTON 31-12 (ANETH C-112)	1	I	WI
N5700	12	400S	230E	4303716278	BURTON 42-12 (ANETH D212)	1	A	WI
N5700	12	400S	230E	4303730049	ANETH UNIT D-412	1	A	WI
N5700	12	400S	230E	4303730112	ANETH UNIT C-312	1	A	WI
N5700	13	400S	230E	4303715825	BURTON 22-13 (ANETH B-213)	1	A	WI
N5700	13	400S	230E	4303715827	BURTON 31-13 (ANETH C-113)	1	A	WI
N5700	13	400S	230E	4303715828	BURTON 33-13 (ANETH C-313)	1	A	WI
N5700	13	400S	230E	4303715830	BURTON 42-13 (D213)	1	A	WI
N5700	13	400S	230E	4303716279	BURTON 44-13 (ANETH D-413)	1	A	WI
N5700	13	400S	230E	4303730119	ANETH UNIT A-113	1	A	WI
N5700	13	400S	230E	4303730174	ANETH UNIT D113	1	A	WI
N5700	13	400S	230E	4303730297	ANETH B-413	1	A	WI
N5700	13	400S	230E	4303730299	ANETH UNIT A-313	1	A	WI
N5700	14	400S	230E	4303716032	ARROWHEAD 6 (ANETH B-114)	1	A	WI
N5700	14	400S	230E	4303716033	ARROWHEAD 3 (ANETH C-214)	1	A	WI
N5700	14	400S	230E	4303716035	ARROWHEAD 5 (ANETH C-414)	1	A	WI
N5700	14	400S	230E	4303716038	ARROWHEAD 4 (ANETH D-314)	1	A	WI
N5700	14	400S	230E	4303716273	ARROWHEAD 2 (ANETH B-314)	1	A	WI
N5700	14	400S	230E	4303716277	ARROWHEAD 1 (ANETH D-114)	1	A	WI
N5700	23	400S	230E	4303716271	A W RICE 2 (ANETH B-123)	1	A	WI
N5700	23	400S	230E	4303716276	A W RICE 3 (ANETH C-223)	1	A	WI
N5700	24	400S	230E	4303716270	FEDERAL A-1 (ANETH A-124)	1	A	WI
N5700	24	400S	230E	4303716275	FEDERAL 1 (ANETH C-124)	1	A	WI
N5700	07	400S	240E	4303715412	W ISMY FED 3 (ANETH E307)	1	A	WI
N5700	07	400S	240E	4303715415	W ISMAY FED 2 (ANETH F-407)	1	A	WI
N5700	07	400S	240E	4303716100	NAVAJO FED 6-1 (ANETH G-307)	1	A	WI
N5700	07	400S	240E	4303716118	NAVAJO FED 7-1 (ANETH H-207)	1	I	WI
N5700	07	400S	240E	4303716283	GULF-AZTEC FED 7 (ANETH E-207)	1	A	WI
N5700	07	400S	240E	4303716322	NAVAJO TRIBE FED 5-1 (ANETH H-407)	2	A	WI

Chevron U.S.A. Inc.  
 Permian Business Unit  
 Aneth Operations  
 San Juan County, Utah

Name / Operatorship Change  
 Texaco Exploration and Production Inc.  
 to  
 Chevron U.S.A. Inc.  
 Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	07	400S	240E	4303730175	ANETH U E407	1	A	WI
N5700	08	400S	240E	4303716060	NAVAJO TRIBE E-15 (ANETH E-308)	2	A	WI
N5700	08	400S	240E	4303716076	NAVAJO FED 8-1 (ANETH F-208)	2	A	WI
N5700	08	400S	240E	4303716101	NAVAJO TRIBE L-6 (ANETH G-308)	2	A	WI
N5700	08	400S	240E	4303716119	NAVAJO TRIBE E-16 (ANETH H-208)	2	A	WI
N5700	08	400S	240E	4303716284	NAVAJO FED 9-1 (ANETH E-208)	2	A	WI
N5700	08	400S	240E	4303716298	NAVAJO TRIBE E-13 (ANETH F-408)	2	A	WI
N5700	08	400S	240E	4303716323	NAVAJO TRIBE L-3 (ANETH H-408)	2	A	WI
N5700	09	400S	240E	4303716061	NAVAJO TRIBE E-14 (ANETH E-309)	2	A	WI
N5700	09	400S	240E	4303716082	NAVAJO TRIBE E-4 (ANETH F-409)	2	A	WI
N5700	10	400S	240E	4303716125	NAVAJO TRIBE E-7 (ANETH H-410)	2	I	WI
N5700	11	400S	240E	4303715940	ANETH UNIT E-411	2	A	WI
N5700	11	400S	240E	4303715944	NAVAJO A-10/34-11 (ANETH G-411)	2	A	WI
N5700	11	400S	240E	4303716295	NAVAJO A-12/23-11 (ANETH F-311)	2	A	WI
N5700	13	400S	240E	4303715938	NAV TRIBE A-13 (ANETH E-213)	2	A	WI
N5700	13	400S	240E	4303715941	NAVAJO A-4 (ANETH E-413)	2	A	WI
N5700	14	400S	240E	4303715939	NAVAJO A-6 (ANETH E-214)	2	A	WI
N5700	14	400S	240E	4303715942	ANETH F-314	2	A	WI
N5700	14	400S	240E	4303715943	NAVAJO A-7/32-14 (ANETH G-214)	2	A	WI
N5700	14	400S	240E	4303715945	NAVAJO A-1/34-14 (ANETH G-414)	2	A	WI
N5700	14	400S	240E	4303716310	NAVAJO A-9/41-14 (ANETH H-114)	2	A	WI
N5700	14	400S	240E	4303716421	ANETH UNIT E414	2	A	WI
N5700	14	400S	240E	4303716422	ANETH UNIT F-114	2	A	WI
N5700	14	400S	240E	4303731381	ANETH UNIT H314X	2	I	WI
N5700	15	400S	240E	4303716116	ANETH G-415	2	A	WI
N5700	15	400S	240E	4303716296	NAVAJO TRIBAL E-8 (ANETH F-315)	2	A	WI
N5700	15	400S	240E	4303730213	ANETH E-315	2	A	WI
N5700	15	400S	240E	4303730312	ANETH H-315	2	A	WI
N5700	16	400S	240E	4303715832	STATE THREE 11-16 (ANETH E-116)	3	A	WI
N5700	16	400S	240E	4303716285	ST THREE 21-16 (ANETH F-116)	3	A	WI
N5700	16	400S	240E	4303716297	ST THREE 23-16 (ANETH F-316)	3	A	WI

Chevron U.S.A. Inc.  
 Permian Business Unit  
 Aneth Operations  
 San Juan County, Utah

Name / Operatorship Change  
 Texaco Exploration and Production Inc.  
 to  
 Chevron U.S.A. Inc.  
 Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	16	400S	240E	4303716312	STATE THREE 42-16 (ANETH H-216)	3	A	WI
N5700	16	400S	240E	4303720230	ANETH H-416	3	A	WI
N5700	16	400S	240E	4303730094	ANETH E-316	3	A	WI
N5700	16	400S	240E	4303730107	ANETH G-316	3	A	WI
N5700	16	400S	240E	4303730333	ANETH F-416	3	A	WI
N5700	16	400S	240E	4303730344	ANETH G-116	3	A	WI
N5700	17	400S	240E	4303716049	ANETH UNIT E-117	2	A	WI
N5700	17	400S	240E	4303716062	NAVAJO TRIBAL G-7 (ANETH E317)	2	A	WI
N5700	17	400S	240E	4303716089	NAVAJO TRIBAL G-3 (ANETH G-117)	2	A	WI
N5700	17	400S	240E	4303716103	NAVAJO TRIBAL 1-X-G (ANETH G-317)	2	A	WI
N5700	17	400S	240E	4303716286	NAVAJO TRIBAL G-8 (ANETH F-217)	2	A	WI
N5700	17	400S	240E	4303716299	NAVAJO TRIBAL G-6 (ANETH F-417)	2	A	WI
N5700	17	400S	240E	4303716313	NAV TRIBAL L-4 (ANETH H-217)	2	A	WI
N5700	17	400S	240E	4303716326	NAVAJO TRIBAL L-1 (ANETH H-417)	2	A	WI
N5700	18	400S	240E	4303715083	NAVAJO TRIBAL FED U 3	2	A	WI
N5700	18	400S	240E	4303715413	ANETH U E-118 (W ISMY FED 1)	1	A	WI
N5700	18	400S	240E	4303716063	NAVAJO TRIBAL 4 (ANETH E-318)	1	A	WI
N5700	18	400S	240E	4303716090	NAVAJO TRIBE 2 (ANETH G-118)	2	A	WI
N5700	18	400S	240E	4303716104	NAVAJO TRIBE G-4 (ANETH G-318)	2	A	WI
N5700	18	400S	240E	4303716120	NAVAJO TRIBAL G-5 (ANETH H-218)	2	A	WI
N5700	18	400S	240E	4303716287	NAVAJO FED U 1 (ANETH F-218)	2	A	WI
N5700	18	400S	240E	4303716327	NAVAJO TRIBAL G-2 (ANETH H-418)	2	A	WI
N5700	18	400S	240E	4303730137	ANETH U E218	1	A	WI
N5700	18	400S	240E	4303730155	ANETH U F118	1	A	WI
N5700	19	400S	240E	4303716077	NAVAJO TRIBE D-26 (ANETH F-219)	2	A	WI
N5700	19	400S	240E	4303716091	NAVAJO TRIBE D-16 (ANETH G-119)	2	A	WI
N5700	19	400S	240E	4303716121	NAVAJO TRIBE D-3 (ANETH H-219)	2	A	WI
N5700	19	400S	240E	4303716280	NAVAJO FED U B-1 (ANETH E-119)	2	A	WI
N5700	19	400S	240E	4303716309	NAVAJO TRIBE D-25 (ANETH G-319)	2	A	WI
N5700	19	400S	240E	4303716328	NAVAJO TRIBE D-27 (ANETH H-419)	2	A	WI
N5700	20	400S	240E	4303716050	NAVAJO TRIBE D-10 (ANETH E-120)	2	A	WI

Chevron U.S.A. Inc.  
 Permian Business Unit  
 Aneth Operations  
 San Juan County, Utah

Name / Operatorship Change  
 Texaco Exploration and Production Inc.  
 to  
 Chevron U.S.A. Inc.  
 Injection Wells

Account						Lease	Well Status	Well Type
Number	Section	Township	Range	API Number	Well Name	Type	Main	Main
N5700	20	400S	240E	4303716065	NAVAJO TRIBE D-17 (ANETH E-320)	2	A	WI
N5700	20	400S	240E	4303716092	NAVAJO TRIBE L-5 (ANETH G-120)	2	A	WI
N5700	20	400S	240E	4303716105	NAVAJO TRIBE D-12 (ANETH G-320)	2	A	WI
N5700	20	400S	240E	4303716288	NAVAJO TRIBE D-8 (ANETH F-220)	2	A	WI
N5700	20	400S	240E	4303716300	NAVAJO TRIBE D-20 (ANETH F-420)	2	A	WI
N5700	20	400S	240E	4303716314	NAVAJO TRIBE L-2 (ANETH H-220)	2	A	WI
N5700	20	400S	240E	4303716329	NAVAJO TRIBE D-13 (ANETH H-420)	2	A	WI
N5700	21	400S	240E	4303716051	NAVAJO TRIBE D-4 (ANETH E-121)	2	A	WI
N5700	21	400S	240E	4303716066	NAVAJO TRIBE D-14 (ANETH E-321)	2	A	WI
N5700	21	400S	240E	4303716078	NAVAJO TRIBE D-6 (ANETH F-221)	2	A	WI
N5700	21	400S	240E	4303716084	NAVAJO TRIBE D-21 (ANETH F-421)	2	A	WI
N5700	21	400S	240E	4303716122	NAVAJO TRIBE D-7 (ANETH H-221)	2	A	WI
N5700	21	400S	240E	4303716330	NAVAJO TRIBE D-24 (ANETH H-421)	2	A	WI
N5700	21	400S	240E	4303730095	ANETH G-321X	2	A	WI
N5700	21	400S	240E	4303730335	ANETH G-121X	2	A	WI
N5700	22	400S	240E	4303716067	NAVAJO TRIBE D-19 (ANETH E-322)	2	A	WI
N5700	22	400S	240E	4303716085	NAVAJO TRIBE D-23 (ANETH F-422)	2	A	WI
N5700	22	400S	240E	4303716117	NAVAJO TRIBE D-2 (ANETH H-122)	2	A	WI
N5700	22	400S	240E	4303716127	NAVAJO TRIBE D-22 (ANETH H-422)	2	I	WI
N5700	22	400S	240E	4303720231	ANETH G-322X	2	A	WI
N5700	22	400S	240E	4303730215	ANETH E-122	2	A	WI
N5700	22	400S	240E	4303730242	ANETH H-222	2	A	WI
N5700	22	400S	240E	4303730373	ANETH F-222	2	A	WI
N5700	22	400S	240E	4303730425	ANETH G-122	2	A	WI
N5700	23	400S	240E	4303716068	NAVAJO TRIBE C-12 (ANETH E-323)	2	A	WI
N5700	23	400S	240E	4303716079	NAVAJO TRIBE C-7 (ANETH F-223)	2	A	WI
N5700	23	400S	240E	4303716086	NAVAJO TRIBE C-17 (ANETH F-423)	2	A	WI
N5700	23	400S	240E	4303716123	NAVAJO TRIBE C-8 (ANETH H-223)	2	A	WI
N5700	23	400S	240E	4303716128	NAVAJO TRIBE C-3 (ANETH H-423)	2	A	WI
N5700	23	400S	240E	4303716306	NAVAJO TRIBE C-1 (ANETH G-123)	2	A	WI
N5700	23	400S	240E	4303730235	ANETH F-123	2	A	WI

Chevron U.S.A. Inc.  
 Permian Business Unit  
 Aneth Operations  
 San Juan County, Utah

Name / Operatorship Change  
 Texaco Exploration and Production Inc.  
 to  
 Chevron U.S.A. Inc.  
 Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	24	400S	240E	4303716069	NAVAJO TRIBE C-10 (ANETH E-324)	2	A	WI
N5700	24	400S	240E	4303716087	NAVAJO TRIBE C-13 (ANETH F-424)	2	A	WI
N5700	24	400S	240E	4303716111	NAVAJO TRIBE C-15 (ANETH G-324)	2	A	WI
N5700	24	400S	240E	4303716289	NAVAJO TRIBE C-16 (ANETH F-224)	2	A	WI
N5700	24	400S	240E	4303716331	NAVAJO TRIBE C-28 (ANETH H-424)	2	A	WI
N5700	25	400S	240E	4303716070	NAVAJO TRIBE C-21 (ANETH E-325)	2	A	WI
N5700	25	400S	240E	4303716080	NAVAJO TRIBE C-20 (F225)	2	A	WI
N5700	25	400S	240E	4303716095	ANETH UNIT G125	2	A	WI
N5700	25	400S	240E	4303716124	NAVAJO TRIBE C-11 (ANETH H-225)	2	A	WI
N5700	25	400S	240E	4303716129	NAVAJO TRIBE C-24 (ANETH H-425)	2	A	WI
N5700	25	400S	240E	4303716301	NAVAJO TRIBE C-32 (ANETH F-425)	2	A	WI
N5700	26	400S	240E	4303716054	NAVAJO TRIBE C-29 (ANETH E-126)	2	A	WI
N5700	26	400S	240E	4303716071	NAVAJO TRIBE C-30 (ANETH E-326)	2	A	WI
N5700	26	400S	240E	4303716113	NAVAJO TRIBE C-27 (ANETH G-326)	2	A	WI
N5700	26	400S	240E	4303716290	NAVAJO TRIBE C-23 (ANETH F-226)	2	A	WI
N5700	26	400S	240E	4303716302	NAVAJO TRIBE C-4 (ANETH F-426)	2	A	WI
N5700	26	400S	240E	4303716316	NAVAJO TRIBE C-19 (ANETH H-226)	2	A	WI
N5700	26	400S	240E	4303716332	NAVAJO TRIBE C-31 (ANETH H-426)	2	A	WI
N5700	26	400S	240E	4303730372	ANETH G-126X	2	A	WI
N5700	27	400S	240E	4303716223	ANETH 27-B2 (ANETH F-227)	2	I	WI
N5700	27	400S	240E	4303716307	ANETH 27-C-1 (ANETH G-127)	2	A	WI
N5700	27	400S	240E	4303716317	ANETH 27-D2 (ANETH H-227)	2	A	WI
N5700	27	400S	240E	4303716333	ANETH 27-D-4 (ANETH H-427)	2	A	WI
N5700	27	400S	240E	4303716782	ANETH 27-A-1 (ANETH E-127)	2	A	WI
N5700	28	400S	240E	4303716222	ANETH 28-A-1 (ANETH E-128)	2	A	WI
N5700	28	400S	240E	4303716224	ANETH 28-C-1 (ANETH G-128)	2	A	WI
N5700	28	400S	240E	4303716228	ANETH H-228	2	A	WI
N5700	29	400S	240E	4303716055	NAVAJO TRIBE S-2 (ANETH E-129)	2	A	WI
N5700	29	400S	240E	4303716097	NAVAJO TRIBE S-1 (ANETH G-129)	2	A	WI
N5700	29	400S	240E	4303716292	NAVAJO TRIBE S-4 (ANETH F-229)	2	I	WI
N5700	29	400S	240E	4303716318	NAVAJO TRIBE S-3 (ANETH H-229)	2	A	WI

Chevron U.S.A. Inc.  
 Permian Business Unit  
 Aneth Operations  
 San Juan County, Utah

Name / Operatorship Change  
 Texaco Exploration and Production Inc.  
 to  
 Chevron U.S.A. Inc.  
 Injection Wells


Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	34	400S	240E	4303716303	ANETH 34-B-4 (ANETH F-434)	2	A	WI
N5700	34	400S	240E	4303716319	ANETH 34-D2 (ANETH H-234)	2	I	WI
N5700	35	400S	240E	4303716293	NAVAJO TRIBE Q-5 (ANETH F-235)	2	A	WI
N5700	35	400S	240E	4303716304	NAVAJO TRIBE Q-8 (ANETH F-435)	2	A	WI
N5700	35	400S	240E	4303716320	NAVAJO TRIBE Q-4 (ANETH H-235)	2	A	WI
N5700	36	400S	240E	4303715485	NAVAJO 4 (ANETH E-136)	2	A	WI
N5700	36	400S	240E	4303715486	NAV TRB 2-A (G136)	2	A	WI
N5700	36	400S	240E	4303715487	NAVAJO 1 (ANETH H-236)	2	A	WI
N5700	36	400S	240E	4303716294	NAVAJO 3 (ANETH F-236)	2	A	WI
N5700	19	400S	250E	4303716140	ANETH UNIT L-419	2	A	WI
N5700	29	400S	250E	4303716131	NAVAJO TRIBE F-8 (ANETH J-129)	2	A	WI
N5700	30	400S	250E	4303716132	NAVAJO TRIBE F-9 (ANETH J-130)	2	A	WI
N5700	30	400S	250E	4303716134	NAVAJO TRIBE F-5 (ANETH J-330)	2	A	WI
N5700	30	400S	250E	4303716135	NAVAJO TRIBE F-2 (ANETH K-230)	2	A	WI
N5700	30	400S	250E	4303716137	NAVAJO TRIBE F-7 (ANETH K-430)	2	A	WI
N5700	30	400S	250E	4303716139	NAVAJO TRIBE F-6 (ANETH L-330)	2	A	WI
N5700	30	400S	250E	4303716141	NAVAJO TRIBE F-10 (ANETH M-230)	2	A	WI
N5700	30	400S	250E	4303716337	NAVAJO TRIBE F-11 (ANETH M-430)	2	A	WI
N5700	31	400S	250E	4303715946	NAVAJO TRIBE C11-31 (J131)	2	A	WI
N5700	31	400S	250E	4303716335	NAVAJO TRIBE C-22-31 (ANETH K-231)	2	A	WI

**TRANSFER OF AUTHORITY TO INJECT**


Well Name and Number Orangeville & Huntington, Emery County, Utah (See Attached Well List)	API Number
Location of Well Footage : See attached well locations County : Emery QQ, Section, Township, Range:	Field or Unit Name See Attached Well List Lease Designation and Number See Attached Well List

EFFECTIVE DATE OF TRANSFER: 5/1/2002

**CURRENT OPERATOR**

Company: <u>Texaco Exploration and Production Inc</u>	Name: <u>Allen S. Robinson</u>
Address: <u>3300 North Butler, Suite 100</u>	Signature: <u></u>
<u>city Farmington state NM zip 87401</u>	Title: <u>Attorney-In-Fact</u>
Phone: <u>(505) 325-4397</u>	Date: <u>April 30, 2002</u>
Comments:	

**NEW OPERATOR**

Company: <u>Chevron U.S.A. Inc.</u>	Name: <u>J. Scott Purdy</u>
Address: <u>P.O. Box 36366</u>	Signature: <u></u>
<u>city Houston state TX zip 79702</u>	Title: <u>Attorney-In-Fact</u>
Phone: <u>(915) 687-2000</u>	Date: <u>May 1, 2002</u>
Comments:	

(This space for State use only)

Transfer approved by:   
Title: Tech Services Manager

Approval Date: 10/21/02

Comments:

**RECEIVED**  
MAY 06 2002  
DIVISION OF  
OIL, GAS AND MINING

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>Operator Name Change</u>		5. LEASE DESIGNATION AND SERIAL NUMBER: See Attached List of Wells
2. NAME OF OPERATOR: Chevron U.S.A. Inc.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: BLM & State of Utah
3. ADDRESS OF OPERATOR: P.O. Box 36366 CITY Houston STATE TX ZIP 77236		7. UNIT or CA AGREEMENT NAME: Orangeville & Huntington
4. LOCATION OF WELL FOOTAGES AT SURFACE: See Attached List of Wells		8. WELL NAME and NUMBER: See Attached List of Wells
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		9. API NUMBER:
COUNTY: Emery		10. FIELD AND POOL, OR WILDCAT:
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: <u>Operator Name Change (Merger)</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.  
Effective May 1, 2002, Chevron U.S.A. Inc. is the new operator of the attached list of subject wells and leases that were previously operated by Texaco Exploration and Production Inc. The subject wells are located North of Orangeville and North of Huntington, Emery County, Utah. These Wells will be protected by the following surety bonds:

STATE OF UTAH Bond #: 103521627-0016 in the amount of \$80,000. (This bond will replace United Pacific Insurance Company bond number U89-75-80-0059. We respectfully request this bond be released and returned.)

BLM Nationwide Bond#: U89-75-81-0034 in the amount of \$300,000.

Key Contacts:

Ron Wirth - Operations Supervisor - 435 748-5395 x1

Texaco Exploration & Production Inc.




J. S. Purdy, Attorney-In-Fact

**RECEIVED**

MAY 06 2002

DIVISION OF  
OIL, GAS AND MINING

NAME (PLEASE PRINT) <u>Allen S. Robinson</u>	TITLE <u>Attorney-In-Fact</u>
SIGNATURE 	DATE <u>April 30, 2002</u>

(This space for State use only)



**THE  
NAVAJO  
NATION**

**MINERALS DEPARTMENT**  
Post Office Box 1910  
Window Rock, Arizona 86515  
Phone: (928) 871-6587 • Fax: (928) 871-7095

**KELSEY A. BEGAYE**  
PRESIDENT

**TAYLOR McKENZIE, M.D.**  
VICE PRESIDENT

October 11, 2002

Mr. Don Sellars  
Regulatory Specialist  
ChevronTexaco  
11111 S. Wilcrest  
Houston, Texas 77099

Subject: Navajo Nation Assignment of Oil & Gas Lease

Dear Mr. Sellars:

Attached are fourteen (14) approved Navajo Nation Assignment of Oil and Gas Lease applications for assignment of interest from Texaco Exploration & Production, Inc. to Chevron U.S.A., Inc. (Chevron) for the following leases:

- |                     |                     |                      |
|---------------------|---------------------|----------------------|
| 1) I-149-IND-8834   | 6) I-149-IND-8839   | 11) 14-20-603-4035   |
| 2) I-149-IND-8835   | 7) 14-20-603-2057   | 12) 14-20-603-4037   |
| 3) I-149-IND-8836   | 8) 14-20-603-2059   | 13) 14-20-603-5043-A |
| 4) I-149-IND-8838   | 9) 14-20-603-4030-A | 14) 14-20-603-5446   |
| 5) I-149-IND-8839-A | 10) 14-20-603-4032  |                      |

If you have any questions, please call me or Mr. Brad Nesemeier at (928) 871-6587.

Sincerely,

*Akhtar Zaman*  
Akhtar Zaman, Director  
Minerals Department

Attachments  
AZ/GLB/cab

**OPERATOR CHANGE WORKSHEET**

1. GLH
2. CDW
3. FILE

Change of Operator (Well Sold)

Designation of Agent

Operator Name Change

**X** Merger

The operator of the well(s) listed below has changed, effective: **05-01-2002**

<b>FROM:</b> (Old Operator):	<b>TO:</b> ( New Operator):
TEXACO EXPLORATION & PRODUCTION INC	CHEVRON USA INC
Address: 3300 NORTH BUTLER, STE 100	Address: P O BOX 36366
FARMINGTON, NM 87401	HOUSTON,TX 79702
Phone: 1-(505)-325-4397	Phone: 1-(915)-687-2000
Account No. N5700	Account No. N0210

**CA No.**                      **Unit:**    **ANETH**

**WELL(S)**

NAME	SEC TWN RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
NAVAJO A-9/41-14 (ANETH H-114)	14-40S-24E	43-037-16310	99990	INDIAN	WIW	A
ANETH UNIT E-414	14-40S-24E	43-037-16421	99990	INDIAN	WIW	A
ANETH UNIT F-114	14-40S-24E	43-037-16422	7000	INDIAN	WIW	A
ANETH UNIT H-314X	14-40S-24E	43-037-31381	7000	INDIAN	WIW	I
NAV TRB E-12 (F-115)	15-40S-24E	43-037-16074	7000	INDIAN	WIW	A
ANETH G-415	15-40S-24E	43-037-16116	7000	INDIAN	WIW	A
NAVAJO TRIBAL E-8 (ANETH F-315)	15-40S-24E	43-037-16296	99990	INDIAN	WIW	A
ANETH E-315	15-40S-24E	43-037-30213	99990	INDIAN	WIW	A
ANETH H-315	15-40S-24E	43-037-30312	7000	INDIAN	WIW	A
NAVAJO TRIBAL G-3 (ANETH G-117)	17-40S-24E	43-037-16089	99990	INDIAN	WIW	A
ANETH UNIT E-117	17-40S-24E	43-037-16049	99990	INDIAN	WIW	A
NAVAJO TRIBAL G-7 (ANETH E-317)	17-40S-24E	43-037-16062	99990	INDIAN	WIW	A
NAVAJO TRIBAL 1-X-G (ANETH G-317)	17-40S-24E	43-037-16103	99990	INDIAN	WIW	A
NAVAJO TRIBAL G-8 (ANETH F-217)	17-40S-24E	43-037-16286	99990	INDIAN	WIW	A
NAVAJO TRIBAL G-6 (ANETH F-417)	17-40S-24E	43-037-16299	99990	INDIAN	WIW	A
NAV TRIBAL L-4 (ANETH H-217)	17-40S-24E	43-037-16313	99990	INDIAN	WIW	A
NAVAJO TRIBAL L-1 (ANETH H-417)	17-40S-24E	43-037-16326	99990	INDIAN	WIW	A
NAVAJO TRIBAL G-2 (ANETH H-418)	18-40S-24E	43-037-16327	99990	INDIAN	WIW	A
NAVAJO FED U 1 (ANETH F-218)	18-40S-24E	43-037-16287	99990	INDIAN	WIW	A
NAVAJO TRIBAL G-4 (ANETH G-318)	18-40S-24E	43-037-16104	99990	INDIAN	WIW	A

**OPERATOR CHANGES DOCUMENTATION**

Enter date after each listed item is completed

1. (R649-2-10) Sundry or legal documentation was received from the **FORMER** operator on: 05/06/2002
2. (R649-2-10) Sundry or legal documentation was received from the **NEW** operator on: 04/12/2002
3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 10/16/2002
4. Is the new operator registered in the State of Utah: YES Business Number: 564408-0143
5. If **NO**, the operator was contacted on: N/A

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 10/11/2002

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 10/11/2002

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: N/A

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 10/21/2002

**DATA ENTRY:**

1. Changes entered in the **Oil and Gas Database** on: 10/24/2002

2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 10/24/2002

3. Bond information entered in RBDMS on: N/A

4. Fee wells attached to bond in RBDMS on: N/A

**STATE WELL(S) BOND VERIFICATION:**

1. State well(s) covered by Bond Number: N/A

**FEDERAL WELL(S) BOND VERIFICATION:**

1. Federal well(s) covered by Bond Number: N/A

**INDIAN WELL(S) BOND VERIFICATION:**

1. Indian well(s) covered by Bond Number: 8975810026

**FEE WELL(S) BOND VERIFICATION:**

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number N/A

2. The **FORMER** operator has requested a release of liability from their bond on: N/A  
The Division sent response by letter on: N/A

**LEASE INTEREST OWNER NOTIFICATION:**

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

**COMMENTS: Chevron USA Inc merged with Texaco Exploration & Production Inc to form ChevronTexaco Inc although all the Utah operations will be operated by Chevron USA Inc.**

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>Injection wells</u>		5. LEASE DESIGNATION AND SERIAL NUMBER: <b>See Attachment</b>
2. NAME OF OPERATOR: <b>Resolute Natural Resources Company</b> <u>N2700</u>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: <b>Navajo</b>
3. ADDRESS OF OPERATOR: <b>1675 Broadway, Suite 1950</b> CITY <b>Denver</b> STATE <b>CO</b> ZIP <b>80202</b>		7. UNIT or CA AGREEMENT NAME: <b>Aneth Unit</b>
PHONE NUMBER: <b>(303) 534-4600</b>		8. WELL NAME and NUMBER: <b>See Attachment</b>
4. LOCATION OF WELL FOOTAGES AT SURFACE: <b>See Attachment</b>		9. API NUMBER: <b>See Attach</b>
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		10. FIELD AND POOL OR WILDCAT: <b>Desert Creek</b>
COUNTY: <b>San Juan</b>		STATE: <b>UTAH</b>

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Change of Operator</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

As of December 1, 2004, Chevron U.S.A. Inc. resigned as Operator of the Aneth Unit. The successor operator is Resolute Natural Resources Company.

NAME (PLEASE PRINT) <u>Janet Pasque</u>	TITLE <u>Vice President</u>
SIGNATURE <u>Janet Pasque</u>	DATE <u>11/30/04</u>

(This space for State use only)

**APPROVED** 12/29/2004  
*ER*  
Division of Oil, Gas and Mining  
Earlene Russell, Engineering Technician

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>See attached exhibit.</u>		5. LEASE DESIGNATION AND SERIAL NUMBER: <u>See attached exhibit.</u>
2. NAME OF OPERATOR: <u>Resolute Natural Resources Company</u>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: <u>Navajo</u>
3. ADDRESS OF OPERATOR: <u>1675 Broadway, Suite 1950</u> CITY <u>Denver</u> STATE <u>CO</u> ZIP <u>80202</u>		7. UNIT or CA AGREEMENT NAME: <u>Aneth Unit</u>
4. LOCATION OF WELL FOOTAGES AT SURFACE: _____ COUNTY: <u>San Juan</u>		8. WELL NAME and NUMBER: <u>See attached exhibit.</u>
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____ STATE: <u>UTAH</u>		9. API NUMBER: <u>See attached exhibit.</u>
		10. FIELD AND POOL, OR WILDCAT: <u>Aneth</u>

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Change of operator</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

As of December 1, 2004, Chevron U.S.A. Inc. resigned as operator of the Aneth Unit. Resolute Natural Resources Company has been elected the successor operator.

RECEIVED

DEC 22 2004

DIV. OF OIL, GAS & MINING

NAME (PLEASE PRINT) <u>Chevron U.S.A. Inc.</u> <u>NO210</u>	TITLE <u>A. E. Wacker, Attorney-in-Fact</u>
SIGNATURE <u>R. E. Wacker</u>	DATE <u>12/20/2004</u>

(This space for State use only)

APPROVED 12/29/2004

*ER*  
Division of Oil, Gas and Mining  
Earlene Russell, Engineering Technician

**TRANSFER OF AUTHORITY TO INJECT**

Well Name and Number See attached exhibit.		API Number See attached exhibit.
Location of Well		Field or Unit Name Aneth Unit
Footage: [REDACTED]	County: San Juan	Lease Designation and Number See attached exhibit.
QQ, Section, Township, Range: [REDACTED]	State: UTAH	

EFFECTIVE DATE OF TRANSFER: 12/1/2004

**CURRENT OPERATOR** N0210

Company: Chevron U.S.A. Inc.	Name: A. E. Wacker
Address: 1111 Bagby St.	Signature: <i>A. E. Wacker</i>
city Houston state TX zip 77002	Title: Attorney-in-Fact
Phone: (713) 752-6000	Date: 12/20/2004
Comments:	

RECEIVED  
DEC 22 2004

**NEW OPERATOR** N2700 DIV. OF OIL, GAS & MINING

Company: Resolute Natural Resources Company	Name: <i>Janet Pogue xt</i>
Address: 1675 Broadway, Suite 1950	Signature: <i>Janet Pogue</i>
city Denver state CO zip 80202	Title: <i>Vice President</i>
Phone: (303) 534-4600 XT	Date: 12/21/04
Comments:	

(This space for State use only)

Transfer approved by: *David J. [Signature]* Approval Date: 12-29-04  
Title: VIC Geologist

Comments: Transfer of Authority to Inject into the Aneth C214 and Aneth B14 contingent on this office receiving a corrective action plan for each well. Both well Aneth 214 failed 5 year test on 10/13/2004 operator would not conduct scheduled 5 year test on Aneth B14. (considered a failure).

NUM	API NUM	Q1	Q2	SEC	TWSP	RNG	LEGAL	Lease	Status 12/1/04	NNEPA Well List	USEPA Well List	UIC Program
H222	4303730242	SE	NW	22	40S	24E		I-149-IND-8836	Active	H222	H222	Navajo Nation
F418	4303715083	SE	SW	18	T40S	R24E	650' FSL/1825' FWL	I-149-IND-8835	Active	F418	F418	Navajo Nation
E307	4303715412	NW	SW	7	T40S	R24E	1980' FSL/660' FWL	SL-067807	Active	E307	E307	Navajo Nation
E118	4303715413	NW	NW	18	T40S	R24E	660' FNL/660' FWL	SL-067807	Active	E118	E118	Navajo Nation
F407	4303715415	SE	SW	7	T40S	R24E	660' FSL/1980' FWL	SL-067807	Active	F407	F407	Navajo Nation
E136	4303715485	NW	NW	36	T40S	R24E	660' FNL/660' FWL	14-20-603-5444	Active	E136	E136	Navajo Nation
G136	4303715486	NW	NE	36	T40S	R24E	785' FNL/2040' FEL	14-20-603-5443	Active	G136	G136	Navajo Nation
H236	4303715487	SE	NE	36	T40S	R24E	1980' FNL/660' FEL	14-20-603-5443	P/A			Navajo Nation
B213	4303715825	SE	NW	13	T40S	R23E	3300' FSL/3300' FEL	SL-070968-A	Active			State of Utah
C113	4303715827	NW	NE	13	T40S	R23E	4602' FSL/1993' FEL	SL-070968-A	Active			State of Utah
C313	4303715828	NW	SE	13	T40S	R23E	1949' FSL/1991' FEL	SL-070968-A	Active			State of Utah
D213	4303715830	SE	NE	13	T40S	R23E	3263' FSL/660' FEL	SL-070968-A	Active			State of Utah
E116	4303715832	NW	NW	16	T40S	R24E	601' FNL/550' FWL	ML-3156	Active	E116	E116	Navajo Nation
E213	4303715938	SW	NW	13	T40S	R24E	2140' FNL/740' FWL	I-IND-149-8837	Active	E213	E213	Navajo Nation
E214	4303715939	SW	NW	14	T40S	R24E	1940' FNL/650' FWL	I-149-IND-8837	Active	E214	E214	Navajo Nation
E411	4303715940	SW	SW	11	T40S	R24E	500' FSL/820' FWL	I-149-IND-8837	Active	E411	E411	Navajo Nation
E413	4303715941	SW	SW	13	T40S	R24E	660' FSL/660' FWL	IND-149-8837	Active	E413	E413	Navajo Nation
F314	4303715942	NE	SW	14	T40S	R24E	1980' FSL/1980'FWL	I-149-IND-8837	Active	F314	F314	Navajo Nation
G214	4303715943	SW	NE	14	T40S	R24E	2140' FNL/2010' FEL	I-149-IND-8839	P/A			Navajo Nation
G411	4303715944	SW	SE	11	T40S	R24E	680' FSL/1950' FEL	I-149-IND-8837	Active	G411	G411	Navajo Nation
G414	4303715945	SW	SE	14	T40S	R24E	660' FSL/1980' FEL	I-149-IND-8837	Active	G414	G414	Navajo Nation
J131	4303715946	NW	NW	31	T40S	R25E	660' FNL/638' FWL	14-20-603-372	Active	J131	J131	Navajo Nation
B114	4303716032	NE	NW	14	T40S	R23E	660' FNL/1980' FWL	SL-070968	Shut-In			State of Utah
C214	4303716033	SW	NE	14	T40S	R23E	1890' FNL/1930' FEL	SL-070968	Shut-In			State of Utah
C411	4303716034	SW	SE	11	T40S	R23E	600' FSL/2010' FEL	SL-070968-B	P/A			State of Utah
C414	4303716035	SW	SE	14	T40S	R23E	760' FSL/2000' FEL	SL-070968	Active			State of Utah
D314	4303716038	NE	SE	14	T40S	R23E	1980' FSL/660' FEL	SL-070968	Active			State of Utah
E117	4303716049	NW	NW	17	T40S	R24E	520' FNL/645' FWL	I-149-IND-8835	Active	E117	E117	Navajo Nation
E120	4303716050	NW	NW	20	T40S	R24E	660' FNL/660' FWL	I-149-IND-8836	Active	E120	E120	Navajo Nation
E121	4303716051	NW	NW	21	T40S	R24E	660' FNL/760' FWL	I-149-IND-8836	Active	E121	E121	Navajo Nation
E126	4303716054	NW	NW	26	T40S	R24E	760' FNL/660' FWL	I-149-IND-8838	Active	E126	E126	Navajo Nation
E129	4303716055	NW	NW	29	T40S	R24E	660' FNL/660' FWL	14-20-603-4030	Active	E129	E129	Navajo Nation
E308	4303716060	NW	SW	8	T40S	R24E	1820' FSL/645' FWL	I-149-IND-8833	Active	E308	E308	Navajo Nation
E309	4303716061	NW	SW	9	T40S	R24E	1900' FSL/500' FWL	I-149-IND-8834	P/A			Navajo Nation
E317	4303716062	NW	SW	17	40S	24E	1980' FSL/660' FWL	I-149-IND-8835	Active	E317	E317	Navajo Nation
E318	4303716063	NW	SW	18	T40S	R24E	1980' FSL/660' FWL	SL-067807	Active	E318	E318	Navajo Nation
E319	4303716064	NW	SW	19	T40S	R24E	2040' FSL/680' FWL	I-149-IND-8836	P/A			Navajo Nation
E320	4303716065	NW	SW	20	T40S	R24E	2140' FSL/820' FWL	I-149-IND-8836	Active	E320	E320	Navajo Nation
E321	4303716066	NW	SW	21	T40S	R24E	2140' FSL/720' FWL	I-149-IND-8836	Active	E321	E321	Navajo Nation
E322	4303716067	NW	SW	22	T40S	R24E	1980' FSL/660' FWL	I-149-IND-8836	Active	E322	E322	Navajo Nation
E323	4303716068	NW	SW	23	T40S	R24E	1980' FSL/510' FWL	I-149-IND-8838	Active	E323	E323	Navajo Nation
E324	4303716069	NW	SW	24	T40S	R24E	1980' FSL/660'FWL	I-149-IND-8838	Active	E324	E324	Navajo Nation
E325	4303716070	NW	SW	25	T40S	R24E	1980' FSL/660' FWL	I-149-IND-8838	Active	E325	E325	Navajo Nation
E326	4303716071	NW	SW	26	T40S	R24E	1980' FSL/660' FWL	I-149-IND-8838	Active	E326	E326	Navajo Nation
F115	4303716074	NE	NW	15	T40S	R24E	690' FNL/2140' FWL	I-149-IND-8834	Active	F115	F115	Navajo Nation

F208	4303716076	SE	NW	8	T40S	R24E	2140' FNL/2050' FWL	I-149-IND-8833	Active	F208	F208	Navajo Nation
F219	4303716077	SE	NW	19	T40S	R24E	1820' FNL/2140' FWL	I-149-IND-8836	Active	F219	F219	Navajo Nation
F221	4303716078	SE	NW	21	T40S	R24E	1980' FNL/1980' FWL	I-149-IND-8836	Active	F221	F221	Navajo Nation
F223	4303716079	SE	NW	23	T40S	R24E	1980' FNL/1820' FWL	I-149-IND-8838	Active	F223	F223	Navajo Nation
F225	4303716080	SE	NW	25	T40S	R24E	2040' FNL/2080' FWL	I-149-IND-8838	Active	F225	F225	Navajo Nation
F409	4303716082	SE	SW	9	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8834	Active	F409	F409	Navajo Nation
F421	4303716084	SE	SW	21	T40S	R24E	585' FSL/1990' FWL	I-149-IND-8836	Active	F421	F421	Navajo Nation
F422	4303716085	SE	SW	22	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8836	Active	F422	F422	Navajo Nation
F423	4303716086	SE	SW	23	T40S	R24E	770' FSL/1955' FWL	I-149-IND-8838	Active	F423	F423	Navajo Nation
F424	4303716087	SE	SW	24	T40S	R24E	660' FSL/2100' FWL	I-149-IND-8838	Active	F424	F424	Navajo Nation
G117	4303716089	NW	NE	17	T40S	R24E	660' FNL/1980' FEL	I-149-IND-8835	Active	G117	G117	Navajo Nation
G118	4303716090	NW	NE	18	T40S	R24E	800' FNL/1910' FEL	I-149-IND-8835	Active	G118	G118	Navajo Nation
G119	4303716091	NW	NE	19	T40S	R24E	660' FNL/2140' FEL	I-149-IND-8836	Active	G119	G119	Navajo Nation
G120	4303716092	NW	NE	20	T40S	R24E	660' FNL/1980' FEL	I-149-IND-8833	Active	G120	G120	Navajo Nation
G125	4303716095	NW	NE	25	T40S	R24E	660' FNL/2140' FEL	I-149-IND-8838	Active	G125	G125	Navajo Nation
G129	4303716097	NW	NE	29	T40S	R24E	580' FNL/1905' FEL	14-20-603-4030	Active	G129	G129	Navajo Nation
G307	4303716100	NW	SE	7	T40S	R24E	1900' FSL/1995' FEL	SL-067807	Active	G307	G307	Navajo Nation
G308	4303716101	NW	SE	8	T40S	R24E	1975' FSL/1830' FEL	I-149-IND-8834	Active	G308	G308	Navajo Nation
G317	4303716103	NW	SE	17	T40S	R24E	1778' FSL/1900' FEL	I-149-IND-8835	Active	G317	G317	Navajo Nation
G318	4303716104	NW	SE	18	T40S	R24E	2125' FSL/1980' FEL	I-149-IND-8835	Active	G318	G318	Navajo Nation
G320	4303716105	NW	SE	20	T40S	R24E	1980' FSL/1980' FEL	I-149-IND-8836	Active	G320	G320	Navajo Nation
G324	4303716111	NW	SE	24	T40S	R24E	1980' FSL/1980' FEL	I-149-IND-8838	Active	G324	G324	Navajo Nation
G326	4303716113	NW	SE	26	T40S	R24E	1980' FSL/1980' FEL	I-149-IND-8838	Active	G326	G326	Navajo Nation
G415	4303716116	SW	SE	15	T40S	R24E	820' FSL/2400' FEL	I-149-IND-8834	Active	G415	G415	Navajo Nation
H122	4303716117	NE	NE	22	T40S	R24E	660' FNL/660' FEL	I-149-IND-8836	Active	H122	H122	Navajo Nation
H207	4303716118	SE	NE	7	T40S	R24E	1820' FNL/820' FEL	SL-067807	T/A			State of Utah
H208	4303716119	SE	NE	8	T40S	R24E	2140' FNL/660' FEL	I-149-IND-8833	Active	H208	H208	Navajo Nation
H218	4303716120	SE	NE	18	T40S	R24E	1980' FNL/660' FEL	I-149-IND-8835	Active	H218	H218	Navajo Nation
H219	4303716121	SE	NE	19	T40S	R24E	1945' FNL/607' FEL	I-149-IND-8836	Active	H219	H219	Navajo Nation
H221	4303716122	SE	NE	21	T40S	R24E	1980' FNL/660' FEL	I-149-IND-8836	Active	H221	H221	Navajo Nation
H223	4303716123	SE	NE	23	T40S	R24E	1820' FNL/730' FEL	I-149-IND-8838	Active	H223	H223	Navajo Nation
H225	4303716124	SE	NE	25	T40S	R24E	1980' FNL/660' FEL	I-149-IND-8838	Active	H225	H225	Navajo Nation
H410	4303716125	SE	SE	10	T40S	R24E	625' FSL/545' FEL	I-149-IND-8834	P/A			Navajo Nation
H422	4303716127	SE	SE	22	T40S	R24E	660' FSL/660' FEL	I-149-IND-8836	P/A			Navajo Nation
H423	4303716128	SE	SE	23	T40S	R24E	820' FSL/450' FEL	I-149-IND-8838	Active	H423	H423	Navajo Nation
H425	4303716129	SE	SE	25	T40S	R24E	660' FSL/660' FEL	I-149-IND-8838	Active	H425	H425	Navajo Nation
J129	4303716131	NW	NW	29	T40S	R25E	620' FNL/615' FWL	I-149-IND-8839	P/A			Navajo Nation
J130	4303716132	NW	NW	30	T40S	R25E	720' FNL/590' FEL	I-149-IND-8839	Shut-In	J130	J130	Navajo Nation
J330	4303716134	NW	SW	30	T40S	R25E	2060' FSL/800' FWL	I-149-IND-8839	Active	J330	J330	Navajo Nation
K230	4303716135	SE	NW	30	T40S	R25E	2075' FSL/2140' FWL	I-149-IND-8839	Shut-In	K230	K230	Navajo Nation
K430	4303716137	SE	SW	30	T40S	R25E	660' FSL/1980' FWL	I-149-IND-8839	Active	K430	K430	Navajo Nation
L330	4303716139	NW	SE	30	T40S	R25E	2120' FSL/1960' FEL	I-149-IND-8839	Active	L330	L330	Navajo Nation
L419	4303716140	SW	SE	19	T40S	R25E	660' FSL/1980' FEL	I-149-IND-8839	Active	L419	L419	Navajo Nation
M230	4303716141	SE	NE	30	T40S	R25E	1930' FNL/660' FEL	I-149-IND-8839	Active	M230	M230	Navajo Nation
E128	4303716222	NW	NW	28	T40S	R24E	660' FNL/660' FWL	14-20-603-2056	Active	E128	E128	Navajo Nation
F227	4303716223	SE	NW	27	T40S	R24E	1980' FNL/1980' FWL	14-20-603-2056	T/A			Navajo Nation
G128	4303716224	NW	NE	28	T40S	R24E	660' FNL/1980' FEL	14-20-603-2056	Shut-In	G128	G128	Navajo Nation

H228	4303716228	SE	NE	28	T40S	R24E	2080' FNL/560' FEL	14-20-603-2056	T/A			Navajo Nation
A124	4303716270	NW	NW	24	T40S	R23E	500' FNL/500'FWL	SL-0701010-C	Active			State of Utah
B123	4303716271	NE	NW	23	T40S	R23E	500' FNL/2140' FWL	SL-0701010	Active			State of Utah
B312	4303716272	NE	SW	12	T40S	R23E	3295' FNL/3348' FEL	SL-070968-A	Active	B312	B312	Navajo Nation
B314	4303716273	NE	SW	14	T40S	R23E	2030' FSL/2030' FWL	SL-070968	Active			State of Utah
C112	4303716274	NW	NE	12	T40S	R23E	658' FNL/1974' FEL	SL-070968-A	P/A			State of Utah
C124	4303716275	NW	NE	24	T40S	R23E	660' FNL/1980' FEL	SL-0701010-C	P/A			State of Utah
C223	4303716276	SW	NE	23	T40S	R23E	1820' FNL/1980' FEL	SL-0701010	P/A			State of Utah
D114	4303716277	NE	NE	14	T40S	R23E	660' FNL/760' FEL	SL-070968	Active			State of Utah
D212	4303716278	SE	NE	12	T40S	R23E	1860' FNL/656' FEL	SL-070968-A	Shut-In	D212	D212	Navajo Nation
D413	4303716279	SE	SE	13	T40S	R23E	660' FSL/661' FEL	SL-070968-A	Active			State of Utah
E119	4303716280	NW	NW	19	T40S	R24E	500' FNL/820' FWL	I-149-IND-8836	Active	E119	E119	Navajo Nation
E207	4303716283	SW	NW	7	T40S	R24E	2030' FNL 750 FWL		T/A	E207	E207	
E208	4303716284	SW	NW	8	T40S	R24E	1930' FNL/500' FWL	I-149-IND-8833	T/A			Navajo Nation
F116	4303716285	NE	NW	16	T40S	R24E	660' FNL/1980' FWL	ML-3156	Active	F116	F116	Navajo Nation
F217	4303716286	SE	NW	17	T40S	R24E	1890' FNL/1930' FWL	I-149-IND-8835	Active	F217	F217	Navajo Nation
F218	4303716287	SE	NW	18	T40S	R24E	1970' FNL/2060' FWL	I-149-IND-8835	Active	F218	F218	Navajo Nation
F220	4303716288	SE	NW	20	T40S	R24E	1980' FNL/1980' FWL	I-149-IND-8836	Active	F220	F220	Navajo Nation
F224	4303716289	SE	NW	24	T40S	R24E	1980' FNL/1980' FWL	I-149-IND-8838	Active	F224	F224	Navajo Nation
F226	4303716290	SE	NW	26	T40S	R24E	1950' FNL/1900' FWL	I-149-IND-8838	Active	F226	F226	Navajo Nation
F229	4303716292	SE	NW	29	T40S	R24E	2015' FNL/1930' FWL	14-20-603-4030	P/A	F229	F229	Navajo Nation
F235	4303716293	SE	NW	35	T40S	R24E	1825' FNL/2010' FWL	14-20-603-2059	Active	F235	F235	Navajo Nation
F236	4303716294	SE	NW	36	T40S	R24E	1980' FNL/1980' FWL	14-20-603-5444	Active	F236	F236	Navajo Nation
F311	4303716295	NE	SW	11	T40S	R24E	1820' FSL/1980'FWL	I-149-IND-8837	P/A			Navajo Nation
F315	4303716296	NE	SW	15	T40S	R24E	1980' FSL/2010' FWL	I-149-IND-8834	Active	F315	F315	Navajo Nation
F316	4303716297	NE	SW	16	T40S	R24E	2260' FSL/2140' FWL	ML-3156	Active	F316	F316	Navajo Nation
F408	4303716298	SE	SW	8	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8833	Active	F408	F408	Navajo Nation
F417	4303716299	SE	SW	17	T40S	R24E	500' FSL/2140' FWL	I-149-IND-8835	Active	F417	F417	Navajo Nation
F420	4303716300	SE	SW	20	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8836	Active	F420	F420	Navajo Nation
F425	4303716301	SE	SW	25	T40S	R24E	795' FSL/1960' FWL	I-149-IND-8838	Active	F425	F425	Navajo Nation
F426	4303716302	SE	SW	26	T40S	R24E	632' FSL/1867' FWL	I-149-IND-8838	P/A			Navajo Nation
F434	4303716303	SE	SW	34	T40S	R24E	815' FSL/1860' FWL	14-20-603-2056	P/A			Navajo Nation
F435	4303716304	SE	SW	35	T40S	R24E	820' FSL/1930' FWL	14-20-603-2059	T/A			Navajo Nation
G123	4303716306	NW	NE	23	T40S	R24E	660' FNL/1530' FEL	I-149-IND-8838	Active	G123	G123	Navajo Nation
G127	4303716307	NW	NE	27	T40S	R24E	660' FNL/1980' FEL	14-20-603-2056	Active	G127	G127	Navajo Nation
G319	4303716309	NW	SE	19	T40S	R24E	1920' FSL/2060' FEL	I-149-IND-8836	Active	G319	G319	Navajo Nation
H216	4303716312	SE	NE	16	T40S	R24E	3331' FSL/703' FEL	ML-3156	Active	H216	H216	Navajo Nation
H217	4303716313	SE	NE	17	T40S	R24E	2070' FNL/820' FEL	I-149-IND-8833	Active	H217	H217	Navajo Nation
H220	4303716314	SE	NE	20	T40S	R24E	2025' FNL/560' FEL	I-149-IND-8833	Active	H220	H220	Navajo Nation
H226	4303716316	SE	NE	26	T40S	R24E	1980' FNL/780' FEL	I-149-IND-8838	Active	H226	H226	Navajo Nation
H227	4303716317	SE	NE	27	T40S	R24E	1980' FNL/630' FEL	14-20-603-2056	Active	H227	H227	Navajo Nation
H229	4303716318	SE	NE	29	T40S	R24E	1820' FNL/660' FEL	14-20-603-4030	Shut-In	H229	H229	Navajo Nation
H234	4303716319	SE	NE	34	T40S	R24E	1980' FNL/660' FEL	14-20-603-2056	Active	H234	H234	Navajo Nation
H235	4303716320	SE	NE	35	T40S	R24E	2000' FNL/770' FEL	14-20-603-2059	Active	H235	H235	Navajo Nation
H407	4303716322	SE	SE	7	T40S	R24E	645' FSL/500' FEL	I-149-IND-8835	Active	H407	H407	Navajo Nation
H408	4303716323	SE	SE	8	T40S	R24E	500' FSL/530' FEL	I-149-IND-8834	Active	H408	H408	Navajo Nation
H417	4303716326	SE	SE	17	T40S	R24E	500' FSL/690' FEL	I-149-IND-8833	Active	H417	H417	Navajo Nation

H418	4303716327	SE	SE	18	T40S	R24E	660' FSL/660' FEL	I-149-IND-8835	Active	H418	H418	Navajo Nation
H419	4303716328	SE	SE	19	T40S	R24E	570' FSL/450' FEL	I-149-IND-8836	P/A			Navajo Nation
H420	4303716329	SE	SE	20	T40S	R24E	660' FSL/660' FEL	I-149-IND-8836	Active	H420	H420	Navajo Nation
H421	4303716330	SE	SE	21	T40S	R24E	500' FSL/750' FEL	I-149-IND-8836	Active	H421	H421	Navajo Nation
H424	4303716331	SE	SE	24	T40S	R24E	820' FSL/610' FEL	I-149-IND-8838	Active	H424	H424	Navajo Nation
H426	4303716332	SE	SE	26	T40S	R24E	710' FSL/510' FEL	I-149-IND-8838	Active	H426	H426	Navajo Nation
H427	4303716333	SE	SE	27	T40S	R24E	660' FSL/660' FEL	14-20-603-2056	Active	H427	H427	Navajo Nation
K231	4303716335	SE	NW	31	T40S	R25E	2014' FNL/2054' FWL	14-20-603-372A	Active	K231	K231	Navajo Nation
M430	4303716337	SE	SE	30	T40S	R25E	670' FSL/790' FEL	I-149-IND-8839	Active	M430	M430	Navajo Nation
E414	4303716421	SW	SW	14	T40S	R24E	750' FSL/620' FWL	I-149-IND-8837	Active	E414	E414	Navajo Nation
F114	4303716422	NE	NW	14	40S	24E	720' FNL/1870' FWL	I-149-IND-8839	Active	F114	F114	Navajo Nation
E127	4303716782	NW	NW	27	T40S	R24E	660' FNL/660' FWL	14-20-603-2056	P/A			Navajo Nation
H416	4303720230	SE	SE	16	T40S	R24E	150' FSL/660' FEL	ML-3156	Active	H416	H416	Navajo Nation
G322X	4303720231	NW	SE	22	T40S	R24E	1550' FSL/1720' FEL	I-149-IND-8836	Active	G322X	G322X	Navajo Nation
D412	4303730049	SE	SE	12	T40S	R23E	500' FSL/150' FEL	SL-070968-A	Active	D412	D412	Navajo Nation
E316	4303730094	NW	SW	16	T40S	R24E	2190' FSL/128' FWL	ML-3156	Active	E316	E316	Navajo Nation
G321X	4303730095	NW	SE	21	T40S	R24E	1900' FSL/1755' FEL	I-149-IND-8836	Shut-In	G321X	G321X	Navajo Nation
G316	4303730107	NW	SE	16	T40S	R24E	2320' FSL/1745' FEL	ML-3156	Active	G316	G316	Navajo Nation
C312	4303730112	NW	SE	12	T40S	R23E	1610' FSL/1800' FEL	SL-070968-A	Active	C312	C312	Navajo Nation
A113	4303730119	NW	NW	13	T40S	R23E	700' FNL/650' FWL	SL-070968-A	Active			State of Utah
E218	4303730137	SW	NW	18	T40S	R24E	1860' FNL/660' FWL	SL-067807	Active	E218	E218	Navajo Nation
F118	4303730155	NE	NW	18	T40S	R24E	619' FNL/2184' FWL	SL-067807	Active	F118	F118	Navajo Nation
D113	4303730174	NE	NE	13	T40S	R23E	578' FNL/619' FEL	SL-070968-A	Active			State of Utah
E407	4303730175	SW	SW	7	T40S	R24E	618' FSL/577' FWL	SL-067807	Active	E407	E407	Navajo Nation
E315	4303730213	NW	SW	15	T40S	R24E	2212' FSL/591' FWL	I-149-IND-8834	Active	E315	E315	Navajo Nation
E122	4303730215	NW	NW	22	T40S	R24E	528' FNL/660' FWL	I-149-IND-8836	Active	E122	E122	Navajo Nation
F123	4303730235	NE	NW	23	T40S	R24E	660' FNL/2046' FWL	I-149-IND-8838	Shut-In	F123	F123	Navajo Nation
B413	4303730297	SE	SW	13	T40S	R23E	660' FSL/1980' FWL	SL-070968-A	Active			State of Utah
A313	4303730299	NW	SW	13	T40S	R23E	1840' FSL/470' FWL	SL-070968-A	Active			State of Utah
H315	4303730312	NE	SE	15	T40S	R24E	1980' FSL/660' FEL	I-149-IND-8834	Active	H315	H315	Navajo Nation
F416	4303730333	SE	SW	16	T40S	R24E	1000' FSL/1980' FWL	ML-3156	Active	F416	F416	Navajo Nation
G121X	4303730335	NW	NE	21	T40S	R24E	790' FNL/1780' FEL	I-149-IND-8836	Active	G121X	G121X	Navajo Nation
G116	4303730344	NW	NE	16	T40S	R24E	660' FNL/1980' FEL	ML-3156	Active	G116	G116	Navajo Nation
G126X	4303730372	NW	NE	26	T40S	R24E	860' FNL/1780' FEL	I-149-IND-8838	Active	G126X	G126X	Navajo Nation
F222	4303730373	SE	NW	22	T40S	R24E	1920' FNL/1980' FWL	I-149-IND-8836	Active	F222	F222	Navajo Nation
G122	4303730425	NW	NE	22	T40S	R24E	570' FNL/1960' FEL	I-149-IND-8836	Active	G122	G122	Navajo Nation
H314X	4303731381	NE	SE	14	T40S	R24E	1950' FSL/570' FEL	I-149-IND-8837	Active	H314X	H314X	Navajo Nation

**OPERATOR CHANGE WORKSHEET**

**ROUTING**

1. GLH
2. CDW
3. FILE

**X Change of Operator (Well Sold)**

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:	With a CA on:	<b>12/1/2004</b>
<b>FROM: (Old Operator):</b> N0210-Chevron USA, Inc. PO Box 4791 Houston, TX 77210-4791 Phone: 1-(713) 752-7431	<b>TO: ( New Operator):</b> N2700-Resolute Natural Resources Company 1675 Broadway, Suite 1950 Denver, CO 80202 Phone: 1-(303) 534-4600	

**CA No.**

**Unit:**

**ANETH**

**WELL(S)**

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
NAVAJO TRIBE E-15 (ANETH E-308)	08	400S	240E	4303716060	99990	Indian	WI	A
NAVAJO FED 8-1 (ANETH F-208)	08	400S	240E	4303716076	99990	Indian	WI	A
NAVAJO TRIBE E-14 (ANETH E-309)	09	400S	240E	4303716061	99990	Indian	WI	A
NAVAJO A-10/34-11 (ANETH G-411)	11	400S	240E	4303715944	7000	Indian	WI	A
ANETH F-314	14	400S	240E	4303715942	7000	Indian	WI	A
NAVAJO A-7/32-14 (ANETH G-214)	14	400S	240E	4303715943	99990	Indian	WI	A
NAVAJO A-1/34-14 (ANETH G-414)	14	400S	240E	4303715945	7000	Indian	WI	A
NAV TRB E-12 (F115)	15	400S	240E	4303716074	7000	Indian	WI	A
ANETH UNIT E-117	17	400S	240E	4303716049	99990	Indian	WI	A
NAVAJO TRIBAL G-7 (ANETH E317)	17	400S	240E	4303716062	99990	Indian	WI	A
NAVAJO TRIBE D-10 (ANETH E-120)	20	400S	240E	4303716050	99990	Indian	WI	A
NAVAJO TRIBE D-17 (ANETH E-320)	20	400S	240E	4303716065	99990	Indian	WI	A
NAVAJO TRIBE D-4 (ANETH E-121)	21	400S	240E	4303716051	99990	Indian	WI	A
NAVAJO TRIBE D-14 (ANETH E-321)	21	400S	240E	4303716066	99990	Indian	WI	A
NAVAJO TRIBE D-19 (ANETH E-322)	22	400S	240E	4303716067	99990	Indian	WI	A
NAVAJO TRIBE C-12 (ANETH E-323)	23	400S	240E	4303716068	99990	Indian	WI	A
NAVAJO TRIBE C-10 (ANETH E-324)	24	400S	240E	4303716069	99990	Indian	WI	A
NAVAJO TRIBE C-21 (ANETH E-325)	25	400S	240E	4303716070	99990	Indian	WI	A
NAVAJO TRIBE C-29 (ANETH E-126)	26	400S	240E	4303716054	99990	Indian	WI	A
NAVAJO TRIBE C-30 (ANETH E-326)	26	400S	240E	4303716071	7000	Indian	WI	A
NAVAJO TRIBE S-2 (ANETH E-129)	29	400S	240E	4303716055	99990	Indian	WI	A
NAVAJO TRIBE C11-31 (J131)	31	400S	250E	4303715946	7000	Indian	WI	A

**OPERATOR CHANGES DOCUMENTATION**

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 12/22/2004
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 12/13/2004
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 11/22/2004
- Is the new operator registered in the State of Utah: YES Business Number: 5733505-0143
- If **NO**, the operator was contacted on:
- (R649-9-2) Waste Management Plan has been received on: \_\_\_\_\_ requested
- Inspections of LA PA state/fee well sites complete on: 12/20/2004

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM not yet BIA not yet

8. **Federal and Indian Units:**  
The BLM or BIA has approved the successor of unit operator for wells listed on: not yet

9. **Federal and Indian Communization Agreements ("CA"):**  
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: \_\_\_\_\_

**DATA ENTRY:**

- 1. Changes entered in the **Oil and Gas Database** on: 12/29/2004
- 2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 12/29/2004
- 3. Bond information entered in RBDMS on: n/a
- 4. Fee/State wells attached to bond in RBDMS on: n/a
- 5. Injection Projects to new operator in RBDMS on: separate list
- 6. Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

**FEDERAL WELL(S) BOND VERIFICATION:**

1. Federal well(s) covered by Bond Number: B001263

**INDIAN WELL(S) BOND VERIFICATION:**

1. Indian well(s) covered by Bond Number: B001264

**FEE & STATE WELL(S) BOND VERIFICATION:**

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number B001262

2. The **FORMER** operator has requested a release of liability from their bond on: not yet  
The Division sent response by letter on: \_\_\_\_\_

**LEASE INTEREST OWNER NOTIFICATION:**

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: \_\_\_\_\_

**COMMENTS:**

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB No. 1004-0137  
Expires: March 31, 2007

**SUNDRY NOTICES AND REPORTS ON WELLS**

*Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.*

5. Lease Serial No.  
**I-149-IND-8834**

6. If Indian, Allottee or Tribe Name  
**NAVAJO**

7. If Unit or CA/Agreement, Name and/or No.  
**ANETH**

8. Well Name and No.  
**ANETH UNIT F115**

9. API Well No.  
**43-037-16074**

10. Field and Pool, or Exploratory Area  
**GREATER ANETH**

11. County or Parish, State  
**SAN JUAN COUNTY, UT**

**SUBMIT IN TRIPLICATE- Other instructions on reverse side.**

1. Type of Well  
 Oil Well  Gas Well  Other

2. Name of Operator  
**RESOLUTE ANETH, LLC\***

3a. Address  
**1675 BROADWAY, SUITE 1950, DENVER, CO 80202**

3b. Phone No. (include area code)  
**303 534-4600**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
**690' FNL & 2140' FWL 15-40S-24E SLBM**

**12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input checked="" type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

\*a wholly owned subsidiary of Resolute Natural Resources Company

Will construct 2,921.24' long trench shown on attached map.

Trench width will be 2'. Depth will be at least 48".

Trench will contain:

2-7/8" O. D. fiberglass pipeline alternating flow between water & CO2 (operating pressure = 3,000 psi; test pressure = 3,600 psi)  
fiber optic communications line

All valves, headers, meters, telemetry, etc. will be within maximum 65' wide corridor.

Corridor (except for existing road) will be fully reclaimed. Future maintenance or repairs will be limited to maximum width of 20'.

All within Aneth Unit and all on Tribal land. Total land use = 4.36 acres.

cc: BLM (Farmington), Cantwell, Navajo Nation

14. I hereby certify that the foregoing is true and correct  
Name (Printed/Typed)


**BRIAN WOOD**

(PHONE 505 466-8120)

Title **CONSULTANT**

(FAX 505 466-9682)

Signature



Date

**06/09/2007**

**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved by \_\_\_\_\_

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title

Accepted by the

Office

Utah Division of  
Oil, Gas and Mining


Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**For Record Only RECEIVED**

**JUN 13 2007**

**DIV. OF OIL, GAS & MINING**



Montana

Unit Boundary

F216

F115

SUBJECT

RESERVATION

TN MN  
11 1/4°

