

- Scout Report put out
- Noted in the NID File
- Location map pinned
- Approval or Disapproval Letter
- Date Completed, P. & A. or operations suspended 5-23-57
- Pin changed or location map
- Affidavit and Record of A & P
- Water Shut-Off Test
- Gas-Oil Ratio Test
- Well Log Filed

FILE NOTATIONS

- Entered in NID File
- Entered On S R Sheet
- Location Map Pinned
- Card Indexed
- IWR for State or Fee Land

- Checked by Chief
- Copy NID to Field Office
- Approval Letter
- Disapproval Letter

COMPLETION DATA:

Date Well Completed 5-23-57
 CW VW _____ TA _____
 GW _____ CS _____ PA _____

Location Inspected _____
 Bond returned _____
 State of Fee Land _____

LOGS FILED

Driller's Log 7-11-57

Electric Logs (No:) 3

E _____ I _____ E-I _____ CR _____ GR-N _____ Micro _____
 Lat _____ Mi-L _____ Sonic _____ Others 3 Radioactivity Log

STATE OF UTAH
OIL AND GAS CONSERVATION COMMISSION
NOTICE OF INTENTION TO DRILL

Lease #146029

Navajo Indian Tribal Lands "F" Fort Worth, Texas, Feb. 13, 1957

Oil and Gas Conservation Commission:

In compliance with Rule C-4, notice is hereby given that it is our intention to commence
the work of drilling well No. 2 which is located 2075 ft from () line and 2140 ft
xxx from () line of SE 4 1/4 of Sec 30 Twp 40-S R 25-E SLM Aneth
() (Meridian) (Field or Unit)

San Juan LAND: Fee and Patented (x) Name of owner The Texas Company
(County) State () Address P.O. Box 1720
Lease No. Fort Worth, Texas
Public Domain () Phone
Lease No. _____

Is Location a regular or exception to spacing rule? Regular Has surety bond been filed? Yes

With whom? Ind. Lands Fed. Area in drilling Unit - Elevation of ground above
(State or Federal) sea level is 4639 ft. All depth measurements taken from top of Derrick Floor
(Derrick Floor, Rotary Table
which is 11 Ft above ground. Type of tools to be used Rotary
or Kelley Bushing)
Proposed Drilling depth 5900 ft. Objective formation Hermosa

PROPOSED CASING PROGRAM

Size of Casing Inches A.P.I.	Weight Per Foot	Grade and Type	Amount Ft. In	Top	Bottom	Cementing depths
9-5/8"	32.30	New	1200'	0	1200'	1200'
5-1/2"	14.0	New	5500'	0	5500'	
5-1/2"	15.5	New	400'	5500'	5900'	5900'

1500 sacks of cement to be used

REMARKS (use back of form for additional remarks or info)

AFFIDAVIT

I hereby certify under the penalty of perjury, that the information contained and statements herein made are to the best of my knowledge and belief, true, correct and complete,

Approved for regular location Date Feb 15 1957

By Dean B. Feight
Title Secretary


By J. J. Veiten
J. J. Veiten
Division Civil Engineer
(Title or Position)
THE TEXAS COMPANY
(Company or Operator)

Address P.O. Box 1720
Fort Worth, Texas

INSTRUCTIONS:

1. Complete this form in Duplicate and mail, both copies to the Oil and Gas Conservation Commission, Rm 105, Capitol plug., Salt Lake City 14, Utah.
2. A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells within an area of sufficient size so that the commission may determine whether the location of the well conforms to applicable rules, regulations and orders.
3. Any information required by this form that cannot be furnished at the time said form is submitted must be forwarded to the commission as soon as available.

Navajo Indian Tribal Lands



SAN JUAN COUNTY, UTAH

Scale 1" = 2000'

This is to certify that the courses, distances and objects reflected on the plat to which this certificate is affixed were observed and compiled under my supervision and, according to my best knowledge and belief, are true and correct.

J. J. Yelton
Division Civil Engineer
The Texas Company

Registered Professional Engineer - State of Texas

February 15, 1957

The Texas Company
P. O. Box 1720
Fort Worth 1, Texas

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Navajo F-2, which is to be located 2075 feet from the north line and 2140 feet from the west line of Section 30, Township 40 South, Range 25 East, SIM, San Juan County.

Please be advised that insofar as this office is concerned, approval to drill said well is hereby granted.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FREIGHT
SECRETARY

CBF:cn

cc: Phil McGrath/Mr. Long
USGS, Farmington,
New Mexico

2


(SUBMIT IN TRIPLICATE)

Indian Agency Navajo
Tribal

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee _____

Lease No. 1-149-IND-8839



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	<input type="checkbox"/>
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	<input type="checkbox"/>
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	<input type="checkbox"/>
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	<input type="checkbox"/>
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	<input type="checkbox"/>
NOTICE OF INTENTION TO ABANDON WELL.....		<input type="checkbox"/>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 21, 19 57

Navajo Indian Tribal Lands "F"
Well No. 2 is located 2075 ft. from N line and 2140 ft. from W line of sec. 30

NW-1/4 Sec. 30 40-S 25-E SLM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Aneth San Juan Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4650 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded 11 P.M. 2-20-57
Drilled 12-1/4" hole to 1650' and cemented 1625' of 9-5/8" OD casing at 1639' with 800 sacks pozax plus 4% gel, 200 floccle and 15 sacks tuf-plug followed by 200 sacks neat cement. Cement circulated. Tested with 800 pressure for 30 minutes and tested O.K.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Texas Company

Address Box 1221

Pampa, Texas

By Asst. Dist. Supt.

Title _____

A

Form 9-331b
(April 1952)


(SUBMIT IN TRIPLICATE)

Indian Agency Navajo

Tribal

Allottee _____

Lease No. I-149-IND-8839



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 26, 1957

Navajo Indian Tribal Lands "P"
Well No. 2 is located 2075 ft. from N line and 2140 ft. from W line of sec. 30

N 1/4 Sec. 30 40-S 25-E SLM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Aneth San Juan Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4650 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded 11 P.M. February 20, 1957.

Drilled 12-1/4" hole to 1650' and cemented 1625' of 9-5/8" OD casing at 1639' with 800 sacks pozmix plus 4% jel and 200# floccle, 15 sacks Taf-Plug followed by 200 sacks neat cement. Cement Circulated. Tested with 800# pressure for 30 minutes and tested O.K.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Texas Company

Address Box 1221

Pampa, Texas

By _____

Title Asst. Dist. Supt.

(SUBMIT IN TRIPLICATE)


Indian Agency Navajo

Tribal

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee _____

Lease No. I-149-IND-6839



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

May 27, 1957

Navajo Indian Tribal Lands "F"
Well No. 2 is located 2075 ft. from $\left\{ \begin{matrix} N \\ S \end{matrix} \right\}$ line and 2140 ft. from $\left\{ \begin{matrix} E \\ W \end{matrix} \right\}$ line of sec. 30

N 1/4 Sec. 30 40-S 25-S SLM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Aneth San Juan Utah
(Field) (County or Subdivision) (State or Territory)

Handwritten notes:
7-12-57
CMH

The elevation of the derrick floor above sea level is 4050 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Drilled 5-3/4" hole to 5700' and cemented 5689' of 5-1/2" OD casing at 5699' with 500 sacks neat cement. Top of cement at 4175'. Top of cement plug at 5664 (PSTU).

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Texas Company

Address Box 1221

Pampa, Texas

By _____

Title Asst. Dist. Supt.


Handwritten marks:
5
W

(SUBMIT IN TRIPLICATE)

Indian Agency Navajo
Tribal

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee _____
Lease No. I-149-IND-8839



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	X
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

May 27, 19 57

Navajo Indian Tribal Lands "F"
Well No. 2 is located 2075 ft. from $\left\{ \begin{matrix} N \\ S \end{matrix} \right\}$ line and 2140 ft. from $\left\{ \begin{matrix} E \\ W \end{matrix} \right\}$ line of sec. 30

NW 1/4 Sec. 30 40-S 25-E SLM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Kneth San Juan Utah
(Field) (County or Subdivision) (State or Territory)

*Well
C.M.K.
7-12-57*

The elevation of the derrick floor above sea level is 4650 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Total depth 5700'. Plugged back to 5664'.
Perforated 5484-94, 5500-16', 5530-50' and 5558-78' with 4 jets per foot. Treated with 500 gallons mud acid on 5-22-57. Flowed 295 barrels of 41° gravity oil in 4 hours thru 1" choke. GOR 1614.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Texas Company


Address Box 1221

Pampa, Texas

By _____

Title Asst. Dist. Supt.

U. S. LAND OFFICE Navajo Tribal
SERIAL NUMBER I-149-IND-8899
LEASE OR PERMIT TO PROSPECT _____



LOCATE WELL CORRECTLY

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

26-50
CASH
1-12-57

LOG OF OIL OR GAS WELL

Company The Texas Company Address Box 1221, Pampa, Texas
Lessor or Tract Navajo Indian Tribal Lands "F" Field Aneth State Utah
Well No. 2 Sec. 30 T40-SR. 25-Meridian SLM County San Juan
Location 2075 ft. $\left. \begin{matrix} N. \\ S. \end{matrix} \right\}$ of N. Line and 2140 ft. $\left. \begin{matrix} E. \\ W. \end{matrix} \right\}$ of W. Line of Sec. 30 Elevation 4650
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed _____

Date May 31, 1957 Title Asst. Dist. Supt.

The summary on this page is for the condition of the well at above date.

Commenced drilling February 20, 1957 Finished drilling May 23, 1957

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from 5484 to 5494 No. 4, from 5558 to 5578
No. 2, from 5500 to 5516 No. 5, from _____ to _____
No. 3, from 5530 to 5550 No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from _____ to _____ No. 3, from _____ to _____
No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	
9-5/8	32.3	8R	Smls	1625					
5-1/2	14.8	8R	Smls	5689					
	15.5	8R	Smls	5689					

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
9-5/8	1639	1000	Halliburton		
5-1/2	5699	500	"		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____
Adapters—Material _____ Size _____

FOLD MARK

FOLD MARK	9-5/8	1639	1000	Halliburton	
	5-1/2"	5699	500	"	

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____
 Adapters—Material _____ Size _____

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from 0 feet to 5700 feet, and from _____ feet to _____ feet
 Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

DATES

June 18, 19 57 Put to producing May 23, 19 57
 The production for the first 24 hours was _____ barrels of fluid of which 98.8% was oil; .2% emulsion; _____% water; and _____% sediment. Gravity, °Bé. 41.0
 If gas well, cu. ft. per 24 hours 1770 Gallons gasoline per 1,000 cu. ft. of gas _____
 Rock pressure, lbs. per sq. in. _____

EMPLOYEES

M. N. Madden, Driller E. S. Exon, Driller
 Buster Copeland, Driller _____, Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
0	976	976	Sand & Shale
976	1312	336	Sand, Shale & Red Bed
1312	1650	338	Sand & Shale
1650	1984	334	Sand, Shale & Red Bed
1984	2177	193	Sand & Shale
2177	2630	453	Sand, Shale & Red Bed
2630	3081	451	Red Bed & Shale
3081	4125	44	Shale & Anhy
4125	4224	99	Shale & Lime
4224	4333	109	Lime
4333	4506	173	Lime & Shale
4506	4686	180	Lime & Chert
4686	4815	129	Lime & Shale
4815	4957	142	Lime & Chert
4957	5700	743	Lime & Shale
	5664		Plugged back depth

All measurements from derrick floor, 10' above ground.

JUL 11 1957

707 17 1923


FORMATION RECORD—Continued

FROM—	TO—	TOTAL FEET	GAUGE	FORMATION
DEVIATION TESTS				
1650' --	1-1/4"	4080' -	1/2"	0 to 1650' - 12-1/4"
2176' --	3/4"	4600' -	1"	1650' to 5700' - 8-3/4"
3081' --	1"			
HOLE SIZE				
Core #1	5287-5325	Recovered 35'		95%
#2	5325-5327	Recovered 2'		100%
#3	5327-5377	Recovered 47.5'		95%
#4	5377-5428	Recovered 50'		98%
#5	5428-5438	Recovered 10'		100%
#6	5438-5488	Recovered 50'		100%
#7	5488-5538	Recovered 48.6'		97%
#8	5538-5582	Recovered 43'		98%
#9	5582-5631	Recovered 49'		100%
#10	5582-5631	Recovered 49'		100%
1625' of 9-5/8" OD casing cemented at 1639' with 800 sacks pozmix plus 4% gel, 200# flocele, 15 sacks tuff plug and 200 sacks cement. Cement Circulated.				
5689' of 5-1/2" OD casing cemented at 5699' with 500 sacks cement. Top of cement at				
DST #1 5418-38 Tool open with fair blow of air, died in 1 hour 40 minutes. Recovered 95' slightly oil and gas cut drilling mud and 330' gas cut salt water.				
DST #2 5460-5582' Tool open 3 hours and 5 minutes with fair blow. Gas to surface in 8 minutes and oil in 1 hour and 5 minutes. Flowed 91 barrels oil in 2 hours and reversed out 15 barrels for a total of 106.				
After drilling to 5700' and cementing 5-1/2" casing, top of cement plug was found at 5664' (PBD). Perforated 5484-94', 5500-16', 5530-50' and 5558-78' with 4 jets per foot. Ran tubing to 5590' x with packer at 5490' and treated with 500 gallons mud acid. Flowed 295 barrels of 41° gravity oil in 4 hours thru 1" choke.				

SHOOTING RECORD

PLUGS AND ADAPTERS

ECLD 10/17/23



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Copy to HC
Budget Bureau No. 42-R350.4
Approval expires 12-31-60.
Indian Agency Navajo
Allottee _____
Lease No. I-149-IND-8839

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	X
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	X
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 25, 1961

Navajo Tribe "F"

Well No. 2 is located 2075 ft. from N line and 2140 ft. from W line of sec. 30

NW/4 of Sec. 30
($\frac{1}{4}$ Sec. and Sec. No.)

40-S
(Twp.)

25-E
(Range)

SLM
(Meridian)

Aneth
(Field)

San Juan
(County or Subdivision)

Utah
(State or Territory)

The elevation of the derrick floor above sea level is 4650 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Moved in pulling unit, pulled rods and tubing and commenced workover 3-21-61. Set packer at 5400' and acidized perforations 5484' to 5494', 5500' to 5516', 5530' to 5550' and 5558' to 5578' with 3500 gallons of NE-LST acid. Pulled packer and ran rods and tubing. After recovering all of load oil, well pumped 472 barrels of 41° gravity oil in 24 hours on test ending 3-30-61. Length of pump stroke 88" with 13 strokes per minute.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company TEXACO Inc.

Address P. O. Box 810

Farmington, New Mexico

By R. G. Wilson

Title Unit Superintendent

UNITED STATES DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TR. .CATE*
(Other instructions on re-verse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.
I-149-IND-8839

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Navajo

7. UNIT AGREEMENT NAME
Aneth Unit

8. FARM OR LEASE NAME

9. WELL NO.
K230

10. FIELD AND POOL, OR WILDCAT
Aneth

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
30,40-S,25-E, SLM

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
TEXACO Inc.

3. ADDRESS OF OPERATOR
Box 810, Farmington, New Mexico

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)
At surface

2075' from South Line and 2140' from West Line

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)
4650' DF

12. COUNTY OR PARISH
San Juan

13. STATE
Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF	<input type="checkbox"/>	PULL OR ALTER CASING	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	MULTIPLE COMPLETE	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input checked="" type="checkbox"/>	ABANDON*	<input type="checkbox"/>
REPAIR WELL	<input checked="" type="checkbox"/>	CHANGE PLANS	<input type="checkbox"/>
(Other)	<input type="checkbox"/>		<input type="checkbox"/>

SUBSEQUENT REPORT OF:

WATER SHUT-OFF	<input type="checkbox"/>	REPAIRING WELL	<input type="checkbox"/>
FRACTURE TREATMENT	<input type="checkbox"/>	ALTERING CASING	<input type="checkbox"/>
SHOOTING OR ACIDIZING	<input type="checkbox"/>	ABANDONMENT*	<input type="checkbox"/>
(Other)	<input type="checkbox"/>		<input type="checkbox"/>

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Proposed remedial work is for the purpose of perforating well in Zone I of the Desert Creek Formation and stimulating all perforated intervals by acidizing. Procedure for workover will be as follows:

Pull rods and tubing and perforate 5-1/2" casing from 5453' to 5463' with 20 jet shots. By using retrievable bridge plug and packer, treat separately, perforated intervals 5453' to 5463', 5484' to 5516' and 5558' to 5578' with 1,000 gallons of retarded HCL acid to each interval. After completing treatment, well will be returned to pump.

18. I hereby certify that the foregoing is true and correct

SIGNED [Signature] TITLE **Field Foreman** DATE **1-15-64**

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY

APPROVED
JAN 15 1964
RICHARD B. KRAHL
ACTING DISTRICT ENGINEER

*See Instructions on Reverse Side

210

Copy H 2-2

MS

Form 9-331
(May 1963)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.
I-149-IND-8839

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
Navajo

7. UNIT AGREEMENT NAME
Aneth Unit

8. FARM OR LEASE NAME

9. WELL NO.
K230

10. FIELD AND POOL, OR WILDCAT
Aneth

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
30, 40-S, 25-E SLM

12. COUNTY OR PARISH
San Juan

13. STATE
Utah

SUNDRY NOTICES AND REPORTS ON WELLS
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
TEXACO Inc.

3. ADDRESS OF OPERATOR
Box 810, Farmington, New Mexico

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)
At surface
2075' from South Line and 2140' from West Line.

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)
4650' DF

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF
FRACTURE TREAT
SHOOT OR ACIDIZE
REPAIR WELL
(Other)

PULL OR ALTER CASING
MULTIPLE COMPLETE
ABANDON*
CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF
FRACTURE TREATMENT
SHOOTING OR ACIDIZING
(Other)

REPAIRING WELL
ALTERING CASING
ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Moved in pulling unit and commenced workover 1-22-64.

Reason for remedial work was to perforate well in zone I of the Desert Creek Formation and stimulate all perforated intervals by acidizing.

Pulled rods and tubing and perforated 5 1/2" casing from 5453' to 5463' with 20 jet shots. Set packer at 5523' and treated perforations 5530' to 5550' and 5558' to 5578' through tubing with 1000 gallons retarded acid. Treating pressure 0 PSI with an injection rate of 5 barrels per minute. Reset packer at 5475' and retrievable bridge plug at 5523'. Treated perforations 5484' to 5516' with 1000 gallons retarded acid. Treating pressure 0 PSI with an injection rate of 5 barrels per minute. Reset packer at 5400' and bridge plug at 5475'. Treated perforations 5453' to 5463' with 1000 gallons of retarded acid. Treating pressure 0 PSI with an injection rate of 5 barrels per minute. Pulled packer and retrievable bridge plug and returned well to pumping. After recovering lead oil, well pumped 432 barrels of oil and 128 barrels of water on 24 hour test ending 10:00 a.m., 1-30-64. Length of pump stroke 144" with 11 1/2 strokes per minute.

18. I hereby certify that the foregoing is true and correct

SIGNED C. P. [Signature]

TITLE District Superintendent DATE 3-2-64

(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

DATE _____

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPlicate
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT" for such proposals.)

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
TEXACO, Inc.

3. ADDRESS OF OPERATOR
P. O. Box EE, Cortez, Co. 81321

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)
At surface:
2075' from South line and 2140' from West line.

14. PERMIT NO. _____ 15. ELEVATIONS (Show whether DF, RT, GR, etc.)
4650' DF

5. LEASE DESIGNATION AND SERIAL NO.
I-149-IND.-8839

6. INDIAN, ALLOTTEE OR TRIBE NAME
Navajo

7. UNIT AGREEMENT NAME
Aneth Unit

8. FARM OR LEASE NAME
Aneth

9. WELL NO.
K230

10. FIELD AND POOL, OR WILDCAT
Aneth

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
30, 40-S, 25-E, SLM

12. COUNTY OR PARISH 13. STATE
San Juan Utah


16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING WELL
FRACTURE TREAT	MULTIPLE COMPLETE	FRACTURE TREATMENT	ALTERING CASING
SHOOT OR ACIDIZE	ABANDON*	SHOOTING OR ACIDIZING <input checked="" type="checkbox"/>	ABANDONMENT*
REPAIR WELL	CHANGE PLANS	(Other)	

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

10-26-77. Pulled BJ pump. Run bit & scraper to 5652' KB. Run RBP & packer. Acidized perfs 5530-5578 with 2000 gallons 28% PAE and 4000 gallons produced water in two stages. Average pressure 1350# and average rate 6 BPM. Could not pull RBP. Circulated mud and rocks out from 5505' to 5567'. Hit bridge at 4627' on second attempt to clean hole. Layed down tubing and pump. Shut-in well for evaluation on 10-31-77. Severe casing corrosion is suspected. Job unsuccessful.



18. I hereby certify that the foregoing is true and correct

SIGNED Alvin R. Mandy TITLE Field Foreman DATE 11-3-77

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPL. (Other instructions on reverse side)

Form approved. Budget Bureau No. 42-B1424.
5. LEASE DESIGNATION AND SERIAL NO.

I-149-IND-8839-a

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

<p>1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/></p> <p>2. NAME OF OPERATOR TEXACO, Inc.</p> <p>3. ADDRESS OF OPERATOR P. O. Box EE Cortez, Colo. 81321</p> <p>4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface</p>	<p>6. IF INDIAN, ALLOTTEE OR TRIBE NAME Navajo</p> <p>7. UNIT AGREEMENT NAME Aneth Unit</p> <p>8. FARM OR LEASE NAME</p> <p>9. WELL NO. K230</p> <p>10. FIELD AND POOL, OR WILDCAT Aneth</p> <p>11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA 30, 40S, 25E, SLM</p> <p>12. COUNTY OR PARISH 13. STATE San Juan Utah</p>
<p>14. PERMIT NO.</p> <p>15. ELEVATIONS (Show whether DF, RT, GR, etc.) 4650' DF</p>	

2075' from South line and 2140' from West line.

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input checked="" type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input checked="" type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	


(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

3-15-78:

MIRUSU. ran tbq. Run in hole w/BP & pkr. Located leak @ 3575'. Set BP @ 5427'. Brandenhead squeeze w/75 sx class B cmt. Drilled out cmt to 3590'. Cleaned out hole to 5599' KB. Set BP @ 5599' pkr @ 5523'. Acidized w/1000 gals 28% HCL acid. Average rate 3 BPM, press 2000#. Run pump equip. placed well on production.

	<u>Oil</u>	<u>Water</u>
Test Before:	16	308
Test After:	19	309



Successful Workover.

18. I hereby certify that the foregoing is true and correct

SIGNED Alvin R. Mendez TITLE Field foreman DATE 9-27-78

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

USGS (4) UOGCC (3) Navajo Tribe GLE ARM Superior

*See Instructions on Reverse Side

TEXACO

Texaco Inc.
P.O. Box EE
Cortez, Colo. 81321

June 16, 1982

U.S. Dept. of the Interior
Minerals Management Service
Drawer 600
Farmington, NM 87401

Attention: James Simms

Dear Sir,

Please refer to Texaco, Inc. attached Sundry Notices of Intent to Convert to Water Injection (forms 9-331). The following information should complete the applications for conversion as required by NTL-2B.

Approximately 33,500 BWPD is produced from the Ismay and Desert Creek members of the Pennsylvanian Paradox formation from approximately 180 producing wells and is combined with 28,500 BWPD of fresh make-up water, the total of which is then injected into the Ismay and Desert Creek formations through approximately 155 water injection wells. The latest analysis of injection water (4-21-82) revealed 81,500 ppm dissolved solids, 49,000 ppm Cl^- as NaCl, 340 ppm H_2S , and a pH value of 6.65. Original dissolved solids in the formations was approximately 250,000 ppm.

The wells are to have internally coated (Tubekote TK-75) tubing and retrievable injection packers. The tubing-casing annulus of each well is to be treated with 0.5 gallon per annular barrel of TC-6768A, a corrosion inhibiting chemical. Initial average injection at each well should be approximately 300-500 BWIPD at 1900-2200 psi WHP.

Radioactive injection surveys will be run on all conversions as injection rates and pressures stabilize. Thereafter, periodic surveys will be run to insure that the injected water is confined to the proposed injection interval. Casing pressures will be monitored to insure against tubing, packer, and/or casing leaks. In the event that excessive pressure is discovered in the annular space and cannot be bled-off, then the well will be shut-in until corrective action can be taken to repair the cause of the backside pressure.

The following downhole information is available for the subject wells:

TEXACO

K230

TD= 5700' KB

PBTD= 5599' KB

9-5/8", 32.3# casing set at 1639'. Hole size = 12 1/4". Cemented w/ 1000 sx Pozmix and reg cement w/ 200# Flo-seal and 15 sx turf-plug. Cement circulated to surface.

5-1/2", 14# & 15.5# casing set at 5699'. Hole size = 8-3/4". Cemented w/ 500 sx neat cmt. Cement top at 4175'.

G136

TD= 5705' KB

PBTD= 5600' KB

13-3/8", 48# casing set at 70'. Hole size = 17 1/2". Cemented w/ 90 sx reg cmt; cmt circulated to surface.

8-5/8", 24# casing set at 1430'. Hole size = 11". Cemented w/ 600 sx reg cmt; cmt top unknown.

4-1/2", 9.5# casing set at 5705'. Hole size = 6-3/4". Cemented w/ 250 sx reg cmt; cmt top unknown.

E326

TD=5893' PBTD=5822'

8-5/8", 24# casing set at 1524'. Hole size=11". Cemented with 1050 sx reg cmt that circulated to surface.

4-1/2", 9.5# casing set at 5882'. Hole size=6-3/4". Cemented with 250 sx reg cmt. Cement top=4450'.

J129

TD=5889' PBTD=5840'

13-3/8", 48# casing set at 106'. Hole size=17-1/4". Cemented with 200 sx cmt. Cement circulated to surface.

8-5/8", 24# casing set at 1500'. Hole size=11". Cemented with 1100 sx cmt that circulated to surface.

4-1/2", 9.5# casing set at 5888'. Hole size=6-3/4". Cemented with 300 sx cmt with cmt top at 4800'.

E128

TD=5767' PBTD=5721'

13-3/8", 48# casing set at 34'. Hole size=17-1/4". No cement information available.

9-5/8", Set at 1135'. No other information available.

5-1/2", Set at 5760'. Hole size=7-7/8". Cement top at 3920'. No other information available.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well gas well other

2. NAME OF OPERATOR
TEXACO INC.

3. ADDRESS OF OPERATOR
P.O. Box EE, Cortez, Colorado 81321

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 2075' FNL & 2140' FWL
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

5. LEASE
I-149-IND-8839

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
Navajo

7. UNIT AGREEMENT NAME
Aneth Unit

8. FARM OR LEASE NAME
Unit

9. WELL NO.
K230

10. FIELD OR WILDCAT NAME
Aneth

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 30, T40S, R25E

12. COUNTY OR PARISH
San Juan

13. STATE
Utah

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)
4650' DF

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF	<input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>	<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>	<input type="checkbox"/>
(other) Convert to water inj.		

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Texaco Inc. plans to convert Aneth Unit K230 from oil producing to water injection status. All work will be done in accordance with MMS and UOGCC regulations. Proposed procedure is as follows:

1. Pull production equipment and clean out to 5599' DF.
2. Run 2 7/8" plastic-coated tubing and 5 1/2" double grip retrievable packer. Set packer at 5420' and inhibit casing tubing annulus.
3. Place well on injection.
4. Run tracer survey after injection rate stabilizes and acidize if necessary.

In addition, a 240' injection line will be laid (2 7/8" cmt-lined steel) from K230 to a line near-by.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Chas R. Mary TITLE Field Supt. DATE 06-16-82

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

MMS(4) UOGCC(3) Navajo Tribe-Superior Oil-CDF-ARM

TEXACO INCORPORATED
SURFACE USE AND OPERATIONS PLAN
INJECTION LINE CONSTRUCTION
FOR 19 WELL CONVERSION PROJECT
ANETH UNIT
SAN JUAN COUNTY, UTAH

1. EXISTING ROADS (SEE ATTACHED MAP)

Existing lease roads will be used to reach the areas of construction from a point on State Highway 262. No improvements will be required.

2. PLANNED ACCESS ROADS

No new access roads will be constructed.

3. LOCATION OF WELLS, PROPOSED INJECTION LINES, AND EXISTING INJECTION LINES (SEE ATTACHED MAP)

4. LOCATION AND TYPE OF WATER SUPPLY

Water for injection will be supplied from the Aneth Unit water injection plant located in Section 22, T40S, R24E, San Juan County, Utah.

5. SOURCE OF CONSTRUCTION MATERIALS

Native soils will be utilized for backfilling all ditches.

6. METHODS FOR HANDLING WASTE DISPOSAL

Waste will be hauled from the construction site.

7. PLANS FOR RESTORATION OF THE SURFACE

The ditches for the water injection lines will be backfilled, contoured, and seeded. Construction will begin upon approval and work will proceed diligently through completion of the restoration activities. All cleanup and restoration activities shall be done and performed in a workmanlike manner and in strict conformity with this Surface Use Plan.

8. OTHER INFORMATION

The injection line will be 2 7/8" OD cement-lined, coated, and wrapped steel pipe. The clearing for any right-of-way will not exceed 20'. All pipe will be doped, wrapped, and buried. Vegetation in the area consists mainly of rabbitbrush, spargrass, and prickly pear.


9. LESSEE'S OR OPERATOR'S REPRESENTATIVE

A. R. Marx
Texaco Incorporated
P. O. Box EE
Cortez, Colorado 81321

Telephone: (303) 565-8401

10. CERTIFICATION

I hereby certify that I, or persons directly under my supervision, have inspected the construction site and access road; that I am familiar with the conditions that presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by a reliable contractor in conformity with this plan and the terms and conditions under which it is approved.




A. R. Marx
Four Corners General Superintendent
Texaco Incorporated

May 24, 1982
DATE

ARM:jdr

G128, NW NW, Sec. 28, T40S, R24E-----	Approx.	1200'
G415, NW SW, Sec. 15, T40S, R24E-----	"	1440'
H228, NE SE, Sec. 28, T40S, R24E-----	"	3120'
G122, NE NW, Sec. 22, T40S, R24E-----	"	1080'
H422, SE SE, Sec. 22, T40S, R24E-----	"	960'
F114, NE NW, Sec. 14, T40S, R24E-----	"	3360'
E136, NW NW, Sec. 36, T40S, R24E-----	"	2640'
E326, NW SW, Sec. 26, T40S, R24E-----	"	1200'
G136, NW NE, Sec. 36, T40S, R24E-----	"	2040'
H236, SE NE, Sec. 36, T40S, R24E-----	"	3360'
K230, SE NW, Sec. 30, T40S, R25E-----	"	240'
K430, SE SW, Sec. 30, T40S, R25E-----	"	2400'
M230, SE NE, Sec. 30, T40S, R25E-----	"	840'
G325X, NW SE, Sec. 25, T40S, R24E-----	"	2900'
J129, NW SW, Sec. 29, T40S, R25E-----	"	1440'
J131, NW NW, Sec. 31, T40S, R25E-----	"	3360'
G116, NW NE, Sec. 16, T40S, R24E-----	"	360'
F227, SE NW, Sec. 27, T40S, R24E-----	"	2400'
E128, NW NW, Sec. 28, T40S, R24E-----	"	1600'



TAOS, - R24E
San Juan County, Utah

X 4944

Flowing Well

4661

G415

4632

4911

Water Tank

4906

4800

Radio Tower

22

23

4729

CONDUIT

Club

PIPELINE


4994

16


14

F1147

G116



T40S - R24E
San Juan County, Utah





San Juan County Utah


A2.026

T40S R24E

T40S R25E







Jan Juan County Utah

NAVAJO
T40S - R25E
San Juan County Utah

High Pressure Station

14" CONCRETE CYLINDER 23,579'

HELBINA & PODPECHAN

W. A. MONCRIEF

McELIMS

Creek

NAVAJO
EXACO'D

NAVAJO
TEXACO 'C'

NAVAJO
TEXACO 'C'

NAVAJO
TEXACO 'F'

NAVAJO
TEXACO 'C'

NAVAJO
TEXACO 'C'

NAVAJO '164'
PURE - SUN
MARATHON

NAVAJO '164'
PURE - SUN
MARATHON

NAVAJO
TEXACO 'Q'

NAVAJO

NAVAJO
SUPERIOR 'C'

NAVAJO
SUPERIOR 'C'

NAVAJO '164'
MARATHON

NAVAJO '164'
MARATHON

O-03

O-10

O-12

N-07

N-09

L-II

M-10

N-II

L-12

G-12

21

22

23

24

28

12

27

26

25

30

33

34

35

36

31

32

0969

H414

H123

H223

H423

H227

H226

H426

H235

H435

H122

H123

H223

H423

H227

H226

H426

H235

H435

H122

H123

H223

H423

H227

H226

H426

H235

H435

H122

H123

H223

H423

H227

H226

H426

H235

H435

H122

H123

H223

H423

H227

H226

H426

H235

H435

H122

H123

H223

H423

H227

H226

H426

H235

H435

H122

H123

H223

H423

H227

H226

H426

H235

H435

H122

H123

H223

H423

H227

H226

H426

H235

H435

H122

H123

H223

H423

H227

H226

H426

H235

H435

H122

H123

H223

H423

H227

H226

H426

H235

H435

H122

H123

H223

H423

H227

H226

H426

H235

H435

H122

H123

H223

H423

H227

H226

H426

H235

H435

H122

H123

H223

H423

H227

H226

H426

H235

H435

H122

H123

H223

H423

H227

H226

H426

H235

H435

H122

H123

H223

H423

H227

H226

H426

H235

H435

H122

H123

H223

H423

H227

H226

H426

H235

H435

H122

H123

H223

H423

H227

H226

H426

H235

H435

H122

H123

H223

H423

H227

H226

H426

H235

H435

H122

H123

H223

H423

H227

H226

H426

H235

H435

H122

H123

H223

H423

H227

H226

H426

H235

H435

H122

H123

H223

H423

H227

H226

H426

H235

H435

H122

H123

H223

H423

H227

H226

H426

H235

H435

H122

H123

H223

H423

H227

H226

H426

H235

H435

H122

H123

H223

H423

H227

H226

H426

H235

H435

H122

H123

H223

H423

H227

H226

H426

H235

H435

H122

H123

H223

H423

H227

H226

H426

H235

H435

H122

H123

H223

H423

H227

H226

H426

H235

H435

H122

H123

H223

H423

H227

H226

H426

H235

H435

H122

H123

H223

H423

H227

H226

H426

H235

H435

H122

H123

H223

H423

H227

H226

H426

H235

H435

H122

H123

H223

H423

H227


H226

H426

H235

H435

H122</



NAVAJO
TEXACO 'S'

NAVAJO '164'
PURE-SUN-MARATHON

NAVAJO '164'
PURE-SUN-MARATHON

NAVAJO
TEXACO 'C'

NAVAJO
WESTERN STATES

NAVAJO '164'
PURE-SUN-MARATHON

NAVAJO '164'
PURE-SUN-MARATHON

E135 NAVAJO
TEXACO 'Q'

T405 R24E
San Juan County, Utah

10,000 BBL.
STORAGE TANK
700'-8"
GALLERY

2 1/4 0

Publication notice etc. is in file Aneth (F227) Sec. 27, T40S, R24E

STATE OF UTAH
DIVISION OF OIL, GAS, AND MINING
ROOM 4241 STATE OFFICE BUILDING
SALT LAKE CITY, UTAH 84114
(801) 533-5771
(RULE I-5)

FORM NO. DOGM-UIC-1

Maps 5129, Sec. 29, T40S, R25E

X

IN THE MATTER OF THE APPLICATION OF

Texaco Inc
ADDRESS P.O. Box EE
Cortez, Colorado ZIP 81321
INDIVIDUAL PARTNERSHIP CORPORATION
FOR ADMINISTRATIVE APPROVAL TO DISPOSE OR
INJECT FLUID INTO THE Aneth Unit K230 WELL
SEC. 30 TWP. 40S RANGE 25E
San Juan COUNTY, UTAH

CAUSE NO. _____

ENHANCED RECOVERY INJ. WELL
DISPOSAL WELL

APPLICATION

Comes now the applicant and shows the Division the following:

1. That Rule 1-5 (b) 6 authorizes administrative approval of enhanced recovery injections or disposal operations.
2. That the applicant submits the following information.

Lease Name <u>Aneth Unit</u>	Well No. <u>K230</u>	Field <u>Aneth</u>	County <u>San Juan</u>
Location of Enhanced Recovery Injection or Disposal Well <u>SE 1/4 NW 1/4</u> Sec. <u>30</u> Twp. <u>40S</u> Rge. <u>25E</u>			
New Well To Be Drilled Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Old Well To Be Converted Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Casing Test Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Date _____	
Depth-Base Lowest Known Fresh Water Within 1/2 Mile <u>1460'</u>	Does Injection Zone Contain Oil-Gas-Fresh Water Within 1/2 Mile YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>		State What <u>OIL & GAS</u>
Location of Injection Source(s) <u>Aneth Unit Producing Wells</u> <u>San Juan River</u>	Geologic Name(s) and Depth of Source(s) <u>Desert Creek & Fsmay</u> <u>± 5600'</u>		
Geologic Name of Injection Zone <u>Paradox; Desert Creek</u>	Depth of Injection Interval <u>5453' to 5578'</u>		
a. Top of the Perforated Interval: <u>5453'</u>	b. Base of Fresh Water: <u>1460'</u>	c. Intervening Thickness (a minus b) <u>3993'</u>	
Is the intervening thickness sufficient to show fresh water will be protected without additional data? <input checked="" type="checkbox"/> YES NO			
Lithology of Intervening Zones <u>Sandstone, limestone, anhydrite w/ intermittent shale layers</u>			
Injection Rates and Pressures Maximum _____ <u>500</u> B/D <u>2000</u> PSI			
The Names and Addresses of Those To Whom Copies of This Application and Attachments Have Been Sent <u>The Navajo Tribe</u> <u>Box 146</u> <u>Window Rock, Arizona</u>			

State of Colorado,
County of Montezuma

Alvin R. Marx Field Supt.
Applicant

Before me, the undersigned authority, on this day personally appeared Alvin R. Marx
known to me to be the person whose name is subscribed to the above instrument, who being by me duly sworn on oath states, that he is duly authorized to make the above report and that he has knowledge of the facts stated therein, and that said report is true and correct.

Suscribed and sworn to before me this 18th day of June, 19 82

SEAL

My commission expires 11/7/84

Jo A. Walcher
Notary Public in and for Colorado


(OVER) 925 S. Broadway, Cortez, Co. 81321

1. Attach qualitative and quantitative analysis of fresh water from 2 or more producing wells within 1 mile of injection well showing location of wells and date samples were taken, or statement as to why samples were not submitted.
2. Attach qualitative and quantitative analysis of representative sample of water to be injected.
3. Attach plat showing subject well and all known oil and gas wells, abandoned, drilling and dry holes within 1/2 mile, together and with name of operator.
4. Attach Drillers Log (Form DOGM-UIC-2). (Appropriate Surety must be on file with Conservation Division.)
5. Attach Electric or Radioactivity Log of Subject well (if released).
6. Attach schematic drawing of subsurface facilities including; Size, setting depth, amount of cement used measured or calculated tops of cement surface, intermediate (if any) and production casings; size and setting depth of tubing; type and setting depth of packer; geologic name of injection zone showing top and bottom of injection interval.
7. The original and 6 copies of application, and one complete set of attachments shall be mailed to the Division.
8. Deliver 1 copy of application to landowner on whose land injection well is located and to each operator of a producing leasehold within 1/2 mile of injection well.
9. Affidavit of mailing or delivery shall be filed not later than five days after the application is filed.
10. Notice that an application has been filed shall be published by the Division in a newspaper of general circulation in the county in which the well is located. The Division shall file proof of publication before the application is approved. The notice shall include name and address of applicant, location of proposed injection or disposal well, injection zone, injection pressure and volume. If no written objection is received within 15 days from date of publication the application will be approved administratively.
11. A well shall not be used for injection or disposal unless completed machine accounting Form DOGM-UIC-3b is filed September 1st, each year.
12. Approval of this application, if granted, is valid only as long as there is no substantial change in the operations set forth in the application. A substantial operation change requires the approval of a new application.
13. If there is less intervening thickness required by Rule I-5 (b) 4 attach sworn evidence and data.

CASING AND TUBING DATA

NAME OF STRING	SIZE	SETTING DEPTH	SACKS CEMENT	TOP OF CEMENT	TOP DETERMINED BY
Surface	9 5/8"	1639'	1000 Sacks	Surface	Circulated Returns
Intermediate					
Production	5 1/2"	5699	500 Sacks	4175'	Log
Tubing	2 7/8"	5420	5 1/2" double-grip retrievable - Plastic Casing - 5420'		
Total Depth		Geologic Name - Inj. Zone		Depth - Top of Inj. Interval	Depth - Base of Inj. Interval
5700'		Desert Creek		545.3'	5578'

SKETCH - SUB-SURFACE FACILITY




(To be filed within 30 days after drilling is completed) I-149-IND-8839

DEPARTMENT OF NATURAL RESOURCES AND ENERGY

DIVISION OF OIL, GAS, AND MINING
Room 4241 State Office Building
Salt Lake City, Utah 84114

COUNTY LEASE NO.

API NO
640 Acres
N



Locate Well Correctly and Outline Lease

COUNTY San Juan SEC. 30 TWP. 40S RGE. 25E
COMPANY OPERATING Texaco Inc.
OFFICE ADDRESS P.O. Box EE
TOWN Cortez STATE ZIP Colo. 81321
FARM NAME Ane th Unit WELL NO. K230
DRILLING STARTED 2-20 1957 DRILLING FINISHED 5-23 1957
DATE OF FIRST PRODUCTION 5-23-57 COMPLETED 5-23-57
WELL LOCATED SE 1/4 SE 1/4 NW 1/4
565 FT. FROM SL OF 1/4 SEC. & 2140 FT. FROM WL OF 1/4 SEC.
ELEVATION DERRICK FLOOR 4650' GROUND 4640'

TYPE COMPLETION

Single Zone Desert Creek Order No. _____
Multiple Zone _____ Order No. _____
Comingled _____ Order No. _____

LOCATION EXCEPTION _____ Order No. _____ Penalty _____

OIL OR GAS ZONES

Name	From	To	Name	From	To
<u>Desert Creek</u>	<u>5484</u>	<u>5578'</u>			

CASING & CEMENT

Casing Set				Csg. Test	Cement		
Size	Wgt	Grade	Feet	Psi	Sax	Fillup	Top
<u>9 5/8"</u>	<u>32.3*</u>	<u>NA</u>	<u>1639'</u>	<u>NA</u>	<u>1000</u>	<u>NA</u>	<u>Circulated</u>
<u>5 1/2"</u>	<u>14.65*</u>	<u>NA</u>	<u>5699</u>	<u>NA</u>	<u>500</u>	<u>NA</u>	<u>4175'</u>

TOTAL DEPTH 5700'

PACKERS SET DEPTH none at present

FORMATION	1	2	3
	<u>Desert Creek</u>	<u>Desert Crk</u>	
SPACING & SPACING ORDER NO.	<u>40 ACRE</u>	<u>40 ACRE</u>	
CLASSIFICATION (Oil; Gas; Dry; Inj. Well)	<u>OIL WELL</u>	<u>OIL-WELL</u>	
PERFORATED	<u>S484-94</u>	<u>S453-63</u>	
INTERVALS	<u>5500-16</u> <u>5530-50</u> <u>5558-78</u>		
ACIDIZED?	<u>Acidized w/4000 gals.</u>	<u>Acidized new perfs w/1000 gals and S484-5516 w/1000 gals.</u>	
FRACTURE TREATED?	<u>NO!</u>	<u>NO!</u>	

INITIAL TEST DATA

	5-23-57	1-30-64	* Tested w/ existing perfs
Date	<u>5-23-57</u>	<u>1-30-64</u>	
Oil. bbl./day	<u>1770 BOPD</u>	<u>432 BOPD</u>	
Oil Gravity	<u>41.0</u>	<u>41.0</u>	
Gas. Cu. Ft./day	<u>NA</u> CF	<u>NA</u> CF	<u>CF</u>
Gas-Oil Ratio Cu. Ft./Bbl.	<u>NA</u>	<u>NA</u>	
Water-Bbl./day	<u>0 BOPD</u>	<u>128 BOPD</u>	
Pumping or Flowing	<u>Flowing</u>	<u>Pumping</u>	
CHOKER SIZE	<u>NA</u>	<u>NA</u>	
FLOW TUBING PRESSURE	<u>NA</u>	<u>NA</u>	

A record of the formations drilled through, and pertinent remarks are presented on the reverse. (use reverse side)


I, the undersigned, being first duly sworn upon oath, state that this well record is true, correct and complete according to the records of this office and to the best of my knowledge and belief.

Telephone _____
State of Colorado
County of Montezuma
Name and title of representative of company Philip R. Marx Field Supt.

Subscribed and sworn before me this 18th day of June, 1982

My commission expires 1/7/84.

Jo A. Welcher
925 S. Broadway
Cortez, Co.




T405 - R25E
 San Juan County, Utah
 Texaco Inc. - Operator
 Navajo Tribe - Landowner

Legend:
 ● Producing well
 ↙ Injection well
 ✖ Abandoned
 ⊕ Dry Hole - Abandoned

A

C



24

25

36

19

31

32

29

13

18

17

24

25


36

19

31

29

32



24

25


36

19

31

29

32



24

25


36

19

31

29

32



24

25


36

19

31

29

32



24

25


36

19

31

29

32



24

25


36

19

31

29

32



24

25


36

19

31

29

32



24

25


36

19

31

29

32



24

25


36

19

31

29

32



24

25


36

19

31

29

32



24

25


36

19

31

29

32



24

25


36

19

31

29

32



24

25


36

19

31

29

32



24

25


36

19

31

29

32



24

25


36

19

31

29

32



24

25


36

19

31

29

32



24

25


36

19

31

29

32



24

25


36

19

31

29

32



24

25


36

19

31

29

32



24

25


36

19

31

29

32



24

25


36

19

31

29

32



24

25


36

19

31

29

32



24

25


36

19

31

29

32



24

25


36

19

31

29

32



24

25

36

19

31

29

32

**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well gas well other

2. NAME OF OPERATOR
TEXACO INC.

3. ADDRESS OF OPERATOR
P.O. Box EE Cortez, Colorado 81321

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 2075' FNL & 2140' FWL
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

5. LEASE
I-149-IND-8839

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
Navajo

7. UNIT AGREEMENT NAME
Aneth Unit

8. FARM OR LEASE NAME
Unit

9. WELL NO.
K230

10. FIELD OR WILDCAT NAME
Aneth

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec 30, T40S, R25E

12. COUNTY OR PARISH
San Juan

13. STATE
Utah

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)
4650' DF

REQUEST FOR APPROVAL TO:

- TEST WATER SHUT-OFF
- FRACTURE TREAT
- SHOOT OR ACIDIZE
- REPAIR WELL
- PULL OR ALTER CASING
- MULTIPLE COMPLETE
- CHANGE ZONES
- ABANDON*

SUBSEQUENT REPORT OF:

RECEIVED
JAN 25 1983
DIVISION OF
GAS & MINING

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

(other) Convert to water Inj. Subsequent

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1-8-83 - MIRUSU - Pulled rods, pump & tubing. Ran bit & casing scraper. Cleaned out to 5614'KB. TIH W/pkr & 2-3/8 PC tubing. Inhibited backside w/corrosion inhibitor. Set packer at 5428.03 KB. Psi tested casing to 1000psi. Held ok. RDMOSU.

1-13-83 Put well on injection.

BWIPD - 2000+ Tubing - 650# Casing - 0

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Alvin R. Marx TITLE Field Supt. DATE 1-20-83

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

MMS (4) UOGCC (3) Navajo Tribe - Superior Oil - JNH - CDF - ARM

FORM NO. DOGM-UIC-5
(1981)

STATE OF UTAH
DIVISION OF OIL, GAS, AND MINING
Room 4241 State Office Building
Salt Lake City, Utah 8414
(801) 533-5771

RECEIVED
JAN 25 1983

RULE I-7 (d & e)

NOTICE OF COMMENCEMENT (TERMINATION) OF INJECTION
(Circle appropriate heading)

DIVISION OF
OIL, GAS & MINING

Check Appropriate Classification:

Date of Commencement/Termination 1/14/83

Disposal Well

Enhanced Recovery Injection Well

Enhanced Recovery Project

Well Name Aneth Unit K230

Location: Section 30 Twp. 40S Rng. 25E, County San Juan

Order No. authorizing Injection UIC-005 Date Sept 13, 1982

Zone into Which Fluid Injected Desert Creek

If this is a Notice of Termination of injection, please indicate date well commenced injection. _____

If this is a Notice of Termination of injection, please indicate if well is to be plugged or returned to production; if returned to production, indicate producing interval _____

Operator Texaco Inc.

Address P.O. Box EE Cortez, Colo. 81321

Alvin R. Many
Signature

1-20-82
Date

INSTRUCTION: If this is notification of an enhanced recovery project injection termination, it must be accompanied by an individual well status report for all project injection wells.

Utah Division of Oil, Gas, and Mining
Casing - Bradenhead Test

Operator: TEXACO INC.	Field/Unit: GREATER ANETH
Well: K-230	Township: 40S Range: 25E Sect: 30
API: 43-037-16135	Welltype: INJW Max Pressure: 2200
Lease type: INDIAN	Surface Owner: NAVAJO
Last MIT Date: 07/19/84	Witness: T Test Date: 9-20-87

CASING STRING	SIZE	SET AT	PRESSURE	OBSERVATIONS
Surface:	9 5/8	1639	○	
Intermediate:		0		
Production:	5 1/2	5699	?	Casing Valve Handle Broken
Other:		0		
Tubing:	2 7/8		2050	Rate @ 475/Day
Packer:		5420		

Recommendations:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

5. Lease Designation and Serial No.
I-149-IND-8839

6. If Indian, Allottee or Tribe Name
Navajo

7. If Unit or CA, Agreement Designation
Aneth Unit

8. Well Name and No.
K230

9. API Well No.
4303716135002

10. Field and Pool, or Exploratory Area
Desert Creek and Ismay

11. County or Parish, State
San Juan, Utah

SUBMIT IN TRIPLICATE

1. Type of Well
 Oil Well Gas Well Other **Injection well**

2. Name of Operator
Texaco Inc.

3. Address and Telephone No.
3300 N. Butler, Farmington N.M. 87401 (505)325-4397

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
2075 FNL & 2140 FWL Section 30-T40S-R25E

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input checked="" type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

See attached procedure and wellbore diagrams for pertinent details. Tentative start date is Mar. 25, 1991.

**Accepted by the State
of Utah Division of
Oil, Gas and Mining**
Date: 4-7-91
By: [Signature]

RECEIVED

APR 04 1991

DIVISION OF
OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct

Signed [Signature]

Title Area Manager

Date 03/18/91

(This space for Federal or State office use)

Approved by _____
Conditions of approval, if any: Federal Approval of this Action is Necessary

Title _____

Date _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

**Aneth Unit K230
Casing Squeeze Procedure**

- 1.) MIRUPU. Install BOP w/ 2-3/8" pipe rams and blind rams.
- 2.) Pick up 2-3/8" workstring. TIH w/ open ended tubing to 3300'. Circulate annulus with 85 bbls fresh water. Close rams and pump down tubing with fresh water to establish a rate and pressure. Call the Farmington office with rate and pressure measurements.
- 3.) Open rams and spot 15 bbls (68 sxs.) of low water loss Class A cement from 3300' to 2700'. Pull out of hole at a rate of 41' per barrel of cement slurry pumped. Pull up to 2600' and reverse out excess cement.
- 4.) Pull tubing to 300'. Load hole with fresh water and close rams. Pump fresh water down tubing at a pressure not greater than 800 psi. Use the hesitation method of squeeze cementing.

Note: Maximum initial surface pressure of 800 psi. But surface pressure can be increased to allow for hydrostatic pressure decrease at leak but do not exceed a down hole pressure of 2500 psi at 3300'. (14 psi increase per bbl of water pumped.)


- 5.) Once squeeze pressure is obtained and does not bleed off, shut well in overnight with 300 psi on tubing.
- 6.) TIH with 4-3/4" bit and 6 2-7/8" drill collars and drill out cement. Pressure test squeeze to 1000 psi. Call Farmington office if squeeze does not hold.
- 7.) Swab tubing and lower fluid level to 3000' and check for fluid entry into wellbore. If fluid level remains constant at 3000', drill out cement retainer at 5351' and clean out to PBD of 5599'. Return well to injection service. Top perforation is at 5453'.

Note: Class A cement should be tested with Aneth Unit fresh make up water to determine thickening time and API fluid loss prior to treatment. CaCl should be added if needed to decrease thickening time to 3 hours.

Slurry weight - 15.3 lbs/gal
Water requirement - 5.64 gal/sx
Slurry volume - 1.23 Cu. Ft./sx
Fluid loss - 50 cc/30 min, 325 mesh @ 1000 psi

ALL CEMENT IS TO BE BATCH MIXED FOR 20 MINUTES.

Aneth Unit # K230



UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

5. Lease Designation and Serial No.

I-149-IND-8839

6. If Indian, Allottee or Tribe Name

Navajo

7. If Unit or CA, Agreement Designation

Aneth Unit

8. Well Name and No.

K230

9. API Well No.

43037161350002

10. Field and Pool, or Exploratory Area

Desert Creek and Ismay

11. County or Parish, State

San Juan, Utah

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well Gas Well Other **Injection well**

2. Name of Operator

Texaco Exploration and Producing, Inc.

3. Address and Telephone No.

3300 N. Butler, Farmington N.M. 87401 (505)325-4397

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

2075 FNL & 2140 FWL Section 30-T40S-R25E

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

Notice of Intent

Subsequent Report

Final Abandonment Notice

Abandonment

Recompletion

Plugging Back

Casing Repair

Altering Casing

Other

Acid stimulation

Change of Plans

New Construction

Non-Routine Fracturing

Water Shut-Off

Conversion to Injection

Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Texaco Exp. and Prod. Inc. proposes to acid stimulate the subject well to increase the injection rate. The procedure will be as follows:

1. MIRU pump truck. Pump 4950 gal. of 15% HCL with additives in 3 stages.
2. Shut in well and wait to recover load volume for 1 hour.
3. Backflow well to recover load volume into pit.
4. Return well to injection and monitor.

Accepted by the State
of Utah Division of
Oil, Gas and Mining

Date: 4-10-91

By: [Signature]

RECEIVED

APR 09 1991

DIVISION OF
OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct

Signed [Signature]

Title Area Manager

Date 04/08/91

(This space for Federal or State office use)

Approved by _____
Conditions of approval, if any:

Title _____

Date _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

5. Lease Designation and Serial No.

I-149-IND-8839

6. If Indian, Allottee or Tribe Name

Navajo

7. If Unit or CA, Agreement Designation

Aneth Unit

8. Well Name and No.

K230

9. API Well No.

4303716135002

10. Field and Pool, or Exploratory Area

Desert Creek and Ismay

11. County or Parish, State

San Juan, Utah

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well Gas Well Other **Injection well**

2. Name of Operator

Texaco Inc.

3. Address and Telephone No.

3300 N. Butler, Farmington N.M. 87401 (505)325-4397

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

2075 FNL & 2140 FWL Section 30-T40S-R25E

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- Notice of Intent
 Subsequent Report
 Final Abandonment Notice

TYPE OF ACTION

- Abandonment
 Recompletion
 Plugging Back
 Casing Repair
 Altering Casing
 Other _____
- Change of Plans
 New Construction
 Non-Routine Fracturing
 Water Shut-Off
 Conversion to Injection
 Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

MIRUPU, RU Dowell. Spot 15 bbls cement from 3300' to 2700'. Hesitation squeeze to 800 psi. Displaced 6 bbls of cement. SI w/ 800 psi. Drill out cement. Test squeeze to 850 psi. Lost 200 psi in 5 min. Spot 15 bbls cement from 3300' to 2700'. Hesitation squeeze to 1000 psi. Displaced 3.1 bbl of cement. SI w/ 1000 psi. Drill out cement. Test squeeze to 850 psi. Lost 200 psi in 5 min. Spot 15 bbls of cement from 3300' to 2700'. Hesitation squeeze to 1400 psi. Displaced 1.1 bbl of cement. SI w/ 1400 psi. Drill out cement. Test squeeze to 850 psi. Pressure held. Drill out cement retainer and clean out to PBTD. Hydrotest injection string into hole. Circulate corrosion inhibitor and set packer @ 5351'. Pressure test backside to 750 psi. BLM notified.

Start date: 4/4/91

Complete: 4/25/91



MAY 06 1991

DIVISION OF
OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct

Signed [Signature] Title **Area Manager**

Date 5/1/91

(This space for Federal or State office use)

Approved by _____ Title _____ Date _____
Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

ACCT NUM	COMPANY NAME	FLD NUM	FIELD NAME	TOWN SHIP	RANGE	SEC	QTR QTR	API NUMBER	PROD ZONE	WELL STATUS	ENTITY	WELL NAME		
NO980	TEXACO INC	365	GREATER ANETH	S400	E240	29	SENW	4303716292	PRDX	WIW	99990	NAVAJO TRIBE S-4 (ANETH F		
				S400	E240	29	SENE	4303716318	PRDX	WIW	99990	NAVAJO TRIBE S-3 (ANETH H		
				S400	E240	29	NWNE	4303716097	PRDX	WIW	99990	NAVAJO TRIBE S-1 (ANETH G		
				S400	E240	29	NWNW	4303716055	PRDX	WIW	99990	NAVAJO TRIBE S-2 (ANETH E		
				S400	E240	34	SENE	4303716319	PRDX	WIW	99990	ANETH 34-D2 (ANETH H-234)		
				S400	E240	34	SESW	4303716303	PRDX	WIW	99990	ANETH 34-B-4 (ANETH F-434		
				S400	E240	35	SENE	4303716320	PRDX	WIW	99990	NAVAJO TRIBE Q-4 (ANETH H		
				S400	E240	35	SENW	4303716293	PRDX	WIW	99990	NAVAJO TRIBE Q-5 (ANETH F		
				S400	E240	35	SESW	4303716304	PRDX	WIW	99990	NAVAJO TRIBE Q-8 (ANETH F		
				S400	E240	36	SENE	4303715487	PRDX	WIW	99990	NAVAJO 1 (ANETH H-236)		
				S400	E240	36	SENW	4303716294	PRDX	WIW	99990	NAVAJO 3 (ANETH F-236)		
				S400	E240	36	NWNW	4303715485	PRDX	WIW	99990	NAVAJO 4 (ANETH E-136)		
				380	ISMAY	S400	E250	13	SWSE	4303716455	PRDX	PA	99998	NAVAJO TRIBE K-13 (Q-413)
				365	GREATER ANETH	S400	E250	19	SWSE	4303716140	PRDX	WIW	99990	ANETH UNIT L-419
				380	ISMAY	S400	E250	24	NENE	4303716169	ISMY	WIW	99990	R-124 (NAVAJO TRIBE K-#11)
				365	GREATER ANETH	S400	E250	29	NWNW	4303716131	DSCR	WIW	99990	NAVAJO TRIBE F-8 (ANETH J
				S400	E250	30	NWSW	4303716134	PRDX	WIW	99990	NAVAJO TRIBE F-5 (ANETH J		
				S400	E250	30	NWSE	4303716139	PRDX	WIW	99990	NAVAJO TRIBE F-6 (ANETH L		
				S400	E250	30	SESW	4303716137	PRDX	WIW	99990	NAVAJO TRIBE F-7 (ANETH K		
				S400	E250	30	NWNW	4303716132	PRDX	WIW	99990	NAVAJO TRIBE F-9 (ANETH J		
				S400	E250	30	SENE	4303716141	PRDX	WIW	99990	NAVAJO TRIBE F-10 (ANETH		
				S400	E250	30	SENW	4303716135	PRDX	WIW	99990	NAVAJO TRIBE F-2 (ANETH K		
				S400	E250	30	SESE	4303716337	PRDX	WIW	99990	NAVAJO TRIBE F-11 (ANETH		
				S400	E250	31	SENW	4303716335	PRDX	WIW	99990	NAVAJO TRIBE C-22-31 (ANE		
				375	HOGAN	S410	E220	22	NENE	4303711254	ISMY	PA	99998	NAVAJO TRIBE "AH" #1
				365	GREATER ANETH	S400	E260	19	NENE	4303716519	ISMY	PA	99998	NAVAJO K-1(V219)
				S400	E240	18	NWNE	4303731522	DSCR	POW	7000	ANETH F407SE		
				S400	E240	29	NENE	4303731529	DSCR	POW	7000	ANETH H129		
				S400	E240	35	NWNE	4303731530	DSCR	POW	7000	ANETH G135X		
				S400	E240	35	NENE	4303731531	DSCR	POW	7000	ANETH H135		
				S400	E240	25	NWSE	4303731532	DSCR	POW	7000	ANETH G325Y		
				S400	E240	23	NWSE	4303731533	DSCR	POW	7000	ANETH G323X		
				S400	E240	18	NENW	4303731534	DSCR	POW	7000	ANETH E407SE		
				S400	E240	18	SWNE	4303731535	DSCR	POW	7000	ANETH F118SE		
				S400	E240	18	NESW	4303731536	DSCR	POW	7000	ANETH F218SE		
				S400	E230	12	SESW	4303731537	DSCR	POW	7000	ANETH B412		
S400	E230	12	SENE	4303716278	DSCR	WIW	99990	BURTON 42-12 (ANETH D212)						
1	WILDCAT	NO10	E080	12	SENW	4304330175	ISMY	PA	99998	THOUSAND PEAKS RANCH NCT				
365	GREATER ANETH	S400	E240	23	SESE	4303731557	DSCR	POW	7000	ANETH UNIT G323SE				
S400	E240	23	NENE	4303731556	DSCR	POW	7000	ANETH UNIT H123NW						
S400	E240	14	SESW	4303731559	DSCR	POW	7000	ANETH UNIT F314SE						
S400	E240	23	SWSW	4303731558	DSCR	POW	7000	ANETH UNIT E423SE						
S400	E240	26	SENW	4303731560	DSCR	POW	7000	ANETH UNIT F226SE						
S400	E240	23	NWNW	4303731561	DSCR	POW	7000	ANETH UNIT E123SE						
1	WILDCAT	S380	W020	5	SESW	4302530009	ISMY	PA	99998	GOVT SCHNEIDER 'A' NCT-1				
365	GREATER ANETH	S400	E240	7	NWSW	4303715412	PRDX	WIW	99990	W ISMY FED #3 (ANETH E30				
S400	E230	12	SESE	4303730049	PRDX	WIW	99996	ANETH UNIT D-412						

RECEIVED

MAY 28 1991

TRANSFER OF AUTHORITY TO INJECT - UIC FORM 5

Well name and number: _____ See Attached Listing		DIVISION OF OIL GAS & MINING
Field or Unit name: _____	API no. _____	
Well location: QQ _____ section _____ township _____ range _____ county _____		
Effective Date of Transfer: <u>6-1-91</u>		
CURRENT OPERATOR		
Transfer approved by:		
Name <u>R. S. Lane</u>	Company <u>Texaco Inc.</u>	
Signature <u><i>R.S. Lane</i></u>	Address <u>P. O. Box 3109</u>	
Title <u>Attorney-in-Fact</u>	<u>Midland, TX 79702</u>	
Date _____	Phone (<u>915</u>) <u>688-4100</u>	
Comments: Correspondence Address: <u>Texaco Inc.</u> <u>3300 North Butler</u> <u>Farmington, NM 87401</u> <u>(505) 325-4397</u>		
NEW OPERATOR		
Transfer approved by:		
Name <u>R. S. Lane</u>	Company <u>Texaco Exploration and Production Inc.</u>	
Signature <u><i>R.S. Lane</i></u>	Address <u>P. O. Box 3109</u>	
Title <u>Attorney-in-Fact</u>	<u>Midland, TX 79702</u>	
Date _____	Phone (<u>915</u>) <u>688-4100</u>	
Comments: Correspondence Address: <u>Texaco Exploration and Production Inc.</u> <u>3300 North Butler</u> <u>Farmington, NM 87401</u> <u>(505) 325-4397</u>		
(State use only)		
Transfer approved by <u><i>Neil Hunt</i></u>		Title <u><i>UIC Manager</i></u>
Approval Date <u><i>6-26-91</i></u>		



Texaco Exploration and Production Inc
Midland Producing Division

P O Box 3109
Midland TX 79702-3109

May 22, 1991

RECEIVED

MAY 28 1991

DIVISION OF
OIL GAS & MINING

Division of Oil, Gas, and Mining
Attn: Ms. Lisha Romero
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

Gentlemen:

This is to advise that as a part of a reorganization of Texaco Inc., a Delaware corporation, the name of Texaco Producing Inc., a Delaware corporation and wholly owned subsidiary of Texaco Inc., has been changed to Texaco Exploration and Production Inc. Further, Texaco Exploration and Production Inc. will succeed to the rights, titles, interests and obligations of Texaco Inc.

This means that Texaco Exploration and Production Inc. will be the operator for all the oil and gas properties that were operated by Texaco Inc. and Texaco Producing Inc. We plan to abbreviate the name as Texaco E & P Inc. for purposes of submitting production reports, etc., via computer, and we suggest that for consistency you use that abbreviation also.

We have enclosed a Sundry Notice with a list of the wells which Texaco operates in Utah. Also attached is UIC Form 5 for transfer of injection authority. Please note that Texaco has two Divisions which operate wells in Utah. One is located in Denver, Colorado, and the other is in Midland, Texas. We have enclosed separate Sundry Notices and lists of wells for each Division. If you have questions concerning the Denver-operated wells, please call Roger Hadley at (303) 793-4833. If you have questions concerning the Midland-operated wells, please call Ken Miller at (915) 688-4834.

Please change any of your other records as necessary to reflect this change.

Yours very truly,

R. S. Lane
Assistant Division Manager

RKH/KMM-CC

Attachments

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

SUBMIT IN TRIPlicate
(Instructions on reverse side)

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO.
2. NAME OF OPERATOR Texaco Exploration and Production Inc.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR P.O. Box 46510, Denver, CO 80201		7. UNIT AGREEMENT NAME
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface		8. FARM OR LEASE NAME
10. FIELD AND POOL, OR WILDCAT		9. WELL NO.
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA		12. COUNTY OR PARISH 13. STATE
14. PERMIT NO.	15. ELEVATIONS (Show whether of, ft., or, etc.)	

RECEIVED
MAY 28 1991

DIVISION OF
OIL GAS & MINING

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>
SMOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
(Other) Transfer of Plugging Bond <input checked="" type="checkbox"/>	

WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SMOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
(Other) Transfer of Owner/Operator <input type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Texaco Inc. has assigned all its ownership rights in the subject well. As of January 1, 1991, Texaco Inc. is no longer the Operator of subject well. The New Operator Texaco Exploration and Production Inc. hereby accepts operating responsibility and liability under its good and sufficient bond or other security accepted by the Commission for proper plugging and surface restoration of the subject well.

Former Operator:

New Operator:

TEXACO INC.

Texaco Exploration and Production Inc.

Signed:

[Signature]
Attorney-In-Fact
for Texaco Inc.

Signed:

[Signature]
Title: Division Manager

Date:

3/1/91

Date:

3/1/91

18. I hereby certify that the foregoing is true and correct

SIGNED

[Signature]

TITLE

Division Manager

DATE

3/1/91

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

6. Lease Designation and Serial Number
7. Indian Allottee or Tribe Name
8. Unit or Communitization Agreement
9. Well Name and Number
10. API Well Number
11. Field and Pool, or Wildcat

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT— for such proposals

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other (specify) _____	
2. Name of Operator Texaco Exploration and Production Inc.	
3. Address of Operator 3300 North Butler, Farmington, NM 87401	4. Telephone Number (505) 325-4397
5. Location of Well Footage : _____ County : _____ QQ, Sec. T., R., M. : See Attached State : UTAH	

12. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
(Submit in Duplicate)

<input type="checkbox"/> Abandonment	<input type="checkbox"/> New Construction
<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing
<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Shoot or Acidize
<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Vent or Flare
<input type="checkbox"/> Multiple Completion	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Other <u>Transfer of Plugging Bond</u>	

Approximate Date Work Will Start _____

SUBSEQUENT REPORT
(Submit Original Form Only)

<input type="checkbox"/> Abandonment *	<input type="checkbox"/> New Construction
<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing
<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Shoot or Acidize
<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Vent or Flare
<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Other <u>Change of Operator/Operator Name</u>	

Date of Work Completion _____

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.
* Must be accompanied by a cement verification report.

13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

This submittal is for a change of operator (name change) for all of the attached wells. The new operator, Texaco Exploration and Production Inc., hereby accepts operating responsibility and liability under its good and sufficient bond or other security accepted by the Department for proper plugging and surface restoration of the attached wells. All contact personnel, office addresses and phone numbers will remain the same.

FORMER OPERATOR: TEXACO INC.	NEW OPERATOR: TEXACO EXPLORATION AND PRODUCTION INC.
SIGNED: <u><i>R. J. Lane</i></u> Attorney-in-Fact	SIGNED: <u><i>R. J. Lane</i></u> Assistant Division Manager
DATE: _____	DATE: _____

14. I hereby certify that the foregoing is true and correct

Name & Signature _____ Title Asst. Div. Manager Date _____
(State Use Only)

Routing:

1- LCR/GIL ✓
2- DTS-DTS ✓
3- VLC ✓
4- RJF ✓
5- RWM ✓
6- LCR ✓

Attach all documentation received by the division regarding this change.
 Initial each listed item when completed. Write N/A if item is not applicable.

- Change of Operator (well sold) Designation of Agent
 Designation of Operator Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 1-1-91)

(**TEXACO EXPLORATION AND PRODUCTION INC.**)

TO (new operator)	<u>TEXACO E & P INC.</u>	FROM (former operator)	<u>TEXACO INC.</u>
(address)	<u>3300 NORTH BUTLER</u>	(address)	<u>3300 NORTH BUTLER</u>
	<u>FARMINGTON, NM 87401</u>		<u>FARMINGTON, NM 87401</u>
	<u>BRENT HELQUIST</u>		<u>FRANK</u>
	phone <u>(505) 325-4397</u>		phone <u>(505) 325-4397</u>
	account no. <u>N 5700 (6-5-91)</u>		account no. <u>N 0980</u>

Well(s) (attach additional page if needed):

Name: <u>(SEE ATTACHED)</u>	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

- See 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). (5-28-91)
- N/A 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form).
- See 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes) (no) ____ If yes, show company file number: #114097.
- See 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of Federal and Indian well operator changes should take place prior to completion of steps 5 through 9 below.
- See 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. (6-11-91)
- See 6. Cardex file has been updated for each well listed above.
- See 7. Well file labels have been updated for each well listed above. (will update when filing)
- See 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission.
- See 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

- 1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) no (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
- 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only)

- 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond. # K0290791-4 80,000-Ins.Co.of N.America rec. 2-11-91.
- 2. A copy of this form has been placed in the new and former operators' bond files.
- 3. The former operator has requested a release of liability from their bond (yes/no) yes. Today's date _____ 19____. If yes, division response was made by letter dated _____ 19____. # m157448 80,000-Ins.Co.of N.America

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

- 1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated _____ 19____, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
- 2. Copies of documents have been sent to State Lands for changes involving State leases. 6-27-91

MICROFILMING

- 1. All attachments to this form have been microfilmed. Date: July 15 1991.

FILED

- 1. Copies of all attachments to this form have been filed in each well file.
- 2. The original of this form and the original attachments have been filed in the Operator Change file.

REMARKS

910606 Btm/Farmington N.M. - Duane Spencer (505) 327-5344 will follow up & call back.

910607 Btm/Farmington - Approved 4-2-91 "Company Merger" Includes Aneth Unit and Ismay Flodine Unit.

910607 St. Lands approved 4-15-91 "Merger".

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
 Oil Well Gas Well Other **INJECTION WELL**

2. Name of Operator
TEXACO EXPLORATION AND PRODUCING INC.

3. Address and Telephone No.
3300 N. BUTLER, FARMINGTON, N.M. 87401 (505)325-4397

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
2075' FNL, 2140' FWL, SE 1/4 of NW 1/4, SECTION 30, T40S, R25E

5. Lease Designation and Serial No.
I-149-IND-8839

6. If Indian, Allottee or Tribe Name
NAVAJO TRIBAL

7. If Unit or CA, Agreement Designation
ANETH UNIT

8. Well Name and No.
K230

9. API Well No.
4303716135

10. Field and Pool, or Exploratory Area
DESERT CREEK

11. County or Parish, State
SAN JUAN, UTAH

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input checked="" type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fractur
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Inject
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on well Completion or Recompletion Report and Log form)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting and proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Texaco requests approval to repair a casing leak in the subject well by installing a 4" casing liner as per the attached wellbore diagram.

ACCEPTED BY THE STATE
 OIL, GAS, AND MINING DIVISION OF
 DATE: 2-24-94
 BY: [Signature]

FEB 22 1994

14. I hereby certify that the forgoing is true and correct

Signed J. La J. J. Title Area Manager Date 2/7/94

(This space for Federal or State office use)

Approved by _____ Title _____ Date _____
 Conditions of approval, if any: Federal Approval of this Action is Necessary

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department of agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.




ANETH UNIT WELL K230

CURRENT

LOCATION:

2075' FNL & 2140' FWL,
SE ¼ NW ¼, SEC. 30, T40S, R25E
SAN JUAN COUNTY, UTAH






ANETH UNIT WELL K230

PROPOSED

LOCATION:

2075' FNL & 2140' FWL,
SE 1/4 NW 1/4, SEC. 30, T40S, R25E
SAN JUAN COUNTY, UTAH



UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

5. Lease Designation and Serial No.

I-149-IND-8839

6. If Indian, Allottee or Tribe Name

Navajo Tribe

7. If Unit or CA, Agreement Designation

Aneth Unit

8. Well Name and No.

K230

9. API Well No.

4303716135

10. Field and Pool, or Exploratory Area

Desert Creek

11. County or Parish, State

San Juan County, UT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well Gas Well Other **Injection Well**

2. Name of Operator

Texaco Exploration & Production Inc.

3. Address and Telephone No.

3300 N. Butler, Farmington N.M. 87401 (505)325-4397

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

**2075' FNL & 2140' FWL
SW/4, NW/4, Sec. 30, T40S, R25E**

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input checked="" type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Other _____	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Texaco E. & P. Inc. has repaired the casing leak in the subject well. The following procedure was followed:

1-13-94. MIRUSU. TOO H w/ injection equipment. TIH w/ CMT Retainer and tension packer. Found hole and isolated from 3227' to 3247'. Drilled and cleaned out to PBTD @ 5599'. Circulated hole clean. TIH w/ casing patch and set top @ 3197' and bottom @ 3277'. TIH w/ TBG. Circulated. Set packer and pressure tested. Put on injection. Checked pressure, had 300#. Pressure tested CSG and lost 100# in 15 min. TOO H w/ TBG. TIH w/ packer and into top of Patch. Tested backside and held. TOO H w/ patch. TIH and re-isolated from 3260' to 3280'. TIH w/ CSG Patch. TIH w/ TBG. Circulated. Set packer. Pressure tested to 1000# and held. RDMOL. Put on injection.

14. I hereby certify that the foregoing is true and correct

Signed [Signature] Title Area Manager Date 9/15/94

(This space for Federal or State office use)

Approved by _____ Title _____ Date [Signature]
Conditions of approval, if any: 9/21/94

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT -" for such proposals

5. Lease Designation and Serial No.
I-149-IND-8839

6. If Indian, Alottee or Tribe Name
NAVAJO TRIBAL

7. If Unit or CA, Agreement Designation
ANETH UNIT

8. Well Name and Number
ANETH UNIT
K230

9. API Well No.
4303716135

10. Field and Pool, Exploratory Area

11. County or Parish, State
SAN JUAN, UTAH

SUBMIT IN TRIPLICATE

1. Type of Well: OIL WELL GAS WELL OTHER INJECTION WELL

2. Name of Operator
TEXACO EXPLORATION & PRODUCTION, INC.

3. Address and Telephone No.
3300 N. Butler Ave., Suite 100 Farmington NM 87401 (505) 325-4397

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Unit Letter F : 2075 Feet From The SOUTH Line and 2140 Feet From The
WEST Line Section 30 Township T40S Range R25E

12. Check Appropriate Box(s) To Indicate Nature of Notice, Report, or Other Data

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input type="checkbox"/> OTHER: <u>ACIDIZED</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water


(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log Form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

TEXACO E. & P., HAS ACIDIZED THE SUBJECT WELL.

8/11/95. RU DOWELL. TIH & TAG FILL @ 5561'. FILL TO HARD.

8/14/95. RIH W/PERF CLEAN TOOL @ 5561'. ACIDIZED W/1500 GALS. OF 28% HCL. RD. BACK ON INJECTION.



14. I hereby certify that the foregoing is true and correct.

SIGNATURE Rached Hindi TITLE Senior Engineer DATE 8/20/97

TYPE OR PRINT NAME Rached Hindi

(This space for Federal or State office use)

APPROVED

CONDITIONS OF APPROVAL, IF ANY: _____ TITLE _____ DATE _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Reviewed for W0 tax credit 10/97.

**UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT --" for such proposals

5. Lease Designation and Serial No.
I-149-IND-8839

6. If Indian, Alottee or Tribe Name
NAVAJO TRIBE

7. If Unit or CA, Agreement Designation
ANETH UNIT

8. Well Name and Number
ANETH UNIT
K230

9. API Well No.
4303716135

10. Field and Pool, Exploratory Area
DESERT CREEK

11. County or Parish, State
SAN JUAN , UTAH

SUBMIT IN TRIPLICATE

1. Type of Well: OIL WELL GAS WELL OTHER INJECTION WELL

2. Name of Operator
TEXACO EXPLORATION & PRODUCTION, INC.

3. Address and Telephone No.
3300 N. Butler Ave., Suite 100 Farmington NM 87401 325-4397

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Unit Letter F : 2075 Feet From The SOUTH Line and 2140 Feet From The
WEST Line Section 30 Township T40S Range R25E

12. Check Appropriate Box(s) To Indicate Nature of Notice, Report, or Other Data

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> OTHER: <u>ACIDIZED</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water


(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log Form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

*** THIS SUNDRY REPORT IS FOR UTAH SEVERANCE TAX CALCULATION INFORMATION PURPOSES ONLY. ***

TEXACO E & P., INC. HAS ACIDIZED THE SUBJECT WELL AS FOLLOWS:

8/11/95. RU DOWELL. TIH WITH COILED TUBING AND PERF CLEAN TOOL & TAGGED FILL @ 5561'.
8/14/95. ACIDIZED W/1500 GALS. OF 28% HCL. R.D. COILED TUBING PLACE WELL BACK ON INJECTION.



14. I hereby certify that the foregoing is true and correct

SIGNATURE Rached Hindi TITLE Senior Engineer DATE 11/12/97

TYPE OR PRINT NAME Rached Hindi

(This space for Federal or State office use)

APPROVED
CONDITIONS OF APPROVAL, IF ANY: _____ TITLE _____ DATE _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

NO tax credit 2/98



Chevron U.S.A. Production Company
Mid-Continent Business Unit
P.O. Box 36366
Houston, TX 77236
Phone 713 754 2000

April 9, 2002

Mr. John Baza,
Associate Director of Oil and Gas
Utah Department of Natural Resources
Division of Oil, Gas & Mining
1594 W. North Temple St., Suite 1210
Salt Lake City, UT 84114-5801

RECEIVED

APR 12 2002

**DIVISION OF
OIL, GAS AND MINING**


Dear Mr. Baza:

As you may recall from our meeting last year, we planned to combine the assets of Chevron U.S.A. Inc. ("CUSA"), by merger, and Texaco Exploration and Production Inc. ("TEPI"), by assignment, into a new entity which we referred to as "Newco LP". Along the way, additional information came to light and it was decided that this proposed corporate restructure would not be preferable. Therefore, CUSA and TEPI have continued to operate as separate entities.

We are now planning a simpler restructuring process where TEPI will assign most of its assets/operatorship to CUSA effective May 1, 2002. We plan to use the existing CUSA bonds/letters of credit, operator identification numbers, etc., for the TEPI assets that will be assigned.

A task force of Land, Regulatory and Environmental Compliance personnel are finishing the work that was begun last year to assign TEPI's assets—using the same forms and procedures as before. We have "new faces" in this task force due to reassignments and departures. In some cases, it may be worthwhile to visit you and your staff in person where new people are involved or if we need to review/clarify your forms and procedures. Otherwise, we will endeavor to complete the work to assign TEPI's assets/operatorship to CUSA and deliver the requisite materials to you in a timely manner.

During discussions last year, our focus was on Land, Regulatory and Environmental matters. The Finance organization also desires to join in this effort. For State Tax, Royalty and Regulatory reporting purposes (applicable to production from May 2002 through December 2002), we intend to generate two reports and two payments.



However, the reporting company name and identification number will be CUSA's. Beginning with January 2003 production and thereafter, we will issue only one CUSA report and payment. We trust this plan meets with your approval. Any questions or comments should be directed to Rick Dunlavy (telephone 713/752-7411, rickdunlavy@chevrontexaco.com).

We appreciate the cooperation and guidance you provided us in the past, and we look forward to bringing these efforts to a conclusion.

Respectfully submitted,

A handwritten signature in cursive script that reads "Don R. Sellars".

Don R. Sellars

Sr. Environmental Specialist

Chevron U.S.A. Inc.
 Permian Business Unit
 Aneth Operations
 San Juan County, Utah

Name / Operatorship Change
 Texaco Exploration and Production Inc.
 to
 Chevron U.S.A. Inc.
 Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	11	400S	230E	4303716034	MESA 1 (ANETH C411)	1	I	WI
N5700	12	400S	230E	4303716272	BURTON 23-12 (ANETH B312)	1	A	WI
N5700	12	400S	230E	4303716274	BURTON 31-12 (ANETH C-112)	1	I	WI
N5700	12	400S	230E	4303716278	BURTON 42-12 (ANETH D212)	1	A	WI
N5700	12	400S	230E	4303730049	ANETH UNIT D-412	1	A	WI
N5700	12	400S	230E	4303730112	ANETH UNIT C-312	1	A	WI
N5700	13	400S	230E	4303715825	BURTON 22-13 (ANETH B-213)	1	A	WI
N5700	13	400S	230E	4303715827	BURTON 31-13 (ANETH C-113)	1	A	WI
N5700	13	400S	230E	4303715828	BURTON 33-13 (ANETH C-313)	1	A	WI
N5700	13	400S	230E	4303715830	BURTON 42-13 (D213)	1	A	WI
N5700	13	400S	230E	4303716279	BURTON 44-13 (ANETH D-413)	1	A	WI
N5700	13	400S	230E	4303730119	ANETH UNIT A-113	1	A	WI
N5700	13	400S	230E	4303730174	ANETH UNIT D113	1	A	WI
N5700	13	400S	230E	4303730297	ANETH B-413	1	A	WI
N5700	13	400S	230E	4303730299	ANETH UNIT A-313	1	A	WI
N5700	14	400S	230E	4303716032	ARROWHEAD 6 (ANETH B-114)	1	A	WI
N5700	14	400S	230E	4303716033	ARROWHEAD 3 (ANETH C-214)	1	A	WI
N5700	14	400S	230E	4303716035	ARROWHEAD 5 (ANETH C-414)	1	A	WI
N5700	14	400S	230E	4303716038	ARROWHEAD 4 (ANETH D-314)	1	A	WI
N5700	14	400S	230E	4303716273	ARROWHEAD 2 (ANETH B-314)	1	A	WI
N5700	14	400S	230E	4303716277	ARROWHEAD 1 (ANETH D-114)	1	A	WI
N5700	23	400S	230E	4303716271	A W RICE 2 (ANETH B-123)	1	A	WI
N5700	23	400S	230E	4303716276	A W RICE 3 (ANETH C-223)	1	A	WI
N5700	24	400S	230E	4303716270	FEDERAL A-1 (ANETH A-124)	1	A	WI
N5700	24	400S	230E	4303716275	FEDERAL 1 (ANETH C-124)	1	A	WI
N5700	07	400S	240E	4303715412	W ISMY FED 3 (ANETH E307)	1	A	WI
N5700	07	400S	240E	4303715415	W ISMAY FED 2 (ANETH F-407)	1	A	WI
N5700	07	400S	240E	4303716100	NAVAJO FED 6-1 (ANETH G-307)	1	A	WI
N5700	07	400S	240E	4303716118	NAVAJO FED 7-1 (ANETH H-207)	1	I	WI
N5700	07	400S	240E	4303716283	GULF-AZTEC FED 7 (ANETH E-207)	1	A	WI
N5700	07	400S	240E	4303716322	NAVAJO TRIBE FED 5-1 (ANETH H-407)	2	A	WI

Chevron U.S.A. Inc.
 Permian Business Unit
 Aneth Operations
 San Juan County, Utah

Name / Operatorship Change
 Texaco Exploration and Production Inc.
 to
 Chevron U.S.A. Inc.
 Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	07	400S	240E	4303730175	ANETH U E407	1	A	WI
N5700	08	400S	240E	4303716060	NAVAJO TRIBE E-15 (ANETH E-308)	2	A	WI
N5700	08	400S	240E	4303716076	NAVAJO FED 8-1 (ANETH F-208)	2	A	WI
N5700	08	400S	240E	4303716101	NAVAJO TRIBE L-6 (ANETH G-308)	2	A	WI
N5700	08	400S	240E	4303716119	NAVAJO TRIBE E-16 (ANETH H-208)	2	A	WI
N5700	08	400S	240E	4303716284	NAVAJO FED 9-1 (ANETH E-208)	2	A	WI
N5700	08	400S	240E	4303716298	NAVAJO TRIBE E-13 (ANETH F-408)	2	A	WI
N5700	08	400S	240E	4303716323	NAVAJO TRIBE L-3 (ANETH H-408)	2	A	WI
N5700	09	400S	240E	4303716061	NAVAJO TRIBE E-14 (ANETH E-309)	2	A	WI
N5700	09	400S	240E	4303716082	NAVAJO TRIBE E-4 (ANETH F-409)	2	A	WI
N5700	10	400S	240E	4303716125	NAVAJO TRIBE E-7 (ANETH H-410)	2	I	WI
N5700	11	400S	240E	4303715940	ANETH UNIT E-411	2	A	WI
N5700	11	400S	240E	4303715944	NAVAJO A-10/34-11 (ANETH G-411)	2	A	WI
N5700	11	400S	240E	4303716295	NAVAJO A-12/23-11 (ANETH F-311)	2	A	WI
N5700	13	400S	240E	4303715938	NAV TRIBE A-13 (ANETH E-213)	2	A	WI
N5700	13	400S	240E	4303715941	NAVAJO A-4 (ANETH E-413)	2	A	WI
N5700	14	400S	240E	4303715939	NAVAJO A-6 (ANETH E-214)	2	A	WI
N5700	14	400S	240E	4303715942	ANETH F-314	2	A	WI
N5700	14	400S	240E	4303715943	NAVAJO A-7/32-14 (ANETH G-214)	2	A	WI
N5700	14	400S	240E	4303715945	NAVAJO A-1/34-14 (ANETH G-414)	2	A	WI
N5700	14	400S	240E	4303716310	NAVAJO A-9/41-14 (ANETH H-114)	2	A	WI
N5700	14	400S	240E	4303716421	ANETH UNIT E414	2	A	WI
N5700	14	400S	240E	4303716422	ANETH UNIT F-114	2	A	WI
N5700	14	400S	240E	4303731381	ANETH UNIT H314X	2	I	WI
N5700	15	400S	240E	4303716116	ANETH G-415	2	A	WI
N5700	15	400S	240E	4303716296	NAVAJO TRIBAL E-8 (ANETH F-315)	2	A	WI
N5700	15	400S	240E	4303730213	ANETH E-315	2	A	WI
N5700	15	400S	240E	4303730312	ANETH H-315	2	A	WI
N5700	16	400S	240E	4303715832	STATE THREE 11-16 (ANETH E-116)	3	A	WI
N5700	16	400S	240E	4303716285	ST THREE 21-16 (ANETH F-116)	3	A	WI
N5700	16	400S	240E	4303716297	ST THREE 23-16 (ANETH F-316)	3	A	WI

Chevron U.S.A. Inc.
 Permian Business Unit
 Aneth Operations
 San Juan County, Utah

Name / Operatorship Change
 Texaco Exploration and Production Inc.
 to
 Chevron U.S.A. Inc.
 Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	16	400S	240E	4303716312	STATE THREE 42-16 (ANETH H-216)	3	A	WI
N5700	16	400S	240E	4303720230	ANETH H-416	3	A	WI
N5700	16	400S	240E	4303730094	ANETH E-316	3	A	WI
N5700	16	400S	240E	4303730107	ANETH G-316	3	A	WI
N5700	16	400S	240E	4303730333	ANETH F-416	3	A	WI
N5700	16	400S	240E	4303730344	ANETH G-116	3	A	WI
N5700	17	400S	240E	4303716049	ANETH UNIT E-117	2	A	WI
N5700	17	400S	240E	4303716062	NAVAJO TRIBAL G-7 (ANETH E317)	2	A	WI
N5700	17	400S	240E	4303716089	NAVAJO TRIBAL G-3 (ANETH G-117)	2	A	WI
N5700	17	400S	240E	4303716103	NAVAJO TRIBAL 1-X-G (ANETH G-317)	2	A	WI
N5700	17	400S	240E	4303716286	NAVAJO TRIBAL G-8 (ANETH F-217)	2	A	WI
N5700	17	400S	240E	4303716299	NAVAJO TRIBAL G-6 (ANETH F-417)	2	A	WI
N5700	17	400S	240E	4303716313	NAV TRIBAL L-4 (ANETH H-217)	2	A	WI
N5700	17	400S	240E	4303716326	NAVAJO TRIBAL L-1 (ANETH H-417)	2	A	WI
N5700	18	400S	240E	4303715083	NAVAJO TRIBAL FED U 3	2	A	WI
N5700	18	400S	240E	4303715413	ANETH U E-118 (W ISMY FED 1)	1	A	WI
N5700	18	400S	240E	4303716063	NAVAJO TRIBAL 4 (ANETH E-318)	1	A	WI
N5700	18	400S	240E	4303716090	NAVAJO TRIBE 2 (ANETH G-118)	2	A	WI
N5700	18	400S	240E	4303716104	NAVAJO TRIBE G-4 (ANETH G-318)	2	A	WI
N5700	18	400S	240E	4303716120	NAVAJO TRIBAL G-5 (ANETH H-218)	2	A	WI
N5700	18	400S	240E	4303716287	NAVAJO FED U 1 (ANETH F-218)	2	A	WI
N5700	18	400S	240E	4303716327	NAVAJO TRIBAL G-2 (ANETH H-418)	2	A	WI
N5700	18	400S	240E	4303730137	ANETH U E218	1	A	WI
N5700	18	400S	240E	4303730155	ANETH U F118	1	A	WI
N5700	19	400S	240E	4303716077	NAVAJO TRIBE D-26 (ANETH F-219)	2	A	WI
N5700	19	400S	240E	4303716091	NAVAJO TRIBE D-16 (ANETH G-119)	2	A	WI
N5700	19	400S	240E	4303716121	NAVAJO TRIBE D-3 (ANETH H-219)	2	A	WI
N5700	19	400S	240E	4303716280	NAVAJO FED U B-1 (ANETH E-119)	2	A	WI
N5700	19	400S	240E	4303716309	NAVAJO TRIBE D-25 (ANETH G-319)	2	A	WI
N5700	19	400S	240E	4303716328	NAVAJO TRIBE D-27 (ANETH H-419)	2	A	WI
N5700	20	400S	240E	4303716050	NAVAJO TRIBE D-10 (ANETH E-120)	2	A	WI

Chevron U.S.A. Inc.
 Permian Business Unit
 Aneth Operations
 San Juan County, Utah

Name / Operatorship Change
 Texaco Exploration and Production Inc.
 to
 Chevron U.S.A. Inc.
 Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	20	400S	240E	4303716065	NAVAJO TRIBE D-17 (ANETH E-320)	2	A	WI
N5700	20	400S	240E	4303716092	NAVAJO TRIBE L-5 (ANETH G-120)	2	A	WI
N5700	20	400S	240E	4303716105	NAVAJO TRIBE D-12 (ANETH G-320)	2	A	WI
N5700	20	400S	240E	4303716288	NAVAJO TRIBE D-8 (ANETH F-220)	2	A	WI
N5700	20	400S	240E	4303716300	NAVAJO TRIBE D-20 (ANETH F-420)	2	A	WI
N5700	20	400S	240E	4303716314	NAVAJO TRIBE L-2 (ANETH H-220)	2	A	WI
N5700	20	400S	240E	4303716329	NAVAJO TRIBE D-13 (ANETH H-420)	2	A	WI
N5700	21	400S	240E	4303716051	NAVAJO TRIBE D-4 (ANETH E-121)	2	A	WI
N5700	21	400S	240E	4303716066	NAVAJO TRIBE D-14 (ANETH E-321)	2	A	WI
N5700	21	400S	240E	4303716078	NAVAJO TRIBE D-6 (ANETH F-221)	2	A	WI
N5700	21	400S	240E	4303716084	NAVAJO TRIBE D-21 (ANETH F-421)	2	A	WI
N5700	21	400S	240E	4303716122	NAVAJO TRIBE D-7 (ANETH H-221)	2	A	WI
N5700	21	400S	240E	4303716330	NAVAJO TRIBE D-24 (ANETH H-421)	2	A	WI
N5700	21	400S	240E	4303730095	ANETH G-321X	2	A	WI
N5700	21	400S	240E	4303730335	ANETH G-121X	2	A	WI
N5700	22	400S	240E	4303716067	NAVAJO TRIBE D-19 (ANETH E-322)	2	A	WI
N5700	22	400S	240E	4303716085	NAVAJO TRIBE D-23 (ANETH F-422)	2	A	WI
N5700	22	400S	240E	4303716117	NAVAJO TRIBE D-2 (ANETH H-122)	2	A	WI
N5700	22	400S	240E	4303716127	NAVAJO TRIBE D-22 (ANETH H-422)	2	I	WI
N5700	22	400S	240E	4303720231	ANETH G-322X	2	A	WI
N5700	22	400S	240E	4303730215	ANETH E-122	2	A	WI
N5700	22	400S	240E	4303730242	ANETH H-222	2	A	WI
N5700	22	400S	240E	4303730373	ANETH F-222	2	A	WI
N5700	22	400S	240E	4303730425	ANETH G-122	2	A	WI
N5700	23	400S	240E	4303716068	NAVAJO TRIBE C-12 (ANETH E-323)	2	A	WI
N5700	23	400S	240E	4303716079	NAVAJO TRIBE C-7 (ANETH F-223)	2	A	WI
N5700	23	400S	240E	4303716086	NAVAJO TRIBE C-17 (ANETH F-423)	2	A	WI
N5700	23	400S	240E	4303716123	NAVAJO TRIBE C-8 (ANETH H-223)	2	A	WI
N5700	23	400S	240E	4303716128	NAVAJO TRIBE C-3 (ANETH H-423)	2	A	WI
N5700	23	400S	240E	4303716306	NAVAJO TRIBE C-1 (ANETH G-123)	2	A	WI
N5700	23	400S	240E	4303730235	ANETH F-123	2	A	WI

Chevron U.S.A. Inc.
 Permian Business Unit
 Aneth Operations
 San Juan County, Utah

Name / Operatorship Change
 Texaco Exploration and Production Inc.
 to
 Chevron U.S.A. Inc.
 Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	24	400S	240E	4303716069	NAVAJO TRIBE C-10 (ANETH E-324)	2	A	WI
N5700	24	400S	240E	4303716087	NAVAJO TRIBE C-13 (ANETH F-424)	2	A	WI
N5700	24	400S	240E	4303716111	NAVAJO TRIBE C-15 (ANETH G-324)	2	A	WI
N5700	24	400S	240E	4303716289	NAVAJO TRIBE C-16 (ANETH F-224)	2	A	WI
N5700	24	400S	240E	4303716331	NAVAJO TRIBE C-28 (ANETH H-424)	2	A	WI
N5700	25	400S	240E	4303716070	NAVAJO TRIBE C-21 (ANETH E-325)	2	A	WI
N5700	25	400S	240E	4303716080	NAVAJO TRIBE C-20 (F225)	2	A	WI
N5700	25	400S	240E	4303716095	ANETH UNIT G125	2	A	WI
N5700	25	400S	240E	4303716124	NAVAJO TRIBE C-11 (ANETH H-225)	2	A	WI
N5700	25	400S	240E	4303716129	NAVAJO TRIBE C-24 (ANETH H-425)	2	A	WI
N5700	25	400S	240E	4303716301	NAVAJO TRIBE C-32 (ANETH F-425)	2	A	WI
N5700	26	400S	240E	4303716054	NAVAJO TRIBE C-29 (ANETH E-126)	2	A	WI
N5700	26	400S	240E	4303716071	NAVAJO TRIBE C-30 (ANETH E-326)	2	A	WI
N5700	26	400S	240E	4303716113	NAVAJO TRIBE C-27 (ANETH G-326)	2	A	WI
N5700	26	400S	240E	4303716290	NAVAJO TRIBE C-23 (ANETH F-226)	2	A	WI
N5700	26	400S	240E	4303716302	NAVAJO TRIBE C-4 (ANETH F-426)	2	A	WI
N5700	26	400S	240E	4303716316	NAVAJO TRIBE C-19 (ANETH H-226)	2	A	WI
N5700	26	400S	240E	4303716332	NAVAJO TRIBE C-31 (ANETH H-426)	2	A	WI
N5700	26	400S	240E	4303730372	ANETH G-126X	2	A	WI
N5700	27	400S	240E	4303716223	ANETH 27-B2 (ANETH F-227)	2	I	WI
N5700	27	400S	240E	4303716307	ANETH 27-C-1 (ANETH G-127)	2	A	WI
N5700	27	400S	240E	4303716317	ANETH 27-D2 (ANETH H-227)	2	A	WI
N5700	27	400S	240E	4303716333	ANETH 27-D-4 (ANETH H-427)	2	A	WI
N5700	27	400S	240E	4303716782	ANETH 27-A-1 (ANETH E-127)	2	A	WI
N5700	28	400S	240E	4303716222	ANETH 28-A-1 (ANETH E-128)	2	A	WI
N5700	28	400S	240E	4303716224	ANETH 28-C-1 (ANETH G-128)	2	A	WI
N5700	28	400S	240E	4303716228	ANETH H-228	2	A	WI
N5700	29	400S	240E	4303716055	NAVAJO TRIBE S-2 (ANETH E-129)	2	A	WI
N5700	29	400S	240E	4303716097	NAVAJO TRIBE S-1 (ANETH G-129)	2	A	WI
N5700	29	400S	240E	4303716292	NAVAJO TRIBE S-4 (ANETH F-229)	2	I	WI
N5700	29	400S	240E	4303716318	NAVAJO TRIBE S-3 (ANETH H-229)	2	A	WI

Chevron U.S.A. Inc.
 Permian Business Unit
 Aneth Operations
 San Juan County, Utah

Name / Operatorship Change
 Texaco Exploration and Production Inc.
 to
 Chevron U.S.A. Inc.
 Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	34	400S	240E	4303716303	ANETH 34-B-4 (ANETH F-434)	2	A	WI
N5700	34	400S	240E	4303716319	ANETH 34-D2 (ANETH H-234)	2	I	WI
N5700	35	400S	240E	4303716293	NAVAJO TRIBE Q-5 (ANETH F-235)	2	A	WI
N5700	35	400S	240E	4303716304	NAVAJO TRIBE Q-8 (ANETH F-435)	2	A	WI
N5700	35	400S	240E	4303716320	NAVAJO TRIBE Q-4 (ANETH H-235)	2	A	WI
N5700	36	400S	240E	4303715485	NAVAJO 4 (ANETH E-136)	2	A	WI
N5700	36	400S	240E	4303715486	NAV TRB 2-A (G136)	2	A	WI
N5700	36	400S	240E	4303715487	NAVAJO 1 (ANETH H-236)	2	A	WI
N5700	36	400S	240E	4303716294	NAVAJO 3 (ANETH F-236)	2	A	WI
N5700	19	400S	250E	4303716140	ANETH UNIT L-419	2	A	WI
N5700	29	400S	250E	4303716131	NAVAJO TRIBE F-8 (ANETH J-129)	2	A	WI
N5700	30	400S	250E	4303716132	NAVAJO TRIBE F-9 (ANETH J-130)	2	A	WI
N5700	30	400S	250E	4303716134	NAVAJO TRIBE F-5 (ANETH J-330)	2	A	WI
N5700	30	400S	250E	4303716135	NAVAJO TRIBE F-2 (ANETH K-230)	2	A	WI
N5700	30	400S	250E	4303716137	NAVAJO TRIBE F-7 (ANETH K-430)	2	A	WI
N5700	30	400S	250E	4303716139	NAVAJO TRIBE F-6 (ANETH L-330)	2	A	WI
N5700	30	400S	250E	4303716141	NAVAJO TRIBE F-10 (ANETH M-230)	2	A	WI
N5700	30	400S	250E	4303716337	NAVAJO TRIBE F-11 (ANETH M-430)	2	A	WI
N5700	31	400S	250E	4303715946	NAVAJO TRIBE C11-31 (J131)	2	A	WI
N5700	31	400S	250E	4303716335	NAVAJO TRIBE C-22-31 (ANETH K-231)	2	A	WI

TRANSFER OF AUTHORITY TO INJECT

Well Name and Number Orangeville & Huntington, Emery County, Utah (See Attached Well List)	API Number
Location of Well Footage : See attached well locations County : Emery	Field or Unit Name See Attached Well List
QQ, Section, Township, Range: State : UTAH	Lease Designation and Number See Attached Well List

EFFECTIVE DATE OF TRANSFER: 5/1/2002

CURRENT OPERATOR

Company: <u>Texaco Exploration and Production Inc</u>	Name: <u>Allen S. Robinson</u>
Address: <u>3300 North Butler, Suite 100</u>	Signature: <u><i>Allen S. Robinson</i></u>
<u>city Farmington state NM zip 87401</u>	Title: <u>Attorney-In-Fact</u>
Phone: <u>(505) 325-4397</u>	Date: <u>April 30, 2002</u>
Comments:	

NEW OPERATOR

Company: <u>Chevron U.S.A. Inc.</u>	Name: <u>J. Scott Purdy</u>
Address: <u>P.O. Box 36366</u>	Signature: <u><i>J. Scott Purdy</i></u>
<u>city Houston state TX zip 79702</u>	Title: <u>Attorney-In-Fact</u>
Phone: <u>(915) 687-2000</u>	Date: <u>May 1, 2002</u>
Comments:	

(This space for State use only)

Transfer approved by: *A. Hunt*
 Title: *Tech Services Manager*

Approval Date: 10/21/02

Comments:

RECEIVED
 MAY 06 2002
 DIVISION OF
 OIL, GAS AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>Operator Name Change</u>		5. LEASE DESIGNATION AND SERIAL NUMBER: See Attached List of Wells
2. NAME OF OPERATOR: Chevron U.S.A. Inc.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: BLM & State of Utah
3. ADDRESS OF OPERATOR: P.O. Box 36366 CITY Houston STATE TX ZIP 77236		7. UNIT or CA AGREEMENT NAME: Orangeville & Huntington
4. LOCATION OF WELL FOOTAGES AT SURFACE: See Attached List of Wells		8. WELL NAME and NUMBER: See Attached List of Wells
PHONE NUMBER: (281) 561-3443		9. API NUMBER:
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		10. FIELD AND POOL, OR WILDCAT:

COUNTY: Emery

STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: <u>Operator Name Change (Merger)</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.


Effective May 1, 2002, Chevron U.S.A. Inc. is the new operator of the attached list of subject wells and leases that were previously operated by Texaco Exploration and Production Inc. The subject wells are located North of Orangeville and North of Huntington, Emery County, Utah. These Wells will be protected by the following surety bonds:

STATE OF UTAH Bond #: 103521627-0016 in the amount of \$80,000. (This bond will replace United Pacific Insurance Company bond number U89-75-80-0059. We respectfully request this bond be released and returned.)

BLM Nationwide Bond#: U89-75-81-0034 in the amount of \$300,000.

Key Contacts:


Ron Wirth - Operations Supervisor - 435 748-5395 x1
Texaco Exploration & Production Inc.


J. S. Purdy, Attorney-In-Fact

RECEIVED

MAY 06 2002

DIVISION OF
OIL, GAS AND MINING

NAME (PLEASE PRINT) <u>Allen S. Robinson</u>	TITLE <u>Attorney-In-Fact</u>
SIGNATURE 	DATE <u>April 30, 2002</u>

(This space for State use only)

**THE
NAVAJO
NATION****MINERALS DEPARTMENT**
Post Office Box 1910
Window Rock, Arizona 86515
Phone: (928) 871-6587 • Fax: (928) 871-7095**KELSEY A. BEGAYE**
PRESIDENT**TAYLOR MCKENZIE, M.O.**
VICE PRESIDENT

October 11, 2002

Mr. Don Sellars
Regulatory Specialist
ChevronTexaco
11111 S. Wilcrest
Houston, Texas 77099

Subject: Navajo Nation Assignment of Oil & Gas Lease

Dear Mr. Sellars:

Attached are fourteen (14) approved Navajo Nation Assignment of Oil and Gas Lease applications for assignment of interest from Texaco Exploration & Production, Inc. to Chevron U.S.A., Inc. (Chevron) for the following leases:

- | | | |
|---------------------|---------------------|----------------------|
| 1) I-149-IND-8834 | 6) I-149-IND-8839 | 11) 14-20-603-4035 |
| 2) I-149-IND-8835 | 7) 14-20-603-2057 | 12) 14-20-603-4037 |
| 3) I-149-IND-8836 | 8) 14-20-603-2059 | 13) 14-20-603-5043-A |
| 4) I-149-IND-8838 | 9) 14-20-603-4030-A | 14) 14-20-603-5446 |
| 5) I-149-IND-8839-A | 10) 14-20-603-4032 | |

If you have any questions, please call me or Mr. Brad Nesemeier at (928) 871-6587.

Sincerely,

Akhtar Zaman
Akhtar Zaman, Director
Minerals Department

Attachments
AZ/GLB/cab

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW
3. FILE

Change of Operator (Well Sold)

Designation of Agent

Operator Name Change

X Merger

The operator of the well(s) listed below has changed, effective: 05-01-2002	
FROM: (Old Operator):	TO: (New Operator):
TEXACO EXPLORATION & PRODUCTION INC	CHEVRON USA INC
Address: 3300 NORTH BUTLER, STE 100	Address: P O BOX 36366
FARMINGTON, NM 87401	HOUSTON, TX 79702
Phone: 1-(505)-325-4397	Phone: 1-(915)-687-2000
Account No. N5700	Account No. N0210

CA No. Unit: ANETH

WELL(S)						
NAME	SEC TWN RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
NAVAJO 3 (ANETH F-236)	36-40S-24E	43-037-16294	99990	INDIAN	WIW	A
ANETH L-419	19-40S-25E	43-037-16140	99990	INDIAN	WIW	A
NAVAJO TRIBE F-8 (ANETH J-129)	29-40S-25E	43-037-16131	99990	INDIAN	WIW	A
NAVAJO TRIBE F-9 (ANETH J-130)	30-40S-25E	43-037-16132	99990	INDIAN	WIW	A
NAVAJO TRIBE F-5 (ANETH J-330)	30-40S-25E	43-037-16134	99990	INDIAN	WIW	A
NAVAJO TRIBE F-2 (ANETH K-230)	30-40S-25E	43-037-16135	99990	INDIAN	WIW	A
NAVAJO TRIBE F-7 (ANETH K-430)	30-40S-25E	43-037-16137	99990	INDIAN	WIW	A
NAVAJO TRIBE F-6 (ANETH L-330)	30-40S-25E	43-037-16139	99990	INDIAN	WIW	A
NAVAJO TRIBE F-10 (ANETH M-230)	30-40S-25E	43-037-16141	99990	INDIAN	WIW	A
NAVAJO TRIBE F-11 (ANETH M-430)	30-40S-25E	43-037-16337	99990	INDIAN	WIW	A
NAVAJO TRIBE C11-31 (J-131)	31-40S-25E	43-037-15946	7000	INDIAN	WIW	A
NAVAJO TRIBE C-22-31 (ANETH K-231)	31-40S-25E	43-037-16335	99990	INDIAN	WIW	A

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-2-10) Sundry or legal documentation was received from the **FORMER** operator on: 05/06/2002
- (R649-2-10) Sundry or legal documentation was received from the **NEW** operator on: 04/12/2002
- The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 10/16/2002
- Is the new operator registered in the State of Utah: YES Business Number: 564408-0143
- If **NO**, the operator was contacted on: N/A

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 10/11/2002

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 10/11/2002

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: N/A

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 10/21/2002

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 10/28/2002

2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 10/28/2002

3. Bond information entered in RBDMS on: N/A

4. Fee wells attached to bond in RBDMS on: N/A

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: N/A

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: N/A

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: 8975810026

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number N/A

2. The **FORMER** operator has requested a release of liability from their bond on: N/A

The Division sent response by letter on: N/A

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS: Chevron USA Inc merged with Texaco Exploration & Production Inc to form ChevronTexaco Inc although all the Utah operations will be operated by Chevron USA Inc.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>Injection wells</u>		5. LEASE DESIGNATION AND SERIAL NUMBER: <u>See Attachment</u>
2. NAME OF OPERATOR: <u>Resolute Natural Resources Company</u> <u>N2700</u>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: <u>Navajo</u>
3. ADDRESS OF OPERATOR: <u>1675 Broadway, Suite 1950</u> CITY <u>Denver</u> STATE <u>CO</u> ZIP <u>80202</u>		7. UNIT or CA AGREEMENT NAME: <u>Aneth Unit</u>
4. LOCATION OF WELL FOOTAGES AT SURFACE: <u>See Attachment</u>		8. WELL NAME and NUMBER: <u>See Attachment</u>
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		9. API NUMBER: <u>See Attach</u>
COUNTY: <u>San Juan</u>		10. FIELD AND POOL, OR WILDCAT: <u>Desert Creek</u>
STATE: <u>UTAH</u>		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Change of Operator</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

As of December 1, 2004, Chevron U.S.A. Inc. resigned as Operator of the Aneth Unit. The successor operator is Resolute Natural Resources Company.

NAME (PLEASE PRINT) Jane Paquc TITLE Vice President
SIGNATURE Jane Paquc DATE 11/30/04

(This space for State use only)

APPROVED 12/29/2004
ER
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>See attached exhibit.</u>		5. LEASE DESIGNATION AND SERIAL NUMBER: <u>See attached exhibit.</u>
2. NAME OF OPERATOR: <u>Resolute Natural Resources Company</u>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: <u>Navajo</u>
3. ADDRESS OF OPERATOR: <u>1675 Broadway, Suite 1950</u> CITY <u>Denver</u> STATE <u>CO</u> ZIP <u>80202</u>		7. UNIT or CA AGREEMENT NAME: <u>Aneth Unit</u>
PHONE NUMBER: <u>(303) 534-4600</u>		8. WELL NAME and NUMBER: <u>See attached exhibit.</u>
4. LOCATION OF WELL FOOTAGES AT SURFACE: _____ COUNTY: <u>San Juan</u>		9. API NUMBER: <u>See attached exhibit.</u>
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____ STATE: <u>UTAH</u>		10. FIELD AND POOL, OR WILDCAT: <u>Aneth</u>

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Change of operator</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

As of December 1, 2004, Chevron U.S.A. Inc. resigned as operator of the Aneth Unit. Resolute Natural Resources Company has been elected the successor operator.

RECEIVED
DEC 22 2004

DIV. OF OIL, GAS & MINING

NAME (PLEASE PRINT) <u>Chevron U.S.A. Inc.</u> <u>NO210</u>	TITLE <u>A. E. Wacker, Attorney-in-Fact</u>
SIGNATURE <u>A. E. Wacker</u>	DATE <u>12/20/2004</u>

(This space for State use only)

APPROVED 12/29/2004

ER
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

TRANSFER OF AUTHORITY TO INJECT

Well Name and Number See attached exhibit.		API Number See attached exhibit.
Location of Well		Field or Unit Name Aneth Unit
Footage : _____	County : <u>San Juan</u>	Lease Designation and Number See attached exhibit.
QQ, Section, Township, Range: _____	State : <u>UTAH</u>	

EFFECTIVE DATE OF TRANSFER: 12/1/2004

CURRENT OPERATOR N0210

Company: <u>Chevron U.S.A. Inc.</u>	Name: <u>A. E. Wacker</u>
Address: <u>1111 Bagby St.</u>	Signature: <u>A. E. Wacker</u>
<u>city Houston state TX zip 77002</u>	Title: <u>Attorney-in-Fact</u>
Phone: <u>(713) 752-6000</u>	Date: <u>12/20/2004</u>
Comments:	

RECEIVED
DEC 22 2004

NEW OPERATOR N2700 DIV. OF OIL, GAS & MINING

Company: <u>Resolute Natural Resources Company</u>	Name: <u>Janet Pappas xt</u>
Address: <u>1675 Broadway, Suite 1950</u>	Signature: <u>Janet Pappas</u>
<u>city Denver state CO zip 80202</u>	Title: <u>Vice President</u>
Phone: <u>(303) 534-4600 xt</u>	Date: <u>12/21/04</u>
Comments:	

(This space for State use only)

Transfer approved by: David J. Finn Approval Date: 12-29-04
Title: VIC Geologist

Comments: Transfer of Authority to Inject into the Aneth C214 and Aneth B14 contingent on this office receiving a corrective action plan for each well. Both well Aneth 214 failed 5 year test on 10/13/2004. Operator would not conduct scheduled 5 year test on Aneth B14. (considered a failure).

NUM	API NUM	Q1	Q2	SEC	TWSP	RNG	LEGAL	Lease	Status 12/1/04	NNEPA Well List	USEPA Well List	UIC Program
H222	4303730242	SE	NW	22	40S	24E		I-149-IND-8836	Active	H222	H222	Navajo Nation
F418	4303715083	SE	SW	18	T40S	R24E	650' FSL/1825' FWL	I-149-IND-8835	Active	F418	F418	Navajo Nation
E307	4303715412	NW	SW	7	T40S	R24E	1980' FSL/660' FWL	SL-067807	Active	E307	E307	Navajo Nation
E118	4303715413	NW	NW	18	T40S	R24E	660' FNL/660' FWL	SL-067807	Active	E118	E118	Navajo Nation
F407	4303715415	SE	SW	7	T40S	R24E	660' FSL/1980' FWL	SL-067807	Active	F407	F407	Navajo Nation
E136	4303715485	NW	NW	36	T40S	R24E	660' FNL/660' FWL	14-20-603-5444	Active	E136	E136	Navajo Nation
G136	4303715486	NW	NE	36	T40S	R24E	785' FNL/2040' FEL	14-20-603-5443	Active	G136	G136	Navajo Nation
H236	4303715487	SE	NE	36	T40S	R24E	1980' FNL/660' FEL	14-20-603-5443	P/A			Navajo Nation
B213	4303715825	SE	NW	13	T40S	R23E	3300' FSL/3300' FEL	SL-070968-A	Active			State of Utah
C113	4303715827	NW	NE	13	T40S	R23E	4602' FSL/1993' FEL	SL-070968-A	Active			State of Utah
C313	4303715828	NW	SE	13	T40S	R23E	1949' FSL/1991' FEL	SL-070968-A	Active			State of Utah
D213	4303715830	SE	NE	13	T40S	R23E	3263' FSL/660' FEL	SL-070968-A	Active			State of Utah
E116	4303715832	NW	NW	16	T40S	R24E	601' FNL/550' FWL	ML-3156	Active	E116	E116	Navajo Nation
E213	4303715938	SW	NW	13	T40S	R24E	2140' FNL/740' FWL	I-IND-149-8837	Active	E213	E213	Navajo Nation
E214	4303715939	SW	NW	14	T40S	R24E	1940' FNL/650' FWL	I-149-IND-8837	Active	E214	E214	Navajo Nation
E411	4303715940	SW	SW	11	T40S	R24E	500' FSL/820' FWL	I-149-IND-8837	Active	E411	E411	Navajo Nation
E413	4303715941	SW	SW	13	T40S	R24E	660' FSL/660' FWL	IND-149-8837	Active	E413	E413	Navajo Nation
F314	4303715942	NE	SW	14	T40S	R24E	1980' FSL/1980'FWL	I-149-IND-8837	Active	F314	F314	Navajo Nation
G214	4303715943	SW	NE	14	T40S	R24E	2140' FNL/2010' FEL	I-149-IND-8839	P/A			Navajo Nation
G411	4303715944	SW	SE	11	T40S	R24E	680' FSL/1950' FEL	I-149-IND-8837	Active	G411	G411	Navajo Nation
G414	4303715945	SW	SE	14	T40S	R24E	660' FSL/1980' FEL	I-149-IND-8837	Active	G414	G414	Navajo Nation
J131	4303715946	NW	NW	31	T40S	R25E	660' FNL/638' FWL	14-20-603-372	Active	J131	J131	Navajo Nation
B114	4303716032	NE	NW	14	T40S	R23E	660' FNL/1980' FWL	SL-070968	Shut-In			State of Utah
C214	4303716033	SW	NE	14	T40S	R23E	1890' FNL/1930' FEL	SL-070968	Shut-In			State of Utah
C411	4303716034	SW	SE	11	T40S	R23E	600' FSL/2010' FEL	SL-070968-B	P/A			State of Utah
C414	4303716035	SW	SE	14	T40S	R23E	760' FSL/2000' FEL	SL-070968	Active			State of Utah
D314	4303716038	NE	SE	14	T40S	R23E	1980' FSL/660' FEL	SL-070968	Active			State of Utah
E117	4303716049	NW	NW	17	T40S	R24E	520' FNL/645' FWL	I-149-IND-8835	Active	E117	E117	Navajo Nation
E120	4303716050	NW	NW	20	T40S	R24E	660' FNL/660' FWL	I-149-IND-8836	Active	E120	E120	Navajo Nation
E121	4303716051	NW	NW	21	T40S	R24E	660' FNL/760' FWL	I-149-IND-8836	Active	E121	E121	Navajo Nation
E126	4303716054	NW	NW	26	T40S	R24E	760' FNL/660' FWL	I-149-IND-8838	Active	E126	E126	Navajo Nation
E129	4303716055	NW	NW	29	T40S	R24E	660' FNL/660' FWL	14-20-603-4030	Active	E129	E129	Navajo Nation
E308	4303716060	NW	SW	8	T40S	R24E	1820' FSL/645' FWL	I-149-IND-8833	Active	E308	E308	Navajo Nation
E309	4303716061	NW	SW	9	T40S	R24E	1900' FSL/500' FWL	I-149-IND-8834	P/A			Navajo Nation
E317	4303716062	NW	SW	17	40S	24E	1980' FSL/660' FWL	I-149-IND-8835	Active	E317	E317	Navajo Nation
E318	4303716063	NW	SW	18	T40S	R24E	1980' FSL/660' FWL	SL-067807	Active	E318	E318	Navajo Nation
E319	4303716064	NW	SW	19	T40S	R24E	2040' FSL/680' FWL	I-149-IND-8836	P/A			Navajo Nation
E320	4303716065	NW	SW	20	T40S	R24E	2140' FSL/820' FWL	I-149-IND-8836	Active	E320	E320	Navajo Nation
E321	4303716066	NW	SW	21	T40S	R24E	2140' FSL/720' FWL	I-149-IND-8836	Active	E321	E321	Navajo Nation
E322	4303716067	NW	SW	22	T40S	R24E	1980' FSL/660' FWL	I-149-IND-8836	Active	E322	E322	Navajo Nation
E323	4303716068	NW	SW	23	T40S	R24E	1980' FSL/510' FWL	I-149-IND-8838	Active	E323	E323	Navajo Nation
E324	4303716069	NW	SW	24	T40S	R24E	1980' FSL/660'FWL	I-149-IND-8838	Active	E324	E324	Navajo Nation
E325	4303716070	NW	SW	25	T40S	R24E	1980' FSL/660' FWL	I-149-IND-8838	Active	E325	E325	Navajo Nation
E326	4303716071	NW	SW	26	T40S	R24E	1980' FSL/660' FWL	I-149-IND-8838	Active	E326	E326	Navajo Nation
F115	4303716074	NE	NW	15	T40S	R24E	690' FNL/2140' FWL	I-149-IND-8834	Active	F115	F115	Navajo Nation

F208	4303716076	SE	NW	8	T40S	R24E	2140' FNL/2050' FWL	I-149-IND-8833	Active	F208	F208	Navajo Nation
F219	4303716077	SE	NW	19	T40S	R24E	1820' FNL/2140' FWL	I-149-IND-8836	Active	F219	F219	Navajo Nation
F221	4303716078	SE	NW	21	T40S	R24E	1980' FNL/1980' FWL	I-149-IND-8836	Active	F221	F221	Navajo Nation
F223	4303716079	SE	NW	23	T40S	R24E	1980' FNL/1820' FWL	I-149-IND-8838	Active	F223	F223	Navajo Nation
F225	4303716080	SE	NW	25	T40S	R24E	2040' FNL/2080' FWL	I-149-IND-8838	Active	F225	F225	Navajo Nation
F409	4303716082	SE	SW	9	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8834	Active	F409	F409	Navajo Nation
F421	4303716084	SE	SW	21	T40S	R24E	585' FSL/1990' FWL	I-149-IND-8836	Active	F421	F421	Navajo Nation
F422	4303716085	SE	SW	22	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8836	Active	F422	F422	Navajo Nation
F423	4303716086	SE	SW	23	T40S	R24E	770' FSL/1955' FWL	I-149-IND-8838	Active	F423	F423	Navajo Nation
F424	4303716087	SE	SW	24	T40S	R24E	660' FSL/2100' FWL	I-149-IND-8838	Active	F424	F424	Navajo Nation
G117	4303716089	NW	NE	17	T40S	R24E	660' FNL/1980' FEL	I-149-IND-8835	Active	G117	G117	Navajo Nation
G118	4303716090	NW	NE	18	T40S	R24E	800' FNL/1910' FEL	I-149-IND-8835	Active	G118	G118	Navajo Nation
G119	4303716091	NW	NE	19	T40S	R24E	660' FNL/2140' FEL	I-149-IND-8836	Active	G119	G119	Navajo Nation
G120	4303716092	NW	NE	20	T40S	R24E	660' FNL/1980' FEL	I-149-IND-8833	Active	G120	G120	Navajo Nation
G125	4303716095	NW	NE	25	T40S	R24E	660' FNL/2140' FEL	I-149-IND-8838	Active	G125	G125	Navajo Nation
G129	4303716097	NW	NE	29	T40S	R24E	580' FNL/1905' FEL	14-20-603-4030	Active	G129	G129	Navajo Nation
G307	4303716100	NW	SE	7	T40S	R24E	1900' FSL/1995' FEL	SL-067807	Active	G307	G307	Navajo Nation
G308	4303716101	NW	SE	8	T40S	R24E	1975' FSL/1830' FEL	I-149-IND-8834	Active	G308	G308	Navajo Nation
G317	4303716103	NW	SE	17	T40S	R24E	1778' FSL/1900' FEL	I-149-IND-8835	Active	G317	G317	Navajo Nation
G318	4303716104	NW	SE	18	T40S	R24E	2125' FSL/1980' FEL	I-149-IND-8835	Active	G318	G318	Navajo Nation
G320	4303716105	NW	SE	20	T40S	R24E	1980' FSL/1980' FEL	I-149-IND-8836	Active	G320	G320	Navajo Nation
G324	4303716111	NW	SE	24	T40S	R24E	1980' FSL/1980' FEL	I-149-IND-8838	Active	G324	G324	Navajo Nation
G326	4303716113	NW	SE	26	T40S	R24E	1980' FSL/1980' FEL	I-149-IND-8838	Active	G326	G326	Navajo Nation
G415	4303716116	SW	SE	15	T40S	R24E	820' FSL/2400' FEL	I-149-IND-8834	Active	G415	G415	Navajo Nation
H122	4303716117	NE	NE	22	T40S	R24E	660' FNL/660' FEL	I-149-IND-8836	Active	H122	H122	Navajo Nation
H207	4303716118	SE	NE	7	T40S	R24E	1820' FNL/820' FEL	SL-067807	T/A			State of Utah
H208	4303716119	SE	NE	8	T40S	R24E	2140' FNL/660' FEL	I-149-IND-8833	Active	H208	H208	Navajo Nation
H218	4303716120	SE	NE	18	T40S	R24E	1980' FNL/660' FEL	I-149-IND-8835	Active	H218	H218	Navajo Nation
H219	4303716121	SE	NE	19	T40S	R24E	1945' FNL/607' FEL	I-149-IND-8836	Active	H219	H219	Navajo Nation
H221	4303716122	SE	NE	21	T40S	R24E	1980' FNL/660' FEL	I-149-IND-8836	Active	H221	H221	Navajo Nation
H223	4303716123	SE	NE	23	T40S	R24E	1820' FNL/730' FEL	I-149-IND-8838	Active	H223	H223	Navajo Nation
H225	4303716124	SE	NE	25	T40S	R24E	1980' FNL/660' FEL	I-149-IND-8838	Active	H225	H225	Navajo Nation
H410	4303716125	SE	SE	10	T40S	R24E	625' FSL/545' FEL	I-149-IND-8834	P/A			Navajo Nation
H422	4303716127	SE	SE	22	T40S	R24E	660' FSL/660' FEL	I-149-IND-8836	P/A			Navajo Nation
H423	4303716128	SE	SE	23	T40S	R24E	820' FSL/450' FEL	I-149-IND-8838	Active	H423	H423	Navajo Nation
H425	4303716129	SE	SE	25	T40S	R24E	660' FSL/660' FEL	I-149-IND-8838	Active	H425	H425	Navajo Nation
J129	4303716131	NW	NW	29	T40S	R25E	620' FNL/615' FWL	I-149-IND-8839	P/A			Navajo Nation
J130	4303716132	NW	NW	30	T40S	R25E	720' FNL/590' FEL	I-149-IND-8839	Shut-In	J130	J130	Navajo Nation
J330	4303716134	NW	SW	30	T40S	R25E	2060' FSL/800' FWL	I-149-IND-8839	Active	J330	J330	Navajo Nation
K230	4303716135	SE	NW	30	T40S	R25E	2075' FSL/2140' FWL	I-149-IND-8839	Shut-In	K230	K230	Navajo Nation
K430	4303716137	SE	SW	30	T40S	R25E	660' FSL/1980' FWL	I-149-IND-8839	Active	K430	K430	Navajo Nation
L330	4303716139	NW	SE	30	T40S	R25E	2120' FSL/1960' FEL	I-149-IND-8839	Active	L330	L330	Navajo Nation
L419	4303716140	SW	SE	19	T40S	R25E	660' FSL/1980' FEL	I-149-IND-8839	Active	L419	L419	Navajo Nation
M230	4303716141	SE	NE	30	T40S	R25E	1930' FNL/660' FEL	I-149-IND-8839	Active	M230	M230	Navajo Nation
E128	4303716222	NW	NW	28	T40S	R24E	660' FNL/660' FWL	14-20-603-2056	Active	E128	E128	Navajo Nation
F227	4303716223	SE	NW	27	T40S	R24E	1980' FNL/1980' FWL	14-20-603-2056	T/A			Navajo Nation
G128	4303716224	NW	NE	28	T40S	R24E	660' FNL/1980' FEL	14-20-603-2056	Shut-In	G128	G128	Navajo Nation

H228	4303716228	SE	NE	28	T40S	R24E	2080' FNL/560' FEL	14-20-603-2056	T/A			Navajo Nation
A124	4303716270	NW	NW	24	T40S	R23E	500' FNL/500' FWL	SL-0701010-C	Active			State of Utah
B123	4303716271	NE	NW	23	T40S	R23E	500' FNL/2140' FWL	SL-0701010	Active			State of Utah
B312	4303716272	NE	SW	12	T40S	R23E	3295' FNL/3348' FEL	SL-070968-A	Active	B312	B312	Navajo Nation
B314	4303716273	NE	SW	14	T40S	R23E	2030' FSL/2030' FWL	SL-070968	Active			State of Utah
C112	4303716274	NW	NE	12	T40S	R23E	658' FNL/1974' FEL	SL-070968-A	P/A			State of Utah
C124	4303716275	NW	NE	24	T40S	R23E	660' FNL/1980' FEL	SL-0701010-C	P/A			State of Utah
C223	4303716276	SW	NE	23	T40S	R23E	1820' FNL/1980' FEL	SL-0701010	P/A			State of Utah
D114	4303716277	NE	NE	14	T40S	R23E	660' FNL/760' FEL	SL-070968	Active			State of Utah
D212	4303716278	SE	NE	12	T40S	R23E	1860' FNL/656' FEL	SL-070968-A	Shut-In	D212	D212	Navajo Nation
D413	4303716279	SE	SE	13	T40S	R23E	660' FSL/661' FEL	SL-070968-A	Active			State of Utah
E119	4303716280	NW	NW	19	T40S	R24E	500' FNL/820' FWL	I-149-IND-8836	Active	E119	E119	Navajo Nation
E207	4303716283	SW	NW	7	T40S	R24E	2030' FNL 750 FWL		T/A	E207	E207	
E208	4303716284	SW	NW	8	T40S	R24E	1930' FNL/500' FWL	I-149-IND-8833	T/A			Navajo Nation
F116	4303716285	NE	NW	16	T40S	R24E	660' FNL/1980' FWL	ML-3156	Active	F116	F116	Navajo Nation
F217	4303716286	SE	NW	17	T40S	R24E	1890' FNL/1930' FWL	I-149-IND-8835	Active	F217	F217	Navajo Nation
F218	4303716287	SE	NW	18	T40S	R24E	1970' FNL/2060' FWL	I-149-IND-8835	Active	F218	F218	Navajo Nation
F220	4303716288	SE	NW	20	T40S	R24E	1980' FNL/1980' FWL	I-149-IND-8836	Active	F220	F220	Navajo Nation
F224	4303716289	SE	NW	24	T40S	R24E	1980' FNL/1980' FWL	I-149-IND-8838	Active	F224	F224	Navajo Nation
F226	4303716290	SE	NW	26	T40S	R24E	1950' FNL/1900' FWL	I-149-IND-8838	Active	F226	F226	Navajo Nation
F229	4303716292	SE	NW	29	T40S	R24E	2015' FNL/1930' FWL	14-20-603-4030	P/A	F229	F229	Navajo Nation
F235	4303716293	SE	NW	35	T40S	R24E	1825' FNL/2010' FWL	14-20-603-2059	Active	F235	F235	Navajo Nation
F236	4303716294	SE	NW	36	T40S	R24E	1980' FNL/1980' FWL	14-20-603-5444	Active	F236	F236	Navajo Nation
F311	4303716295	NE	SW	11	T40S	R24E	1820' FSL/1980' FWL	I-149-IND-8837	P/A			Navajo Nation
F315	4303716296	NE	SW	15	T40S	R24E	1980' FSL/2010' FWL	I-149-IND-8834	Active	F315	F315	Navajo Nation
F316	4303716297	NE	SW	16	T40S	R24E	2260' FSL/2140' FWL	ML-3156	Active	F316	F316	Navajo Nation
F408	4303716298	SE	SW	8	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8833	Active	F408	F408	Navajo Nation
F417	4303716299	SE	SW	17	T40S	R24E	500' FSL/2140' FWL	I-149-IND-8835	Active	F417	F417	Navajo Nation
F420	4303716300	SE	SW	20	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8836	Active	F420	F420	Navajo Nation
F425	4303716301	SE	SW	25	T40S	R24E	795' FSL/1960' FWL	I-149-IND-8838	Active	F425	F425	Navajo Nation
F426	4303716302	SE	SW	26	T40S	R24E	632' FSL/1867' FWL	I-149-IND-8838	P/A			Navajo Nation
F434	4303716303	SE	SW	34	T40S	R24E	815' FSL/1860' FWL	14-20-603-2056	P/A			Navajo Nation
F435	4303716304	SE	SW	35	T40S	R24E	820' FSL/1930' FWL	14-20-603-2059	T/A			Navajo Nation
G123	4303716306	NW	NE	23	T40S	R24E	660' FNL/1530' FEL	I-149-IND-8838	Active	G123	G123	Navajo Nation
G127	4303716307	NW	NE	27	T40S	R24E	660' FNL/1980' FEL	14-20-603-2056	Active	G127	G127	Navajo Nation
G319	4303716309	NW	SE	19	T40S	R24E	1920' FSL/2060' FEL	I-149-IND-8836	Active	G319	G319	Navajo Nation
H216	4303716312	SE	NE	16	T40S	R24E	3331' FSL/703' FEL	ML-3156	Active	H216	H216	Navajo Nation
H217	4303716313	SE	NE	17	T40S	R24E	2070' FNL/820' FEL	I-149-IND-8833	Active	H217	H217	Navajo Nation
H220	4303716314	SE	NE	20	T40S	R24E	2025' FNL/560' FEL	I-149-IND-8833	Active	H220	H220	Navajo Nation
H226	4303716316	SE	NE	26	T40S	R24E	1980' FNL/780' FEL	I-149-IND-8838	Active	H226	H226	Navajo Nation
H227	4303716317	SE	NE	27	T40S	R24E	1980' FNL/630' FEL	14-20-603-2056	Active	H227	H227	Navajo Nation
H229	4303716318	SE	NE	29	T40S	R24E	1820' FNL/660' FEL	14-20-603-4030	Shut-In	H229	H229	Navajo Nation
H234	4303716319	SE	NE	34	T40S	R24E	1980' FNL/660' FEL	14-20-603-2056	Active	H234	H234	Navajo Nation
H235	4303716320	SE	NE	35	T40S	R24E	2000' FNL/770' FEL	14-20-603-2059	Active	H235	H235	Navajo Nation
H407	4303716322	SE	SE	7	T40S	R24E	645' FSL/500' FEL	I-149-IND-8835	Active	H407	H407	Navajo Nation
H408	4303716323	SE	SE	8	T40S	R24E	500' FSL/530' FEL	I-149-IND-8834	Active	H408	H408	Navajo Nation
H417	4303716326	SE	SE	17	T40S	R24E	500' FSL/690' FEL	I-149-IND-8833	Active	H417	H417	Navajo Nation

H418	4303716327	SE	SE	18	T40S	R24E	660' FSL/660' FEL	I-149-IND-8835	Active	H418	H418	Navajo Nation
H419	4303716328	SE	SE	19	T40S	R24E	570' FSL/450' FEL	I-149-IND-8836	P/A			Navajo Nation
H420	4303716329	SE	SE	20	T40S	R24E	660' FSL/660' FEL	I-149-IND-8836	Active	H420	H420	Navajo Nation
H421	4303716330	SE	SE	21	T40S	R24E	500' FSL/750' FEL	I-149-IND-8836	Active	H421	H421	Navajo Nation
H424	4303716331	SE	SE	24	T40S	R24E	820' FSL/610' FEL	I-149-IND-8838	Active	H424	H424	Navajo Nation
H426	4303716332	SE	SE	26	T40S	R24E	710' FSL/510' FEL	I-149-IND-8838	Active	H426	H426	Navajo Nation
H427	4303716333	SE	SE	27	T40S	R24E	660' FSL/660' FEL	14-20-603-2056	Active	H427	H427	Navajo Nation
K231	4303716335	SE	NW	31	T40S	R25E	2014' FNL/2054' FWL	14-20-603-372A	Active	K231	K231	Navajo Nation
M430	4303716337	SE	SE	30	T40S	R25E	670' FSL/790' FEL	I-149-IND-8839	Active	M430	M430	Navajo Nation
E414	4303716421	SW	SW	14	T40S	R24E	750' FSL/620' FWL	I-149-IND-8837	Active	E414	E414	Navajo Nation
F114	4303716422	NE	NW	14	40S	24E	720' FNL/1870' FWL	I-149-IND-8839	Active	F114	F114	Navajo Nation
E127	4303716782	NW	NW	27	T40S	R24E	660' FNL/660' FWL	14-20-603-2056	P/A			Navajo Nation
H416	4303720230	SE	SE	16	T40S	R24E	150' FSL/660' FEL	ML-3156	Active	H416	H416	Navajo Nation
G322X	4303720231	NW	SE	22	T40S	R24E	1550' FSL/1720' FEL	I-149-IND-8836	Active	G322X	G322X	Navajo Nation
D412	4303730049	SE	SE	12	T40S	R23E	500' FSL/150' FEL	SL-070968-A	Active	D412	D412	Navajo Nation
E316	4303730094	NW	SW	16	T40S	R24E	2190' FSL/128' FWL	ML-3156	Active	E316	E316	Navajo Nation
G321X	4303730095	NW	SE	21	T40S	R24E	1900' FSL/1755' FEL	I-149-IND-8836	Shut-In	G321X	G321X	Navajo Nation
G316	4303730107	NW	SE	16	T40S	R24E	2320' FSL/1745' FEL	ML-3156	Active	G316	G316	Navajo Nation
C312	4303730112	NW	SE	12	T40S	R23E	1610' FSL/1800' FEL	SL-070968-A	Active	C312	C312	Navajo Nation
A113	4303730119	NW	NW	13	T40S	R23E	700' FNL/650' FWL	SL-070968-A	Active			State of Utah
E218	4303730137	SW	NW	18	T40S	R24E	1860' FNL/660' FWL	SL-067807	Active	E218	E218	Navajo Nation
F118	4303730155	NE	NW	18	T40S	R24E	619' FNL/2184' FWL	SL-067807	Active	F118	F118	Navajo Nation
D113	4303730174	NE	NE	13	T40S	R23E	578' FNL/619' FEL	SL-070968-A	Active			State of Utah
E407	4303730175	SW	SW	7	T40S	R24E	618' FSL/577' FWL	SL-067807	Active	E407	E407	Navajo Nation
E315	4303730213	NW	SW	15	T40S	R24E	2212' FSL/591' FWL	I-149-IND-8834	Active	E315	E315	Navajo Nation
E122	4303730215	NW	NW	22	T40S	R24E	528' FNL/660' FWL	I-149-IND-8836	Active	E122	E122	Navajo Nation
F123	4303730235	NE	NW	23	T40S	R24E	660' FNL/2046' FWL	I-149-IND-8838	Shut-In	F123	F123	Navajo Nation
B413	4303730297	SE	SW	13	T40S	R23E	660' FSL/1980' FWL	SL-070968-A	Active			State of Utah
A313	4303730299	NW	SW	13	T40S	R23E	1840' FSL/470' FWL	SL-070968-A	Active			State of Utah
H315	4303730312	NE	SE	15	T40S	R24E	1980' FSL/660' FEL	I-149-IND-8834	Active	H315	H315	Navajo Nation
F416	4303730333	SE	SW	16	T40S	R24E	1000' FSL/1980' FWL	ML-3156	Active	F416	F416	Navajo Nation
G121X	4303730335	NW	NE	21	T40S	R24E	790' FNL/1780' FEL	I-149-IND-8836	Active	G121X	G121X	Navajo Nation
G116	4303730344	NW	NE	16	T40S	R24E	660' FNL/1980' FEL	ML-3156	Active	G116	G116	Navajo Nation
G126X	4303730372	NW	NE	26	T40S	R24E	860' FNL/1780' FEL	I-149-IND-8838	Active	G126X	G126X	Navajo Nation
F222	4303730373	SE	NW	22	T40S	R24E	1920' FNL/1980' FWL	I-149-IND-8836	Active	F222	F222	Navajo Nation
G122	4303730425	NW	NE	22	T40S	R24E	570' FNL/1960' FEL	I-149-IND-8836	Active	G122	G122	Navajo Nation
H314X	4303731381	NE	SE	14	T40S	R24E	1950' FSL/570' FEL	I-149-IND-8837	Active	H314X	H314X	Navajo Nation

OPERATOR CHANGE WORKSHEET

ROUTING
1. GLH
2. CDW
3. FILE

X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective: <u>12/1/2004</u>	
FROM: (Old Operator): N0210-Chevron USA, Inc. PO Box 4791 Houston, TX 77210-4791 Phone: 1-(713) 752-7431	TO: (New Operator): N2700-Resolute Natural Resources Company 1675 Broadway, Suite 1950 Denver, CO 80202 Phone: 1-(303) 534-4600

CA No.

Unit:

ANETH

WELL(S)

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
NAVAJO TRIBE E-16 (ANETH H-208)	08	400S	240E	4303716119	99990	Indian	WI	A
NAVAJO TRIBE E-7 (ANETH H-410)	10	400S	240E	4303716125	99990	Indian	WI	I
NAVAJO TRIBAL G-5 (ANETH H-218)	18	400S	240E	4303716120	99990	Indian	WI	A
NAVAJO TRIBE D-3 (ANETH H-219)	19	400S	240E	4303716121	99990	Indian	WI	A
NAVAJO TRIBE D-7 (ANETH H-221)	21	400S	240E	4303716122	99990	Indian	WI	A
NAVAJO TRIBE D-2 (ANETH H-122)	22	400S	240E	4303716117	99990	Indian	WI	A
NAVAJO TRIBE D-22 (ANETH H-422)	22	400S	240E	4303716127	7000	Indian	WI	I
NAVAJO TRIBE C-8 (ANETH H-223)	23	400S	240E	4303716123	99990	Indian	WI	A
NAVAJO TRIBE C-3 (ANETH H-423)	23	400S	240E	4303716128	7000	Indian	WI	A
NAVAJO TRIBE C-11 (ANETH H-225)	25	400S	240E	4303716124	11883	Indian	WI	A
NAVAJO TRIBE C-24 (ANETH H-425)	25	400S	240E	4303716129	99990	Indian	WI	A
ANETH 27-B2 (ANETH F-227)	27	400S	240E	4303716223	7000	Indian	WI	I
ANETH 28-A-1 (ANETH E-128)	28	400S	240E	4303716222	7000	Indian	WI	A
ANETH 28-C-1 (ANETH G-128)	28	400S	240E	4303716224	7000	Indian	WI	A
ANETH UNIT L-419	19	400S	250E	4303716140	99990	Indian	WI	A
NAVAJO TRIBE F-8 (ANETH J-129)	29	400S	250E	4303716131	99990	Indian	WI	A
NAVAJO TRIBE F-9 (ANETH J-130)	30	400S	250E	4303716132	99990	Indian	WI	A
NAVAJO TRIBE F-5 (ANETH J-330)	30	400S	250E	4303716134	99990	Indian	WI	A
NAVAJO TRIBE F-2 (ANETH K-230)	30	400S	250E	4303716135	99990	Indian	WI	A
NAVAJO TRIBE F-7 (ANETH K-430)	30	400S	250E	4303716137	99990	Indian	WI	A
NAVAJO TRIBE F-6 (ANETH L-330)	30	400S	250E	4303716139	99990	Indian	WI	A
NAVAJO TRIBE F-10 (ANETH M-230)	30	400S	250E	4303716141	99990	Indian	WI	A

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 12/22/2004
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 12/13/2004
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 11/22/2004
- Is the new operator registered in the State of Utah: YES Business Number: 5733505-0143
- If **NO**, the operator was contacted on:
- (R649-9-2) Waste Management Plan has been received on: _____ requested
- Inspections of LA PA state/fee well sites complete on: 12/20/2004

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM not yet BIA not yet

8. **Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: not yet

9. **Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: _____

DATA ENTRY:

- 1. Changes entered in the Oil and Gas Database on: 12/29/2004
- 2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 12/29/2004
- 3. Bond information entered in RBDMS on: n/a
- 4. Fee/State wells attached to bond in RBDMS on: n/a
- 5. Injection Projects to new operator in RBDMS on: separate list
- 6. Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: B001263

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: B001264

FEE & STATE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number B001262

2. The **FORMER** operator has requested a release of liability from their bond on: not yet
The Division sent response by letter on: _____

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: _____

COMMENTS:

