

FILE NOTATIONS

Noted in NID File	<input checked="" type="checkbox"/>	Checked by Chief	<input checked="" type="checkbox"/>
Location Sheet	<input checked="" type="checkbox"/>	Copy NID to Field Office	<input checked="" type="checkbox"/>
Location Map Pinned	<input checked="" type="checkbox"/>	Approval Letter	<input checked="" type="checkbox"/>
Card Indexed	<input checked="" type="checkbox"/>	Disapproval Letter	<input type="checkbox"/>
IWR for State or Fee Land	<input type="checkbox"/>		

COMPLETION DATA:

Date Well Completed	<u>9-5-58</u>	Location Inspected	<input type="checkbox"/>
OW	WW	TA	
Bond released			
State of Fee Land			
GW	OS	PA	

LOGS FILED

Driller's Log 11-1-58

Electric Logs (No.) 3

E I E-I GR GR-N Micro

Lat. Mi-L Sonic Other Induction, Electric

* 3-27-62, This well is classified as a water injection well & is now shut in waiting on water injection line. Started injecting April, 1962

- Scout Report sent out
- Noted in the NID File
- Location map pinned
- Approval or Disapproval Letter
- Date Completed, P. & A, or operations suspended
- Pin changed on location map
- Affidavit and Record of A & P
- Water Shut-Off Test
- Gas-Oil Ratio Test
- Well Log Filed

Form 9-331a
(Feb. 1961)

(SUBMIT IN TRIPLICATE)

Land Office _____

Lease No. **SL 071010 C**

Unit **Federal**

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

RECEIVED

JUL 3 1958

APPROVED
JUL 3 1958
JERRY W. LOVIG
ACTING DISTRICT ENGINEER

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 3, 1958

FEDERAL "A"

Well No. ~~1~~ is located 500 ft. from $\begin{Bmatrix} N \\ X \end{Bmatrix}$ line and 500 ft. from $\begin{Bmatrix} E \\ W \end{Bmatrix}$ line of sec. 24

NW/4 24
(1/4 Sec. and Sec. No.)

40S
(Twp.)

23E
(Range)

S1M
(Meridian)

(Field)

San Juan
(County or Subdivision)

Utah
(State or Territory)

The elevation of the derrick floor above sea level is 4669.0 ft. Ground level, Ungraded

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Objective Horizon: Paradox, expected at about 5650'
Surface String: 8 5/8", 24#, J-55, at about 600'
circulate cement to surface.
Oil String: 5 1/2", 15.50#, J-55, At T.D., Estimate 5800'
Mud Program: Wt. 9.5, Wis. 40-50, Filt. 8 (begin @ 3800')
Cementing Interval: 0' to 1200', Estimate 4800' to T.D.
Coring Program: None Anticipated

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Petro-Atlas, Inc.

Address 729 East Main

Farmington, New Mexico

By [Signature]

Title Superintendent

Company PETRO-ATLAS INCORPORATED

Lease Federal A Well No. 1

Sec. 24, T. 40 SOUTH, R. 23 EAST S.L.M.


Location 500' FROM THE NORTH LINE AND 500' FROM THE WEST LINE.

Elevation 4669.9 UNGRADED GROUND

RECEIVED

JUL 3 1958

U.S. GEOLOGICAL SURVEY
FARMINGTON, NEW MEXICO



Federal #A-1
500' FNL & 500' FWL
Sec. 24-40S-23E, San Juan
County, Utah -
completed 9/8/58 for
potential of 238 BOPD
from Paradox 5607-17.

Federal #1 - C NW NE
Sec. 24-40S-23E -
Shut in.

Scale—4 inches equal 1 mile.

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Seal:

James P. Lee
Registered Land Surveyor.
JAMES P. LEESE
UTAH REG. NO. 1472

Surveyed 3 July, 1958

SAN JUAN ENGINEERING COMPANY, FARMINGTON, N. M.

Company PETRO-ATLAS INCORPORATED


Lease Federal A Well No. 1

Sec. 24, T. 40 SOUTH, R. 23 EAST S.L.M.

Location 500' FROM THE NORTH LINE AND 500' FROM THE WEST LINE.

Elevation 4669.9 UNGRADED GROUND

RECEIVED
JUL 9 1958
SAN JUAN COUNTY
UTAH



Scale—4 inches equal 1 mile.

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Seal: James P. Leese
Registered Land Surveyor.
JAMES P. LEESE
UTAH REG. NO. 1472

Surveyed 3 July, 1958

July 8, 1958

Petro-Atlas Incorporated
729 East Main Street
Farmington, New Mexico

Attention: Lonnie Kramer, Superintendent

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Federal A -1, which is to be located 500 feet from the north line and 500 feet from the west line of Section 24, Township 40 South, Range 23 East, SEEM, San Juan County, Utah.

Please be advised that insofar as this office is concerned, approval to drill said well is hereby granted.

This approval terminates within 90 days if the above mentioned well is not spudded in within said period.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT
SECRETARY

CBF:en

cc: Phil McGrath
USGS, Farmington,
New Mexico

Incorporated
~~Company~~
Petro-Atlas
A SUBSIDIARY OF ATLAS CORPORATION
2000 NATIONAL BANK OF TULSA BUILDING
TULSA 3, OKLAHOMA

July 9, 1958

Utah Oil & Gas Commission
140 State Capital
Salt Lake City, Utah

Dear Sir:

Attached you will find two copies of Form 9-331a, (Notice of Intention to Drill), for Petro-Atlas, Inc., Federal "A" # 1, 500' FNL, 500' FWL, Sec. 24, T4OS-R23E, San Juan County, Utah.

If there are any questions or corrections to be made, please address them to, Petro-Atlas, Inc., 729 East Main, Farmington, New Mexico.

Very truly yours,



L. H. Kramer

LHK:jeb

encl.

(SUBMIT IN DUPLICATE)

LAND:



STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION

STATE CAPITOL BUILDING
SALT LAKE CITY 14, UTAH

Fee and Patented.....
State
Lease No.
Public Domain
Lease No.
Indian
Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS FEDERAL LEASE NO. SL 071010-C

Notice of Intention to Drill.....	Subsequent Report of Water Shut-off.....	
Notice of Intention to Change Plans.....	Subsequent Report of Altering Casing.....	
Notice of Intention to Redrill or Repair.....	Subsequent Report of Redrilling or Repair.....	X
Notice of Intention to Pull or Alter Casing.....	Supplementary Well History.....	
Notice of Intention to Abandon Well.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 24, 19 58

Well No. A-1 is located 500 ft. from {N} line and 500 ft. from {W} line of Sec. 24

NW/4 24 40S 23E SLM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
ANETH SAN JUAN UTAH
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4693 feet.

A drilling and plugging bond has been filed with Bureau of Land Management
Salt Lake City, Utah

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important work, surface formation, and date anticipate spudding-in.)

7-18-58 Spudded.

7-21-58 Set 8-5/8", 24#, J-55, SS casing at 604' w/450 sx cement containing 2% Gel; Cement circulated.


I understand that this plan of work must receive approval in writing by the Commission before operations may be commenced.

Company Petro-Atlas, Inc.
Address 729 E. Main Farmington, New Mexico
By N. B. Gove
Title Engineer

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.

(SUBMIT IN DUPLICATE)

LAND:



STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION

STATE CAPITOL BUILDING
SALT LAKE CITY 14, UTAH

Fee and Patented.....
State
Lease No.
Public Domain
Lease No.
Indian
Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS FEDERAL LEASE
NO. SL 071010-C

Notice of Intention to Drill.....		Subsequent Report of Water Shut-off.....	
Notice of Intention to Change Plans.....		Subsequent Report of Altering Casing.....	
Notice of Intention to Redrill or Repair.....		Subsequent Report of Redrilling or Repair.....	
Notice of Intention to Pull or Alter Casing.....		Supplementary Well History.....	X
Notice of Intention to Abandon Well.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 14, 19 58

Well No. A-1 is located 500 ft. from {N} line and 500 ft. from {W} line of Sec. 24
NW/4 24 40S 23E SLM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
ANETH SAN JUAN UTAH
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4693 feet.

A drilling and plugging bond has been filed with Bureau of Land Management
Salt Lake City, Utah

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important work, surface formation, and date anticipate spudding-in.)

8-12-58 Set 5 1/2", 15.5#, J-55, SS casing at 5704' w/225 sx cement containing 2% Gel and 300 gal. Cealment; Top of cement 4310'.


I understand that this plan of work must receive approval in writing by the Commission before operations may be commenced.

Company Petro-Atlas, Inc.
Address 729 E. Main Street By N. B. Gove
Farmington, New Mexico Title Engineer

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.

(SUBMIT IN DUPLICATE)

LAND:



STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION

STATE CAPITOL BUILDING
SALT LAKE CITY 14, UTAH

- Fee and Patented.....
- State
- Lease No.
- Public Domain
- Lease No.
- Indian
- Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS FEDERAL LEASE
NO. SL 071010-C

Notice of Intention to Drill.....	Subsequent Report of Water Shut-off.....	X
Notice of Intention to Change Plans.....	Subsequent Report of Altering Casing.....	
Notice of Intention to Redrill or Repair.....	Subsequent Report of Redrilling or Repair.....	
Notice of Intention to Pull or Alter Casing.....	Supplementary Well History.....	
Notice of Intention to Abandon Well.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

September 12, 1958

Well No. A-1 is located 500 ft. from {N} line and 500 ft. from {W} line of Sec. 24

NW/4 24 40S 23E SLM

(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

ANETH SAN JUAN UTAH

(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4693 feet.

A drilling and plugging bond has been filed with Bureau of Land Management
Salt Lake City, Utah

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important work, surface formation, and date anticipate spudding-in.)

8-28-58 Perforated w/4 Jets 5637-5638'. Set Baker model "K" retainer
at 5630' and squeezed 5637-5638' w/50 gallons Cealment. PBD 5628'.

I understand that this plan of work must receive approval in writing by the Commission before operations may be commenced.

Company Petro-Atlas, Inc.

Address 729 E. Main Street

Farmington, New Mexico


By N. B. Gove

Title Engineer

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.

(SUBMIT IN DUPLICATE)

LAND:



STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION

STATE CAPITOL BUILDING
SALT LAKE CITY 14, UTAH

Fee and Patented.....
State
Lease No.
Public Domain
Lease No.
Indian
Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS FEDERAL LEASE
NO. SL 071010-C

Notice of Intention to Drill.....		Subsequent Report of Water Shut-off.....	
Notice of Intention to Change Plans.....		Subsequent Report of Altering Casing.....	
Notice of Intention to Redrill or Repair.....		Subsequent Report of Redrilling or Repair.....	X
Notice of Intention to Pull or Alter Casing.....		Supplementary Well History.....	X
Notice of Intention to Abandon Well.....		Subsequent Report of Shooting or Acidizing.....	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

September 12, 19 58

Well No. A-1 is located 500 ft. from ^{N}/_S line and 500 ft. from ^{E}/_W line of Sec. 24

NW/4 24 40S 23E SLM
(¼ Sec. and Sec. No.) (Twp.) (Range) (Meridian)

ANETH SAN JUAN UTAH
(Field) (County or Subdivision) (State or Territory)

4693

The elevation of the derrick floor above sea level is _____ feet.

A drilling and plugging bond has been filed with Bureau of Land Management
Salt Lake City, Utah

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important work, surface formation, and date anticipate spudding-in.)

8-15-58 Perforated w/4 Jets per foot. 5608-5628'; acidized 5608-5628'
w/250 gallons mud acid and 1,000 gallons XFW.


I understand that this plan of work must receive approval in writing by the Commission before operations may be commenced.

Company Petro-Atlas, Inc.
Address 729 E. Main Street Farmington, New Mexico
By N. B. Gove
Title Engineer

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.

(SUBMIT IN DUPLICATE)

LAND:



STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION

STATE CAPITOL BUILDING
SALT LAKE CITY 14, UTAH

Fee and Patented.....
State.....
Lease No.
Public Domain.....
Lease No.
Indian.....
Lease No.

71-A
10-2-33

SUNDRY NOTICES AND REPORTS ON WELLS FEDERAL LEASE
NO. SL 071010-C

Notice of Intention to Drill.....	Subsequent Report of Water Shut-off.....	X
Notice of Intention to Change Plans.....	Subsequent Report of Altering Casing.....	
Notice of Intention to Redrill or Repair.....	Subsequent Report of Redrilling or Repair.....	
Notice of Intention to Pull or Alter Casing.....	Supplementary Well History.....	X
Notice of Intention to Abandon Well.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

September 15, 1958

Well No. A-1 is located 500 ft. from N line and 500 ft. from E line of Sec. 24
NW/4 24 40S 23E SLM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
ANETH SAN JUAN UTAH
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4693 feet.

A drilling and plugging bond has been filed with Bureau of Land Management
Salt Lake City, Utah

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important work, surface formation, and date anticipate spudding-in.)

- 9-2-58 Squeezed perforated interval 5608-5628' w/300 gal. Cealment.
- 9-4-58 Drilled out Cealment to 5617½'; perforated w/4 Jet shots/ft. 5607-5617'. Acidized 5607-5617' w/500 Gal. XFW.

I understand that this plan of work must receive approval in writing by the Commission before operations may be commenced.

Company PETRO-ATLAS, INC.
Address 729 E. Main Street By N. B. Gove N. B. Gove
Farmington, New Mexico Title Engineer

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.

U. S. LAND OFFICE
SERIAL NUMBER **SL 071010-C**
LEASE OR PERMIT TO PROSPECT

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

o									

LOG OF OIL OR GAS WELL

2000 National Bank of Tulsa
Tulsa 3, Oklahoma

Company **PETRO-ATLAS, INC.** Address
Lessor or Tract **FEDERAL** Field **ANETH** State **UTAH**
Well No. **A-1** Sec. **24** T. **40S** R. **23E** Meridian **SLM** County **SAN JUAN**
Location **500** ft. ~~XXX~~ of **N** Line and **500** ft. ~~XXX~~ of **W** Line of **Section 24** Elevation **4693' KB**
(Derrick floor relative to sea level)
The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.
Signed **N. B. Gove** Title **Engineer**
Date **September 19, 1958**

The summary on this page is for the condition of the well at above date.
Commenced drilling **July 18,** 19 **58** Finished drilling **August 10,** 19 **58**

OIL OR GAS SANDS OR ZONES
(Denote gas by G)

No. 1, from **5607** to **5637** No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from **5637** to **5712** No. 3, from _____ to _____
No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From	To	
8-5/8"	24#	8 Rd	Smless	594'	Texas	-	-	-	Surface
5-1/2"	15.5#	8 Rd	Smless	5694'	Float	-	5607	5617	Production

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
8-5/8"	604'	450 cmt w/2% Gel	Pump	-	Cement Circulated
5-1/2"	5704'	225 cmt w/2% Gel 300 gal. Cealment	Pump	10.3#/gal.	Top Cement 4310'

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____
Adapters—Material _____ Size _____

TREATING & SHOOTING RECORD

FOLD MARK

FOLD MARK	8-5/8"	604'	450 cmt w/2% Gel	Pump	-	Cement Circulated
	5-1/2"	5704'	225 cmt w/2% Gel & 300 gal. Cealment	Pump	10.3#/gal.	Top Cement 4310'

PLUGS AND ADAPTERS

Heaving plug—Material Length Depth set

Adapters—Material Size

TREATING ~~SLIGHTING~~ RECORD

Size	Shell used	Material used	Quantity	Date	Depth was treated	Depth cleaned out
		XFW Acid	500 Gal	9/3/58	5607-5617	

TOOLS USED

Rotary tools were used from Surface feet to 5712 feet, and from feet to feet

Cable tools were used from feet to feet, and from feet to feet

DATES

....., 19..... Put to producing September 5,....., 1958.....

The production for the first 24 hours was 225 barrels of fluid of which 100 % was oil; % emulsion; % water; and % sediment. Gravity, °Bé.

If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas

Rock pressure, lbs. per sq. in.

EMPLOYEES

....., Driller Driller

....., Driller Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
0	50	50	Sandstone
50	256	206	Lime & Shale
256	518	262	Sand
518	552	34	Lime, Shale & Sand
552	604	52	Redbed & Sand
604	1129	525	Redbed & Sand
1129	1429	300	Sand
1429	1902	473	Redbed & Sand
1902	2093	191	Redbed
2093	2640	547	Redbed & Shale
2640	2895	255	Redbed
2895	2954	59	Redbed & Red Shale
2954	3065	111	Shale
3065	3134	69	Shale & Sand
3134	3226	92	Shale
3226	3441	215	Shale & Sand
3441	3845	404	Shale & Anhydrite
3845	3962	117	Shale, Lime & Sand
3962	4699	737	Shale & Lime
4699	4729	30	Lime
4729	4998	269	Lime & Hard Sand
4998	5028	30	Lime & Chert
5028	5095	67	Lime & Shale
5095	5140	45	Lime
5140	5230	90	Lime & Shale

[OVER]

W

5230 5659
5659 5700
5700 5712

429
41
12

Lime
Shale & Lime
Sandy Lime

FORMATION TOPS

Chinle	1583'
Shinarump	2380'
Moenkopi	2450'
Cutler	2561'
De Chelly	2664'
Hermosa	4575'
Ismay	5456'
Paradox Shale	5588'
Paradox Pay	5607'

HISTORY OF OIL OR GAS WELL.

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidetracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or bailing.

- 8-15-58 Perforated w/4 jets/foot 5608-5628.
Acidized perforations w/250 gal. Mud Acid & 1000 gal XFW Acid (HCl)
- 8-28-58 Perforated w/4 jets 5637-5638. Set Baker Model "K" Retainer at 5630'.
Squeezed 5637-5638 w/50 gal. Cealment. PBTD 5628'.
- 9-2-58 Squeezed perforations 5608-5628 w/300 gal. Cealment.
- 9-4-58 Drilled out Cealment to 5617½'; perforated w/4 jets/foot 5607-5617'.
Acidized 5607-5617 w/500 gal. XFW Acid (HCl).

Petro-Atlas, Inc.

A SUBSIDIARY OF ATLAS CORPORATION

2000 NATIONAL BANK OF TULSA BUILDING

TULSA 3, OKLAHOMA

November 7, 1958

Oil & Gas Conservation Commission
Room 310 Newhouse Building
Salt Lake City 14, Utah

Re: Rule C-19, Page 11

Gentlemen:

We would like to submit information on the Federal lease, Well No. A-1, Sec 24, T 40S, R. 23E, and Serial No. S1 071010-C in San Juan County, Utah.

The Gas-Oil Ratio Test run November 11 was 125 barrels of oil and 80,000 cuf. of gas. The ratio was 560 to 1.

If any other information is needed, please advise.

Yours truly,

PETRO-ATLAS, INC.

By


L. H. Kramer

LHK:lm

cc: N. B. Gove


W

(SUBMIT IN TRIPLICATE)

Land Office **Salt Lake City**

Lease No. **SL-071010-C**

Unit _____



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	X
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	X
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	X
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 27, 1962

Aneth Unit
Well No. **A124** is located **500** ft. from **[N]** line and **500** ft. from **[W]** line of sec. **24**
NE 1/4 of Sec. 24 **40-2** **23-W** **SLM**
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Aneth **San Juan** **Utah**
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **4693** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Moved in pulling unit and commenced workover 1-28-62. Ran tubing with bit and drilled out plug from 5617' to 5712'. Perforated 5-1/2" casing from 5617' to 5635', 5637' to 5647', 5651' to 5665' and 5690' to 5700' with 2 jet shots per foot. Set packer at 5675' and treated perforations from 5690' to 5700' with 500 gallons of HCLST acid and 1500 gallons of emulsified acid. Reset packer at 5580' and dumped 200 gallons of blocking agent in hole (20' fillup). Treated perforations from 5607' to 5665' with 500 gallons of HCLST acid and 5000 gallons of emulsified acid. After completing treatment, pulled packer. Ran 2-3/8" plastic lined tubing with Baker Injection Packer and set packer at 5546'. Put inhibitor behind packer and tested

(Continued on reverse side)

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **TRACO Inc.**
Address **P. O. Box 810**
Farrington, New Mexico

By 
Title **District Superintendent**

with 1000# pressure, packer tested OK. Completed workover and shut well in 2-1-62. This well is now classified as a water injection well and was shut-in waiting on water injection line.

APR 2 1962

6.33.2 (w)

BMD

Form 9-331
(May 1963)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

SL-071010 -C

6. IF INDIAN, ALLOTTED OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL GAS WELL OTHER Water Injection

7. UNIT AGREEMENT NAME

Aruth

2. NAME OF OPERATOR

Tenaco Inc. Prod. Dept. - Rocky Mtn.

8. FARM OR LEASE NAME

3. ADDRESS OF OPERATOR

Box 810, Farmington, N.M. 87401

9. WELL NO.

A-124

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

10. FIELD AND POOL, OR WILDCAT

Aruth Field

500 ft. F/No. + 500 ft. F/W. Line

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

324, T-40S, T23W, S1M

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4693 DF

12. COUNTY OR PARISH

San Juan

13. STATE

Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT*

(Other)

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

10/71 - Backflowed approx. 75 BW + acidized w/ 750 gal. 15% reg. acid w/ L-141 + displaced w/ 880 gal. inj. wtr. via lbq.

PSI
MAX Min

Rate
BPM

ISIP 10 Min

Inj. Test (BWPD)
Before After

Acid 3400 1250

2.5

3250 3000

260 @ 2300

250 @ 2225

Flush 3500 3400

2.5

Treated w/ 25 gal. biocide.

18. I hereby certify that the foregoing is true and correct

SIGNED

[Signature]

TITLE

Dist. Superintendent

DATE

2-16-72

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

USGS(3) OGOK(2) NAUVAJO Tribe - Superior Oil Co - NHB - GLE - WLW

127

STATE OF UTAH
DIVISION OF OIL, GAS, AND MINING
ROOM 4241 STATE OFFICE BUILDING
SALT LAKE CITY, UTAH 84114
(801) 533-5771
(RULE I-5)

FORM NO. DOGM-UIC-1

IN THE MATTER OF THE APPLICATION OF

TEXACO INC.
ADDRESS P.O. BOX EE
CORTEZ COLORADO ZIP 81321
INDIVIDUAL PARTNERSHIP CORPORATION
FOR ADMINISTRATIVE APPROVAL TO DISPOSE OR
INJECT FLUID INTO THE ANETH UNIT A124 WELL
SEC. 24 TWP. 40S RANGE 23E
SAN JUAN COUNTY, UTAH

CAUSE NO. _____

ENHANCED RECOVERY INJ. WELL
DISPOSAL WELL

APPLICATION

Comes now the applicant and shows the Division the following:

1. That Rule 1-5 (b) 6 authorizes administrative approval of enhanced recovery injections or disposal operations.
2. That the applicant submits the following information.

Lease Name <u>ANETH UNIT</u>	Well No. <u>A124</u>	Field <u>ANETH</u>	County <u>SAN JUAN</u>
Location of Enhanced Recovery Injection or Disposal Well <u>NW 1/4 NW 1/4</u> Sec. <u>24</u> Twp. <u>40S</u> Rge. <u>23E</u>			
New Well To Be Drilled Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Old Well To Be Converted Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Casing Test Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Date _____	
Depth-Base Lowest Known Fresh Water Within 1/2 Mile <u>1175</u>	Does Injection Zone Contain Oil-Gas-Fresh Water Within 1/2 Mile YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	State What <u>OIL AND GAS</u>	
Location of Injection Source(s) <u>ANETH UNIT PRODUCING WELLS AND SAN JUAN RIVER</u>	Geologic Name(s) and Depth of Source(s) <u>DESERT CREEK AND ISWAY ~5600'</u>		
Geologic Name of Injection Zone <u>PARADOX: DESERT CREEK</u>	Depth of Injection Interval <u>5617</u> to <u>5700</u>		
a. Top of the Perforated Interval: <u>5617</u>	b. Base of Fresh Water: <u>1175</u>	c. Intervening Thickness (a minus b) <u>4442</u>	
Is the intervening thickness sufficient to show fresh water will be protected without additional data? <u>(YES)</u> NO			
Lithology of Intervening Zones <u>SANDSTONE, LIMESTONE, ANHYDRITE, INTERMITTENT SHALE LAYERS</u>			
Injection Rates and Pressures Maximum <u>2000</u> B/D <u>2500</u> PSI			
The Names and Addresses of Those To Whom Copies of This Application and Attachments Have Been Sent <u>U.S. DEPT OF INTERIOR</u> <u>2000 ADM BLDG</u> <u>SALT LAKE CITY 84104</u> <u>UTAH</u>			

State of Colorado
County of Montezuma

Alvin R. Marx Field Sup't
Applicant

Before me, the undersigned authority, on this day personally appeared Alvin R. Marx known to me to be the person whose name is subscribed to the above instrument, who being by me duly sworn on oath states, that he is duly authorized to make the above report and that he has knowledge of the facts stated therein, and that said report is true and correct.

Suscribed and sworn to before me this 7 day of Feb., 19 83

SEAL
My commission expires 7-17-83

Marilda M. DeLeon
925 So. Broadway - Cortez
Notary Public in and for _____


INSTRUCTIONS

1. Attach qualitative and quantitative analysis of fresh-water from 2 or more producing wells within 1 mile of injection well showing location of wells and date samples were taken, or statement as to why samples were not submitted.
2. Attach qualitative and quantitative analysis of representative sample of water to be injected.
3. Attach plat showing subject well and all known oil and gas wells, abandoned, drilling and dry holes within 1/2 mile, together and with name of operator.
4. Attach Drillers Log (Form DOGM-UIC-2). (Appropriate Surety must be on file with Conservation Division.)
5. Attach Electric or Radioactivity Log of Subject well (if released).
6. Attach schematic drawing of subsurface facilities including; Size, setting depth, amount of cement used measured or calculated tops of cement surface, intermediate (if any) and production casings; size and setting depth of tubing; type and setting depth of packer; geologic name of injection zone showing top and bottom of injection interval.
7. The original and 6 copies of application, and one complete set of attachments shall be mailed to the Division.
8. Deliver 1 copy of application to landowner on whose land injection well is located and to each operator of a producing leasehold within 1/2 mile of injection well.
9. Affidavit of mailing or delivery shall be filed not later than five days after the application is filed.
10. Notice that an application has been filed shall be published by the Division in a newspaper of general circulation in the county in which the well is located. The Division shall file proof of publication before the application is approved. The notice shall include name and address of applicant, location of proposed injection or disposal well, injection zone, injection pressure and volume. If no written objection is received within 15 days from date of publication the application will be approved administratively.
11. A well shall not be used for injection or disposal unless completed machine accounting Form DOGM-UIC-3b is filed September 1st, each year.
12. Approval of this application, if granted, is valid only as long as there is no substantial change in the operations set forth in the application. A substantial operation change requires the approval of a new application.
13. If there is less intervening thickness required by Rule I-5 (b) 4 attach sworn evidence and data.

CASING AND TUBING DATA

NAME OF STRING	SIZE	SETTING DEPTH	SACKS CEMENT	TOP OF CEMENT	TOP DETERMINED BY
Surface	13 3/8"	100'	150	NA	
Intermediate	8 5/8"	1429'	450	NA	
Production	5 1/2"	5704'	225	4310	TEMPERATURE SURVEY
Tubing	2 3/8"	5475'	Name - Type - Depth of Tubing Packer BAKER 5 1/2" LOK-SET		
Total Depth	Geologic Name - Inj. Zone	Depth - Top of Inj. Interval	Depth - Base of Inj. Interval		
5712	DESERT CREEK	5803	5704		

SUBSURFACE FACILITY




(To be filed within 30 days after drilling is completed)
DEPARTMENT OF NATURAL RESOURCES AND ENERGY

SLC71010C
COUNTY LEASE NO.

DIVISION OF OIL, GAS, AND MINING
Room 4241 State Office Building
Salt Lake City, Utah 84114

API NO
640 Acres
N



Locate Well Correctly
and Outline Lease

COUNTY SAN JUAN SEC. 24 TWP. 40 RGE. 23E
COMPANY OPERATING TEXACO INC.
OFFICE ADDRESS P.O. BOX EE
TOWN CORTEZ STATE ZIP CO. 81321
FARM NAME ANETH UNIT WELL NO. A124
DRILLING STARTED 7-18 1958 DRILLING FINISHED 8-11 1958
DATE OF FIRST PRODUCTION 8-16-58 COMPLETED 9-5-58
WELL LOCATED NW 1/4 NW 1/4 NW 1/4
2140 FT. FROM SE OF 1/4 SEC. & 500 FT. FROM WL OF 1/4 SEC.
ELEVATION DERRICK FLOOR 4693 GROUND 4684

TYPE COMPLETION

Single Zone DESERT CREEK Order No. NA

Multiple Zone _____ Order No. _____

Comingled _____ Order No. _____

LOCATION EXCEPTION _____ Order No. _____ Penalty _____

OIL OR GAS ZONES

Name	From	To	Name	From	To
<u>DESERT CREEK</u>	<u>5679</u>	<u>NA</u>			

CASING & CEMENT

Casing Set

Csg. Test

Cement

Size	Wgt	Grade	Feet	Psi	Sax	Fillup	Top
<u>13 3/8</u>	<u>48</u>	<u>H-40</u>	<u>100</u>	<u>NA</u>	<u>150</u>	<u>NA</u>	<u>NA</u>
<u>8 5/8</u>	<u>24</u>	<u>J-55</u>	<u>1429</u>	<u>NA</u>	<u>450</u>	<u>NA</u>	<u>NA</u>
<u>5 1/2</u>	<u>15.5/17</u>	<u>J-55/N-80</u>	<u>5704</u>	<u>NA</u>	<u>225</u>	<u>NA</u>	<u>4310</u>

TOTAL DEPTH 5712'

PACKERS SET DEPTH BAKER LOK-SET AT 5475'

COMPLETION & TEST DATA BY PRODUCING FORMATION

1

2

3

FORMATION	1	2	3
<u>DESERT CREEK</u>			
SPACING & SPACING ORDER NO.	<u>40 ACRE</u>		
CLASSIFICATION (Oil; Gas; Dry; Inj. Well)	<u>OIL</u>		
PERFORATED	<u>5607-5617</u>		
INTERVALS			
ACIDIZED?	<u>1500 GAL XFW</u>		
FRACTURE TREATED?			

INITIAL TEST DATA

Date	<u>9-5-58</u>		
Oil. bbl./day	<u>225</u>		
Oil Gravity	<u>-</u>		
Gas. Cu. Ft./day	<u>-</u>	<u>CF</u>	<u>CF</u>
Gas-Oil Ratio Cu. Ft./Bbl.	<u>-</u>		
Water-Bbl./day	<u>-</u>		
Pumping or Flowing	<u>-</u>		
CHOKE SIZE	<u>-</u>		
FLOW TUBING PRESSURE	<u>-</u>		

A record of the formations drilled through, and pertinent remarks are presented on the reverse.
(use reverse side)

I, the undersigned, being first duly sworn, upon oath, state that this well record is true, correct and complete according to the records of this office and to the best of my knowledge and belief.

Telephone 303-565-8401 Alvin R. Mann Field Supt
Name and title of representative of company

Subscribed and sworn before me this 7 day of October, 19 58

Margaret M. Deering
Notary

2

6

A301



B401

Is
SI

UTAH-FED.



I-B

E



C112

E107



D212

E207

F207

G207

H207

B312

D312

E307

F307

G307

H307

F



D311

SI

C411

A412

C412

D412

E407

F407

G407

H407

A114

B114

C114

D114

A113

B113

C113

D113

E118

F118

G118

H118

A214

B214

C214

D214

A213

B213

C213

D213

E218

F218

G218

H218

B314

C314

D314

A313

B313

C313

D313

E318

F318

G318

H318

A414

C414

D414

A413

B413

C413

D413

E418

F418

G418

H418

5787' TD

5790' TD

A413

5678' TD

5845' TD

5662' TD

A124

5712' TD

FRESH WATER WELL

TD 1100'

5953' TD

C124

D124

E119

F119

G119

H119

F219

G219

H219

23

24

E319

F319

G319

H319

19

T405 - R23E
SAN JUAN COUNTY
UTAH
TEXACO INC - OPERATOR

NAVAJO

Texaco

Fed.



B.L.M. - LANDOWNER

● DENOTES PRODUCER

↙ INJECTOR

TEXACO

INSTRUCTIONS - CANCELS LETTER(S) OF _____

SIGNED BY _____

PERMANENT

ROUTINE

TEMPORARY

19

(LOCATION)

(DATE)

Subject: Water Analysis from Navajo Aquifer

Aneth Unit H415

Location - SE 1/4 - SE 1/4 Sec 15, T40S, R24E

Sample Date - 1-17-59

Depth: Navajo Aquifer

Temp - 67°F

Ph - 8.7

Total Dissolved Solids - 2573 ppm

SiO₂ - 16 ppm

CO₃⁼ - 130 ppm

Ca⁺ - 7 ppm

HCO₃⁻ - 156 ppm

Mg⁺⁺ - 28 ppm

SO₄⁼ - 599 ppm

Na⁺ - 76 ppm

Cl⁻ - 757 ppm

Aneth Unit G422

Location - SW 1/4 - SE 1/4 Sec 22, T40S, R24E

Sample Date - 1-18-59

Depth - Navajo Aquifer

Temp - 67°F

Ph - 9.2

Total Dissolved Solids - 2823 ppm

SiO₂ - 17 ppm

CO₃⁼ - 925 ppm

Ca⁺ - 6 ppm

HCO₃⁻ - 912 ppm

Mg⁺⁺ - 8 ppm

SO₄⁼ - 265 ppm

Na⁺ - 915 ppm

Cl⁻ - 271 ppm

* Note: these numbers were obtained from TEXACO Files in the Denver Division offices

If letter requires reply prepare in triplicate, forwarding original and duplicate, and retain copy.

P.O. Box 2100

Denver, Colo

80201 By _____


ADDRESSEE: Use reverse side to reply. Return original. Retain duplicate.

WATER ANALYSIS REPORT

NL Treating Chemicals/NL Industries, Inc.

P.O. Box 1675, Houston, Texas 77001

							SHEET NUMBER <u>1</u>
COMPANY TEXACO, INCORPORATED						DATE 5 APRIL 1982	
FIELD ANETH				COUNTY OR PARISH SAN JUAN		STATE UTAH	
LEASE OR UNIT ANETH			WELL(S) NAME OR NO. INJECTION WATER		WATER SOURCE (FORMATION)		
DEPTH. FT.	BHT. F	SAMPLE SOURCE PLANT	TEMP. F	WATER, BBL/DAY	OIL, BBL/DAY	GAS, MMCF/DAY	
DATE SAMPLED 6 APRIL 1982		TYPE OF WATER <input type="checkbox"/> PRODUCED <input checked="" type="checkbox"/> SUPPLY <input checked="" type="checkbox"/> WATERFLOOD <input type="checkbox"/> SALT WATER DISPOSAL					



DISSOLVED SOLIDS		DISSOLVED GASES	
CATIONS	me/l*	mg/l*	
Total Hardness	<u>392.0</u>		Hydrogen Sulfide, H ₂ S <u>337.5</u> mg/l*
Calcium, Ca ⁺⁺	<u>268.0</u>	<u>5360.0</u>	Carbon Dioxide, CO ₂ <u>185.0</u> mg/l*
Magnesium, Mg ⁺⁺	<u>124.0</u>	<u>1519.0</u>	Oxygen, O ₂ <u>1.0</u> mg/l*
Iron (Total), Fe ⁺⁺⁺	<u>0.5</u>	<u>10.0</u>	
Barium, Ba ⁺⁺	<u>—</u>	<u>1.0</u>	PHYSICAL PROPERTIES
Sodium, Na ⁺ (calc.)	<u>1035.1</u>	<u>23807.3</u>	pH <u>6.65</u>
ANIONS			Eh (Redox Potential) <u>N.D.</u> MV
Chloride, Cl ⁻	<u>1380.3</u>	<u>49000.0</u>	Specific Gravity <u>N.D.</u>
Sulfate, SO ₄ ⁼	<u>24.5</u>	<u>1175.0</u>	Turbidity, JTU Units <u>N.D.</u>
Carbonate, CO ₃ ⁼	<u>0.0</u>	<u>0.0</u>	Total Dissolved Solids (calc.) <u>81385.3</u> mg/l*
Bicarbonate, HCO ₃ ⁻	<u>4.0</u>	<u>244.0</u>	Stability Index @ <u>77</u> F <u>+0.39</u>
Hydroxyl, OH ⁻	<u>0.0</u>	<u>0.0</u>	@ <u>140</u> F <u>+1.32</u>
Sulfide, S ⁼	<u>18.8</u>	<u>300.0</u>	CaSO ₄ Solubility @ <u>77</u> F <u>306.6</u> Me/l*
			@ <u>176</u> F <u>306.8</u> Me/l*
			Max. CaSO ₄ Possible (calc.) <u>24.5</u> Me/l*
			Max. BaSO ₄ Possible (calc.) <u>1.0</u> mg/l*
			Residual Hydrocarbons <u>N.D.</u> ppm(Vol/V)

SUSPENDED SOLIDS (QUALITATIVE)

Iron Sulfide Iron Oxide Calcium Carbonate Acid Insoluble

REMARKS AND RECOMMENDATIONS:

WATER SHOWS A TENDENCY TOWARD SCALING; PRIMARILY CALCIUM CARBONATE

*NOTE: me/l and mg/l are commonly used interchangeably for epm and ppm respectively. Where epm and ppm are used, corrections should be made for specific gravity.

BTC ENGINEER MARK BROTHERS	DIST. NO. 12	ADDRESS FARMINGTON, N.M.	OFFICE PHONE 505-325-5701	HOME PHONE 505-325-48
ANALYZED	DATE	DISTRIBUTION <input checked="" type="checkbox"/> CUSTOMER	<input checked="" type="checkbox"/> AREA OFFICE <input type="checkbox"/> DISTRICT OFFICE	

* * * * *
 CHECKLIST FOR INJECTION WELL APPLICATION AND FILE REVIEW
 * * * * *

Operator: Teraco Well No. Ameth Unit #124
 County: San T 405 R 23E Sec. 24 API# 43-037-16270
 New Well Conversion Disposal Well Enhanced Recovery Well

	<u>YES</u>	<u>NO</u>
UIC Forms Completed	<u>✓</u>	_____
Plat including Surface Owners, Leaseholders, and wells of available record	<u>✓</u>	_____
Schematic Diagram	<u>✓</u>	_____
Fracture Information	<u>✓</u>	_____
Pressure and Rate Control	<u>✓</u>	_____
Adequate Geologic Information	<u>✓</u>	_____

Fluid Source Desert Creek - Inj

Analysis of Injection Fluid	Yes <u>✓</u>	No _____	TDS <u>81385</u>
Analysis of Water in Formation to be injected into	Yes <u>✓</u>	No _____	TDS <u>81385</u>

Known USDW in area	<u>Marage</u>	Depth <u>1175</u>
Number of wells in area of review	<u>6</u>	Prod. <u>4</u> P&A <u>0</u>
		Water <u>0</u> Inj. <u>2</u>

Aquifer Exemption	Yes _____	NA <u>✓</u>
Mechanical Integrity Test	Yes _____	No <u>✓</u>
Date _____	Type _____	

Comments: _____

Reviewed by: CRJ

UTAH DIVISION OF OIL, GAS AND MINING
CASING-BRADENHEAD TEST

OPERATOR: Teraco Oil Co.
 FIELD: Aneth LEASE: _____
 WELL # A-124 SEC. 29 TOWNSHIP 40S RANGE 23E
 STATE (FED.) FEE DEPTH 5712 TYPE WELL INJW MAX. INJ. PRESS. 2500
2000

TEST DATE 11/13/88

CASING STRING	SIZE	SET AT	CMT	PRESSURE READINGS	REMARKS	FUTURE
<u>SURFACE</u>	<u>13 3/8"</u>	<u>100</u>	<u>150</u>			
<u>INTERMEDIATE</u>	<u>8 5/8"</u>	<u>1429</u>	<u>450</u>	<u>0</u>		
<u>PRODUCTION</u>	<u>5 1/2"</u>	<u>5704</u>	<u>225</u>	<u>0</u>		
<u>TUBING</u>	<u>2 3/8"</u>	<u>5475</u>		<u>2300</u>		

Baker Lok-Set @ 5475

CASING STRING	SIZE	SET AT	CMT	PRESSURE READINGS	REMARKS	FUTURE
<u>SURFACE</u>						
<u>INTERMEDIATE</u>						
<u>PRODUCTION</u>						
<u>TUBING</u>						

CASING STRING	SIZE	SET AT	CMT	PRESSURE READINGS	REMARKS	FUTURE
<u>SURFACE</u>						
<u>INTERMEDIATE</u>						
<u>PRODUCTION</u>						
<u>TUBING</u>						

ACCT NUM	COMPANY NAME	FLD NUM	FIELD NAME	TOWN SHIP	RANGE	SEC	QTR QTR	API NUMBER	PROD ZONE	WELL STATUS	ENTITY	WELL NAME		
NO980	TEXACO INC	365	GREATER ANETH	S400	E240	14	NESE	4303731381	DSCR	WIW	7000	ANETH UNIT H314X		
				S400	E240	18	NWSW	4303731385	DSCR	POW	7000	ANETH UNIT E218SE		
				S400	E240	7	SESW	4303731384		LA		99998	ANETH UNIT E407SE	
				S400	E230	13	NESE	4303731383	DSCR	POW	7000	ANETH UNIT D213SE		
				S400	E230	13	SENE	4303731382	DSCR	POW	7000	ANETH UNIT D-113SE		
				S400	E240	7	SWSW	4303731386	DSCR	POW	7000	ANETH UNIT E407SW		
				S400	E240	15	SESW	4303731398	DSCR	POW	7000	ANETH UNIT F415		
				S400	E240	15	SENW	4303731397	IS-DC	POW	7000	ANETH UNIT F215		
				S400	E240	15	NWNW	4303731396	IS-DC	POW	7000	ANETH UNIT E115		
				S400	E240	15	NWSE	4303731408	DSCR	POW	7000	ANETH UNIT G315X		
				S400	E240	16	NENE	4303731409	IS-DC	POW	7000	ANETH UNIT H116		
				S400	E240	21	NWNE	4303716093	IS-DC	PA	99998	NAVAJO TRIBE D-5X (ANETH		
				S400	E250	19	SESW	4303716136	DSCR	PA	99998	NAVAJO F-15 (ANETH K-419)		
				S400	E230	11	SWSE	4303716034	DSCR	WIW	99996	MESA 11 (ANETH G4.11)		
				S400	E240	21	SWNE	4303730516	ISMY	POW	7000	ANETH U G221X		
				1	WILDCAT	S140	E090	19	C-SE	4300730117	FRSD	TA	10921	PINNACLE PEAK UNIT 2
				405	MCELMO MESA	S410	E260	4	NESW	4303720048	DSCR	PA	99998	NAVAJO TRIBE "AC" #8
						S410	E260	4	SWNE	4303720077		PA	99998	NAVAJO TRIBE "AC" #9
						S410	E260	4	SWSW	4303720099	ISMY	PA	99998	NAVAJO TRIBE "AC" #11
						S410	E260	4	SWSE	4303720162	ISMY	PA	99998	NAVAJO TRIBE "AC" #12
				1	WILDCAT	S140	E080	33	SENE	4300730118	FRSD	PA	10922	STATE OF UTAH 'S' #1
365	GREATER ANETH	S400	E240	23	NWSW	4303716068	IS-DC	WIW	99990	NAVAJO TRIBE C-12 (ANETH				
		S400	E240	7	SWNE	4303716308	IS-DC	PA	99996	GULF-FED 6 ANETH G207				
1	WILDCAT	S400	E240	17	NWSW	4303716062	DSCR	WIW	99996	NAVAJO TRIBAL G-7 (ANETH				
		S430	E210	19	NENW	4303711253	LDLL	PA	99998	NAVAJO TRIBE "AE" #1				
		S430	E210	19	NENW	4303711253	PENN	PA	99998	NAVAJO TRIBE "AE" #1				
365	GREATER ANETH	S430	E210	19	NENW	4303711253	DVNN	PA	99998	NAVAJO TRIBE "AE" #1				
		S400	E240	17	NWNW	4303716049	DSCR	WIW	99996	ANETH UNIT E-117				
1	WILDCAT	S400	E240	14	NESE	4303716321	PRDX	PA	99998	NAVAJO A-3/43-14 (ANETH H				
		S400	E250	29	SENW	4303716334	DSCR	PA	99996	NAVAJO F-14				
		N020	E120	11	SESW	4304330292		PA	10953	STEEL CREEK NO. 1				
380	ISMAY	S400	E260	20	NESE	4303716193	ISMY	PA	99998	NAVAJO TRIBE J-3 (V-320)				
		S400	E260	22	NESW	4303716179	ISMY	WIW	99990	NAVAJO J-21 (T-322)				
S400	E260	34	NENW	4303716178	ISMY	WIW	99990	NAV.TR."AC" #1 ISMY FLODI						
S400	E260	20	NENW	4303716459	ISMY	PA	99998	NAVAJO TRIBE J-8 (T-120)						
S400	E260	20	SWNE	4303716465	ISMY	WIW	99990	NAVAJO TRIBE J-9 (U-220)						
365	GREATER ANETH	S400	E230	14	SWNE	4303716033	PRDX	WIW	99990	ARROWHEAD #3 (ANETH C-214)				
		S400	E230	14	NESW	4303716273	PRDX	WIW	99990	ARROWHEAD 2 (ANETH B-314)				
		S400	E230	14	SWSE	4303716035	PRDX	WIW	99990	ARROWHEAD 5 (ANETH C-414)				
		S400	E230	14	NENE	4303716277	PRDX	WIW	99990	ARROWHEAD 1 (ANETH D-114)				
		S400	E230	14	NESE	4303716038	PRDX	WIW	99990	ARROWHEAD #4 (ANETH D-314)				
		S400	E230	23	SWNE	4303716276	PRDX	WIW	99990	A.W. RICE 3 (ANETH C-223)				
		S400	E230	23	NENW	4303716271	PRDX	WIW	99990	A.W. RICE 2 (ANETH B-123)				
		S400	E230	24	NWNW	4303716270	PRDX	WIW	99990	FEDERAL A-1 (ANETH A-124)				
		S400	E230	24	NWNE	4303716275	PRDX	WIW	99990	FEDERAL 1 (ANETH C-124)				
		S400	E240	24	SESW	4303716087	PRDX	WIW	99990	NAVAJO TRIBE C-13 (ANETH				
S400	E240	7	SENW	4303715414	PRDX	WIW	99990	GULF-AZTEC FED. 4 (ANETH						

RECEIVED

MAY 28 1991

TRANSFER OF AUTHORITY TO INJECT - UIC FORM 5

Well name and number: _____		See Attached Listing	DIVISION OF OIL GAS & MINING
Field or Unit name: _____		API no. _____	
Well location: QQ _____ section _____ township _____ range _____ county _____			
Effective Date of Transfer: <u>6-1-91</u>			
CURRENT OPERATOR			
Transfer approved by:			
Name	<u>R. S. Lane</u>	Company	<u>Texaco Inc.</u>
Signature	<u><i>R. S. Lane</i></u>	Address	<u>P. O. Box 3109</u>
Title	<u>Attorney-in-Fact</u>		<u>Midland, TX 79702</u>
Date	_____	Phone (915)	<u>688-4100</u>
Comments: Correspondence Address: <u>Texaco Inc.</u> <u>3300 North Butler</u> <u>Farmington, NM 87401</u> <u>(505) 325-4397</u>			
NEW OPERATOR			
Transfer approved by:			
Name	<u>R. S. Lane</u>	Company	<u>Texaco Exploration and Production Inc.</u>
Signature	<u><i>R. S. Lane</i></u>	Address	<u>P. O. Box 3109</u>
Title	<u>Attorney-in-Fact</u>		<u>Midland, TX 79702</u>
Date	_____	Phone (915)	<u>688-4100</u>
Comments: Correspondence Address: <u>Texaco Exploration and Production Inc.</u> <u>3300 North Butler</u> <u>Farmington, NM 87401</u> <u>(505) 325-4397</u>			
(State use only)			
Transfer approved by <u><i>Neil Hunt</i></u>		Title <u><i>UIC Manager</i></u>	
Approval Date <u>6-26-91</u>			



Texaco Exploration and Production Inc
Midland Producing Division

P O Box 3109
Midland TX 79702-3109

May 22, 1991

RECEIVED

MAY 28 1991

DIVISION OF
OIL GAS & MINING

Division of Oil, Gas, and Mining
Attn: Ms. Lisha Romero
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

Gentlemen:

This is to advise that as a part of a reorganization of Texaco Inc., a Delaware corporation, the name of Texaco Producing Inc., a Delaware corporation and wholly owned subsidiary of Texaco Inc., has been changed to Texaco Exploration and Production Inc. Further, Texaco Exploration and Production Inc. will succeed to the rights, titles, interests and obligations of Texaco Inc.

This means that Texaco Exploration and Production Inc. will be the operator for all the oil and gas properties that were operated by Texaco Inc. and Texaco Producing Inc. We plan to abbreviate the name as Texaco E & P Inc. for purposes of submitting production reports, etc., via computer, and we suggest that for consistency you use that abbreviation also.

We have enclosed a Sundry Notice with a list of the wells which Texaco operates in Utah. Also attached is UIC Form 5 for transfer of injection authority. Please note that Texaco has two Divisions which operate wells in Utah. One is located in Denver, Colorado, and the other is in Midland, Texas. We have enclosed separate Sundry Notices and lists of wells for each Division. If you have questions concerning the Denver-operated wells, please call Roger Hadley at (303) 793-4833. If you have questions concerning the Midland-operated wells, please call Ken Miller at (915) 688-4834.

Please change any of your other records as necessary to reflect this change.

Yours very truly,

R. S. Lane
Assistant Division Manager

RKH/KMM-CC

Attachments

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

6. Lease Designation and Serial Number

7. Indian Allottee or Tribe Name

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT— for such proposals

8. Unit or Communitization Agreement

1. Type of Well
 Oil Well Gas Well Other (specify)

9. Well Name and Number

2. Name of Operator
Texaco Exploration and Production Inc.

10. API Well Number

3. Address of Operator
3300 North Butler, Farmington, NM 87401

4. Telephone Number
(505) 325-4397

11. Field and Pool, or Wildcat

5. Location of Well

Footage :
QQ, Sec, T., R., M. : See Attached

County :
State : UTAH

12. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
(Submit in Duplicate)

- Abandonment
- Casing Repair
- Change of Plans
- Conversion to Injection
- Fracture Treat
- Multiple Completion
- Other Transfer of Plugging Bond
- New Construction
- Pull or Alter Casing
- Recompletion
- Shoot or Acidize
- Vent or Flare
- Water Shut-Off

Approximate Date Work Will Start _____

SUBSEQUENT REPORT
(Submit Original Form Only)

- Abandonment *
- Casing Repair
- Change of Plans
- Conversion to Injection
- Fracture Treat
- Other Change of Operator/Operator Name
- New Construction
- Pull or Alter Casing
- Shoot or Acidize
- Vent or Flare
- Water Shut-Off

Date of Work Completion _____

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.

* Must be accompanied by a cement verification report.

13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

This submittal is for a change of operator (name change) for all of the attached wells. The new operator, Texaco Exploration and Production Inc., hereby accepts operating responsibility and liability under its good and sufficient bond or other security accepted by the Department for proper plugging and surface restoration of the attached wells. All contact personnel, office addresses and phone numbers will remain the same.

FORMER OPERATOR: TEXACO INC.

NEW OPERATOR: TEXACO EXPLORATION AND PRODUCTION INC.

SIGNED: [Signature]
Attorney-in-Fact

SIGNED: [Signature]
Assistant Division Manager

DATE: _____

DATE: _____

14. I hereby certify that the foregoing is true and correct

Name & Signature _____ Title Asst. Div. Manager Date _____
(State Use Only)

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		3. LEASE DESIGNATION AND SERIAL NO.
2. NAME OF OPERATOR Texaco Exploration and Production Inc.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR P.O. Box 46510, Denver, CO 80201		7. UNIT AGREEMENT NAME
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface		8. FARM OR LEASE NAME
16. PERMIT NO.		9. WELL NO.
15. ELEVATIONS (Show whether of, ft, or, etc.)		10. FIELD AND POOL, OR WILDCAT
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
		12. COUNTY OR PARISH 13. STATE

RECEIVED
MAY 28 1991

DIVISION OF
OIL GAS & MINING

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) Transfer of Owner/Operator <input type="checkbox"/>	
(Other) Transfer of Plugging Bond <input checked="" type="checkbox"/>		(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Texaco Inc. has assigned all its ownership rights in the subject well. As of January 1, 1991, Texaco Inc. is no longer the Operator of subject well. The New Operator Texaco Exploration and Production Inc. hereby accepts operating responsibility and liability under its good and sufficient bond or other security accepted by the Commission for proper plugging and surface restoration of the subject well.

Former Operator:

TEXACO INC.

Signed:

[Signature]
Attorney-In-Fact
for Texaco Inc.

Date:

3/1/91

New Operator:

Texaco Exploration and Production Inc.

Signed:

[Signature]
Title: Division Manager

Date:

3/1/91

18. I hereby certify that the foregoing is true and correct

SIGNED

[Signature]

TITLE

Division Manager

DATE

3/1/91

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

1- LCR/GIL	✓
2- DTS/DTS	✓
3- VLC	✓
4- RJF	✓
5- RWM	✓
6- LCR	✓

Attach all documentation received by the division regarding this change.
 Initial each listed item when completed. Write N/A if item is not applicable.

- Change of Operator (well sold) Designation of Agent
 Designation of Operator **XXX** Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 1-1-91)
(TEXACO EXPLORATION AND PRODUCTION INC.)
 TO (new operator) TEXACO E & P INC. FROM (former operator) TEXACO INC.
 (address) 3300 NORTH BUTLER (address) 3300 NORTH BUTLER
FARMINGTON, NM 87401 FARMINGTON, NM 87401
BRENT HELQUIST FRANK
 phone (505) 325-4397 phone (505) 325-4397
 account no. N 5700 (6-5-91) account no. N 0980

Well(s) (attach additional page if needed):

Name: <u>(SEE ATTACHED)</u>	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

- See 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). (5-28-91)
- N/A 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form).
- See 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes) (no) ____ If yes, show company file number: #114097.
- See 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of Federal and Indian well operator changes should take place prior to completion of steps 5 through 9 below.
- See 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. (6-11-91)
- See 6. Cardex file has been updated for each well listed above.
- See 7. Well file labels have been updated for each well listed above. (will update when listing)
- See 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission.
- See 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

- 1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) no (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
- 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only)

- 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond. # K0290791-4 80,000-Ins. Co. of N. America rec. 2-11-91.
- 2. A copy of this form has been placed in the new and former operators' bond files.
- 3. The former operator has requested a release of liability from their bond (yes/no) yes. Today's date _____ 19____. If yes, division response was made by letter dated _____ 19____. # m157448 80,000-Ins. Co. of N. America

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

- 1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated _____ 19____, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
- 2. Copies of documents have been sent to State Lands for changes involving State leases. 6-27-91

MICROFILMING

- 1. All attachments to this form have been microfilmed. Date: July 15 1991

FILED

- 1. Copies of all attachments to this form have been filed in each well file.
- 2. The original of this form and the original attachments have been filed in the Operator Change file.

REMARKS

910606 Btm/Farmington N.M. - Duane Spencer (505) 327-5344 will follow up & call back.
 910607 Btm/Farmington - Approved 4-2-91 "Company Merger" Includes Aneth Unit and Ismay Flodine Unit.
 910607 St. Lands approved 4-15-91 "merger".

Lastwell

Utah Division of Oil, Gas, and Mining
Casing - Bradenhead Test

Operator: TEXACO E & P INC.

Field/Unit: GREATER ANETH

Well: A-124

Township: 40S Range: 23E Sect:24

API: 43-037-16270

Welltype: INJW Max Pressure: 2500

Lease type: FEDERAL

Surface Owner: BLM

Test Date:

4:30 PM. 10/16/91

CASING STRING	SIZE	SET AT	PRESSURE	OBSERVATIONS
---------------	------	--------	----------	--------------

Surface:	133/8	100		TP = 1375
----------	-------	-----	--	-----------

Intermediate:	8 5/8	1429		
---------------	-------	------	--	--

Production:	5 1/2	5704		1000 PSI held 15 min
-------------	-------	------	--	-------------------------

Other:		0		Passed MIT
--------	--	---	--	------------

Tubing:	2 3/8			
---------	-------	--	--	--

Packer:		5475		
---------	--	------	--	--

Recommendations:

D. Jones

**UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT --" for such proposals

5. Lease Designation and Serial No.
SL-0701010-C

6. If Indian, Alottee or Tribe Name
NAVAJO TRIBE

7. If Unit or CA, Agreement Designation
ANETH UNIT

8. Well Name and Number
ANETH UNIT
A124

9. API Well No.
4303716270

10. Field and Pool, Exploratory Area
DESERT CREEK

11. County or Parish, State
SAN JUAN , UTAH

SUBMIT IN TRIPLICATE

1. Type of Well: OIL WELL GAS WELL OTHER INJECTION WELL

2. Name of Operator
TEXACO EXPLORATION & PRODUCTION, INC.

3. Address and Telephone No.
3300 N. Butler Ave., Suite 100 Farmington NM 87401 325-4397

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Unit Letter D : 500 Feet From The NORTH Line and 500 Feet From The
WEST Line Section 24 Township T40S Range R23E

12. Check Appropriate Box(s) To Indicate Nature of Notice, Report, or Other Data

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> OTHER: <u>CLEAN OUT & ACIDIZE</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water


(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log Form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

***** THIS SUNDRY REPORT IS FOR UTAH SEVERANCE TAX CALCULATION INFORMATION PURPOSES ONLY *****

TEXACO E&P INC. HAS CLEANED OUT, ACIDIZED AND CHANGED OUT TUBING TO UPGRADE INJECTION SYSTEM TO MAX. INJECTION RATES IN SUBJECT WELL

- 11-13-96 MIRU, POOH W/ TUBING & PACKER
- 11-14-96 TIH W/ BIT, TAGGED FILL @ 5656', CLEAN OUT TO 5714', TIH W/ PACKER, SET @ 5409'
- 11-15-96 SHUT DOWN
- 11-16-96 SHUT DOWN
- 11-17-96 SHUT DOWN WO ACID
- 11-18-96 ACIDIZED W/ 1500 GAL 28% HCL & 1000 GAL TDA
- 11-19-96 RIH W/ TBG, TBG WOULD NOT HYDROTEST, POH, LAID DOWN TBG
- 11-20-96 RIH W/ 2-3/8" CEMENT LINE TBG
- 11-21-96 FINISHED IN HOLE W/ TBG & PACKER, SET PACKER @ 5281', PRESSURE TEST TO 100 PSI



14. I hereby certify that the foregoing is true and correct

SIGNATURE Rached Hindi TITLE Senior Engineer DATE 12/1/97

TYPE OR PRINT NAME Rached Hindi

(This space for Federal or State office use)

APPROVED

CONDITIONS OF APPROVAL, IF ANY: _____ TITLE _____ DATE _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

NO tax credit



Chevron U.S.A. Production Company
Mid-Continent Business Unit
P.O. Box 36366
Houston, TX 77236
Phone 713 754 2000

April 9, 2002

Mr. John Baza,
Associate Director of Oil and Gas
Utah Department of Natural Resources
Division of Oil, Gas & Mining
1594 W. North Temple St., Suite 1210
Salt Lake City, UT 84114-5801

RECEIVED

APR 12 2002

DIVISION OF
OIL, GAS AND MINING

Dear Mr. Baza:

As you may recall from our meeting last year, we planned to combine the assets of Chevron U.S.A. Inc. ("CUSA"), by merger, and Texaco Exploration and Production Inc. ("TEPI"), by assignment, into a new entity which we referred to as "Newco LP". Along the way, additional information came to light and it was decided that this proposed corporate restructure would not be preferable. Therefore, CUSA and TEPI have continued to operate as separate entities.

We are now planning a simpler restructuring process where TEPI will assign most of its assets/operatorship to CUSA effective May 1, 2002. We plan to use the existing CUSA bonds/letters of credit, operator identification numbers, etc., for the TEPI assets that will be assigned.

A task force of Land, Regulatory and Environmental Compliance personnel are finishing the work that was begun last year to assign TEPI's assets—using the same forms and procedures as before. We have "new faces" in this task force due to reassignments and departures. In some cases, it may be worthwhile to visit you and your staff in person where new people are involved or if we need to review/clarify your forms and procedures. Otherwise, we will endeavor to complete the work to assign TEPI's assets/operatorship to CUSA and deliver the requisite materials to you in a timely manner.

During discussions last year, our focus was on Land, Regulatory and Environmental matters. The Finance organization also desires to join in this effort. For State Tax, Royalty and Regulatory reporting purposes (applicable to production from May 2002 through December 2002), we intend to generate two reports and two payments.

However, the reporting company name and identification number will be CUSA's. Beginning with January 2003 production and thereafter, we will issue only one CUSA report and payment. We trust this plan meets with your approval. Any questions or comments should be directed to Rick Dunlavy (telephone 713/752-7411, rickdunlavy@chevrontexaco.com).

We appreciate the cooperation and guidance you provided us in the past, and we look forward to bringing these efforts to a conclusion.

Respectfully submitted,



Don R. Sellars

Sr. Environmental Specialist

TRANSFER OF AUTHORITY TO INJECT

Well Name and Number Orangeville & Huntington, Emery County, Utah (See Attached Well List)		API Number
Location of Well Footage : See attached well locations County : Emery		Field or Unit Name See Attached Well List
QQ, Section, Township, Range: State : UTAH		Lease Designation and Number See Attached Well List

EFFECTIVE DATE OF TRANSFER: 5/1/2002

CURRENT OPERATOR

Company: <u>Texaco Exploration and Production Inc</u>	Name: <u>Allen S. Robinson</u>
Address: <u>3300 North Butler, Suite 100</u>	Signature: <u><i>Allen S. Robinson</i></u>
<u>city Farmington state NM zip 87401</u>	Title: <u>Attorney-In-Fact</u>
Phone: <u>(505) 325-4397</u>	Date: <u>April 30, 2002</u>
Comments:	

NEW OPERATOR

Company: <u>Chevron U.S.A. Inc.</u>	Name: <u>J. Scott Purdy</u>
Address: <u>P.O. Box 36366</u>	Signature: <u><i>J. Scott Purdy</i></u>
<u>city Houston state TX zip 79702</u>	Title: <u>Attorney-In-Fact</u>
Phone: <u>(915) 687-2000</u>	Date: <u>May 1, 2002</u>
Comments:	

(This space for State use only)

Transfer approved by: *A. Hunt*
 Title: *Tech Services Manager*

Approval Date: 10/21/02

Comments:

RECEIVED

MAY 06 2002

DIVISION OF
 OIL, GAS AND MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

5. LEASE DESIGNATION AND SERIAL NUMBER:

See Attached List of Wells

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

Navajo Nation & State of Utah

7. UNIT or CA AGREEMENT NAME:

Aneth Unit

1. TYPE OF WELL

OIL WELL GAS WELL OTHER Operator Name Change

8. WELL NAME and NUMBER:

See Attached List of Wells

2. NAME OF OPERATOR:

Chevron U.S.A. Inc.

9. API NUMBER:

3. ADDRESS OF OPERATOR:

P.O. Box 1150 CITY Midland STATE TX ZIP 79702

PHONE NUMBER:

(915) 687-2000

10. FIELD AND POOL, OR WILDCAT:

4. LOCATION OF WELL

FOOTAGES AT SURFACE: See Attached List of Well Locations

COUNTY: San Juan

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE:

UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: <u>Operator Name</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	<u>Change (Merger)</u>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective May 1, 2002, Chevron U.S.A. Inc. is the new operator of the attached list of subject wells and leases that were previously operated by Texaco Exploration and Production Inc. The Aneth Unit and subject wells are located on both Navajo Nation and State of Utah lands, 4 1/2 miles North of Montezuma Creek, San Juan County, Utah. These wells will be protected by the following surety bonds.

STATE OF UTAH Bond #: 103521627-0016 in the amount of \$80,000. (This replaces United Pacific Insurance Company bond number U89-75-80-0059. We respectfully request this bond be released and returned.)

BLM Nationwide Bond #: U89-75-81-0034 in the amount of \$300,000.

BIA Nationwide Bond #: U89-75-81-0026 in the amount of \$150,000.

KEY CONTACTS:

Roger Atcitty - Operations Supervisor - 435-651-3277 x103
Ron Wackowski - Operations Manager - 970-675-3714

RECEIVED
MAY 06 2002
DIVISION OF
OIL, GAS AND MINING

NAME (PLEASE PRINT) Allen S. Robinson

TITLE Attorney-In-Fact

SIGNATURE *Allen S. Robinson*

DATE April 30, 2002

(This space for State use only)

Chevron U.S.A. Inc.
 Permian Business Unit
 Aneth Operations
 San Juan County, Utah

Name / Operatorship Change
 Texaco Exploration and Production Inc.
 to
 Chevron U.S.A. Inc.
 Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	11	400S	230E	4303716034	MESA 1 (ANETH C411)	1	I	WI
N5700	12	400S	230E	4303716272	BURTON 23-12 (ANETH B312)	1	A	WI
N5700	12	400S	230E	4303716274	BURTON 31-12 (ANETH C-112)	1	I	WI
N5700	12	400S	230E	4303716278	BURTON 42-12 (ANETH D212)	1	A	WI
N5700	12	400S	230E	4303730049	ANETH UNIT D-412	1	A	WI
N5700	12	400S	230E	4303730112	ANETH UNIT C-312	1	A	WI
N5700	13	400S	230E	4303715825	BURTON 22-13 (ANETH B-213)	1	A	WI
N5700	13	400S	230E	4303715827	BURTON 31-13 (ANETH C-113)	1	A	WI
N5700	13	400S	230E	4303715828	BURTON 33-13 (ANETH C-313)	1	A	WI
N5700	13	400S	230E	4303715830	BURTON 42-13 (D213)	1	A	WI
N5700	13	400S	230E	4303716279	BURTON 44-13 (ANETH D-413)	1	A	WI
N5700	13	400S	230E	4303730119	ANETH UNIT A-113	1	A	WI
N5700	13	400S	230E	4303730174	ANETH UNIT D113	1	A	WI
N5700	13	400S	230E	4303730297	ANETH B-413	1	A	WI
N5700	13	400S	230E	4303730299	ANETH UNIT A-313	1	A	WI
N5700	14	400S	230E	4303716032	ARROWHEAD 6 (ANETH B-114)	1	A	WI
N5700	14	400S	230E	4303716033	ARROWHEAD 3 (ANETH C-214)	1	A	WI
N5700	14	400S	230E	4303716035	ARROWHEAD 5 (ANETH C-414)	1	A	WI
N5700	14	400S	230E	4303716038	ARROWHEAD 4 (ANETH D-314)	1	A	WI
N5700	14	400S	230E	4303716273	ARROWHEAD 2 (ANETH B-314)	1	A	WI
N5700	14	400S	230E	4303716277	ARROWHEAD 1 (ANETH D-114)	1	A	WI
N5700	23	400S	230E	4303716271	A W RICE 2 (ANETH B-123)	1	A	WI
N5700	23	400S	230E	4303716276	A W RICE 3 (ANETH C-223)	1	A	WI
N5700	24	400S	230E	4303716270	FEDERAL A-1 (ANETH A-124)	1	A	WI
N5700	24	400S	230E	4303716275	FEDERAL 1 (ANETH C-124)	1	A	WI
N5700	07	400S	240E	4303715412	W ISMY FED 3 (ANETH E307)	1	A	WI
N5700	07	400S	240E	4303715415	W ISMAY FED 2 (ANETH F-407)	1	A	WI
N5700	07	400S	240E	4303716100	NAVAJO FED 6-1 (ANETH G-307)	1	A	WI
N5700	07	400S	240E	4303716118	NAVAJO FED 7-1 (ANETH H-207)	1	I	WI
N5700	07	400S	240E	4303716283	GULF-AZTEC FED 7 (ANETH E-207)	1	A	WI
N5700	07	400S	240E	4303716322	NAVAJO TRIBE FED 5-1 (ANETH H-407)	2	A	WI

Chevron U.S.A. Inc.
 Permian Business Unit
 Aneth Operations
 San Juan County, Utah

Name / Operatorship Change
 Texaco Exploration and Production Inc.
 to
 Chevron U.S.A. Inc.
 Injection Wells

Account						Lease	Well Status	Well Type
Number	Section	Township	Range	API Number	Well Name	Type	Main	Main
N5700	07	400S	240E	4303730175	ANETH U E407	1	A	WI
N5700	08	400S	240E	4303716060	NAVAJO TRIBE E-15 (ANETH E-308)	2	A	WI
N5700	08	400S	240E	4303716076	NAVAJO FED 8-1 (ANETH F-208)	2	A	WI
N5700	08	400S	240E	4303716101	NAVAJO TRIBE L-6 (ANETH G-308)	2	A	WI
N5700	08	400S	240E	4303716119	NAVAJO TRIBE E-16 (ANETH H-208)	2	A	WI
N5700	08	400S	240E	4303716284	NAVAJO FED 9-1 (ANETH E-208)	2	A	WI
N5700	08	400S	240E	4303716298	NAVAJO TRIBE E-13 (ANETH F-408)	2	A	WI
N5700	08	400S	240E	4303716323	NAVAJO TRIBE L-3 (ANETH H-408)	2	A	WI
N5700	09	400S	240E	4303716061	NAVAJO TRIBE E-14 (ANETH E-309)	2	A	WI
N5700	09	400S	240E	4303716082	NAVAJO TRIBE E-4 (ANETH F-409)	2	A	WI
N5700	10	400S	240E	4303716125	NAVAJO TRIBE E-7 (ANETH H-410)	2	I	WI
N5700	11	400S	240E	4303715940	ANETH UNIT E-411	2	A	WI
N5700	11	400S	240E	4303715944	NAVAJO A-10/34-11 (ANETH G-411)	2	A	WI
N5700	11	400S	240E	4303716295	NAVAJO A-12/23-11 (ANETH F-311)	2	A	WI
N5700	13	400S	240E	4303715938	NAV TRIBE A-13 (ANETH E-213)	2	A	WI
N5700	13	400S	240E	4303715941	NAVAJO A-4 (ANETH E-413)	2	A	WI
N5700	14	400S	240E	4303715939	NAVAJO A-6 (ANETH E-214)	2	A	WI
N5700	14	400S	240E	4303715942	ANETH F-314	2	A	WI
N5700	14	400S	240E	4303715943	NAVAJO A-7/32-14 (ANETH G-214)	2	A	WI
N5700	14	400S	240E	4303715945	NAVAJO A-1/34-14 (ANETH G-414)	2	A	WI
N5700	14	400S	240E	4303716310	NAVAJO A-9/41-14 (ANETH H-114)	2	A	WI
N5700	14	400S	240E	4303716421	ANETH UNIT E414	2	A	WI
N5700	14	400S	240E	4303716422	ANETH UNIT F-114	2	A	WI
N5700	14	400S	240E	4303731381	ANETH UNIT H314X	2	I	WI
N5700	15	400S	240E	4303716116	ANETH G-415	2	A	WI
N5700	15	400S	240E	4303716296	NAVAJO TRIBAL E-8 (ANETH F-315)	2	A	WI
N5700	15	400S	240E	4303730213	ANETH E-315	2	A	WI
N5700	15	400S	240E	4303730312	ANETH H-315	2	A	WI
N5700	16	400S	240E	4303715832	STATE THREE 11-16 (ANETH E-116)	3	A	WI
N5700	16	400S	240E	4303716285	ST THREE 21-16 (ANETH F-116)	3	A	WI
N5700	16	400S	240E	4303716297	ST THREE 23-16 (ANETH F-316)	3	A	WI

Chevron U.S.A. Inc.
 Permian Business Unit
 Aneth Operations
 San Juan County, Utah

Name / Operatorship Change
 Texaco Exploration and Production Inc.
 to
 Chevron U.S.A. Inc.
 Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	16	400S	240E	4303716312	STATE THREE 42-16 (ANETH H-216)	3	A	WI
N5700	16	400S	240E	4303720230	ANETH H-416	3	A	WI
N5700	16	400S	240E	4303730094	ANETH E-316	3	A	WI
N5700	16	400S	240E	4303730107	ANETH G-316	3	A	WI
N5700	16	400S	240E	4303730333	ANETH F-416	3	A	WI
N5700	16	400S	240E	4303730344	ANETH G-116	3	A	WI
N5700	17	400S	240E	4303716049	ANETH UNIT E-117	2	A	WI
N5700	17	400S	240E	4303716062	NAVAJO TRIBAL G-7 (ANETH E317)	2	A	WI
N5700	17	400S	240E	4303716089	NAVAJO TRIBAL G-3 (ANETH G-117)	2	A	WI
N5700	17	400S	240E	4303716103	NAVAJO TRIBAL 1-X-G (ANETH G-317)	2	A	WI
N5700	17	400S	240E	4303716286	NAVAJO TRIBAL G-8 (ANETH F-217)	2	A	WI
N5700	17	400S	240E	4303716299	NAVAJO TRIBAL G-6 (ANETH F-417)	2	A	WI
N5700	17	400S	240E	4303716313	NAV TRIBAL L-4 (ANETH H-217)	2	A	WI
N5700	17	400S	240E	4303716326	NAVAJO TRIBAL L-1 (ANETH H-417)	2	A	WI
N5700	18	400S	240E	4303715083	NAVAJO TRIBAL FED U 3	2	A	WI
N5700	18	400S	240E	4303715413	ANETH U E-118 (W ISMY FED 1)	1	A	WI
N5700	18	400S	240E	4303716063	NAVAJO TRIBAL 4 (ANETH E-318)	1	A	WI
N5700	18	400S	240E	4303716090	NAVAJO TRIBE 2 (ANETH G-118)	2	A	WI
N5700	18	400S	240E	4303716104	NAVAJO TRIBE G-4 (ANETH G-318)	2	A	WI
N5700	18	400S	240E	4303716120	NAVAJO TRIBAL G-5 (ANETH H-218)	2	A	WI
N5700	18	400S	240E	4303716287	NAVAJO FED U 1 (ANETH F-218)	2	A	WI
N5700	18	400S	240E	4303716327	NAVAJO TRIBAL G-2 (ANETH H-418)	2	A	WI
N5700	18	400S	240E	4303730137	ANETH U E218	1	A	WI
N5700	18	400S	240E	4303730155	ANETH U F118	1	A	WI
N5700	19	400S	240E	4303716077	NAVAJO TRIBE D-26 (ANETH F-219)	2	A	WI
N5700	19	400S	240E	4303716091	NAVAJO TRIBE D-16 (ANETH G-119)	2	A	WI
N5700	19	400S	240E	4303716121	NAVAJO TRIBE D-3 (ANETH H-219)	2	A	WI
N5700	19	400S	240E	4303716280	NAVAJO FED U B-1 (ANETH E-119)	2	A	WI
N5700	19	400S	240E	4303716309	NAVAJO TRIBE D-25 (ANETH G-319)	2	A	WI
N5700	19	400S	240E	4303716328	NAVAJO TRIBE D-27 (ANETH H-419)	2	A	WI
N5700	20	400S	240E	4303716050	NAVAJO TRIBE D-10 (ANETH E-120)	2	A	WI

Chevron U.S.A. Inc.
 Permian Business Unit
 Aneth Operations
 San Juan County, Utah

Name / Operatorship Change
 Texaco Exploration and Production Inc.
 to
 Chevron U.S.A. Inc.
 Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	20	400S	240E	4303716065	NAVAJO TRIBE D-17 (ANETH E-320)	2	A	WI
N5700	20	400S	240E	4303716092	NAVAJO TRIBE L-5 (ANETH G-120)	2	A	WI
N5700	20	400S	240E	4303716105	NAVAJO TRIBE D-12 (ANETH G-320)	2	A	WI
N5700	20	400S	240E	4303716288	NAVAJO TRIBE D-8 (ANETH F-220)	2	A	WI
N5700	20	400S	240E	4303716300	NAVAJO TRIBE D-20 (ANETH F-420)	2	A	WI
N5700	20	400S	240E	4303716314	NAVAJO TRIBE L-2 (ANETH H-220)	2	A	WI
N5700	20	400S	240E	4303716329	NAVAJO TRIBE D-13 (ANETH H-420)	2	A	WI
N5700	21	400S	240E	4303716051	NAVAJO TRIBE D-4 (ANETH E-121)	2	A	WI
N5700	21	400S	240E	4303716066	NAVAJO TRIBE D-14 (ANETH E-321)	2	A	WI
N5700	21	400S	240E	4303716078	NAVAJO TRIBE D-6 (ANETH F-221)	2	A	WI
N5700	21	400S	240E	4303716084	NAVAJO TRIBE D-21 (ANETH F-421)	2	A	WI
N5700	21	400S	240E	4303716122	NAVAJO TRIBE D-7 (ANETH H-221)	2	A	WI
N5700	21	400S	240E	4303716330	NAVAJO TRIBE D-24 (ANETH H-421)	2	A	WI
N5700	21	400S	240E	4303730095	ANETH G-321X	2	A	WI
N5700	21	400S	240E	4303730335	ANETH G-121X	2	A	WI
N5700	22	400S	240E	4303716067	NAVAJO TRIBE D-19 (ANETH E-322)	2	A	WI
N5700	22	400S	240E	4303716085	NAVAJO TRIBE D-23 (ANETH F-422)	2	A	WI
N5700	22	400S	240E	4303716117	NAVAJO TRIBE D-2 (ANETH H-122)	2	A	WI
N5700	22	400S	240E	4303716127	NAVAJO TRIBE D-22 (ANETH H-422)	2	I	WI
N5700	22	400S	240E	4303720231	ANETH G-322X	2	A	WI
N5700	22	400S	240E	4303730215	ANETH E-122	2	A	WI
N5700	22	400S	240E	4303730242	ANETH H-222	2	A	WI
N5700	22	400S	240E	4303730373	ANETH F-222	2	A	WI
N5700	22	400S	240E	4303730425	ANETH G-122	2	A	WI
N5700	23	400S	240E	4303716068	NAVAJO TRIBE C-12 (ANETH E-323)	2	A	WI
N5700	23	400S	240E	4303716079	NAVAJO TRIBE C-7 (ANETH F-223)	2	A	WI
N5700	23	400S	240E	4303716086	NAVAJO TRIBE C-17 (ANETH F-423)	2	A	WI
N5700	23	400S	240E	4303716123	NAVAJO TRIBE C-8 (ANETH H-223)	2	A	WI
N5700	23	400S	240E	4303716128	NAVAJO TRIBE C-3 (ANETH H-423)	2	A	WI
N5700	23	400S	240E	4303716306	NAVAJO TRIBE C-1 (ANETH G-123)	2	A	WI
N5700	23	400S	240E	4303730235	ANETH F-123	2	A	WI

Chevron U.S.A. Inc.
 Permian Business Unit
 Aneth Operations
 San Juan County, Utah

Name / Operatorship Change
 Texaco Exploration and Production Inc.
 to
 Chevron U.S.A. Inc.
 Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	24	400S	240E	4303716069	NAVAJO TRIBE C-10 (ANETH E-324)	2	A	WI
N5700	24	400S	240E	4303716087	NAVAJO TRIBE C-13 (ANETH F-424)	2	A	WI
N5700	24	400S	240E	4303716111	NAVAJO TRIBE C-15 (ANETH G-324)	2	A	WI
N5700	24	400S	240E	4303716289	NAVAJO TRIBE C-16 (ANETH F-224)	2	A	WI
N5700	24	400S	240E	4303716331	NAVAJO TRIBE C-28 (ANETH H-424)	2	A	WI
N5700	25	400S	240E	4303716070	NAVAJO TRIBE C-21 (ANETH E-325)	2	A	WI
N5700	25	400S	240E	4303716080	NAVAJO TRIBE C-20 (F225)	2	A	WI
N5700	25	400S	240E	4303716095	ANETH UNIT G125	2	A	WI
N5700	25	400S	240E	4303716124	NAVAJO TRIBE C-11 (ANETH H-225)	2	A	WI
N5700	25	400S	240E	4303716129	NAVAJO TRIBE C-24 (ANETH H-425)	2	A	WI
N5700	25	400S	240E	4303716301	NAVAJO TRIBE C-32 (ANETH F-425)	2	A	WI
N5700	26	400S	240E	4303716054	NAVAJO TRIBE C-29 (ANETH E-126)	2	A	WI
N5700	26	400S	240E	4303716071	NAVAJO TRIBE C-30 (ANETH E-326)	2	A	WI
N5700	26	400S	240E	4303716113	NAVAJO TRIBE C-27 (ANETH G-326)	2	A	WI
N5700	26	400S	240E	4303716290	NAVAJO TRIBE C-23 (ANETH F-226)	2	A	WI
N5700	26	400S	240E	4303716302	NAVAJO TRIBE C-4 (ANETH F-426)	2	A	WI
N5700	26	400S	240E	4303716316	NAVAJO TRIBE C-19 (ANETH H-226)	2	A	WI
N5700	26	400S	240E	4303716332	NAVAJO TRIBE C-31 (ANETH H-426)	2	A	WI
N5700	26	400S	240E	4303730372	ANETH G-126X	2	A	WI
N5700	27	400S	240E	4303716223	ANETH 27-B2 (ANETH F-227)	2	I	WI
N5700	27	400S	240E	4303716307	ANETH 27-C-1 (ANETH G-127)	2	A	WI
N5700	27	400S	240E	4303716317	ANETH 27-D2 (ANETH H-227)	2	A	WI
N5700	27	400S	240E	4303716333	ANETH 27-D-4 (ANETH H-427)	2	A	WI
N5700	27	400S	240E	4303716782	ANETH 27-A-1 (ANETH E-127)	2	A	WI
N5700	28	400S	240E	4303716222	ANETH 28-A-1 (ANETH E-128)	2	A	WI
N5700	28	400S	240E	4303716224	ANETH 28-C-1 (ANETH G-128)	2	A	WI
N5700	28	400S	240E	4303716228	ANETH H-228	2	A	WI
N5700	29	400S	240E	4303716055	NAVAJO TRIBE S-2 (ANETH E-129)	2	A	WI
N5700	29	400S	240E	4303716097	NAVAJO TRIBE S-1 (ANETH G-129)	2	A	WI
N5700	29	400S	240E	4303716292	NAVAJO TRIBE S-4 (ANETH F-229)	2	I	WI
N5700	29	400S	240E	4303716318	NAVAJO TRIBE S-3 (ANETH H-229)	2	A	WI

Chevron U.S.A. Inc.
 Permian Business Unit
 Aneth Operations
 San Juan County, Utah

Name / Operatorship Change
 Texaco Exploration and Production Inc.
 to
 Chevron U.S.A. Inc.
 Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	34	400S	240E	4303716303	ANETH 34-B-4 (ANETH F-434)	2	A	WI
N5700	34	400S	240E	4303716319	ANETH 34-D2 (ANETH H-234)	2	I	WI
N5700	35	400S	240E	4303716293	NAVAJO TRIBE Q-5 (ANETH F-235)	2	A	WI
N5700	35	400S	240E	4303716304	NAVAJO TRIBE Q-8 (ANETH F-435)	2	A	WI
N5700	35	400S	240E	4303716320	NAVAJO TRIBE Q-4 (ANETH H-235)	2	A	WI
N5700	36	400S	240E	4303715485	NAVAJO 4 (ANETH E-136)	2	A	WI
N5700	36	400S	240E	4303715486	NAV TRB 2-A (G136)	2	A	WI
N5700	36	400S	240E	4303715487	NAVAJO 1 (ANETH H-236)	2	A	WI
N5700	36	400S	240E	4303716294	NAVAJO 3 (ANETH F-236)	2	A	WI
N5700	19	400S	250E	4303716140	ANETH UNIT L-419	2	A	WI
N5700	29	400S	250E	4303716131	NAVAJO TRIBE F-8 (ANETH J-129)	2	A	WI
N5700	30	400S	250E	4303716132	NAVAJO TRIBE F-9 (ANETH J-130)	2	A	WI
N5700	30	400S	250E	4303716134	NAVAJO TRIBE F-5 (ANETH J-330)	2	A	WI
N5700	30	400S	250E	4303716135	NAVAJO TRIBE F-2 (ANETH K-230)	2	A	WI
N5700	30	400S	250E	4303716137	NAVAJO TRIBE F-7 (ANETH K-430)	2	A	WI
N5700	30	400S	250E	4303716139	NAVAJO TRIBE F-6 (ANETH L-330)	2	A	WI
N5700	30	400S	250E	4303716141	NAVAJO TRIBE F-10 (ANETH M-230)	2	A	WI
N5700	30	400S	250E	4303716337	NAVAJO TRIBE F-11 (ANETH M-430)	2	A	WI
N5700	31	400S	250E	4303715946	NAVAJO TRIBE C11-31 (J131)	2	A	WI
N5700	31	400S	250E	4303716335	NAVAJO TRIBE C-22-31 (ANETH K-231)	2	A	WI

**THE
NAVAJO
NATION****MINERALS DEPARTMENT**
Post Office Box 1910
Window Rock, Arizona 86515
Phone: (928) 871-6587 • Fax: (928) 871-7095**KELSEY A. BEGAYE**
PRESIDENT**TAYLOR McKENZIE, M.D.**
VICE PRESIDENT

October 11, 2002

Mr. Don Sellars
Regulatory Specialist
ChevronTexaco
11111 S. Wilcrest
Houston, Texas 77099

Subject: Navajo Nation Assignment of Oil & Gas Lease

Dear Mr. Sellars:

Attached are fourteen (14) approved Navajo Nation Assignment of Oil and Gas Lease applications for assignment of interest from Texaco Exploration & Production, Inc. to Chevron U.S.A., Inc. (Chevron) for the following leases:

- | | | |
|---------------------|---------------------|----------------------|
| 1) I-149-IND-8834 | 6) I-149-IND-8839 | 11) 14-20-603-4035 |
| 2) I-149-IND-8835 | 7) 14-20-603-2057 | 12) 14-20-603-4037 |
| 3) I-149-IND-8836 | 8) 14-20-603-2059 | 13) 14-20-603-5043-A |
| 4) I-149-IND-8838 | 9) 14-20-603-4030-A | 14) 14-20-603-5446 |
| 5) I-149-IND-8839-A | 10) 14-20-603-4032 | |

If you have any questions, please call me or Mr. Brad Nesemeier at (928) 871-6587.

Sincerely,

Akhtar Zaman
Akhtar Zaman, Director
Minerals Department

Attachments
AZ/GLB/cab

OPERATOR CHANGE WORKSHEET

1. GLH
2. CDW
3. FILE

Change of Operator (Well Sold)

Designation of Agent

Operator Name Change

X Merger

The operator of the well(s) listed below has changed, effective: 05-01-2002	
FROM: (Old Operator):	TO: (New Operator):
TEXACO EXPLORATION & PRODUCTION INC	CHEVRON USA INC
Address: 3300 NORTH BUTLER, STE 100	Address: P O BOX 36366
FARMINGTON, NM 87401	HOUSTON, TX 79702
Phone: 1-(505)-325-4397	Phone: 1-(915)-687-2000
Account No. N5700	Account No. N0210

CA No. **Unit:** **ANETH**

WELL(S)						
NAME	SEC TWN RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
ARROWHEAD 1 (ANETH D-114)	14-40S-23E	43-037-16277	99990	FEDERAL	WIW	A
A W RICE 2 (ANETH B-123)	23-40S-23E	43-037-16271	99990	FEDERAL	WIW	A
A W RICE 3 (ANETH C-223)	23-40S-23E	43-037-16276	99990	FEDERAL	WIW	A
FEDERAL A-1 (ANETH A-124)	24-40S-23E	43-037-16270	99990	FEDERAL	WIW	A
FEDERAL 1 (ANETH C-124)	24-40S-23E	43-037-16275	99990	FEDERAL	WIW	A
W ISMY FED 3 (ANETH E307)	07-40S-24E	43-037-15412	99990	FEDERAL	WIW	A
W ISMY FED 2 (ANETH F-407)	07-40S-24E	43-037-15415	99990	FEDERAL	WIW	A
NAVAJO FED 6-1 (ANETH G-307)	07-40S-24E	43-037-16100	99990	FEDERAL	WIW	A
NAVAJO FED 7-1 (ANETH H-207)	07-40S-24E	43-037-16118	99990	FEDERAL	WIW	I
GULF-AZTEC FED 7 (ANETH E-207)	07-40S-24E	43-037-16283	99990	FEDERAL	WIW	A
ANETH U E407	07-40S-24E	43-037-30175	7000	FEDERAL	WIW	A
NAVAJO TRIBAL 4 (ANETH E-318)	18-40S-24E	43-037-16063	99990	FEDERAL	WIW	A
ANETH U E218	18-40S-24E	43-037-30137	7000	FEDERAL	WIW	A
ANETH U F118	18-40S-24E	43-037-30155	7000	FEDERAL	WIW	A
ANETH U E-118 (W ISMY FED 1)	18-40S-24E	43-037-15413	99990	FEDERAL	WIW	A

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-2-10) Sundry or legal documentation was received from the **FORMER** operator on: 05/06/2002
2. (R649-2-10) Sundry or legal documentation was received from the **NEW** operator on: 04/12/2002
3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 10/16/2002
4. Is the new operator registered in the State of Utah: YES Business Number: 564408-0143
5. If **NO**, the operator was contacted on: N/A

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 10/11/2002

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 10/11/2002

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: N/A

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 10/21/2002

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 11/14/2002

2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 11/14/2002

3. Bond information entered in RBDMS on: N/A

4. Fee wells attached to bond in RBDMS on: N/A

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: N/A

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: 8975810026

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: N/A

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number N/A

2. The **FORMER** operator has requested a release of liability from their bond on: N/A

The Division sent response by letter on: N/A

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS: Chevron USA Inc merged with Texaco Exploration & Production Inc to form ChevronTexaco Inc although all the Utah operations will be operated by Chevron USA Inc.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER: See Attachment
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Navajo
1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>Injection wells</u>		7. UNIT or CA AGREEMENT NAME: Aneth Unit
2. NAME OF OPERATOR: Resolute Natural Resources Company <i>N2700</i>		8. WELL NAME and NUMBER: See Attachment
3. ADDRESS OF OPERATOR: 1675 Broadway, Suite 1950 CITY <u>Denver</u> STATE <u>CO</u> ZIP <u>80202</u>		9. API NUMBER: See Attach
4. LOCATION OF WELL FOOTAGES AT SURFACE: See Attachment		10. FIELD AND POOL, OR WILDCAT: Desert Creek
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		COUNTY: San Juan
		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Change of Operator</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

As of December 1, 2004, Chevron U.S.A. Inc. resigned as Operator of the Aneth Unit. The successor operator is Resolute Natural Resources Company.

NAME (PLEASE PRINT) <u>Janet Pasque</u>	TITLE <u>Vice President</u>
SIGNATURE <u>Janet Pasque</u>	DATE <u>11/30/04</u>

(This space for state use only)

APPROVED 12/29/2004
ER
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>See attached exhibit.</u>		5. LEASE DESIGNATION AND SERIAL NUMBER: See attached exhibit.
2. NAME OF OPERATOR: Resolute Natural Resources Company		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Navajo
3. ADDRESS OF OPERATOR: 1675 Broadway, Suite 1950 CITY Denver STATE CO ZIP 80202		7. UNIT or CA AGREEMENT NAME: Aneth Unit
4. LOCATION OF WELL FOOTAGES AT SURFACE: _____ QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____		8. WELL NAME and NUMBER: See attached exhibit.
		9. API NUMBER: See attached exhibit.
		10. FIELD AND POOL, OR WILDCAT: Aneth
		COUNTY: <u>San Juan</u>
		STATE: <u>UTAH</u>

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Change of operator</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

As of December 1, 2004, Chevron U.S.A. Inc. resigned as operator of the Aneth Unit. Resolute Natural Resources Company has been elected the successor operator.

RECEIVED
DEC 22 2004
DIV. OF OIL, GAS & MINING

NAME (PLEASE PRINT) <u>Chevron U.S.A. Inc.</u> <u>N0210</u>	TITLE <u>A. E. Wacker, Attorney-in-Fact</u>
SIGNATURE <u>R. E. Wacker</u>	DATE <u>12/20/2004</u>

(This space for State use only)

APPROVED 12/29/2004
ER
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

TRANSFER OF AUTHORITY TO INJECT

Well Name and Number See attached exhibit.	API Number See attached exhibit.
Location of Well	Field or Unit Name Aneth Unit
Footage : _____	County : San Juan
QQ, Section, Township, Range: _____	State : UTAH
	Lease Designation and Number See attached exhibit.

EFFECTIVE DATE OF TRANSFER: 12/1/2004

CURRENT OPERATOR N0210


Company: <u>Chevron U.S.A. Inc.</u>	Name: <u>A. E. Wacker</u>
Address: <u>1111 Bagby St.</u>	Signature: <u>A.E. Wacker</u>
<u>city Houston state TX zip 77002</u>	Title: <u>Attorney-in-Fact</u>
Phone: <u>(713) 752-6000</u>	Date: <u>12/20/2004</u>
Comments:	

RECEIVED
DEC 22 2004

NEW OPERATOR N2700 DIV. OF OIL, GAS & MINING

Company: <u>Resolute Natural Resources Company</u>	Name: <u>Janet Pappas xt</u>
Address: <u>1675 Broadway, Suite 1950</u>	Signature: <u>Janet Pappas</u>
<u>city Denver state CO zip 80202</u>	Title: <u>Vice President</u>
Phone: <u>(303) 534-4600 xt</u>	Date: <u>12/21/04</u>
Comments:	

(This space for State use only)

Transfer approved by:  Approval Date: 12-29-04

Title: VIC Geologist

Comments: Transfer of Authority to Inject into the Aneth C214 and Aneth B14 contingent on this office receiving a corrective action plan for each well. Both well Aneth 214 failed 5 year test on 10/13/2004 Operator would not conduct scheduled 5 year test on Aneth B14. (considered a failure).

NUM	API_NUM	Q1	Q2	SEC	TWSP	RNG	LEGAL	Lease	Status 12/1/04	NNEPA Well List	USEPA Well List	UIC Program
H222	4303730242	SE	NW	22	40S	24E		I-149-IND-8836	Active	H222	H222	Navajo Nation
F418	4303715083	SE	SW	18	T40S	R24E	650' FSL/1825' FWL	I-149-IND-8835	Active	F418	F418	Navajo Nation
E307	4303715412	NW	SW	7	T40S	R24E	1980' FSL/660' FWL	SL-067807	Active	E307	E307	Navajo Nation
E118	4303715413	NW	NW	18	T40S	R24E	660' FNL/660' FWL	SL-067807	Active	E118	E118	Navajo Nation
F407	4303715415	SE	SW	7	T40S	R24E	660' FSL/1980' FWL	SL-067807	Active	F407	F407	Navajo Nation
E136	4303715485	NW	NW	36	T40S	R24E	660' FNL/660' FWL	14-20-603-5444	Active	E136	E136	Navajo Nation
G136	4303715486	NW	NE	36	T40S	R24E	785' FNL/2040' FEL	14-20-603-5443	Active	G136	G136	Navajo Nation
H236	4303715487	SE	NE	36	T40S	R24E	1980' FNL/660' FEL	14-20-603-5443	P/A			Navajo Nation
B213	4303715825	SE	NW	13	T40S	R23E	3300' FSL/3300' FEL	SL-070968-A	Active			State of Utah
C113	4303715827	NW	NE	13	T40S	R23E	4602' FSL/1993' FEL	SL-070968-A	Active			State of Utah
C313	4303715828	NW	SE	13	T40S	R23E	1949' FSL/1991' FEL	SL-070968-A	Active			State of Utah
D213	4303715830	SE	NE	13	T40S	R23E	3263' FSL/660' FEL	SL-070968-A	Active			State of Utah
E116	4303715832	NW	NW	16	T40S	R24E	601' FNL/550' FWL	ML-3156	Active	E116	E116	Navajo Nation
E213	4303715938	SW	NW	13	T40S	R24E	2140' FNL/740' FWL	I-IND-149-8837	Active	E213	E213	Navajo Nation
E214	4303715939	SW	NW	14	T40S	R24E	1940' FNL/650' FWL	I-149-IND-8837	Active	E214	E214	Navajo Nation
E411	4303715940	SW	SW	11	T40S	R24E	500' FSL/820' FWL	I-149-IND-8837	Active	E411	E411	Navajo Nation
E413	4303715941	SW	SW	13	T40S	R24E	660' FSL/660' FWL	IND-149-8837	Active	E413	E413	Navajo Nation
F314	4303715942	NE	SW	14	T40S	R24E	1980' FSL/1980'FWL	I-149-IND-8837	Active	F314	F314	Navajo Nation
G214	4303715943	SW	NE	14	T40S	R24E	2140' FNL/2010' FEL	I-149-IND-8839	P/A			Navajo Nation
G411	4303715944	SW	SE	11	T40S	R24E	680' FSL/1950' FEL	I-149-IND-8837	Active	G411	G411	Navajo Nation
G414	4303715945	SW	SE	14	T40S	R24E	660' FSL/1980' FEL	I-149-IND-8837	Active	G414	G414	Navajo Nation
J131	4303715946	NW	NW	31	T40S	R25E	660' FNL/638' FWL	14-20-603-372	Active	J131	J131	Navajo Nation
B114	4303716032	NE	NW	14	T40S	R23E	660' FNL/1980' FWL	SL-070968	Shut-In			State of Utah
C214	4303716033	SW	NE	14	T40S	R23E	1890' FNL/1930' FEL	SL-070968	Shut-In			State of Utah
C411	4303716034	SW	SE	11	T40S	R23E	600' FSL/2010' FEL	SL-070968-B	P/A			State of Utah
C414	4303716035	SW	SE	14	T40S	R23E	760' FSL/2000' FEL	SL-070968	Active			State of Utah
D314	4303716038	NE	SE	14	T40S	R23E	1980' FSL/660' FEL	SL-070968	Active			State of Utah
E117	4303716049	NW	NW	17	T40S	R24E	520' FNL/645' FWL	I-149-IND-8835	Active	E117	E117	Navajo Nation
E120	4303716050	NW	NW	20	T40S	R24E	660' FNL/660' FWL	I-149-IND-8836	Active	E120	E120	Navajo Nation
E121	4303716051	NW	NW	21	T40S	R24E	660' FNL/760' FWL	I-149-IND-8836	Active	E121	E121	Navajo Nation
E126	4303716054	NW	NW	26	T40S	R24E	760' FNL/660' FWL	I-149-IND-8838	Active	E126	E126	Navajo Nation
E129	4303716055	NW	NW	29	T40S	R24E	660' FNL/660' FWL	14-20-603-4030	Active	E129	E129	Navajo Nation
E308	4303716060	NW	SW	8	T40S	R24E	1820' FSL/645' FWL	I-149-IND-8833	Active	E308	E308	Navajo Nation
E309	4303716061	NW	SW	9	T40S	R24E	1900' FSL/500' FWL	I-149-IND-8834	P/A			Navajo Nation
E317	4303716062	NW	SW	17	40S	24E	1980' FSL/660' FWL	I-149-IND-8835	Active	E317	E317	Navajo Nation
E318	4303716063	NW	SW	18	T40S	R24E	1980' FSL/660' FWL	SL-067807	Active	E318	E318	Navajo Nation
E319	4303716064	NW	SW	19	T40S	R24E	2040' FSL/680' FWL	I-149-IND-8836	P/A			Navajo Nation
E320	4303716065	NW	SW	20	T40S	R24E	2140' FSL/820' FWL	I-149-IND-8836	Active	E320	E320	Navajo Nation
E321	4303716066	NW	SW	21	T40S	R24E	2140' FSL/720' FWL	I-149-IND-8836	Active	E321	E321	Navajo Nation
E322	4303716067	NW	SW	22	T40S	R24E	1980' FSL/660' FWL	I-149-IND-8836	Active	E322	E322	Navajo Nation
E323	4303716068	NW	SW	23	T40S	R24E	1980' FSL/510' FWL	I-149-IND-8838	Active	E323	E323	Navajo Nation
E324	4303716069	NW	SW	24	T40S	R24E	1980' FSL/660'FWL	I-149-IND-8838	Active	E324	E324	Navajo Nation
E325	4303716070	NW	SW	25	T40S	R24E	1980' FSL/660' FWL	I-149-IND-8838	Active	E325	E325	Navajo Nation
E326	4303716071	NW	SW	26	T40S	R24E	1980' FSL/660' FWL	I-149-IND-8838	Active	E326	E326	Navajo Nation
F115	4303716074	NE	NW	15	T40S	R24E	690' FNL/2140' FWL	I-149-IND-8834	Active	F115	F115	Navajo Nation

F208	4303716076	SE	NW	8	T40S	R24E	2140' FNL/2050' FWL	I-149-IND-8833	Active	F208	F208	Navajo Nation
F219	4303716077	SE	NW	19	T40S	R24E	1820' FNL/2140' FWL	I-149-IND-8836	Active	F219	F219	Navajo Nation
F221	4303716078	SE	NW	21	T40S	R24E	1980' FNL/1980' FWL	I-149-IND-8836	Active	F221	F221	Navajo Nation
F223	4303716079	SE	NW	23	T40S	R24E	1980' FNL/1820' FWL	I-149-IND-8838	Active	F223	F223	Navajo Nation
F225	4303716080	SE	NW	25	T40S	R24E	2040' FNL/2080' FWL	I-149-IND-8838	Active	F225	F225	Navajo Nation
F409	4303716082	SE	SW	9	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8834	Active	F409	F409	Navajo Nation
F421	4303716084	SE	SW	21	T40S	R24E	585' FSL/1990' FWL	I-149-IND-8836	Active	F421	F421	Navajo Nation
F422	4303716085	SE	SW	22	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8836	Active	F422	F422	Navajo Nation
F423	4303716086	SE	SW	23	T40S	R24E	770' FSL/1955' FWL	I-149-IND-8838	Active	F423	F423	Navajo Nation
F424	4303716087	SE	SW	24	T40S	R24E	660' FSL/2100' FWL	I-149-IND-8838	Active	F424	F424	Navajo Nation
G117	4303716089	NW	NE	17	T40S	R24E	660' FNL/1980' FEL	I-149-IND-8835	Active	G117	G117	Navajo Nation
G118	4303716090	NW	NE	18	T40S	R24E	800' FNL/1910' FEL	I-149-IND-8835	Active	G118	G118	Navajo Nation
G119	4303716091	NW	NE	19	T40S	R24E	660' FNL/2140' FEL	I-149-IND-8836	Active	G119	G119	Navajo Nation
G120	4303716092	NW	NE	20	T40S	R24E	660' FNL/1980' FEL	I-149-IND-8833	Active	G120	G120	Navajo Nation
G125	4303716095	NW	NE	25	T40S	R24E	660' FNL/2140' FEL	I-149-IND-8838	Active	G125	G125	Navajo Nation
G129	4303716097	NW	NE	29	T40S	R24E	580' FNL/1905' FEL	14-20-603-4030	Active	G129	G129	Navajo Nation
G307	4303716100	NW	SE	7	T40S	R24E	1900' FSL/1995' FEL	SL-067807	Active	G307	G307	Navajo Nation
G308	4303716101	NW	SE	8	T40S	R24E	1975' FSL/1830' FEL	I-149-IND-8834	Active	G308	G308	Navajo Nation
G317	4303716103	NW	SE	17	T40S	R24E	1778' FSL/1900' FEL	I-149-IND-8835	Active	G317	G317	Navajo Nation
G318	4303716104	NW	SE	18	T40S	R24E	2125' FSL/1980' FEL	I-149-IND-8835	Active	G318	G318	Navajo Nation
G320	4303716105	NW	SE	20	T40S	R24E	1980' FSL/1980' FEL	I-149-IND-8836	Active	G320	G320	Navajo Nation
G324	4303716111	NW	SE	24	T40S	R24E	1980' FSL/1980' FEL	I-149-IND-8838	Active	G324	G324	Navajo Nation
G326	4303716113	NW	SE	26	T40S	R24E	1980' FSL/1980' FEL	I-149-IND-8838	Active	G326	G326	Navajo Nation
G415	4303716116	SW	SE	15	T40S	R24E	820' FSL/2400' FEL	I-149-IND-8834	Active	G415	G415	Navajo Nation
H122	4303716117	NE	NE	22	T40S	R24E	660' FNL/660' FEL	I-149-IND-8836	Active	H122	H122	Navajo Nation
H207	4303716118	SE	NE	7	T40S	R24E	1820' FNL/820' FEL	SL-067807	T/A			State of Utah
H208	4303716119	SE	NE	8	T40S	R24E	2140' FNL/660' FEL	I-149-IND-8833	Active	H208	H208	Navajo Nation
H218	4303716120	SE	NE	18	T40S	R24E	1980' FNL/660' FEL	I-149-IND-8835	Active	H218	H218	Navajo Nation
H219	4303716121	SE	NE	19	T40S	R24E	1945' FNL/607' FEL	I-149-IND-8836	Active	H219	H219	Navajo Nation
H221	4303716122	SE	NE	21	T40S	R24E	1980' FNL/660' FEL	I-149-IND-8836	Active	H221	H221	Navajo Nation
H223	4303716123	SE	NE	23	T40S	R24E	1820' FNL/730' FEL	I-149-IND-8838	Active	H223	H223	Navajo Nation
H225	4303716124	SE	NE	25	T40S	R24E	1980' FNL/660' FEL	I-149-IND-8838	Active	H225	H225	Navajo Nation
H410	4303716125	SE	SE	10	T40S	R24E	625' FSL/545' FEL	I-149-IND-8834	P/A			Navajo Nation
H422	4303716127	SE	SE	22	T40S	R24E	^660' FSL/660' FEL	I-149-IND-8836	P/A			Navajo Nation
H423	4303716128	SE	SE	23	T40S	R24E	820' FSL/450' FEL	I-149-IND-8838	Active	H423	H423	Navajo Nation
H425	4303716129	SE	SE	25	T40S	R24E	660' FSL/660' FEL	I-149-IND-8838	Active	H425	H425	Navajo Nation
J129	4303716131	NW	NW	29	T40S	R25E	620' FNL/615' FWL	I-149-IND-8839	P/A			Navajo Nation
J130	4303716132	NW	NW	30	T40S	R25E	720' FNL/590' FEL	I-149-IND-8839	Shut-In	J130	J130	Navajo Nation
J330	4303716134	NW	SW	30	T40S	R25E	2060' FSL/800' FWL	I-149-IND-8839	Active	J330	J330	Navajo Nation
K230	4303716135	SE	NW	30	T40S	R25E	2075' FSL/2140' FWL	I-149-IND-8839	Shut-In	K230	K230	Navajo Nation
K430	4303716137	SE	SW	30	T40S	R25E	660' FSL/1980' FWL	I-149-IND-8839	Active	K430	K430	Navajo Nation
L330	4303716139	NW	SE	30	T40S	R25E	2120' FSL/1960' FEL	I-149-IND-8839	Active	L330	L330	Navajo Nation
L419	4303716140	SW	SE	19	T40S	R25E	660' FSL/1980' FEL	I-149-IND-8839	Active	L419	L419	Navajo Nation
M230	4303716141	SE	NE	30	T40S	R25E	1930' FNL/660' FEL	I-149-IND-8839	Active	M230	M230	Navajo Nation
E128	4303716222	NW	NW	28	T40S	R24E	660' FNL/660' FWL	14-20-603-2056	Active	E128	E128	Navajo Nation
F227	4303716223	SE	NW	27	T40S	R24E	1980' FNL/1980' FWL	14-20-603-2056	T/A			Navajo Nation
G128	4303716224	NW	NE	28	T40S	R24E	660' FNL/1980' FEL	14-20-603-2056	Shut-In	G128	G128	Navajo Nation

H228	4303716228	SE	NE	28	T40S	R24E	2080' FNL/560' FEL	14-20-603-2056	T/A			Navajo Nation
A124	4303716270	NW	NW	24	T40S	R23E	500' FNL/500'FWL	SL-0701010-C	Active			State of Utah
B123	4303716271	NE	NW	23	T40S	R23E	500' FNL/2140' FWL	SL-0701010	Active			State of Utah
B312	4303716272	NE	SW	12	T40S	R23E	3295' FNL/3348' FEL	SL-070968-A	Active	B312	B312	Navajo Nation
B314	4303716273	NE	SW	14	T40S	R23E	2030' FSL/2030' FWL	SL-070968	Active			State of Utah
C112	4303716274	NW	NE	12	T40S	R23E	658' FNL/1974' FEL	SL-070968-A	P/A			State of Utah
C124	4303716275	NW	NE	24	T40S	R23E	660' FNL/1980' FEL	SL-0701010-C	P/A			State of Utah
C223	4303716276	SW	NE	23	T40S	R23E	1820' FNL/1980' FEL	SL-0701010	P/A			State of Utah
D114	4303716277	NE	NE	14	T40S	R23E	660' FNL/760' FEL	SL-070968	Active			State of Utah
D212	4303716278	SE	NE	12	T40S	R23E	1860' FNL/656' FEL	SL-070968-A	Shut-In	D212	D212	Navajo Nation
D413	4303716279	SE	SE	13	T40S	R23E	660' FSL/661' FEL	SL-070968-A	Active			State of Utah
E119	4303716280	NW	NW	19	T40S	R24E	500' FNL/820' FWL	I-149-IND-8836	Active	E119	E119	Navajo Nation
E207	4303716283	SW	NW	7	T40S	R24E	2030' FNL 750 FWL		T/A	E207	E207	
E208	4303716284	SW	NW	8	T40S	R24E	1930' FNL/500' FWL	I-149-IND-8833	T/A			Navajo Nation
F116	4303716285	NE	NW	16	T40S	R24E	660' FNL/1980' FWL	ML-3156	Active	F116	F116	Navajo Nation
F217	4303716286	SE	NW	17	T40S	R24E	1890' FNL/1930' FWL	I-149-IND-8835	Active	F217	F217	Navajo Nation
F218	4303716287	SE	NW	18	T40S	R24E	1970' FNL/2060' FWL	I-149-IND-8835	Active	F218	F218	Navajo Nation
F220	4303716288	SE	NW	20	T40S	R24E	1980' FNL/1980' FWL	I-149-IND-8836	Active	F220	F220	Navajo Nation
F224	4303716289	SE	NW	24	T40S	R24E	1980' FNL/1980' FWL	I-149-IND-8838	Active	F224	F224	Navajo Nation
F226	4303716290	SE	NW	26	T40S	R24E	1950' FNL/1900' FWL	I-149-IND-8838	Active	F226	F226	Navajo Nation
F229	4303716292	SE	NW	29	T40S	R24E	2015' FNL/1930' FWL	14-20-603-4030	P/A	F229	F229	Navajo Nation
F235	4303716293	SE	NW	35	T40S	R24E	1825' FNL/2010' FWL	14-20-603-2059	Active	F235	F235	Navajo Nation
F236	4303716294	SE	NW	36	T40S	R24E	1980' FNL/1980' FWL	14-20-603-5444	Active	F236	F236	Navajo Nation
F311	4303716295	NE	SW	11	T40S	R24E	1820' FSL/1980'FWL	I-149-IND-8837	P/A			Navajo Nation
F315	4303716296	NE	SW	15	T40S	R24E	1980' FSL/2010' FWL	I-149-IND-8834	Active	F315	F315	Navajo Nation
F316	4303716297	NE	SW	16	T40S	R24E	2260' FSL/2140' FWL	ML-3156	Active	F316	F316	Navajo Nation
F408	4303716298	SE	SW	8	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8833	Active	F408	F408	Navajo Nation
F417	4303716299	SE	SW	17	T40S	R24E	500' FSL/2140' FWL	I-149-IND-8835	Active	F417	F417	Navajo Nation
F420	4303716300	SE	SW	20	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8836	Active	F420	F420	Navajo Nation
F425	4303716301	SE	SW	25	T40S	R24E	795' FSL/1960' FWL	I-149-IND-8838	Active	F425	F425	Navajo Nation
F426	4303716302	SE	SW	26	T40S	R24E	632' FSL/1867' FWL	I-149-IND-8838	P/A			Navajo Nation
F434	4303716303	SE	SW	34	T40S	R24E	815' FSL/1860' FWL	14-20-603-2056	P/A			Navajo Nation
F435	4303716304	SE	SW	35	T40S	R24E	820' FSL/1930' FWL	14-20-603-2059	T/A			Navajo Nation
G123	4303716306	NW	NE	23	T40S	R24E	660' FNL/1530' FEL	I-149-IND-8838	Active	G123	G123	Navajo Nation
G127	4303716307	NW	NE	27	T40S	R24E	660' FNL/1980' FEL	14-20-603-2056	Active	G127	G127	Navajo Nation
G319	4303716309	NW	SE	19	T40S	R24E	1920' FSL/2060' FEL	I-149-IND-8836	Active	G319	G319	Navajo Nation
H216	4303716312	SE	NE	16	T40S	R24E	3331' FSL/703' FEL	ML-3156	Active	H216	H216	Navajo Nation
H217	4303716313	SE	NE	17	T40S	R24E	2070' FNL/820' FEL	I-149-IND-8833	Active	H217	H217	Navajo Nation
H220	4303716314	SE	NE	20	T40S	R24E	2025' FNL/560' FEL	I-149-IND-8833	Active	H220	H220	Navajo Nation
H226	4303716316	SE	NE	26	T40S	R24E	1980' FNL/780' FEL	I-149-IND-8838	Active	H226	H226	Navajo Nation
H227	4303716317	SE	NE	27	T40S	R24E	1980' FNL/630' FEL	14-20-603-2056	Active	H227	H227	Navajo Nation
H229	4303716318	SE	NE	29	T40S	R24E	1820' FNL/660' FEL	14-20-603-4030	Shut-In	H229	H229	Navajo Nation
H234	4303716319	SE	NE	34	T40S	R24E	1980' FNL/660' FEL	14-20-603-2056	Active	H234	H234	Navajo Nation
H235	4303716320	SE	NE	35	T40S	R24E	2000' FNL/770' FEL	14-20-603-2059	Active	H235	H235	Navajo Nation
H407	4303716322	SE	SE	7	T40S	R24E	645' FSL/500' FEL	I-149-IND-8835	Active	H407	H407	Navajo Nation
H408	4303716323	SE	SE	8	T40S	R24E	500' FSL/530' FEL	I-149-IND-8834	Active	H408	H408	Navajo Nation
H417	4303716326	SE	SE	17	T40S	R24E	500' FSL/690' FEL	I-149-IND-8833	Active	H417	H417	Navajo Nation

H418	4303716327	SE	SE	18	T40S	R24E	660' FSL/660' FEL	I-149-IND-8835	Active	H418	H418	Navajo Nation
H419	4303716328	SE	SE	19	T40S	R24E	570' FSL/450' FEL	I-149-IND-8836	P/A			Navajo Nation
H420	4303716329	SE	SE	20	T40S	R24E	660' FSL/660' FEL	I-149-IND-8836	Active	H420	H420	Navajo Nation
H421	4303716330	SE	SE	21	T40S	R24E	500' FSL/750' FEL	I-149-IND-8836	Active	H421	H421	Navajo Nation
H424	4303716331	SE	SE	24	T40S	R24E	820' FSL/610' FEL	I-149-IND-8838	Active	H424	H424	Navajo Nation
H426	4303716332	SE	SE	26	T40S	R24E	710' FSL/510' FEL	I-149-IND-8838	Active	H426	H426	Navajo Nation
H427	4303716333	SE	SE	27	T40S	R24E	660' FSL/660' FEL	14-20-603-2056	Active	H427	H427	Navajo Nation
K231	4303716335	SE	NW	31	T40S	R25E	2014' FNL/2054' FWL	14-20-603-372A	Active	K231	K231	Navajo Nation
M430	4303716337	SE	SE	30	T40S	R25E	670' FSL/790' FEL	I-149-IND-8839	Active	M430	M430	Navajo Nation
E414	4303716421	SW	SW	14	T40S	R24E	750' FSL/620' FWL	I-149-IND-8837	Active	E414	E414	Navajo Nation
F114	4303716422	NE	NW	14	40S	24E	720' FNL/1870' FWL	I-149-IND-8839	Active	F114	F114	Navajo Nation
E127	4303716782	NW	NW	27	T40S	R24E	660' FNL/660' FWL	14-20-603-2056	P/A			Navajo Nation
H416	4303720230	SE	SE	16	T40S	R24E	150' FSL/660' FEL	ML-3156	Active	H416	H416	Navajo Nation
G322X	4303720231	NW	SE	22	T40S	R24E	1550' FSL/1720' FEL	I-149-IND-8836	Active	G322X	G322X	Navajo Nation
D412	4303730049	SE	SE	12	T40S	R23E	500' FSL/150' FEL	SL-070968-A	Active	D412	D412	Navajo Nation
E316	4303730094	NW	SW	16	T40S	R24E	2190' FSL/128' FWL	ML-3156	Active	E316	E316	Navajo Nation
G321X	4303730095	NW	SE	21	T40S	R24E	1900' FSL/1755' FEL	I-149-IND-8836	Shut-In	G321X	G321X	Navajo Nation
G316	4303730107	NW	SE	16	T40S	R24E	2320' FSL/1745' FEL	ML-3156	Active	G316	G316	Navajo Nation
C312	4303730112	NW	SE	12	T40S	R23E	1610' FSL/1800' FEL	SL-070968-A	Active	C312	C312	Navajo Nation
A113	4303730119	NW	NW	13	T40S	R23E	700' FNL/650' FWL	SL-070968-A	Active			State of Utah
E218	4303730137	SW	NW	18	T40S	R24E	1860' FNL/660' FWL	SL-067807	Active	E218	E218	Navajo Nation
F118	4303730155	NE	NW	18	T40S	R24E	619' FNL/2184' FWL	SL-067807	Active	F118	F118	Navajo Nation
D113	4303730174	NE	NE	13	T40S	R23E	578' FNL/619' FEL	SL-070968-A	Active			State of Utah
E407	4303730175	SW	SW	7	T40S	R24E	618' FSL/577' FWL	SL-067807	Active	E407	E407	Navajo Nation
E315	4303730213	NW	SW	15	T40S	R24E	2212' FSL/591' FWL	I-149-IND-8834	Active	E315	E315	Navajo Nation
E122	4303730215	NW	NW	22	T40S	R24E	528' FNL/660' FWL	I-149-IND-8836	Active	E122	E122	Navajo Nation
F123	4303730235	NE	NW	23	T40S	R24E	660' FNL/2046' FWL	I-149-IND-8838	Shut-In	F123	F123	Navajo Nation
B413	4303730297	SE	SW	13	T40S	R23E	660' FSL/1980' FWL	SL-070968-A	Active			State of Utah
A313	4303730299	NW	SW	13	T40S	R23E	1840' FSL/470' FWL	SL-070968-A	Active			State of Utah
H315	4303730312	NE	SE	15	T40S	R24E	1980' FSL/660' FEL	I-149-IND-8834	Active	H315	H315	Navajo Nation
F416	4303730333	SE	SW	16	T40S	R24E	1000' FSL/1980' FWL	ML-3156	Active	F416	F416	Navajo Nation
G121X	4303730335	NW	NE	21	T40S	R24E	790' FNL/1780' FEL	I-149-IND-8836	Active	G121X	G121X	Navajo Nation
G116	4303730344	NW	NE	16	T40S	R24E	660' FNL/1980' FEL	ML-3156	Active	G116	G116	Navajo Nation
G126X	4303730372	NW	NE	26	T40S	R24E	860' FNL/1780' FEL	I-149-IND-8838	Active	G126X	G126X	Navajo Nation
F222	4303730373	SE	NW	22	T40S	R24E	1920' FNL/1980' FWL	I-149-IND-8836	Active	F222	F222	Navajo Nation
G122	4303730425	NW	NE	22	T40S	R24E	570' FNL/1960' FEL	I-149-IND-8836	Active	G122	G122	Navajo Nation
H314X	4303731381	NE	SE	14	T40S	R24E	1950' FSL/570' FEL	I-149-IND-8837	Active	H314X	H314X	Navajo Nation

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW
3. FILE

X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:	Effective CA on:	12/1/2004
FROM: (Old Operator): N0210-Chevron USA, Inc. PO Box 4791 Houston, TX 77210-4791 Phone: 1-(713) 752-7431	TO: (New Operator): N2700-Resolute Natural Resources Company 1675 Broadway, Suite 1950 Denver, CO 80202 Phone: 1-(303) 534-4600	

CA No.

Unit:

ANETH

WELL(S)

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
MESA 1 (ANETH C411)	11	400S	230E	4303716034	99990	Federal	WI	I
BURTON 23-12 (ANETH B312)	12	400S	230E	4303716272	99990	Federal	WI	A
BURTON 31-12 (ANETH C-112)	12	400S	230E	4303716274	99990	Federal	WI	I
BURTON 22-13 (ANETH B-213)	13	400S	230E	4303715825	99990	Federal	WI	A
BURTON 31-13 (ANETH C-113)	13	400S	230E	4303715827	99990	Federal	WI	A
BURTON 33-13 (ANETH C-313)	13	400S	230E	4303715828	99990	Federal	WI	A
BURTON 42-13 (D213)	13	400S	230E	4303715830	7000	Federal	WI	A
ARROWHEAD 6 (ANETH B-114)	14	400S	230E	4303716032	99990	Federal	WI	A
ARROWHEAD 3 (ANETH C-214)	14	400S	230E	4303716033	99990	Federal	WI	A
ARROWHEAD 5 (ANETH C-414)	14	400S	230E	4303716035	99990	Federal	WI	A
ARROWHEAD 4 (ANETH D-314)	14	400S	230E	4303716038	99990	Federal	WI	A
ARROWHEAD 2 (ANETH B-314)	14	400S	230E	4303716273	99990	Federal	WI	A
A W RICE 2 (ANETH B-123)	23	400S	230E	4303716271	99990	Federal	WI	A
A W RICE 3 (ANETH C-223)	23	400S	230E	4303716276	99990	Federal	WI	A
FEDERAL A-1 (ANETH A-124)	24	400S	230E	4303716270	99990	Federal	WI	A
FEDERAL 1 (ANETH C-124)	24	400S	230E	4303716275	99990	Federal	WI	A
W ISMY FED 3 (ANETH E307)	07	400S	240E	4303715412	99990	Federal	WI	A
W ISMAY FED 2 (ANETH F-407)	07	400S	240E	4303715415	99990	Federal	WI	A
NAVAJO FED 6-1 (ANETH G-307)	07	400S	240E	4303716100	99990	Federal	WI	A
NAVAJO FED 7-1 (ANETH H-207)	07	400S	240E	4303716118	99990	Federal	WI	I
ANETH U E-118 (W ISMY FED 1)	18	400S	240E	4303715413	99990	Federal	WI	A
NAVAJO TRIBAL 4 (ANETH E-318)	18	400S	240E	4303716063	99990	Federal	WI	A

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 12/22/2004
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 12/13/2004
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 11/22/2004
- Is the new operator registered in the State of Utah: YES Business Number: 5733505-0143
- If **NO**, the operator was contacted on: _____
- (R649-9-2) Waste Management Plan has been received on: _____ requested
- Inspections of LA PA state/fee well sites complete on: 12/20/2004

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM not yet BIA not yet

8. **Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: not yet

9. **Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: _____

DATA ENTRY:

- 1. Changes entered in the **Oil and Gas Database** on: 12/29/2004
- 2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 12/29/2004
- 3. Bond information entered in RBDMS on: n/a
- 4. Fee/State wells attached to bond in RBDMS on: n/a
- 5. Injection Projects to new operator in RBDMS on: separate list
- 6. Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: B001263

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: B001264

FEE & STATE WELL(S) BOND VERIFICATION:


1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number B001262

2. The **FORMER** operator has requested a release of liability from their bond on: not yet
The Division sent response by letter on: _____

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: _____

COMMENTS:



43-037-10270
24 40S 23E

Resolute
Sec 24-40S-23E
SL-071010-C

Witnessed by W.D. Dean
7/27/74

CHART NO. MC MP-2000-14
METER *Wettable* *forming in AM*
CHART PUT ON *H. G. Lee*
LOCATION *M*
REMARKS *AU-A-124*
TAKEN OFF *M*

Resolute
1000 psi for 30 minutes test

Graphic Controls, Inc.