

# 3-29-62, This well is classified as a water well.  
Started injecting on April, 1962.

- Soat Report sent out
- Noted in the NID File
- Location map pinned
- Approval or Disapproval Letter
- Date Completed, P. & A, or operations suspended 

---
- Pin changed on location map
- Affidavit and Record of A. & P.
- Water Shut-Off Test
- Gas-Oil Ratio Test
- Well Log Filed

# FILE NOTATIONS

Entered in NID File

Entered on SR Sheet

Location Map Planned

Card ordered

IWR & State of Fee Land

Checked by Chief

Copy NID to Field Office

Approved Letter

Disposal Letter

## GENERAL DATA:

Dug Well Depth 2-26-58

CW X VVW \_\_\_\_\_ TA \_\_\_\_\_

CW \_\_\_\_\_ OS \_\_\_\_\_ PA \_\_\_\_\_

Loc. Map Attached \_\_\_\_\_

Depth of \_\_\_\_\_

State of Fee Land \_\_\_\_\_

## LOGS FILED

Driller's Log 5-16-58

Electric Logs (No. 1) \_\_\_\_\_

E. \_\_\_\_\_ I. \_\_\_\_\_ E-I. \_\_\_\_\_ GR. \_\_\_\_\_ ORN. \_\_\_\_\_ Micro. \_\_\_\_\_

Lat. \_\_\_\_\_ Mi-L. \_\_\_\_\_ Sonic. \_\_\_\_\_ Others Radioactivity

*Operator's Copy*

(SUBMIT IN TRIPLICATE)

Indian Agency Navajo

Cont. No. I-149-Ind-8838

**APPROVED**

DEC 30 1957

*Samuel L. Plummer*  
SAMUEL L. PLUMMER

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Allottee -----

Lease No. -----

ACQUIN DISTRICT ENGINEER Lease No. 146028

**SUNDRY NOTICES AND REPORTS ON WELLS**

*Approved  
April 15*

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

**RECEIVED**

DEC 28 1957

U. S. GEOLOGICAL SURVEY

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

FARMINGTON, NEW MEXICO

Fort Worth, Texas, December 23, 1957

NAVAJO TRIBE "C"

Well No. 23 is located 1950 ft. from N line and 1900 ft. from W line of sec. 26

SE 1/4 Sec. 26 40 South, 24 East SLM  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Aneth San Juan Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4746 ft.

**DETAILS OF WORK**

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

OBJECTIVE FORMATION	SIZE CASING	CASING PROGRAM (APPROX)	
		Set At	Cement
Top of Aneth 5575'	8-5/8" (1500')	1500'	1000 ex.
	5-1/2" (5500')		
	5-1/2" (275')	5775'	500 ex.

*AFZ from LZB 1-15-58*

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company THE TEXAS COMPANY

Address P. O. Box 1720

Fort Worth, Texas

THE TEXAS COMPANY

By *J. J. Volten*

Division Civil Engineer

/s/wh



JAN 22 1958

The Texas Company  
P. O. Box 1720  
Fort Worth 1, Texas

Attention: J. J. Volten, Division Civil Engineer

Gentlemen:

This is to acknowledge receipt of your letter of January 22, 1958, and the notices of intention to drill for the following wells located in San Juan County, Utah:

Well No. Navajo Tribe G-20, 2040 feet from the north line, and 2080 feet from the west line of Section 25, Township 40 South, Range 24 East, SJEM;

Well No. Navajo Tribe G-21, 1980 feet from the south line, and 660 feet from the west line of Section 25, Township 40 South, Range 24 East, SJEM;

Well No. Navajo Tribe G-22, 1980 feet from the south line, and 1980 feet from the east line of Section 25, Township 40 South, Range 24 East, SJEM;

Well No. Navajo Tribe G-23, 1950 feet from the north line, and 1900 feet from the west line of Section 25, Township 40 South, Range 24 East, SJEM;

Well No. Navajo Tribe F-6, 2180 feet from the south line, and 1960 feet from the east line of Section 30, Township 40 South, Range 25 East, SJEM;

Well No. Navajo Tribe F-7, 660 feet from the south line, and 1980 feet from the west line of Section 30, Township 40 South, Range 25 East, SJEM.

Please be advised that insofar as this office is concerned, approval to drill the above mentioned wells is hereby granted.

This approval terminates within 90 days if the above mentioned wells

The Texas Company

-Page 2 -

January 24, 1958

are not included in within said period.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

GILSON R. FRIGHT  
SECRETARY

OFF:en

cc: Phil McCreath  
USGS, Farmington,  
New Mexico


(SUBMIT IN TRIPLICATE)

Indian Agency Navajo  
Tribal

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Allottee \_\_\_\_\_

Lease No. I-149-IND-8838



SUNDRY NOTICES AND REPORTS ON WELLS

7/14  
3/17

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Navajo Tribe "C"

March 13, 1958

Well No. 23 is located 1950 ft. from N line and 1900 ft. from W line of sec. 26

NW 1/4 of Sec. 26  
(1/4 Sec. and Sec. No.)

40-S  
(Twp.)

24-E  
(Range)

SLM  
(Meridian)

Aneth  
(Field)

San Juan  
(County or Subdivision)

Utah  
(State or Territory)

The elevation of the derrick floor above sea level is 4746 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded January 8, 1958.

Drilled 17-1/4" hole to 107' and cemented 97' of 13-3/8" casing at 107' with 150 sacks of cement. Cement circulated.

Drilled 11" hole to 1500' and cemented 1487' of 8-5/8" casing at 1500' with 1000 sacks of cement. Cement circulated. Tested casing with 800# pressure for 30 minutes. Tested OK.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


Company The Texas Company

Address Box #17

Farmington, New Mexico

By [Signature]

Title District Superintendent



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Indian Agency Navajo  
Tribal

Allottee \_\_\_\_\_

Lease No. I-149-IND-8838

*M-A*  
*H-28*

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Navajo Tribe "C" \_\_\_\_\_, April 17, 1958

Well No. 23 is located 1950 ft. from N line and 1900 ft. from W line of sec. 26

NW 1/4 of Sec. 26      40-S      24-E      SLM  
(1/4 Sec. and Sec. No.)      (Twp.)      (Range)      (Meridian)

Aneth      San Juan      Utah  
(Field)      (County or Subdivision)      (State or Territory)

The elevation of the derrick floor above sea level is \_\_\_\_\_ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Drilled 6-3/4" hole to 5820' and cemented 5808' of 4-1/2" O. D. casing at 5818' with 250 sacks of cement. Top of cement 4450'. Tested casing with 1000# pressure for 30 minutes. Tested OK.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Texas Company

Address Box 817

Farmington, New Mexico

By \_\_\_\_\_


Title District Superintendent

(SUBMIT IN TRIPLICATE)

Indian Agency Navajo  
Tribal

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Allottee \_\_\_\_\_  
Lease No. I-149-IND-8838



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	X
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Navajo Tribe "C" \_\_\_\_\_ May 12, \_\_\_\_\_, 19 58  
 Well No. 23 is located 1950 ft. from N line and 1900 ft. from W line of sec. 26  
NW 1/4 of Sec. 26 40-S 24-E SLM  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Aneth San Juan Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4746ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Total depth 5820'. Plugged back depth 5786'.


Perforated 4-1/2" casing from 5569' to 5583', 5607' to 5618', 5621' to 5625' and 5658' to 5690' with 4 jet shots per foot. Ran 2" tubing to 5556' with packer set at 5348' and acidized perforations with 6500 gallons regular 15% acid in 3 stages using 1000 gallons of fix-a-frac.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Texas Company  
 Address Box 817  
Farmington, New Mexico

By [Signature]  
 Title Dist. Supt.

U. S. LAND OFFICE **Navajo Tribal**  
SERIAL NUMBER **I-149-IND-8838**  
LEASE OR PERMIT TO PROSPECT .....



LOCATE WELL CORRECTLY

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

Company The Texas Company Address Box 817, Farmington, N. M.  
Lessor or Fract Navajo Tribe "C" Field Aneth State Utah  
Well No. 23 Sec. 25 T. 40-S R. 24-E Meridian SLM County San Juan  
Location 1950 ft. Sk of N Line and 1900 ft. E of W Line of Section 26 Elevation 4746'  
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed .....

Date May 14, 1958 Title Dist. Sup't.

The summary on this page is for the condition of the well at above date.

Commenced drilling January 3, 1958 Finished drilling February 1, 1958

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from 5569 to 5690 No. 4, from \_\_\_\_\_ to \_\_\_\_\_  
No. 2, from \_\_\_\_\_ to \_\_\_\_\_ No. 5, from \_\_\_\_\_ to \_\_\_\_\_  
No. 3, from \_\_\_\_\_ to \_\_\_\_\_ No. 6, from \_\_\_\_\_ to \_\_\_\_\_

IMPORTANT WATER SANDS

No. 1, from None to \_\_\_\_\_ No. 3, from \_\_\_\_\_ to \_\_\_\_\_  
No. 2, from \_\_\_\_\_ to \_\_\_\_\_ No. 4, from \_\_\_\_\_ to \_\_\_\_\_

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From-	To-	
13-3/8	48	8R	Smls	97	None	None			
8-5/8	24	8R	Smls	1487	Baker	None			
4-1/2	2.5	8R	Smls	5808	Baker	None			

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
13-3/8	107	150	Halliburton		
8-5/8	1500	1000	Halliburton		
4-1/2	5818	250	Halliburton		

PLUGS AND ADAPTERS

Heaving plug—Material None Length \_\_\_\_\_ Depth set \_\_\_\_\_  
Adapters—Material None Size \_\_\_\_\_

SPLICING RECORD

FOLD MARK

FOLD MARK	casing				
	13-3/8	107	150	Halliburton	
	8-5/8	1500	1000	Halliburton	
	4-1/2	5813	250	Halliburton	

**PLUGS AND ADAPTERS**

Heaving plug—Material None Length      Depth set       
 Adapters—Material None Size     

**SHOOTING RECORD**

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out
None						

**TOOLS USED**

Rotary tools were used from 0 feet to 5820 feet, and from      feet to      feet  
 Cable tools were used from None feet to      feet, and from      feet to      feet

**DATES**

May 14, 1958 Put to producing Tested Feb. 26, 1959  
 The production for the first 24 hours was 1680 barrels of fluid of which 95% was oil; 5% emulsion;     % water; and     % sediment. Gravity, °Bé. 37.5  
 If gas well, cu. ft. per 24 hours      Gallons gasoline per 1,000 cu. ft. of gas       
 Rock pressure, lbs. per sq. in.     

**EMPLOYEES**

T. R. Key, Driller P. U. Brooks, Driller  
C. O. Rogers, Driller     , Driller

**FORMATION RECORD**

FROM—	TO—	TOTAL FEET	FORMATION
0	454	454	Sand
454	1386	932	Sand & Shale
1386	1612	226	Sand & Red Bed
1612	2614	1002	Sand & Shale
2614	2775	161	Sand & Lime
2775	2986	211	Sand & Shale
2986	3114	128	Sand, Shale & Anhydrite
3114	3805	691	Sand & Shale
3805	3942	137	Shale
3942	4518	576	Sand & Shale
4518	4735	118	Lime, Shale & Sand
4735	4918	182	Sand & Shale
4918	5551	633	Lime, Sand & Shale
5551	5813	262	Lime & Shale
5813	5820	7	Salt
Total Depth 5820'			
Plugged Back Depth 5786'			

[OVER]

16-43094-4

MAY 16 1958

**HISTORY OF OIL OR GAS WELL**

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidetracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or bailing.

After drilling to 5320' and cementing 4-1/2" casing, top of cement plug was found to be at 5786' (P.P.T.D.). Perforated 4-1/2" casing from 5569' to 5583', 5607' to 5618', 5621' to 5625' and 5658' to 5690' with 4 jet shots per foot. Ran 2" tubing to 5556' with packer set at 5348' and acidized perforations with 6500 gallons regular 15% acid in 3 stages using 1000 gallons of fix-a-frac. After swabbing, well flowed 280 barrels of oil in 4 hours.

**FORMATION RECORD—Continued**

FROM—	TO—	TOTAL FEET	FORMATION
			<b><u>FORMATION TOPS</u></b>
			Navajo - - - - - 761'
			Chinle - - - - - 1490'
			DeChelly - - - - - 2660'
			Organ Rock - - - - - 2790'
			Hermosa - - - - - 4586'
			Paradox - - - - - 5747'
			Formation tops as per EL.
			<b><u>HOLE SIZE</u></b>
			0 to 107' - 17-1/4"
			107' to 1500' - 11"
			1500' to 5820' - 6-3/4"
			<b><u>DEVIATION TESTS</u></b>
			250' - 1°                      3490' - 2°
			825' - 3/4°                    4145' - 1-1/2°
			1345' - 1/4°                    4550' - 1°
			2300' - 3/4°                    4989' - 1-1/4°
			2880' - 1-3/4°                 5600' - 2°
All measurements from derrick floor, 10' above ground.			


(SUBMIT IN TRIPLICATE)

Indian Agency Navajo

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Allottee \_\_\_\_\_

Lease No. I-149-IND-8838



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		<b>SUBSEQUENT REPORT OF INSTALLING PUMPING EQUIPMENT</b>	<b>X</b>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

February 26, 1960

Navajo Tribe "C"

Well No. 23 is located 1950 ft. from N line and 1900 ft. from W line of sec. 26

NW 1/4 of Sec. 26  
(1/4 Sec. and Sec. No.)

40-S  
(Twp.)

24-E  
(Range)

SLM  
(Meridian)

Aneth  
(Field)

San Juan  
(County or Subdivision)

Utah  
(State or Territory)

The elevation of the derrick floor above sea level is 4746 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Completed installing pumping equipment and well commenced pumping February 2, 1960. On test ending February 7, 1960, pumped 230 barrels of oil and 118 barrels of salt water in 24 hours. Length of pump stroke 88" with 16 strokes per minute.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company TEXACO Inc.

Address Box 817


Farmington, New Mexico

By [Signature]

Title Asst. Dist. Sup't.

(SUBMIT IN TRIPLICATE)

Indian Agency Navajo



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Allottee \_\_\_\_\_

Lease No. I-149-IND-8838

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	<b>X</b>
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	<b>X</b>
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 29, 19 62

**Aneth Unit**  
Well No. R226 is located 1950 ft. from N line and 1900 ft. from W line of sec. 26  
NW 1/4 of Sec. 26      40-S      24-E      SLM  
(1/4 Sec. and Sec. No.)      (Twp.)      (Range)      (Meridian)  
Aneth      San Juan      Utah  
(Field)      (County or Subdivision)      (State or Territory)

The elevation of the derrick floor above sea level is 4746 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Moved in pulling unit, pulled rods and tubing and commenced workover 2-8-62. Ran 2-3/8" plastic lined tubing with Baker Injection Packer and set packer at 5519'. Put inhibitor behind packer and tested packer with 1000# pressure, packer tested OK. Completed workover and shut well in 2-9-62. This well is now classified as a water injection line and was shut-in waiting on water injection line.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company TEXACO Inc.

Address P. O. Box 810


Farmington, New Mexico

By [Signature]

Title District Superintendent

*Copy H. T. E.*  
(SUBMIT IN TRIPLICATE)

Indian Agency Navajo



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Allottee \_\_\_\_\_  
Lease No. I-149-IND-8838

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	<b>X</b>
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

*Workover on well* \_\_\_\_\_ April 11 \_\_\_\_\_, 1963  
**Aneth Unit**  
 Well No. F226 is located 1950 ft. from  $\left[ \begin{smallmatrix} N \\ 8 \end{smallmatrix} \right]$  line and 1900 ft. from  $\left[ \begin{smallmatrix} E \\ W \end{smallmatrix} \right]$  line of sec. 26  
NW 1/4 of Sec. 26 40-3 24-E SLM  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Aneth San Juan Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4746 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Commenced workover 2-27-63.

Reason for remedial work was to increase injectivity by acidizing.

Treated all perforations (5569' to 5583', 5607' to 5618', 5621' to 5625' and 5658' to 5690') through tubing with 1500 gallons of regular 15% acid with 1000 cubic feet of CO<sub>2</sub> gas per barrel of acid. Treating pressure 3200 psi with an average injection rate of 4 1/2 barrels per minute. Shut in pressure after completing treatment 1600 psi. Back flowed and returned well to water injection. On 24 hour test ending 2-28-63, injected 4080 barrels of water in well with injection tubing pressure 1325 psi.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company TEXACO Inc.

Address P. O. Box 810

Farmington, New Mexico


By *[Signature]*

Title District Superintendent

*Capp H. L. C.*

(SUBMIT IN TRIPLICATE)

Indian Agency **Navajo**



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Allottee **I-149-ND-8838**

Lease No. \_\_\_\_\_

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 18, 1963

**Aneth Unit**  
Well No. **F226** is located **1950** ft. from  $\left\{ \begin{matrix} N \\ S \end{matrix} \right\}$  line and **1900** ft. from  $\left\{ \begin{matrix} E \\ W \end{matrix} \right\}$  line of sec. **26**  
**NW 1/4 of Sec. 26** **40-S** **24-E** **SLM**  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
**Aneth** **San Juan** **Utah**  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **4746** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

**Commenced workover 2-27-63.**

**Reason for remedial work was to increase injectivity by acidizing.**

**Treated all perforations (5569' to 5583', 5607' to 5618', 5621' to 5625' and 5658' to 5690') through tubing with 1500 gallons of regular 15% acid with 1000 cubic feet of CO<sub>2</sub> gas per barrel of acid. Treating pressure 3200 psi with an injection rate of 4 1/2 barrels per minute. Shut in pressure after completing treatment 1600 psi. Back flowed and returned well to water injection. On 24 hour test ending 2-28-63, injected 3744 barrels of water in well with injection tubing pressure 1300 psi.**

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **TEXACO Inc.**  
Address **P. O. Box 810**  
**Farmington, New Mexico**  
By *[Signature]*  
Title **District Superintendent**

May 29, 1964

**ANETH UNIT**

The annual key well bottom-hole survey was conducted from February through April, 1964. The results of this survey are as follows:

<u>Well No.</u>	<u>Date</u>	<u>Out-in Time</u>	<u>PSI @ -900' Datum</u>
C112	3-19-64	72 hrs.	3840
H314	3-19-64	72 hrs.	3475
H220	2-27-64	72 hrs.	2166
F425	2-21-64	10 Mo.	1378
F226	3-19-64	72 hrs.	1805
H234	3-7-64	71 hrs.	2214
M430	3-7-64	72 hrs.	2032

The above listed information on bottom hole pressure surveys was taken from the Aneth Unit Agreement Letter dated April, 1964.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUBMIT IN TR  
(Other instructions on reverse side)

Form approved.  
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.  
**I-149-IND-8838**

**SUNDRY NOTICES AND REPORTS ON WELLS**

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
**Navajo**

1. OIL WELL  GAS WELL  OTHER  **Injection Well**

7. UNIT AGREEMENT NAME  
**Aneth Unit**

2. NAME OF OPERATOR  
**TEXACO Inc.**

8. FARM OR LEASE NAME

3. ADDRESS OF OPERATOR  
**Box 810, Farmington, New Mexico 87401**

9. WELL NO.  
**F-226**

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\* See also space 17 below.)  
At surface  
**1950' from North Line and 1900' from West Line**

10. FIELD AND POOL, OR WILDCAT  
**Aneth**

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
**26, 40-S, 24-E, SLM**

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)  
**4746' DF**

12. COUNTY OR PARISH **San Juan** 13. STATE **Utah**

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
(Other) <input type="checkbox"/>	

SUBSEQUENT REPORT OF:

WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOTING OR ACIDIZING <input checked="" type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
(Other) <input type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Reason for workover was to increase infectivity by acidizing.

Commenced workover 6-4-64.

Treated all perforations (5569' to 5583', 5607' to 5618', 5621', to 5625' and 5658' to 5690') through tubing with 600 gallons of 15% HCL acid with iron stabilizing agent added. Treating pressure 2000~~0~~ PSI with an injection rate of two barrels per minute. Acid was left on bottom for one hour then back flushed from well. After completing treatment, returned to injection. Injected 2760 barrels of water into well on 24 hours test ending 6-5-64.

18. I hereby certify that the foregoing is true and correct

SIGNED *[Signature]* TITLE **Acting District Supt.** DATE **8-21-64**

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUBMIT IN TR... DATE\*  
(Other instructions on re-  
verse side)

Form approved.  
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

**I-149-Ind-8838**

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

**Navajo**

7. UNIT AGREEMENT NAME

**Aneth Unit**

8. FARM OR LEASE NAME

9. WELL NO.

**F 226**

10. FIELD AND POOL, OR WILDCAT

**Aneth**

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

**26, T40S, R24E, S1M**

12. COUNTY OR PARISH

**San Juan**

13. STATE

**Utah**

1. OIL WELL  GAS WELL  OTHER  **Water Injection Well**

2. NAME OF OPERATOR  
**Texaco Inc.**

3. ADDRESS OF OPERATOR  
**P. O. Box 810, Farmington, New Mexico 87401**

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\* See also space 17 below.)  
At surface  
**1950' from North line and 1900' from West line**

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)  
**4746' DF**

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input checked="" type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) _____	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

**Reason for workover was to increase injectivity by acidizing.**

**Commenced workover 10-19-65.**

**Treated all perforations (5569' to 5583', 5607' to 5618', 5621' to 5625' and 5658' to 5690') through tubing with 600 gallons of 15% HCL acid with iron stabilizing agent added. Treating pressure was 2350 to 200 psi with an average injection rate of 3 1/2 barrels per minute. After completing treatment, returned well to injection. Injected 2664 barrels of water into well with a tubing pressure of 1150 psi on 2 1/2 hour test ending 10-23-65.**

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

**District Superintendent**

DATE

**10-28-65**

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_

TITLE \_\_\_\_\_

DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUBMIT IN TRI  
(Other instructions  
on reverse side)

DATE

Form approved.  
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

**I-149-DMD-8838**

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

**Navajo**

7. UNIT AGREEMENT NAME

**Aneth**

8. FARM OR LEASE NAME

9. WELL NO.

**F226**

10. FIELD AND POOL, OR WILDCAT

11. SEC., T., R., M., OR BLK. AND  
SURVEY OR AREA

**26, T40S, R24E, S1M**

1.

OIL WELL  GAS WELL  OTHER **Water Injection Well**

2. NAME OF OPERATOR

**TEXACO Inc.**

3. ADDRESS OF OPERATOR

**Box 810, Farmington, New Mexico 87401**

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\*  
See also space 17 below.)  
At surface

**1950' from North line and 1900' from West line**

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

**4746' DF**

12. COUNTY OR PARISH

**San Juan**

13. STATE

**Utah**

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON\*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT\*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

**Reason for remedial work was to increase injectivity.**

**Commenced workover 7-7-66.**

**In two stages, treated perforations 5569' to 5690' with a total of 2,000 gallons of 15 percent NE-CR-HGL acid. Injected 1,000 gallons of diverting agent (rock salt) between stages. Treating pressure was 2,400 psi with an injection rate of 3-1/2 barrels per minute. Instant shut-in pressure was 1,500 psi. On test ending 7-9-66, injected 2,578 barrels of water in 24 hours with an injection tubing pressure of 1,375 psi.**

18. I hereby certify that the foregoing is true and correct

SIGNED

*[Signature]*

TITLE

**District Superintendent**

DATE

**7/13/66**

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE\*  
(Other instructions on reverse side)

Form approved.  
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.  
**I-149-IND-8838**

6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
**Navajo**

7. UNIT AGREEMENT NAME  
**Aneth**

8. FARM OR LEASE NAME

9. WELL NO.  
**F226**

10. FIELD AND POOL, OR WILDCAT  
**Aneth**

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
**26, T40S, R24E, SLM**

12. COUNTY OR PARISH 13. STATE  
**San Juan Utah**

**SUNDRY NOTICES AND REPORTS ON WELLS**

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL  GAS WELL  OTHER  **Water Injection**

2. NAME OF OPERATOR  
**TEXACO Inc.**

3. ADDRESS OF OPERATOR  
**P. O. Box 810, Farmington, New Mexico 87401**

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\* See also space 17 below.)  
At surface

**1950' FNL and 1900' FWL**

14. PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.)  
**4746' DF**

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
(Other) <input type="checkbox"/>	

SUBSEQUENT REPORT OF:

WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOTING OR ACIDIZING <input checked="" type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
(Other) <input type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

**Reason was to increase injectivity.**

**Commenced workover 7/6/67.**

**Acidized with 25 acid sticks. On test ending 9/12/67, injected 2,250 BW in 24 hours. Injection tubing pressure 1,375 psi.**

18. I hereby certify that the foregoing is true and correct

SIGNED \_\_\_\_\_

TITLE

**District Superintendent**

DATE

**9/22/67**

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_

TITLE \_\_\_\_\_

DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUBMIT IN 7  
(Other instrum  
verse side)

Form approved. <sup>PF</sup>  
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

**I-149-IND-8838**

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

**Navajo**

7. UNIT AGREEMENT NAME

**Aneth Unit**

8. FARM OR LEASE NAME

9. WELL NO.

**R226**

10. FIELD AND POOL, OR WILDCAT

**Aneth**

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

**26, T40S, R24E, SLM**

**SUNDRY NOTICES AND REPORTS ON WELLS**  
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL  GAS WELL  OTHER  **Water Injection**

2. NAME OF OPERATOR  
**TEXACO Inc.**

3. ADDRESS OF OPERATOR  
**Box 810, Farmington, New Mexico 87401**

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\* See also space 17 below.)  
At surface  
  
**1950' from North line and 1900' from West line**

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)  
**4746' DF**

12. COUNTY OR PARISH  
**San Juan**

13. STATE  
**Utah**

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input checked="" type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	
(Other) <input type="checkbox"/>		(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

**TD 5820', PBTD 5720'.**

**Reason for workover was to increase injectivity by acidizing.**

Commenced workover on 5/10/68. Pushed packer at 5519' to 5720' (New PBTD) Ran tubing with bridge plug, packer and tubing tester. Tested tubing with 3000 psi and tested okay. Set packer at 5640' and tested for communication. Tested okay. Set packer at 5595' and bridge plug at 5640' and tested for communications. Communications indicated between perforations 5569' to 5583' and 5607' to 5618'. Reset packer at 5590', retested with same results. Set bridge plug at 5640' and packer at 5517' and treated perfs 5569' to 5625' in three stages with 28% NE-HCL acid. Treated first stage with 2000 gallons of acid and flushed with 4000 gallons of water. Treating pressure 3000 psi to 2700 psi with an average injection rate of 2½ barrels per minute. Spotted 1000 gallons salt plug and treated second stage with 3000 gallons of acid and flushed with 6000 gallons of water. Treating pressure 3200 psi to 3000 psi with an average injection rate of 1½ barrels per minute. Spotted 500 gallon salt plug and treated with 4000 gallons of acid and flushed with 8000 gallons of water. Treating pressure 3500 psi to 3200 psi with an average injection rate of 2½ barrels per minute. (OVER)

18. I hereby certify that the foregoing is true and correct

SIGNED *W. B. ...*

TITLE **District Superintendent** DATE **8/16/68**

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY:

## Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

U.S. GOVERNMENT PRINTING OFFICE: 1963-O-665229

807-951

8963 112 340

Pulled bridge plug and packer. Ran plastic-coated tubing and set injection packer at 5515'. Loaded casing annulus with inhibited water and returned well to injection. Injected 1728 barrels of water into well on 24 hour test ending 5/20/68 with injection tubing pressure of 1770 psi.

STATE OF UTAH  
 DIVISION OF OIL, GAS, AND MINING  
 ROOM 4241 STATE OFFICE BUILDING  
 SALT LAKE CITY, UTAH 84114  
 (801) 533-5771  
 (RULE 1-5)

FORM NO. DOGM-UIC-1

IN THE MATTER OF THE APPLICATION OF  
Texaco Inc.  
 ADDRESS P. O. Box EE  
Cortez, Colorado ZIP 81321  
 INDIVIDUAL  PARTNERSHIP  CORPORATION   
 FOR ADMINISTRATIVE APPROVAL TO DISPOSE OR  
 INJECT FLUID INTO THE Aneth Unit F226 WELL  
 SEC. 26 TWP. 40S RANGE 24E  
San Juan COUNTY, UTAH

CAUSE NO. \_\_\_\_\_

ENHANCED RECOVERY INJ. WELL	<input checked="" type="checkbox"/>
DISPOSAL WELL	<input type="checkbox"/>

APPLICATION

Comes now the applicant and shows the Division the following:

1. That Rule 1-5 (b) 6 authorizes administrative approval of enhanced recovery injections or disposal operations.
2. That the applicant submits the following information.

Lease Name <u>Aneth Unit</u>	Well No. <u>F226</u>	Field <u>Aneth</u>	County <u>San Juan</u>
Location of Enhanced Recovery Injection or Disposal Well <u>SE 1/4 NW 1/4</u> Sec. <u>26</u> Twp. <u>40S</u> Rge. <u>24E</u>			
New Well To Be Drilled Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Old Well To Be Converted Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Casing Test Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date <u>2-8-62</u>	
Depth-Base Lowest Known Fresh Water Within 1/2 Mile <u>1100'</u>	Does Injection Zone Contain Oil-Gas-Fresh Water Within 1/2 Mile YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	State What <u>Oil &amp; Gas</u>	
Location of Injection Source(s) wells & <u>Aneth Unit Producing wells &amp; San Juan River</u>	Geologic Name(s) <u>Desert Creek &amp; Ismay</u> and Depth of Source(s) <u>+/- 5600'</u>		
Geologic Name of Injection Zone <u>Paradox: Desert Creek</u>	Depth of Injection Interval <u>5269</u> to <u>5690</u>		
a. Top of the Perforated Interval: <u>5569</u>	b. Base of Fresh Water: <u>1100'</u>	c. Intervening Thickness (a minus b) <u>4469'</u>	
Is the intervening thickness sufficient to show fresh water will be protected without additional data? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO			
Lithology of Intervening Zones <u>Sandstone, limestone &amp; anhydrite w/intermittent shale layers</u>			
Injection Rates and Pressures Maximum _____ <u>2,000</u> B/D _____ <u>2,500</u> PSI			
The Names and Addresses of Those To Whom Copies of This Application and Attachments Have Been Sent <u>The Navajo Tribe</u> <u>Box 146</u> <u>Window Rock, Arizona 86515</u>			

State of Colorado, John R. Mary Field Supt.  
 County of Montezuma, John R. Mary Applicant

Before me, the undersigned authority, on this day personally appeared John R. Mary known to me to be the person whose name is subscribed to the above instrument, who being by me duly sworn on oath states, that he is duly authorized to make the above report and that he has knowledge of the facts stated therein, and that said report is true and correct.

Suscribed and sworn to before me this 16<sup>th</sup> day of Dec., 19 83

SEAL  
 My commission expires 10/25/87


Joe D. Roybal  
 Notary Public in and for Colorado  
728 N. Beech, Cortez, Co. 81321  
 (OVER)

1. Attach qualitative and quantitative analysis of fresh water from 2 or more producing wells within 1 mile of injection well showing location of wells and date samples were taken, or statement as to why samples were not submitted.
2. Attach qualitative and quantitative analysis of representative sample of water to be injected.
3. Attach plat showing subject well and all known oil and gas wells, abandoned, drilling and dry holes within 1/2 mile, together and with name of operator.
4. Attach Drillers Log (Form DOGM-UIC-2). (Appropriate Surety must be on file with Conservation Division.)
5. Attach Electric or Radioactivity Log of Subject well (if released).
6. Attach schematic drawing of subsurface facilities including; Size, setting depth, amount of cement used measured or calculated tops of cement surface, intermediate (if any) and production casings; size and setting depth of tubing; type and setting depth of packer; geologic name of injection zone showing top and bottom of injection interval.
7. The original and 6 copies of application, and one complete set of attachments shall be mailed to the Division.
8. Deliver 1 copy of application to landowner on whose land injection well is located and to each operator of a producing leasehold within 1/2 mile of injection well.
9. Affidavit of mailing or delivery shall be filed not later than five days after the application is filed.
10. Notice that an application has been filed shall be published by the Division in a newspaper of general circulation in the county in which the well is located. The Division shall file proof of publication before the application is approved. The notice shall include name and address of applicant, location of proposed injection or disposal well, injection zone, injection pressure and volume. If no written objection is received within 15 days from date of publication the application will be approved administratively.
11. A well shall not be used for injection or disposal unless completed machine accounting Form DOGM-UIC-3b is filed September 1st, each year.
12. Approval of this application, if granted, is valid only as long as there is no substantial change in the operations set forth in the application. A substantial operation change requires the approval of a new application.
13. If there is less intervening thickness required by Rule 1-5 (b) 4 attach sworn evidence and data.

CASING AND TUBING DATA

NAME OF STRING	SIZE	SETTING DEPTH	SACKS CEMENT	TOP OF CEMENT	TOP DETERMINED BY
Surface	13 3/8"	107'	150	Surface	Cement Circulated
Intermediate	8 5/8"	1500'	1000	Surface	Cement Circulated
Production	4 1/2"	5818'	250	4450'	Calculated
Tubing	2 3/8"	5443'	Name - Type - Depth of Tubing Packer Baker - 4 1/2" Loc. set - 5443'		
Total Depth	Geologic Name - Inj. Zone	Depth - Top of Inj. Interval	Depth - Base of Inj. Interval		
5820'	Desert Creek	5569'	5690'		

SKETCH - SUBSURFACE FACILITY



PLEASE TYPE OR USE BLACK INK ONLY


(To be filed within 30 days after drilling is completed) I-149-IND-5838

DEPARTMENT OF NATURAL RESOURCES AND ENERGY

DIVISION OF OIL, GAS, AND MINING  
Room 4241 State Office Building  
Salt Lake City, Utah 84114

COUNTY  
LEASE NO.

API NO  
048 Acres



Leases With Conveyance  
and Surface Lease

COUNTY San Juan SEC. 26 TWP. 40S RGE. 24E  
COMPANY OPERATING Texaco Inc.  
OFFICE ADDRESS P O Box EE  
TOWN Cortez STATE ZIP Colo 81321  
FARM NAME Aneth Unit WELL NO. F226  
DRILLING STARTED 1-8 19 28 DRILLING FINISHED 2-1 19 58  
DATE OF FIRST PRODUCTION 2-26-58 COMPLETED 2-26-58  
WELL LOCATED NW 1/4 SE 1/4 NW 1/4  
3330 FT. FROM SW OF X SEC. & 1900 FT. FROM W1 OF X SEC.  
ELEVATION DERRICK FLOOR 4746 GROUND 4766

TYPE COMPLETION

Single Zone Desert Creek Order No. \_\_\_\_\_  
Multiple Zone \_\_\_\_\_ Order No. \_\_\_\_\_  
Comingled \_\_\_\_\_ Order No. \_\_\_\_\_  
LOCATION EXCEPTION \_\_\_\_\_ Order No. \_\_\_\_\_ Penalty \_\_\_\_\_

OIL OR GAS ZONES

Name	From	To	Name	From	To
<u>Desert Creek</u>	<u>5561</u>	<u>5778</u>			

CASING & CEMENT

Casing Set				Csg. Test	Cement		
Size	Wgt	Grade	Feet	Psi	Size	Fillup	Top
<u>13 3/8"</u>	<u>48 #/ft</u>	<u>H</u>	<u>107</u>	<u>NA</u>	<u>150</u>	<u>-</u>	<u>Surface</u>
<u>8 5/8"</u>	<u>24 #/ft</u>	<u>J</u>	<u>1500</u>	<u>800</u>	<u>150</u>	<u>-</u>	<u>Surface</u>
<u>4 1/2"</u>	<u>9.5 #/ft</u>	<u>J</u>	<u>5818</u>	<u>1000</u>	<u>250</u>	<u>-</u>	<u>4450'</u>

TOTAL DEPTH 5820'

PACKERS SET DEPTH 5443'

COMPLETION & TEST DATA BY PRODUCING FORMATION

	1	2	3
FORMATION	<u>Desert Creek</u>	<u>Ismay</u>	
SPACING & SPACING ORDER NO.	<u>40 acre</u>	<u>40 acre</u>	
CLASSIFICATION (Oil; Gas; Dry; Inj. Well)	<u>Oil</u>		
PERFORATED	<u>5561-83, 5607-18</u>		
INTERVALS	<u>5621-25, 5658-90</u>		
ACIDIZED?	<u>Acidized w/ 6500 gal. reg. 15% acid</u>		
FRACTURE TREATED?	<u>No</u>		


INITIAL TEST DATA

Date	<u>2-26-58</u>		
Oil. bbl./day	<u>1680</u>		
Oil Gravity	<u>37.5</u>		
Gas. Cu. Ft./day	<u>NA</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Gas-Oil Ratio Cu. Ft./Bbl.	<u>NA</u>		
Water-Bbl./day	<u>0</u>		
Pumping or Flowing	<u>Flowing</u>		
CHOKE SIZE	<u>NA</u>		
FLOW TUBING PRESSURE	<u>NA</u>		

A record of the formations drilled through, and pertinent remarks are presented on the reverse.  
(use reverse side)

I, the undersigned, being first duly sworn upon oath, state that this well record is true, correct and complete according to the records of this office and to the best of my knowledge and belief.

Telephone 1-303-565-8401 Alvin R. Mays Field Supt.  
State of Colorado Name and title of representative of company  
County of Montezuma 16th  
Subscribed and sworn before me this 16th day of December, 19 83  
My Commission expires 10/25/87 Alvin R. Mays  
728 N. Beech, Cortez, Co. 81321



T-105-R24E  
San Juan, County Utah

T-105-R25E  
San Juan County, Utah

WEST-D-EAST

B

G

A

C

INSTRUCTIONS - CANCEL LETTERS IF OF \_\_\_\_\_

SIGNED BY \_\_\_\_\_

 PERMANENT ROUTINE TEMPORARY

TEXACO

19

(LOCATION)

(DATE)

Subject: Water Analysis from  
Navajo Aquifer

Aneth Unit # H415

Location - SE $\frac{1}{4}$  - SE $\frac{1}{4}$  Sec 15, T40S, R24E

Sample Date - 1-17-59

Depth - Navajo Aquifer

Temp - 67°F

Ph - 8.7

Total Dissolved Solids - 2573 ppm

SiO<sub>2</sub> - 16 ppmCO<sub>3</sub><sup>=</sup> - 130 ppmCa<sup>+</sup> - 7 ppmHCO<sub>3</sub><sup>=</sup> - 156 ppmMg<sup>++</sup> - 28 ppmSO<sub>4</sub><sup>=</sup> - 599 ppmNa<sup>+</sup> - 76 ppmCl<sup>-</sup> - 757 ppm

Aneth Unit # G422

Location - SW $\frac{1}{4}$  - SE $\frac{1}{4}$  Sec 22, T40S, R24E

Sample Date - 1-18-59

Depth - Navajo Aquifer

Temp - 67°F

Ph - 9.2

Total Dissolved Solids - 2823 ppm

SiO<sub>2</sub> - 17 ppmCO<sub>3</sub><sup>=</sup> - 925 ppmCa<sup>+</sup> - 6 ppmHCO<sub>3</sub><sup>=</sup> - 912 ppmMg<sup>++</sup> - 8 ppmSO<sub>4</sub><sup>=</sup> - 265 ppmNa<sup>+</sup> - 915 ppmCl<sup>-</sup> - 271 ppm\* Note: these numbers were obtained from TEXACO Files  
in the Denver Division officesIf letter requires reply prepare in triplicate, for-  
warding original and duplicate, and retain copy.

P.O. Box 2100

Denver, CO


80201

By \_\_\_\_\_

WATER ANALYSIS REPORT

NL Treating Chemicals/NL Industries, Inc.  
 P.O. Box 1675, Houston, Texas 77001

COMPANY <b>TEXACO, INCORPORATED</b>				SHEET NUMBER <b>0</b>	
FIELD <b>ANETH</b>				DATE <b>5 APRIL 1982</b>	
WELL SITE NAME OR NO. <b>INJECTION WATER</b>			COUNTY OR PARISH <b>SAN JUAN</b>		STATE <b>UTAH</b>
DEPTH, FT.	SHT. F.	SAMPLE SOURCE <b>PLANT</b>	TEMP. F.	WATER, EQL. DAY	OIL, BBL/DAY
DATE SAMPLED <b>5 APRIL 1982</b>		TYPE OF WATER <input type="checkbox"/> PRODUCED <input checked="" type="checkbox"/> SUPPLY <input checked="" type="checkbox"/> WATERFLOOD <input type="checkbox"/> SALT WATER C.			



DISSOLVED SOLIDS		DISSOLVED GASES	
CATIONS	me/l*	mg/l*	
Total Hardness	392.0		Hydrogen Sulfide, H <sub>2</sub> S
Calcium, Ca <sup>++</sup>	268.0	5360.0	Carbon Dioxide, CO <sub>2</sub>
Magnesium, Mg <sup>++</sup>	124.0	1519.0	Oxygen, O <sub>2</sub>
Iron (Total) Fe <sup>+++</sup>	0.5	10.0	
Barium, Ba <sup>++</sup>	—	1.0	PHYSICAL PROPERTIES
Sodium, Na (calc.)	1035.1	23807.3	pH
ANIONS			Eh (Redox Potential)
Chloride, Cl <sup>-</sup>	1380.3	49000.0	Specific Gravity
Sulfate, SO <sub>4</sub> <sup>-2</sup>	24.5	1175.0	Turbidity, JTU Units
Carbonate, CO <sub>3</sub> <sup>-2</sup>	0.0	0.0	Total Dissolved Solids (calc.)
Bicarbonate, HCO <sub>3</sub> <sup>-</sup>	4.0	244.0	Stability Index @ 77 F
Hydroxyl, OH <sup>-</sup>	0.0	0.0	@ 140 F
Sulfide, S <sup>-2</sup>	18.8	300.0	CaSO <sub>4</sub> Solubility @ 77 F
			@ 176 F
			Max. CaSO <sub>4</sub> Possible (calc.)
			Max. BaSO <sub>4</sub> Possible (calc.)
			Residual Hydrocarbons

SUSPENDED SOLIDS (QUALITATIVE)

Iron Sulfide     Iron Oxide     Calcium Carbonate     Acid Insoluble

REMARKS AND RECOMMENDATIONS:  
**WATER SHOWS A TENDENCY TOWARD SCALING; PRIMARILY CALCIUM CARBONATE**

\* NOTE: me/l and mg/l are comm used interchangeably for epm and respectively. Where epm and ppr used, corrections should be mod specific gravity.

BY ENGINEER <b>MARK BROTHERS</b>	DIST. NO. <b>12</b>	ADDRESS <b>FARMINGTON, N.M.</b>	OFFICE PHONE <b>505-325-5701</b>	HOME PHONE <b>505-325-</b>
-------------------------------------	------------------------	------------------------------------	-------------------------------------	-------------------------------

\* \* \* \* \*  
 CHECKLIST FOR INJECTION WELL APPLICATION AND FILE REVIEW  
 \* \* \* \* \*

Operator: Jayco Well No. Arwin East F-226  
 County: Emery T 40S R 2SE Sec. 26 API# 43-027-10290  
 New Well  Conversion  Disposal Well  Enhanced Recovery Well

	<u>YES</u>	<u>NO</u>
UIC Forms Completed	<u>✓</u>	
Plat including Surface Owners, Leaseholders, and wells of available record	<u>✓</u>	
Schematic Diagram	<u>✓</u>	
Fracture Information	<u>✓</u>	
Pressure and Rate Control	<u>✓</u>	
Adequate Geologic Information	<u>✓</u>	
Fluid Source	<u>Direct Crack Sealing</u>	
Analysis of Injection Fluid	Yes <u>✓</u> No <input type="checkbox"/>	TDS <u>8385</u>
Analysis of Water in Formation to be injected into	Yes <u>✓</u> No <input type="checkbox"/>	TDS <u>8385</u>
Known USDW in area	<u>None</u>	Depth <u>1100</u>
Number of wells in area of review	<u>10</u> Prod.	<u>5</u> P&A <u>0</u>
	Water <u>0</u>	Inj. <u>5</u>
Aquifer Exemption	Yes <input type="checkbox"/> NA <u>✓</u>	
Mechanical Integrity Test	Yes <input type="checkbox"/> No <u>✓</u>	
	Date <input type="checkbox"/>	Type <input type="checkbox"/>

Comments: loc 445

---



---

Reviewed by: [Signature]

UN STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLI  
(Other instructions on  
verse side)

Form approved.  
Budget Bureau No. 1004-0135  
Expires August 31, 1985

6

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL  GAS WELL  OTHER  Injection Well

2. NAME OF OPERATOR  
TEXACO Inc. (303) 565-8401

3. ADDRESS OF OPERATOR  
P. O. Box EE, Cortez, CO 81321

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\*  
See also space 17 below.)  
At surface  
  
1950' FNL and 1900' FWL

14. PERMIT NO. \_\_\_\_\_ 15. ELEVATIONS (Show whether DF, RT, OR, etc.)  
4746' DF

5. LEASE DESIGNATION AND SERIAL NO.  
I-149-IND-8838

6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
Navajo

7. UNIT AGREEMENT NAME  
Aneth Unit

8. FARM OR LEASE NAME

9. WELL NO.  
F-226

10. FIELD AND POOL, OR WILDCAT  
Aneth

11. SEC., T., R., M., OR B.LK. AND SURVEY OR AREA  
Sec. 26-T40S-R24E

12. COUNTY OR PARISH \_\_\_\_\_ 13. STATE \_\_\_\_\_

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input checked="" type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) _____	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

The following work was initiated June 22, 1987 and completed June 25, 1987.

MIRUSU. Unset pkr. TOOH w/tbg. and pkr. TIH w/bit, scraper and cleanout to 5530'. Push 'old' permanent pkr. to 5647'. Drill on pkr. 2 hours and push pkr. to 5720'. Circulate hole clean. TOOH w/bit and tbg. TIH w/4½" pkr. and tbg. Hydrotest tubing to 5000 PSI. Lay down 2 bad joints. Spot 100 gal. 15% HCL across Desert Creek perfs. 5557-5690' (gross). Let soak. Set pkr. 5411'. Acidize w/2450 gal. 15% HCL in 2 equal stages w/1500 gal. diverter slug between stages. ISIP 1850 PSI, 15 Min. 1520 PSI. Backflow load water. Unset pkr. Inhibit annulus. Reset pkr. at 5411'. Place on injection. RDMOSU.

Injection before: 300 BWP/2250 PSI  
Injection after : 325 BWP/2375 PSI

18. I hereby certify that the foregoing is true and correct  
SIGNED Alan A. Kleier TITLE Area Superintendent DATE 7-17-87  
(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:



\*See Instructions on Reverse Side

BLM(4) UOGCC(3) Navajo Tribe-Mobil Oil-LAA-AAK  
Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within the jurisdiction.



RECEIVED

MAY 28 1991

TRANSFER OF AUTHORITY TO INJECT - UIC FORM 5

DIVISION OF  
OIL GAS & MINING

Well name and number: See Attached Listing  
Field or Unit name: \_\_\_\_\_ API no. \_\_\_\_\_  
Well location: QQ \_\_\_\_\_ section \_\_\_\_\_ township \_\_\_\_\_ range \_\_\_\_\_ county \_\_\_\_\_  
Effective Date of Transfer: 6-1-91

CURRENT OPERATOR

Transfer approved by:

Name R. S. Lane Company Texaco Inc.  
Signature *R. S. Lane* Address P. O. Box 3109  
Title Attorney-in-Fact Midland, TX 79702  
Date \_\_\_\_\_ Phone ( 915 ) 688-4100

Comments: Correspondence Address: Texaco Inc.  
3300 North Butler  
Farmington, NM 87401  
(505) 325-4397

NEW OPERATOR

Transfer approved by:

Name R. S. Lane Company Texaco Exploration and Production Inc.  
Signature *R. S. Lane* Address P. O. Box 3109  
Title Attorney-in-Fact Midland, TX 79702  
Date \_\_\_\_\_ Phone ( 915 ) 688-4100

Comments: Correspondence Address: Texaco Exploration and Production Inc.  
3300 North Butler  
Farmington, NM 87401  
(505) 325-4397

(State use only)

Transfer approved by *Gil Hunt* Title *UIC Manager*

Approval Date 6-26-91



Texaco Exploration and Production Inc  
Midland Producing Division

P O Box 3109  
Midland TX 79702-3109

May 22, 1991

RECEIVED

MAY 28 1991

DIVISION OF  
OIL GAS & MINING

Division of Oil, Gas, and Mining  
Attn: Ms. Lisha Romero  
355 West North Temple  
3 Triad Center, Suite 350  
Salt Lake City, Utah 84180-1203

Gentlemen:

This is to advise that as a part of a reorganization of Texaco Inc., a Delaware corporation, the name of Texaco Producing Inc., a Delaware corporation and wholly owned subsidiary of Texaco Inc., has been changed to Texaco Exploration and Production Inc. Further, Texaco Exploration and Production Inc. will succeed to the rights, titles, interests and obligations of Texaco Inc.

This means that Texaco Exploration and Production Inc. will be the operator for all the oil and gas properties that were operated by Texaco Inc. and Texaco Producing Inc. We plan to abbreviate the name as Texaco E & P Inc. for purposes of submitting production reports, etc., via computer, and we suggest that for consistency you use that abbreviation also.

We have enclosed a Sundry Notice with a list of the wells which Texaco operates in Utah. Also attached is UIC Form 5 for transfer of injection authority. Please note that Texaco has two Divisions which operate wells in Utah. One is located in Denver, Colorado, and the other is in Midland, Texas. We have enclosed separate Sundry Notices and lists of wells for each Division. If you have questions concerning the Denver-operated wells, please call Roger Hadley at (303) 793-4833. If you have questions concerning the Midland-operated wells, please call Ken Miller at (915) 688-4834.

Please change any of your other records as necessary to reflect this change.

Yours very truly,

R. S. Lane  
Assistant Division Manager

RKH/KMM-CC

Attachments

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS, AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		3. LEASE DESIGNATION (NO SERIAL NO.)
2. NAME OF OPERATOR Texaco Exploration and Production Inc.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR P.O. Box 46510, Denver, CO 80201		7. UNIT AGREEMENT NAME
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface		8. FARM OR LEASE NAME
14. PERMIT NO.		9. WELL NO.
15. ELEVATIONS (Show whether of, ft. or, etc.)		10. FIELD AND POOL, OR WILDCAT
		11. SEC., T., R., M., OR BLK. AND SUBST OR AREA
		12. COUNTY OR PARISH   13. STATE

RECEIVED

MAY 28 1991

DIVISION OF OIL GAS & MINING

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) Transfer of Owner/Operator <input type="checkbox"/>	
(Other) Transfer of Plugging Bond <input checked="" type="checkbox"/>		(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Texaco Inc. has assigned all its ownership rights in the subject well. As of January 1, 1991, Texaco Inc. is no longer the Operator of subject well. The New Operator Texaco Exploration and Production Inc. hereby accepts operating responsibility and liability under its good and sufficient bond or other security accepted by the Commission for proper plugging and surface restoration of the subject well.

Former Operator:

TEXACO INC.

Signed: [Signature]  
Attorney-In-Fact  
for Texaco Inc.

Date: 3/1/91

New Operator:

Texaco Exploration and Production Inc.

Signed: [Signature]  
Title: Division Manager

Date: 3/1/91

18. I hereby certify that the foregoing is true and correct  
SIGNED [Signature] TITLE Division Manager DATE 3/1/91

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
COURTESY OF APPROVAL, IF ANY:

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

6. Lease Designation and Serial Number
7. Indian Allottee or Tribe Name
8. Unit or Communitization Agreement
9. Well Name and Number
10. API Well Number
11. Field and Pool, or Wildcat

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.  
Use APPLICATION FOR PERMIT— for such proposals

1. Type of Well  
 Oil Well       Gas Well       Other (specify)

2. Name of Operator  
 Texaco Exploration and Production Inc.

3. Address of Operator  
 3300 North Butler, Farmington, NM 87401

4. Telephone Number  
 (505) 325-4397

5. Location of Well

Footage :  
 County :  
 QQ, Sec. T., R., M. : See Attached      State : UTAH

**12. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

**NOTICE OF INTENT**  
(Submit in Duplicate)

Abandonment       New Construction  
 Casing Repair       Pull or Alter Casing  
 Change of Plans       Recompletion  
 Conversion to Injection       Shoot or Acidize  
 Fracture Treat       Vent or Flare  
 Multiple Completion       Water Shut-Off  
 Other Transfer of Plugging Bond

Approximate Date Work Will Start \_\_\_\_\_

**SUBSEQUENT REPORT**  
(Submit Original Form Only)

Abandonment \*       New Construction  
 Casing Repair       Pull or Alter Casing  
 Change of Plans       Shoot or Acidize  
 Conversion to Injection       Vent or Flare  
 Fracture Treat       Water Shut-Off  
 Other Change of Operator/Operator Name

Date of Work Completion \_\_\_\_\_

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.  
 \* Must be accompanied by a cement verification report.

13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

This submittal is for a change of operator (name change) for all of the attached wells. The new operator, Texaco Exploration and Production Inc., hereby accepts operating responsibility and liability under its good and sufficient bond or other security accepted by the Department for proper plugging and surface restoration of the attached wells. All contact personnel, office addresses and phone numbers will remain the same.

FORMER OPERATOR: TEXACO INC.

NEW OPERATOR: TEXACO EXPLORATION AND PRODUCTION INC.

SIGNED: [Signature]  
Attorney-in-Fact

SIGNED: [Signature]  
Assistant Division Manager

DATE: \_\_\_\_\_

DATE: \_\_\_\_\_

14. I hereby certify that the foregoing is true and correct

Name & Signature \_\_\_\_\_ Title Asst. Div. Manager Date \_\_\_\_\_  
(State Use Only)

1- LCR/GIL	✓
2- DTS/DTS	✓
3- VLC	✓
4- RJF	✓
5- RWM	✓
6- LCR	✓

Attach all documentation received by the division regarding this change.  
 Initial each listed item when completed. Write N/A if item is not applicable.

Change of Operator (well sold)       Designation of Agent  
 Designation of Operator       Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 1-1-91)

(TEXACO EXPLORATION AND PRODUCTION INC.)

TO (new operator) TEXACO E & P INC.  
 (address) 3300 NORTH BUTLER  
FARMINGTON, NM 87401  
BRENT HELQUIST  
 phone (505 ) 325-4397  
 account no. N 5700 (6-5-91)

FROM (former operator) TEXACO INC.  
 (address) 3300 NORTH BUTLER  
FARMINGTON, NM 87401  
FRANK  
 phone (505 ) 325-4397  
 account no. N 0980

Well(s) (attach additional page if needed):

Name: <u>(SEE ATTACHED)</u>	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

- See 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). (5-28-91)
- N/A 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form).
- See 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes) (no) \_\_\_\_ If yes, show company file number: #114097.
- See 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of Federal and Indian well operator changes should take place prior to completion of steps 5 through 9 below.
- See 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. (6-11-91)
- See 6. Cardex file has been updated for each well listed above.
- See 7. Well file labels have been updated for each well listed above. (will update when filing)
- See 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission.
- See 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

- (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes) (no) (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
- State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only)

- (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond. #K0290791-4 80,000-Ins. Co. of N. America rec. 2-11-91.
- A copy of this form has been placed in the new and former operators' bond files.
- The former operator has requested a release of liability from their bond (yes)/no. Today's date \_\_\_\_\_ 19\_\_\_\_. If yes, division response was made by letter dated \_\_\_\_\_ 19\_\_\_\_. #m157448 80,000-Ins. Co. of N. America

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

- (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated \_\_\_\_\_ 19\_\_\_\_, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
- Copies of documents have been sent to State Lands for changes involving State leases. 6-27-91

MICROFILMING

- All attachments to this form have been microfilmed. Date: July 15 1991.

FILED

- Copies of all attachments to this form have been filed in each well file.
- The original of this form and the original attachments have been filed in the Operator Change file.

REMARKS

- 910606 Btm/Farmington N.M. - Duane Spences (505) 327-5344 will follow up & call back.
- 910607 Btm/Farmington - Approved 4-2-91 "Company Merger" Includes Aneth Unit and Ismay Flodine Unit.
- 910607 St. Lands approved 4-15-91 "merger".

ACCT NUM	COMPANY NAME	FLD NUM	FIELD NAME	TOWN SHIP	RANGE	SEC	QTR QTR	API NUMBER	PROD ZONE	WELL STATUS	ENTITY	WELL NAME								
NO980	TEXACO INC	365	GREATER ANETH	S400	E240	24	NWSE	43037.16111	PRDX	WIW	99990	NAVAJO TRIBE C-15 (ANETH								
				S400	E240	24	SESE	43037.16331	PRDX	WIW	99990	NAVAJO TRIBE C-28 (ANETH								
				S400	E240	24	SENE	43037.16315	DSCR	PA	99998	NAVAJO TRIBE C-26 (ANETH								
				S400	E240	25	SENE	43037.16124	PRDX	WIW	99990	NAVAJO TRIBE C-11 (ANETH								
				S400	E240	25	SESW	43037.16301	PRDX	WIW	99990	NAVAJO TRIBE C-32 (ANETH								
				S400	E240	25	SESE	43037.16129	PRDX	WIW	99990	NAVAJO TRIBE C-24 (ANETH								
				S400	E240	25	NWNW	43037.16053	PRDX	WIW	99990	NAVAJO TRIBE C-14 (ANETH								
				S400	E240	25	NWSW	43037.16070	PRDX	WIW	99990	NAVAJO TRIBE C-21 (ANETH								
				S400	E240	25	NWNE	43037.16095	HRMS	WIW	99990	NAVAJO TRIBE C-6 (ANETH								
				S400	E240	26	SENW	43037.16290	PRDX	WIW	99990	NAVAJO TRIBE C-23 (ANETH								
				S400	E240	26	SESW	43037.16302	PRDX	WIW	99990	NAVAJO TRIBE C-4 (ANETH								
				S400	E240	26	NWNW	43037.16054	PRDX	WIW	99990	NAVAJO TRIBE C-29 (ANETH								
				S400	E240	26	NWNE	43037.30372	DSCR	WIW	99990	ANETH G-126X								
				S400	E240	26	SESE	43037.16332	PRDX	WIW	99990	NAVAJO TRIBE C-31 (ANETH								
				S400	E240	26	NWSE	43037.16113	PRDX	WIW	99990	NAVAJO TRIBE C-27 (ANETH								
				S400	E240	26	SENE	43037.16316	PRDX	WIW	99990	NAVAJO TRIBE C-19 (ANETH								
				S400	E240	27	SESE	43037.16333	PRDX	WIW	99990	ANETH 27-D-4 (ANETH H-427								
				S400	E240	27	NWNW	43037.16782	PRDX	WIW	99990	ANETH 27-A-1 (ANETH E-127								
				S400	E240	27	SENE	43037.16317	PRDX	WIW	99990	ANETH 27-D2 (ANETH H-227)								
				S400	E240	27	NWNE	43037.16307	PRDX	WIW	99990	ANETH 27-C-1 (ANETH G-127								
				S400	E240	28	SENE	43037.16228	PRDX	WIW	99990	ANETH H-228								
				S400	E240	28	SENW	43037.16291	PRDX	WIW	99990	ANETH A-28-B-2 (ANETH F-2								
				380	ISMA			S400	E260	16	NESW	43037.16462	PRDX	WIW	99990	STATE WOOLLEY #4 (T-316)				
								S400	E260	17	NENW	43037.16456	ISMY	WIW	99990	NAVAJO TRIBE J-23 (T-117)				
								S400	E260	17	NESW	43037.16463	HRMS	WIW	99990	NAVAJO TRIBE J-10 (T-317)				
								S400	E260	17	NENE	43037.16188	HRMS	WIW	99990	NAVAJO TRIBE J-5 (V-117)				
								S400	E260	17	NESE	43037.16192	HRMS	WIW	99990	NAVAJO TRIBE J-2 (V-317)				
								S400	E260	18	NENW	43037.16457	ISMY	WIW	99990	NAVAJO TRIBE K-3 (T-118)				
								S400	E260	19	NENW	43037.16458	ISMY	WIW	99990	NAVAJO TRIBE K-9 (T-119)				
								S400	E260	21	NENE	43037.16191	ISMY	WIW	99990	NAVAJO TRIBE J-7 (V-121)				
								S400	E260	21	NENW	43037.16460	HRMS	WIW	99990	NAVAJO TRIBE J-4 (T-121)				
								S400	E260	21	SWSE	43037.11267	ISMY	WIW	99990	NAVAJO TRIBE J-24 (U-421)				
								S400	E260	21	NESE	43037.16194	ISMY	WIW	99990	NAVAJO TRIBE J-19 (V-321)				
								S400	E260	22	NENW	43037.16461	ISMY	PA	99998	NAVAJO TRIBE J-20 (T-122)				
								S400	E260	27	NENW	43037.16232	PRDX	PA	99998	EAST ANETH 27-B1 (T-127)				
								S400	E260	27	NESW	43037.16233	PRDX	WIW	99990	EAST ANETH 27-B3 (T-327)				
								S400	E260	28	NENE	43037.16466	PRDX	PA	99998	EAST ANETH 28-D1 (V-128)				
								365	GREATER ANETH			S400	E230	12	NWSE	43037.30112	DSCR	WIW	99990	ANETH UNIT C-312
												S400	E230	12	NESW	43037.16272	DSCR	WIW	99990	BURTON 23-12 (ANETH B312)
				S400	E230	12	NWNE					43037.16274	DSCR	WIW	99990	BURTON 31-12 (ANETH C-112)				
				S400	E230	13	NWSW					43037.30299	DSCR	WIW	99990	ANETH UNIT A-313				
				S400	E230	13	SENW					43037.15825	IS-DC	WIW	99990	BURTON 22-13 (ANETH B-213)				
				S400	E230	13	NWNW					43037.30119	DSCR	WIW	99990	ANETH UNIT A-113				
S400	E230	13	NWNE	43037.15827	IS-DC	WIW	99990					BURTON 31-13 (ANETH C-113)								
S400	E230	13	NWSE	43037.15828	PRDX	WIW	99990					BURTON 33-13 (ANETH C-313)								
S400	E230	13	SESW	43037.30297	DSCR	WIW	99990					ANETH B-413								
S400	E230	13	SESE	43037.16279	PRDX	WIW	99990					BURTON 44-13 (ANETH D-413)								



**Chevron U.S.A. Production Company**  
Mid-Continent Business Unit  
P.O. Box 36366  
Houston, TX 77236  
Phone 713 754 2000

April 9, 2002

Mr. John Baza,  
Associate Director of Oil and Gas  
Utah Department of Natural Resources  
Division of Oil, Gas & Mining  
1594 W. North Temple St., Suite 1210  
Salt Lake City, UT 84114-5801

RECEIVED

APR 12 2002

DIVISION OF  
OIL, GAS AND MINING

Dear Mr. Baza:

As you may recall from our meeting last year, we planned to combine the assets of Chevron U.S.A. Inc. ("CUSA"), by merger, and Texaco Exploration and Production Inc. ("TEPI"), by assignment, into a new entity which we referred to as "Newco LP". Along the way, additional information came to light and it was decided that this proposed corporate restructure would not be preferable. Therefore, CUSA and TEPI have continued to operate as separate entities.

We are now planning a simpler restructuring process where TEPI will assign most of its assets/operatorship to CUSA effective May 1, 2002. We plan to use the existing CUSA bonds/letters of credit, operator identification numbers, etc., for the TEPI assets that will be assigned.

A task force of Land, Regulatory and Environmental Compliance personnel are finishing the work that was begun last year to assign TEPI's assets—using the same forms and procedures as before. We have "new faces" in this task force due to reassignments and departures. In some cases, it may be worthwhile to visit you and your staff in person where new people are involved or if we need to review/clarify your forms and procedures. Otherwise, we will endeavor to complete the work to assign TEPI's assets/operatorship to CUSA and deliver the requisite materials to you in a timely manner.

During discussions last year, our focus was on Land, Regulatory and Environmental matters. The Finance organization also desires to join in this effort. For State Tax, Royalty and Regulatory reporting purposes (applicable to production from May 2002 through December 2002), we intend to generate two reports and two payments.



However, the reporting company name and identification number will be CUSA's. Beginning with January 2003 production and thereafter, we will issue only one CUSA report and payment. We trust this plan meets with your approval. Any questions or comments should be directed to Rick Dunlavy (telephone 713/752-7411, rickdunlavy@chevrontexaco.com).

We appreciate the cooperation and guidance you provided us in the past, and we look forward to bringing these efforts to a conclusion.

Respectfully submitted,

A handwritten signature in black ink, appearing to read "Don R. Sellars". The signature is written in a cursive style with a large initial "D".

Don R. Sellars

Sr. Environmental Specialist

Chevron U.S.A. Inc.  
 Permian Business Unit  
 Aneth Operations  
 San Juan County, Utah

Name / Operatorship Change  
 Texaco Exploration and Production Inc.  
 to  
 Chevron U.S.A. Inc.  
 Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	11	400S	230E	4303716034	MESA 1 (ANETH C411)	1	I	WI
N5700	12	400S	230E	4303716272	BURTON 23-12 (ANETH B312)	1	A	WI
N5700	12	400S	230E	4303716274	BURTON 31-12 (ANETH C-112)	1	I	WI
N5700	12	400S	230E	4303716278	BURTON 42-12 (ANETH D212)	1	A	WI
N5700	12	400S	230E	4303730049	ANETH UNIT D-412	1	A	WI
N5700	12	400S	230E	4303730112	ANETH UNIT C-312	1	A	WI
N5700	13	400S	230E	4303715825	BURTON 22-13 (ANETH B-213)	1	A	WI
N5700	13	400S	230E	4303715827	BURTON 31-13 (ANETH C-113)	1	A	WI
N5700	13	400S	230E	4303715828	BURTON 33-13 (ANETH C-313)	1	A	WI
N5700	13	400S	230E	4303715830	BURTON 42-13 (D213)	1	A	WI
N5700	13	400S	230E	4303716279	BURTON 44-13 (ANETH D-413)	1	A	WI
N5700	13	400S	230E	4303730119	ANETH UNIT A-113	1	A	WI
N5700	13	400S	230E	4303730174	ANETH UNIT D113	1	A	WI
N5700	13	400S	230E	4303730297	ANETH B-413	1	A	WI
N5700	13	400S	230E	4303730299	ANETH UNIT A-313	1	A	WI
N5700	14	400S	230E	4303716032	ARROWHEAD 6 (ANETH B-114)	1	A	WI
N5700	14	400S	230E	4303716033	ARROWHEAD 3 (ANETH C-214)	1	A	WI
N5700	14	400S	230E	4303716035	ARROWHEAD 5 (ANETH C-414)	1	A	WI
N5700	14	400S	230E	4303716038	ARROWHEAD 4 (ANETH D-314)	1	A	WI
N5700	14	400S	230E	4303716273	ARROWHEAD 2 (ANETH B-314)	1	A	WI
N5700	14	400S	230E	4303716277	ARROWHEAD 1 (ANETH D-114)	1	A	WI
N5700	23	400S	230E	4303716271	A W RICE 2 (ANETH B-123)	1	A	WI
N5700	23	400S	230E	4303716276	A W RICE 3 (ANETH C-223)	1	A	WI
N5700	24	400S	230E	4303716270	FEDERAL A-1 (ANETH A-124)	1	A	WI
N5700	24	400S	230E	4303716275	FEDERAL 1 (ANETH C-124)	1	A	WI
N5700	07	400S	240E	4303715412	W ISMY FED 3 (ANETH E307)	1	A	WI
N5700	07	400S	240E	4303715415	W ISMAY FED 2 (ANETH F-407)	1	A	WI
N5700	07	400S	240E	4303716100	NAVAJO FED 6-1 (ANETH G-307)	1	A	WI
N5700	07	400S	240E	4303716118	NAVAJO FED 7-1 (ANETH H-207)	1	I	WI
N5700	07	400S	240E	4303716283	GULF-AZTEC FED 7 (ANETH E-207)	1	A	WI
N5700	07	400S	240E	4303716322	NAVAJO TRIBE FED 5-1 (ANETH H-407)	2	A	WI

Chevron U.S.A. Inc.  
 Permian Business Unit  
 Aneth Operations  
 San Juan County, Utah

Name / Operatorship Change  
 Texaco Exploration and Production Inc.  
 to  
 Chevron U.S.A. Inc.  
 Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	07	400S	240E	4303730175	ANETH U E407	1	A	WI
N5700	08	400S	240E	4303716060	NAVAJO TRIBE E-15 (ANETH E-308)	2	A	WI
N5700	08	400S	240E	4303716076	NAVAJO FED 8-1 (ANETH F-208)	2	A	WI
N5700	08	400S	240E	4303716101	NAVAJO TRIBE L-6 (ANETH G-308)	2	A	WI
N5700	08	400S	240E	4303716119	NAVAJO TRIBE E-16 (ANETH H-208)	2	A	WI
N5700	08	400S	240E	4303716284	NAVAJO FED 9-1 (ANETH E-208)	2	A	WI
N5700	08	400S	240E	4303716298	NAVAJO TRIBE E-13 (ANETH F-408)	2	A	WI
N5700	08	400S	240E	4303716323	NAVAJO TRIBE L-3 (ANETH H-408)	2	A	WI
N5700	09	400S	240E	4303716061	NAVAJO TRIBE E-14 (ANETH E-309)	2	A	WI
N5700	09	400S	240E	4303716082	NAVAJO TRIBE E-4 (ANETH F-409)	2	A	WI
N5700	10	400S	240E	4303716125	NAVAJO TRIBE E-7 (ANETH H-410)	2	I	WI
N5700	11	400S	240E	4303715940	ANETH UNIT E-411	2	A	WI
N5700	11	400S	240E	4303715944	NAVAJO A-10/34-11 (ANETH G-411)	2	A	WI
N5700	11	400S	240E	4303716295	NAVAJO A-12/23-11 (ANETH F-311)	2	A	WI
N5700	13	400S	240E	4303715938	NAV TRIBE A-13 (ANETH E-213)	2	A	WI
N5700	13	400S	240E	4303715941	NAVAJO A-4 (ANETH E-413)	2	A	WI
N5700	14	400S	240E	4303715939	NAVAJO A-6 (ANETH E-214)	2	A	WI
N5700	14	400S	240E	4303715942	ANETH F-314	2	A	WI
N5700	14	400S	240E	4303715943	NAVAJO A-7/32-14 (ANETH G-214)	2	A	WI
N5700	14	400S	240E	4303715945	NAVAJO A-1/34-14 (ANETH G-414)	2	A	WI
N5700	14	400S	240E	4303716310	NAVAJO A-9/41-14 (ANETH H-114)	2	A	WI
N5700	14	400S	240E	4303716421	ANETH UNIT E414	2	A	WI
N5700	14	400S	240E	4303716422	ANETH UNIT F-114	2	A	WI
N5700	14	400S	240E	4303731381	ANETH UNIT H314X	2	I	WI
N5700	15	400S	240E	4303716116	ANETH G-415	2	A	WI
N5700	15	400S	240E	4303716296	NAVAJO TRIBAL E-8 (ANETH F-315)	2	A	WI
N5700	15	400S	240E	4303730213	ANETH E-315	2	A	WI
N5700	15	400S	240E	4303730312	ANETH H-315	2	A	WI
N5700	16	400S	240E	4303715832	STATE THREE 11-16 (ANETH E-116)	3	A	WI
N5700	16	400S	240E	4303716285	ST THREE 21-16 (ANETH F-116)	3	A	WI
N5700	16	400S	240E	4303716297	ST THREE 23-16 (ANETH F-316)	3	A	WI

Chevron U.S.A. Inc.  
 Permian Business Unit  
 Aneth Operations  
 San Juan County, Utah

Name / Operatorship Change  
 Texaco Exploration and Production Inc.  
 to  
 Chevron U.S.A. Inc.  
 Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	16	400S	240E	4303716312	STATE THREE 42-16 (ANETH H-216)	3	A	WI
N5700	16	400S	240E	4303720230	ANETH H-416	3	A	WI
N5700	16	400S	240E	4303730094	ANETH E-316	3	A	WI
N5700	16	400S	240E	4303730107	ANETH G-316	3	A	WI
N5700	16	400S	240E	4303730333	ANETH F-416	3	A	WI
N5700	16	400S	240E	4303730344	ANETH G-116	3	A	WI
N5700	17	400S	240E	4303716049	ANETH UNIT E-117	2	A	WI
N5700	17	400S	240E	4303716062	NAVAJO TRIBAL G-7 (ANETH E317)	2	A	WI
N5700	17	400S	240E	4303716089	NAVAJO TRIBAL G-3 (ANETH G-117)	2	A	WI
N5700	17	400S	240E	4303716103	NAVAJO TRIBAL 1-X-G (ANETH G-317)	2	A	WI
N5700	17	400S	240E	4303716286	NAVAJO TRIBAL G-8 (ANETH F-217)	2	A	WI
N5700	17	400S	240E	4303716299	NAVAJO TRIBAL G-6 (ANETH F-417)	2	A	WI
N5700	17	400S	240E	4303716313	NAV TRIBAL L-4 (ANETH H-217)	2	A	WI
N5700	17	400S	240E	4303716326	NAVAJO TRIBAL L-1 (ANETH H-417)	2	A	WI
N5700	18	400S	240E	4303715083	NAVAJO TRIBAL FED U 3	2	A	WI
N5700	18	400S	240E	4303715413	ANETH U E-118 (W ISMY FED 1)	1	A	WI
N5700	18	400S	240E	4303716063	NAVAJO TRIBAL 4 (ANETH E-318)	1	A	WI
N5700	18	400S	240E	4303716090	NAVAJO TRIBE 2 (ANETH G-118)	2	A	WI
N5700	18	400S	240E	4303716104	NAVAJO TRIBE G-4 (ANETH G-318)	2	A	WI
N5700	18	400S	240E	4303716120	NAVAJO TRIBAL G-5 (ANETH H-218)	2	A	WI
N5700	18	400S	240E	4303716287	NAVAJO FED U 1 (ANETH F-218)	2	A	WI
N5700	18	400S	240E	4303716327	NAVAJO TRIBAL G-2 (ANETH H-418)	2	A	WI
N5700	18	400S	240E	4303730137	ANETH U E218	1	A	WI
N5700	18	400S	240E	4303730155	ANETH U F118	1	A	WI
N5700	19	400S	240E	4303716077	NAVAJO TRIBE D-26 (ANETH F-219)	2	A	WI
N5700	19	400S	240E	4303716091	NAVAJO TRIBE D-16 (ANETH G-119)	2	A	WI
N5700	19	400S	240E	4303716121	NAVAJO TRIBE D-3 (ANETH H-219)	2	A	WI
N5700	19	400S	240E	4303716280	NAVAJO FED U B-1 (ANETH E-119)	2	A	WI
N5700	19	400S	240E	4303716309	NAVAJO TRIBE D-25 (ANETH G-319)	2	A	WI
N5700	19	400S	240E	4303716328	NAVAJO TRIBE D-27 (ANETH H-419)	2	A	WI
N5700	20	400S	240E	4303716050	NAVAJO TRIBE D-10 (ANETH E-120)	2	A	WI

Chevron U.S.A. Inc.  
 Permian Business Unit  
 Aneth Operations  
 San Juan County, Utah

Name / Operatorship Change  
 Texaco Exploration and Production Inc.  
 to  
 Chevron U.S.A. Inc.  
 Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	20	400S	240E	4303716065	NAVAJO TRIBE D-17 (ANETH E-320)	2	A	WI
N5700	20	400S	240E	4303716092	NAVAJO TRIBE L-5 (ANETH G-120)	2	A	WI
N5700	20	400S	240E	4303716105	NAVAJO TRIBE D-12 (ANETH G-320)	2	A	WI
N5700	20	400S	240E	4303716288	NAVAJO TRIBE D-8 (ANETH F-220)	2	A	WI
N5700	20	400S	240E	4303716300	NAVAJO TRIBE D-20 (ANETH F-420)	2	A	WI
N5700	20	400S	240E	4303716314	NAVAJO TRIBE L-2 (ANETH H-220)	2	A	WI
N5700	20	400S	240E	4303716329	NAVAJO TRIBE D-13 (ANETH H-420)	2	A	WI
N5700	21	400S	240E	4303716051	NAVAJO TRIBE D-4 (ANETH E-121)	2	A	WI
N5700	21	400S	240E	4303716066	NAVAJO TRIBE D-14 (ANETH E-321)	2	A	WI
N5700	21	400S	240E	4303716078	NAVAJO TRIBE D-6 (ANETH F-221)	2	A	WI
N5700	21	400S	240E	4303716084	NAVAJO TRIBE D-21 (ANETH F-421)	2	A	WI
N5700	21	400S	240E	4303716122	NAVAJO TRIBE D-7 (ANETH H-221)	2	A	WI
N5700	21	400S	240E	4303716330	NAVAJO TRIBE D-24 (ANETH H-421)	2	A	WI
N5700	21	400S	240E	4303730095	ANETH G-321X	2	A	WI
N5700	21	400S	240E	4303730335	ANETH G-121X	2	A	WI
N5700	22	400S	240E	4303716067	NAVAJO TRIBE D-19 (ANETH E-322)	2	A	WI
N5700	22	400S	240E	4303716085	NAVAJO TRIBE D-23 (ANETH F-422)	2	A	WI
N5700	22	400S	240E	4303716117	NAVAJO TRIBE D-2 (ANETH H-122)	2	A	WI
N5700	22	400S	240E	4303716127	NAVAJO TRIBE D-22 (ANETH H-422)	2	I	WI
N5700	22	400S	240E	4303720231	ANETH G-322X	2	A	WI
N5700	22	400S	240E	4303730215	ANETH E-122	2	A	WI
N5700	22	400S	240E	4303730242	ANETH H-222	2	A	WI
N5700	22	400S	240E	4303730373	ANETH F-222	2	A	WI
N5700	22	400S	240E	4303730425	ANETH G-122	2	A	WI
N5700	23	400S	240E	4303716068	NAVAJO TRIBE C-12 (ANETH E-323)	2	A	WI
N5700	23	400S	240E	4303716079	NAVAJO TRIBE C-7 (ANETH F-223)	2	A	WI
N5700	23	400S	240E	4303716086	NAVAJO TRIBE C-17 (ANETH F-423)	2	A	WI
N5700	23	400S	240E	4303716123	NAVAJO TRIBE C-8 (ANETH H-223)	2	A	WI
N5700	23	400S	240E	4303716128	NAVAJO TRIBE C-3 (ANETH H-423)	2	A	WI
N5700	23	400S	240E	4303716306	NAVAJO TRIBE C-1 (ANETH G-123)	2	A	WI
N5700	23	400S	240E	4303730235	ANETH F-123	2	A	WI

Chevron U.S.A. Inc.  
 Permian Business Unit  
 Aneth Operations  
 San Juan County, Utah

Name / Operatorship Change  
 Texaco Exploration and Production Inc.  
 to  
 Chevron U.S.A. Inc.  
 Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	24	400S	240E	4303716069	NAVAJO TRIBE C-10 (ANETH E-324)	2	A	WI
N5700	24	400S	240E	4303716087	NAVAJO TRIBE C-13 (ANETH F-424)	2	A	WI
N5700	24	400S	240E	4303716111	NAVAJO TRIBE C-15 (ANETH G-324)	2	A	WI
N5700	24	400S	240E	4303716289	NAVAJO TRIBE C-16 (ANETH F-224)	2	A	WI
N5700	24	400S	240E	4303716331	NAVAJO TRIBE C-28 (ANETH H-424)	2	A	WI
N5700	25	400S	240E	4303716070	NAVAJO TRIBE C-21 (ANETH E-325)	2	A	WI
N5700	25	400S	240E	4303716080	NAVAJO TRIBE C-20 (F225)	2	A	WI
N5700	25	400S	240E	4303716095	ANETH UNIT G125	2	A	WI
N5700	25	400S	240E	4303716124	NAVAJO TRIBE C-11 (ANETH H-225)	2	A	WI
N5700	25	400S	240E	4303716129	NAVAJO TRIBE C-24 (ANETH H-425)	2	A	WI
N5700	25	400S	240E	4303716301	NAVAJO TRIBE C-32 (ANETH F-425)	2	A	WI
N5700	26	400S	240E	4303716054	NAVAJO TRIBE C-29 (ANETH E-126)	2	A	WI
N5700	26	400S	240E	4303716071	NAVAJO TRIBE C-30 (ANETH E-326)	2	A	WI
N5700	26	400S	240E	4303716113	NAVAJO TRIBE C-27 (ANETH G-326)	2	A	WI
N5700	26	400S	240E	4303716290	NAVAJO TRIBE C-23 (ANETH F-226)	2	A	WI
N5700	26	400S	240E	4303716302	NAVAJO TRIBE C-4 (ANETH F-426)	2	A	WI
N5700	26	400S	240E	4303716316	NAVAJO TRIBE C-19 (ANETH H-226)	2	A	WI
N5700	26	400S	240E	4303716332	NAVAJO TRIBE C-31 (ANETH H-426)	2	A	WI
N5700	26	400S	240E	4303730372	ANETH G-126X	2	A	WI
N5700	27	400S	240E	4303716223	ANETH 27-B2 (ANETH F-227)	2	I	WI
N5700	27	400S	240E	4303716307	ANETH 27-C-1 (ANETH G-127)	2	A	WI
N5700	27	400S	240E	4303716317	ANETH 27-D2 (ANETH H-227)	2	A	WI
N5700	27	400S	240E	4303716333	ANETH 27-D-4 (ANETH H-427)	2	A	WI
N5700	27	400S	240E	4303716782	ANETH 27-A-1 (ANETH E-127)	2	A	WI
N5700	28	400S	240E	4303716222	ANETH 28-A-1 (ANETH E-128)	2	A	WI
N5700	28	400S	240E	4303716224	ANETH 28-C-1 (ANETH G-128)	2	A	WI
N5700	28	400S	240E	4303716228	ANETH H-228	2	A	WI
N5700	29	400S	240E	4303716055	NAVAJO TRIBE S-2 (ANETH E-129)	2	A	WI
N5700	29	400S	240E	4303716097	NAVAJO TRIBE S-1 (ANETH G-129)	2	A	WI
N5700	29	400S	240E	4303716292	NAVAJO TRIBE S-4 (ANETH F-229)	2	I	WI
N5700	29	400S	240E	4303716318	NAVAJO TRIBE S-3 (ANETH H-229)	2	A	WI

Chevron U.S.A. Inc.  
 Permian Business Unit  
 Aneth Operations  
 San Juan County, Utah

Name / Operatorship Change  
 Texaco Exploration and Production Inc.  
 to  
 Chevron U.S.A. Inc.  
 Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	34	400S	240E	4303716303	ANETH 34-B-4 (ANETH F-434)	2	A	WI
N5700	34	400S	240E	4303716319	ANETH 34-D2 (ANETH H-234)	2	I	WI
N5700	35	400S	240E	4303716293	NAVAJO TRIBE Q-5 (ANETH F-235)	2	A	WI
N5700	35	400S	240E	4303716304	NAVAJO TRIBE Q-8 (ANETH F-435)	2	A	WI
N5700	35	400S	240E	4303716320	NAVAJO TRIBE Q-4 (ANETH H-235)	2	A	WI
N5700	36	400S	240E	4303715485	NAVAJO 4 (ANETH E-136)	2	A	WI
N5700	36	400S	240E	4303715486	NAV TRB 2-A (G136)	2	A	WI
N5700	36	400S	240E	4303715487	NAVAJO 1 (ANETH H-236)	2	A	WI
N5700	36	400S	240E	4303716294	NAVAJO 3 (ANETH F-236)	2	A	WI
N5700	19	400S	250E	4303716140	ANETH UNIT L-419	2	A	WI
N5700	29	400S	250E	4303716131	NAVAJO TRIBE F-8 (ANETH J-129)	2	A	WI
N5700	30	400S	250E	4303716132	NAVAJO TRIBE F-9 (ANETH J-130)	2	A	WI
N5700	30	400S	250E	4303716134	NAVAJO TRIBE F-5 (ANETH J-330)	2	A	WI
N5700	30	400S	250E	4303716135	NAVAJO TRIBE F-2 (ANETH K-230)	2	A	WI
N5700	30	400S	250E	4303716137	NAVAJO TRIBE F-7 (ANETH K-430)	2	A	WI
N5700	30	400S	250E	4303716139	NAVAJO TRIBE F-6 (ANETH L-330)	2	A	WI
N5700	30	400S	250E	4303716141	NAVAJO TRIBE F-10 (ANETH M-230)	2	A	WI
N5700	30	400S	250E	4303716337	NAVAJO TRIBE F-11 (ANETH M-430)	2	A	WI
N5700	31	400S	250E	4303715946	NAVAJO TRIBE C11-31 (J131)	2	A	WI
N5700	31	400S	250E	4303716335	NAVAJO TRIBE C-22-31 (ANETH K-231)	2	A	WI

**TRANSFER OF AUTHORITY TO INJECT**

Well Name and Number <u>Orangeville &amp; Huntington, Emery County, Utah (See Attached Well List)</u>		API Number
Location of Well Footage : <u>See attached well locations</u> County : <u>Emery</u>		Field or Unit Name <u>See Attached Well List</u>
QQ, Section, Township, Range: _____ State : <u>UTAH</u>		Lease Designation and Number <u>See Attached Well List</u>

EFFECTIVE DATE OF TRANSFER: 5/1/2002


**CURRENT OPERATOR**

Company: Texaco Exploration and Production Inc  
Address: 3300 North Butler, Suite 100  
city Farmington state NM zip 87401  
Phone: (505) 325-4397  
Comments:

Name: Allen S. Robinson  
Signature:   
Title: Attorney-In-Fact  
Date: April 30, 2002

**NEW OPERATOR**

Company: Chevron U.S.A. Inc.  
Address: P.O. Box 36366  
city Houston state TX zip 79702  
Phone: (915) 687-2000  
Comments:

Name: J. Scott Purdy  
Signature:   
Title: Attorney-In-Fact  
Date: May 1, 2002

(This space for State use only)

Transfer approved by:   
Title: Tech. Services Manager

Approval Date: 10/21/02

Comments:

**RECEIVED**  
MAY 06 2002  
DIVISION OF  
OIL, GAS AND MINING

5. LEASE DESIGNATION AND SERIAL NUMBER:  
See Attached List of Wells

**SUNDRY NOTICES AND REPORTS ON WELLS**

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:  
BLM & State of Utah

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals

7. UNIT or CA AGREEMENT NAME:  
Orangeville & Huntington

1. TYPE OF WELL OIL WELL  GAS WELL  OTHER Operator Name Change

8. WELL NAME and NUMBER:  
See Attached List of Wells

2. NAME OF OPERATOR:  
Chevron U.S.A. Inc.

9. API NUMBER:

3. ADDRESS OF OPERATOR: P.O. Box 36366 CITY Houston STATE TX ZIP 77236 PHONE NUMBER: (281) 561-3443

10. FIELD AND POOL, OR WILDCAT:

4. LOCATION OF WELL  
FOOTAGES AT SURFACE: See Attached List of Wells

COUNTY: Emery

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: <u>Operator Name Change (Merger)</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.


Effective May 1, 2002, Chevron U.S.A. Inc. is the new operator of the attached list of subject wells and leases that were previously operated by Texaco Exploration and Production Inc. The subject wells are located North of Orangeville and North of Huntington, Emery County, Utah. These Wells will be protected by the following surety bonds:

STATE OF UTAH Bond #: 103521627-0018 in the amount of \$80,000. (This bond will replace United Pacific Insurance Company bond number U89-75-80-0059. We respectfully request this bond be released and returned.)

BLM Nationwide Bond#: U89-75-81-0034 in the amount of \$300,000.

Key Contacts:

Ron Wirth - Operations Supervisor - 435 748-5395 x1  
Texaco Exploration & Production Inc.

  
J. S. Purdy, Attorney-In-Fact


**RECEIVED**

MAY 06 2002

DIVISION OF  
OIL, GAS AND MINING

NAME (PLEASE PRINT) Allen S. Robinson

TITLE Attorney-In-Fact

SIGNATURE 

DATE April 30, 2002

(This space for State use only)

**THE  
NAVAJO  
NATION****MINERALS DEPARTMENT**  
Post Office Box 1910  
Window Rock, Arizona 86515  
Phone: (928) 871-6587 • Fax: (928) 871-7095**KELSEY A. BEGAYE**  
PRESIDENT**TAYLOR MCKENZIE, M.D.**  
VICE PRESIDENT

October 11, 2002

Mr. Don Sellars  
Regulatory Specialist  
ChevronTexaco  
11111 S. Wilcrest  
Houston, Texas 77099

Subject: Navajo Nation Assignment of Oil & Gas Lease

Dear Mr. Sellars:

Attached are fourteen (14) approved Navajo Nation Assignment of Oil and Gas Lease applications for assignment of interest from Texaco Exploration & Production, Inc. to Chevron U.S.A., Inc. (Chevron) for the following leases:

- |                     |                     |                      |
|---------------------|---------------------|----------------------|
| 1) I-149-IND-8834   | 6) I-149-IND-8839   | 11) 14-20-603-4035   |
| 2) I-149-IND-8835   | 7) 14-20-603-2057   | 12) 14-20-603-4037   |
| 3) I-149-IND-8836   | 8) 14-20-603-2059   | 13) 14-20-603-5043-A |
| 4) I-149-IND-8838   | 9) 14-20-603-4030-A | 14) 14-20-603-5446   |
| 5) I-149-IND-8839-A | 10) 14-20-603-4032  |                      |

If you have any questions, please call me or Mr. Brad Nesemeier at (928) 871-6587.

Sincerely,

*Akhtar Zaman*  
Akhtar Zaman, Director  
Minerals Department

Attachments  
AZ/GLB/cab

**OPERATOR CHANGE WORKSHEET**

1. GLH
2. CDW
3. FILE

Change of Operator (Well Sold)

Designation of Agent

Operator Name Change

**X** Merger

The operator of the well(s) listed below has changed, effective: **05-01-2002**

<b>FROM: (Old Operator):</b>	<b>TO: ( New Operator):</b>
TEXACO EXPLORATION & PRODUCTION INC	CHEVRON USA INC
Address: 3300 NORTH BUTLER, STE 100	Address: P O BOX 36366
FARMINGTON, NM 87401	HOUSTON, TX 79702
Phone: 1-(505)-325-4397	Phone: 1-(915)-687-2000
Account No. N5700	Account No. N0210

**CA No.**                      **Unit:**    **ANETH**

**WELL(S)**

NAME	SEC TWN RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
ANETH F-123	23-40S-24E	43-037-30235	99990	INDIAN	WIW	A
NAVAJO TRIBE C-13 (ANETH F-424)	24-40S-24E	43-037-16087	99990	INDIAN	WIW	A
NAVAJO TRIBE C-10 (ANETH E-324)	24-40S-24E	43-037-16069	99990	INDIAN	WIW	A
NAVAJO TRIBE C-15 (ANETH G-324)	24-40S-24E	43-037-16111	99990	INDIAN	WIW	A
NAVAJO TRIBE C-16 (ANETH F-224)	24-40S-24E	43-037-16289	99990	INDIAN	WIW	A
NAVAJO TRIBE C-28 (ANETH H-424)	24-40S-24E	43-037-16331	99990	INDIAN	WIW	A
NAVAJO TRIBE C-21 (ANETH E-325)	25-40S-24E	43-037-16070	99990	INDIAN	WIW	A
NAVAJO TRIBE C-20 (F-225)	25-40S-24E	43-037-16080	7000	INDIAN	WIW	A
ANETH UNIT G-125	25-40S-24E	43-037-16095	99990	INDIAN	WIW	A
NAVAJO TRIBE C-11 (ANETH H-225)	25-40S-24E	43-037-16124	11883	INDIAN	WIW	A
NAVAJO TRIBE C-24 (ANETH H-425)	25-40S-24E	43-037-16129	99990	INDIAN	WIW	A
NAVAJO TRIBE C-32 (ANETH F-425)	25-40S-24E	43-037-16301	99990	INDIAN	WIW	A
NAVAJO TRIBE C-4 (ANETH F-426)	26-40S-24E	43-037-16302	99990	INDIAN	WIW	A
NAVAJO TRIBE C-29 (ANETH E-126)	26-40S-24E	43-037-16054	99990	INDIAN	WIW	A
NAVAJO TRIBE C-30 (ANETH E-326)	26-40S-24E	43-037-16071	7000	INDIAN	WIW	A
NAVAJO TRIBE C-27 (ANETH G-326)	26-40S-24E	43-037-16113	7000	INDIAN	WIW	A
NAVAJO TRIBE C-23 (ANETH F-226)	26-40S-24E	43-037-16290	99990	INDIAN	WIW	A
NAVAJO TRIBE C-19 (ANETH H-226)	26-40S-24E	43-037-16316	99990	INDIAN	WIW	A
NAVAJO TRIBE C-31 (ANETH H-426)	26-40S-24E	43-037-16332	99990	INDIAN	WIW	A
ANETH G-126X	26-40S-24E	43-037-30372	99990	INDIAN	WIW	A

**OPERATOR CHANGES DOCUMENTATION**

Enter date after each listed item is completed

- (R649-2-10) Sundry or legal documentation was received from the **FORMER** operator on: 05/06/2002
- (R649-2-10) Sundry or legal documentation was received from the **NEW** operator on: 04/12/2002
- The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 10/16/2002
- Is the new operator registered in the State of Utah: YES Business Number: 564408-0143
- If **NO**, the operator was contacted on: N/A

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 10/11/2002

8. **Federal and Indian Units:**  
The BLM or BIA has approved the successor of unit operator for wells listed on: 10/11/2002

9. **Federal and Indian Communization Agreements ("CA"):**  
The BLM or BIA has approved the operator for all wells listed within a CA on: N/A

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject,** for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 10/21/2002

**DATA ENTRY:**

1. Changes entered in the **Oil and Gas Database** on: 10/24/2002
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 10/24/2002
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

**STATE WELL(S) BOND VERIFICATION:**

1. State well(s) covered by Bond Number: N/A

**FEDERAL WELL(S) BOND VERIFICATION:**

1. Federal well(s) covered by Bond Number: N/A

**INDIAN WELL(S) BOND VERIFICATION:**

1. Indian well(s) covered by Bond Number: 8975810026

**FEE WELL(S) BOND VERIFICATION:**

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number N/A
2. The **FORMER** operator has requested a release of liability from their bond on: N/A  
The Division sent response by letter on: N/A

**LEASE INTEREST OWNER NOTIFICATION:**

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

**COMMENTS: Chevron USA Inc merged with Texaco Exploration & Production Inc to form ChevronTexaco Inc although all the Utah operations will be operated by Chevron USA Inc.**

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b>		5. LEASE DESIGNATION AND SERIAL NUMBER: <b>See Attachment</b>
		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: <b>Navajo</b>
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		7. UNIT or CA AGREEMENT NAME: <b>Aneth Unit</b>
		8. WELL NAME and NUMBER: <b>See Attachment</b>
1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>Injection wells</u>		9. API NUMBER: <b>See Attach</b>
2. NAME OF OPERATOR: <b>Resolute Natural Resources Company</b> <u>N2700</u>		10. FIELD AND POOL, OR WILDCAT: <b>Desert Creek</b>
3. ADDRESS OF OPERATOR: 1675 Broadway, Suite 1950 CITY <u>Denver</u> STATE <u>CO</u> ZIP <u>80202</u>		PHONE NUMBER: <b>(303) 534-4600</b>
4. LOCATION OF WELL FOOTAGES AT SURFACE: <b>See Attachment</b>		COUNTY: <b>San Juan</b>
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		STATE: <b>UTAH</b>

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Change of Operator</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.  
As of December 1, 2004, Chevron U.S.A. Inc. resigned as Operator of the Aneth Unit. The successor operator is Resolute Natural Resources Company.

NAME (PLEASE PRINT) Janet Pasque TITLE Vice President  
SIGNATURE Janet Pasque DATE 11/30/04

(This space for State use only)

**APPROVED** 12/29/2004  
*ER*  
**Division of Oil, Gas and Mining**  
**Earlene Russell, Engineering Technician**

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b>		5. LEASE DESIGNATION AND SERIAL NUMBER: <b>See attached exhibit.</b>
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: <b>Navajo</b>
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>See attached exhibit.</u>		7. UNIT or CA AGREEMENT NAME: <b>Aneth Unit</b>
2. NAME OF OPERATOR: <b>Resolute Natural Resources Company</b>		8. WELL NAME and NUMBER: <b>See attached exhibit.</b>
3. ADDRESS OF OPERATOR: <b>1675 Broadway, Suite 1950</b> CITY <b>Denver</b> STATE <b>CO</b> ZIP <b>80202</b>		9. API NUMBER: <b>See attached exhibit.</b>
4. LOCATION OF WELL FOOTAGES AT SURFACE: _____  QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____		10. FIELD AND POOL, OR WILDCAT: <b>Aneth</b>  COUNTY: <b>San Juan</b>  STATE: <b>UTAH</b>

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate)  Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only)  Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Change of operator</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

As of December 1, 2004, Chevron U.S.A. Inc. resigned as operator of the Aneth Unit. Resolute Natural Resources Company has been elected the successor operator.

RECEIVED  
DEC 22 2004  
DIV. OF OIL, GAS & MINING

NAME (PLEASE PRINT) <u>Chevron U.S.A. Inc.</u>	<u>110210</u>	TITLE <u>A. E. Wacker, Attorney-in-Fact</u>
SIGNATURE <u>R. E. Wacker</u>	DATE <u>12/20/2004</u>	

(This space for State use only)

APPROVED 12/29/2004  
*ER*  
Division of Oil, Gas and Mining  
Earlene Russell, Engineering Technician

**TRANSFER OF AUTHORITY TO INJECT**

Well Name and Number See attached exhibit.		API Number See attached exhibit.
Location of Well		Field or Unit Name Aneth Unit
Footage : _____	County : San Juan	Lease Designation and Number See attached exhibit.
QQ, Section, Township, Range: _____	State : UTAH	

EFFECTIVE DATE OF TRANSFER: 12/1/2004

**CURRENT OPERATOR** N0210

Company: <u>Chevron U.S.A. Inc.</u>	Name: <u>A. E. Wacker</u>
Address: <u>1111 Bagby St.</u>	Signature: <u>A. E. Wacker</u>
<u>city Houston state TX zip 77002</u>	Title: <u>Attorney-in-Fact</u>
Phone: <u>(713) 752-6000</u>	Date: <u>12/20/2004</u>
Comments:	

RECEIVED  
DEC 22 2004

**NEW OPERATOR** N2700 DIV. OF OIL, GAS & MINING

Company: <u>Resolute Natural Resources Company</u>	Name: <u>Janet Pappas xt</u>
Address: <u>1675 Broadway, Suite 1950</u>	Signature: <u>Janet Pappas</u>
<u>city Denver state CO zip 80202</u>	Title: <u>Vice President</u>
Phone: <u>(303) 534-4600 xt</u>	Date: <u>12/21/04</u>
Comments:	

(This space for State use only)

Transfer approved by: David J. [Signature] Approval Date: 12-29-04  
Title: VIC Geologist

Comments: *Transfer of Authority to Inject into the Aneth C214 and Aneth B14 contingent on this office receiving a corrective action plan for each well. Both well Aneth 214 failed 5 year test on 10/13/2004 operator would not conduct scheduled 5 year test on Aneth B14. (considered a failure).*

NUM	API NUM	Q1	Q2	SEC	TWSP	RNG	LEGAL	Lease	Status 12/1/04	NNEPA Well List	USEPA Well List	UIC Program
H222	4303730242	SE	NW	22	40S	24E		I-149-IND-8836	Active	H222	H222	Navajo Nation
F418	4303715083	SE	SW	18	T40S	R24E	650' FSL/1825' FWL	I-149-IND-8835	Active	F418	F418	Navajo Nation
E307	4303715412	NW	SW	7	T40S	R24E	1980' FSL/660' FWL	SL-067807	Active	E307	E307	Navajo Nation
E118	4303715413	NW	NW	18	T40S	R24E	660' FNL/660' FWL	SL-067807	Active	E118	E118	Navajo Nation
F407	4303715415	SE	SW	7	T40S	R24E	660' FSL/1980' FWL	SL-067807	Active	F407	F407	Navajo Nation
E136	4303715485	NW	NW	36	T40S	R24E	660' FNL/660' FWL	14-20-603-5444	Active	E136	E136	Navajo Nation
G136	4303715486	NW	NE	36	T40S	R24E	785' FNL/2040' FEL	14-20-603-5443	Active	G136	G136	Navajo Nation
H236	4303715487	SE	NE	36	T40S	R24E	1980' FNL/660' FEL	14-20-603-5443	P/A			Navajo Nation
B213	4303715825	SE	NW	13	T40S	R23E	3300' FSL/3300' FEL	SL-070968-A	Active			State of Utah
C113	4303715827	NW	NE	13	T40S	R23E	4602' FSL/1993' FEL	SL-070968-A	Active			State of Utah
C313	4303715828	NW	SE	13	T40S	R23E	1949' FSL/1991' FEL	SL-070968-A	Active			State of Utah
D213	4303715830	SE	NE	13	T40S	R23E	3263' FSL/660' FEL	SL-070968-A	Active			State of Utah
E116	4303715832	NW	NW	16	T40S	R24E	601' FNL/550' FWL	ML-3156	Active	E116	E116	Navajo Nation
E213	4303715938	SW	NW	13	T40S	R24E	2140' FNL/740' FWL	I-IND-149-8837	Active	E213	E213	Navajo Nation
E214	4303715939	SW	NW	14	T40S	R24E	1940' FNL/650' FWL	I-149-IND-8837	Active	E214	E214	Navajo Nation
E411	4303715940	SW	SW	11	T40S	R24E	500' FSL/820' FWL	I-149-IND-8837	Active	E411	E411	Navajo Nation
E413	4303715941	SW	SW	13	T40S	R24E	660' FSL/660' FWL	IND-149-8837	Active	E413	E413	Navajo Nation
F314	4303715942	NE	SW	14	T40S	R24E	1980' FSL/1980' FWL	I-149-IND-8837	Active	F314	F314	Navajo Nation
G214	4303715943	SW	NE	14	T40S	R24E	2140' FNL/2010' FEL	I-149-IND-8839	P/A			Navajo Nation
G411	4303715944	SW	SE	11	T40S	R24E	680' FSL/1950' FEL	I-149-IND-8837	Active	G411	G411	Navajo Nation
G414	4303715945	SW	SE	14	T40S	R24E	660' FSL/1980' FEL	I-149-IND-8837	Active	G414	G414	Navajo Nation
J131	4303715946	NW	NW	31	T40S	R25E	660' FNL/638' FWL	14-20-603-372	Active	J131	J131	Navajo Nation
B114	4303716032	NE	NW	14	T40S	R23E	660' FNL/1980' FWL	SL-070968	Shut-In			State of Utah
C214	4303716033	SW	NE	14	T40S	R23E	1890' FNL/1930' FEL	SL-070968	Shut-In			State of Utah
C411	4303716034	SW	SE	11	T40S	R23E	600' FSL/2010' FEL	SL-070968-B	P/A			State of Utah
C414	4303716035	SW	SE	14	T40S	R23E	760' FSL/2000' FEL	SL-070968	Active			State of Utah
D314	4303716038	NE	SE	14	T40S	R23E	1980' FSL/660' FEL	SL-070968	Active			State of Utah
E117	4303716049	NW	NW	17	T40S	R24E	520' FNL/645' FWL	I-149-IND-8835	Active	E117	E117	Navajo Nation
E120	4303716050	NW	NW	20	T40S	R24E	660' FNL/660' FWL	I-149-IND-8836	Active	E120	E120	Navajo Nation
E121	4303716051	NW	NW	21	T40S	R24E	660' FNL/760' FWL	I-149-IND-8836	Active	E121	E121	Navajo Nation
E126	4303716054	NW	NW	26	T40S	R24E	760' FNL/660' FWL	I-149-IND-8838	Active	E126	E126	Navajo Nation
E129	4303716055	NW	NW	29	T40S	R24E	660' FNL/660' FWL	14-20-603-4030	Active	E129	E129	Navajo Nation
E308	4303716060	NW	SW	8	T40S	R24E	1820' FSL/645' FWL	I-149-IND-8833	Active	E308	E308	Navajo Nation
E309	4303716061	NW	SW	9	T40S	R24E	1900' FSL/500' FWL	I-149-IND-8834	P/A			Navajo Nation
E317	4303716062	NW	SW	17	40S	24E	1980' FSL/660' FWL	I-149-IND-8835	Active	E317	E317	Navajo Nation
E318	4303716063	NW	SW	18	T40S	R24E	1980' FSL/660' FWL	SL-067807	Active	E318	E318	Navajo Nation
E319	4303716064	NW	SW	19	T40S	R24E	2040' FSL/680' FWL	I-149-IND-8836	P/A			Navajo Nation
E320	4303716065	NW	SW	20	T40S	R24E	2140' FSL/820' FWL	I-149-IND-8836	Active	E320	E320	Navajo Nation
E321	4303716066	NW	SW	21	T40S	R24E	2140' FSL/720' FWL	I-149-IND-8836	Active	E321	E321	Navajo Nation
E322	4303716067	NW	SW	22	T40S	R24E	1980' FSL/660' FWL	I-149-IND-8836	Active	E322	E322	Navajo Nation
E323	4303716068	NW	SW	23	T40S	R24E	1980' FSL/510' FWL	I-149-IND-8838	Active	E323	E323	Navajo Nation
E324	4303716069	NW	SW	24	T40S	R24E	1980' FSL/660' FWL	I-149-IND-8838	Active	E324	E324	Navajo Nation
E325	4303716070	NW	SW	25	T40S	R24E	1980' FSL/660' FWL	I-149-IND-8838	Active	E325	E325	Navajo Nation
E326	4303716071	NW	SW	26	T40S	R24E	1980' FSL/660' FWL	I-149-IND-8838	Active	E326	E326	Navajo Nation
F115	4303716074	NE	NW	15	T40S	R24E	690' FNL/2140' FWL	I-149-IND-8834	Active	F115	F115	Navajo Nation

F208	4303716076	SE	NW	8	T40S	R24E	2140' FNL/2050' FWL	I-149-IND-8833	Active	F208	F208	Navajo Nation
F219	4303716077	SE	NW	19	T40S	R24E	1820' FNL/2140' FWL	I-149-IND-8836	Active	F219	F219	Navajo Nation
F221	4303716078	SE	NW	21	T40S	R24E	1980' FNL/1980' FWL	I-149-IND-8836	Active	F221	F221	Navajo Nation
F223	4303716079	SE	NW	23	T40S	R24E	1980' FNL/1820' FWL	I-149-IND-8838	Active	F223	F223	Navajo Nation
F225	4303716080	SE	NW	25	T40S	R24E	2040' FNL/2080' FWL	I-149-IND-8838	Active	F225	F225	Navajo Nation
F409	4303716082	SE	SW	9	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8834	Active	F409	F409	Navajo Nation
F421	4303716084	SE	SW	21	T40S	R24E	585' FSL/1990' FWL	I-149-IND-8836	Active	F421	F421	Navajo Nation
F422	4303716085	SE	SW	22	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8836	Active	F422	F422	Navajo Nation
F423	4303716086	SE	SW	23	T40S	R24E	770' FSL/1955' FWL	I-149-IND-8838	Active	F423	F423	Navajo Nation
F424	4303716087	SE	SW	24	T40S	R24E	660' FSL/2100' FWL	I-149-IND-8838	Active	F424	F424	Navajo Nation
G117	4303716089	NW	NE	17	T40S	R24E	660' FNL/1980' FEL	I-149-IND-8835	Active	G117	G117	Navajo Nation
G118	4303716090	NW	NE	18	T40S	R24E	800' FNL/1910' FEL	I-149-IND-8835	Active	G118	G118	Navajo Nation
G119	4303716091	NW	NE	19	T40S	R24E	660' FNL/2140' FEL	I-149-IND-8836	Active	G119	G119	Navajo Nation
G120	4303716092	NW	NE	20	T40S	R24E	660' FNL/1980' FEL	I-149-IND-8833	Active	G120	G120	Navajo Nation
G125	4303716095	NW	NE	25	T40S	R24E	660' FNL/2140' FEL	I-149-IND-8838	Active	G125	G125	Navajo Nation
G129	4303716097	NW	NE	29	T40S	R24E	580' FNL/1905' FEL	14-20-603-4030	Active	G129	G129	Navajo Nation
G307	4303716100	NW	SE	7	T40S	R24E	1900' FSL/1995' FEL	SL-067807	Active	G307	G307	Navajo Nation
G308	4303716101	NW	SE	8	T40S	R24E	1975' FSL/1830' FEL	I-149-IND-8834	Active	G308	G308	Navajo Nation
G317	4303716103	NW	SE	17	T40S	R24E	1778' FSL/1900' FEL	I-149-IND-8835	Active	G317	G317	Navajo Nation
G318	4303716104	NW	SE	18	T40S	R24E	2125' FSL/1980' FEL	I-149-IND-8835	Active	G318	G318	Navajo Nation
G320	4303716105	NW	SE	20	T40S	R24E	1980' FSL/1980' FEL	I-149-IND-8836	Active	G320	G320	Navajo Nation
G324	4303716111	NW	SE	24	T40S	R24E	1980' FSL/1980' FEL	I-149-IND-8838	Active	G324	G324	Navajo Nation
G326	4303716113	NW	SE	26	T40S	R24E	1980' FSL/1980' FEL	I-149-IND-8838	Active	G326	G326	Navajo Nation
G415	4303716116	SW	SE	15	T40S	R24E	820' FSL/2400' FEL	I-149-IND-8834	Active	G415	G415	Navajo Nation
H122	4303716117	NE	NE	22	T40S	R24E	660' FNL/660' FEL	I-149-IND-8836	Active	H122	H122	Navajo Nation
H207	4303716118	SE	NE	7	T40S	R24E	1820' FNL/820' FEL	SL-067807	T/A			State of Utah
H208	4303716119	SE	NE	8	T40S	R24E	2140' FNL/660' FEL	I-149-IND-8833	Active	H208	H208	Navajo Nation
H218	4303716120	SE	NE	18	T40S	R24E	1980' FNL/660' FEL	I-149-IND-8835	Active	H218	H218	Navajo Nation
H219	4303716121	SE	NE	19	T40S	R24E	1945' FNL/607' FEL	I-149-IND-8836	Active	H219	H219	Navajo Nation
H221	4303716122	SE	NE	21	T40S	R24E	1980' FNL/660' FEL	I-149-IND-8836	Active	H221	H221	Navajo Nation
H223	4303716123	SE	NE	23	T40S	R24E	1820' FNL/730' FEL	I-149-IND-8838	Active	H223	H223	Navajo Nation
H225	4303716124	SE	NE	25	T40S	R24E	1980' FNL/660' FEL	I-149-IND-8838	Active	H225	H225	Navajo Nation
H410	4303716125	SE	SE	10	T40S	R24E	625' FSL/545' FEL	I-149-IND-8834	P/A			Navajo Nation
H422	4303716127	SE	SE	22	T40S	R24E	^660' FSL/660' FEL	I-149-IND-8836	P/A			Navajo Nation
H423	4303716128	SE	SE	23	T40S	R24E	820' FSL/450' FEL	I-149-IND-8838	Active	H423	H423	Navajo Nation
H425	4303716129	SE	SE	25	T40S	R24E	660' FSL/660' FEL	I-149-IND-8838	Active	H425	H425	Navajo Nation
J129	4303716131	NW	NW	29	T40S	R25E	620' FNL/615' FWL	I-149-IND-8839	P/A			Navajo Nation
J130	4303716132	NW	NW	30	T40S	R25E	720' FNL/590' FEL	I-149-IND-8839	Shut-In	J130	J130	Navajo Nation
J330	4303716134	NW	SW	30	T40S	R25E	2060' FSL/800' FWL	I-149-IND-8839	Active	J330	J330	Navajo Nation
K230	4303716135	SE	NW	30	T40S	R25E	2075' FSL/2140' FWL	I-149-IND-8839	Shut-In	K230	K230	Navajo Nation
K430	4303716137	SE	SW	30	T40S	R25E	660' FSL/1980' FWL	I-149-IND-8839	Active	K430	K430	Navajo Nation
L330	4303716139	NW	SE	30	T40S	R25E	2120' FSL/1960' FEL	I-149-IND-8839	Active	L330	L330	Navajo Nation
L419	4303716140	SW	SE	19	T40S	R25E	660' FSL/1980' FEL	I-149-IND-8839	Active	L419	L419	Navajo Nation
M230	4303716141	SE	NE	30	T40S	R25E	1930' FNL/660' FEL	I-149-IND-8839	Active	M230	M230	Navajo Nation
E128	4303716222	NW	NW	28	T40S	R24E	660' FNL/660' FWL	14-20-603-2056	Active	E128	E128	Navajo Nation
F227	4303716223	SE	NW	27	T40S	R24E	1980' FNL/1980' FWL	14-20-603-2056	T/A			Navajo Nation
G128	4303716224	NW	NE	28	T40S	R24E	660' FNL/1980' FEL	14-20-603-2056	Shut-In	G128	G128	Navajo Nation

H228	4303716228	SE	NE	28	T40S	R24E	2080' FNL/560' FEL	14-20-603-2056	T/A			Navajo Nation
A124	4303716270	NW	NW	24	T40S	R23E	500' FNL/500' FWL	SL-0701010-C	Active			State of Utah
B123	4303716271	NE	NW	23	T40S	R23E	500' FNL/2140' FWL	SL-0701010	Active			State of Utah
B312	4303716272	NE	SW	12	T40S	R23E	3295' FNL/3348' FEL	SL-070968-A	Active	B312	B312	Navajo Nation
B314	4303716273	NE	SW	14	T40S	R23E	2030' FSL/2030' FWL	SL-070968	Active			State of Utah
C112	4303716274	NW	NE	12	T40S	R23E	658' FNL/1974' FEL	SL-070968-A	P/A			State of Utah
C124	4303716275	NW	NE	24	T40S	R23E	660' FNL/1980' FEL	SL-0701010-C	P/A			State of Utah
C223	4303716276	SW	NE	23	T40S	R23E	1820' FNL/1980' FEL	SL-0701010	P/A			State of Utah
D114	4303716277	NE	NE	14	T40S	R23E	660' FNL/760' FEL	SL-070968	Active			State of Utah
D212	4303716278	SE	NE	12	T40S	R23E	1860' FNL/656' FEL	SL-070968-A	Shut-In	D212	D212	Navajo Nation
D413	4303716279	SE	SE	13	T40S	R23E	660' FSL/661' FEL	SL-070968-A	Active			State of Utah
E119	4303716280	NW	NW	19	T40S	R24E	500' FNL/820' FWL	I-149-IND-8836	Active	E119	E119	Navajo Nation
E207	4303716283	SW	NW	7	T40S	R24E	2030' FNL 750' FWL		T/A	E207	E207	
E208	4303716284	SW	NW	8	T40S	R24E	1930' FNL/500' FWL	I-149-IND-8833	T/A			Navajo Nation
F116	4303716285	NE	NW	16	T40S	R24E	660' FNL/1980' FWL	ML-3156	Active	F116	F116	Navajo Nation
F217	4303716286	SE	NW	17	T40S	R24E	1890' FNL/1930' FWL	I-149-IND-8835	Active	F217	F217	Navajo Nation
F218	4303716287	SE	NW	18	T40S	R24E	1970' FNL/2060' FWL	I-149-IND-8835	Active	F218	F218	Navajo Nation
F220	4303716288	SE	NW	20	T40S	R24E	1980' FNL/1980' FWL	I-149-IND-8836	Active	F220	F220	Navajo Nation
F224	4303716289	SE	NW	24	T40S	R24E	1980' FNL/1980' FWL	I-149-IND-8838	Active	F224	F224	Navajo Nation
F226	4303716290	SE	NW	26	T40S	R24E	1950' FNL/1900' FWL	I-149-IND-8838	Active	F226	F226	Navajo Nation
F229	4303716292	SE	NW	29	T40S	R24E	2015' FNL/1930' FWL	14-20-603-4030	P/A	F229	F229	Navajo Nation
F235	4303716293	SE	NW	35	T40S	R24E	1825' FNL/2010' FWL	14-20-603-2059	Active	F235	F235	Navajo Nation
F236	4303716294	SE	NW	36	T40S	R24E	1980' FNL/1980' FWL	14-20-603-5444	Active	F236	F236	Navajo Nation
F311	4303716295	NE	SW	11	T40S	R24E	1820' FSL/1980' FWL	I-149-IND-8837	P/A			Navajo Nation
F315	4303716296	NE	SW	15	T40S	R24E	1980' FSL/2010' FWL	I-149-IND-8834	Active	F315	F315	Navajo Nation
F316	4303716297	NE	SW	16	T40S	R24E	2260' FSL/2140' FWL	ML-3156	Active	F316	F316	Navajo Nation
F408	4303716298	SE	SW	8	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8833	Active	F408	F408	Navajo Nation
F417	4303716299	SE	SW	17	T40S	R24E	500' FSL/2140' FWL	I-149-IND-8835	Active	F417	F417	Navajo Nation
F420	4303716300	SE	SW	20	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8836	Active	F420	F420	Navajo Nation
F425	4303716301	SE	SW	25	T40S	R24E	795' FSL/1960' FWL	I-149-IND-8838	Active	F425	F425	Navajo Nation
F426	4303716302	SE	SW	26	T40S	R24E	632' FSL/1867' FWL	I-149-IND-8838	P/A			Navajo Nation
F434	4303716303	SE	SW	34	T40S	R24E	815' FSL/1860' FWL	14-20-603-2056	P/A			Navajo Nation
F435	4303716304	SE	SW	35	T40S	R24E	820' FSL/1930' FWL	14-20-603-2059	T/A			Navajo Nation
G123	4303716306	NW	NE	23	T40S	R24E	660' FNL/1530' FEL	I-149-IND-8838	Active	G123	G123	Navajo Nation
G127	4303716307	NW	NE	27	T40S	R24E	660' FNL/1980' FEL	14-20-603-2056	Active	G127	G127	Navajo Nation
G319	4303716309	NW	SE	19	T40S	R24E	1920' FSL/2060' FEL	I-149-IND-8836	Active	G319	G319	Navajo Nation
H216	4303716312	SE	NE	16	T40S	R24E	3331' FSL/703' FEL	ML-3156	Active	H216	H216	Navajo Nation
H217	4303716313	SE	NE	17	T40S	R24E	2070' FNL/820' FEL	I-149-IND-8833	Active	H217	H217	Navajo Nation
H220	4303716314	SE	NE	20	T40S	R24E	2025' FNL/560' FEL	I-149-IND-8833	Active	H220	H220	Navajo Nation
H226	4303716316	SE	NE	26	T40S	R24E	1980' FNL/780' FEL	I-149-IND-8838	Active	H226	H226	Navajo Nation
H227	4303716317	SE	NE	27	T40S	R24E	1980' FNL/630' FEL	14-20-603-2056	Active	H227	H227	Navajo Nation
H229	4303716318	SE	NE	29	T40S	R24E	1820' FNL/660' FEL	14-20-603-4030	Shut-In	H229	H229	Navajo Nation
H234	4303716319	SE	NE	34	T40S	R24E	1980' FNL/660' FEL	14-20-603-2056	Active	H234	H234	Navajo Nation
H235	4303716320	SE	NE	35	T40S	R24E	2000' FNL/770' FEL	14-20-603-2059	Active	H235	H235	Navajo Nation
H407	4303716322	SE	SE	7	T40S	R24E	645' FSL/500' FEL	I-149-IND-8835	Active	H407	H407	Navajo Nation
H408	4303716323	SE	SE	8	T40S	R24E	500' FSL/530' FEL	I-149-IND-8834	Active	H408	H408	Navajo Nation
H417	4303716326	SE	SE	17	T40S	R24E	500' FSL/690' FEL	I-149-IND-8833	Active	H417	H417	Navajo Nation

H418	4303716327	SE	SE	18	T40S	R24E	660' FSL/660' FEL	I-149-IND-8835	Active	H418	H418	Navajo Nation
H419	4303716328	SE	SE	19	T40S	R24E	570' FSL/450' FEL	I-149-IND-8836	P/A			Navajo Nation
H420	4303716329	SE	SE	20	T40S	R24E	660' FSL/660' FEL	I-149-IND-8836	Active	H420	H420	Navajo Nation
H421	4303716330	SE	SE	21	T40S	R24E	500' FSL/750' FEL	I-149-IND-8836	Active	H421	H421	Navajo Nation
H424	4303716331	SE	SE	24	T40S	R24E	820' FSL/610' FEL	I-149-IND-8838	Active	H424	H424	Navajo Nation
H426	4303716332	SE	SE	26	T40S	R24E	710' FSL/510' FEL	I-149-IND-8838	Active	H426	H426	Navajo Nation
H427	4303716333	SE	SE	27	T40S	R24E	660' FSL/660' FEL	14-20-603-2056	Active	H427	H427	Navajo Nation
K231	4303716335	SE	NW	31	T40S	R25E	2014' FNL/2054' FWL	14-20-603-372A	Active	K231	K231	Navajo Nation
M430	4303716337	SE	SE	30	T40S	R25E	670' FSL/790' FEL	I-149-IND-8839	Active	M430	M430	Navajo Nation
E414	4303716421	SW	SW	14	T40S	R24E	750' FSL/620' FWL	I-149-IND-8837	Active	E414	E414	Navajo Nation
F114	4303716422	NE	NW	14	40S	24E	720' FNL/1870' FWL	I-149-IND-8839	Active	F114	F114	Navajo Nation
E127	4303716782	NW	NW	27	T40S	R24E	660' FNL/660' FWL	14-20-603-2056	P/A			Navajo Nation
H416	4303720230	SE	SE	16	T40S	R24E	150' FSL/660' FEL	ML-3156	Active	H416	H416	Navajo Nation
G322X	4303720231	NW	SE	22	T40S	R24E	1550' FSL/1720' FEL	I-149-IND-8836	Active	G322X	G322X	Navajo Nation
D412	4303730049	SE	SE	12	T40S	R23E	500' FSL/150' FEL	SL-070968-A	Active	D412	D412	Navajo Nation
E316	4303730094	NW	SW	16	T40S	R24E	2190' FSL/128' FWL	ML-3156	Active	E316	E316	Navajo Nation
G321X	4303730095	NW	SE	21	T40S	R24E	1900' FSL/1755' FEL	I-149-IND-8836	Shut-In	G321X	G321X	Navajo Nation
G316	4303730107	NW	SE	16	T40S	R24E	2320' FSL/1745' FEL	ML-3156	Active	G316	G316	Navajo Nation
C312	4303730112	NW	SE	12	T40S	R23E	1610' FSL/1800' FEL	SL-070968-A	Active	C312	C312	Navajo Nation
A113	4303730119	NW	NW	13	T40S	R23E	700' FNL/650' FWL	SL-070968-A	Active			State of Utah
E218	4303730137	SW	NW	18	T40S	R24E	1860' FNL/660' FWL	SL-067807	Active	E218	E218	Navajo Nation
F118	4303730155	NE	NW	18	T40S	R24E	619' FNL/2184' FWL	SL-067807	Active	F118	F118	Navajo Nation
D113	4303730174	NE	NE	13	T40S	R23E	578' FNL/619' FEL	SL-070968-A	Active			State of Utah
E407	4303730175	SW	SW	7	T40S	R24E	618' FSL/577' FWL	SL-067807	Active	E407	E407	Navajo Nation
E315	4303730213	NW	SW	15	T40S	R24E	2212' FSL/591' FWL	I-149-IND-8834	Active	E315	E315	Navajo Nation
E122	4303730215	NW	NW	22	T40S	R24E	528' FNL/660' FWL	I-149-IND-8836	Active	E122	E122	Navajo Nation
F123	4303730235	NE	NW	23	T40S	R24E	660' FNL/2046' FWL	I-149-IND-8838	Shut-In	F123	F123	Navajo Nation
B413	4303730297	SE	SW	13	T40S	R23E	660' FSL/1980' FWL	SL-070968-A	Active			State of Utah
A313	4303730299	NW	SW	13	T40S	R23E	1840' FSL/470' FWL	SL-070968-A	Active			State of Utah
H315	4303730312	NE	SE	15	T40S	R24E	1980' FSL/660' FEL	I-149-IND-8834	Active	H315	H315	Navajo Nation
F416	4303730333	SE	SW	16	T40S	R24E	1000' FSL/1980' FWL	ML-3156	Active	F416	F416	Navajo Nation
G121X	4303730335	NW	NE	21	T40S	R24E	790' FNL/1780' FEL	I-149-IND-8836	Active	G121X	G121X	Navajo Nation
G116	4303730344	NW	NE	16	T40S	R24E	660' FNL/1980' FEL	ML-3156	Active	G116	G116	Navajo Nation
G126X	4303730372	NW	NE	26	T40S	R24E	860' FNL/1780' FEL	I-149-IND-8838	Active	G126X	G126X	Navajo Nation
F222	4303730373	SE	NW	22	T40S	R24E	1920' FNL/1980' FWL	I-149-IND-8836	Active	F222	F222	Navajo Nation
G122	4303730425	NW	NE	22	T40S	R24E	570' FNL/1960' FEL	I-149-IND-8836	Active	G122	G122	Navajo Nation
H314X	4303731381	NE	SE	14	T40S	R24E	1950' FSL/570' FEL	I-149-IND-8837	Active	H314X	H314X	Navajo Nation

**OPERATOR CHANGE WORKSHEET**

<b>ROUTING</b>	
1. GLH	
2. CDW	
3. FILE	

**X Change of Operator (Well Sold)**

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:		<b>12/1/2004</b>
<b>FROM: (Old Operator):</b> N0210-Chevron USA, Inc. PO Box 4791 Houston, TX 77210-4791 Phone: 1-(713) 752-7431	<b>TO: ( New Operator):</b> N2700-Resolute Natural Resources Company 1675 Broadway, Suite 1950 Denver, CO 80202 Phone: 1-(303) 534-4600	

**CA No.**

**Unit:**

**ANETH**

**WELL(S)**

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
NAVAJO FED 9-1 (ANETH E-208)	08	400S	240E	4303716284	99990	Indian	WI	A
NAVAJO TRIBE E-13 (ANETH F-408)	08	400S	240E	4303716298	99990	Indian	WI	A
NAVAJO A-12/23-11 (ANETH F-311)	11	400S	240E	4303716295	99990	Indian	WI	A
NAVAJO TRIBAL E-8 (ANETH F-315)	15	400S	240E	4303716296	99990	Indian	WI	A
NAVAJO TRIBAL G-8 (ANETH F-217)	17	400S	240E	4303716286	99990	Indian	WI	A
NAVAJO TRIBAL G-6 (ANETH F-417)	17	400S	240E	4303716299	99990	Indian	WI	A
NAVAJO FED U 1 (ANETH F-218)	18	400S	240E	4303716287	99990	Indian	WI	A
NAVAJO FED U B-1 (ANETH E-119)	19	400S	240E	4303716280	99990	Indian	WI	A
NAVAJO TRIBE D-8 (ANETH F-220)	20	400S	240E	4303716288	99990	Indian	WI	A
NAVAJO TRIBE D-20 (ANETH F-420)	20	400S	240E	4303716300	99990	Indian	WI	A
NAVAJO TRIBE C-1 (ANETH G-123)	23	400S	240E	4303716306	99990	Indian	WI	A
NAVAJO TRIBE C-16 (ANETH F-224)	24	400S	240E	4303716289	99990	Indian	WI	A
NAVAJO TRIBE C-32 (ANETH F-425)	25	400S	240E	4303716301	99990	Indian	WI	A
NAVAJO TRIBE C-23 (ANETH F-226)	26	400S	240E	4303716290	99990	Indian	WI	A
NAVAJO TRIBE C-4 (ANETH F-426)	26	400S	240E	4303716302	99990	Indian	WI	A
ANETH 27-C-1 (ANETH G-127)	27	400S	240E	4303716307	99990	Indian	WI	A
ANETH H-228	28	400S	240E	4303716228	99990	Indian	WI	A
NAVAJO TRIBE S-4 (ANETH F-229)	29	400S	240E	4303716292	99990	Indian	WI	I
ANETH 34-B-4 (ANETH F-434)	34	400S	240E	4303716303	99990	Indian	WI	A
NAVAJO TRIBE Q-5 (ANETH F-235)	35	400S	240E	4303716293	99990	Indian	WI	A
NAVAJO TRIBE Q-8 (ANETH F-435)	35	400S	240E	4303716304	99990	Indian	WI	A
NAVAJO 3 (ANETH F-236)	36	400S	240E	4303716294	99990	Indian	WI	A

**OPERATOR CHANGES DOCUMENTATION**

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 12/22/2004
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 12/13/2004
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 11/22/2004
- Is the new operator registered in the State of Utah: YES Business Number: 5733505-0143
- If **NO**, the operator was contacted on:
- (R649-9-2) Waste Management Plan has been received on: \_\_\_\_\_ requested
- Inspections of LA PA state/fee well sites complete on: 12/20/2004

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM not yet BIA not yet

8. **Federal and Indian Units:**  
The BLM or BIA has approved the successor of unit operator for wells listed on: not yet

9. **Federal and Indian Communization Agreements ("CA"):**  
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: \_\_\_\_\_

**DATA ENTRY:**

- 1. Changes entered in the **Oil and Gas Database** on: 12/29/2004
- 2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 12/29/2004
- 3. Bond information entered in RBDMS on: n/a
- 4. Fee/State wells attached to bond in RBDMS on: n/a
- 5. Injection Projects to new operator in RBDMS on: separate list
- 6. Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

**FEDERAL WELL(S) BOND VERIFICATION:**

1. Federal well(s) covered by Bond Number: B001263

**INDIAN WELL(S) BOND VERIFICATION:**

1. Indian well(s) covered by Bond Number: B001264

**FEE & STATE WELL(S) BOND VERIFICATION:**

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number B001262

2. The **FORMER** operator has requested a release of liability from their bond on: not yet  
The Division sent response by letter on: \_\_\_\_\_

**LEASE INTEREST OWNER NOTIFICATION:**

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: \_\_\_\_\_

**COMMENTS:**

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_