

**As of 1-5-62, this well was classified as a water injection well & is now existing on water injection line. Started injecting as of April, 1962*

- Scout Report sent out
- Noted in the NID File
- Location map pinned:
- Approval or Disapproval Letter
- Date Completed, P. & A. or operations suspended _____
- Pin changed on location map
- Affidavit and Record of A & P. _____
- Water Shut-Off Test _____
- Gas-Oil Ratio Test _____
- Well Log Filed _____

FILE NOTATIONS

- Entered in NID File
- Entered On S & R Sheet
- Location Map Pinned
- Card Indexed
- IWR for State or Fee Land _____

- Checked by Chief
- Copy NID to Field Office
- Approval Letter _____
- Disapproval Letter _____

COMPLETION DATA:

Date Well Completed 2-11-58
 OW _____ WW _____ TA _____
 GW _____ OS _____ PA

Location Inspected _____
 Bond released _____
 State of Fee Land _____

LOGS FILED

Driller's Log 4-7-58
 Electric Logs (No. 1-3)
 E L EI _____ GR _____ GR-N Micro _____
 Lat. _____ Mi-L _____ Sonic _____ Others _____

This well is to be converted to a water injection well

TWP 5 S R 12 E

**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

Budget Bureau No. 42-R714.3
Approval expires 12-31-55

Heirs of Dade, John
Dishface, et al

ALLOTTEE
TRIBE Navajo
LEASE NO. 14-20-603-2045

LESSEE'S MONTHLY REPORT OF OPERATIONS

State Utah County San Juan Field Wildcat (Outpost Aneth)

The following is a correct report of operations and production (including drilling and producing wells) for the month of May, 19 57,

Agent's address P.O. Box 1076 Company Standard Oil Co. of California
Salt Lake City, Utah Signed Erwin W. Clark

Phone EL 9-8789 Agent's title Development Geologist

SEC. AND 1/4 OF 1/4	TWP.	RANGE	WELL NO.	DAYS PRODUCED	BARRELS OF OIL	GRAVITY	CU. FT. OF GAS (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling depth; if shut down, cause; date and result of test for gasoline content of gas)
SESW Sec. 3	40S	24E	177-1		--	--	--	--	--	5735' T.D. Well suspended 5/20/57
Cored from 5395' to 5735' T.D. The "A" shale was logged from 5332-5366', the "A" zone carbonate section from 5366 to 5512', the "B" shale from 5512-5540', the "B" carbonate zone 5540 to 5678', the "C" shale 5678 to 5697', the "C" carbonate zone 5697 to 5728', & salt from 5728 to 5735'.										
DST #1 - 5415-5473'. Open 15 mins, SI 10 mins. Rec. 375' sli gas cut mud. IF 315, FF 315, SIP 340.										
DST #2 - 5512-5578'. Open 1 hr, 42 mins. SI 30 mins. Rec. 1633' fluid - top 200' mud sli gas and salt water cut with trace oil, balance 1433' salt water sli gas cut. IF 135, FF 805, SIP 1665.										
DST #3 - 5512-5560'. Open 57 mins, SI 30 mins. Rec. 815 fluid - top 120' sli gas cut watery mud, balance 695' of salt water sli gas cut with sl scum oil. IF 135, FF 495, SIP 1755.										
DST #4 - 5618-5628'. Open 57 mins, SI 30 mins. GTS 13 mins - too low to meas. Rec. 180' salt water sli cut with oil & 2050' gas cut mud. Packer failed.										
DST #5 - 5612-5622'. Open 3 hrs, 14 mins. SI 30 mins. GTS 10 mins, mud to surf. 2 hr, 46 mins, water cut mud to surf. 2 hr, 50 mins, water sli cut with oil to surf., 3 hrs. Est. flow 4 bbls/hr 95% salt water, 5% oil, IF 210, FF 1465, SIP 2225.										
DST #6 - 5426-5500'. Open 2 1/2 hrs. SI 30 mins. Rec. 2430' gas cut watery mud. Bottom packer failed.										
DST #7 - 5426-5500'. Open 1 hr. SI 30 mins. Rec. 185 drlg fluid - no oil or water. IF 90, FF 90, SIP 145.										
DST #8 - 5593-5607'. Open 1 hr. SI 30 mins. Rec. 50' drlg fluid - no oil or gas. IF 0, FF 0, SIP 1675.										
Ran Schlumberger Radioactive Log, Induction-Electrical Log and MicroLog. Log tops: Glen Canyon 680, Chinle 1470, Shinarump 2345, Moenkopi 2400; Cutler Group: Hoskinnini 2497, DeChelly 2594, Organ Rock 2660, Cedar Mesa 3319, Hermosa 4490, Bluff ("A" zone) 5360, Desert Creek ("B" zone) 5538', "C" zone 5695'.										
Plugged interval 5350-5735 with 200 sacks, plugged interval 2550-2700 w/150 sacks, plugged interval 1000-1225' with 125 sacks, & plugged interval 15-40' with 25 sacks.										
Bolted 1/2" steel plate on casing head. Well suspended May 20, 1957, for perhaps a one-year period.										

NOTE.—There were No runs or sales of oil; No M. cu. ft. of gas sold; No runs or sales of gasoline during the month. (Write "no" where applicable.)

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

(SUBMIT IN TRIPPLICATE)


Indian Agency _____

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Indian Reservation _____

Allottee Navajo

Lease No. 1-109-170-0037



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

7 January, 19 58

Well No. Navajo A-12 is located ¹⁹⁸⁰~~1820~~ ft. from N S line and ¹⁸²⁰~~1900~~ ft. from E W line of sec. 11

NE SW Sec 11
(¼ Sec. and Sec. No.)

40 S 24 E
(Twp.) (Range)

S1E1
(Meridian)

Aneth
(Field)

San Juan
(County or Subdivision)

Utah
(State or Territory)

The elevation of the ~~drinking~~ ^{ungraded ground} above sea level is 4796 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Propose to drill well to test Paradox Formation to a depth of approximately 5875.

Will set approximately 800' of 10-3/4" casing for surface pipe, with cement circulated to surface.

Will set 7" casing through any commercial production encountered.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company THE SUPERIOR OIL CO.

Address Box 276

Cortez, Colo.

By _____

Title Pet. Engr.


Company THE SUPERIOR OIL COMPANY

Lease NAVAJO "A" Well No. A-12

Sec. 11, T. 40 S., R. 24 E., S.L.M.

Location 1980' FROM THE SOUTH LINE AND 1820' FROM THE WEST LINE.

Elevation ~~4700.3~~ 4794.3 UNGRADED. Ground.



Scale—4 inches equal 1 mile.

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Seal:  Registered Land Surveyor.
James P. Leese
Utah Reg. No. 1472

Surveyed 8 July 1957, 19.....

January 9, 1958

The Superior Oil Company
Box 267
Cortez, Colorado

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Navajo A-12, which is to be located 1820 feet from the south line and 1980 feet from the west line of Section 11, Township 40 South, Range 24 East, S1EM, San Juan County, Utah.

Please be advised that insofar as this office is concerned, approval to drill said well is hereby granted.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B FEIGHT
SECRETARY


CBF:cn

cc: Phil McGrath
U.S.G.S.
Farmington, New Mexico

Form 9-331b
(April 1952)

(SUBMIT IN TRIPLICATE)

Indian Agency _____



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

WINDOW ROCK

Allottee 1-149-IND.-8837

Lease No. NAVAJO

71-8
2-17

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	XX		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

FEBRUARY 11, 1958

Navajo
Well No. A-12 is located 1980 ft. from $\left[\begin{smallmatrix} N \\ S \end{smallmatrix} \right]$ line and 1820 ft. from $\left[\begin{smallmatrix} E \\ W \end{smallmatrix} \right]$ line of sec. 11

NE SW Sec. 11 40S 24E SALT LAKE
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

ANETH SAN JUAN UTAH
(Field) (County or Subdivision) (State or Territory)

Kelly bushing

The elevation of the ~~drill base~~ above sea level is 4808 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded; January 9, 1958

Set 10 3/4" surface casing at 861 with 450 sacks of cement in 13 3/4" hole.

Total depth: 5880'

Propose to place abandonment plugs as follows:

- Plug #1 Will equalize 125 sacks cement through 4 1/2" DP hung 5850' calculated top of cement 5539.
- Plug #2 Will equalize 75 sacks of cement through 4 1/2" DP hung 2875' calculated top of cement 2688.
- Plug #3 Will equalize 50 sacks cement through 4 1/2" DP hung 861'

over

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company THE SUPERIOR OIL CO.

Address BOX 276

CORTEZ, COLORADO

By George E. Nugent
GEORGE E. NUGENT
Title PETROLEUM ENGINEER

W/

Will check log of Plug #3 after 6 hrs.
Will cut casing off 4' below ground level.
Place 10 sacks cement plug at surface and will steel plate over casing stub.
Will erect a standard dry hole marker and clean up location.

STAFF COMMENTS TO REPORT OF ONE MEMBER OF THE BOARD OF DIRECTORS
OF THE COMPANY, 11 YEARS OF SERVICE, 1941-1952, 1954-1955, 1957-1958,
1960-1961, 1963-1964, 1966-1967, 1969-1970, 1972-1973, 1975-1976,
1978-1979, 1981-1982, 1984-1985, 1987-1988, 1990-1991, 1993-1994,
1996-1997, 1999-2000, 2002-2003, 2005-2006, 2008-2009, 2011-2012,
2014-2015, 2017-2018, 2020-2021, 2023-2024, 2026-2027, 2029-2030,
2032-2033, 2035-2036, 2038-2039, 2041-2042, 2044-2045, 2047-2048,
2050-2051, 2053-2054, 2056-2057, 2059-2060, 2062-2063, 2065-2066,
2068-2069, 2071-2072, 2074-2075, 2077-2078, 2080-2081, 2083-2084,
2086-2087, 2089-2090, 2092-2093, 2095-2096, 2098-2099, 2101-2102,
2104-2105, 2107-2108, 2110-2111, 2113-2114, 2116-2117, 2119-2120,
2122-2123, 2125-2126, 2128-2129, 2131-2132, 2134-2135, 2137-2138,
2140-2141, 2143-2144, 2146-2147, 2149-2150, 2152-2153, 2155-2156,
2158-2159, 2161-2162, 2164-2165, 2167-2168, 2170-2171, 2173-2174,
2176-2177, 2179-2180, 2182-2183, 2185-2186, 2188-2189, 2191-2192,
2194-2195, 2197-2198, 2199-2200, 2202-2203, 2205-2206, 2208-2209,
2211-2212, 2214-2215, 2217-2218, 2220-2221, 2223-2224, 2226-2227,
2229-2230, 2232-2233, 2235-2236, 2238-2239, 2241-2242, 2244-2245,
2247-2248, 2250-2251, 2253-2254, 2256-2257, 2259-2260, 2262-2263,
2265-2266, 2268-2269, 2271-2272, 2274-2275, 2277-2278, 2280-2281,
2283-2284, 2286-2287, 2289-2290, 2292-2293, 2295-2296, 2298-2299,
2301-2302, 2304-2305, 2307-2308, 2310-2311, 2313-2314, 2316-2317,
2319-2320, 2322-2323, 2325-2326, 2328-2329, 2331-2332, 2334-2335,
2337-2338, 2340-2341, 2343-2344, 2346-2347, 2349-2350, 2352-2353,
2355-2356, 2358-2359, 2361-2362, 2364-2365, 2367-2368, 2370-2371,
2373-2374, 2376-2377, 2379-2380, 2382-2383, 2385-2386, 2388-2389,
2391-2392, 2394-2395, 2397-2398, 2399-2400, 2402-2403, 2405-2406,
2408-2409, 2411-2412, 2414-2415, 2417-2418, 2420-2421, 2423-2424,
2426-2427, 2429-2430, 2432-2433, 2435-2436, 2438-2439, 2441-2442,
2444-2445, 2447-2448, 2450-2451, 2453-2454, 2456-2457, 2459-2460,
2462-2463, 2465-2466, 2468-2469, 2471-2472, 2474-2475, 2477-2478,
2480-2481, 2483-2484, 2486-2487, 2489-2490, 2492-2493, 2495-2496,
2498-2499, 2501-2502, 2504-2505, 2507-2508, 2510-2511, 2513-2514,
2516-2517, 2519-2520, 2522-2523, 2525-2526, 2528-2529, 2531-2532,
2534-2535, 2537-2538, 2540-2541, 2543-2544, 2546-2547, 2549-2550,
2552-2553, 2555-2556, 2558-2559, 2561-2562, 2564-2565, 2567-2568,
2570-2571, 2573-2574, 2576-2577, 2579-2580, 2582-2583, 2585-2586,
2588-2589, 2591-2592, 2594-2595, 2597-2598, 2599-2600, 2602-2603,
2605-2606, 2608-2609, 2611-2612, 2614-2615, 2617-2618, 2620-2621,
2623-2624, 2626-2627, 2629-2630, 2632-2633, 2635-2636, 2638-2639,
2641-2642, 2644-2645, 2647-2648, 2650-2651, 2653-2654, 2656-2657,
2659-2660, 2662-2663, 2665-2666, 2668-2669, 2671-2672, 2674-2675,
2677-2678, 2680-2681, 2683-2684, 2686-2687, 2689-2690, 2692-2693,
2695-2696, 2698-2699, 2701-2702, 2704-2705, 2707-2708, 2710-2711,
2713-2714, 2716-2717, 2719-2720, 2722-2723, 2725-2726, 2728-2729,
2731-2732, 2734-2735, 2737-2738, 2740-2741, 2743-2744, 2746-2747,
2749-2750, 2752-2753, 2755-2756, 2758-2759, 2761-2762, 2764-2765,
2767-2768, 2770-2771, 2773-2774, 2776-2777, 2779-2780, 2782-2783,
2785-2786, 2788-2789, 2791-2792, 2794-2795, 2797-2798, 2799-2800,
2802-2803, 2805-2806, 2808-2809, 2811-2812, 2814-2815, 2817-2818,
2820-2821, 2823-2824, 2826-2827, 2829-2830, 2832-2833, 2835-2836,
2838-2839, 2841-2842, 2844-2845, 2847-2848, 2850-2851, 2853-2854,
2856-2857, 2859-2860, 2862-2863, 2865-2866, 2868-2869, 2871-2872,
2874-2875, 2877-2878, 2880-2881, 2883-2884, 2886-2887, 2889-2890,
2892-2893, 2895-2896, 2898-2899, 2901-2902, 2904-2905, 2907-2908,
2910-2911, 2913-2914, 2916-2917, 2919-2920, 2922-2923, 2925-2926,
2928-2929, 2931-2932, 2934-2935, 2937-2938, 2940-2941, 2943-2944,
2946-2947, 2949-2950, 2952-2953, 2955-2956, 2958-2959, 2961-2962,
2964-2965, 2967-2968, 2970-2971, 2973-2974, 2976-2977, 2979-2980,
2982-2983, 2985-2986, 2988-2989, 2991-2992, 2994-2995, 2997-2998,
2999-3000, 3002-3003, 3005-3006, 3008-3009, 3011-3012, 3014-3015,
3017-3018, 3020-3021, 3023-3024, 3026-3027, 3029-3030, 3032-3033,
3035-3036, 3038-3039, 3041-3042, 3044-3045, 3047-3048, 3050-3051,
3053-3054, 3056-3057, 3059-3060, 3062-3063, 3065-3066, 3068-3069,
3071-3072, 3074-3075, 3077-3078, 3080-3081, 3083-3084, 3086-3087,
3089-3090, 3092-3093, 3095-3096, 3098-3099, 3101-3102, 3104-3105,
3107-3108, 3110-3111, 3113-3114, 3116-3117, 3119-3120, 3122-3123,
3125-3126, 3128-3129, 3131-3132, 3134-3135, 3137-3138, 3140-3141,
3143-3144, 3146-3147, 3149-3150, 3152-3153, 3155-3156, 3158-3159,
3161-3162, 3164-3165, 3167-3168, 3170-3171, 3173-3174, 3176-3177,
3179-3180, 3182-3183, 3185-3186, 3188-3189, 3191-3192, 3194-3195,
3197-3198, 3199-3200, 3202-3203, 3205-3206, 3208-3209, 3211-3212,
3214-3215, 3217-3218, 3220-3221, 3223-3224, 3226-3227, 3229-3230,
3232-3233, 3235-3236, 3238-3239, 3241-3242, 3244-3245, 3247-3248,
3250-3251, 3253-3254, 3256-3257, 3259-3260, 3262-3263, 3265-3266,
3268-3269, 3271-3272, 3274-3275, 3277-3278, 3280-3281, 3283-3284,
3286-3287, 3289-3290, 3292-3293, 3295-3296, 3298-3299, 3301-3302,
3304-3305, 3307-3308, 3310-3311, 3313-3314, 3316-3317, 3319-3320,
3322-3323, 3325-3326, 3328-3329, 3331-3332, 3334-3335, 3337-3338,
3340-3341, 3343-3344, 3346-3347, 3349-3350, 3352-3353, 3355-3356,
3358-3359, 3361-3362, 3364-3365, 3367-3368, 3370-3371, 3373-3374,
3376-3377, 3379-3380, 3382-3383, 3385-3386, 3388-3389, 3391-3392,
3394-3395, 3397-3398, 3399-3400, 3402-3403, 3405-3406, 3408-3409,
3411-3412, 3414-3415, 3417-3418, 3420-3421, 3423-3424, 3426-3427,
3429-3430, 3432-3433, 3435-3436, 3438-3439, 3441-3442, 3444-3445,
3447-3448, 3450-3451, 3453-3454, 3456-3457, 3459-3460, 3462-3463,
3465-3466, 3468-3469, 3471-3472, 3474-3475, 3477-3478, 3480-3481,
3483-3484, 3486-3487, 3489-3490, 3492-3493, 3495-3496, 3498-3499,
3501-3502, 3504-3505, 3507-3508, 3510-3511, 3513-3514, 3516-3517,
3519-3520, 3522-3523, 3525-3526, 3528-3529, 3531-3532, 3534-3535,
3537-3538, 3540-3541, 3543-3544, 3546-3547, 3549-3550, 3552-3553,
3555-3556, 3558-3559, 3561-3562, 3564-3565, 3567-3568, 3570-3571,
3573-3574, 3576-3577, 3579-3580, 3582-3583, 3585-3586, 3588-3589,
3591-3592, 3594-3595, 3597-3598, 3599-3600, 3602-3603, 3605-3606,
3608-3609, 3611-3612, 3614-3615, 3617-3618, 3620-3621, 3623-3624,
3626-3627, 3629-3630, 3632-3633, 3635-3636, 3638-3639, 3641-3642,
3644-3645, 3647-3648, 3650-3651, 3653-3654, 3656-3657, 3659-3660,
3662-3663, 3665-3666, 3668-3669, 3671-3672, 3674-3675, 3677-3678,
3680-3681, 3683-3684, 3686-3687, 3689-3690, 3692-3693, 3695-3696,
3698-3699, 3701-3702, 3704-3705, 3707-3708, 3710-3711, 3713-3714,
3716-3717, 3719-3720, 3722-3723, 3725-3726, 3728-3729, 3731-3732,
3734-3735, 3737-3738, 3740-3741, 3743-3744, 3746-3747, 3749-3750,
3752-3753, 3755-3756, 3758-3759, 3761-3762, 3764-3765, 3767-3768,
3770-3771, 3773-3774, 3776-3777, 3779-3780, 3782-3783, 3785-3786,
3788-3789, 3791-3792, 3794-3795, 3797-3798, 3799-3800, 3802-3803,
3805-3806, 3808-3809, 3811-3812, 3814-3815, 3817-3818, 3820-3821,
3823-3824, 3826-3827, 3829-3830, 3832-3833, 3835-3836, 3838-3839,
3841-3842, 3844-3845, 3847-3848, 3850-3851, 3853-3854, 3856-3857,
3859-3860, 3862-3863, 3865-3866, 3868-3869, 3871-3872, 3874-3875,
3877-3878, 3880-3881, 3883-3884, 3886-3887, 3889-3890, 3892-3893,
3895-3896, 3898-3899, 3901-3902, 3904-3905, 3907-3908, 3910-3911,
3913-3914, 3916-3917, 3919-3920, 3922-3923, 3925-3926, 3928-3929,
3931-3932, 3934-3935, 3937-3938, 3940-3941, 3943-3944, 3946-3947,
3949-3950, 3952-3953, 3955-3956, 3958-3959, 3961-3962, 3964-3965,
3967-3968, 3970-3971, 3973-3974, 3976-3977, 3979-3980, 3982-3983,
3985-3986, 3988-3989, 3991-3992, 3994-3995, 3997-3998, 3999-4000,
4002-4003, 4005-4006, 4008-4009, 4011-4012, 4014-4015, 4017-4018,
4020-4021, 4023-4024, 4026-4027, 4029-4030, 4032-4033, 4035-4036,
4038-4039, 4041-4042, 4044-4045, 4047-4048, 4050-4051, 4053-4054,
4056-4057, 4059-4060, 4062-4063, 4065-4066, 4068-4069, 4071-4072,
4074-4075, 4077-4078, 4080-4081, 4083-4084, 4086-4087, 4089-4090,
4092-4093, 4095-4096, 4098-4099, 4101-4102, 4104-4105, 4107-4108,
4110-4111, 4113-4114, 4116-4117, 4119-4120, 4122-4123, 4125-4126,
4128-4129, 4131-4132, 4134-4135, 4137-4138, 4140-4141, 4143-4144,
4146-4147, 4149-4150, 4152-4153, 4155-4156, 4158-4159, 4161-4162,
4164-4165, 4167-4168, 4170-4171, 4173-4174, 4176-4177, 4179-4180,
4182-4183, 4185-4186, 4188-4189, 4191-4192, 4194-4195, 4197-4198,
4199-4200, 4202-4203, 4205-4206, 4208-4209, 4211-4212, 4214-4215,
4217-4218, 4220-4221, 4223-4224, 4226-4227, 4229-4230, 4232-4233,
4235-4236, 4238-4239, 4241-4242, 4244-4245, 4247-4248, 4250-4251,
4253-4254, 4256-4257, 4259-4260, 4262-4263, 4265-4266, 4268-4269,
4271-4272, 4274-4275, 4277-4278, 4280-4281, 4283-4284, 4286-4287,
4289-4290, 4292-4293, 4295-4296, 4298-4299, 4301-4302, 4304-4305,
4307-4308, 4310-4311, 4313-4314, 4316-4317, 4319-4320, 4322-4323,
4325-4326, 4328-4329, 4331-4332, 4334-4335, 4337-4338, 4340-4341,
4343-4344, 4346-4347, 4349-4350, 4352-4353, 4355-4356, 4358-4359,
4361-4362, 4364-4365, 4367-4368, 4370-4371, 4373-4374, 4376-4377,
4379-4380, 4382-4383, 4385-4386, 4388-4389, 4391-4392, 4394-4395,
4397-4398, 4399-4400, 4402-4403, 4405-4406, 4408-4409, 4411-4412,
4414-4415, 4417-4418, 4420-4421, 4423-4424, 4426-4427, 4429-4430,
4432-4433, 4435-4436, 4438-4439, 4441-4442, 4444-4445, 4447-4448,
4450-4451, 4453-4454, 4456-4457, 4459-4460, 4462-4463, 4465-4466,
4468-4469, 4471-4472, 4474-4475, 4477-4478, 4480-4481, 4483-4484,
4486-4487, 4489-4490, 4492-4493, 4495-4496, 4498-4499, 4501-4502,
4504-4505, 4507-4508, 4510-4511, 4513-4514, 4516-4517, 4519-4520,
4522-4523, 4525-4526, 4528-4529, 4531-4532, 4534-4535, 4537-4538,
4540-4541, 4543-4544, 4546-4547, 4549-4550, 4552-4553, 4555-4556,
4558-4559, 4561-4562, 4564-4565, 4567-4568, 4570-4571, 4573-4574,
4576-4577, 4579-4580, 4582-4583, 4585-4586, 4588-4589, 4591-4592,
4594-4595, 4597-4598, 4599-4600, 4602-4603, 4605-4606, 4608-4609,
4611-4612, 4614-4615, 4617-4618, 4620-4621, 4623-4624, 4626-4627,
4629-4630, 4632-4633, 4635-4636, 4638-4639, 4641-4642, 4644-4645,
4647-4648, 4650-4651, 4653-4654, 4656-4657, 4659-4660, 4662-4663,
4665-4666, 4668-4669, 4671-4672, 4674-4675, 4677-4678, 4680-4681,
4683-4684, 4686-4687, 4689-4690, 4692-4693, 4695-4696, 4698-4699,
4701-4702, 4704-4705, 4707-4708, 4710-4711, 4713-4714, 4716-4717,
4719-4720, 4722-4723, 4725-4726, 4728-4729, 4731-4732, 4734-4735,
4737-4738, 4740-4741, 4743-4744, 4746-4747, 4749-4750, 4752-4753,
4755-4756, 4758-4759, 4761-4762, 4764-4765, 4767-4768, 4770-4771,
4773-4774, 4776-4777, 4779-4780, 4782-4783, 4785-4786, 4788-4789,
4791-4792, 4794-4795, 4797-4798, 4799-4800, 4802-4803, 4805-4806,
4808-4809, 4811-4812, 4814-4815, 4817-4818, 4820-4821, 4823-4824,
4826-4827, 4829-4830, 4832-4833, 4835-4836, 4838-4839, 4841-4842,
4844-4845, 4847-4848, 4850-4851, 4853-4854, 4856-4857, 4859-4860,
4862-4863, 4865-4866, 4868-4869, 4871-4872, 4874-4875, 4877-4878,
4880-4881, 4883-4884, 4886-4887, 4889-4890, 4892-4893, 4895-4896,
4898-4899, 4901-4902, 4904-4905, 4907-4908, 4910-4911, 4913-4914,
4916-4917, 4919-4920, 4922-4923, 4925-4926, 4928-4929, 4931-4932,
4934-4935, 4937-4938, 4940-4941, 4943-4944, 4946-4947, 4949-4950,
4952-4953, 4955-4956, 4958-4959, 4961-4962, 4964-4965, 4967-4968,
4970-4971, 4973-4974, 4976-4977, 4979-4980, 4982-4983, 4985-4986,
4988-4989, 4991-4992, 4994-4995, 4997-4998, 4999-5000, 5002-5003,
5005-5006, 5008-5009, 5011-5012, 5014-5015, 5017-5018, 5020-5021,
5023-5024, 5026-5027, 5029-5030, 5032-5033, 5035-5036, 5038-5039,
5041-5042, 5044-5045, 5047-5048, 5050-5051, 5053-5054, 5056-5057,
5059-5060, 5062-5063, 5065-5066, 5068-5069, 5071-5072, 5074-5075,
5077-5078, 5080-5081, 5083-5084, 5086-5087, 5089-5090, 5092-5093,
5095-5096, 5098-5099, 5101-5102, 5104-5105, 5107-5108, 5110-5111,
5113-5114, 5116-5117, 5119-5120, 5122-5123, 5125-5126, 5128-5129,
5131-5132, 5134-5135, 5137-5138, 5140-5141, 5143-5144, 5146-5147,
5149-5150, 5152-5153, 5155-5156, 5158-5159, 5161-5162, 5164-5165,
5167-5168, 5170-5171, 5173-5174, 5176-5177, 5179-5180, 5182-5183,
5185-5186, 5188-5189, 5191-5192, 5194-5195, 5197-5198, 5199-5200,
5202-5203, 5205-5206, 5208-5209, 5211-5212, 5214-5215, 5217-5218,
5220-52


(SUBMIT IN TRIPLICATE)

Indian Agency Window Rock

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee Navajo

Lease No. 1-149-IND-8837



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	XX
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

31 March, 1958

Navajo A (A-12)*

Well No. A #23-11 is located 1980 ft. from S line and 1820 ft. from E line of sec. 11

NE SW Sec. 11

40S

24E

SLBM

(1/4 Sec. and Sec. No.)

(Twp.)

(Range)

(Meridian)

Aneth

San Juan

Utah

(Field)

kelly bushing

(County or Subdivision)

(State or Territory)

The elevation of the ~~drill floor~~ drill floor above sea level is 4803 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded: 9 January 1958.

Abandoned: 11 February 1958.

T. D.: 5880

Casing: 10-3/4" surface casing set at 861 with 450 sacks cement. Cement circulated to surface.

Plugging Detail:

Plug #1: Equalized 125 sax cement with drill pipe hanging at 5850.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Superior Oil Co.

Address Box 276

Cortez, Colo

By G. Bannantine
G. BANNANTINE

Title Pet. Engr.

*Former number

Plug #2: Equalized 75 sacks cement with drill pipe at 2875.

Plug #3: Equalized 50 sack plug with drill pipe at 861.
Checked top of plug 6 hours later and located same
at 786.

Cut off 10-3/4" casing 4' below ground level. Dumped 10 sack plug
in top of 10-3/4" casing.

Welded steel plate over top of casing stub and erected standard
dry hole marker.

Location cleaned up and restored to as near original condition as
possible.

APR 11 1958

Form 9-331b
(April 1952)

(SUBMIT IN TRIPLICATE)

Indian Agency _____

	x	

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Window Rock

Allottee Navajo

Lease No. 1-149-IND.-8837

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	XX
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

31 March, 1958

Navajo A #23-11
Well No. (A-12)* located 1980 ft. from $\left\{ \begin{matrix} N \\ S \end{matrix} \right\}$ line and 1820 ft. from $\left\{ \begin{matrix} E \\ W \end{matrix} \right\}$ line of sec. 11

NE SW SEC. 11 (1/4 Sec. and Sec. No.) 40S (Twp.) 24^E (Range) SLBM (Meridian)

Aneth (Field) San Juan (County or Subdivision) Utah (State or Territory)

The elevation of the ~~derrick floor~~ ^{kelly bushing} above sea level is 4808 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded: 9 January 1958.

Abandoned: 11 February 1958.

T. D.: 5880.

Casing: 10-3/4" surface casing set @ 861 with 450 sacks cement. Cement circulated to surface.

Plugging Detail:

Plug #1: Equalized 125 sacks cement with drill pipe hanging at 5850.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Superior Oil Co.

Address Box 276

Cortez, Colo

By G. BANNANTINE
Title Pet. Engr.

*Former Number

APR 2 1958

Plug #2: Equalized 75 sacks cement with drill pipe at 2875.

Plug #3: Equalized 50 sack plug with drill pipe at 861.
Checked top of plug 6 hours later and located same
at 786.


Cut off 10-3/4" casing 4' below ground level. Dumped 10 sack plug
in top of 10-3/4" casing.

Welded steel plate over top of casing stub and erected standard
dry hole marker.

Location cleaned up and restored to as near original condition as
possible.

U. S. LAND OFFICE Navajo
SERIAL NUMBER 1-149-INT-4037
LEASE OR PERMIT TO PROSPECT Navajo

9961 / 811



LOCATE WELL CORRECTLY

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

Company The Superior Oil Co. Address Box 276, Cortez, Colo.

Lessor or Tract Navajo Field Arach State Utah

Well No. 1-149-INT-4037 Sec. 11 T. 40N R. 24E Meridian T14N County San Juan

Location 1000 ft. $\left\{ \begin{matrix} N \\ S \end{matrix} \right\}$ of 1 Line and 1320 ft. $\left\{ \begin{matrix} E \\ W \end{matrix} \right\}$ of 11 Line of 11 Sec. Elevation 5200 (Elevation relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed G. Bannantine
G. BANNTANTINE

Date 31 March 1958 Title Gen. Mgr.

The summary on this page is for the condition of the well at above date.

Commenced drilling 9 January, 19 58 Finished drilling 11 February, 19 58

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from None to _____ No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from _____ to _____ No. 3, from _____ to _____
No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From-	To-	
<u>10-3/4</u>	<u>32.75</u>	<u>8</u>	<u>Lucas</u>	<u>400</u>	<u>None</u>	<u>Surface</u>			<u>Circulation</u>

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
<u>10-3/4</u>	<u>601</u>	<u>150</u>	<u>Simulated to surface</u>		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____
Adapters—Material _____ Size _____

FOLD MARK

FOLD MARK

10-3/4"	861	450	Circulated to surface.

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____
 Adapters—Material _____ Size _____

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from surface feet to 5800 feet, and from _____ feet to _____ feet
 Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

DATES

9 January _____, 1958 ~~Put to producing~~ Abandoned 11 February _____, 1958
 The production for the first 24 hours was _____ barrels of fluid of which _____% was oil; _____% emulsion; _____% water; and _____% sediment. Gravity, °Bé. _____
 If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
 Rock pressure, lbs. per sq. in. _____

EMPLOYEES

Hendrix _____, Driller Fox _____, Driller
Nelson _____, Driller Short _____, Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
			Schlumberger Electric log tops:
			De Chelly 2790
			Organ Rock 2875
			Hermosa 4682
			Upper Boundary Butte 5546
			Pardox Shale 5691 (-883)
			Lower Boundary Butte 5716 (-908)
			Chimney Rock 5851 (-1041)
			T. D. 5880

(OVER)

5

FIELD MARK

Casing size	Weight per foot	Number rods of cement	Best bottom	Yield per foot	Best bottom to surface

MUDDING AND CEMENTING RECORD

HISTORY OF OIL OR GAS WELL

16-43094-2 U. S. GOVERNMENT PRINTING OFFICE

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidetracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or bailing.

Casing size	Per foot	Depth	Remarks	Kind of shoe	Set and pulled from	Flow	Loss	Purpose
			DS 711; (5725--5735) Straddle test.					
No. 3'			Ran CRT on 4 1/2" D. Bore hole 5 7/8" BHC. Set packers @ 5719					
No. 1'			and 5725 and set bottom packers @ 5735 and 5741. Blank anchor					
No. 3'			to 5785. Opened tool for 2 hour test. FBOA immediately to dead					
No. 1'			in 23 minutes. Dead for balance of test. Closed tool for					
No. 3'			60 minutes SIP. Pulled and recovered 60' of drilling mud.					
No. 3'			WHP 254-504; FHP 12504; HP 32004.					
No. 1'			Well was plugged as described on form 9-331-b and standard					
No. 1'			dry hole marker erected.					

(Denote gas by G)

OIL OR GAS SANDS OR ZONES

Commenced drilling _____ 10 _____ Finished drilling _____ 10 _____

The summary on this page is for the condition of the well at above date.

Date _____

so far as can be determined from all available records.

The information given herewith is a complete and correct record of the well and all work done thereon


Location _____ of _____ Line and _____ of _____ Line of _____ Elevation _____

Well No. _____ Sec. _____ T. _____ B. _____ Meridian _____ County _____

Lessor or Tract _____ Field _____ State _____

Company _____ Address _____

LOCATE WELL CORRECTLY



LOC OF OIL OR GAS WELL

GEOLOGICAL SURVEY

DEPARTMENT OF THE INTERIOR

UNITED STATES

LEASE OR PERMIT TO PROSPECT _____

SERIAL NUMBER _____

U. S. LAND OFFICE _____

APPROVAL EXPIRES 12-31-00. Next Edition No. 43-13324

1900 8894

(SUBMIT IN TRIPLICATE)

		11	
X			

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Indian Agency _____
Window Rock
Allottee **Navajo**
Lease No. **1-149-IND-8837**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	X	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 13, 19 61

Well No. **Navajo 'A'** #23-11 is located **1980** ft. from **NE** line and **1820** ft. from **W** line of sec. **11**

NE SW Section 11 (1/4 Sec. and Sec. No.) **40S** (Twp.) **24E** (Range) **SLBM** (Meridian)
Aneth (Field) **San Juan** (County or Subdivision) **Utah** (State or Territory)

The elevation ~~of the casing floor~~ above sea level is **4808** ft. **K.B.**

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Propose to re-enter and set casing in subject well.

Will clean out cement plugs to approximately 5880'.

Will set approximately 5880' of 4-1/2" casing.

Well will be used for water injection purposes and will not be perforated at this time.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **The Superior Oil Company**

Address **P. O. Drawer 'G'**

Cortez, Colorado

ORIGINAL SIGNED BY

By **W. M. Ramsburg**

Title **Engineer**

March 23, 1961

The Superior Oil Company
P. O. Drawer 'G'
Cortez, Colorado

Attn: W. M. Ramsburg, Engineer

Gentlemen:

This is to acknowledge receipt of your notice of intention to redrill or repair Well No. Navajo 'A' #23-11, which is located 1980 feet from the south line and 1820 feet from the west line of Section 11, Township 40 South, Range 24 East, S1EM, San Juan County, Utah.

Please be advised that insofar as this office is concerned approval is hereby granted to set the casing in the subject well as outlined in your notice of intention of March 13, 1961; however, this does not include permission to perforate the casing or to utilize this well for water injection.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

ROBERT L. SCHMIDT,
CHIEF PETROLEUM ENGINEER

RLS:awg

(SUBMIT IN TRIPLICATE)

Indian Agency _____

Window Rock

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee Navajo

Lease No. 1-149-IND-8837

	11	
x		

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	X
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	X
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 18, 19 61

Well No. Navajo 'A'
23-11 is located 1980 ft. from S line and 1820 ft. from W line of sec. 11

NE SW Sec. 11
(¼ Sec. and Sec. No.)

40S
(Twp.)

24E
(Range)

SLBM
(Meridian)

Aneth
(Field)

San Juan
(County or Subdivision)

Utah
(State or Territory)

The elevation of ~~the bottom of~~ above sea level is 4909 ft. K.B.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Abandoned: 2-11-58

Commenced Redrilling Operations: 3-21-61

Suspended Operations: 4-12-61

T.D.: 5880'

Casing: 4-1/2" 9.50# Set at 5880' w/300 sacks.

In the course of redrilling, drilled out of old hole @ 2889', new hole.
The following information is applicable to the new hole.

(Over)

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Superior Oil Company

Address P. O. Drawer 'G'

Cortez, Colorado

By ORIGINAL SIGNED BY
W. M. Ramsburg
Title Engineer

ELECTRIC LOG TOPS

Desert Creek 5714' (-0911') Chimney Rock 5845'

PERFORATIONS: None

DRILL STEM TESTS: None


TREATMENTS: None

TUBING: No tubing in the hole.

This well to be used for proposed future water injection purposes.

APR 21 1960

U. S. LAND OFFICE Santa Fe
SERIAL NUMBER 1-149-IND-8837
LEASE OR PERMIT TO PROSPECT Navajo



LOCATE WELL CORRECTLY

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

Company The Superior Oil Company Address P. O. Drawer 'G', Cortez, Colorado
Lessor or Tract Navajo 'A' Field Aneth State Utah
Well No. 23-11 Sec. 11 T. 40S R. 24E Meridian SLBM County San Juan
Location 1980 ft. ^[N.]_[XX] of S Line and 1820 ft. ^[E.]_[WX] of W Line of Sec. 11 Elevation 4808 K. B.
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

ORIGINAL SIGNED BY
Signed W. M. Ramsburg Title Engineer

Date April 19, 1961

The summary on this page is for the condition of the well at above date.

Commenced/Re drilling March 21, 19 61 Suspended Operations April 12, 19 61

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from None to _____ No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from None to _____ No. 3, from _____ to _____
No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	
<u>10-3/4"</u>	<u>32.75</u>	<u>8</u>	<u>J-55</u>	<u>861'</u>	<u>None</u>	<u>None</u>	<u>None</u>	<u>None</u>	<u>Surface</u>
<u>4-1/2"</u>									<u>Flow</u>

HISTORY OF OIL OR GAS WELL

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
<u>10-3/4"</u>	<u>861'</u>	<u>450</u>	<u>Circulated to surface.</u>		
<u>4-1/2"</u>	<u>5880'</u>	<u>300</u>	<u>Pump & Plug</u>		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____
Adapters—Material _____ Size _____

FOLD MARK

FOLD MARK

10-3/4"	861'	450	Circulated to surface.
4-1/2"	5880'	300	Pump & Plug

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____
 Adapters—Material _____ Size _____

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from _____ 0 _____ feet to _____ 5880 _____ feet, and from _____ feet to _____ feet
 Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

DATES Suspended Operations

~~But is producing~~ **April 12, 1961**
 April 19 _____, 19 61
 The production for the first 24 hours was _____ barrels of fluid of which _____% was oil; _____% emulsion; _____% water; and _____% sediment. Gravity, °Bé. _____
 If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
 Rock pressure, lbs. per sq. in. _____

EMPLOYEES

Contr.: **R. L. Manning** _____, Driller _____, Driller
 _____, Driller _____, Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
ELECTRIC LOG TOPS			
		5714' (-911')	Desert Creek
		5845'	Chimney Rock
<p>Note: This well to be used for proposed future water injection purposes for Aneth Unit.</p>			
LEOW—	LO—	LOLVF EEL	LOBNVLIQV

(OVER)

16-48094-4


WMR/nh

FORMATION RECORD—Continued

APR 21 1960

(SUBMIT IN TRIPLICATES)

Indian Agency Navajo



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee _____

Lease No. 1-149-IND-9837

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	X
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	X
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	X
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

February 20, 1962

Aneth Unit

Well No. F311 is located 1980 ft. from N line and 1820 ft. from W line of sec. 11

SW 1/4 of Sec. 11
(1/4 Sec. and Sec. No.)

40-S
(Twp.)

24-E
(Range)

SLM
(Meridian)

Aneth
(Field)

San Juan
(County or Subdivision)

Utah
(State or Territory)

The elevation of the derrick floor above sea level is 4808 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Moved in pulling unit and commenced workover 1-1-62. Cleaned out well to P.B.T.D. of 5810' and perforated 4-1/2" casing from 5727' to 5796' with 2 jet shots per foot. Set packer at 5690' and treated perforations 5727' to 5796' with 500 gallons of HCLST acid and 5000 gallons of emulsified acid. Used 500 gallons of temporary blocking agent during treatment. After treating, pulled packer from 5690'. Ran 2-3/8" plastic lined tubing with Baker Production Packer on bottom of tubing and attempted to set packer at 5670'. After being unable to set packer at 5670', pulled and reran tubing and packer and set packer at 5655'. Put inhibitor behind packer and tested with 1000# pressure, packer tested OK. Completed workover and shut well in 1-5-62. This well is now classified as a water injection well and is shut-in waiting on water injection line.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company TEXACO Inc.

Address P. O. Box 810
Farmington, N. M.

By [Signature]

Title District Superintendent

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-B1424

5. LEASE DESIGNATION AND SERIAL NO.
I-149-IND-8837
6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Navajo

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> Water Injection		7. UNIT AGREEMENT NAME Aneth Unit
2. NAME OF OPERATOR TEXACO, Inc.		8. FARM OR LEASE NAME
3. ADDRESS OF OPERATOR P.O. Box EE, Cortez, Colorado 81321		9. WELL NO. F311
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1980' FSL & 1820' FWL		10. FIELD AND POOL, OR WILDCAT Aneth Unit
14. PERMIT NO.		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA 11-T40S-R24E-SLW
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 4808' DF		12. COUNTY OR PARISH San Juan
		13. STATE Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input checked="" type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) _____	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Commenced workover 8-6-74. Rigged up and pumped 35,000 SCF nitrogen from surface to T.D. Treat perms with 700 gal. 15% HCL @ 1/2 BPM. Pumped 25,000 SCF nitrogen to displace acid. Shut-in 15 min. Release pressure. Put back on injection.

No change in injection rate after workover.

18. I hereby certify that the foregoing is true and correct
SIGNED Alvin R. Mart TITLE Field Foreman DATE 2-27-75

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

USGS (3) , OGCC (2) , JAS , GLE , ARM , SUPERIOR , NAVAJO TRIBE

*See Instructions on Reverse Side

10

UTAH DIVISION OF OIL, GAS AND MINING
CASING-BRADENHEAD TEST

OPERATOR: TEXACO

FIELD: Aneth LEASE: _____

WELL # F-311 SEC. 11 TOWNSHIP 40S RANGE 24E

STATE (FED.) FEE DEPTH 5880 TYPE WELL INJW MAX. INJ. PRESS. 2500

TEST DATE 3/24/87

CASING STRING	SIZE	SET AT	CMT	PRESSURE READINGS	REMARKS	FUTURE
<u>SURFACE</u>	<u>10³/₄</u>	<u>861</u>		<u>0</u>		
<u>INTERMEDIATE</u>						
<u>PRODUCTION</u>	<u>4¹/₂</u>	<u>5880</u>		<u>0</u>		
<u>TUBING</u>	<u>2³/₈</u>	<u>5663</u>		<u>2140</u>	<u>70 BBLs/DAY</u>	

CASING STRING	SIZE	SET AT	CMT	PRESSURE READINGS	REMARKS	FUTURE
<u>SURFACE</u>						
<u>INTERMEDIATE</u>						
<u>PRODUCTION</u>						
<u>TUBING</u>						

CASING STRING	SIZE	SET AT	CMT	PRESSURE READINGS	REMARKS	FUTURE
<u>SURFACE</u>						
<u>INTERMEDIATE</u>						
<u>PRODUCTION</u>						
<u>TUBING</u>						

STATE OF UTAH
 DIVISION OF OIL, GAS, AND MINING
 ROOM 4241 STATE OFFICE BUILDING
 SALT LAKE CITY, UTAH 84114
 (801) 533-5771
 (RULE 1-5)

FORM NO. DOGM-UIC-1

IN THE MATTER OF THE APPLICATION OF
Texaco Inc.
 ADDRESS P. O. Box EE
Cortez, Colorado ZIP 81321
 INDIVIDUAL PARTNERSHIP CORPORATION
 FOR ADMINISTRATIVE APPROVAL TO DISPOSE OR
 INJECT FLUID INTO THE ANETH UNIT F311 WELL
 SEC. 11 TWP. 40S RANGE 24E
San Juan COUNTY, UTAH

CAUSE NO. _____

ENHANCED RECOVERY INJ. WELL	<input checked="" type="checkbox"/>
DISPOSAL WELL	<input type="checkbox"/>

APPLICATION

Comes now the applicant and shows the Division the following:

1. That Rule 1-5 (b) 6 authorizes administrative approval of enhanced recovery injections or disposal operations.
2. That the applicant submits the following information.


Lease Name <u>Aneth Unit</u>	Well No. <u>F311</u>	Field <u>Aneth</u>	County <u>San Juan</u>
Location of Enhanced Recovery Injection or Disposal Well <u>NE 1/4-50 1/4</u> Sec. <u>11</u> Twp. <u>40S</u> Rge. <u>24E</u>			
New Well To Be Drilled Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Old Well To Be Converted Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Casing Test Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Date _____	
Depth-Base Lowest Known Fresh Water Within 1/2 Mile <u>1250'</u>	Does Injection Zone Contain Oil-Gas-Fresh Water Within 1/2 Mile YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	State What <u>Oil & Gas</u>	
Location of Injection Source(s) wells & San Juan River	Geologic Name(s) <u>Desert Creek & Ismay</u> and Depth of Source(s) <u>+/- 5600'</u>		
Geologic Name of Injection Zone <u>Paradox:</u>	Depth of Injection Interval <u>5727'</u> to <u>5796'</u>		
a. Top of the Perforated Interval: <u>5727'</u>	b. Base of Fresh Water: <u>1250'</u>	c. Intervening Thickness (a minus b) <u>4477'</u>	
Is the intervening thickness sufficient to show fresh water will be protected without additional data? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO			
Lithology of Intervening Zones <u>Sandstone, limestone & anhydrite w/intermittent shale layers</u>			
Injection Rates and Pressures Maximum _____ <u>2,000</u> B/D _____ <u>2,500</u> PSI			
The Names and Addresses of Those To Whom Copies of This Application and Attachments Have Been Sent <u>The Navajo Tribe</u> <u>Box 146</u> <u>Window Rock, Arizona 86515</u>			

State of Colorado
 County of Montezuma

Alvin R. Marx Field Supt.
 Applicant

Before me, the undersigned authority, on this day personally appeared Alvin R. Marx known to me to be the person whose name is subscribed to the above instrument, who being by me duly sworn on oath states, that he is duly authorized to make the above report and that he has knowledge of the facts stated therein, and that said report is true and correct.

Subscribed and sworn to before me this 16th day of Dec., 19 83



Joe D. Roybal

My commission expires 10/25/87

Notary Public in and for Colorado
 728 N. Beech, Cortez, Co. 81321


(OVER)

1. Attach qualitative and quantitative analysis of fresh water from 2 or more producing wells within 1 mile of injection well showing location of wells and date samples were taken, or statement as to why samples were not submitted.
2. Attach qualitative and quantitative analysis of representative sample of water to be injected.
3. Attach plat showing subject well and all known oil and gas wells, abandoned, drilling and dry holes within 1/2 mile, together and with name of operator.
4. Attach Drillers Log (Form DOGM-UIC-2). (Appropriate Surety must be on file with Conservation Division.)
5. Attach Electric or Radioactivity Log of Subject well (if released).
6. Attach schematic drawing of subsurface facilities including; Size, setting depth, amount of cement used measured or calculated tops of cement surface, intermediate (if any) and production casings; size and setting depth of tubing; type and setting depth of packer; geologic name of injection zone showing top and bottom of injection interval.
7. The original and 6 copies of application, and one complete set of attachments shall be mailed to the Division.
8. Deliver 1 copy of application to landowner on whose land injection well is located and to each operator of a producing leasehold within 1/2 mile of injection well.
9. Affidavit of mailing or delivery shall be filed not later than five days after the application is filed.
10. Notice that an application has been filed shall be published by the Division in a newspaper of general circulation in the county in which the well is located. The Division shall file proof of publication before the application is approved. The notice shall include name and address of applicant, location of proposed injection or disposal well, injection zone, injection pressure and volume. If no written objection is received within 15 days from date of publication the application will be approved administratively.
11. A well shall not be used for injection or disposal unless completed machine accounting Form DOGM-UIC-3b is filed September 1st, each year.
12. Approval of this application, if granted, is valid only as long as there is no substantial change in the operations set forth in the application. A substantial operation change requires the approval of a new application.
13. If there is less intervening thickness required by Rule I-5 (b) 4 attach sworn evidence and data.

CASING AND TUBING DATA

NAME OF STRING	SIZE	SETTING DEPTH	SACKS CEMENT	TOP OF CEMENT	TOP DETERMINED BY
Surface	10 3/4"	861'	450	CIRC	
Intermediate	—	—	—	—	
Production	4 1/2"	5880'	250	NA	
Tubing	2 3/8"	5663'	Name - Type - Depth of Tubing Packer 4 1/2" BAKER R-3 PACKER PULVICORATED 5663'		
Total Depth,	Geologic Name - Inj. Zone		Depth - Top of Inj. Interval	Depth - Base of Inj. Interval	
5880	DESERT CREEK		5727'	5796'	

SKETCH - SUBSURFACE FACILITY



PLEASE TYPE OR USE BLACK INK ONLY

(To be filed within 30 days after drilling is completed)

7149-IND-6237


DEPARTMENT OF NATURAL RESOURCES AND ENERGY

DIVISION OF OIL, GAS, AND MINING
Room 4241 State Office Building
Salt Lake City, Utah 84114

COUNTY
LEASE NO.

API NO

040 Acres
II



Leases Well Ownership
and Surface Leases

COUNTY San Juan SEC. 11 TWP. 40S RGE. 24E
COMPANY OPERATING Texaco Inc
OFFICE ADDRESS P O Box EE
TOWN Cortez STATE ZIP Colo 81321
FARM NAME Aneth Unit WELL NO. F311
DRILLING STARTED 1-9 19 58 DRILLING FINISHED 2-11 19 58
DATE OF FIRST PRODUCTION 3-8 COMPLETED 2-11 58
WELL LOCATED 1/4 NE 1/4 SW 1/4
1980 FT. FROM SL OF SEC. & 1320 FT. FROM WL OF SEC.
ELEVATION DERRICK FLOOR 4908 GROUND 4793

TYPE COMPLETION

Single Zone DESERTCREEK Order No. NA

Multiple Zone _____ Order No. _____

Comingled _____ Order No. _____

LOCATION EXCEPTION

Order No. _____ Penalty _____

OIL OR GAS ZONES

Name	From	To	Name	From	To
<u>DESERT CREEK</u>	<u>5727</u>	<u>5796</u>			

CASING & CEMENT

Casing Set				Cog. Test	Cement		
Size	Wgt	Grade	Foot	Psi	Size	Fillup	Top
<u>10 3/4"</u>	<u>32.75</u>	<u>H-40</u>	<u>661</u>	<u>NA</u>	<u>450</u>	<u>NA</u>	<u>CIRC.</u>
<u>4 1/2"</u>	<u>9.5</u>	<u>J-55</u>	<u>5880</u>	<u>NA</u>	<u>250</u>	<u>NA</u>	<u>NA</u>

TOTAL DEPTH 5880

PACKERS SET DEPTH 5663

COMPLETION & TEST DATA BY PRODUCING FORMATION

FORMATION	1	2	3
Desert Creek	Desert Creek	Ismay	<u>DESERT CREEK</u>
SPACING & SPACING ORDER NO.	40 acre	40 acre	
CLASSIFICATION (Oil; Gas; Dry; Inf. Well)	<u>OIL</u>		<u>4-196'</u> <u>INJECTION</u>
PERFORATED	<u>2-12-58 P&A</u>		
INTERVALS	<u>4-12-61</u> <u>5727-5796</u>		
ACIDIZED?	<u>4-12-61</u> <u>500 GAL LSTAIR ACID</u> <u>5000 GAL RET ACID</u>		
FRACTURE TREATED?	<u>NO</u>		

INITIAL TEST DATA

Date	<u>2-12-58</u> <u>P&A</u>		
Oil. bbl./day	<u>NA</u>		
Oil Gravity	<u>NA</u>		
Gas. Cu. Ft./day	<u>NA</u>	<u>CF</u>	<u>CF</u>
Gas-Oil Ratio Cu. Ft./Bbl.	<u>NA</u>		
Water-Bbl./day	<u>NA</u>		
Pumping or Flowing	<u>NA</u>		
CHOKE SIZE	<u>NA</u>		
FLOW TUBING PRESSURE	<u>NA</u>		

A record of the formations drilled through, and pertinent remarks are presented on the reverse. (use reverse side)

I, the undersigned, being first duly sworn upon oath, state that this well record is true, correct and complete according to the records of this office and to the best of my knowledge and belief.

Telephone 1-303-565-8401 John R. Mery Field Supt.
State of Colorado Name and title of representative of company

County of Montezuma 16th day of December 1983
My commission expires 10/25/87 Joe D. Roybal


728 N. Beech, Cortez, Co. 81321

WATER ANALYSIS REPORT

NL Treating Chemicals/NL Industries, Inc.

P.O. Box 1675, Houston, Texas 77001

						SHEET NUMBER ①	
COMPANY TEXACO, INCORPORATED						DATE 5 APRIL 1982	
FIELD ANETH				COUNTY OR PARISH SAN JUAN		STATE UTAH	
LEASE OR UNIT ANETH			WELL(S) NAME OR NO. INJECTION WATER		WATER SOURCE (FORMATION)		
DEPTH, FT.	BHT, F	SAMPLE SOURCE PLANT	TEMP, F	WATER, BBL/DAY	OIL, EBL/DAY	GAS, MMCF/DAY	
DATE SAMPLED 6 APRIL 1982		TYPE OF WATER <input type="checkbox"/> PRODUCED <input checked="" type="checkbox"/> SUPPLY <input checked="" type="checkbox"/> WATERFLOOD <input type="checkbox"/> SALT WATER DISCHARGE					



DISSOLVED SOLIDS

CATIONS	me/l*	mg/l*
Total Hardness	392.0	
Calcium, Ca ⁺⁺	268.0	5360.0
Magnesium, Mg ⁺⁺	124.0	1519.0
Iron (Total) Fe ⁺⁺⁺	0.5	10.0
Barium, Ba ⁺⁺	—	1.0
Sodium, Na ⁺ (calc.)	1035.1	23807.3

DISSOLVED GASES

Hydrogen Sulfide, H ₂ S	337.5 mg/l*
Carbon Dioxide, CO ₂	185.0 mg/l*
Oxygen, O ₂	1.0 mg/l*

PHYSICAL PROPERTIES

pH	6.65
Eh (Redox Potential)	N.D. MV
Specific Gravity	N.D.
Turbidity, JTU Units	N.D.
Total Dissolved Solids (calc.)	81385.3 mg/l*
Stability Index @ 77 F	+0.39
@ 140 F	+1.32
CaSO ₄ Solubility @ 77 F	306.6 me/l*
@ 176 F	306.8 me/l*
Max. CaSO ₄ Possible (calc.)	24.5 me/l*
Max. BaSO ₄ Possible (calc.)	1.0 mg/l*
Residual Hydrocarbons	N.D. ppm(Vol)

SUSPENDED SOLIDS (QUALITATIVE)

Iron Sulfide Iron Oxide Calcium Carbonate Acid Insoluble

REMARKS AND RECOMMENDATIONS:

WATER SHOWS A TENDENCY TOWARD SCALING; PRIMARILY CALCIUM CARBONATE

* NOTE: me/l and mg/l are commonly used interchangeably for epm and ppm respectively. Where epm and ppm are used, corrections should be made for specific gravity.

BTC ENGINEER MARK BROTHERS	DIST. NO. 12	ADDRESS FARMINGTON, N.M.	OFFICE PHONE 505-325-5701	HOME PHONE 505-325-...
-------------------------------	-----------------	-----------------------------	------------------------------	---------------------------

TEXACO

INSTRUCTIONS - CANCELS LETTER(S) OF _____

SIGNED BY _____

 PERMANENT ROUTINE TEMPORARY

19

(LOCATION)

(DATE)

Subject: Water Analysis from
Navajo Aquifer

Aneth Unit H415

Location - SE $\frac{1}{4}$ - SE $\frac{1}{4}$ Sec 15, T40S, R24E

Sample Date - 1-17-59

Depth - Navajo Aquifer

Temp - 67°F

Ph - 8.7

Total Dissolved Solids - 2573 ppm

SiO₂ - 16 ppmCO₃⁼ - 130 ppmCa⁺ - 7 ppmHCO₃⁻ - 156 ppmMg⁺⁺ - 28 ppmSO₄⁼ - 599 ppmNa⁺ - 76 ppmCl⁻ - 757 ppm

Aneth Unit G422

Location - SW $\frac{1}{4}$ - SE $\frac{1}{4}$ Sec 22, T40S, R24E

Sample Date - 1-18-59

Depth - Navajo Aquifer

Temp - 67°F

Ph - 9.2

Total Dissolved Solids - 2823 ppm

SiO₂ - 17 ppmCO₃⁼ - 925 ppmCa⁺ - 6 ppmHCO₃⁻ - 912 ppmMg⁺⁺ - 8 ppmSO₄⁼ - 265 ppmNa⁺ - 915 ppmCl⁻ - 271 ppm* Note: these numbers were obtained from Texaco files
in the Denver Division offices

If letter requires reply prepare in triplicate, forwarding original and duplicate, and retain copy.

P.O. Box 2100

Denver, CO
80201 By _____

CHECKLIST FOR INJECTION WELL APPLICATION AND FILE REVIEW

* * * * *

Operator: Tyaco Well No. Arnett Unit F311
 County: San Juan T 415 R 24E Sec. 11 API# 43-037-16295
 New Well Conversion Disposal Well Enhanced Recovery Well

	<u>YES</u>	<u>NO</u>
UIC Forms Completed	<u>✓</u>	_____
Plat including Surface Owners, Leaseholders, and wells of available record	<u>✓</u>	_____
Schematic Diagram	<u>✓</u>	_____
Fracture Information	<u>✓</u>	_____
Pressure and Rate Control	<u>✓</u>	_____
Adequate Geologic Information	<u>✓</u>	_____
Fluid Source	<u>Desert Creek - Jany</u>	_____
Analysis of Injection Fluid	Yes <u>✓</u> No _____	TDS <u>81385</u>
Analysis of Water in Formation to be injected into	Yes <u>✓</u> No _____	TDS <u>81385</u>
Known USDW in area	<u>Mangro</u>	Depth <u>1250</u>
Number of wells in area of review	<u>40</u>	Prod. <u>2</u> P&A _____
	Water _____	Inj. <u>2</u>
Aquifer Exemption	Yes _____ NA <u>✓</u>	
Mechanical Integrity Test	Yes _____ No <u>✓</u>	
	Date _____	Type _____

Comments: _____

Reviewed by: [Signature]

DATE: 05/02/91

WELLS BY OPERATOR

PAGE: 96

ACCT NUM	COMPANY NAME	FLD NUM	FIELD NAME	TOWN SHIP	RANGE	SEC	QTR QTR	API NUMBER	PROD ZONE	WELL STATUS	ENTITY	WELL NAME
NO980	TEXACO INC	365	GREATER ANETH	S400	E240	7	SESW	43037.15415	PRDX	WIW	99990	WEST ISMAY FED. 2 (ANETH)
							SWNE	43037.16308	PRDX	PA	99990	GULF-AZTEC FED. 6 (ANETH)
							NWSE	43037.16100	HRMS	WIW	99990	NAVAJO FED. 6-1 (ANETH G)
							SENE	43037.16118	HRMS	WIW	99990	NAVAJO FEDERAL 7-1 (ANETH)
							SESE	43037.16322	HRMS	WIW	99990	NAVAJO TRIBE FED 5-1 (ANE)
							SESE	43037.16323	HRMS	WIW	99990	NAVAJO TRIBE L-3 (ANETH H)
							SWNW	43037.16284	DSCR	WIW	99990	NAVAJO FED. 9-1 (ANETH E)
							NWSE	43037.16101	PRDX	WIW	99990	NAVAJO TRIBE L-6 (ANETH G)
							SESW	43037.16298	PRDX	WIW	99990	NAVAJO TRIBE E-13 (ANETH)
							SENE	43037.16076	HRMS	WIW	99990	NAVAJO FED. 8-1 (ANETH F)
							NWSW	43037.16060	PRDX	WIW	99990	NAVAJO TRIBE E-15 (ANETH)
							SENE	43037.16119	HRMS	WIW	99990	NAVAJO TRIBE E-16 (ANETH)
							NWNE	43037.16305	DSCR	PA	99998	NAVAJO TRIBE E-17 (ANETH)
							NWSW	43037.16061	PRDX	WIW	99990	NAVAJO TRIBE E-14 (ANETH)
							SESW	43037.16082	PRDX	WIW	99990	NAVAJO TRIBE E-4 (ANETH F)
							SESE	43037.16125	PRDX	WIW	99990	NAVAJO TRIBE E-7 (ANETH H)
							SWSE	43037.15944	PRDX	WIW	99990	NAVAJO A-10/34-11 (ANETH)
							SWSW	43037.15940	PRDX	WIW	99990	NAVAJO A-11/14-11 (ANETH)
							NESW	43037.16295	PRDX	WIW	99990	NAVAJO A-12/23-11 (ANETH)
							SWSW	43037.15941	PRDX	WIW	99990	NAVAJO A-4/14-13 (ANETH E)
							SWNW	43037.15938	PRDX	WIW	99990	NAV. TRIBE A-13/12-13 (ANE)
							SWNE	43037.15943	PRDX	WIW	99990	NAVAJO A-7/32-14 (ANETH G)
							SWNW	43037.15939	PRDX	WIW	99990	NAVAJO A-6/12-14 (ANETH E)
							NESW	43037.15942	PRDX	WIW	99990	NAVAJO A-5/23-14 (ANETH F)
							NENW	43037.16422	PRDX	WIW	99990	ANETH F-114
							SWSE	43037.15945	PRDX	WIW	99990	NAVAJO A-1/34-14 (ANETH G)
							SWSW	43037.16421	PRDX	WIW	99990	NAVAJO A-2 (ANETH E-414)
							NENE	43037.16310	IS-DC	WIW	99990	NAVAJO A-9/41-14 (ANETH H)
							NWSW	4303730213	DSCR	WIW	99990	ANETH E-315
							NESE	4303730312	DSCR	WIW	99990	ANETH H-315
							SENE	43037.16122	PRDX	WIW	99990	NAVAJO TRIBE D-7 (ANETH H)
							SESE	43037.16330	PRDX	WIW	99990	NAVAJO TRIBE D-24 (ANETH)
							NWNW	4303730215	DSCR	WIW	99990	ANETH E-122
							SENE	4303730373	DSCR	WIW	99990	ANETH F-222
							NWSW	43037.16067	PRDX	WIW	99990	NAVAJO TRIBE D-19 (ANETH)
							NENE	43037.16117	PRDX	WIW	99990	NAVAJO TRIBE D-2 (ANETH H)
							NWNE	4303730425	IS-DC	WIW	99990	ANETH G-122
							NWSE	4303720231	DSCR	WIW	99990	ANETH G-322X
							SENE	4303730242	DSCR	WIW	99990	ANETH H-222
							SENE	43037.16123	PRDX	WIW	99990	NAVAJO TRIBE C-8 (ANETH H)
							SESE	43037.16128	PRDX	WIW	99990	NAVAJO TRIBE C-3 (ANETH H)
							SENE	43037.16079	PRDX	WIW	99990	NAVAJO TRIBE C-7 (ANETH F)
NWNE	43037.16306	DSCR	WIW	99990	NAVAJO TRIBE C-1 (ANETH G)							
SESW	43037.16086	PRDX	WIW	99990	NAVAJO TRIBE C-17 (ANETH)							
NENW	4303730235	IS-DC	WIW	99990	ANETH F-123							
SENE	43037.16289	PRDX	WIW	99990	NAVAJO TRIBE C-16 (ANETH)							
NWSW	43037.16069	PRDX	WIW	99990	NAVAJO TRIBE C-10 (ANETH)							

RECEIVED

MAY 28 1991

TRANSFER OF AUTHORITY TO INJECT - UIC FORM 5

DIVISION OF
OIL GAS & MINING

Well name and number: See Attached Listing
Field or Unit name: _____ API no. _____
Well location: QQ _____ section _____ township _____ range _____ county _____
Effective Date of Transfer: 6-1-91

CURRENT OPERATOR

Transfer approved by:

Name R. S. Lane Company Texaco Inc.
Signature *R. S. Lane* Address P. O. Box 3109
Title Attorney-in-Fact Midland, TX 79702
Date _____ Phone (915) 688-4100

Comments: Correspondence Address: Texaco Inc.
3300 North Butler
Farmington, NM 87401
(505) 325-4397

NEW OPERATOR

Transfer approved by:

Name R. S. Lane Company Texaco Exploration and Production Inc.
Signature *R. S. Lane* Address P. O. Box 3109
Title Attorney-in-Fact Midland, TX 79702
Date _____ Phone (915) 688-4100

Comments: Correspondence Address: Texaco Exploration and Production Inc.
3300 North Butler
Farmington, NM 87401
(505) 325-4397

(State use only)
Transfer approved by *Neil Hunt* Title *UIC Manager*
Approval Date *6-26-91*



Texaco Exploration and Production Inc
Midland Producing Division

P O Box 3109
Midland TX 79702-3109

May 22, 1991

RECEIVED

MAY 28 1991

DIVISION OF
OIL GAS & MINING

Division of Oil, Gas, and Mining
Attn: Ms. Lisha Romero
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

Gentlemen:

This is to advise that as a part of a reorganization of Texaco Inc., a Delaware corporation, the name of Texaco Producing Inc., a Delaware corporation and wholly owned subsidiary of Texaco Inc., has been changed to Texaco Exploration and Production Inc. Further, Texaco Exploration and Production Inc. will succeed to the rights, titles, interests and obligations of Texaco Inc.

This means that Texaco Exploration and Production Inc. will be the operator for all the oil and gas properties that were operated by Texaco Inc. and Texaco Producing Inc. We plan to abbreviate the name as Texaco E & P Inc. for purposes of submitting production reports, etc., via computer, and we suggest that for consistency you use that abbreviation also.

We have enclosed a Sundry Notice with a list of the wells which Texaco operates in Utah. Also attached is UIC Form 5 for transfer of injection authority. Please note that Texaco has two Divisions which operate wells in Utah. One is located in Denver, Colorado, and the other is in Midland, Texas. We have enclosed separate Sundry Notices and lists of wells for each Division. If you have questions concerning the Denver-operated wells, please call Roger Hadley at (303) 793-4833. If you have questions concerning the Midland-operated wells, please call Ken Miller at (915) 688-4834.

Please change any of your other records as necessary to reflect this change.

Yours very truly,

R. S. Lane
Assistant Division Manager

RKH/KMM-CC

Attachments

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

6. Lease Designation and Serial Number
7. Indian Allottee or Tribe Name
8. Unit or Communitization Agreement
9. Well Name and Number
10. API Well Number
11. Field and Pool, or Wildcat

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT— for such proposals

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other (specify)	
2. Name of Operator Texaco Exploration and Production Inc.	
3. Address of Operator 3300 North Butler, Farmington, NM 87401	4. Telephone Number (505) 325-4397
5. Location of Well Footage : County : QQ, Sec, T., R., M. : See Attached State : UTAH	

12. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
(Submit in Duplicate)

<input type="checkbox"/> Abandonment	<input type="checkbox"/> New Construction
<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing
<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Shoot or Acidize
<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Vent or Flare
<input type="checkbox"/> Multiple Completion	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Other <u>Transfer of Plugging Bond</u>	

Approximate Date Work Will Start _____

SUBSEQUENT REPORT
(Submit Original Form Only)

<input type="checkbox"/> Abandonment *	<input type="checkbox"/> New Construction
<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing
<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Shoot or Acidize
<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Vent or Flare
<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Other <u>Change of Operator/Operator Name</u>	

Date of Work Completion _____

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.
* Must be accompanied by a cement verification report.

13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

This submittal is for a change of operator (name change) for all of the attached wells. The new operator, Texaco Exploration and Production Inc., hereby accepts operating responsibility and liability under its good and sufficient bond or other security accepted by the Department for proper plugging and surface restoration of the attached wells. All contact personnel, office addresses and phone numbers will remain the same.

FORMER OPERATOR: TEXACO INC.	NEW OPERATOR: TEXACO EXPLORATION AND PRODUCTION INC.
SIGNED: <u>[Signature]</u> Attorney-in-Fact	SIGNED: <u>[Signature]</u> Assistant Division Manager
DATE: _____	DATE: _____

14. I hereby certify that the foregoing is true and correct

Name & Signature _____ Title Asst. Div. Manager Date _____
(State Use Only)

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

SUBMIT IN TRIPLICATE
(Instructions on reverse side)

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO.
2. NAME OF OPERATOR Texaco Exploration and Production Inc.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR P.O. Box 46510, Denver, CO 80201		7. UNIT AGREEMENT NAME
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface		8. FARM OR LEASE NAME
14. PERMIT NO.		9. WELL NO.
15. ELEVATIONS (Show whether of, to, or, etc.)		10. FIELD AND POOL, OR WILDCAT
		11. SEC. T., S., M., OR BLK. AND SURVEY OR ASEA
		12. COUNTY OR PARISH 13. STATE

RECEIVED
MAY 28 1991

DIVISION OF
OIL GAS & MINING

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
(Other) Transfer of Plugging Bond <input checked="" type="checkbox"/>	

WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
(Other) Transfer of Owner/Operator <input type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Texaco Inc. has assigned all its ownership rights in the subject well. As of January 1, 1991, Texaco Inc. is no longer the Operator of subject well. The New Operator Texaco Exploration and Production Inc. hereby accepts operating responsibility and liability under its good and sufficient bond or other security accepted by the Commission for proper plugging and surface restoration of the subject well.

Former Operator:

New Operator:

TEXACO INC.

Texaco Exploration and Production Inc.

Signed:

[Signature]
Attorney-In-Fact
for Texaco Inc.

Signed:

[Signature]
Title: Division Manager

Date:

3/1/91

Date:

3/1/91

18. I hereby certify that the foregoing is true and correct

SIGNED

[Signature]

TITLE

Division Manager

DATE

3/1/91

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

COMMENTS OF APPROVAL, IF ANY:

1- LCR/GIL	✓
2- DTS	✓
3- VLC	✓
4- RJF	✓
5- RWM	✓
6- LCR	✓

Attach all documentation received by the division regarding this change.
 Initial each listed item when completed. Write N/A if item is not applicable.

Change of Operator (well sold) Designation of Agent
 Designation of Operator Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 1-1-91)
 (TEXACO EXPLORATION AND PRODUCTION INC.)

TO (new operator)	<u>TEXACO E & P INC.</u>	FROM (former operator)	<u>TEXACO INC.</u>
(address)	<u>3300 NORTH BUTLER</u>	(address)	<u>3300 NORTH BUTLER</u>
	<u>FARMINGTON, NM 87401</u>		<u>FARMINGTON, NM 87401</u>
	<u>BRENT HELOQUIST</u>		<u>FRANK</u>
	phone <u>(505) 325-4397</u>		phone <u>(505) 325-4397</u>
	account no. <u>N 5700 (6-5-91)</u>		account no. <u>N 0980</u>

Well(s) (attach additional page if needed):

Name: <u>(SEE ATTACHED)</u>	API: _____	Entity: _____	Sec. _____ Twp. _____ Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____ Twp. _____ Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____ Twp. _____ Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____ Twp. _____ Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____ Twp. _____ Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____ Twp. _____ Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____ Twp. _____ Rng. _____	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

- See 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). (5-28-91)
- N/A 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form).
- See 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes) no ____ If yes, show company file number: #114097.
- See 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of Federal and Indian well operator changes should take place prior to completion of steps 5 through 9 below.
- See 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. (6-11-91)
- See 6. Cardex file has been updated for each well listed above.
- See 7. Well file labels have been updated for each well listed above. (will update when filing)
- See 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission.
- See 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) no (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only)

1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond. #K0290791-4 80,000-Ins. Co. of N. America rec. 2-11-91.
2. A copy of this form has been placed in the new and former operators' bond files.
3. The former operator has requested a release of liability from their bond (yes/no) yes. Today's date _____ 19____. If yes, division response was made by letter dated _____ 19____. #m157448 80,000-Ins. Co. of N. America

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated _____ 19____, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
2. Copies of documents have been sent to State Lands for changes involving State leases. 6-27-91

RECORDING

1. All attachments to this form have been microfilmed. Date: July 15 1991.

INDEXING

1. Copies of all attachments to this form have been filed in each well file.
2. The original of this form and the original attachments have been filed in the Operator Change file.

REMARKS

- 910606 Btm/Farmington N.M. - Duane Spencer (505) 327-5344 will follow up & call back.
- 910607 Btm/Farmington - Approved 4-2-91 "Company Merger" Includes Anuth Unit and Ismay Flodine Unit.
- 910607 St. Lands approved 4-15-91 "merger".

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

RECEIVED
NOV 19 1992

1. Type of Well
 Oil Well Gas Well Other Injection well

2. Name of Operator
 Texaco Exp. and Prod Inc.

3. Address and Telephone No.
 3300 N. Butler, Farmington N.M. 87401 (505)325-4397

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
 1980 FSL & 1820 FWL Section 11-T40S-R24E

5. Lease Designation and Serial No.
 I-149-IND-8837

6. If Indian, Allottee or Tribe Name
 Navajo Tribal

7. If Unit or CA, Agreement Designation
 Aneth Unit

8. Well Name and No.
 F311

9. API Well No.
 4303716295

10. Field and Pool, or Exploratory Area
 Desert Creek

11. County or Parish, State
 San Juan, Utah

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent <input type="checkbox"/> Subsequent Report <input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Abandonment <input type="checkbox"/> Recompletion <input type="checkbox"/> Plugging Back <input checked="" type="checkbox"/> Casing Repair <input type="checkbox"/> Altering Casing <input type="checkbox"/> Other _____
	<input type="checkbox"/> Change of Plans <input type="checkbox"/> New Construction <input type="checkbox"/> Non-Routine Fracturing <input type="checkbox"/> Water Shut-Off <input type="checkbox"/> Conversion to Injection <input type="checkbox"/> Dispose Water <small>(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)</small>

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

See attached procedure and wellbore diagram for pertinent details. Tentative start date is Jan. 4, 1993

ACCEPTED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING

DATE: 11-20-92
BY: JAN Matthews

14. I hereby certify that the foregoing is true and correct

Signed [Signature] Title Area Manager Date 11/5/92

(This space for Federal or State office use)

Approved by _____ Title _____ Date _____
 Conditions of approval, if any: Federal Approval of this Action is Necessary

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.


*See Instruction on Reverse Side

**ANETH UNIT F311
Casing Repair Procedure**

1. Notify the EPA 2 weeks before moving on location. Contact Larry Schlotterback to coordinate notifications.
2. MIRUPU. NUBOP's w/ 2 3/8" pipe rams and blind rams. Pick up 2 3/8" workstring and TIH open ended to 2950'.
3. Circulate hole clean w/ fresh water. Spot 50 sxs of Class G cement w/ fluid loss agent and dispersant. Pull up to 2000' and reverse out excess cement. Hesitate squeeze cement. Obtain a standing squeeze pressure of 1200 psi. Do not displace more than 8 bbls of cement. SI well overnight with 1000 psi on the casing.
4. TOOH. TIH w/ bit and drill collars. Drill out cement and pressure test casing to 1000 psi. If casing fails the MIT, then call the Farmington Area office for further instructions.
5. If the casing holds, then drill out cement retainer @ 5650' and clean out to PBSD of 5810'. TOOH. TIH w/ injection tubing and 4 1/2" injection packer. Set packer @ +/- 5650'. Return the well to injection service.

JLB

Aneth Unit F311



**UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
 Oil Well Gas Well Other **Injection Well**

2. Name of Operator
Texaco Exploration & Production Inc.

3. Address and Telephone No.
3300 N. Butler, Farmington N.M. 87401 (505)325-4397

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
**1980' FSL & 1820' FWL
NE/4, SW/4, Sec. 11, T40S, R24E**

5. Lease Designation and Serial No.
I-149-IND-8837

6. If Indian, Allottee or Tribe Name
Navajo Tribal

7. If Unit or CA, Agreement Designation
Aneth Unit

8. Well Name and No.
F311

9. API Well No.
4303716295

10. Field and Pool, or Exploratory Area
Desert Creek

11. County or Parish, State
San Juan, Utah

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input checked="" type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Texaco E. & P. Inc. has repaired the casing on the subject well. The following procedure was followed:

10-21-93. MIRUSU. TIH w/ workstring & tagged CMT RET. RU & spotted 50 SXS of CMT @ 2943'. PUH to 2000' & reversed out CMT. Hesitate squeezed to 1200#. TIH w/ bit, tagged CMT @ 2551', and drilled on CMT. Each joint was press. tested. At 2930', press. did not hold. Drilled out CMT to 3150'. Looked for & located hole from 2907' to 2919'. TIH to 2970' and spotted 50 SXS of CMT. PUH to 2000' & reversed out CMT. Hesitate squeezed to 1200#. TIH w/ drill, tagged CMT @ 2378', and drilled on CMT. Tested each joint. Press. did not hold @ 2930'. Drilled thru CMT and circ. clean. TIH, looked & located hole between 2907'-2919'. TIH to 2950' & spotted 40 SXS of CMT. PUH to 2000' & reversed out CMT. Hesitate squeezed to 1200#. TIH w/ bit, tagged CMT @ 2555', and drilled on CMT. Tested every joint to 1000#. Drilled to 2918' and leaked off between 2887' to 2917'. Drilled out CMT and circ. clean. TIH w/ scraper 3000' & circ. clean. TIH with a 4-1/2", 30 ft. CSG patch to 2897'(Top of patch) & bottom @ 2927'. RU & set patch w/ 2200# on first 5' and 2500# on the rest. Press. test to 1000# & let glue set. Retested to 1000# and held. Drilled & cleaned to PBTD @ 5810'. RU & TIH w/ TBG and inflatable PKR. Hydrotest TBG to 5000#. RIH & set PKR @ 5631'. Press. tested backside to 800#. Holding. RU & start injection. RDMOL. Monitor well.

14. I hereby certify that the foregoing is true and correct

Signed *Richard Hundt* Title Area Manager Date 2/17/94

(This space for Federal or State office use)

Approved by _____ Title _____ Date *tax credit*

Conditions of approval, if any: _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

RECEIVED

MAY 05 1994

Navajo Tribal
If Unit or CA, Agreement Designation

1. Type of Well <input type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other Injection Well	8. Well Name and No. F311
2. Name of Operator Texaco Exploration & Production Inc.	9. API Well No. 4303716295
3. Address and Telephone No. 3300 N. Butler, Farmington N.M. 87401 (505)325-4397	10. Field and Pool, or Exploratory Area Desert Creek
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 1980' FSL & 1820' FWL NE/4, SW/4, Sec. 11, T40S, R24E	11. County or Parish, State San Juan, Utah

DIVISION OF
OIL, GAS & MINING

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input checked="" type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Texaco E. & P. Inc. has repaired the casing on the subject well. The following procedure was followed:

10-21-93. MIRUSU. TIH w/ workstring & tagged CMT RET. RU & spotted 50 SXS of CMT @ 2943'. PUH to 2000' & reversed out CMT. Hesitate squeezed to 1200#. TIH w/ bit, tagged CMT @ 2551', and drilled on CMT. Each joint was press. tested. At 2930', press. did not hold. Drilled out CMT to 3150'. Looked for & located hole from 2907' to 2919'. TIH to 2970' and spotted 50 SXS of CMT. PUH to 2000' & reversed out CMT. Hesitate squeezed to 1200#. TIH w/ drill, tagged CMT @ 2378', and drilled on CMT. Tested each joint. Press. did not hold @ 2930'. Drilled thru CMT and circ. clean. TIH, looked & located hole between 2907'-2919'. TIH to 2950' & spotted 40 SXS of CMT. PUH to 2000' & reversed out CMT. Hesitate squeezed to 1200#. TIH w/ bit, tagged CMT @ 2555', and drilled on CMT. Tested every joint to 1000#. Drilled to 2918' and leaked off between 2887' to 2917'. Drilled out CMT and circ. clean. TIH w/ scraper 3000' & circ. clean. TIH with a 4-1/2", 30 ft. CSG patch to 2897'(Top of patch) & bottom @ 2927'. RU & set patch w/ 2200# on first 5' and 2500# on the rest. Press. test to 1000# & let glue set. Retested to 1000# and held. Drilled & cleaned to PBTD @ 5810'. RU & TIH w/ TBG and inflatable PKR. Hydrotest TBG to 5000#. RIH & set PKR @ 5631'. Press. tested backside to 800#. Holding. RU & start injection. RDMOL. Monitor well.

14. I hereby certify that the foregoing is true and correct

Signed Patrick Huidiblat Title Area Manager Date 2/17/94

(This space for Federal or State office use)

Approved by _____ Title _____ Date _____

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side



Chevron

Chevron U.S.A. Production Company
Mid-Continent Business Unit
P.O. Box 36366
Houston, TX 77236
Phone 713 754 2000

April 9, 2002

Mr. John Baza,
Associate Director of Oil and Gas
Utah Department of Natural Resources
Division of Oil, Gas & Mining
1594 W. North Temple St., Suite 1210
Salt Lake City, UT 84114-5801

RECEIVED

APR 12 2002

DIVISION OF
OIL, GAS AND MINING

Dear Mr. Baza:

As you may recall from our meeting last year, we planned to combine the assets of Chevron U.S.A. Inc. ("CUSA"), by merger, and Texaco Exploration and Production Inc. ("TEPI"), by assignment, into a new entity which we referred to as "Newco LP". Along the way, additional information came to light and it was decided that this proposed corporate restructure would not be preferable. Therefore, CUSA and TEPI have continued to operate as separate entities.

We are now planning a simpler restructuring process where TEPI will assign most of its assets/operatorship to CUSA effective May 1, 2002. We plan to use the existing CUSA bonds/letters of credit, operator identification numbers, etc., for the TEPI assets that will be assigned.

A task force of Land, Regulatory and Environmental Compliance personnel are finishing the work that was begun last year to assign TEPI's assets—using the same forms and procedures as before. We have "new faces" in this task force due to reassignments and departures. In some cases, it may be worthwhile to visit you and your staff in person where new people are involved or if we need to review/clarify your forms and procedures. Otherwise, we will endeavor to complete the work to assign TEPI's assets/operatorship to CUSA and deliver the requisite materials to you in a timely manner.

During discussions last year, our focus was on Land, Regulatory and Environmental matters. The Finance organization also desires to join in this effort. For State Tax, Royalty and Regulatory reporting purposes (applicable to production from May 2002 through December 2002), we intend to generate two reports and two payments.

However, the reporting company name and identification number will be CUSA's. Beginning with January 2003 production and thereafter, we will issue only one CUSA report and payment. We trust this plan meets with your approval. Any questions or comments should be directed to Rick Dunlavy (telephone 713/752-7411, rickdunlavy@chevrontexaco.com).

We appreciate the cooperation and guidance you provided us in the past, and we look forward to bringing these efforts to a conclusion.

Respectfully submitted,



Don R. Sellars

Sr. Environmental Specialist

Chevron U.S.A. Inc.
 Permian Business Unit
 Aneth Operations
 San Juan County, Utah

Name / Operatorship Change
 Texaco Exploration and Production Inc.
 to
 Chevron U.S.A. Inc.
 Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	11	400S	230E	4303716034	MESA 1 (ANETH C411)	1	I	WI
N5700	12	400S	230E	4303716272	BURTON 23-12 (ANETH B312)	1	A	WI
N5700	12	400S	230E	4303716274	BURTON 31-12 (ANETH C-112)	1	I	WI
N5700	12	400S	230E	4303716278	BURTON 42-12 (ANETH D212)	1	A	WI
N5700	12	400S	230E	4303730049	ANETH UNIT D-412	1	A	WI
N5700	12	400S	230E	4303730112	ANETH UNIT C-312	1	A	WI
N5700	13	400S	230E	4303715825	BURTON 22-13 (ANETH B-213)	1	A	WI
N5700	13	400S	230E	4303715827	BURTON 31-13 (ANETH C-113)	1	A	WI
N5700	13	400S	230E	4303715828	BURTON 33-13 (ANETH C-313)	1	A	WI
N5700	13	400S	230E	4303715830	BURTON 42-13 (D213)	1	A	WI
N5700	13	400S	230E	4303716279	BURTON 44-13 (ANETH D-413)	1	A	WI
N5700	13	400S	230E	4303730119	ANETH UNIT A-113	1	A	WI
N5700	13	400S	230E	4303730174	ANETH UNIT D113	1	A	WI
N5700	13	400S	230E	4303730297	ANETH B-413	1	A	WI
N5700	13	400S	230E	4303730299	ANETH UNIT A-313	1	A	WI
N5700	14	400S	230E	4303716032	ARROWHEAD 6 (ANETH B-114)	1	A	WI
N5700	14	400S	230E	4303716033	ARROWHEAD 3 (ANETH C-214)	1	A	WI
N5700	14	400S	230E	4303716035	ARROWHEAD 5 (ANETH C-414)	1	A	WI
N5700	14	400S	230E	4303716038	ARROWHEAD 4 (ANETH D-314)	1	A	WI
N5700	14	400S	230E	4303716273	ARROWHEAD 2 (ANETH B-314)	1	A	WI
N5700	14	400S	230E	4303716277	ARROWHEAD 1 (ANETH D-114)	1	A	WI
N5700	23	400S	230E	4303716271	A W RICE 2 (ANETH B-123)	1	A	WI
N5700	23	400S	230E	4303716276	A W RICE 3 (ANETH C-223)	1	A	WI
N5700	24	400S	230E	4303716270	FEDERAL A-1 (ANETH A-124)	1	A	WI
N5700	24	400S	230E	4303716275	FEDERAL 1 (ANETH C-124)	1	A	WI
N5700	07	400S	240E	4303715412	W ISMY FED 3 (ANETH E307)	1	A	WI
N5700	07	400S	240E	4303715415	W ISMAY FED 2 (ANETH F-407)	1	A	WI
N5700	07	400S	240E	4303716100	NAVAJO FED 6-1 (ANETH G-307)	1	A	WI
N5700	07	400S	240E	4303716118	NAVAJO FED 7-1 (ANETH H-207)	1	I	WI
N5700	07	400S	240E	4303716283	GULF-AZTEC FED 7 (ANETH E-207)	1	A	WI
N5700	07	400S	240E	4303716322	NAVAJO TRIBE FED 5-1 (ANETH H-407)	2	A	WI

Chevron U.S.A. Inc.
 Permian Business Unit
 Aneth Operations
 San Juan County, Utah

Name / Operatorship Change
 Texaco Exploration and Production Inc.
 to
 Chevron U.S.A. Inc.
 Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	07	400S	240E	4303730175	ANETH U E407	1	A	WI
N5700	08	400S	240E	4303716060	NAVAJO TRIBE E-15 (ANETH E-308)	2	A	WI
N5700	08	400S	240E	4303716076	NAVAJO FED 8-1 (ANETH F-208)	2	A	WI
N5700	08	400S	240E	4303716101	NAVAJO TRIBE L-6 (ANETH G-308)	2	A	WI
N5700	08	400S	240E	4303716119	NAVAJO TRIBE E-16 (ANETH H-208)	2	A	WI
N5700	08	400S	240E	4303716284	NAVAJO FED 9-1 (ANETH E-208)	2	A	WI
N5700	08	400S	240E	4303716298	NAVAJO TRIBE E-13 (ANETH F-408)	2	A	WI
N5700	08	400S	240E	4303716323	NAVAJO TRIBE L-3 (ANETH H-408)	2	A	WI
N5700	09	400S	240E	4303716061	NAVAJO TRIBE E-14 (ANETH E-309)	2	A	WI
N5700	09	400S	240E	4303716082	NAVAJO TRIBE E-4 (ANETH F-409)	2	A	WI
N5700	10	400S	240E	4303716125	NAVAJO TRIBE E-7 (ANETH H-410)	2	I	WI
N5700	11	400S	240E	4303715940	ANETH UNIT E-411	2	A	WI
N5700	11	400S	240E	4303715944	NAVAJO A-10/34-11 (ANETH G-411)	2	A	WI
N5700	11	400S	240E	4303716295	NAVAJO A-12/23-11 (ANETH F-311)	2	A	WI
N5700	13	400S	240E	4303715938	NAV TRIBE A-13 (ANETH E-213)	2	A	WI
N5700	13	400S	240E	4303715941	NAVAJO A-4 (ANETH E-413)	2	A	WI
N5700	14	400S	240E	4303715939	NAVAJO A-6 (ANETH E-214)	2	A	WI
N5700	14	400S	240E	4303715942	ANETH F-314	2	A	WI
N5700	14	400S	240E	4303715943	NAVAJO A-7/32-14 (ANETH G-214)	2	A	WI
N5700	14	400S	240E	4303715945	NAVAJO A-1/34-14 (ANETH G-414)	2	A	WI
N5700	14	400S	240E	4303716310	NAVAJO A-9/41-14 (ANETH H-114)	2	A	WI
N5700	14	400S	240E	4303716421	ANETH UNIT E414	2	A	WI
N5700	14	400S	240E	4303716422	ANETH UNIT F-114	2	A	WI
N5700	14	400S	240E	4303731381	ANETH UNIT H314X	2	I	WI
N5700	15	400S	240E	4303716116	ANETH G-415	2	A	WI
N5700	15	400S	240E	4303716296	NAVAJO TRIBAL E-8 (ANETH F-315)	2	A	WI
N5700	15	400S	240E	4303730213	ANETH E-315	2	A	WI
N5700	15	400S	240E	4303730312	ANETH H-315	2	A	WI
N5700	16	400S	240E	4303715832	STATE THREE 11-16 (ANETH E-116)	3	A	WI
N5700	16	400S	240E	4303716285	ST THREE 21-16 (ANETH F-116)	3	A	WI
N5700	16	400S	240E	4303716297	ST THREE 23-16 (ANETH F-316)	3	A	WI

Chevron U.S.A. Inc.
 Permian Business Unit
 Aneth Operations
 San Juan County, Utah

Name / Operatorship Change
 Texaco Exploration and Production Inc.
 to
 Chevron U.S.A. Inc.
 Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	16	400S	240E	4303716312	STATE THREE 42-16 (ANETH H-216)	3	A	WI
N5700	16	400S	240E	4303720230	ANETH H-416	3	A	WI
N5700	16	400S	240E	4303730094	ANETH E-316	3	A	WI
N5700	16	400S	240E	4303730107	ANETH G-316	3	A	WI
N5700	16	400S	240E	4303730333	ANETH F-416	3	A	WI
N5700	16	400S	240E	4303730344	ANETH G-116	3	A	WI
N5700	17	400S	240E	4303716049	ANETH UNIT E-117	2	A	WI
N5700	17	400S	240E	4303716062	NAVAJO TRIBAL G-7 (ANETH E317)	2	A	WI
N5700	17	400S	240E	4303716089	NAVAJO TRIBAL G-3 (ANETH G-117)	2	A	WI
N5700	17	400S	240E	4303716103	NAVAJO TRIBAL 1-X-G (ANETH G-317)	2	A	WI
N5700	17	400S	240E	4303716286	NAVAJO TRIBAL G-8 (ANETH F-217)	2	A	WI
N5700	17	400S	240E	4303716299	NAVAJO TRIBAL G-6 (ANETH F-417)	2	A	WI
N5700	17	400S	240E	4303716313	NAV TRIBAL L-4 (ANETH H-217)	2	A	WI
N5700	17	400S	240E	4303716326	NAVAJO TRIBAL L-1 (ANETH H-417)	2	A	WI
N5700	18	400S	240E	4303715083	NAVAJO TRIBAL FED U 3	2	A	WI
N5700	18	400S	240E	4303715413	ANETH U E-118 (W ISMY FED 1)	1	A	WI
N5700	18	400S	240E	4303716063	NAVAJO TRIBAL 4 (ANETH E-318)	1	A	WI
N5700	18	400S	240E	4303716090	NAVAJO TRIBE 2 (ANETH G-118)	2	A	WI
N5700	18	400S	240E	4303716104	NAVAJO TRIBE G-4 (ANETH G-318)	2	A	WI
N5700	18	400S	240E	4303716120	NAVAJO TRIBAL G-5 (ANETH H-218)	2	A	WI
N5700	18	400S	240E	4303716287	NAVAJO FED U 1 (ANETH F-218)	2	A	WI
N5700	18	400S	240E	4303716327	NAVAJO TRIBAL G-2 (ANETH H-418)	2	A	WI
N5700	18	400S	240E	4303730137	ANETH U E218	1	A	WI
N5700	18	400S	240E	4303730155	ANETH U F118	1	A	WI
N5700	19	400S	240E	4303716077	NAVAJO TRIBE D-26 (ANETH F-219)	2	A	WI
N5700	19	400S	240E	4303716091	NAVAJO TRIBE D-16 (ANETH G-119)	2	A	WI
N5700	19	400S	240E	4303716121	NAVAJO TRIBE D-3 (ANETH H-219)	2	A	WI
N5700	19	400S	240E	4303716280	NAVAJO FED U B-1 (ANETH E-119)	2	A	WI
N5700	19	400S	240E	4303716309	NAVAJO TRIBE D-25 (ANETH G-319)	2	A	WI
N5700	19	400S	240E	4303716328	NAVAJO TRIBE D-27 (ANETH H-419)	2	A	WI
N5700	20	400S	240E	4303716050	NAVAJO TRIBE D-10 (ANETH E-120)	2	A	WI

Chevron U.S.A. Inc.
 Permian Business Unit
 Aneth Operations
 San Juan County, Utah

Name / Operatorship Change
 Texaco Exploration and Production Inc.
 to
 Chevron U.S.A. Inc.
 Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	20	400S	240E	4303716065	NAVAJO TRIBE D-17 (ANETH E-320)	2	A	WI
N5700	20	400S	240E	4303716092	NAVAJO TRIBE L-5 (ANETH G-120)	2	A	WI
N5700	20	400S	240E	4303716105	NAVAJO TRIBE D-12 (ANETH G-320)	2	A	WI
N5700	20	400S	240E	4303716288	NAVAJO TRIBE D-8 (ANETH F-220)	2	A	WI
N5700	20	400S	240E	4303716300	NAVAJO TRIBE D-20 (ANETH F-420)	2	A	WI
N5700	20	400S	240E	4303716314	NAVAJO TRIBE L-2 (ANETH H-220)	2	A	WI
N5700	20	400S	240E	4303716329	NAVAJO TRIBE D-13 (ANETH H-420)	2	A	WI
N5700	21	400S	240E	4303716051	NAVAJO TRIBE D-4 (ANETH E-121)	2	A	WI
N5700	21	400S	240E	4303716066	NAVAJO TRIBE D-14 (ANETH E-321)	2	A	WI
N5700	21	400S	240E	4303716078	NAVAJO TRIBE D-6 (ANETH F-221)	2	A	WI
N5700	21	400S	240E	4303716084	NAVAJO TRIBE D-21 (ANETH F-421)	2	A	WI
N5700	21	400S	240E	4303716122	NAVAJO TRIBE D-7 (ANETH H-221)	2	A	WI
N5700	21	400S	240E	4303716330	NAVAJO TRIBE D-24 (ANETH H-421)	2	A	WI
N5700	21	400S	240E	4303730095	ANETH G-321X	2	A	WI
N5700	21	400S	240E	4303730335	ANETH G-121X	2	A	WI
N5700	22	400S	240E	4303716067	NAVAJO TRIBE D-19 (ANETH E-322)	2	A	WI
N5700	22	400S	240E	4303716085	NAVAJO TRIBE D-23 (ANETH F-422)	2	A	WI
N5700	22	400S	240E	4303716117	NAVAJO TRIBE D-2 (ANETH H-122)	2	A	WI
N5700	22	400S	240E	4303716127	NAVAJO TRIBE D-22 (ANETH H-422)	2	I	WI
N5700	22	400S	240E	4303720231	ANETH G-322X	2	A	WI
N5700	22	400S	240E	4303730215	ANETH E-122	2	A	WI
N5700	22	400S	240E	4303730242	ANETH H-222	2	A	WI
N5700	22	400S	240E	4303730373	ANETH F-222	2	A	WI
N5700	22	400S	240E	4303730425	ANETH G-122	2	A	WI
N5700	23	400S	240E	4303716068	NAVAJO TRIBE C-12 (ANETH E-323)	2	A	WI
N5700	23	400S	240E	4303716079	NAVAJO TRIBE C-7 (ANETH F-223)	2	A	WI
N5700	23	400S	240E	4303716086	NAVAJO TRIBE C-17 (ANETH F-423)	2	A	WI
N5700	23	400S	240E	4303716123	NAVAJO TRIBE C-8 (ANETH H-223)	2	A	WI
N5700	23	400S	240E	4303716128	NAVAJO TRIBE C-3 (ANETH H-423)	2	A	WI
N5700	23	400S	240E	4303716306	NAVAJO TRIBE C-1 (ANETH G-123)	2	A	WI
N5700	23	400S	240E	4303730235	ANETH F-123	2	A	WI

Chevron U.S.A. Inc.
 Permian Business Unit
 Aneth Operations
 San Juan County, Utah

Name / Operatorship Change
 Texaco Exploration and Production Inc.
 to
 Chevron U.S.A. Inc.
 Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	24	400S	240E	4303716069	NAVAJO TRIBE C-10 (ANETH E-324)	2	A	WI
N5700	24	400S	240E	4303716087	NAVAJO TRIBE C-13 (ANETH F-424)	2	A	WI
N5700	24	400S	240E	4303716111	NAVAJO TRIBE C-15 (ANETH G-324)	2	A	WI
N5700	24	400S	240E	4303716289	NAVAJO TRIBE C-16 (ANETH F-224)	2	A	WI
N5700	24	400S	240E	4303716331	NAVAJO TRIBE C-28 (ANETH H-424)	2	A	WI
N5700	25	400S	240E	4303716070	NAVAJO TRIBE C-21 (ANETH E-325)	2	A	WI
N5700	25	400S	240E	4303716080	NAVAJO TRIBE C-20 (F225)	2	A	WI
N5700	25	400S	240E	4303716095	ANETH UNIT G125	2	A	WI
N5700	25	400S	240E	4303716124	NAVAJO TRIBE C-11 (ANETH H-225)	2	A	WI
N5700	25	400S	240E	4303716129	NAVAJO TRIBE C-24 (ANETH H-425)	2	A	WI
N5700	25	400S	240E	4303716301	NAVAJO TRIBE C-32 (ANETH F-425)	2	A	WI
N5700	26	400S	240E	4303716054	NAVAJO TRIBE C-29 (ANETH E-126)	2	A	WI
N5700	26	400S	240E	4303716071	NAVAJO TRIBE C-30 (ANETH E-326)	2	A	WI
N5700	26	400S	240E	4303716113	NAVAJO TRIBE C-27 (ANETH G-326)	2	A	WI
N5700	26	400S	240E	4303716290	NAVAJO TRIBE C-23 (ANETH F-226)	2	A	WI
N5700	26	400S	240E	4303716302	NAVAJO TRIBE C-4 (ANETH F-426)	2	A	WI
N5700	26	400S	240E	4303716316	NAVAJO TRIBE C-19 (ANETH H-226)	2	A	WI
N5700	26	400S	240E	4303716332	NAVAJO TRIBE C-31 (ANETH H-426)	2	A	WI
N5700	26	400S	240E	4303730372	ANETH G-126X	2	A	WI
N5700	27	400S	240E	4303716223	ANETH 27-B2 (ANETH F-227)	2	I	WI
N5700	27	400S	240E	4303716307	ANETH 27-C-1 (ANETH G-127)	2	A	WI
N5700	27	400S	240E	4303716317	ANETH 27-D2 (ANETH H-227)	2	A	WI
N5700	27	400S	240E	4303716333	ANETH 27-D-4 (ANETH H-427)	2	A	WI
N5700	27	400S	240E	4303716782	ANETH 27-A-1 (ANETH E-127)	2	A	WI
N5700	28	400S	240E	4303716222	ANETH 28-A-1 (ANETH E-128)	2	A	WI
N5700	28	400S	240E	4303716224	ANETH 28-C-1 (ANETH G-128)	2	A	WI
N5700	28	400S	240E	4303716228	ANETH H-228	2	A	WI
N5700	29	400S	240E	4303716055	NAVAJO TRIBE S-2 (ANETH E-129)	2	A	WI
N5700	29	400S	240E	4303716097	NAVAJO TRIBE S-1 (ANETH G-129)	2	A	WI
N5700	29	400S	240E	4303716292	NAVAJO TRIBE S-4 (ANETH F-229)	2	I	WI
N5700	29	400S	240E	4303716318	NAVAJO TRIBE S-3 (ANETH H-229)	2	A	WI

Chevron U.S.A. Inc.
 Permian Business Unit
 Aneth Operations
 San Juan County, Utah

Name / Operatorship Change
 Texaco Exploration and Production Inc.
 to
 Chevron U.S.A. Inc.
 Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	34	400S	240E	4303716303	ANETH 34-B-4 (ANETH F-434)	2	A	WI
N5700	34	400S	240E	4303716319	ANETH 34-D2 (ANETH H-234)	2	I	WI
N5700	35	400S	240E	4303716293	NAVAJO TRIBE Q-5 (ANETH F-235)	2	A	WI
N5700	35	400S	240E	4303716304	NAVAJO TRIBE Q-8 (ANETH F-435)	2	A	WI
N5700	35	400S	240E	4303716320	NAVAJO TRIBE Q-4 (ANETH H-235)	2	A	WI
N5700	36	400S	240E	4303715485	NAVAJO 4 (ANETH E-136)	2	A	WI
N5700	36	400S	240E	4303715486	NAV TRB 2-A (G136)	2	A	WI
N5700	36	400S	240E	4303715487	NAVAJO 1 (ANETH H-236)	2	A	WI
N5700	36	400S	240E	4303716294	NAVAJO 3 (ANETH F-236)	2	A	WI
N5700	19	400S	250E	4303716140	ANETH UNIT L-419	2	A	WI
N5700	29	400S	250E	4303716131	NAVAJO TRIBE F-8 (ANETH J-129)	2	A	WI
N5700	30	400S	250E	4303716132	NAVAJO TRIBE F-9 (ANETH J-130)	2	A	WI
N5700	30	400S	250E	4303716134	NAVAJO TRIBE F-5 (ANETH J-330)	2	A	WI
N5700	30	400S	250E	4303716135	NAVAJO TRIBE F-2 (ANETH K-230)	2	A	WI
N5700	30	400S	250E	4303716137	NAVAJO TRIBE F-7 (ANETH K-430)	2	A	WI
N5700	30	400S	250E	4303716139	NAVAJO TRIBE F-6 (ANETH L-330)	2	A	WI
N5700	30	400S	250E	4303716141	NAVAJO TRIBE F-10 (ANETH M-230)	2	A	WI
N5700	30	400S	250E	4303716337	NAVAJO TRIBE F-11 (ANETH M-430)	2	A	WI
N5700	31	400S	250E	4303715946	NAVAJO TRIBE C11-31 (J131)	2	A	WI
N5700	31	400S	250E	4303716335	NAVAJO TRIBE C-22-31 (ANETH K-231)	2	A	WI


TRANSFER OF AUTHORITY TO INJECT

Well Name and Number Orangeville & Huntington, Emery County, Utah (See Attached Well List)		API Number
Location of Well Footage : See attached well locations County : Emery		Field or Unit Name See Attached Well List
QQ, Section, Township, Range: State : UTAH		Lease Designation and Number See Attached Well List

EFFECTIVE DATE OF TRANSFER: 5/1/2002


CURRENT OPERATOR

Company: Texaco Exploration and Production Inc
 Address: 3300 North Butler, Suite 100
city Farmington state NM zip 87401
 Phone: (505) 325-4397
 Comments:

Name: Allen S. Robinson
 Signature: 
 Title: Attorney-In-Fact
 Date: April 30, 2002

NEW OPERATOR

Company: Chevron U.S.A. Inc.
 Address: P.O. Box 36366
city Houston state TX zip 79702
 Phone: (915) 687-2000
 Comments:

Name: J. Scott Purdy
 Signature: 
 Title: Attorney-In-Fact
 Date: May 1, 2002

(This space for State use only)

Transfer approved by: 
 Title: Tech Services Manager

Approval Date: 10/21/02

Comments:

RECEIVED

MAY 06 2002

DIVISION OF
 OIL, GAS AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>Operator Name Change</u>		5. LEASE DESIGNATION AND SERIAL NUMBER: See Attached List of Wells
2. NAME OF OPERATOR: Chevron U.S.A. Inc.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: BLM & State of Utah
3. ADDRESS OF OPERATOR: P.O. Box 36366 CITY Houston STATE TX ZIP 77236		7. UNIT or CA AGREEMENT NAME: Orangeville & Huntington
4. LOCATION OF WELL FOOTAGES AT SURFACE: See Attached List of Wells		8. WELL NAME and NUMBER: See Attached List of Wells
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		9. API NUMBER:
COUNTY: Emery		10. FIELD AND POOL, OR WILDCAT:
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: <u>Operator Name Change (Merger)</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.


Effective May 1, 2002, Chevron U.S.A. Inc. is the new operator of the attached list of subject wells and leases that were previously operated by Texaco Exploration and Production Inc. The subject wells are located North of Orangeville and North of Huntington, Emery County, Utah. These Wells will be protected by the following surety bonds:

STATE OF UTAH Bond #: 103521627-0016 in the amount of \$80,000. (This bond will replace United Pacific Insurance Company bond number U89-75-80-0059. We respectfully request this bond be released and returned.)


BLM Nationwide Bond#: U89-75-81-0034 in the amount of \$300,000.

Key Contacts:

Ron Wirth - Operations Supervisor - 435 748-5395 x1
Texaco Exploration & Production Inc.


J. S. Purdy, Attorney-In-Fact

RECEIVED
MAY 06 2002
DIVISION OF
OIL, GAS AND MINING

NAME (PLEASE PRINT) <u>Allen S. Robinson</u>	TITLE <u>Attorney-In-Fact</u>
SIGNATURE 	DATE <u>April 30, 2002</u>

(This space for State use only)

**THE
NAVAJO
NATION****MINERALS DEPARTMENT**
Post Office Box 1910
Window Rock, Arizona 86515
Phone: (928) 871-6587 • Fax: (928) 871-7095**KELSEY A. BEGAYE**
PRESIDENT**TAYLOR MCKENZIE, M.D.**
VICE PRESIDENT

October 11, 2002

Mr. Don Sellars
Regulatory Specialist
ChevronTexaco
11111 S. Wilcrest
Houston, Texas 77099

Subject: Navajo Nation Assignment of Oil & Gas Lease

Dear Mr. Sellars:

Attached are fourteen (14) approved Navajo Nation Assignment of Oil and Gas Lease applications for assignment of interest from Texaco Exploration & Production, Inc. to Chevron U.S.A., Inc. (Chevron) for the following leases:

- | | | |
|---------------------|---------------------|----------------------|
| 1) I-149-IND-8834 | 6) I-149-IND-8839 | 11) 14-20-603-4035 |
| 2) I-149-IND-8835 | 7) 14-20-603-2057 | 12) 14-20-603-4037 |
| 3) I-149-IND-8836 | 8) 14-20-603-2059 | 13) 14-20-603-5043-A |
| 4) I-149-IND-8838 | 9) 14-20-603-4030-A | 14) 14-20-603-5446 |
| 5) I-149-IND-8839-A | 10) 14-20-603-4032 | |

If you have any questions, please call me or Mr. Brad Nesemeier at (928) 871-6587.

Sincerely,

Akhtar Zaman
Akhtar Zaman, Director
Minerals Department

Attachments
AZ/GLB/cab

OPERATOR CHANGE WORKSHEET

1. GLH
2. CDW
3. FILE

Change of Operator (Well Sold)

Designation of Agent

Operator Name Change

X Merger

The operator of the well(s) listed below has changed, effective: **05-01-2002**

FROM: (Old Operator):	TO: (New Operator):
TEXACO EXPLORATION & PRODUCTION INC	CHEVRON USA INC
Address: 3300 NORTH BUTLER, STE 100	Address: P O BOX 36366
FARMINGTON, NM 87401	HOUSTON, TX 79702
Phone: 1-(505)-325-4397	Phone: 1-(915)-687-2000
Account No. N5700	Account No. N0210

CA No. **Unit:** ANETH

WELL(S)

NAME	SEC TWN RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
NAVAJO TRIBE FED 5-1 (ANETH H-407)	07-40S-24E	43-037-16322	99990	INDIAN	WIW	A
NAVAJO TRIBE FED L-3 (ANETH H-408)	08-40S-24E	43-037-16323	99990	INDIAN	WIW	A
NAVAJO TRIBE E-15 (ANETH E-308)	08-40S-24E	43-037-16060	99990	INDIAN	WIW	A
NAVAJO TRIBE FED 8-1 (ANETH F-208)	08-40S-24E	43-037-16076	99990	INDIAN	WIW	A
NAVAJO TRIBE L-6 (ANETH G-308)	08-40S-24E	43-037-16101	99990	INDIAN	WIW	A
NAVAJO TRIBE E-16 (ANETH H-208)	08-40S-24E	43-037-16119	99990	INDIAN	WIW	A
NAVAJO TRIBE FED 9-1 (ANETH E-208)	08-40S-24E	43-037-16284	99990	INDIAN	WIW	A
NAVAJO TRIBE E-13 (ANETH F-408)	08-40S-24E	43-037-16298	99990	INDIAN	WIW	A
NAVAJO TRIBE E-14 (ANETH E-309)	09-40S-24E	43-037-16061	99990	INDIAN	WIW	A
NAVAJO TRIBE E-4 (ANETH F-409)	09-40S-24E	43-037-16082	99990	INDIAN	WIW	A
NAVAJO TRIBE E-7 (ANETH H-410)	10-40S-24E	43-037-16125	99990	INDIAN	WIW	I
ANETH UNIT E-411	11-40S-24E	43-037-15940	99990	INDIAN	WIW	A
NAVAJO A-10/34-11 (ANETH G-411)	11-40S-24E	43-037-15944	7000	INDIAN	WIW	A
NAVAJO A-12/23-11 (ANETH F-311)	11-40S-24E	43-037-16295	99990	INDIAN	WIW	A
NAV TRIBE A-13 (ANETH E-213)	13-40S-24E	43-037-15938	99990	INDIAN	WIW	A
NAVAJO A-4 (ANETH E-413)	13-40S-24E	43-037-15941	99990	INDIAN	WIW	A
NAVAJO A-6 (ANETH E-214)	14-40S-24E	43-037-15939	7000	INDIAN	WIW	A
ANETH F-314	14-40S-24E	43-037-15942	7000	INDIAN	WIW	A
NAVAJO A-7/32-14 (ANETH G-214)	14-40S-24E	43-037-15943	99990	INDIAN	WIW	A
NAVAJO A-1/34-14 (ANETH G-414)	14-40S-24E	43-037-15945	99990	INDIAN	WIW	A

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-2-10) Sundry or legal documentation was received from the **FORMER** operator on: 05/06/2002
2. (R649-2-10) Sundry or legal documentation was received from the **NEW** operator on: 04/12/2002
3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 10/16/2002
4. Is the new operator registered in the State of Utah: YES Business Number: 564408-0143
5. If **NO**, the operator was contacted on: N/A

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 10/11/2002

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 10/11/2002

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: N/A

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 10/21/2002

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 10/23/2002
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 10/23/2002
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: N/A

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: N/A

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: 8975810026

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number N/A
2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS: Chevron USA Inc merged with Texaco Exploration & Production Inc to form ChevronTexaco Inc although all the Utah operations will be operated by Chevron USA Inc.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER: See Attachment
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Navajo
		7. UNIT or CA AGREEMENT NAME: Aneth Unit
1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>Injection wells</u>	8. WELL NAME and NUMBER: See Attachment	
2. NAME OF OPERATOR: Resolute Natural Resources Company N2700	9. API NUMBER: See Attach	
3. ADDRESS OF OPERATOR: 1675 Broadway, Suite 1950 CITY Denver STATE CO ZIP 80202	PHONE NUMBER: (303) 534-4600	10. FIELD AND POOL, OR WILDCAT: Desert Creek
4. LOCATION OF WELL FOOTAGES AT SURFACE: See Attachment		COUNTY: San Juan
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Change of Operator</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

As of December 1, 2004, Chevron U.S.A. Inc. resigned as Operator of the Aneth Unit. The successor operator is Resolute Natural Resources Company.

NAME (PLEASE PRINT) <u>Janet Pasque</u>	TITLE <u>Vice President</u>
SIGNATURE <u>Janet Pasque</u>	DATE <u>11/30/04</u>

(This space for state use only)

APPROVED 12/29/2004
ER
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>See attached exhibit.</u>		5. LEASE DESIGNATION AND SERIAL NUMBER: <u>See attached exhibit.</u>
2. NAME OF OPERATOR: <u>Resolute Natural Resources Company</u>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: <u>Navajo</u>
3. ADDRESS OF OPERATOR: <u>1675 Broadway, Suite 1950</u> CITY <u>Denver</u> STATE <u>CO</u> ZIP <u>80202</u>		7. UNIT or CA AGREEMENT NAME: <u>Aneth Unit</u>
4. LOCATION OF WELL FOOTAGES AT SURFACE: _____ QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____		8. WELL NAME and NUMBER: <u>See attached exhibit.</u>
PHONE NUMBER: <u>(303) 534-4600</u>		9. API NUMBER: <u>See attached exhibit.</u>
COUNTY: <u>San Juan</u>		10. FIELD AND POOL, OR WILDCAT: <u>Aneth</u>
STATE: <u>UTAH</u>		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Change of operator</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

As of December 1, 2004, Chevron U.S.A. Inc. resigned as operator of the Aneth Unit. Resolute Natural Resources Company has been elected the successor operator.

RECEIVED

DEC 22 2004

DIV. OF OIL, GAS & MINING

NAME (PLEASE PRINT) Chevron U.S.A. Inc. NO210 TITLE A. E. Wacker, Attorney-in-Fact

SIGNATURE R. E. Wacker DATE 12/20/2004

(This space for State use only)

APPROVED 12/29/2004
ER
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

NUM	API NUM	Q1	Q2	SEC	TWSP	RNG	LEGAL	Lease	Status 12/1/04	NNEPA Well List	USEPA Well List	UIC Program
H222	4303730242	SE	NW	22	40S	24E		I-149-IND-8836	Active	H222		Navajo Nation
F418	4303715083	SE	SW	18	T40S	R24E	650' FSL/1825' FWL	I-149-IND-8835	Active	F418	H222	Navajo Nation
E307	4303715412	NW	SW	7	T40S	R24E	1980' FSL/660' FWL	SL-067807	Active	E307	F418	Navajo Nation
E118	4303715413	NW	NW	18	T40S	R24E	660' FNL/660' FWL	SL-067807	Active	E118	E307	Navajo Nation
F407	4303715415	SE	SW	7	T40S	R24E	660' FSL/1980' FWL	SL-067807	Active	F407	E118	Navajo Nation
E136	4303715485	NW	NW	36	T40S	R24E	660' FNL/660' FWL	14-20-603-5444	Active	E136	F407	Navajo Nation
G136	4303715486	NW	NE	36	T40S	R24E	785' FNL/2040' FEL	14-20-603-5443	Active	G136	E136	Navajo Nation
H236	4303715487	SE	NE	36	T40S	R24E	1980' FNL/660' FEL	14-20-603-5443	P/A		G136	Navajo Nation
B213	4303715825	SE	NW	13	T40S	R23E	3300' FSL/3300' FEL	SL-070968-A	Active			Navajo Nation
C113	4303715827	NW	NE	13	T40S	R23E	4602' FSL/1993' FEL	SL-070968-A	Active			State of Utah
C313	4303715828	NW	SE	13	T40S	R23E	1949' FSL/1991' FEL	SL-070968-A	Active			State of Utah
D213	4303715830	SE	NE	13	T40S	R23E	3263' FSL/660' FEL	SL-070968-A	Active			State of Utah
E116	4303715832	NW	NW	16	T40S	R24E	601' FNL/550' FWL	ML-3156	Active	E116	E116	State of Utah
E213	4303715938	SW	NW	13	T40S	R24E	2140' FNL/740' FWL	I-IND-149-8837	Active	E213	E213	Navajo Nation
E214	4303715939	SW	NW	14	T40S	R24E	1940' FNL/650' FWL	I-149-IND-8837	Active	E214	E214	Navajo Nation
E411	4303715940	SW	SW	11	T40S	R24E	500' FSL/820' FWL	I-149-IND-8837	Active	E411	E411	Navajo Nation
E413	4303715941	SW	SW	13	T40S	R24E	660' FSL/660' FWL	IND-149-8837	Active	E413	E413	Navajo Nation
F314	4303715942	NE	SW	14	T40S	R24E	1980' FSL/1980'FWL	I-149-IND-8837	Active	F314	F314	Navajo Nation
G214	4303715943	SW	NE	14	T40S	R24E	2140' FNL/2010' FEL	I-149-IND-8839	P/A			Navajo Nation
G411	4303715944	SW	SE	11	T40S	R24E	680' FSL/1950' FEL	I-149-IND-8837	Active	G411	G411	Navajo Nation
G414	4303715945	SW	SE	14	T40S	R24E	660' FSL/1980' FEL	I-149-IND-8837	Active	G414	G414	Navajo Nation
J131	4303715946	NW	NW	31	T40S	R25E	660' FNL/638' FWL	14-20-603-372	Active	J131	J131	Navajo Nation
B114	4303716032	NE	NW	14	T40S	R23E	660' FNL/1980' FWL	SL-070968	Shut-In			State of Utah
C214	4303716033	SW	NE	14	T40S	R23E	1890' FNL/1930' FEL	SL-070968	Shut-In			State of Utah
C411	4303716034	SW	SE	11	T40S	R23E	600' FSL/2010' FEL	SL-070968-B	P/A			State of Utah
C414	4303716035	SW	SE	14	T40S	R23E	760' FSL/2000' FEL	SL-070968	Active			State of Utah
D314	4303716038	NE	SE	14	T40S	R23E	1980' FSL/660' FEL	SL-070968	Active			State of Utah
E117	4303716049	NW	NW	17	T40S	R24E	520' FNL/645' FWL	I-149-IND-8835	Active	E117	E117	Navajo Nation
E120	4303716050	NW	NW	20	T40S	R24E	660' FNL/660' FWL	I-149-IND-8836	Active	E120	E120	Navajo Nation
E121	4303716051	NW	NW	21	T40S	R24E	660' FNL/760' FWL	I-149-IND-8836	Active	E121	E121	Navajo Nation
E126	4303716054	NW	NW	26	T40S	R24E	760' FNL/660' FWL	I-149-IND-8838	Active	E126	E126	Navajo Nation
E129	4303716055	NW	NW	29	T40S	R24E	660' FNL/660' FWL	14-20-603-4030	Active	E129	E129	Navajo Nation
E308	4303716060	NW	SW	8	T40S	R24E	1820' FSL/645' FWL	I-149-IND-8833	Active	E308	E308	Navajo Nation
E309	4303716061	NW	SW	9	T40S	R24E	1900' FSL/500' FWL	I-149-IND-8834	P/A			Navajo Nation
E317	4303716062	NW	SW	17	40S	24E	1980' FSL/660' FWL	I-149-IND-8835	Active	E317	E317	Navajo Nation
E318	4303716063	NW	SW	18	T40S	R24E	1980' FSL/660' FWL	SL-067807	Active	E318	E318	Navajo Nation
E319	4303716064	NW	SW	19	T40S	R24E	2040' FSL/680' FWL	I-149-IND-8836	P/A			Navajo Nation
E320	4303716065	NW	SW	20	T40S	R24E	2140' FSL/820' FWL	I-149-IND-8836	Active	E320	E320	Navajo Nation
E321	4303716066	NW	SW	21	T40S	R24E	2140' FSL/720' FWL	I-149-IND-8836	Active	E321	E321	Navajo Nation
E322	4303716067	NW	SW	22	T40S	R24E	1980' FSL/660' FWL	I-149-IND-8836	Active	E322	E322	Navajo Nation
E323	4303716068	NW	SW	23	T40S	R24E	1980' FSL/510' FWL	I-149-IND-8838	Active	E323	E323	Navajo Nation
E324	4303716069	NW	SW	24	T40S	R24E	1980' FSL/660'FWL	I-149-IND-8838	Active	E324	E324	Navajo Nation
E325	4303716070	NW	SW	25	T40S	R24E	1980' FSL/660' FWL	I-149-IND-8838	Active	E325	E325	Navajo Nation
E326	4303716071	NW	SW	26	T40S	R24E	1980' FSL/660' FWL	I-149-IND-8838	Active	E326	E326	Navajo Nation
F115	4303716074	NE	NW	15	T40S	R24E	690' FNL/2140' FWL	I-149-IND-8834	Active	F115	F115	Navajo Nation

F208	4303716076	SE	NW	8	T40S	R24E	2140' FNL/2050' FWL	I-149-IND-8833	Active	F208	F208	Navajo Nation
F219	4303716077	SE	NW	19	T40S	R24E	1820' FNL/2140' FWL	I-149-IND-8836	Active	F219	F219	Navajo Nation
F221	4303716078	SE	NW	21	T40S	R24E	1980' FNL/1980' FWL	I-149-IND-8836	Active	F221	F221	Navajo Nation
F223	4303716079	SE	NW	23	T40S	R24E	1980' FNL/1820' FWL	I-149-IND-8838	Active	F223	F223	Navajo Nation
F225	4303716080	SE	NW	25	T40S	R24E	2040' FNL/2080' FWL	I-149-IND-8838	Active	F225	F225	Navajo Nation
F409	4303716082	SE	SW	9	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8834	Active	F409	F409	Navajo Nation
F421	4303716084	SE	SW	21	T40S	R24E	585' FSL/1990' FWL	I-149-IND-8836	Active	F421	F421	Navajo Nation
F422	4303716085	SE	SW	22	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8836	Active	F422	F422	Navajo Nation
F423	4303716086	SE	SW	23	T40S	R24E	770' FSL/1955' FWL	I-149-IND-8838	Active	F423	F423	Navajo Nation
F424	4303716087	SE	SW	24	T40S	R24E	660' FSL/2100' FWL	I-149-IND-8838	Active	F424	F424	Navajo Nation
G117	4303716089	NW	NE	17	T40S	R24E	660' FNL/1980' FEL	I-149-IND-8835	Active	G117	G117	Navajo Nation
G118	4303716090	NW	NE	18	T40S	R24E	800' FNL/1910' FEL	I-149-IND-8835	Active	G118	G118	Navajo Nation
G119	4303716091	NW	NE	19	T40S	R24E	660' FNL/2140' FEL	I-149-IND-8836	Active	G119	G119	Navajo Nation
G120	4303716092	NW	NE	20	T40S	R24E	660' FNL/1980' FEL	I-149-IND-8833	Active	G120	G120	Navajo Nation
G125	4303716095	NW	NE	25	T40S	R24E	660' FNL/2140' FEL	I-149-IND-8838	Active	G125	G125	Navajo Nation
G129	4303716097	NW	NE	29	T40S	R24E	580' FNL/1905' FEL	14-20-603-4030	Active	G129	G129	Navajo Nation
G307	4303716100	NW	SE	7	T40S	R24E	1900' FSL/1995' FEL	SL-067807	Active	G307	G307	Navajo Nation
G308	4303716101	NW	SE	8	T40S	R24E	1975' FSL/1830' FEL	I-149-IND-8834	Active	G308	G308	Navajo Nation
G317	4303716103	NW	SE	17	T40S	R24E	1778' FSL/1900' FEL	I-149-IND-8835	Active	G317	G317	Navajo Nation
G318	4303716104	NW	SE	18	T40S	R24E	2125' FSL/1980' FEL	I-149-IND-8835	Active	G318	G318	Navajo Nation
G320	4303716105	NW	SE	20	T40S	R24E	1980' FSL/1980' FEL	I-149-IND-8836	Active	G320	G320	Navajo Nation
G324	4303716111	NW	SE	24	T40S	R24E	1980' FSL/1980' FEL	I-149-IND-8838	Active	G324	G324	Navajo Nation
G326	4303716113	NW	SE	26	T40S	R24E	1980' FSL/1980' FEL	I-149-IND-8838	Active	G326	G326	Navajo Nation
G415	4303716116	SW	SE	15	T40S	R24E	820' FSL/2400' FEL	I-149-IND-8834	Active	G415	G415	Navajo Nation
H122	4303716117	NE	NE	22	T40S	R24E	660' FNL/660' FEL	I-149-IND-8836	Active	H122	H122	Navajo Nation
H207	4303716118	SE	NE	7	T40S	R24E	1820' FNL/820' FEL	SL-067807	T/A			State of Utah
H208	4303716119	SE	NE	8	T40S	R24E	2140' FNL/660' FEL	I-149-IND-8833	Active	H208	H208	Navajo Nation
H218	4303716120	SE	NE	18	T40S	R24E	1980' FNL/660' FEL	I-149-IND-8835	Active	H218	H218	Navajo Nation
H219	4303716121	SE	NE	19	T40S	R24E	1945' FNL/607' FEL	I-149-IND-8836	Active	H219	H219	Navajo Nation
H221	4303716122	SE	NE	21	T40S	R24E	1980' FNL/660' FEL	I-149-IND-8836	Active	H221	H221	Navajo Nation
H223	4303716123	SE	NE	23	T40S	R24E	1820' FNL/730' FEL	I-149-IND-8838	Active	H223	H223	Navajo Nation
H225	4303716124	SE	NE	25	T40S	R24E	1980' FNL/660' FEL	I-149-IND-8838	Active	H225	H225	Navajo Nation
H410	4303716125	SE	SE	10	T40S	R24E	625' FSL/545' FEL	I-149-IND-8834	P/A			Navajo Nation
H422	4303716127	SE	SE	22	T40S	R24E	^660' FSL/660' FEL	I-149-IND-8836	P/A			Navajo Nation
H423	4303716128	SE	SE	23	T40S	R24E	820' FSL/450' FEL	I-149-IND-8838	Active	H423	H423	Navajo Nation
H425	4303716129	SE	SE	25	T40S	R24E	660' FSL/660' FEL	I-149-IND-8838	Active	H425	H425	Navajo Nation
J129	4303716131	NW	NW	29	T40S	R25E	620' FNL/615' FWL	I-149-IND-8839	P/A			Navajo Nation
J130	4303716132	NW	NW	30	T40S	R25E	720' FNL/590' FEL	I-149-IND-8839	Shut-In	J130	J130	Navajo Nation
J330	4303716134	NW	SW	30	T40S	R25E	2060' FSL/800' FWL	I-149-IND-8839	Active	J330	J330	Navajo Nation
K230	4303716135	SE	NW	30	T40S	R25E	2075' FSL/2140' FWL	I-149-IND-8839	Shut-In	K230	K230	Navajo Nation
K430	4303716137	SE	SW	30	T40S	R25E	660' FSL/1980' FWL	I-149-IND-8839	Active	K430	K430	Navajo Nation
L330	4303716139	NW	SE	30	T40S	R25E	2120' FSL/1960' FEL	I-149-IND-8839	Active	L330	L330	Navajo Nation
L419	4303716140	SW	SE	19	T40S	R25E	660' FSL/1980' FEL	I-149-IND-8839	Active	L419	L419	Navajo Nation
M230	4303716141	SE	NE	30	T40S	R25E	1930' FNL/660' FEL	I-149-IND-8839	Active	M230	M230	Navajo Nation
E128	4303716222	NW	NW	28	T40S	R24E	660' FNL/660' FWL	14-20-603-2056	Active	E128	E128	Navajo Nation
F227	4303716223	SE	NW	27	T40S	R24E	1980' FNL/1980' FWL	14-20-603-2056	T/A			Navajo Nation
G128	4303716224	NW	NE	28	T40S	R24E	660' FNL/1980' FEL	14-20-603-2056	Shut-In	G128	G128	Navajo Nation

H228	4303716228	SE	NE	28	T40S	R24E	2080' FNL/560' FEL	14-20-603-2056	T/A				
A124	4303716270	NW	NW	24	T40S	R23E	500' FNL/500' FWL	SL-0701010-C	Active				Navajo Nation
B123	4303716271	NE	NW	23	T40S	R23E	500' FNL/2140' FWL	SL-0701010	Active				State of Utah
B312	4303716272	NE	SW	12	T40S	R23E	3295' FNL/3348' FEL	SL-070968-A	Active	B312		B312	State of Utah
B314	4303716273	NE	SW	14	T40S	R23E	2030' FSL/2030' FWL	SL-070968	Active				Navajo Nation
C112	4303716274	NW	NE	12	T40S	R23E	658' FNL/1974' FEL	SL-070968-A	P/A				State of Utah
C124	4303716275	NW	NE	24	T40S	R23E	660' FNL/1980' FEL	SL-0701010-C	P/A				State of Utah
C223	4303716276	SW	NE	23	T40S	R23E	1820' FNL/1980' FEL	SL-0701010	P/A				State of Utah
D114	4303716277	NE	NE	14	T40S	R23E	660' FNL/760' FEL	SL-070968	Active				State of Utah
D212	4303716278	SE	NE	12	T40S	R23E	1860' FNL/656' FEL	SL-070968-A	Shut-In	D212		D212	State of Utah
D413	4303716279	SE	SE	13	T40S	R23E	660' FSL/661' FEL	SL-070968-A	Active				Navajo Nation
E119	4303716280	NW	NW	19	T40S	R24E	500' FNL/820' FWL	I-149-IND-8836	Active	E119		E119	State of Utah
E207	4303716283	SW	NW	7	T40S	R24E	2030' FNL 750' FWL		T/A	E207		E207	Navajo Nation
E208	4303716284	SW	NW	8	T40S	R24E	1930' FNL/500' FWL	I-149-IND-8833	T/A				
F116	4303716285	NE	NW	16	T40S	R24E	660' FNL/1980' FWL	ML-3156	Active	F116		F116	Navajo Nation
F217	4303716286	SE	NW	17	T40S	R24E	1890' FNL/1930' FWL	I-149-IND-8835	Active	F217		F217	Navajo Nation
F218	4303716287	SE	NW	18	T40S	R24E	1970' FNL/2060' FWL	I-149-IND-8835	Active	F218		F218	Navajo Nation
F220	4303716288	SE	NW	20	T40S	R24E	1980' FNL/1980' FWL	I-149-IND-8836	Active	F220		F220	Navajo Nation
F224	4303716289	SE	NW	24	T40S	R24E	1980' FNL/1980' FWL	I-149-IND-8838	Active	F224		F224	Navajo Nation
F226	4303716290	SE	NW	26	T40S	R24E	1950' FNL/1900' FWL	I-149-IND-8838	Active	F226		F226	Navajo Nation
F229	4303716292	SE	NW	29	T40S	R24E	2015' FNL/1930' FWL	14-20-603-4030	P/A	F229		F229	Navajo Nation
F235	4303716293	SE	NW	35	T40S	R24E	1825' FNL/2010' FWL	14-20-603-2059	Active	F235		F235	Navajo Nation
F236	4303716294	SE	NW	36	T40S	R24E	1980' FNL/1980' FWL	14-20-603-5444	Active	F236		F236	Navajo Nation
F311	4303716295	NE	SW	11	T40S	R24E	1820' FSL/1980' FWL	I-149-IND-8837	P/A				Navajo Nation
F315	4303716296	NE	SW	15	T40S	R24E	1980' FSL/2010' FWL	I-149-IND-8834	Active	F315		F315	Navajo Nation
F316	4303716297	NE	SW	16	T40S	R24E	2260' FSL/2140' FWL	ML-3156	Active	F316		F316	Navajo Nation
F408	4303716298	SE	SW	8	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8833	Active	F408		F408	Navajo Nation
F417	4303716299	SE	SW	17	T40S	R24E	500' FSL/2140' FWL	I-149-IND-8835	Active	F417		F417	Navajo Nation
F420	4303716300	SE	SW	20	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8836	Active	F420		F420	Navajo Nation
F425	4303716301	SE	SW	25	T40S	R24E	795' FSL/1960' FWL	I-149-IND-8838	Active	F425		F425	Navajo Nation
F426	4303716302	SE	SW	26	T40S	R24E	632' FSL/1867' FWL	I-149-IND-8838	P/A				Navajo Nation
F434	4303716303	SE	SW	34	T40S	R24E	815' FSL/1860' FWL	14-20-603-2056	P/A				Navajo Nation
F435	4303716304	SE	SW	35	T40S	R24E	820' FSL/1930' FWL	14-20-603-2059	T/A				Navajo Nation
G123	4303716306	NW	NE	23	T40S	R24E	660' FNL/1530' FEL	I-149-IND-8838	Active	G123		G123	Navajo Nation
G127	4303716307	NW	NE	27	T40S	R24E	660' FNL/1980' FEL	14-20-603-2056	Active	G127		G127	Navajo Nation
G319	4303716309	NW	SE	19	T40S	R24E	1920' FSL/2060' FEL	I-149-IND-8836	Active	G319		G319	Navajo Nation
H216	4303716312	SE	NE	16	T40S	R24E	3331' FSL/703' FEL	ML-3156	Active	H216		H216	Navajo Nation
H217	4303716313	SE	NE	17	T40S	R24E	2070' FNL/820' FEL	I-149-IND-8833	Active	H217		H217	Navajo Nation
H220	4303716314	SE	NE	20	T40S	R24E	2025' FNL/560' FEL	I-149-IND-8833	Active	H220		H220	Navajo Nation
H226	4303716316	SE	NE	26	T40S	R24E	1980' FNL/780' FEL	I-149-IND-8838	Active	H226		H226	Navajo Nation
H227	4303716317	SE	NE	27	T40S	R24E	1980' FNL/630' FEL	14-20-603-2056	Active	H227		H227	Navajo Nation
H229	4303716318	SE	NE	29	T40S	R24E	1820' FNL/660' FEL	14-20-603-4030	Shut-In	H229		H229	Navajo Nation
H234	4303716319	SE	NE	34	T40S	R24E	1980' FNL/660' FEL	14-20-603-2056	Active	H234		H234	Navajo Nation
H235	4303716320	SE	NE	35	T40S	R24E	2000' FNL/770' FEL	14-20-603-2059	Active	H235		H235	Navajo Nation
H407	4303716322	SE	SE	7	T40S	R24E	645' FSL/500' FEL	I-149-IND-8835	Active	H407		H407	Navajo Nation
H408	4303716323	SE	SE	8	T40S	R24E	500' FSL/530' FEL	I-149-IND-8834	Active	H408		H408	Navajo Nation
H417	4303716326	SE	SE	17	T40S	R24E	500' FSL/690' FEL	I-149-IND-8833	Active	H417		H417	Navajo Nation

H418	4303716327	SE	SE	18	T40S	R24E	660' FSL/660' FEL	I-149-IND-8835	Active	H418		
H419	4303716328	SE	SE	19	T40S	R24E	570' FSL/450' FEL	I-149-IND-8836	P/A		H418	Navajo Nation
H420	4303716329	SE	SE	20	T40S	R24E	660' FSL/660' FEL	I-149-IND-8836	Active	H420		Navajo Nation
H421	4303716330	SE	SE	21	T40S	R24E	500' FSL/750' FEL	I-149-IND-8836	Active	H421	H421	Navajo Nation
H424	4303716331	SE	SE	24	T40S	R24E	820' FSL/610' FEL	I-149-IND-8838	Active	H424	H424	Navajo Nation
H426	4303716332	SE	SE	26	T40S	R24E	710' FSL/510' FEL	I-149-IND-8838	Active	H426	H426	Navajo Nation
H427	4303716333	SE	SE	27	T40S	R24E	660' FSL/660' FEL	14-20-603-2056	Active	H427	H427	Navajo Nation
K231	4303716335	SE	NW	31	T40S	R25E	2014' FNL/2054' FWL	14-20-603-372A	Active	K231	K231	Navajo Nation
M430	4303716337	SE	SE	30	T40S	R25E	670' FSL/790' FEL	I-149-IND-8839	Active	M430	M430	Navajo Nation
E414	4303716421	SW	SW	14	T40S	R24E	750' FSL/620' FWL	I-149-IND-8837	Active	E414	E414	Navajo Nation
F114	4303716422	NE	NW	14	40S	24E	720' FNL/1870' FWL	I-149-IND-8839	Active	F114	F114	Navajo Nation
E127	4303716782	NW	NW	27	T40S	R24E	660' FNL/660' FWL	14-20-603-2056	P/A			Navajo Nation
H416	4303720230	SE	SE	16	T40S	R24E	150' FSL/660' FEL	ML-3156	Active	H416	H416	Navajo Nation
G322X	4303720231	NW	SE	22	T40S	R24E	1550' FSL/1720' FEL	I-149-IND-8836	Active	G322X	G322X	Navajo Nation
D412	4303730049	SE	SE	12	T40S	R23E	500' FSL/150' FEL	SL-070968-A	Active	D412	D412	Navajo Nation
E316	4303730094	NW	SW	16	T40S	R24E	2190' FSL/128' FWL	ML-3156	Active	E316	E316	Navajo Nation
G321X	4303730095	NW	SE	21	T40S	R24E	1900' FSL/1755' FEL	I-149-IND-8836	Shut-In	G321X	G321X	Navajo Nation
G316	4303730107	NW	SE	16	T40S	R24E	2320' FSL/1745' FEL	ML-3156	Active	G316	G316	Navajo Nation
C312	4303730112	NW	SE	12	T40S	R23E	1610' FSL/1800' FEL	SL-070968-A	Active	C312	C312	Navajo Nation
A113	4303730119	NW	NW	13	T40S	R23E	700' FNL/650' FWL	SL-070968-A	Active			State of Utah
E218	4303730137	SW	NW	18	T40S	R24E	1860' FNL/660' FWL	SL-067807	Active	E218	E218	Navajo Nation
F118	4303730155	NE	NW	18	T40S	R24E	619' FNL/2184' FWL	SL-067807	Active	F118	F118	Navajo Nation
D113	4303730174	NE	NE	13	T40S	R23E	578' FNL/619' FEL	SL-070968-A	Active			State of Utah
E407	4303730175	SW	SW	7	T40S	R24E	618' FSL/577' FWL	SL-067807	Active	E407	E407	Navajo Nation
E315	4303730213	NW	SW	15	T40S	R24E	2212' FSL/591' FWL	I-149-IND-8834	Active	E315	E315	Navajo Nation
E122	4303730215	NW	NW	22	T40S	R24E	528' FNL/660' FWL	I-149-IND-8836	Active	E122	E122	Navajo Nation
F123	4303730235	NE	NW	23	T40S	R24E	660' FNL/2046' FWL	I-149-IND-8838	Shut-In	F123	F123	Navajo Nation
B413	4303730297	SE	SW	13	T40S	R23E	660' FSL/1980' FWL	SL-070968-A	Active			State of Utah
A313	4303730299	NW	SW	13	T40S	R23E	1840' FSL/470' FWL	SL-070968-A	Active			State of Utah
H315	4303730312	NE	SE	15	T40S	R24E	1980' FSL/660' FEL	I-149-IND-8834	Active	H315	H315	Navajo Nation
F416	4303730333	SE	SW	16	T40S	R24E	1000' FSL/1980' FWL	ML-3156	Active	F416	F416	Navajo Nation
G121X	4303730335	NW	NE	21	T40S	R24E	790' FNL/1780' FEL	I-149-IND-8836	Active	G121X	G121X	Navajo Nation
G116	4303730344	NW	NE	16	T40S	R24E	660' FNL/1980' FEL	ML-3156	Active	G116	G116	Navajo Nation
G126X	4303730372	NW	NE	26	T40S	R24E	860' FNL/1780' FEL	I-149-IND-8838	Active	G126X	G126X	Navajo Nation
F222	4303730373	SE	NW	22	T40S	R24E	1920' FNL/1980' FWL	I-149-IND-8836	Active	F222	F222	Navajo Nation
G122	4303730425	NW	NE	22	T40S	R24E	570' FNL/1960' FEL	I-149-IND-8836	Active	G122	G122	Navajo Nation
H314X	4303731381	NE	SE	14	T40S	R24E	1950' FSL/570' FEL	I-149-IND-8837	Active	H314X	H314X	Navajo Nation

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW
3. FILE

X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective: <u>12/1/2004</u>	
FROM: (Old Operator): N0210-Chevron USA, Inc. PO Box 4791 Houston, TX 77210-4791 Phone: 1-(713) 752-7431	TO: (New Operator): N2700-Resolute Natural Resources Company 1675 Broadway, Suite 1950 Denver, CO 80202 Phone: 1-(303) 534-4600

CA No.

Unit:

ANETH

WELL(S)

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
NAVAJO FED 9-1 (ANETH E-208)	08	400S	240E	4303716284	99990	Indian	WI	A
NAVAJO TRIBE E-13 (ANETH F-408)	08	400S	240E	4303716298	99990	Indian	WI	A
NAVAJO A-12/23-11 (ANETH F-311)	11	400S	240E	4303716295	99990	Indian	WI	A
NAVAJO TRIBAL E-8 (ANETH F-315)	15	400S	240E	4303716296	99990	Indian	WI	A
NAVAJO TRIBAL G-8 (ANETH F-217)	17	400S	240E	4303716286	99990	Indian	WI	A
NAVAJO TRIBAL G-6 (ANETH F-417)	17	400S	240E	4303716299	99990	Indian	WI	A
NAVAJO FED U 1 (ANETH F-218)	18	400S	240E	4303716287	99990	Indian	WI	A
NAVAJO FED U B-1 (ANETH E-119)	19	400S	240E	4303716280	99990	Indian	WI	A
NAVAJO TRIBE D-8 (ANETH F-220)	20	400S	240E	4303716288	99990	Indian	WI	A
NAVAJO TRIBE D-20 (ANETH F-420)	20	400S	240E	4303716300	99990	Indian	WI	A
NAVAJO TRIBE C-1 (ANETH G-123)	23	400S	240E	4303716306	99990	Indian	WI	A
NAVAJO TRIBE C-16 (ANETH F-224)	24	400S	240E	4303716289	99990	Indian	WI	A
NAVAJO TRIBE C-32 (ANETH F-425)	25	400S	240E	4303716301	99990	Indian	WI	A
NAVAJO TRIBE C-23 (ANETH F-226)	26	400S	240E	4303716290	99990	Indian	WI	A
NAVAJO TRIBE C-4 (ANETH F-426)	26	400S	240E	4303716302	99990	Indian	WI	A
ANETH 27-C-1 (ANETH G-127)	27	400S	240E	4303716307	99990	Indian	WI	A
ANETH H-228	28	400S	240E	4303716228	99990	Indian	WI	A
NAVAJO TRIBE S-4 (ANETH F-229)	29	400S	240E	4303716292	99990	Indian	WI	I
ANETH 34-B-4 (ANETH F-434)	34	400S	240E	4303716303	99990	Indian	WI	A
NAVAJO TRIBE Q-5 (ANETH F-235)	35	400S	240E	4303716293	99990	Indian	WI	A
NAVAJO TRIBE Q-8 (ANETH F-435)	35	400S	240E	4303716304	99990	Indian	WI	A
NAVAJO 3 (ANETH F-236)	36	400S	240E	4303716294	99990	Indian	WI	A

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 12/22/2004
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 12/13/2004
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 11/22/2004
- Is the new operator registered in the State of Utah: YES Business Number: 5733505-0143
- If **NO**, the operator was contacted on: _____
- (R649-9-2) Waste Management Plan has been received on: _____ requested
- Inspections of LA PA state/fee well sites complete on: 12/20/2004

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM not yet BIA not yet

8. **Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: not yet

9. **Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: _____

DATA ENTRY:

- 1. Changes entered in the **Oil and Gas Database** on: 12/29/2004
- 2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 12/29/2004
- 3. Bond information entered in RBDMS on: n/a
- 4. Fee/State wells attached to bond in RBDMS on: n/a
- 5. Injection Projects to new operator in RBDMS on: separate list
- 6. Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: B001263

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: B001264

FEE & STATE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number B001262

2. The **FORMER** operator has requested a release of liability from their bond on: not yet
The Division sent response by letter on: _____

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: _____

COMMENTS:

