

Scout Report sent out
 Noted in the NID File
 Location map pinned
 Approval or Disapproval Letter
 Date Completed, P. & A, or operations suspended 7-29-57
 Pin changed on location map
 Affidavit and Record of A & P
 Water Shut-Off Test
 Gas-Oil Ratio Test
 Well Log Filed

** As of 12-28-61, this well is scheduled as a water injection well & is waiting on injection lines. Started injecting gas of April, 1962*

FILE NOTATIONS			
Entered in NID File	<u>X</u>	Checked by Chief	<u>X</u>
Entered On S R Sheet	<u>X</u>	Copy NID to Field Office	<u>X</u>
Location Map Pinned	<u>X</u>	Approval Letter	<u>X</u>
Card Indexed	<u>X</u>	Disapproval Letter	_____
JWR for State or Fee Land	_____		
COMPLETION DATA:			
Date Well Completed	<u>7-29-57</u>	Location Inspected	_____
OW <u>X</u> WW _____ TA _____		Bond released	_____
GW _____ OS _____ PA _____		State of Fee Land	_____
LOGS FILED			
Driller's Log	<u>12-16-57</u>		
Electric Logs (No.)	<u>3</u>		
E <u>X</u> I _____ EI <u>X</u> GR _____ GRN <u>X</u> Misc _____			
Log _____ M-L _____ Sonic _____ Other _____			

STATE OF UTAH
OIL AND GAS CONSERVATION COMMISSION
NOTICE OF INTENTION TO DRILL

OIL AND GAS CONSERVATION COMMISSION

June 27, 19 57

In compliance with Rule C-4, notice is hereby given that it is our intention to commence the work of drilling Well No. 42-16, which is located 3331 ft. from (XX) line and 703 ft. from (E) line of Sec. 16, Twp. 40S, R. 24E, SLBM (Meridian), Aneth (Field or Unit) (S)
San Juan (county), on or about 1st day of July, 19 57.

LAND: Fee and Patented ()
State (X)
Lease No. ML 3156
Public Domain ()
Lease No. _____

Name of Owner of patent or lease Shell Oil Co.
Address 1008 West Sixth Street
Los Angeles 54, California

Is location a regular or exception to spacing rule? Regular Has a surety bond been filed? Yes With whom? _____ State _____ Area in drilling unit 40 acres (State or Federal)
Elevation of ground above sea level is 4611 (approx.) ft. All depth measurements taken from top of Kelly Bushing which is / ft. above ground. (Derrick Floor, Rotary Table or Kelley Bushing)
Type of tools to be used Rotary. Proposed drilling depth 5630 ft. Objective formation is Paradox.

PROPOSED CASING PROGRAM

Size of Casing Inches A.P.I.	Weight Per Foot	Grade and Type	Amount Ft.	Top In.	Bottom	Cementing Depths
8-5/8"	24#	J-55 Spang	1200	0	1200	1200
5-1/2"	17#	J-55 Spang	5630	0	5630	5630

AFFIDAVIT


I hereby certify under the penalty of perjury, that the information contained and statements herein made are to the best of my knowledge and believe, true, correct and complete.

Approved for regular location
Date June 28 1957
By Clem B Teight
Title Secretary

By BW Shepard
B. W. Shepard
Exploitation Engineer
(Title or Position)
Shell Oil Company
(Company or Operator)
Address 108 North Behrend Avenue
Farmington, New Mexico

INSTRUCTIONS

1. Complete this form in duplicate and mail both copies to the Oil and Gas Conservation Commission, Room 105, Capitol Building, Salt Lake City 14, Utah.
2. A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.
3. Any information required by this form that cannot be furnished at the time said form is submitted must be forwarded to the commission as soon as available.
4. Use back of form for remarks.



ELEVATION DATA


GROUND	4611' 66
MATT	
D.F.	
K.B.	
B.M.	4635.2'

REFERENCE POINT DATUM-

1"x2" STAKES SET AT 10' N.S.E. & W. OF LOC.
 1"x2" stake and 3' flag set 192' W., 185' E., 320' S., & 120' N. of the original location.
 1 1/2" x 3' IP with lead cap and 10' flag set at original location.
 Location as built is 3331' N. and 703' W., of the SE Cor. of Section 16, T. 40S., R. 24E., S.L.M.
 1"x2" hub and 3' flag bears N. 24° 36' E. 98' from the Loc. for B.M.

This is to certify that the above plat was prepared from field notes of an actual survey made under my supervision, and that the same is true and correct to the best of my knowledge and belief.

John A. Kroeger
 John A. Kroeger, Reg. L.S.
 Utah Reg. No. 1648



Drawn By: Ritter	SHELL OIL COMPANY	Scale 1" = 1000'
Checked By: A.C.T.		
Date: 6/24/57		

AMENDED LOCATION OF STATE III - 42 - 16
 SAN JUAN COUNTY, UTAH, SEC. 16, T. 40S., R. 24E., S. L. M.

June 28, 1957

Shell Oil Company
108 N. Behrend Avenue
Farmington, New Mexico

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. State Three 42-16, which is to be located 3331 feet from the south line and 703 feet from the east line of Section 16, Township 40 South, Range 24 East, S1EM, San Juan County, Utah.

Please be advised that approval to drill said well is hereby granted.


Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FREIGHT
SECRETARY

CBF:en

cc: State Land Board
Room 105, State Capitol Bldg.
Salt Lake City, Utah



STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION

STATE CAPITOL BUILDING
SALT LAKE CITY 14, UTAH

*Noted
CMT
7-12-57*

Fee and Patented.....
State.....
Lease No. ML 3156.....
Public Domain.....
Lease No.
Indian.....
Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

Notice of Intention to Drill.....	Subsequent Report of Water Shut-off.....	
Notice of Intention to Change Plans.....	Subsequent Report of Altering Casing.....	
Notice of Intention to Redrill or Repair.....	Subsequent Report of Redrilling or Repair.....	
Notice of Intention to Pull or Alter Casing.....	Supplementary Well History.....	<input checked="" type="checkbox"/>
Notice of Intention to Abandon Well.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 10, 19 57

State Three
Well No. 42-16 is located 3331 ft. from ~~NE~~ S line and 703 ft. from ~~NE~~ E line of Sec. 16
NE 16 40S 24E SLBM
 (¼ Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Aneth San Juan Utah
 (Field) (County or Subdivision) (State or Territory)

The elevation of the ~~drill pipe~~ drill pipe above sea level is 4611 feet. (approx. ground)

A drilling and plugging bond has been filed with State of Utah

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important work, surface formation, and date anticipate spudding-in.)

(Spudded 6-29-57)


7-2,4-57 Ran and cemented 8-5/8", 24#, J-55 casing at 1280' with 400 sacks 1-1 Diamix followed by 150 sacks treated cement. Could not pump cement to bottom. Cemented around outside of casing with 250 sacks treated cement. No returns. Continued flowing water. Recemented around outside of casing with 200 sacks, stopped water flow. Cleaned out 532' of cement in casing. Pressure tested BOP and casing with 700 psi. for 15 minutes, O.K.

I understand that this plan of work must receive approval in writing by the Commission before operations may be commenced.

Company Shell Oil Company
 Address 101 South Behrend Avenue By B. W. Shepard
Farmington, New Mexico Title Exploitation Engineer

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.

W/



STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION

STATE CAPITOL BUILDING
SALT LAKE CITY 14, UTAH

*Noted
cont
8-6-57*

Fee and Patented.....
State
Lease No. ML 3156
Public Domain
Lease No.
Indian
Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

Notice of Intention to Drill.....		Subsequent Report of Water Shut-off.....	
Notice of Intention to Change Plans.....		Subsequent Report of Altering Casing.....	
Notice of Intention to Redrill or Repair.....		Subsequent Report of Redrilling or Repair.....	
Notice of Intention to Pull or Alter Casing.....		Supplementary Well History.....	
Notice of Intention to Abandon Well.....			
Notice of Intention to Complete Well.....	X		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

State Three July 21, 1957

Well No. 42-16 is located 3331 ft. from NS line and 703 ft. from EW line of Sec. 16

NE 16 40S 24E SLBM

($\frac{1}{4}$ Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Aneth San Juan Utah

(Field) (County or Subdivision) (State or Territory)

The elevation of the ~~surface~~ Kelly Bushing above sea level is 4622.4 feet.

A drilling and plugging bond has been filed with State of Utah

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important work, surface formation, and date anticipate spudding-in.)

Status: Total Depth: 5455
Casing: 8-5/8" at 1280
Hole Size: 7-7/8" 1280-5455

- Proposed Work:
1. Cement 5-1/2" casing at 5455' with 250 sacks construction cement.
 2. Drill 4-3/4" hole to 5500'.
 3. Wash formation with 200 gal mud acid and acidize with 2000 gal XFW acid.
 4. Make production test.
 5. Drill 4-3/4" hole to 5645'.
 6. Wash formation with 500 gal mud acid.
 7. Swab well into production, establish initial rate.

I understand that this plan of work must receive approval in writing by the Commission before operations may be commenced.


Company Shell Oil Company

Address 101 South Behrend
Farmington, New Mexico

By B. W. Shepard
B. W. Shepard
Title Exploitation Engineer

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.

W



STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION

STATE CAPITOL BUILDING
SALT LAKE CITY 14, UTAH

Fee and Patented.....
State.....
Lease No. ML 3156.....
Public Domain.....
Lease No.
Indian.....
Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

Notice of Intention to Drill.....	Subsequent Report of Water Shut-off.....	
Notice of Intention to Change Plans.....	Subsequent Report of Altering Casing.....	
Notice of Intention to Redrill or Repair.....	Subsequent Report of Redrilling or Repair.....	
Notice of Intention to Pull or Alter Casing.....	Supplementary Well History.....	
Notice of Intention to Abandon Well.....	Subsequent Report of Well Completion.....	X

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 30, 19 57

State III
Well No. 42-16 is located 3331 ft. from S line and 703 ft. from E line of Sec. 16

NE 16 40S 24E SLBM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Aneth San Juan Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the ~~derrick floor~~ Kelly Bushing above sea level is 4622.4 feet.

A drilling and plugging bond has been filed with State of Utah

*Noted
OK
9-16-57*

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important work, surface formation, and date anticipate spudding-in.)

- 7-21-57 Ran and cemented 5435' of 5-1/2" 14#, J-55 casing at 5445' with 250 sacks treated cement.
- 7-24-57 Spotted 200 gal mud acid, injected 2000 gal XFW. Swabbed well in and tested.
- 7-26-57 Produced 311 B/D gross, 280 B/D clean, cut 10.6% acid water, gravity 41° API, 48/64" bean, gas 250 MCF/D, GOR 895, TP 50-150 psi, trap press. 40 psi (1 hr. 20 min. test) Drilled 165'.
- 7-27-57 Acidized with 500 gal mud acid swabbing water.
- 7-28-57 Acidized with 500 gal mud acid swabbing water.
- 7-29-57 Acidized with 2000 gal XFW, 2000 gal retarded acid. Max press 3850 psi. Final pressure 3500 psi. Swabbed to natural flow. Flowed 552 B/D rate, 13% cut 480 B/D net, 40.5° API, TP 120 psi, 465 MCF/D, GOR 975 CF/bbls, 3/4" bean.
- 7-30-57 Flowed well on test. Released rig 7-30-57.
- 7-31-57 Initial Production: 462 B/D gross, 414 B/D clean, 10.4% cut, gravity 40.5° API, 48/64" bean, 375 MCF/D gas, GOR 900, TP 120 (22 hr. test). Completed 7-29-57.

I understand that this plan of work must receive approval in writing by the Commission before operations may be commenced.

Company Shell Oil Company

Address 101 S. Behrend
Farmington, N. M.
By B. W. Shepard
B. W. Shepard
Title Exploitation Engineer

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.

W

DRILLING REPORT
FOR PERIOD ENDING

16

Aneth

(FIELD)

San Juan, Utah

(COUNTY)

7-24-57

(SECTION OR LEASE)
T40S R24E

(TOWNSHIP OR RANCHO)

DAY	DEPTHS		REMARKS
	FROM	TO	
57			
6-29 to 7-1	0	1282	<p><u>Location:</u> 3331' N and 703' W of SE Corner, Section 16, T40S, R24E, SLBM, San Juan County, Utah</p> <p><u>Elevations:</u> DF 4620.5 Gr 4611.1 KB 4622.4</p> <p>Spudded 5:00 P.M. 6-29-57, encountered 6" water flow at 640'±. Ran caliper log. Ran and cemented 8-5/8", 24#, J-55 Spang casing at 1280' with 400 sacks 1-1 Diamix followed by 150 sacks cement, all treated with 2% calcium chloride. No returns to surface, could not pump plug down. Cemented from top around outside of surface casing with 250 sacks cement treated with 2% calcium chloride, no returns to surface. Stopped water flow for 1 hour 45 minutes. Started flowing cement-cut water. Recemented around outside of casing with 500 sacks cement in 1-1/2 hour stages, returns to surface, water flow stopped.</p>
7-2 to 7-3	1282	-	Cleaned out cement (532'). Pressure tested casing and BOP with 1000 psi. for 30 minutes, O.K.
7-4 to 7-20	1282	5455	<u>Drilled 4173'</u> . Twisted off at 5074', recovered with Bowen overshot.
7-21	5455	-	Ran Electrical Survey and Gamma Ray-Neutron Log. Ran and cemented 5-1/2" (130 jts), 14#, J-55 casing at 5435 with 250 sacks cement, final pressure 1500 psi.
7-22	5457		Waited on cement. Pressure tested casing and plug with 1000 psi. for 15 minutes, O.K. Drilled out cement shoe. (Depth correction 2' 5455=5457)
7-23	5457	5502	<u>Drilled 45'</u> 4-3/4" hole.
7-24	5502		Displaced mud with water. Spotted 200 gal. mud acid in 4 stages. Set packer and squeezed with 2000 gal. XFW acid. Swabbed well in and tested: 311 B/D gross, 280 B/D clean, cut 10.6% acid water, gravity 41° API, 48/64" choke, 250 MCF/D gas, GOR 895, TP 50-150 (1 hr, 20 min. test) Killed with mud. Displaced oil with water.

CONDITION AT BEGINNING OF PERIOD

HOLE			CASING SIZE	DEPTH SET
SIZE	FROM	TO		
DRILL PIPE SIZES				

B.B. ROBINSON

SIGNED

Aneth

(FIELD)

San Juan, Utah

(COUNTY)

DRILLING REPORT

FOR PERIOD ENDING

9-24-57

16

(SECTION OR LEASE)

T40S R24E

(TOWNSHIP OR RANGE)

DAY	DEPTHS		REMARKS
	FROM	TO	
57			
7-25 to 7-27	5502	5647	<u>Drilled 145'</u> (4-3/4" hole) Ran Induction-Electrical Survey and Gamma Ray Neutron Logs
7-28	5647	TD	Set packer and wash formation (packer at 5435 tail to 5643) with 500 gal. mud acid. First stage went away on vacuum, washed with 2nd stage of 500 gal. Acidized with 2000 gal. XFW, 2000 gal. retarded acid. Maximum pressure 3850 psi. Final pressure 3500 psi. Injection rate 4-4.8 bbl./min. Started swabbing. Swabbed approximately 1 hr., well began to flow. <u>INITIAL PRODUCTION:</u> Flowing 462 B/D gross, 414 B/D clean, cut 10.4%, gravity 40.5° API, 48/64" bean, 375 MCF/D gas, GOR 900, TP 120. Completed 7-29-57. Checked BOP daily. Mud Summary: wt. 9.3-10.4#/gal, vis. 40-43, WL 10-20, FC 2/32. Exploration Drilling Co. Drillers: R. Husely, J. Smedley, C. Pickering
9-21	5647	TD	Moved in an rigged up pulling unit. Killed well with water. Pulled tubing, ran back with Sweet packer set at 5540'. Made pressure survey.
9-22			Acidized interval 5445-5540 with 2000 gal. XFW acid and 2000 gal. water maximum pressure 2000 psi. minimum pressure, 1500 psi. average injection rate 4.1 bbls./min. Acidized interval 5540-5647 with 1000 gal. XFW acid and 1000 gal. Jel X-100 acid overflushed with 1000 gal. water, maximum pressure 2000 psi., minimum pressure 1600 psi., average injection rate 2.6 bbl./min.
9-23			Hung tubing at 5645'. Swabbed 180 bbls. oil and water.
9-24			Swabbed 4 hours, well started to flow. <u>Re Completed Initial Production</u> Flowing 616 B/D gross, 614 B/D clean, 0.4% cut, 32/64" choke, 309 MCF/D gas, GOR 501 (6 hour test).

CONDITION AT BEGINNING OF PERIOD

HOLE			CASING SIZE	DEPTH SET
SIZE	FROM	TO		
DRILL PIPE SIZES				

B. B. ROBINSON

SIGNED

FOLD MARK

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
8-5/8"	1280	400 Diamix + 900	Displacement	-	-
5-1/2"	5435	250	Displacement	-	-

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length none Depth set _____
 Adapters—Material _____ Size _____

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out
			none			

TOOLS USED

Rotary tools were used from 0 feet to 5647 feet, and from _____ feet to _____ feet
 Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

DATES

November 5 _____, 1957
 Put to producing July 29 _____, 1957
 The production for the first 24 hours was 462 barrels of fluid of which 89.6 % was oil; _____ %
 emulsion, 10.4 % water; and _____ % sediment. Gravity, ~~98.4~~ 40.5° API
 If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
 Rock pressure, lbs. per sq. in. _____

EMPLOYEES

Exploration Drilling Company
 R. Husely _____, Driller C. Pickering _____, Driller
 J. Smedley _____, Driller _____, Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
1400	2275	875	Chinle
2275	2348	73	Shinarump
2348	2462	114	Moenkopi
2462	4441	1979	Cutler
4441	5437	996	Hermosa
5437	-	-	Paradox

[OVER]

* See attached history for recompletion.

DEC 16 1957

December 6, 1957

Shell Oil Company
108 North Behrend
Farmington, New Mexico

Re: Well No. State Three 4216,
Sec. 16, T. 40 S, R. 24 E,
SIEM, San Juan County, Utah

Gentlemen:

This letter is to advise you that the well log for the above mentioned well has not as yet been filed with this office as required by our rules and regulations.

Please complete the enclosed Forms OGCC-3, Log of Oil or Gas Well, in duplicate, and forward them to this office as soon as possible.


Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT
SECRETARY

CBF:cn

R28



STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION
SALT LAKE CITY, UTAH

Fee and Patented.....
State
Lease No. ML 3156.....
Public Domain
Lease No.
Indian
Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

Notice of Intention to Drill.....		Subsequent Report of Water Shut-off.....	
Notice of Intention to Change Plans.....		Subsequent Report of Altering Casing.....	
Notice of Intention to Redrill or Repair.....		Subsequent Report of Redrilling or Repair.....	X
Notice of Intention to Pull or Alter Casing.....		Supplementary Well History.....	X
Notice of Intention to Abandon Well.....			X

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

..... February 20, 1962
Aneth Unit
Well No. H216 is located 3331 ft. from ~~S~~ line and 703 ft. from ~~W~~ line of Sec. 16
NE $\frac{1}{4}$ of Sec. 16 40-S 24-E SLM
($\frac{1}{4}$ Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Aneth San Juan Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4622 feet.

A drilling and plugging bond has been filed with State of Utah

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important work, surface formation, and date anticipate spudding-in.)

Moved in pulling unit and commenced workover 12-27-62⁶¹. After killing well, ran 2-7/8" plastic lined tubing with Baker injection packer on bottom of tubing and set packer at 5373'. Put inhibitor behind packer and tested with 1000# pressure for 30 minutes without a drop in pressure. Completed workover and shut well in 12-28-62⁶¹. This well is now classified as a water injection well and is shut-in waiting on water injection line.

I understand that this plan of work must receive approval in writing by the Commission before operations may be commenced.

Company TEXACO Inc.
Address P. O. Box 810 By *C. P. [Signature]*
Farmington, N. M. Title District Superintendent

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPlicate
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NL-3156

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1.

OIL WELL GAS WELL OTHER

Injection well

7. UNIT AGREEMENT NAME

Aneth Unit

2. NAME OF OPERATOR

TEXACO Inc.

Shell

8. FARM OR LEASE NAME

3. ADDRESS OF OPERATOR

Box 810, Farmington, New Mexico 87401

9. WELL NO.

H216

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)

At surface

10. FIELD AND POOL, OR WILDCAT

Aneth

3331' from South Line and 703' from East Line

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

16, 40-S, 24-E, SLM

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4622' DF

12. COUNTY OR PARISH 13. STATE

San Juan

Utah

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Reason for workover was to increase injectivity by acidizing.

Commenced workover on 6-3-64.

Treated open hole (5445'-5645') with 600 gallons of 15% HCL acid with iron stabilizing agent added. Treating pressure 1800 PSI with an average injection rate of two barrels per minute. Acid was left in bottom of hole for one hour then back flushed from well. After completing treatment well was returned to injection. Injected 288 barrels of water into well on 24 hour test ending 6-4-64.

18. I hereby certify that the foregoing is true and correct

SIGNED _____

TITLE

Acting District Supt.

DATE

8-24-64

(This space for Federal or State office use)

APPROVED BY _____

TITLE _____

DATE _____

CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

6.33.2 (W) *JAB*
Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL GAS WELL OTHER **Water Injection**

2. NAME OF OPERATOR **TEXACO Inc. - Prod. Dept. - Rocky Mtns.**

3. ADDRESS OF OPERATOR **Box 810, Farmington, New Mexico 87401**

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface
3331' f/So. and 703' f/E. Line

5. LEASE DESIGNATION AND SERIAL NO. **ML-3156**

6. IF INDIAN, ALLOTTEE OR TRIBE NAME **Aneth Unit**

7. UNIT AGREEMENT NAME **Aneth Unit**

8. FARM OR LEASE NAME **Aneth**

9. WELL NO. **H-216**

10. FIELD AND POOL, OR WILDCAT **Aneth**

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA **40-S-24-E-S1M**

12. COUNTY OF STATE **San Juan Utah**

14. PERMIT NO. **4622 DF**

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input checked="" type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	
(Other) <input type="checkbox"/>		(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Well is presently taking 300 BWPD, injected, in the Desert Creek open hole. Propose to perforate the Ismay with two jet shots per foot 5346-50, 5407-11, 5415-22. All perfs and the open hole will be acidized with 11,000 gal. acid in three stages. We anticipate flood response from E-215, an offset producer. Propose to continue injecting 300 BWPD in the DC and inject approx. 600 BWPD into the Ismay.

18. I hereby certify that the foregoing is true and correct

SIGNED *[Signature]* TITLE **District Superintendent** DATE **9-29-71**

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

6.33.2 (w)
Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

ML-3156

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT-" for such proposals.)

1. OIL WELL GAS WELL OTHER *Water Injection*

2. NAME OF OPERATOR
Terraco Inc - Prod. Dept. - Rocky Mtn

3. ADDRESS OF OPERATOR
Box 810, Farmington N.M. 87401

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

3331 ft. f/so. v 703 ft. f/E. Line

14. PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.)
4622 DF

7. UNIT AGREEMENT NAME

Arith Unit

8. FARM OR LEASE NAME

9. WELL NO.

H-216

10. FIELD AND POOL, OR WILDCAT

Arith Unit

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

16, T40S, 24-E, SL7M

12. COUNTY OR PARISH 13. STATE

San Juan Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF
FRACTURE TREAT
SHOOT OR ACIDIZE
REPAIR WELL
(Other)
PULL OR ALTER CASING
MULTIPLE COMPLETE
ABANDON*
CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF
FRACTURE TREATMENT
SHOOTING OR ACIDIZING
(Other)
REPAIRING WELL
ALTERING CASING
ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

10-11-71, Pulled tbg. + pushed pkr. into open hole below shoe. Perforated 5415-22, 5407-11 + 5346-50 w/ 2 JSDF. Ran Baker Model A 2 3/8" x 5 1/2" Lok Set Pack on 2 7/8" tubing. Inhibited csg. w/ Tretolite KW-12 + set pkr @ 53110. Placed well on injection @ 650 bwpd @ 2150 psi.

18. I hereby certify that the foregoing is true and correct

SIGNED *J L Eaton*

TITLE *District Superintendent*

DATE *2-15-72*

(This space for Federal or State office use)

APPROVED BY _____

TITLE _____

DATE _____

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

USGS (3) OGCC (2) Navajo Tribe - Superior Oil Co. - HNB - GLE - WLW

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

SUBMIT IN TRIPlicate* (Other instructions on reverse side)

6.33.2 (w) 84 Form approved. Budget Bureau No. 42-R1424

5. LEASE DESIGNATION AND SERIAL NO.

ML-3156

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL [] GAS WELL [] OTHER [] Water Injection

2. NAME OF OPERATOR Texas Inc - Prod. Dept. - Rocky Mtn

3. ADDRESS OF OPERATOR Box 810, Farmington N.M. 87401

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 3331 ft. N/S. & 703 ft. E/W. Line

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.) 4622 DF

7. UNIT AGREEMENT NAME

Aneeth Unit

8. FARM OR LEASE NAME

9. WELL NO.

H-216

10. FIELD AND POOL, OR WILDCAT

Aneeth Unit

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

16, T40S, 24-E, SL7M

12. COUNTY OR PARISH

San Juan

13. STATE

Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF [] FRACTURE TREAT [] SHOOT OR ACIDIZE [] REPAIR WELL [] (Other) []

PULL OR ALTER CASING [] MULTIPLE COMPLETE [] ABANDON* [] CHANGE PLANS []

WATER SHUT-OFF [] FRACTURE TREATMENT [] SHOOTING OR ACIDIZING [X] (Other) []

REPAIRING WELL [] ALTERING CASING [] ABANDONMENT* []

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

10-11-71, Pulled tbg. & pushed pkr. into open hole below shoe. Perforated 5415-22, 5407-11 & 5346-50 w/ 2 JSF. Ran Baker Model A 2 3/8" x 5 1/2" Lok Set packer on 2 7/8" tubing. Inhibited csg. w/ Tretalite KW-12 & set pkr @ 53110. Placed well on injection @ 650 bwpd @ 2150 psi.

RECEIVED FEB 22 1972 U. S. GEOLOGICAL SURVEY FARMINGTON, N. M.

18. I hereby certify that the foregoing is true and correct

SIGNED J. L. Colton

TITLE District Superintendent

DATE 2-15-72

(This space for Federal or State office use)

APPROVED BY CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

*See Instructions on Reverse Side

USGS (3) OGCC (2) Navajo Tribe - Superior Oil Co. - HNB - GLE - WLW Farm SLR Window Rock Cortez

STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

5. LEASE DESIGNATION AND SERIAL NO.

ML-3156

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

7. UNIT AGREEMENT NAME

Aneth Unit

8. FARM OR LEASE NAME

1. OIL WELL GAS WELL OTHER Water Injection

2. NAME OF OPERATOR
TEXACO Inc.

3. ADDRESS OF OPERATOR
P.O. Box EE, Cortez, Colorado 81321

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)
At surface

9. WELL NO.

H216

10. FIELD AND POOL, OR WILDCAT

Aneth Unit

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

16-T40S-24E-S1M

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, OR, etc.)

4622' DF

12. COUNTY OR PARISH

San Juan

13. STATE

Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT*

(Other)

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

6-18-73. Picked up drill string to mill packer. Ran impression block on tubing to 5449. Drilled & pushed model N packer to bottom. Was unable to mill or drill below 5642. Injected 330 gallons paraffin solvent down tubing. Set packer at 5320 and began pumping into formation. Pumped 3000 gallons pre-flush, started acid and spotted surface leak. Repaired surface leak. Injected 25 BW with 10 gallons K-12 inhibitor in annulus. Set packer at 5261 pressured up to 1000 PSI. Commenced acid treatment 4000 gallons in two stages. 2500 gallons pre-flush water followed with 500 gallons TDA and 2000 gallons 28% HCL. Max. Press. 4700 PSI. Min. Press. 3800. Formation plugged, would not bleed down. Back flowed acid to tank, flowed part of plug to pit and resumed with added flush 1000 gallons water, 2000 gallons acid, flushed with 8000 gallons water. Max. Press. 4200, ISIP 3200, Rate 5 BPM. Rate Before 300 BWIPD After 550 BWIPD

18. I hereby certify that the foregoing is true and correct

SIGNED

W. R. Wilson

TITLE

Field Foreman

DATE

7-20-73

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

STATE OF UTAH
 DIVISION OF OIL, GAS, AND MINING
 ROOM 4241 STATE OFFICE BUILDING
 SALT LAKE CITY, UTAH 84114
 (801) 533-5771
 (RULE 1-5)

FORM NO. DOGM-UIC-1

IN THE MATTER OF THE APPLICATION OF
7FXACO INC
 ADDRESS P.O. BOX EE
CORTEZ COLORADO ZIP 81321
 INDIVIDUAL PARTNERSHIP CORPORATION
 FOR ADMINISTRATIVE APPROVAL TO DISPOSE OR
 INJECT FLUID INTO THE ANETH UNIT H216 WELL
 SEC. 16 TWP. 40S RANGE 24E
SAN JUAN COUNTY, UTAH

CAUSE NO. _____

ENHANCED RECOVERY INJ. WELL	<input checked="" type="checkbox"/>
DISPOSAL WELL	<input type="checkbox"/>

APPLICATION

Comes now the applicant and shows the Division the following:

1. That Rule 1-5 (b) 6 authorizes administrative approval of enhanced recovery injections or disposal operations.
2. That the applicant submits the following information.

Lease Name <u>ANETH UNIT</u>	Well No. <u>H216</u>	Field <u>ANETH</u>	County <u>SAN JUAN</u>
Location of Enhanced Recovery Injection or Disposal Well <u>SE 1/4 NE 1/4</u> Sec. <u>16</u> Twp. <u>40S</u> Rge. <u>24E</u>			
New Well To Be Drilled Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Old Well To Be Converted Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Casing Test Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Date _____	
Depth-Base Lowest Known Fresh Water Within 1/2 Mile <u>1420</u>	Does Injection Zone Contain Oil-Gas-Fresh Water Within 1/2 Mile YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>		State What <u>OIL AND GAS</u>
Location of Injection Source(s) <u>ANETH UNIT PRODUCING WELLS AND SAN JUAN RIVER</u>	Geologic Name(s) and Depth of Source(s) <u>DESERT CREEK AND ISMAY ~ 5600.</u>		
Geologic Name of Injection Zone <u>PARADOX; DESERT CREEK/ISMAY</u>	Depth of Injection Interval <u>5281</u> to <u>5620</u>		
a. Top of the Perforated Interval: <u>5281</u>	b. Base of Fresh Water: <u>1420</u>	c. Intervening Thickness (a minus b) <u>3861</u>	
Is the intervening thickness sufficient to show fresh water will be protected without additional data? <input checked="" type="checkbox"/> YES NO			
Lithology of Intervening Zones <u>SANDSTONE, LIMESTONE, ANHYDRITE, INTERMITTENT LAYERS OF SHALE</u>			
Injection Rates and Pressures Maximum <u>2000</u> B/D <u>2500</u> PSI			
The Names and Addresses of Those To Whom Copies of This Application and Attachments Have Been Sent <u>NAVAJO TRIBE</u> <u>Box 146</u> <u>WINDOW ROCK ARIZONA</u>			

State of Colorado
 County of Montezuma

Robert R. May Field Supt
 Applicant

Before me, the undersigned authority, on this day personally appeared Robert R. May
 known to me to be the person whose name is subscribed to the above instrument, who being by me duly sworn on oath states, that he is duly
 authorized to make the above report and that he has knowledge of the facts stated therein, and that said report is true and correct.

Suscribed and sworn to before me this 7 day of Oct., 19 83

SEAL
 My commission expires 7-17-83


Maheda M. Deering
 955 So. Broadway - CO
 Notary Public-in and for _____

1. Attach qualitative and quantitative analysis of fresh-water from 2 or more producing wells within 1 mile of injection well showing location of wells and date samples were taken, or statement as to why samples were not submitted.
2. Attach qualitative and quantitative analysis of representative sample of water to be injected.
3. Attach plat showing subject well and all known oil and gas wells, abandoned, drilling and dry holes within 1/2 mile, together and with name of operator.
4. Attach Drillers Log (Form DOGM-UIC-2). (Appropriate Surety must be on file with Conservation Division.)
5. Attach Electric or Radioactivity Log of Subject well (if released).
6. Attach schematic drawing of subsurface facilities including; Size, setting depth, amount of cement used measured or calculated tops of cement surface, intermediate (if any) and production casings; size and setting depth of tubing; type and setting depth of packer; geologic name of injection zone showing top and bottom of injection interval.
7. The original and 6 copies of application, and one complete set of attachments shall be mailed to the Division.
8. Deliver 1 copy of application to landowner on whose land injection well is located and to each operator of a producing leasehold within 1/2 mile of injection well.
9. Affidavit of mailing or delivery shall be filed not later than five days after the application is filed.
10. Notice that an application has been filed shall be published by the Division in a newspaper of general circulation in the county in which the well is located. The Division shall file proof of publication before the application is approved. The notice shall include name and address of applicant, location of proposed injection or disposal well, injection zone, injection pressure and volume. If no written objection is received within 15 days from date of publication the application will be approved administratively.
11. A well shall not be used for injection or disposal unless completed machine accounting Form DOGM-UIC-3b is filed September 1st, each year.
12. Approval of this application, if granted, is valid only as long as there is no substantial change in the operations set forth in the application. A substantial operation change requires the approval of a new application.
13. If there is less intervening thickness required by Rule I-5 (b) 4 attach sworn evidence and data.

CASING AND TUBING DATA

NAME OF STRING	SIZE	SETTING DEPTH	SACKS CEMENT	TOP OF CEMENT	TOP DETERMINED BY
Surface					
Intermediate	8 5/8	1280	900	NH	NH
Production	5 1/2	5445	750	NH	NH
Tubing	2 3/8	5285	Name - Type - Depth of Tubing Packer BAKER "LOK-SET" 5290		
Total Depth	Geologic Name - Inj. Zone		Depth - Top of Inj. Interval	Depth - Base of Inj. Interval	
5645	PARADOX - DESERT CREEK AND ISMAH		5450	5645 (TD)	

SKETCH - SUBSURFACE FACILITY



(To be filed within 30 days after drilling is completed)


DEPARTMENT OF NATURAL RESOURCES AND ENERGY

DIVISION OF OIL, GAS, AND MINING
Room 4241 State Office Building
Salt Lake City, Utah 84114

COUNTY LEASE NO.

API NO

640 Acres



Locate Well Correctly and Outline Lease

COUNTY SAN JUAN SEC. 16 TWP. 40 S RGE. 24 E
COMPANY OPERATING TEXACO INC
OFFICE ADDRESS P.O. Box EE
TOWN CORTEZ STATE ZIP CO 81321
FARM NAME ANETH UNIT WELL NO. H216
DRILLING STARTED 19 DRILLING FINISHED 19
DATE OF FIRST PRODUCTION COMPLETED
WELL LOCATED NW 1/4 SE 1/4 NE 1/4
691 FT. FROM SL OF 1/4 SEC. & 1937 FT. FROM WL OF 1/4 SEC.
ELEVATION DERRICK FLOOR 4622 GROUND

TYPE COMPLETION

Single Zone DESERT CREEK Order No.
Multiple Zone Order No.
Comingled Order No.

LOCATION EXCEPTION Order No. Penalty

OIL OR GAS ZONES

Name	From	To	Name	From	To
<u>DESERT CREEK</u>	<u>5450</u>	<u>5620</u>			
<u>ISMAY</u>	<u>5281</u>	<u>5433</u>			

CASING & CEMENT

Casing Set				Csg. Test	Cement		
Size	Wgt	Grade	Feet	Psi	Sax	Fillup	Top
<u>8 5/8</u>	<u>24</u>	<u>NA</u>	<u>1280</u>	<u>NA</u>	<u>900</u>	<u>NA</u>	<u>NA</u>
<u>5 1/2</u>	<u>14</u>	<u>NA</u>	<u>5445</u>	<u>NA</u>	<u>750</u>	<u>NA</u>	<u>NA</u>

TOTAL DEPTH 5645

COMPLETION & TEST DATA BY PRODUCING FORMATION

1 2 3

FORMATION	<u>DESERT CREEK</u>	<u>DESERT CREEK</u>	<u>DESERT CREEK AND ISMAY</u>
SPACING & SPACING ORDER NO.	<u>40</u>	<u>40</u>	<u>40</u>
CLASSIFICATION (Oil; Gas; Dry; Inj. Well)	<u>OIL</u>	<u>INJ</u>	<u>INJ</u>
PERFORATED	<u>5445-5645</u>	<u>5445-5645</u>	<u>SAME PLUS</u> <u>5346-50</u>
INTERVALS			<u>5407-11</u> <u>5415-22</u>
ACIDIZED?	<u>12800 GALLONS</u>		
FRACTURE TREATED?	<u>No</u>	<u>No</u>	<u>No</u>

INITIAL TEST DATA

Date	<u>9-24-57</u>	<u>12-27-61</u>	<u>10-11-71</u>
Oil. bbl./day	<u>414</u>		
Oil Gravity	<u>NA</u>		
Gas. Cu. Ft./day	<u>NA</u>	<u>CF</u>	<u>CF</u>
Gas-Oil Ratio Cu. Ft./Bbl.	<u>NA</u>		
Water-Bbl./day	<u>48</u>		
Pumping or Flowing	<u>FLOWING</u>		
CHOKE SIZE	<u>NA</u>		
FLOW TUBING PRESSURE	<u>NA</u>		

A record of the formations drilled through, and pertinent remarks are presented on the reverse. (use reverse side)

I, the undersigned, being first duly sworn upon oath, state that this well record is true, correct and complete according to the records of this office and to the best of my knowledge and belief.


Telephone 303-563-8401 Alvin R. Meany Field Supt
Name and title of representative of company

Subscribed and sworn before me this 7 day of October, 19 83
M. J. Becking
Notary

D WEST EAST

T40-S-R24E
SAN JOAN COUNTY UTAH
TEXACO INC - OPERATOR
STATE OF UTAH - LANDOWNER


● PRODUCER
↙ INJECTOR



D WEST EAST

T405-R24E
SAN JUAN COUNTY UTAH
TEXACO, INC - OPERATOR
STATE OF UTAH - LANDOWNER

● PRODUCER
↙ INJECTOR



TEXACO

INSTRUCTIONS - CANCELS LETTER(S) OF _____

SIGNED BY _____

 PERMANENT ROUTINE TEMPORARY

19

(LOCATION)

(DATE)

Subject: Water Analysis from
Navajo Aquifer

Aneth Unit H415

Location - SE $\frac{1}{4}$ - SE $\frac{1}{4}$ Sec 15, T40S, R24E

Sample Date - 1-17-59

Depth: Navajo Aquifer

Temp - 67°F

Ph - 8.7

Total Dissolved Solids - 2573 ppm

SiO₂ - 16 ppmCO₃⁼ - 130 ppmCa⁺ - 7 ppmHCO₃⁻ - 156 ppmMg⁺⁺ - 28 ppmSO₄⁼ - 599 ppmNa⁺ - 76 ppmCl⁻ - 757 ppm

Aneth Unit G422

Location - SW $\frac{1}{4}$ - SE $\frac{1}{4}$ Sec 22, T40S, R24E

Sample Date - 1-18-59

Depth - Navajo Aquifer

Temp - 67°F

Ph - 9.2

Total Dissolved Solids - 2823 ppm

SiO₂ - 17 ppmCO₃⁼ - 925 ppmCa⁺ - 6 ppmHCO₃⁻ - 912 ppmMg⁺⁺ - 8 ppmSO₄⁼ - 265 ppmNa⁺ - 915 ppmCl⁻ - 271 ppm* Note: these numbers were obtained from TEXACO Files
in the Denver Division offices

If letter requires reply prepare in triplicate, forwarding original and duplicate, and retain copy.

P.O. Box 2100

Denver, CO

80201 By _____

ADDRESSEE: Use reverse side to reply. Return original. Retain duplicate.


NL Treating Chemicals/NL Industries, Inc.

WATER ANALYSIS REPORT

P.O. Box 1675, Houston, Texas 77001

						SHEET NUMBER 1	
COMPANY TEXACO, INCORPORATED						DATE 5 APRIL 1982	
FIELD ANETH				COUNTY OR PARISH SAN JUAN		STATE UTAH	
WELL(S) NAME OR NO. ANETH			WATER SOURCE (FORMATION) INJECTION WATER				
DEPTH, FT.	BHT, F	SAMPLE SOURCE PLANT	TEMP, F	WATER, EBL/DAY	OIL, BBL/DAY	GAS, MMCF/DAY	
DATE SAMPLED 6 APRIL 1982		TYPE OF WATER <input type="checkbox"/> PRODUCED <input checked="" type="checkbox"/> SUPPLY <input checked="" type="checkbox"/> WATERFLOOD <input type="checkbox"/> SALT WATER DISF					

WATER ANALYSIS PATTERN
(NUMBER BESIDE ION SYMBOL INDICATES me/l* SCALE UNIT)



DISSOLVED SOLIDS

CATIONS	me/l*	ma/l*
Total Hardness	392.0	
Calcium, Ca ⁺⁺	268.0	5360.0
Magnesium, Mg ⁺⁺	124.0	1519.0
Iron (Total) Fe ⁺⁺⁺	0.5	10.0
Barium, Ba ⁺⁺	—	1.0
Sodium, Na ⁺ (calc.)	1035.1	23807.3

DISSOLVED GASES

Hydrogen Sulfide, H ₂ S	337.5 mg/l*
Carbon Dioxide, CO ₂	185.0 mg/l*
Oxygen, O ₂	1.0 mg/l*

ANIONS	me/l*	ma/l*
Chloride, Cl ⁻	1380.3	49000.0
Sulfate, SO ₄ ⁻	24.5	1175.0
Carbonate, CO ₃ ⁻	0.0	0.0
Bicarbonate, HCO ₃ ⁻	4.0	244.0
Hydroxyl, OH ⁻	0.0	0.0
Sulfide, S ⁼	18.8	300.0

PHYSICAL PROPERTIES

pH	6.65
Eh (Redox Potential)	N.D. MV
Specific Gravity	N.D.
Turbidity, JTU Units	N.D.
Total Dissolved Solids (calc.)	81385.3 mg/l*
Stability Index @ 77 F	+0.39
@ 140 F	+1.32
CaSO ₄ Solubility @ 77 F	306.6 me/l*
@ 176 F	306.8 me/l*
Max. CaSO ₄ Possible (calc.)	24.5 me/l*
Max. BaSO ₄ Possible (calc.)	1.0 mg/l*
Residual Hydrocarbons	N.D. ppm(Vol)

SUSPENDED SOLIDS (QUALITATIVE)

Iron Sulfide Iron Oxide Calcium Carbonate Acid Insoluble

REMARKS AND RECOMMENDATIONS:

WATER SHOWS A TENDENCY TOWARD SCALING; PRIMARILY CALCIUM CARBONATE

* NOTE: me/l and mg/l are commor used interchangeably for epm and p respectively. Where epm and ppm c used, corrections should be made specific gravity.

BYC ENGINEER MARK BROTHERS	DIST. NO. 12	ADDRESS FARMINGTON, N.M.	OFFICE PHONE 505-325-5701	HOME PHONE 505-325-4
--------------------------------------	------------------------	------------------------------------	-------------------------------------	--------------------------------

TEXACO U.S.A.
 P. O. Box 2100
 Denver, CO 80201
 4601 DTC Boulevard
 Denver, CO 80237



November 26, 1985

RECEIVED

DEC 05 1985

State of Utah
 Natural Resources
 Oil, Gas and Mining
 355 W. North Temple
 3 Triad Center, Suite 350
 Salt Lake City, UT 84180-1203

DIVISION OF OIL
 GAS & MINING

Attn: Ms. Pam Kenna

Dear Ms. Kenna:

In response to your request of October 1, 1985 (see attached letter), please be advised that Texaco Inc. took over operations of Shell's wells in the Aneth Unit on September 1, 1961. Listed below are the wells involved.

<u>Former Names</u>	<u>Well No.</u>	<u>Current Names</u> <u>Well No.</u>
Shell and Three States Mesa	1	Aneth Unit C411
" " " " "	2	" " D311
Shell - Burton Federal	14-12	" " A412
" " "	34-12	" " C412
" " "	43-12	" " D312
" " "	23-12	" " B312
" " "	31-12	" " C112
" " "	14-13	" " A413
" " "	23-13	" " B313
" " "	33-13	" " C313
" " "	42-13	" " D213
" " "	12-13	" " A213
" " "	21-13	" " B113
" " "	31-13	" " C113
" " "	44-13	" " D413
" " "	22-13	" " B213

201

Ms. Pam Kenna
November 26, 1985
Page 2

405. 24E. 16

<u>Former Names</u>	<u>Well No.</u>	<u>Current Names</u> <u>Well No.</u>
Shell - State III	11-16	Aneth Unit E116
" " "	12-16	" " E216
" " "	14-16	" " E416
" " "	21-16	" " F116
" " "	23-16	" " F316
" " "	34-16	" " G416
" " "	42-16	" " H216 ✓
" " "	43-16	" " H316
" " "	32-16	" " G216

43-D37-#312

Very truly yours,

J N Hurlbut, Jr

J. N. HURLBUT
Drilling and Production Manager

E00:cub

Attachment

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLI
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO.

ML-3156

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL GAS WELL OTHER Injection Well

RECEIVED
OCT 00 1986

7. UNIT AGREEMENT NAME

Aneth Unit

8. FARM OR LEASE NAME

2. NAME OF OPERATOR
Texaco Inc.

3. ADDRESS OF OPERATOR
P.O. Box EE, Cortez, CO. 81321

DIVISION OF
OIL, GAS & MINING

9. WELL NO.

H216

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)
At surface

10. FIELD AND POOL, OR WILDCAT

Aneth Unit

3331' from south line, & 703' from east line

11. SEC., T., E., M., OR BLK. AND SURVEY OR AREA

Sec. 16, T40S, R24E SLM

14. PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.)
4622' DF

12. COUNTY OR PARISH 13. STATE

San Juan Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF
FRACTURE TREAT
SHOOT OR ACIDIZE
REPAIR WELL
(Other)
PULL OR ALTER CASING
MULTIPLE COMPLETE
ABANDON*
CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF
FRACTURE TREATMENT
SHOOTING OR ACIDIZING
(Other)
REPAIRING WELL
ALTERING CASING
ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

9/6/86 - MIRUSU, unseat Pkr, TOOH W/Pkr & Tbg., clean out to 5645' KB. Spot 275 Gals. 15% HCL W/additives, set Pkr @ 4984' KB. SI 30 minutes. Acidize gross perfs w/1725 Gals. 15% HCl w/additives in 2 stages, using 750 Gals. TDA plug between stages. Flush with 40 Bbls H₂O. SI 30 minutes. Backflow until water cleared. Average 1900 psi @ 1.5 BPM. Maximum & Average rate 2290 PSI. ISIP 2100 psi. Run 2 7/8" P/C Tbg. in hole, and hydrotest same. Inhibit annuals w/corrosion inhibitor. Set Pkr @ 5297' KB, test casing to 1000 psi, held. Nipple up wellhead, and RDMSU. Return well to injection status.

18. I hereby certify that the foregoing is true and correct

SIGNED John R. Mann TITLE AREA SUPT. DATE 10/2/86

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

U. O. G. 6C (3) - The Navajo Tribe-Mobil Oil - LAA-JNH-ARM

*See Instructions on Reverse Side

CHECKLIST FOR INJECTION WELL APPLICATION AND FILE REVIEW
* * * * *

Operator: Texaco Well No. Amite Unit # 216
 County: Southern T 405 R 24E Sec. 16 API# 43-037-16312
 New Well Conversion Disposal Well Enhanced Recovery Well

	<u>YES</u>	<u>NO</u>
UIC Forms Completed	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Plat including Surface Owners, Leaseholders, and wells of available record	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Schematic Diagram	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fracture Information	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Pressure and Rate Control	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Adequate Geologic Information	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Fluid Source Desert Creek - Juvon

Analysis of Injection Fluid	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	TDS <u>81385</u>
Analysis of Water in Formation to be injected into	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	TDS <u>81380</u>

Known USDW in area Marajo Depth 1420

Number of wells in area of review	<u>8</u> Prod.	<u>5</u> P&A	<u>0</u>
	Water	<u>0</u> Inj.	<u>3</u>

Aquifer Exemption	Yes <input type="checkbox"/>	NA <input checked="" type="checkbox"/>
Mechanical Integrity Test	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Date	<input type="text"/>	Type <input type="text"/>

Comments: _____

Reviewed by: UBJ

UTAH DIVISION OF OIL, GAS AND MINING
CASING-BRADENHEAD TEST

(2)

OPERATOR: TEXACO

FIELD: Aneth LEASE: _____

WELL # H-216 SEC. 16 TOWNSHIP 40S RANGE 24E

(STATE) FED. FEE DEPTH 5645 TYPE WELL INTJW MAX. INJ. PRESS. 2500

TEST DATE 3/24/87

CASING STRING	SIZE	SET AT	CMT	PRESSURE READINGS	REMARKS	FUTURE
<u>SURFACE</u>				<u>0#</u>	<u>Very slight, quick</u>	
<u>INTERMEDIATE</u>	<u>8 5/8</u>	<u>1280</u>			<u>blow</u>	
<u>PRODUCTION</u>	<u>5 1/2</u>	<u>5445</u>		<u>0#</u>		
<u>TUBING</u>	<u>2 3/8</u>	<u>5290</u>		<u>2360#1</u>	<u>310 BBLs / DAY</u> <u>(Halliburton meter)</u> <u>on well</u>	

CASING STRING	SIZE	SET AT	CMT	PRESSURE READINGS	REMARKS	FUTURE
<u>SURFACE</u>						
<u>INTERMEDIATE</u>						
<u>PRODUCTION</u>						
<u>TUBING</u>						

CASING STRING	SIZE	SET AT	CMT	PRESSURE READINGS	REMARKS	FUTURE
<u>SURFACE</u>						
<u>INTERMEDIATE</u>						
<u>PRODUCTION</u>						
<u>TUBING</u>						

ACCT NUM	COMPANY NAME	FLD NUM	FIELD NAME	TOWN SHIP	RANGE	SEC	QTR QTR	API NUMBER	PROD ZONE	WELL STATUS	ENTITY	WELL NAME
NO980	TEXACO INC	365	GREATER ANETH	S400	E230	14	NENW	4303716032	DSCR	WIW	99990	ARROWHEAD #6 (ANETH B-114)
								4303716088	PRDX	WIW	99990	NAVAJO TRIBAL E-9 (ANETH
								4303716296	IS-DC	WIW	99990	NAVAJO TRIBAL E-8 (ANETH
								4303716297	IS-DC	WIW	99990	STATE THREE 23-16 (ANETH
								4303715832	IS-DC	WIW	99990	STATE THREE 11-16 (ANETH
								4303730333	DSCR	WIW	99990	ANETH F-416
								4303720230	IS-DC	WIW	99990	ANETH H-416
								4303716312	IS-DC	WIW	99990	STATE THREE 42-16 (ANETH
								4303730107	DSCR	WIW	99990	ANETH G-316
								4303730344	DSCR	WIW	99990	ANETH G-116
								4303716285	PRDX	WIW	99990	STATE THREE 21-16 (ANETH
								4303730094	DSCR	WIW	99990	ANETH E-316
								4303716286	PRDX	WIW	99990	NAVAJO TRIBAL G-8 (ANETH
								4303716326	PRDX	WIW	99990	NAVAJO TRIBAL L-1 (ANETH
								4303716313	PRDX	WIW	99990	NAVAJO TRIBAL L-4 (ANETH
								4303716103	PRDX	WIW	99990	NAVAJO TRIBAL 1-X-G (ANETH
								4303716089	PRDX	WIW	99990	NAVAJO TRIBAL G-3 (ANETH
								4303716299	PRDX	WIW	99990	NAVAJO TRIBAL G-6 (ANETH
								4303716120	PRDX	WIW	99990	NAVAJO TRIBAL G-5 (ANETH
								4303716327	PRDX	WIW	99990	NAVAJO TRIBAL G-2 (ANETH
								4303716287	PRDX	WIW	99990	NAVAJO FEDERAL UNIT #1 (ANETH
								4303716063	PRDX	WIW	99990	NAVAJO TRIBAL FED. #4 (ANETH
								4303716104	PRDX	WIW	99990	NAVAJO TRIBE G-4 (ANETH G
								4303716090	PRDX	WIW	99990	NAVAJO TRIBE FED #2 (ANETH
								4303715083	PRDX	WIW	99990	NAVAJO TRIBAL FED UNIT #
								4303715413	PRDX	WIW	99990	ANETH UNIT E-118 (W. ISMY
								4303716280	PRDX	WIW	99990	NAVAJO FED. UNIT B-1 (ANETH
								4303716328	PRDX	WIW	99990	NAVAJO TRIBE D-27 (ANETH
								4303716121	PRDX	WIW	99990	NAVAJO TRIBE D-3 (ANETH H
								4303716309	PRDX	WIW	99990	NAVAJO TRIBE D-25 (ANETH
								4303716091	PRDX	WIW	99990	NAVAJO TRIBE D-16 (ANETH
								4303716077	PRDX	WIW	99990	NAVAJO TRIBE D-26 (ANETH
								4303716064	PRDX	WIW	99990	NAVAJO TRIBE D-28 (ANETH
								4303716050	PRDX	WIW	99990	NAVAJO TRIBE D-10 (ANETH
								4303716065	PRDX	WIW	99990	NAVAJO TRIBE D-17 (ANETH
								4303716329	PRDX	WIW	99990	NAVAJO TRIBE D-13 (ANETH
								4303716314	PRDX	WIW	99990	NAVAJO TRIBE L-2 (ANETH H
								4303716105	PRDX	WIW	99990	NAVAJO TRIBE D-12 (ANETH
								4303716092	PRDX	WIW	99990	NAVAJO TRIBE L-5 (ANETH G
								4303716300	PRDX	WIW	99990	NAVAJO TRIBE D-20 (ANETH
								4303716288	PRDX	WIW	99990	NAVAJO TRIBE D-8 (ANETH F
								4303730335	DSCR	WIW	99990	ANETH G-121X
								4303716084	PRDX	WIW	99990	NAVAJO TRIBE D-21 (ANETH
								4303716078	PRDX	WIW	99990	NAVAJO TRIBE D-6 (ANETH F
								4303716066	PRDX	WIW	99990	NAVAJO TRIBE D-14 (ANETH
								4303716051	PRDX	WIW	99990	NAVAJO TRIBE D-4 (ANETH E
								4303730095	PRDX	WIW	99990	ANETH G-321X

RECEIVED

MAY 28 1991

TRANSFER OF AUTHORITY TO INJECT - UIC FORM 5

Well name and number: See Attached Listing DIVISION OF
OIL GAS & MINING
Field or Unit name: _____ API no. _____
Well location: QQ _____ section _____ township _____ range _____ county _____
Effective Date of Transfer: 6-1-91

CURRENT OPERATOR

Transfer approved by:

Name R. S. Lane Company Texaco Inc.
Signature *R. S. Lane* Address P. O. Box 3109
Title Attorney-in-Fact Midland, TX 79702
Date _____ Phone (915) 688-4100

Comments: Correspondence Address: Texaco Inc.
3300 North Butler
Farmington, NM 87401
(505) 325-4397

NEW OPERATOR

Transfer approved by:

Name R. S. Lane Company Texaco Exploration and
Production Inc.
Signature *R. S. Lane* Address P. O. Box 3109
Title Attorney-in-Fact Midland, TX 79702
Date _____ Phone (915) 688-4100

Comments: Correspondence Address: Texaco Exploration and Production Inc.
3300 North Butler
Farmington, NM 87401
(505) 325-4397

(State use only)
Transfer approved by *Neil Hunt* Title UIC Manager
Approval Date 6-26-91



Texaco Exploration and Production Inc
Midland Producing Division

P O Box 3109
Midland TX 79702-3109

May 22, 1991

RECEIVED

MAY 28 1991

DIVISION OF
OIL GAS & MINING

Division of Oil, Gas, and Mining
Attn: Ms. Lisha Romero
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

Gentlemen:

This is to advise that as a part of a reorganization of Texaco Inc., a Delaware corporation, the name of Texaco Producing Inc., a Delaware corporation and wholly owned subsidiary of Texaco Inc., has been changed to Texaco Exploration and Production Inc. Further, Texaco Exploration and Production Inc. will succeed to the rights, titles, interests and obligations of Texaco Inc.

This means that Texaco Exploration and Production Inc. will be the operator for all the oil and gas properties that were operated by Texaco Inc. and Texaco Producing Inc. We plan to abbreviate the name as Texaco E & P Inc. for purposes of submitting production reports, etc., via computer, and we suggest that for consistency you use that abbreviation also.

We have enclosed a Sundry Notice with a list of the wells which Texaco operates in Utah. Also attached is UIC Form 5 for transfer of injection authority. Please note that Texaco has two Divisions which operate wells in Utah. One is located in Denver, Colorado, and the other is in Midland, Texas. We have enclosed separate Sundry Notices and lists of wells for each Division. If you have questions concerning the Denver-operated wells, please call Roger Hadley at (303) 793-4833. If you have questions concerning the Midland-operated wells, please call Ken Miller at (915) 688-4834.

Please change any of your other records as necessary to reflect this change.

Yours very truly,

R. S. Lane
Assistant Division Manager

RKH/KMM-CC

Attachments

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

SUBMIT IN TRIPlicate
(See instructions on reverse side)

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
Texaco Exploration and Production Inc.

3. ADDRESS OF OPERATOR
P.O. Box 46510, Denver, CO 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)
At surface

5. LEASE DESIGNATION AND SERIAL NO.

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

9. WELL NO.

10. FIELD AND POOL, OR WILDCAT

11. SEC., T., R. M., OR BLK. AND SURVEY OR AREA

12. COUNTY OR PARISH | 13. STATE

14. PERMIT NO. | 15. ELEVATIONS (Show whether OF, ST, GR, etc.)

RECEIVED
MAY 28 1991

DIVISION OF
OIL GAS & MINING

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) Transfer of Owner/Operator <input type="checkbox"/>	
(Other) Transfer of Plugging Bond <input checked="" type="checkbox"/>		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Texaco Inc. has assigned all its ownership rights in the subject well. As of January 1, 1991, Texaco Inc. is no longer the Operator of subject well. The New Operator Texaco Exploration and Production Inc. hereby accepts operating responsibility and liability under its good and sufficient bond or other security accepted by the Commission for proper plugging and surface restoration of the subject well.

Former Operator:

TEXACO INC.

Signed: [Signature]
Attorney-In-Fact
for Texaco Inc.

Date: 3/1/91

New Operator:

Texaco Exploration and Production Inc.

Signed: [Signature]
Title: Division Manager

Date: 3/1/91

18. I hereby certify that the foregoing is true and correct
SIGNED [Signature] TITLE Division Manager DATE 3/1/91
(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

6. Lease Designation and Serial Number
7. Indian Allottee or Tribe Name
8. Unit or Communitization Agreement
9. Well Name and Number
10. API Well Number
11. Field and Pool, or Wildcat

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT— for such proposals

1. Type of Well
 Oil Well Gas Well Other (specify)

2. Name of Operator
 Texaco Exploration and Production Inc.

3. Address of Operator
 3300 North Butler, Farmington, NM 87401

4. Telephone Number
 (505) 325-4397

5. Location of Well
 Footage :
 County :
 QQ, Sec, T., R., M. : See Attached State : UTAH

12. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
(Submit in Duplicate)

Abandonment New Construction
 Casing Repair Pull or Alter Casing
 Change of Plans Recompletion
 Conversion to Injection Shoot or Acidize
 Fracture Treat Vent or Flare
 Multiple Completion Water Shut-Off
 Other Transfer of Plugging Bond

Approximate Date Work Will Start _____

SUBSEQUENT REPORT
(Submit Original Form Only)

Abandonment * New Construction
 Casing Repair Pull or Alter Casing
 Change of Plans Shoot or Acidize
 Conversion to Injection Vent or Flare
 Fracture Treat Water Shut-Off
 Other Change of Operator/Operator Name

Date of Work Completion _____

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.
 * Must be accompanied by a cement verification report.

13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

This submittal is for a change of operator (name change) for all of the attached wells. The new operator, Texaco Exploration and Production Inc., hereby accepts operating responsibility and liability under its good and sufficient bond or other security accepted by the Department for proper plugging and surface restoration of the attached wells. All contact personnel, office addresses and phone numbers will remain the same.

FORMER OPERATOR: TEXACO INC. NEW OPERATOR: TEXACO EXPLORATION AND PRODUCTION INC.

SIGNED: *R. V. Lane* SIGNED: *R. V. Lane*
 Attorney-in-Fact Assistant Division Manager

DATE: _____ DATE: _____

14. I hereby certify that the foregoing is true and correct

Name & Signature _____ Title Asst. Div. Manager Date _____
 (State Use Only)

Routing:

1- LCR/GIL	✓
2- DTS/DTS	✓
3- VLC	✓
4- RJF	✓
5- RWM	✓
6- LCR	✓

Attach all documentation received by the division regarding this change.
 Initial each listed item when completed. Write N/A if item is not applicable.

- Change of Operator (well sold) Designation of Agent
 Designation of Operator Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 1-1-91)
(TEXACO EXPLORATION AND PRODUCTION INC.)

TO (new operator)	<u>TEXACO E & P INC.</u>	FROM (former operator)	<u>TEXACO INC.</u>
(address)	<u>3300 NORTH BUTLER</u>	(address)	<u>3300 NORTH BUTLER</u>
	<u>FARMINGTON, NM 87401</u>		<u>FARMINGTON, NM 87401</u>
	<u>BRENT HELQUIST</u>		<u>FRANK</u>
	phone <u>(505) 325-4397</u>		phone <u>(505) 325-4397</u>
	account no. <u>N 5700 (6-5-91)</u>		account no. <u>N 0980</u>

Well(s) (attach additional page if needed):

Name: <u>(SEE ATTACHED)</u>	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). (5-28-91)
2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form).
3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes) (no) ____ If yes, show company file number: #114097.
4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of Federal and Indian well operator changes should take place prior to completion of steps 5 through 9 below.
5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. (6-11-91)
6. Cardex file has been updated for each well listed above.
7. Well file labels have been updated for each well listed above. (will update when filing)
8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission.
9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

- 1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) no (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
- 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only)

- 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond. #K0290791-4 80,000-Ins. Co. of N. America rec. 2-11-91.
- 2. A copy of this form has been placed in the new and former operators' bond files.
- 3. The former operator has requested a release of liability from their bond (yes/no) yes. Today's date _____ 19____. If yes, division response was made by letter dated _____ 19____. #m157448 80,000-Ins. Co. of N. America

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

- 1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated _____ 19____, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
- 2. Copies of documents have been sent to State Lands for changes involving State leases. 6-27-91

INDEXING

- 1. All attachments to this form have been microfilmed. Date: July 15 1991.

FILED

- 1. Copies of all attachments to this form have been filed in each well file.
- 2. The original of this form and the original attachments have been filed in the Operator Change file.

REMARKS

910606 Btm/Farmington N.M. - Duane Spences (505) 327-5344 will follow up & call back.
 910607 Btm/Farmington - Approved 4-2-91 "Company Merger" Includes Aneth Unit and Ismay Flodine Unit.
 910607 St. Lands approved 4-15-91 "merger".

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT --" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well: OIL WELL GAS WELL OTHER INJECTION WELL

2. Name of Operator
TEXACO EXPLORATION & PRODUCTION, INC.

3. Address and Telephone No.
3300 N. Butler Ave., Suite 100 Farmington NM 87401 325-4397

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Unit Letter H : 3331 Feet From The SOUTH Line and 703 Feet From The
EAST Line Section 16 Township T40S Range R24E

5. Lease Designation and Serial No.
ML-3156

6. If Indian, Alottee or Tribe Name
NAVAJO TRIBE

7. If Unit or CA, Agreement Designation
ANETH UNIT

8. Well Name and Number
ANETH UNIT
H216

9. API Well No.
4303716312

10. Field and Pool, Exploratory Area
DESERT CREEK

11. County or Parish, State
SAN JUAN, UTAH

12. Check Appropriate Box(s) To Indicate Nature of Notice, Report, or Other Data

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Attering Casing
	<input checked="" type="checkbox"/> OTHER: <u>CLEAN OUT & ACID</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water


(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log Form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work).*

***** THIS SUNDRY REPORT IS FOR UTAH SEVERANCE TAX CALCULATION INFORMATION PURPOSES ONLY *****

TEXACO E&P INC HAS CLEANED OUT AND ACIDIZED THE SUBJECT WELL

12/2/97 - 12/9/97 MIRU, POOH W/ TBG & PKR, CLEANED OUT W/ BIT & SCRAPER, ACIDIZED W/ 2000 GALS 20% HCL & 1500 GALS SALT, RIH W/ TBG & PKR, RDMO, PLACED WELL ON INJECTION



14. I hereby certify that the foregoing is true and correct

SIGNATURE Rached Hindi TITLE Senior Engineer DATE 2/25/98

TYPE OR PRINT NAME Rached Hindi

(This space for Federal or State office use)

APPROVED

CONDITIONS OF APPROVAL, IF ANY: TITLE DATE

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

NO tax credit 7/98



Chevron

Chevron U.S.A. Production Company
Mid-Continent Business Unit
P.O. Box 36366
Houston, TX 77236
Phone 713 754 2000

April 9, 2002

Mr. John Baza,
Associate Director of Oil and Gas
Utah Department of Natural Resources
Division of Oil, Gas & Mining
1594 W. North Temple St., Suite 1210
Salt Lake City, UT 84114-5801

RECEIVED

APR 12 2002

DIVISION OF
OIL, GAS AND MINING

Dear Mr. Baza:

As you may recall from our meeting last year, we planned to combine the assets of Chevron U.S.A. Inc. ("CUSA"), by merger, and Texaco Exploration and Production Inc. ("TEPI"), by assignment, into a new entity which we referred to as "Newco LP". Along the way, additional information came to light and it was decided that this proposed corporate restructure would not be preferable. Therefore, CUSA and TEPI have continued to operate as separate entities.

We are now planning a simpler restructuring process where TEPI will assign most of its assets/operatorship to CUSA effective May 1, 2002. We plan to use the existing CUSA bonds/letters of credit, operator identification numbers, etc., for the TEPI assets that will be assigned.

A task force of Land, Regulatory and Environmental Compliance personnel are finishing the work that was begun last year to assign TEPI's assets—using the same forms and procedures as before. We have "new faces" in this task force due to reassignments and departures. In some cases, it may be worthwhile to visit you and your staff in person where new people are involved or if we need to review/clarify your forms and procedures. Otherwise, we will endeavor to complete the work to assign TEPI's assets/operatorship to CUSA and deliver the requisite materials to you in a timely manner.

During discussions last year, our focus was on Land, Regulatory and Environmental matters. The Finance organization also desires to join in this effort. For State Tax, Royalty and Regulatory reporting purposes (applicable to production from May 2002 through December 2002), we intend to generate two reports and two payments.

However, the reporting company name and identification number will be CUSA's. Beginning with January 2003 production and thereafter, we will issue only one CUSA report and payment. We trust this plan meets with your approval. Any questions or comments should be directed to Rick Dunlavy (telephone 713/752-7411, rickdunlavy@chevrontexaco.com).

We appreciate the cooperation and guidance you provided us in the past, and we look forward to bringing these efforts to a conclusion.

Respectfully submitted,



Don R. Sellars

Sr. Environmental Specialist

TRANSFER OF AUTHORITY TO INJECT

Well Name and Number Orangeville & Huntington, Emery County, Utah (See Attached Well List)		API Number
Location of Well Footage : See attached well locations County : Emery		Field or Unit Name See Attached Well List
QQ, Section, Township, Range: State : UTAH		Lease Designation and Number See Attached Well List

EFFECTIVE DATE OF TRANSFER: 5/1/2002

CURRENT OPERATOR

Company: <u>Texaco Exploration and Production Inc</u>	Name: <u>Allen S. Robinson</u>
Address: <u>3300 North Butler, Suite 100</u>	Signature: <u><i>Allen S. Robinson</i></u>
<u>city Farmington state NM zip 87401</u>	Title: <u>Attorney-In-Fact</u>
Phone: <u>(505) 325-4397</u>	Date: <u>April 30, 2002</u>
Comments:	

NEW OPERATOR

Company: <u>Chevron U.S.A. Inc.</u>	Name: <u>J. Scott Purdy</u>
Address: <u>P.O. Box 36366</u>	Signature: <u><i>J. Scott Purdy</i></u>
<u>city Houston state TX zip 79702</u>	Title: <u>Attorney-In-Fact</u>
Phone: <u>(915) 687-2000</u>	Date: <u>May 1, 2002</u>
Comments:	

(This space for State use only)

Transfer approved by: *A. Hunt*
 Title: *Tech Services Manager*

Approval Date: 10/21/02

Comments:

RECEIVED
 MAY 06 2002
 DIVISION OF
 OIL, GAS AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>Operator Name Change</u>		5. LEASE DESIGNATION AND SERIAL NUMBER: See Attached List of Wells
2. NAME OF OPERATOR: Chevron U.S.A. Inc.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: BLM & State of Utah
3. ADDRESS OF OPERATOR: P.O. Box 36366 CITY Houston STATE TX ZIP 77236		7. UNIT or CA AGREEMENT NAME: Orangeville & Huntington
4. LOCATION OF WELL FOOTAGES AT SURFACE: See Attached List of Wells		8. WELL NAME and NUMBER: See Attached List of Wells
COUNTY: Emery		9. API NUMBER:
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		10. FIELD AND POOL, OR WILDCAT:
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: <u>Operator Name Change (Merger)</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.
Effective May 1, 2002, Chevron U.S.A. Inc. is the new operator of the attached list of subject wells and leases that were previously operated by Texaco Exploration and Production Inc. The subject wells are located North of Orangeville and North of Huntington, Emery County, Utah. These Wells will be protected by the following surety bonds:

STATE OF UTAH Bond #: 103521627-0018 in the amount of \$80,000. (This bond will replace United Pacific Insurance Company bond number U89-75-80-0059. We respectfully request this bond be released and returned.)

BLM Nationwide Bond#: U89-75-81-0034 in the amount of \$300,000.


Key Contacts:

Ron Wirth - Operations Supervisor - 435 748-5395 x1
Texaco Exploration & Production Inc.



J. S. Purdy, Attorney-In-Fact

RECEIVED
MAY 06 2002
DIVISION OF
OIL, GAS AND MINING

NAME (PLEASE PRINT) <u>Allen S. Robinson</u>	TITLE <u>Attorney-In-Fact</u>
SIGNATURE 	DATE <u>April 30, 2002</u>

(This space for State use only)

Chevron U.S.A. Inc.
 Permian Business Unit
 Aneth Operations
 San Juan County, Utah

Name / Operatorship Change
 Texaco Exploration and Production Inc.
 to
 Chevron U.S.A. Inc.
 Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	11	400S	230E	4303716034	MESA 1 (ANETH C411)	1	I	WI
N5700	12	400S	230E	4303716272	BURTON 23-12 (ANETH B312)	1	A	WI
N5700	12	400S	230E	4303716274	BURTON 31-12 (ANETH C-112)	1	I	WI
N5700	12	400S	230E	4303716278	BURTON 42-12 (ANETH D212)	1	A	WI
N5700	12	400S	230E	4303730049	ANETH UNIT D-412	1	A	WI
N5700	12	400S	230E	4303730112	ANETH UNIT C-312	1	A	WI
N5700	13	400S	230E	4303715825	BURTON 22-13 (ANETH B-213)	1	A	WI
N5700	13	400S	230E	4303715827	BURTON 31-13 (ANETH C-113)	1	A	WI
N5700	13	400S	230E	4303715828	BURTON 33-13 (ANETH C-313)	1	A	WI
N5700	13	400S	230E	4303715830	BURTON 42-13 (D213)	1	A	WI
N5700	13	400S	230E	4303716279	BURTON 44-13 (ANETH D-413)	1	A	WI
N5700	13	400S	230E	4303730119	ANETH UNIT A-113	1	A	WI
N5700	13	400S	230E	4303730174	ANETH UNIT D113	1	A	WI
N5700	13	400S	230E	4303730297	ANETH B-413	1	A	WI
N5700	13	400S	230E	4303730299	ANETH UNIT A-313	1	A	WI
N5700	14	400S	230E	4303716032	ARROWHEAD 6 (ANETH B-114)	1	A	WI
N5700	14	400S	230E	4303716033	ARROWHEAD 3 (ANETH C-214)	1	A	WI
N5700	14	400S	230E	4303716035	ARROWHEAD 5 (ANETH C-414)	1	A	WI
N5700	14	400S	230E	4303716038	ARROWHEAD 4 (ANETH D-314)	1	A	WI
N5700	14	400S	230E	4303716273	ARROWHEAD 2 (ANETH B-314)	1	A	WI
N5700	14	400S	230E	4303716277	ARROWHEAD 1 (ANETH D-114)	1	A	WI
N5700	23	400S	230E	4303716271	A W RICE 2 (ANETH B-123)	1	A	WI
N5700	23	400S	230E	4303716276	A W RICE 3 (ANETH C-223)	1	A	WI
N5700	24	400S	230E	4303716270	FEDERAL A-1 (ANETH A-124)	1	A	WI
N5700	24	400S	230E	4303716275	FEDERAL 1 (ANETH C-124)	1	A	WI
N5700	07	400S	240E	4303715412	W ISMY FED 3 (ANETH E307)	1	A	WI
N5700	07	400S	240E	4303715415	W ISMAY FED 2 (ANETH F-407)	1	A	WI
N5700	07	400S	240E	4303716100	NAVAJO FED 6-1 (ANETH G-307)	1	A	WI
N5700	07	400S	240E	4303716118	NAVAJO FED 7-1 (ANETH H-207)	1	I	WI
N5700	07	400S	240E	4303716283	GULF-AZTEC FED 7 (ANETH E-207)	1	A	WI
N5700	07	400S	240E	4303716322	NAVAJO TRIBE FED 5-1 (ANETH H-407)	2	A	WI

Chevron U.S.A. Inc.
 Permian Business Unit
 Aneth Operations
 San Juan County, Utah

Name / Operatorship Change
 Texaco Exploration and Production Inc.
 to
 Chevron U.S.A. Inc.
 Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	07	400S	240E	4303730175	ANETH U E407	1	A	WI
N5700	08	400S	240E	4303716060	NAVAJO TRIBE E-15 (ANETH E-308)	2	A	WI
N5700	08	400S	240E	4303716076	NAVAJO FED 8-1 (ANETH F-208)	2	A	WI
N5700	08	400S	240E	4303716101	NAVAJO TRIBE L-6 (ANETH G-308)	2	A	WI
N5700	08	400S	240E	4303716119	NAVAJO TRIBE E-16 (ANETH H-208)	2	A	WI
N5700	08	400S	240E	4303716284	NAVAJO FED 9-1 (ANETH E-208)	2	A	WI
N5700	08	400S	240E	4303716298	NAVAJO TRIBE E-13 (ANETH F-408)	2	A	WI
N5700	08	400S	240E	4303716323	NAVAJO TRIBE L-3 (ANETH H-408)	2	A	WI
N5700	09	400S	240E	4303716061	NAVAJO TRIBE E-14 (ANETH E-309)	2	A	WI
N5700	09	400S	240E	4303716082	NAVAJO TRIBE E-4 (ANETH F-409)	2	A	WI
N5700	10	400S	240E	4303716125	NAVAJO TRIBE E-7 (ANETH H-410)	2	I	WI
N5700	11	400S	240E	4303715940	ANETH UNIT E-411	2	A	WI
N5700	11	400S	240E	4303715944	NAVAJO A-10/34-11 (ANETH G-411)	2	A	WI
N5700	11	400S	240E	4303716295	NAVAJO A-12/23-11 (ANETH F-311)	2	A	WI
N5700	13	400S	240E	4303715938	NAV TRIBE A-13 (ANETH E-213)	2	A	WI
N5700	13	400S	240E	4303715941	NAVAJO A-4 (ANETH E-413)	2	A	WI
N5700	14	400S	240E	4303715939	NAVAJO A-6 (ANETH E-214)	2	A	WI
N5700	14	400S	240E	4303715942	ANETH F-314	2	A	WI
N5700	14	400S	240E	4303715943	NAVAJO A-7/32-14 (ANETH G-214)	2	A	WI
N5700	14	400S	240E	4303715945	NAVAJO A-1/34-14 (ANETH G-414)	2	A	WI
N5700	14	400S	240E	4303716310	NAVAJO A-9/41-14 (ANETH H-114)	2	A	WI
N5700	14	400S	240E	4303716421	ANETH UNIT E414	2	A	WI
N5700	14	400S	240E	4303716422	ANETH UNIT F-114	2	A	WI
N5700	14	400S	240E	4303731381	ANETH UNIT H314X	2	I	WI
N5700	15	400S	240E	4303716116	ANETH G-415	2	A	WI
N5700	15	400S	240E	4303716296	NAVAJO TRIBAL E-8 (ANETH F-315)	2	A	WI
N5700	15	400S	240E	4303730213	ANETH E-315	2	A	WI
N5700	15	400S	240E	4303730312	ANETH H-315	2	A	WI
N5700	16	400S	240E	4303715832	STATE THREE 11-16 (ANETH E-116)	3	A	WI
N5700	16	400S	240E	4303716285	ST THREE 21-16 (ANETH F-116)	3	A	WI
N5700	16	400S	240E	4303716297	ST THREE 23-16 (ANETH F-316)	3	A	WI

Chevron U.S.A. Inc.
 Permian Business Unit
 Aneth Operations
 San Juan County, Utah

Name / Operatorship Change
 Texaco Exploration and Production Inc.
 to
 Chevron U.S.A. Inc.
 Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	16	400S	240E	4303716312	STATE THREE 42-16 (ANETH H-216)	3	A	WI
N5700	16	400S	240E	4303720230	ANETH H-416	3	A	WI
N5700	16	400S	240E	4303730094	ANETH E-316	3	A	WI
N5700	16	400S	240E	4303730107	ANETH G-316	3	A	WI
N5700	16	400S	240E	4303730333	ANETH F-416	3	A	WI
N5700	16	400S	240E	4303730344	ANETH G-116	3	A	WI
N5700	17	400S	240E	4303716049	ANETH UNIT E-117	2	A	WI
N5700	17	400S	240E	4303716062	NAVAJO TRIBAL G-7 (ANETH E317)	2	A	WI
N5700	17	400S	240E	4303716089	NAVAJO TRIBAL G-3 (ANETH G-117)	2	A	WI
N5700	17	400S	240E	4303716103	NAVAJO TRIBAL 1-X-G (ANETH G-317)	2	A	WI
N5700	17	400S	240E	4303716286	NAVAJO TRIBAL G-8 (ANETH F-217)	2	A	WI
N5700	17	400S	240E	4303716299	NAVAJO TRIBAL G-6 (ANETH F-417)	2	A	WI
N5700	17	400S	240E	4303716313	NAV TRIBAL L-4 (ANETH H-217)	2	A	WI
N5700	17	400S	240E	4303716326	NAVAJO TRIBAL L-1 (ANETH H-417)	2	A	WI
N5700	18	400S	240E	4303715083	NAVAJO TRIBAL FED U 3	2	A	WI
N5700	18	400S	240E	4303715413	ANETH U E-118 (W ISMY FED 1)	1	A	WI
N5700	18	400S	240E	4303716063	NAVAJO TRIBAL 4 (ANETH E-318)	1	A	WI
N5700	18	400S	240E	4303716090	NAVAJO TRIBE 2 (ANETH G-118)	2	A	WI
N5700	18	400S	240E	4303716104	NAVAJO TRIBE G-4 (ANETH G-318)	2	A	WI
N5700	18	400S	240E	4303716120	NAVAJO TRIBAL G-5 (ANETH H-218)	2	A	WI
N5700	18	400S	240E	4303716287	NAVAJO FED U 1 (ANETH F-218)	2	A	WI
N5700	18	400S	240E	4303716327	NAVAJO TRIBAL G-2 (ANETH H-418)	2	A	WI
N5700	18	400S	240E	4303730137	ANETH U E218	1	A	WI
N5700	18	400S	240E	4303730155	ANETH U F118	1	A	WI
N5700	19	400S	240E	4303716077	NAVAJO TRIBE D-26 (ANETH F-219)	2	A	WI
N5700	19	400S	240E	4303716091	NAVAJO TRIBE D-16 (ANETH G-119)	2	A	WI
N5700	19	400S	240E	4303716121	NAVAJO TRIBE D-3 (ANETH H-219)	2	A	WI
N5700	19	400S	240E	4303716280	NAVAJO FED U B-1 (ANETH E-119)	2	A	WI
N5700	19	400S	240E	4303716309	NAVAJO TRIBE D-25 (ANETH G-319)	2	A	WI
N5700	19	400S	240E	4303716328	NAVAJO TRIBE D-27 (ANETH H-419)	2	A	WI
N5700	20	400S	240E	4303716050	NAVAJO TRIBE D-10 (ANETH E-120)	2	A	WI

Chevron U.S.A. Inc.
 Permian Business Unit
 Aneth Operations
 San Juan County, Utah

Name / Operatorship Change
 Texaco Exploration and Production Inc.
 to
 Chevron U.S.A. Inc.
 Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	20	400S	240E	4303716065	NAVAJO TRIBE D-17 (ANETH E-320)	2	A	WI
N5700	20	400S	240E	4303716092	NAVAJO TRIBE L-5 (ANETH G-120)	2	A	WI
N5700	20	400S	240E	4303716105	NAVAJO TRIBE D-12 (ANETH G-320)	2	A	WI
N5700	20	400S	240E	4303716288	NAVAJO TRIBE D-8 (ANETH F-220)	2	A	WI
N5700	20	400S	240E	4303716300	NAVAJO TRIBE D-20 (ANETH F-420)	2	A	WI
N5700	20	400S	240E	4303716314	NAVAJO TRIBE L-2 (ANETH H-220)	2	A	WI
N5700	20	400S	240E	4303716329	NAVAJO TRIBE D-13 (ANETH H-420)	2	A	WI
N5700	21	400S	240E	4303716051	NAVAJO TRIBE D-4 (ANETH E-121)	2	A	WI
N5700	21	400S	240E	4303716066	NAVAJO TRIBE D-14 (ANETH E-321)	2	A	WI
N5700	21	400S	240E	4303716078	NAVAJO TRIBE D-6 (ANETH F-221)	2	A	WI
N5700	21	400S	240E	4303716084	NAVAJO TRIBE D-21 (ANETH F-421)	2	A	WI
N5700	21	400S	240E	4303716122	NAVAJO TRIBE D-7 (ANETH H-221)	2	A	WI
N5700	21	400S	240E	4303716330	NAVAJO TRIBE D-24 (ANETH H-421)	2	A	WI
N5700	21	400S	240E	4303730095	ANETH G-321X	2	A	WI
N5700	21	400S	240E	4303730335	ANETH G-121X	2	A	WI
N5700	22	400S	240E	4303716067	NAVAJO TRIBE D-19 (ANETH E-322)	2	A	WI
N5700	22	400S	240E	4303716085	NAVAJO TRIBE D-23 (ANETH F-422)	2	A	WI
N5700	22	400S	240E	4303716117	NAVAJO TRIBE D-2 (ANETH H-122)	2	A	WI
N5700	22	400S	240E	4303716127	NAVAJO TRIBE D-22 (ANETH H-422)	2	I	WI
N5700	22	400S	240E	4303720231	ANETH G-322X	2	A	WI
N5700	22	400S	240E	4303730215	ANETH E-122	2	A	WI
N5700	22	400S	240E	4303730242	ANETH H-222	2	A	WI
N5700	22	400S	240E	4303730373	ANETH F-222	2	A	WI
N5700	22	400S	240E	4303730425	ANETH G-122	2	A	WI
N5700	23	400S	240E	4303716068	NAVAJO TRIBE C-12 (ANETH E-323)	2	A	WI
N5700	23	400S	240E	4303716079	NAVAJO TRIBE C-7 (ANETH F-223)	2	A	WI
N5700	23	400S	240E	4303716086	NAVAJO TRIBE C-17 (ANETH F-423)	2	A	WI
N5700	23	400S	240E	4303716123	NAVAJO TRIBE C-8 (ANETH H-223)	2	A	WI
N5700	23	400S	240E	4303716128	NAVAJO TRIBE C-3 (ANETH H-423)	2	A	WI
N5700	23	400S	240E	4303716306	NAVAJO TRIBE C-1 (ANETH G-123)	2	A	WI
N5700	23	400S	240E	4303730235	ANETH F-123	2	A	WI

Chevron U.S.A. Inc.
 Permian Business Unit
 Aneth Operations
 San Juan County, Utah

Name / Operatorship Change
 Texaco Exploration and Production Inc.
 to
 Chevron U.S.A. Inc.
 Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	24	400S	240E	4303716069	NAVAJO TRIBE C-10 (ANETH E-324)	2	A	WI
N5700	24	400S	240E	4303716087	NAVAJO TRIBE C-13 (ANETH F-424)	2	A	WI
N5700	24	400S	240E	4303716111	NAVAJO TRIBE C-15 (ANETH G-324)	2	A	WI
N5700	24	400S	240E	4303716289	NAVAJO TRIBE C-16 (ANETH F-224)	2	A	WI
N5700	24	400S	240E	4303716331	NAVAJO TRIBE C-28 (ANETH H-424)	2	A	WI
N5700	25	400S	240E	4303716070	NAVAJO TRIBE C-21 (ANETH E-325)	2	A	WI
N5700	25	400S	240E	4303716080	NAVAJO TRIBE C-20 (F225)	2	A	WI
N5700	25	400S	240E	4303716095	ANETH UNIT G125	2	A	WI
N5700	25	400S	240E	4303716124	NAVAJO TRIBE C-11 (ANETH H-225)	2	A	WI
N5700	25	400S	240E	4303716129	NAVAJO TRIBE C-24 (ANETH H-425)	2	A	WI
N5700	25	400S	240E	4303716301	NAVAJO TRIBE C-32 (ANETH F-425)	2	A	WI
N5700	26	400S	240E	4303716054	NAVAJO TRIBE C-29 (ANETH E-126)	2	A	WI
N5700	26	400S	240E	4303716071	NAVAJO TRIBE C-30 (ANETH E-326)	2	A	WI
N5700	26	400S	240E	4303716113	NAVAJO TRIBE C-27 (ANETH G-326)	2	A	WI
N5700	26	400S	240E	4303716290	NAVAJO TRIBE C-23 (ANETH F-226)	2	A	WI
N5700	26	400S	240E	4303716302	NAVAJO TRIBE C-4 (ANETH F-426)	2	A	WI
N5700	26	400S	240E	4303716316	NAVAJO TRIBE C-19 (ANETH H-226)	2	A	WI
N5700	26	400S	240E	4303716332	NAVAJO TRIBE C-31 (ANETH H-426)	2	A	WI
N5700	26	400S	240E	4303730372	ANETH G-126X	2	A	WI
N5700	27	400S	240E	4303716223	ANETH 27-B2 (ANETH F-227)	2	I	WI
N5700	27	400S	240E	4303716307	ANETH 27-C-1 (ANETH G-127)	2	A	WI
N5700	27	400S	240E	4303716317	ANETH 27-D2 (ANETH H-227)	2	A	WI
N5700	27	400S	240E	4303716333	ANETH 27-D-4 (ANETH H-427)	2	A	WI
N5700	27	400S	240E	4303716782	ANETH 27-A-1 (ANETH E-127)	2	A	WI
N5700	28	400S	240E	4303716222	ANETH 28-A-1 (ANETH E-128)	2	A	WI
N5700	28	400S	240E	4303716224	ANETH 28-C-1 (ANETH G-128)	2	A	WI
N5700	28	400S	240E	4303716228	ANETH H-228	2	A	WI
N5700	29	400S	240E	4303716055	NAVAJO TRIBE S-2 (ANETH E-129)	2	A	WI
N5700	29	400S	240E	4303716097	NAVAJO TRIBE S-1 (ANETH G-129)	2	A	WI
N5700	29	400S	240E	4303716292	NAVAJO TRIBE S-4 (ANETH F-229)	2	I	WI
N5700	29	400S	240E	4303716318	NAVAJO TRIBE S-3 (ANETH H-229)	2	A	WI

Chevron U.S.A. Inc.
 Permian Business Unit
 Aneth Operations
 San Juan County, Utah

Name / Operatorship Change
 Texaco Exploration and Production Inc.
 to
 Chevron U.S.A. Inc.
 Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	34	400S	240E	4303716303	ANETH 34-B-4 (ANETH F-434)	2	A	WI
N5700	34	400S	240E	4303716319	ANETH 34-D2 (ANETH H-234)	2	I	WI
N5700	35	400S	240E	4303716293	NAVAJO TRIBE Q-5 (ANETH F-235)	2	A	WI
N5700	35	400S	240E	4303716304	NAVAJO TRIBE Q-8 (ANETH F-435)	2	A	WI
N5700	35	400S	240E	4303716320	NAVAJO TRIBE Q-4 (ANETH H-235)	2	A	WI
N5700	36	400S	240E	4303715485	NAVAJO 4 (ANETH E-136)	2	A	WI
N5700	36	400S	240E	4303715486	NAV TRB 2-A (G136)	2	A	WI
N5700	36	400S	240E	4303715487	NAVAJO 1 (ANETH H-236)	2	A	WI
N5700	36	400S	240E	4303716294	NAVAJO 3 (ANETH F-236)	2	A	WI
N5700	19	400S	250E	4303716140	ANETH UNIT L-419	2	A	WI
N5700	29	400S	250E	4303716131	NAVAJO TRIBE F-8 (ANETH J-129)	2	A	WI
N5700	30	400S	250E	4303716132	NAVAJO TRIBE F-9 (ANETH J-130)	2	A	WI
N5700	30	400S	250E	4303716134	NAVAJO TRIBE F-5 (ANETH J-330)	2	A	WI
N5700	30	400S	250E	4303716135	NAVAJO TRIBE F-2 (ANETH K-230)	2	A	WI
N5700	30	400S	250E	4303716137	NAVAJO TRIBE F-7 (ANETH K-430)	2	A	WI
N5700	30	400S	250E	4303716139	NAVAJO TRIBE F-6 (ANETH L-330)	2	A	WI
N5700	30	400S	250E	4303716141	NAVAJO TRIBE F-10 (ANETH M-230)	2	A	WI
N5700	30	400S	250E	4303716337	NAVAJO TRIBE F-11 (ANETH M-430)	2	A	WI
N5700	31	400S	250E	4303715946	NAVAJO TRIBE C11-31 (J131)	2	A	WI
N5700	31	400S	250E	4303716335	NAVAJO TRIBE C-22-31 (ANETH K-231)	2	A	WI

**THE
NAVAJO
NATION****MINERALS DEPARTMENT**
Post Office Box 1910
Window Rock, Arizona 86515
Phone: (928) 871-6587 • Fax: (928) 871-7095**KELSEY A. BEGAYE**
PRESIDENT**TAYLOR MCKENZIE, M.D.**
VICE PRESIDENT

October 11, 2002

Mr. Don Sellars
Regulatory Specialist
ChevronTexaco
11111 S. Wilcrest
Houston, Texas 77099

Subject: Navajo Nation Assignment of Oil & Gas Lease

Dear Mr. Sellars:

Attached are fourteen (14) approved Navajo Nation Assignment of Oil and Gas Lease applications for assignment of interest from Texaco Exploration & Production, Inc. to Chevron U.S.A., Inc. (Chevron) for the following leases:

- | | | |
|---------------------|---------------------|----------------------|
| 1) I-149-IND-8834 | 6) I-149-IND-8839 | 11) 14-20-603-4035 |
| 2) I-149-IND-8835 | 7) 14-20-603-2057 | 12) 14-20-603-4037 |
| 3) I-149-IND-8836 | 8) 14-20-603-2059 | 13) 14-20-603-5043-A |
| 4) I-149-IND-8838 | 9) 14-20-603-4030-A | 14) 14-20-603-5446 |
| 5) I-149-IND-8839-A | 10) 14-20-603-4032 | |

If you have any questions, please call me or Mr. Brad Nesemeier at (928) 871-6587.

Sincerely,

Akhtar Zaman
Akhtar Zaman, Director
Minerals Department

Attachments
AZ/GLB/cab

5. If **NO**, the operator was contacted contacted on: N/A

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 10/11/2002

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 10/11/2002

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: N/A

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 10/21/2002

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 10/23/2002

2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 10/23/2002

3. Bond information entered in RBDMS on: N/A

4. Fee wells attached to bond in RBDMS on: N/A

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: 6049663

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: N/A

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: N/A

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number N/A

2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS: Chevron USA Inc merged with Texaco Exploration & Production Inc to form ChevronTexaco Inc although all the Utah operations will be operated by Chevron USA Inc.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>Injection wells</u>		5. LEASE DESIGNATION AND SERIAL NUMBER: <u>See Attachment</u>
2. NAME OF OPERATOR: <u>Resolute Natural Resources Company</u>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: <u>Navajo</u>
3. ADDRESS OF OPERATOR: <u>1675 Broadway, Suite 1950</u> CITY <u>Denver</u> STATE <u>CO</u> ZIP <u>80202</u>		7. UNIT or CA AGREEMENT NAME: <u>Aneth Unit</u>
4. LOCATION OF WELL FOOTAGES AT SURFACE: <u>See Attachment</u>		8. WELL NAME and NUMBER: <u>See Attachment</u>
PHONE NUMBER: <u>(303) 534-4600</u>		9. API NUMBER: <u>See Attach</u>
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		10. FIELD AND POOL, OR WILDCAT: <u>Desert Creek</u>
COUNTY: <u>San Juan</u>		STATE: <u>UTAH</u>

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Change of Operator</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

As of December 1, 2004, Chevron U.S.A. Inc. resigned as Operator of the Aneth Unit. The successor operator is Resolute Natural Resources Company.

NAME (PLEASE PRINT) <u>Janet Pasque</u>	TITLE <u>Vice President</u>
SIGNATURE <u>Janet Pasque</u>	DATE <u>11/30/04</u>

(This space for State use only)

APPROVED 12/29/2004

ER
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>See attached exhibit.</u>		5. LEASE DESIGNATION AND SERIAL NUMBER: <u>See attached exhibit.</u>
2. NAME OF OPERATOR: <u>Resolute Natural Resources Company</u>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: <u>Navajo</u>
3. ADDRESS OF OPERATOR: <u>1675 Broadway, Suite 1950</u> CITY <u>Denver</u> STATE <u>CO</u> ZIP <u>80202</u>		7. UNIT or CA AGREEMENT NAME: <u>Aneth Unit</u>
4. LOCATION OF WELL FOOTAGES AT SURFACE: _____ QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____		8. WELL NAME and NUMBER: <u>See attached exhibit.</u>
		9. API NUMBER: <u>See attached exhibit.</u>
		10. FIELD AND POOL, OR WILDCAT: <u>Aneth</u>
		COUNTY: <u>San Juan</u>
		STATE: <u>UTAH</u>

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Change of operator</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.
As of December 1, 2004, Chevron U.S.A. Inc. resigned as operator of the Aneth Unit. Resolute Natural Resources Company has been elected the successor operator.

RECEIVED
DEC 22 2004
DIV. OF OIL, GAS & MINING

NAME (PLEASE PRINT) <u>Chevron U.S.A. Inc.</u> <u>NO210</u>	TITLE <u>A. E. Wacker, Attorney-in-Fact</u>
SIGNATURE <u>A. E. Wacker</u>	DATE <u>12/20/2004</u>

(This space for State use only)

APPROVED 12/29/2004
ER
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

TRANSFER OF AUTHORITY TO INJECT

Well Name and Number See attached exhibit.		API Number See attached exhibit.
Location of Well		Field or Unit Name Aneth Unit
Footage : _____	County : San Juan	Lease Designation and Number See attached exhibit.
QQ, Section, Township, Range: _____	State : UTAH	

EFFECTIVE DATE OF TRANSFER: 12/11/2004

CURRENT OPERATOR N0210

Company: <u>Chevron U.S.A. Inc.</u>	Name: <u>A. E. Wacker</u>
Address: <u>1111 Bagby St.</u>	Signature: <u>A.E. Wacker</u>
<u>city Houston state TX zip 77002</u>	Title: <u>Attorney-in-Fact</u>
Phone: <u>(713) 752-6000</u>	Date: <u>12/20/2004</u>
Comments:	

RECEIVED
DEC 22 2004

NEW OPERATOR N2700

Company: <u>Resolute Natural Resources Company</u>	Name: <u>Janet Pogue xt</u>
Address: <u>1675 Broadway, Suite 1950</u>	Signature: <u>Janet Pogue</u>
<u>city Denver state CO zip 80202</u>	Title: <u>Vice President</u>
Phone: <u>(303) 534-4600 xt</u>	Date: <u>12/21/04</u>
Comments:	

DIV. OF OIL, GAS & MINING

(This space for State use only)

Transfer approved by: *David J. Finn* Approval Date: 12-29-04
Title: VIC Geologist

Comments: Transfer of Authority to Inject into the Aneth C2114 and Aneth B14 contingent on this office receiving a corrective action plan for each well. Both well Aneth 214 failed 5 year test on 10/13/2004. Operator would not conduct scheduled 5 year test on Aneth B14. (considered a failure).

NUM	API NUM	Q1	Q2	SEC	TWSP	RNG	LEGAL	Lease	Status 12/1/04	NNEPA Well List	USEPA Well List	UIC Program
H222	4303730242	SE	NW	22	40S	24E		I-149-IND-8836	Active	H222	H222	Navajo Nation
F418	4303715083	SE	SW	18	T40S	R24E	650' FSL/1825' FWL	I-149-IND-8835	Active	F418	F418	Navajo Nation
E307	4303715412	NW	SW	7	T40S	R24E	1980' FSL/660' FWL	SL-067807	Active	E307	E307	Navajo Nation
E118	4303715413	NW	NW	18	T40S	R24E	660' FNL/660' FWL	SL-067807	Active	E118	E118	Navajo Nation
F407	4303715415	SE	SW	7	T40S	R24E	660' FSL/1980' FWL	SL-067807	Active	F407	F407	Navajo Nation
E136	4303715485	NW	NW	36	T40S	R24E	660' FNL/660' FWL	14-20-603-5444	Active	E136	E136	Navajo Nation
G136	4303715486	NW	NE	36	T40S	R24E	785' FNL/2040' FEL	14-20-603-5443	Active	G136	G136	Navajo Nation
H236	4303715487	SE	NE	36	T40S	R24E	1980' FNL/660' FEL	14-20-603-5443	P/A			Navajo Nation
B213	4303715825	SE	NW	13	T40S	R23E	3300' FSL/3300' FEL	SL-070968-A	Active			State of Utah
C113	4303715827	NW	NE	13	T40S	R23E	4602' FSL/1993' FEL	SL-070968-A	Active			State of Utah
C313	4303715828	NW	SE	13	T40S	R23E	1949' FSL/1991' FEL	SL-070968-A	Active			State of Utah
D213	4303715830	SE	NE	13	T40S	R23E	3263' FSL/660' FEL	SL-070968-A	Active			State of Utah
E116	4303715832	NW	NW	16	T40S	R24E	601' FNL/550' FWL	ML-3156	Active	E116	E116	Navajo Nation
E213	4303715938	SW	NW	13	T40S	R24E	2140' FNL/740' FWL	I-IND-149-8837	Active	E213	E213	Navajo Nation
E214	4303715939	SW	NW	14	T40S	R24E	1940' FNL/650' FWL	I-149-IND-8837	Active	E214	E214	Navajo Nation
E411	4303715940	SW	SW	11	T40S	R24E	500' FSL/820' FWL	I-149-IND-8837	Active	E411	E411	Navajo Nation
E413	4303715941	SW	SW	13	T40S	R24E	660' FSL/660' FWL	IND-149-8837	Active	E413	E413	Navajo Nation
F314	4303715942	NE	SW	14	T40S	R24E	1980' FSL/1980' FWL	I-149-IND-8837	Active	F314	F314	Navajo Nation
G214	4303715943	SW	NE	14	T40S	R24E	2140' FNL/2010' FEL	I-149-IND-8839	P/A			Navajo Nation
G411	4303715944	SW	SE	11	T40S	R24E	680' FSL/1950' FEL	I-149-IND-8837	Active	G411	G411	Navajo Nation
G414	4303715945	SW	SE	14	T40S	R24E	660' FSL/1980' FEL	I-149-IND-8837	Active	G414	G414	Navajo Nation
J131	4303715946	NW	NW	31	T40S	R25E	660' FNL/638' FWL	14-20-603-372	Active	J131	J131	Navajo Nation
B114	4303716032	NE	NW	14	T40S	R23E	660' FNL/1980' FWL	SL-070968	Shut-In			State of Utah
C214	4303716033	SW	NE	14	T40S	R23E	1890' FNL/1930' FEL	SL-070968	Shut-In			State of Utah
C411	4303716034	SW	SE	11	T40S	R23E	600' FSL/2010' FEL	SL-070968-B	P/A			State of Utah
C414	4303716035	SW	SE	14	T40S	R23E	760' FSL/2000' FEL	SL-070968	Active			State of Utah
D314	4303716038	NE	SE	14	T40S	R23E	1980' FSL/660' FEL	SL-070968	Active			State of Utah
E117	4303716049	NW	NW	17	T40S	R24E	520' FNL/645' FWL	I-149-IND-8835	Active	E117	E117	Navajo Nation
E120	4303716050	NW	NW	20	T40S	R24E	660' FNL/660' FWL	I-149-IND-8836	Active	E120	E120	Navajo Nation
E121	4303716051	NW	NW	21	T40S	R24E	660' FNL/760' FWL	I-149-IND-8836	Active	E121	E121	Navajo Nation
E126	4303716054	NW	NW	26	T40S	R24E	760' FNL/660' FWL	I-149-IND-8838	Active	E126	E126	Navajo Nation
E129	4303716055	NW	NW	29	T40S	R24E	660' FNL/660' FWL	14-20-603-4030	Active	E129	E129	Navajo Nation
E308	4303716060	NW	SW	8	T40S	R24E	1820' FSL/645' FWL	I-149-IND-8833	Active	E308	E308	Navajo Nation
E309	4303716061	NW	SW	9	T40S	R24E	1900' FSL/500' FWL	I-149-IND-8834	P/A			Navajo Nation
E317	4303716062	NW	SW	17	40S	24E	1980' FSL/660' FWL	I-149-IND-8835	Active	E317	E317	Navajo Nation
E318	4303716063	NW	SW	18	T40S	R24E	1980' FSL/660' FWL	SL-067807	Active	E318	E318	Navajo Nation
E319	4303716064	NW	SW	19	T40S	R24E	2040' FSL/680' FWL	I-149-IND-8836	P/A			Navajo Nation
E320	4303716065	NW	SW	20	T40S	R24E	2140' FSL/820' FWL	I-149-IND-8836	Active	E320	E320	Navajo Nation
E321	4303716066	NW	SW	21	T40S	R24E	2140' FSL/720' FWL	I-149-IND-8836	Active	E321	E321	Navajo Nation
E322	4303716067	NW	SW	22	T40S	R24E	1980' FSL/660' FWL	I-149-IND-8836	Active	E322	E322	Navajo Nation
E323	4303716068	NW	SW	23	T40S	R24E	1980' FSL/510' FWL	I-149-IND-8838	Active	E323	E323	Navajo Nation
E324	4303716069	NW	SW	24	T40S	R24E	1980' FSL/660' FWL	I-149-IND-8838	Active	E324	E324	Navajo Nation
E325	4303716070	NW	SW	25	T40S	R24E	1980' FSL/660' FWL	I-149-IND-8838	Active	E325	E325	Navajo Nation
E326	4303716071	NW	SW	26	T40S	R24E	1980' FSL/660' FWL	I-149-IND-8838	Active	E326	E326	Navajo Nation
F115	4303716074	NE	NW	15	T40S	R24E	690' FNL/2140' FWL	I-149-IND-8834	Active	F115	F115	Navajo Nation

F208	4303716076	SE	NW	8	T40S	R24E	2140' FNL/2050' FWL	I-149-IND-8833	Active	F208	F208	Navajo Nation
F219	4303716077	SE	NW	19	T40S	R24E	1820' FNL/2140' FWL	I-149-IND-8836	Active	F219	F219	Navajo Nation
F221	4303716078	SE	NW	21	T40S	R24E	1980' FNL/1980' FWL	I-149-IND-8836	Active	F221	F221	Navajo Nation
F223	4303716079	SE	NW	23	T40S	R24E	1980' FNL/1820' FWL	I-149-IND-8838	Active	F223	F223	Navajo Nation
F225	4303716080	SE	NW	25	T40S	R24E	2040' FNL/2080' FWL	I-149-IND-8838	Active	F225	F225	Navajo Nation
F409	4303716082	SE	SW	9	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8834	Active	F409	F409	Navajo Nation
F421	4303716084	SE	SW	21	T40S	R24E	585' FSL/1990' FWL	I-149-IND-8836	Active	F421	F421	Navajo Nation
F422	4303716085	SE	SW	22	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8836	Active	F422	F422	Navajo Nation
F423	4303716086	SE	SW	23	T40S	R24E	770' FSL/1955' FWL	I-149-IND-8838	Active	F423	F423	Navajo Nation
F424	4303716087	SE	SW	24	T40S	R24E	660' FSL/2100' FWL	I-149-IND-8838	Active	F424	F424	Navajo Nation
G117	4303716089	NW	NE	17	T40S	R24E	660' FNL/1980' FEL	I-149-IND-8835	Active	G117	G117	Navajo Nation
G118	4303716090	NW	NE	18	T40S	R24E	800' FNL/1910' FEL	I-149-IND-8835	Active	G118	G118	Navajo Nation
G119	4303716091	NW	NE	19	T40S	R24E	660' FNL/2140' FEL	I-149-IND-8836	Active	G119	G119	Navajo Nation
G120	4303716092	NW	NE	20	T40S	R24E	660' FNL/1980' FEL	I-149-IND-8833	Active	G120	G120	Navajo Nation
G125	4303716095	NW	NE	25	T40S	R24E	660' FNL/2140' FEL	I-149-IND-8838	Active	G125	G125	Navajo Nation
G129	4303716097	NW	NE	29	T40S	R24E	580' FNL/1905' FEL	14-20-603-4030	Active	G129	G129	Navajo Nation
G307	4303716100	NW	SE	7	T40S	R24E	1900' FSL/1995' FEL	SL-067807	Active	G307	G307	Navajo Nation
G308	4303716101	NW	SE	8	T40S	R24E	1975' FSL/1830' FEL	I-149-IND-8834	Active	G308	G308	Navajo Nation
G317	4303716103	NW	SE	17	T40S	R24E	1778' FSL/1900' FEL	I-149-IND-8835	Active	G317	G317	Navajo Nation
G318	4303716104	NW	SE	18	T40S	R24E	2125' FSL/1980' FEL	I-149-IND-8835	Active	G318	G318	Navajo Nation
G320	4303716105	NW	SE	20	T40S	R24E	1980' FSL/1980' FEL	I-149-IND-8836	Active	G320	G320	Navajo Nation
G324	4303716111	NW	SE	24	T40S	R24E	1980' FSL/1980' FEL	I-149-IND-8838	Active	G324	G324	Navajo Nation
G326	4303716113	NW	SE	26	T40S	R24E	1980' FSL/1980' FEL	I-149-IND-8838	Active	G326	G326	Navajo Nation
G415	4303716116	SW	SE	15	T40S	R24E	820' FSL/2400' FEL	I-149-IND-8834	Active	G415	G415	Navajo Nation
H122	4303716117	NE	NE	22	T40S	R24E	660' FNL/660' FEL	I-149-IND-8836	Active	H122	H122	Navajo Nation
H207	4303716118	SE	NE	7	T40S	R24E	1820' FNL/820' FEL	SL-067807	T/A			State of Utah
H208	4303716119	SE	NE	8	T40S	R24E	2140' FNL/660' FEL	I-149-IND-8833	Active	H208	H208	Navajo Nation
H218	4303716120	SE	NE	18	T40S	R24E	1980' FNL/660' FEL	I-149-IND-8835	Active	H218	H218	Navajo Nation
H219	4303716121	SE	NE	19	T40S	R24E	1945' FNL/607' FEL	I-149-IND-8836	Active	H219	H219	Navajo Nation
H221	4303716122	SE	NE	21	T40S	R24E	1980' FNL/660' FEL	I-149-IND-8836	Active	H221	H221	Navajo Nation
H223	4303716123	SE	NE	23	T40S	R24E	1820' FNL/730' FEL	I-149-IND-8838	Active	H223	H223	Navajo Nation
H225	4303716124	SE	NE	25	T40S	R24E	1980' FNL/660' FEL	I-149-IND-8838	Active	H225	H225	Navajo Nation
H410	4303716125	SE	SE	10	T40S	R24E	625' FSL/545' FEL	I-149-IND-8834	P/A			Navajo Nation
H422	4303716127	SE	SE	22	T40S	R24E	660' FSL/660' FEL	I-149-IND-8836	P/A			Navajo Nation
H423	4303716128	SE	SE	23	T40S	R24E	820' FSL/450' FEL	I-149-IND-8838	Active	H423	H423	Navajo Nation
H425	4303716129	SE	SE	25	T40S	R24E	660' FSL/660' FEL	I-149-IND-8838	Active	H425	H425	Navajo Nation
J129	4303716131	NW	NW	29	T40S	R25E	620' FNL/615' FWL	I-149-IND-8839	P/A			Navajo Nation
J130	4303716132	NW	NW	30	T40S	R25E	720' FNL/590' FEL	I-149-IND-8839	Shut-In	J130	J130	Navajo Nation
J330	4303716134	NW	SW	30	T40S	R25E	2060' FSL/800' FWL	I-149-IND-8839	Active	J330	J330	Navajo Nation
K230	4303716135	SE	NW	30	T40S	R25E	2075' FSL/2140' FWL	I-149-IND-8839	Shut-In	K230	K230	Navajo Nation
K430	4303716137	SE	SW	30	T40S	R25E	660' FSL/1980' FWL	I-149-IND-8839	Active	K430	K430	Navajo Nation
L330	4303716139	NW	SE	30	T40S	R25E	2120' FSL/1960' FEL	I-149-IND-8839	Active	L330	L330	Navajo Nation
L419	4303716140	SW	SE	19	T40S	R25E	660' FSL/1980' FEL	I-149-IND-8839	Active	L419	L419	Navajo Nation
M230	4303716141	SE	NE	30	T40S	R25E	1930' FNL/660' FEL	I-149-IND-8839	Active	M230	M230	Navajo Nation
E128	4303716222	NW	NW	28	T40S	R24E	660' FNL/660' FWL	14-20-603-2056	Active	E128	E128	Navajo Nation
F227	4303716223	SE	NW	27	T40S	R24E	1980' FNL/1980' FWL	14-20-603-2056	T/A			Navajo Nation
G128	4303716224	NW	NE	28	T40S	R24E	660' FNL/1980' FEL	14-20-603-2056	Shut-In	G128	G128	Navajo Nation

H228	4303716228	SE	NE	28	T40S	R24E	2080' FNL/560' FEL	14-20-603-2056	T/A			Navajo Nation
A124	4303716270	NW	NW	24	T40S	R23E	500' FNL/500' FWL	SL-0701010-C	Active			State of Utah
B123	4303716271	NE	NW	23	T40S	R23E	500' FNL/2140' FWL	SL-0701010	Active			State of Utah
B312	4303716272	NE	SW	12	T40S	R23E	3295' FNL/3348' FEL	SL-070968-A	Active	B312	B312	Navajo Nation
B314	4303716273	NE	SW	14	T40S	R23E	2030' FSL/2030' FWL	SL-070968	Active			State of Utah
C112	4303716274	NW	NE	12	T40S	R23E	658' FNL/1974' FEL	SL-070968-A	P/A			State of Utah
C124	4303716275	NW	NE	24	T40S	R23E	660' FNL/1980' FEL	SL-0701010-C	P/A			State of Utah
C223	4303716276	SW	NE	23	T40S	R23E	1820' FNL/1980' FEL	SL-0701010	P/A			State of Utah
D114	4303716277	NE	NE	14	T40S	R23E	660' FNL/760' FEL	SL-070968	Active			State of Utah
D212	4303716278	SE	NE	12	T40S	R23E	1860' FNL/656' FEL	SL-070968-A	Shut-In	D212	D212	Navajo Nation
D413	4303716279	SE	SE	13	T40S	R23E	660' FSL/661' FEL	SL-070968-A	Active			State of Utah
E119	4303716280	NW	NW	19	T40S	R24E	500' FNL/820' FWL	I-149-IND-8836	Active	E119	E119	Navajo Nation
E207	4303716283	SW	NW	7	T40S	R24E	2030' FNL 750 FWL		T/A	E207	E207	
E208	4303716284	SW	NW	8	T40S	R24E	1930' FNL/500' FWL	I-149-IND-8833	T/A			Navajo Nation
F116	4303716285	NE	NW	16	T40S	R24E	660' FNL/1980' FWL	ML-3156	Active	F116	F116	Navajo Nation
F217	4303716286	SE	NW	17	T40S	R24E	1890' FNL/1930' FWL	I-149-IND-8835	Active	F217	F217	Navajo Nation
F218	4303716287	SE	NW	18	T40S	R24E	1970' FNL/2060' FWL	I-149-IND-8835	Active	F218	F218	Navajo Nation
F220	4303716288	SE	NW	20	T40S	R24E	1980' FNL/1980' FWL	I-149-IND-8836	Active	F220	F220	Navajo Nation
F224	4303716289	SE	NW	24	T40S	R24E	1980' FNL/1980' FWL	I-149-IND-8838	Active	F224	F224	Navajo Nation
F226	4303716290	SE	NW	26	T40S	R24E	1950' FNL/1900' FWL	I-149-IND-8838	Active	F226	F226	Navajo Nation
F229	4303716292	SE	NW	29	T40S	R24E	2015' FNL/1930' FWL	14-20-603-4030	P/A	F229	F229	Navajo Nation
F235	4303716293	SE	NW	35	T40S	R24E	1825' FNL/2010' FWL	14-20-603-2059	Active	F235	F235	Navajo Nation
F236	4303716294	SE	NW	36	T40S	R24E	1980' FNL/1980' FWL	14-20-603-5444	Active	F236	F236	Navajo Nation
F311	4303716295	NE	SW	11	T40S	R24E	1820' FSL/1980' FWL	I-149-IND-8837	P/A			Navajo Nation
F315	4303716296	NE	SW	15	T40S	R24E	1980' FSL/2010' FWL	I-149-IND-8834	Active	F315	F315	Navajo Nation
F316	4303716297	NE	SW	16	T40S	R24E	2260' FSL/2140' FWL	ML-3156	Active	F316	F316	Navajo Nation
F408	4303716298	SE	SW	8	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8833	Active	F408	F408	Navajo Nation
F417	4303716299	SE	SW	17	T40S	R24E	500' FSL/2140' FWL	I-149-IND-8835	Active	F417	F417	Navajo Nation
F420	4303716300	SE	SW	20	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8836	Active	F420	F420	Navajo Nation
F425	4303716301	SE	SW	25	T40S	R24E	795' FSL/1960' FWL	I-149-IND-8838	Active	F425	F425	Navajo Nation
F426	4303716302	SE	SW	26	T40S	R24E	632' FSL/1867' FWL	I-149-IND-8838	P/A			Navajo Nation
F434	4303716303	SE	SW	34	T40S	R24E	815' FSL/1860' FWL	14-20-603-2056	P/A			Navajo Nation
F435	4303716304	SE	SW	35	T40S	R24E	820' FSL/1930' FWL	14-20-603-2059	T/A			Navajo Nation
G123	4303716306	NW	NE	23	T40S	R24E	660' FNL/1530' FEL	I-149-IND-8838	Active	G123	G123	Navajo Nation
G127	4303716307	NW	NE	27	T40S	R24E	660' FNL/1980' FEL	14-20-603-2056	Active	G127	G127	Navajo Nation
G319	4303716309	NW	SE	19	T40S	R24E	1920' FSL/2060' FEL	I-149-IND-8836	Active	G319	G319	Navajo Nation
H216	4303716312	SE	NE	16	T40S	R24E	3331' FSL/703' FEL	ML-3156	Active	H216	H216	Navajo Nation
H217	4303716313	SE	NE	17	T40S	R24E	2070' FNL/820' FEL	I-149-IND-8833	Active	H217	H217	Navajo Nation
H220	4303716314	SE	NE	20	T40S	R24E	2025' FNL/560' FEL	I-149-IND-8833	Active	H220	H220	Navajo Nation
H226	4303716316	SE	NE	26	T40S	R24E	1980' FNL/780' FEL	I-149-IND-8838	Active	H226	H226	Navajo Nation
H227	4303716317	SE	NE	27	T40S	R24E	1980' FNL/630' FEL	14-20-603-2056	Active	H227	H227	Navajo Nation
H229	4303716318	SE	NE	29	T40S	R24E	1820' FNL/660' FEL	14-20-603-4030	Shut-In	H229	H229	Navajo Nation
H234	4303716319	SE	NE	34	T40S	R24E	1980' FNL/660' FEL	14-20-603-2056	Active	H234	H234	Navajo Nation
H235	4303716320	SE	NE	35	T40S	R24E	2000' FNL/770' FEL	14-20-603-2059	Active	H235	H235	Navajo Nation
H407	4303716322	SE	SE	7	T40S	R24E	645' FSL/500' FEL	I-149-IND-8835	Active	H407	H407	Navajo Nation
H408	4303716323	SE	SE	8	T40S	R24E	500' FSL/530' FEL	I-149-IND-8834	Active	H408	H408	Navajo Nation
H417	4303716326	SE	SE	17	T40S	R24E	500' FSL/690' FEL	I-149-IND-8833	Active	H417	H417	Navajo Nation

H418	4303716327	SE	SE	18	T40S	R24E	660' FSL/660' FEL	I-149-IND-8835	Active	H418	H418	Navajo Nation
H419	4303716328	SE	SE	19	T40S	R24E	570' FSL/450' FEL	I-149-IND-8836	P/A			Navajo Nation
H420	4303716329	SE	SE	20	T40S	R24E	660' FSL/660' FEL	I-149-IND-8836	Active	H420	H420	Navajo Nation
H421	4303716330	SE	SE	21	T40S	R24E	500' FSL/750' FEL	I-149-IND-8836	Active	H421	H421	Navajo Nation
H424	4303716331	SE	SE	24	T40S	R24E	820' FSL/610' FEL	I-149-IND-8838	Active	H424	H424	Navajo Nation
H426	4303716332	SE	SE	26	T40S	R24E	710' FSL/510' FEL	I-149-IND-8838	Active	H426	H426	Navajo Nation
H427	4303716333	SE	SE	27	T40S	R24E	660' FSL/660' FEL	14-20-603-2056	Active	H427	H427	Navajo Nation
K231	4303716335	SE	NW	31	T40S	R25E	2014' FNL/2054' FWL	14-20-603-372A	Active	K231	K231	Navajo Nation
M430	4303716337	SE	SE	30	T40S	R25E	670' FSL/790' FEL	I-149-IND-8839	Active	M430	M430	Navajo Nation
E414	4303716421	SW	SW	14	T40S	R24E	750' FSL/620' FWL	I-149-IND-8837	Active	E414	E414	Navajo Nation
F114	4303716422	NE	NW	14	40S	24E	720' FNL/1870' FWL	I-149-IND-8839	Active	F114	F114	Navajo Nation
E127	4303716782	NW	NW	27	T40S	R24E	660' FNL/660' FWL	14-20-603-2056	P/A			Navajo Nation
H416	4303720230	SE	SE	16	T40S	R24E	150' FSL/660' FEL	ML-3156	Active	H416	H416	Navajo Nation
G322X	4303720231	NW	SE	22	T40S	R24E	1550' FSL/1720' FEL	I-149-IND-8836	Active	G322X	G322X	Navajo Nation
D412	4303730049	SE	SE	12	T40S	R23E	500' FSL/150' FEL	SL-070968-A	Active	D412	D412	Navajo Nation
E316	4303730094	NW	SW	16	T40S	R24E	2190' FSL/128' FWL	ML-3156	Active	E316	E316	Navajo Nation
G321X	4303730095	NW	SE	21	T40S	R24E	1900' FSL/1755' FEL	I-149-IND-8836	Shut-In	G321X	G321X	Navajo Nation
G316	4303730107	NW	SE	16	T40S	R24E	2320' FSL/1745' FEL	ML-3156	Active	G316	G316	Navajo Nation
C312	4303730112	NW	SE	12	T40S	R23E	1610' FSL/1800' FEL	SL-070968-A	Active	C312	C312	Navajo Nation
A113	4303730119	NW	NW	13	T40S	R23E	700' FNL/650' FWL	SL-070968-A	Active			State of Utah
E218	4303730137	SW	NW	18	T40S	R24E	1860' FNL/660' FWL	SL-067807	Active	E218	E218	Navajo Nation
F118	4303730155	NE	NW	18	T40S	R24E	619' FNL/2184' FWL	SL-067807	Active	F118	F118	Navajo Nation
D113	4303730174	NE	NE	13	T40S	R23E	578' FNL/619' FEL	SL-070968-A	Active			State of Utah
E407	4303730175	SW	SW	7	T40S	R24E	618' FSL/577' FWL	SL-067807	Active	E407	E407	Navajo Nation
E315	4303730213	NW	SW	15	T40S	R24E	2212' FSL/591' FWL	I-149-IND-8834	Active	E315	E315	Navajo Nation
E122	4303730215	NW	NW	22	T40S	R24E	528' FNL/660' FWL	I-149-IND-8836	Active	E122	E122	Navajo Nation
F123	4303730235	NE	NW	23	T40S	R24E	660' FNL/2046' FWL	I-149-IND-8838	Shut-In	F123	F123	Navajo Nation
B413	4303730297	SE	SW	13	T40S	R23E	660' FSL/1980' FWL	SL-070968-A	Active			State of Utah
A313	4303730299	NW	SW	13	T40S	R23E	1840' FSL/470' FWL	SL-070968-A	Active			State of Utah
H315	4303730312	NE	SE	15	T40S	R24E	1980' FSL/660' FEL	I-149-IND-8834	Active	H315	H315	Navajo Nation
F416	4303730333	SE	SW	16	T40S	R24E	1000' FSL/1980' FWL	ML-3156	Active	F416	F416	Navajo Nation
G121X	4303730335	NW	NE	21	T40S	R24E	790' FNL/1780' FEL	I-149-IND-8836	Active	G121X	G121X	Navajo Nation
G116	4303730344	NW	NE	16	T40S	R24E	660' FNL/1980' FEL	ML-3156	Active	G116	G116	Navajo Nation
G126X	4303730372	NW	NE	26	T40S	R24E	860' FNL/1780' FEL	I-149-IND-8838	Active	G126X	G126X	Navajo Nation
F222	4303730373	SE	NW	22	T40S	R24E	1920' FNL/1980' FWL	I-149-IND-8836	Active	F222	F222	Navajo Nation
G122	4303730425	NW	NE	22	T40S	R24E	570' FNL/1960' FEL	I-149-IND-8836	Active	G122	G122	Navajo Nation
H314X	4303731381	NE	SE	14	T40S	R24E	1950' FSL/570' FEL	I-149-IND-8837	Active	H314X	H314X	Navajo Nation

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW
3. FILE

X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective: <u>12/1/2004</u>	
FROM: (Old Operator): N0210-Chevron USA, Inc. PO Box 4791 Houston, TX 77210-4791 Phone: 1-(713) 752-7431	TO: (New Operator): N2700-Resolute Natural Resources Company 1675 Broadway, Suite 1950 Denver, CO 80202 Phone: 1-(303) 534-4600

CA No.

Unit:

ANETH

WELL(S)

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
ANETH UNIT H314X	14	400S	240E	4303731381	7000	Indian	WI	I
ANETH E-315	15	400S	240E	4303730213	99990	Indian	WI	A
ANETH H-315	15	400S	240E	4303730312	7000	Indian	WI	A
STATE THREE 21-16 (ANETH F-116)	16	400S	240E	4303716285	99990	State	WI	A
STATE THREE 23-16 (ANETH F-316)	16	400S	240E	4303716297	99990	State	WI	A
STATE THREE 42-16 (ANETH H-216)	16	400S	240E	4303716312	99990	State	WI	A
ANETH H-416	16	400S	240E	4303720230	99990	State	WI	A
ANETH E-316	16	400S	240E	4303730094	99990	State	WI	A
ANETH G-316	16	400S	240E	4303730107	99990	State	WI	A
ANETH F-416	16	400S	240E	4303730333	99990	State	WI	A
ANETH G-116	16	400S	240E	4303730344	99990	State	WI	A
ANETH G-321X	21	400S	240E	4303730095	99990	Indian	WI	A
ANETH G-121X	21	400S	240E	4303730335	99990	Indian	WI	A
ANETH G-322X	22	400S	240E	4303720231	99990	Indian	WI	A
ANETH E-122	22	400S	240E	4303730215	99990	Indian	WI	A
ANETH H-222	22	400S	240E	4303730242	99990	Indian	WI	A
ANETH F-222	22	400S	240E	4303730373	99990	Indian	WI	A
ANETH G-122	22	400S	240E	4303730425	99990	Indian	WI	A
ANETH F-123	23	400S	240E	4303730235	99990	Indian	WI	A
ANETH G-126X	26	400S	240E	4303730372	99990	Indian	WI	A
ANETH 27-A-1 (ANETH E-127)	27	400S	240E	4303716782	99990	Indian	WI	A

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 12/22/2004
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 12/13/2004
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 11/22/2004
- Is the new operator registered in the State of Utah: YES Business Number: 5733505-0143
- If **NO**, the operator was contacted on:
- 6a. (R649-9-2) Waste Management Plan has been received on: _____ requested
- 6b. Inspections of LA PA state/fee well sites complete on: 12/20/2004

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM not yet BIA not yet

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: not yet

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: _____

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 12/29/2004

2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 12/29/2004

3. Bond information entered in RBDMS on: n/a

4. Fee/State wells attached to bond in RBDMS on: n/a

5. Injection Projects to new operator in RBDMS on: separate list

6. Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: B001263

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: B001264

FEE & STATE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number B001262

2. The **FORMER** operator has requested a release of liability from their bond on: not yet

The Division sent response by letter on: _____

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: _____

COMMENTS:

From: Jim Davis
To: Russell, Earlene
CC: Garrison, LaVonne
Date: 2/7/2012 1:59 PM
Subject: PEN 7000 and PEN 9150 mineral ownership errors

43 037 16312
State Three 42-16 (Armeth H-216)
40S 2AE 16

Hi, Earlene,
We found a few things that need to be corrected in DOGM's database. Would you mind?

A search for all the wells under PEN 7000 brings up several connected to lease number ML-3156. That lease was transferred to The Feds during the Grand Staircase Exchange back in 1998/ 1999. Under that same PEN, ML-33156 and ML-3150 also come up. Those are bad numbers that I'm guessing are just type-os of ML-3156.

Also, there's one well under PEN 9150 that is listed as being on a SITLA lease- but actually it's on Fed. That's the UV 19 (4301730013). SITLA has no interest in any of the wells in PEN 7000 and 9150. If somebody at DOGM can correct these two things, we'd be grateful. Thanks.

-Jim

43-037-16312

action BSpencer 5/11/99

A Baker

P.O. Box 1060
Gallup, New Mexico 87305-1060

ARES/543

MAY 06 1999

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

State Three 42-16
40S 24E 16

**Chieftain International (US) Inc.
1201 Toronto Dominion Tower
Edmonton Alberta, CANADA T5J 2Z1**

Dear Lessee of Records:

This is to inform you that a land exchange between the State of Utah and the United States on behalf of the Navajo Tribe of Indians was recently consummated. This exchange was authorized by the Utah School and Land Exchange Act of 1998, Pub. L. 105-335, 112 Stat. 3139.

By letter dated March 8, 1999, the State of Utah, School and Institutional Trust Lands Administration office, informed your company that all future communications and payments due under the lease after January 8, 1999 should be directed to our office.

The State has furnished copies of your mineral lease(s) to us. For administrative purposes, we have assigned a BIA lease number, as follows:

	<u>ML LEASE NO.</u>	<u>NEW BIA LEASE NO.</u>
1.	3156	N0-G-9904-1323

Please reference the BIA lease number on all future correspondence and payments.

These following instructions and procedures become effective as of the date of your receipt of this letter and must be utilized by your company.

1. **Lease record:** In order to create a new lease record, we will require that you submit the following documents:
 - A. Certified copy of the Articles of Incorporation
 - B. License to do business in the State of Utah
 - C. Latest financial statement for the corporation.
 - D. List of names, addresses and telephone number of the corporate officers, principal stockholders and directors.

2154

2. **Payment of rental and royalties:** The Navajo Nation (Tribe) has a lockbox agreement with Norwest Bank in Phoenix, Arizona, which serves as a depository for the Tribe's producing oil and gas lease revenues.

You no longer should send checks to the Minerals Management Services (MMS) for the State mineral leases. Navajo Tribal oil and gas rent and royalty payments on producing leases must be sent to the lockbox. Payment should be made by electronic funds transfer (EFT) to the following address:

The Navajo Nation
P. O. Box 52543
Phoenix, Arizona 85072

Please use American Bankers Association No. (Routing No.) 091000019 and Account No. 6008301569 when paying via EFT. Your EFT transmission, as well as any checks you submit, must also include your MMS Payor Code and Pay-assigned document number (3a number).

3. **Reports:** You should submit the Report of Sales and Royalty Remittance (Form MMS-2014), to MMS, referencing recording payment Method 07. The Navajo Nation requests that you also submit a copy of Form MMS-2014 to the Navajo Nation Minerals Department, P.O. Box 1910, Window Rock, Arizona 86515, in order to verify payments made to their lockbox.
4. **Bond:** Pursuant to 25 CFR 211.24, "... a surety bond is required in an amount sufficient to ensure compliance with all of the terms and condition of the lease(s), permit(s)" (copy enclosed). Acceptable bond amounts are (1) Collective Bond - \$75,000 (2) Nationwide Bond - \$150,000.

We request that you submit a report showing the location and number of wells or other improvement for each lease. Please note the Secretary has the discretion to increase the bond amount based on the number of wells.

Please submit to our office a replacement bond for your lease(s). The State of Utah bond for your leases will not be terminated until a replacement bond is submitted to our office.

5. **Assignments of leases:** We also enclose a copy of our procedure on filing for Tribal Assignment and standard forms for your use and information. Please have your staff review these procedure before submitting new assignments.

We look forward to working with your company as a new Navajo lessee. If you have any questions, please contact Ms. Bertha Spencer, Realty Specialist, Minerals and Mining Section at (520) 871-5938.

Sincerely

GENNII DENETSONE

ACTING
Area Director

Enclosures

cc: BLM, Farmington Field Office, 1235 La Plata Highway, Suite A, Farmington, NM 87401
BLM, Attn: Gary Torres, 435 North Main, P.O. Box 7, Monticello, Utah 84535
Navajo Nation Minerals Department, Attn: A. Zaman, POB 1910,
Window Rock, AZ 86515
State of Utah, School and Institutional Trust Lands Administration, 675 East 500 South,
Suite 500, Salt Lake City, Utah 84102-2818
MMS, Attn: Cherry Millard, Royalty Management Program
POB 25165, Denver, Colorado 80225-0165
Linda Taylor, Shiprock Real Estate Services, POB 966, Shiprock, NM 87420

bcc: 4618a-P5
46102-T1
100

543:BSpencer:lg:05/04/99
C:MyFiles.ML3156

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	FORM 9
5. LEASE DESIGNATION AND SERIAL NUMBER: N0-G99041323	
SUNDRY NOTICES AND REPORTS ON WELLS	
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	
6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
7. UNIT or CA AGREEMENT NAME: ANETH	
8. WELL NAME and NUMBER: STATE THREE 42-16 (ANETH H-216)	
9. API NUMBER: 43037163120000	
9. FIELD and POOL or WILDCAT: GREATER ANETH	
9. COUNTY: SAN JUAN	
9. STATE: UTAH	
1. TYPE OF WELL Water Injection Well	
2. NAME OF OPERATOR: RESOLUTE NATURAL RESOURCES	
3. ADDRESS OF OPERATOR: 1700 Lincoln Street, Suite 2800 , Denver, CO, 80203 4535	
PHONE NUMBER: 303 534-4600 Ext	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 3331 FSL 0703 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SENE Section: 16 Township: 40.0S Range: 24.0E Meridian: S	

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT Approximate date work will start: 9/18/2015	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> CASING REPAIR
<input type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion:	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME
<input type="checkbox"/> SPUD REPORT Date of Spud:	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> CONVERT WELL TYPE
<input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION
	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK
	<input type="checkbox"/> PRODUCTION START OR RESUME	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON
	<input checked="" type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input type="checkbox"/> APD EXTENSION
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> OTHER	OTHER: <input style="width: 100px;" type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Resolute proposes to replace the injection string/packer in the subject well and MIT by the procedure attached. Also attached is the 3160-5 submittal, tubing detail and well bore diagram. This proposed procedure is schedule for 9-18-15 or within the next two weeks.

Accepted by the
Utah Division of
Oil, Gas and Mining
FOR RECORD ONLY
 September 16, 2015

NAME (PLEASE PRINT) Shery Glass	PHONE NUMBER 303 573-4886	TITLE Sr Regulatory Analyst
SIGNATURE N/A	DATE 9/16/2015	

RESOLUTE

NATURAL RESOURCES

Date: 9/15/2015

Re: AU H216 AFE request for UIC Repair

Recommendation

The production engineers and operations staff at the Aneth Unit recommends moving a workover rig onto AU H216 (CO2 Phase III – Vertical Injector) for a UIC Repair. Well was shut-in with high annular pressure on March 22, 2015. Pattern CO2 injection commenced in August, 2008. Initial CO2 response occurred in February, 2010. Current incremental CO2 response is 10 BOPD. Job scope includes: clean out to PBTD, replacement of injection string/packer & MIT.

Work History

Workover Dates	Description
03/2015	MIT (3-Yr) – Fail
02/2012	UIC Repair
03/2008	WH Upgrade

Procedure

- 1) MIRU. Kill well as necessary. NDWH. NUBOPE.
Note: *Used 13.3# mud on previous workover (Feb, 2012)*
- 2) POH & LD 2-7/8" TK FL injection tubing and 5-1/2" ArrowSet 1X injection packer.
- 3) PU & RIH with bit/scrapper on 2-7/8" workstring from float.
- 4) Make wiper run to 5346' (Top Perf).
- 5) POH & LD scrapper.
- 6) RIH with bit/bit sub & drill collars on workstring.
- 7) Clean out to 5642' (PBTD). Circulate clean.
Note: *Open Hole: 5445'-5645'*
Note: *Utilize enough drill collars to keep the workstring in the cased hole while cleaning out open hole.*
Note: *Fish-in-hole (part of packer) – TOF @ 5642' (June, 1973)*
- 8) POH & LD bit/bit sub & drill collars.
- 9) Run injection equipment.
Note: *Install Miller's dual injection packer assembly*
Note: *Miller Packer Contact: Gary Workman (435)828-0935*
Note: *Set bottom packer at 5130' (Csg collars @ 5068 (est), 5110, 5153, 5194)*
Note: *Estimated top packer setting depth – 5083'*
Note: *Injection String: 2-7/8" Fiberline II*
- 10) Circulate packer fluid.
- 11) Perform mock MIT.


Note: *Horsley-Witten directive requires corrective action if csg leak(s) detected.*

- 12) Backflow mud from wellbore.
- 13) NDBOPE. NUWH.
- 14) Flush injection lateral line to tank until clean.
- 15) RDMOL.
- 16) Schedule MIT with NNEPA.
- 17) Return well to injection.

Resolute

Well Name: AU H-216

API Number 4303716312	Section 16	Ctr/Qtr SE NE	Township 40S	Range 24E	Block	Reg Spud D1/Tm	Field Name Aneth Unit	County San Juan	State/Prov Utah	WI (%) 62.39
--------------------------	---------------	------------------	-----------------	--------------	-------	----------------	--------------------------	--------------------	--------------------	-----------------



Tubing		Set Depth (ftKB)		Run Date		Pull Date			
Tubing Description		5,181.4		2/28/2012					
Jts	Item Des	OD (in)	ID (in)	Wt (lb/ft)	Grade	Top Thread	Len (ft)	Top (ftKB)	Blm (ftKB)
1	Tubing Hanger	2 7/8					0.67	7.0	7.7
1	Pump Seating Nipple	2 7/8	2.441	6.50	J-55		0.66	7.7	8.3
1	Tubing	2 7/8	2.441	6.50	J-55		32.46	8.3	40.8
1	Tubing Pup Joint	2 7/8					12.00	40.8	52.8
1	Tubing Pup Joint	2 7/8					3.39	52.8	56.2
162	Tubing	2 7/8	2.441	6.50	J-55		5,114.57	56.2	5,170.8
1	Cross Over	2 7/8					0.45	5,170.8	5,171.2
1	On-Off Tool	2 7/8					1.73	5,171.2	5,172.9
1	Packer	2 7/8					7.25	5,172.9	5,180.2
1	No Go Sub	2 7/8					0.85	5,180.2	5,181.0
1	Wireline Guide	2 7/8					0.41	5,181.0	5,181.4

Resolute


Well Name: AU H-216

API Number 4303716312	Section 16	Ctr/Ctr SE NE	Township 40S	Range 24E	Block	Reg Spud D1/Tm	Field Name Aneth Unit	County San Juan	State/Prov Utah	WI (%) 62.39
--------------------------	---------------	------------------	-----------------	--------------	-------	----------------	--------------------------	--------------------	--------------------	-----------------

Most Recent Job										
Job Category MIT	Primary Job Type Mechanical Integrity Test			Secondary Job Type			Start Date 3/17/2015		End Date 3/30/2015	

TD: 5,647.0

Vertical - Original Hole, 9/10/2015 12:58:15 PM



UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0135
Expires: July 31, 2010

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

5. Lease Serial No.
NOG99041323

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on reverse side.

7. If Unit or CA/Agreement, Name and/or No.
UTU68927A

1. Type of Well

Oil Well Gas Well Other: INJECTION

8. Well Name and No.
ANETH AU H216

2. Name of Operator
RESOLUTE ANETH

Contact: SHERRY GLASS
E-Mail: sglass@resoluteenergy.com

9. API Well No.
43-037-16312

3a. Address
1700 LINCON ST SUITE 2800
DENVER, CO 80203

3b. Phone No. (include area code)
Ph: 303-573-4886 Ext: 1580
Fx: 303-623-3628

10. Field and Pool, or Exploratory
DESERT CREEK

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 16 T40S R24E Mer NAV SENE 3331FSL 703FEL
37.311100 N Lat, 109.278600 W Lon

11. County or Parish, and State
SAN JUAN COUNTY, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Workover Operations
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Resolute proposes to move a work over rig onto the Aneth Unit H216 for a UIC repair as attached procedure allows.
Also attached find tubing landing detail and well bore schematic.
Resolute proposes to begin this work over within the next two weeks, by end of October 2015 latest.

14. I hereby certify that the foregoing is true and correct.

**Electronic Submission #316513 verified by the BLM Well Information System
For RESOLUTE ANETH, sent to the Farmington**

Name (Printed/Typed) CRAIG WRIGHT

Title PRODUCTION ENGINEER

Signature (Electronic Submission)

Date 09/15/2015

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By _____

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ****

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		5. LEASE DESIGNATION AND SERIAL NUMBER: N0-G99041323
		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
1. TYPE OF WELL Water Injection Well		7. UNIT or CA AGREEMENT NAME: ANETH
2. NAME OF OPERATOR: RESOLUTE NATURAL RESOURCES		8. WELL NAME and NUMBER: STATE THREE 42-16 (ANETH H-216)
3. ADDRESS OF OPERATOR: 1700 Lincoln Street, Suite 2800 , Denver, CO, 80203 4535		9. API NUMBER: 43037163120000
4. LOCATION OF WELL FOOTAGES AT SURFACE: 3331 FSL 0703 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SENE Section: 16 Township: 40.0S Range: 24.0E Meridian: S		9. FIELD and POOL or WILDCAT: GREATER ANETH
		COUNTY: SAN JUAN
		STATE: UTAH

11.

CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start:	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> CASING REPAIR
<input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 10/6/2015	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME
<input type="checkbox"/> SPUD REPORT Date of Spud:	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> CONVERT WELL TYPE
<input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION
	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK
	<input type="checkbox"/> PRODUCTION START OR RESUME	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON
	<input checked="" type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input type="checkbox"/> APD EXTENSION
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> OTHER	OTHER: <input type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Resolute completed the tubing repairs to the subject well by 10-6-15.

**Accepted by the
Utah Division of
Oil, Gas and Mining
FOR RECORD ONLY
October 22, 2015**

NAME (PLEASE PRINT) Shery Glass	PHONE NUMBER 303 573-4886	TITLE Sr Regulatory Analyst
SIGNATURE N/A	DATE 10/21/2015	