

Houston, TX

FILE NOTATIONS

Entered in NID File
Entered On S R Sheet _____
Location Map Pinned
Card Indexed
I W R for State or Fee Land _____

Checked by Chief [Signature]
Copy NID to Field Office
Approval Letter _____
Disapproval Letter _____

COMPLETION DATA:

Date Well Completed 3-7-61
OW _____ WW _____ TA _____
GW _____ OS _____ PA X

Water well
Location Inspected _____
Bond released _____
State of Fee Land _____

LOGS FILED

Driller's Log 4-17-61
Electric Logs (No.) No logs run
E _____ I _____ E-I _____ GR _____ GR-N _____ Micro _____
Lat _____ Mi-L _____ Sonic _____ Others _____

Sub. Repair by Alld.

DAVIS OIL COMPANY

OIL
PRODUCERS

1020 MIDLAND SAVINGS BLDG. • DENVER 2, COLORADO • Alpine 5-4661

NEW YORK, NEW YORK

DENVER, COLORADO

SALT LAKE CITY, UTAH

CASPER, WYOMING

ALBUQUERQUE, NEW MEXICO

February 15, 1961

Re: Navajo G-1
NE NE Sec. 27-43S-24E
San Juan Co., Utah

Navajo Contract No. 14-20-603-356

State of Utah
Oil & Gas Conservation Commission
310 Newhouse Building
Salt Lake City 11, Utah

Attention: Mr. Cleon Feight


Dear Mr. Feight:

Enclosed please find a copy of our Notice of Intention to Drill which is being filed with the U. S. G. S. in Farmington, New Mexico. We are also attaching a copy of the staking plat. Please be advised that we will forward the elevation to you since it does not appear on the staking plat.

Thank you for your cooperation in this matter.

Yours very truly,


DAVIS OIL COMPANY


Paul Messinger
Exploration Manager

PM:ljp
Encls.

(SUBMIT IN TRIPLICATE)

Indian Agency Window Rock



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee _____
Lease No. 14-20-600--222

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

February 15, 1961

Well No. Navajo G-1s located 660 ft. from N line and 660 ft. from E line of sec. 27

NE NE Sec. 27
(¼ Sec. and Sec. No.)

438
(Twp.)

24E
(Range)

SLM
(Meridian)

Wildcat
(Field)

San Juan
(County or Subdivision)

Utah
(State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

- To set approximately 300' (or less) 13-3/8" surface pipe with approximately 250 sacks cement.
- In the event of water flow, an intermediate 8-5/8" string will be run through the zone of trouble.
- To test the top of the Moles formation at approximately 6400'.
- In the event of commercial production, 5 1/2" OD csg will be set through the production zone and cemented with approximately 125 sacks cement.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company DAVIS OIL COMPANY

Address 1020 Midland Savings Bldg.

Denver 2, Colorado

ORIGINAL SIGNED
BY PAUL MESSINGER

By Paul Messinger

Title Exploration Manager


Company DAVIS OIL COMPANY

Lease..... Well No.....

Sec. 27, T. 43 S., R. 24 E., S. 1, 2, 3, 4

Location 660' FROM THE NORTH LINE AND 660' FROM THE EAST LINE.

Elevation UNGRADED GROUND.



Scale—4 inches equal 1 mile.

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Seal:

James P. Leese
.....
Registered Land Surveyor.

James P. Leese
Utah Reg. No. 1472

Surveyed 17 September, 19 60

SAN JUAN ENGINEERING COMPANY, FARMINGTON, N. M.

DAVIS OIL COMPANY

OIL
PRODUCERS

1020 MIDLAND SAVINGS BLDG. • DENVER 2, COLORADO • Alpine 5-4661

NEW YORK, NEW YORK

DENVER, COLORADO

SALT LAKE CITY, UTAH

CASPER, WYOMING

ALBUQUERQUE, NEW MEXICO

February 16, 1961

Re: Navajo G-1
NE NE Sec. 27-43S-24E
San Juan Co., Utah

E. Boundary Butte

State of Utah
Oil & Gas Conservation Commission
310 Newhouse Building
Salt Lake City 11, Utah

Attention: Mr. Clean Feight

Dear Mr. Feight:

With reference to our letter of February 15, 1961, in connection with the captioned test well, please be advised that the ungraded ground elevation is 5111'.

Also, will you please change the contract number on your form to 14-20-603-222.

Thank you for your cooperation in this matter.

Yours very truly,

DAVIS OIL COMPANY

Paul Messinger
Paul Messinger
Exploration Manager

PM:ljp

February 16, 1961

Davis Oil Company
1020 Midland Savings Bldg.
Denver 2, Colorado

Attn: Paul Messinger, Exploration Manager

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Navajo G-1, which is to be located 660 feet from the north line and 660 feet from the east line of Section 27, Township 43 South, Range 24 East, SLBM, San Juan County, Utah.

Please be advised that insofar as this office is concerned approval to drill said well is hereby granted.

This approval terminates within 90 days if the above mentioned well has not been spudded in within said period.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION


CLEON B. FEIGHT,
EXECUTIVE SECRETARY

CBF:awg
cc: P. T. McGrath, Dist. Eng.
U. S. Geological Survey

H. L. Coonts - OGCC, Moab

(SUBMIT IN TRIPLICATE)

Indian Agency **Window Rock**



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee _____
Lease No. **14-20-603-222**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 9, 1961

NAVAJO G-1
Well No. / _____ is located **660** ft. from **[N]** line and **660** ft. from **[E]** line of sec. **27**
NE NE SEC. 27-28N28E **T28N R4E S12E**
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat **San Juan** **Utah**
(Field) (County or Subdivision) (State or Territory)

The elevation of the ~~drill hole~~ **ungraded ground** above sea level is **5111.0** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Total Depth 2661. Temporarily being used as a water hole as per verbal approval by U. S. G. S.


I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **DAVIS OIL COMPANY**

Address **1020 Midland Savings Bldg.**
Denver 2, Colorado

ORIGINAL SIGNED
BY PAUL MESSINGER
By **Paul Messinger**
Title **Exploration Manager**

U. S. LAND OFFICE Window Rock
SERIAL NUMBER 14-20-603-222
LEASE OR PERMIT TO PROSPECT _____



LOCATE WELL CORRECTLY

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

Company Davis Oil Company Address 1020 Midland Savings Bldg., Denver, C
Lessor or Tract Navajo G-1 Field Wildcat State Utah
Well No. G-1 Sec. 27 T. 43S R. 24E Meridian _____ County San Juan
Location 660 ft. N of N Line and 660 ft. W of W Line of Sec. 27 Elevation 5120'
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed Paul H. Bushler *Paul H. Bushler*

Date April 10, 1961. Title Consulting Geologist

The summary on this page is for the condition of the well at above date.

Commenced drilling March 2 Finished drilling March 7, 1961.

OIL OR GAS SANDS OR ZONES

No. 1, from 1000' to 1000' No. 4, from _____ to _____

No. 2, from _____ to _____ No. 5, from _____ to _____

No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from 325' to 325' No. 3, from _____ to _____

No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	
8 5/8"									

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
8 5/8"	6231'	400 sacks			

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____
Adapters—Material _____ Size _____

SHOOTING RECORD

FOLD MARK

FOLD MARK

8 5/8" 603' 400 s:R

PLUGS AND ADAPTERS

Heaving plug—Material Length Depth set
 Adapters—Material Size

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from 0' feet to 2661' feet, and from feet to feet
 Cable tools were used from feet to feet, and from feet to feet

DATES

....., 19..... Put to producing 19.....
 The production for the first 24 hours was barrels of fluid of which% was oil;%
 emulsion;% water; and% sediment. Gravity, °Bé.
 If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas
 Rock pressure, lbs. per sq. in.

EMPLOYEES

~~Tiger Drig. Co.~~ Driller Driller
 1810 First National Bank Driller Driller
 Denver, Colorado

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
(Samples were not caught until 1000' deep)			
0'	874'	874'	Summerville-Entrada-Carnal-Navajo-Layenta-Wingate.
874'	1650'	776'	Chinle
1650'	1820'	170'	Shinarump
1820'	2095'	275'	Moenkopi
2095'	2425'	330'	DeChally
2425'	2661' T.D.	236'	Organ Rock
FROM—	TO—	TOTAL FEET	FORMATION

APR 1, 1967

N

LOGS AND RECORDS

DATE	TIME	DEPTH	TEMPERATURE	PRESSURE	WATER	OTHER

MIDDING AND CEMENTING RECORD

HISTORY OF OIL OR GAS WELL

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidetracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or balling.

DATE	DEPTH	TEMPERATURE	WATER	AMOUNT	KIND OF SPEC	CUT AND BENCH	FLOW	TO	PURPOSE
March 2, 1961									
March 3, 1961									
March 4, 1961									
March 5, 1961									
March 6, 1961									
March 7, 1961									

The summary on completed logs is a complete and correct record of the well and all work done thereon. The information given hereafter is a complete and correct record of the well and all work done thereon.


Location: _____

Section: _____

County: _____

State: _____

Company: _____



LOG OF OIL OR GAS WELL


GEOLOGICAL SURVEY
DEPARTMENT OF THE INTERIOR
UNITED STATES

NUMBER OF PAGES TO BE RECORDED _____
SERIAL NUMBER _____
U.S. LAND OFFICE _____

Form 9-331 b
(April 1952)

(SUBMIT IN TRIPLICATE)

Indian Agency Window Rock



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee _____

Lease No. 14-20-603-222

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Davis Oil Co. & Tiger Drig. Co.
Navajo G-1

April 10, 1961.

Well No. G-1 is located 660 ft. from $\left\{ \begin{matrix} N \\ S \end{matrix} \right\}$ line and 660 ft. from $\left\{ \begin{matrix} E \\ W \end{matrix} \right\}$ line of sec. 27

NE 1/4 Sec. 27

(1/4 Sec. and Sec. No.)

T 13 S R 24 E

(Twp.)

(Range)

(Meridian)

Wildcat

(Field)

San Juan

(County or Subdivisor)

Utah

(State or Territory)

The elevation of the derrick floor above sea level is 5110 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

When drilling the Navajo G-1, a 5/8" surface casing was set at 603' K.B. and 7 7/8" hole drilled below surface casing to 2661'. At this depth the surface casing parted. The rig was skidded 50' south to the Navajo G-1-K. The Navajo G-1 well was utilized as a source of water during subsequent drilling of the G-1-K and G-1-K2. Mr. D. A. Jamison, Oil & Gas Supervisor for the Navajo Tribe has requested that this source of water not be plugged. The Navajo G-1 well will therefore be capped at the surface and not plugged. Approval of this procedure was secured by telephone conversation with Mr. P. T. McGrath, U.S.G.S., Farmington, New Mexico on April 8, 1961.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Davis Oil Company
1020 Midland Savings Bldg.
Address Denver, Colorado

By Paul R. Buchler
Paul R. Buchler
Consulting Geologist

Title _____

DAVIS OIL COMPANY

OIL
PRODUCERS

1020 MIDLAND SAVINGS BLDG. • DENVER 2, COLORADO • Alpine 5-4661

NEW YORK, NEW YORK

DENVER, COLORADO

SALT LAKE CITY, UTAH

CASPER, WYOMING

ALBUQUERQUE, NEW MEXICO

April 14, 1961

Re: Navajo G-1
Navajo G-1-X
Navajo G-1-X-2
San Juan Co., Utah

C

Mr. P. T. McGrath
U. S. Geological Survey
P. O. Box 965
Farmington, New Mexico

O

Dear Sir:

Enclosed please find submitted for your approval, an original and four copies of our Notice of Intention to Abandon on each the Navajo G-1 and Navajo G-1-X, together with three copies of the Log of Oil or Gas Well on both wells.

We are also enclosing for your files, two copies of the Geological Report for the Navajo G-1-X2.

P

By a carbon copy of this letter, we are furnishing the Oil & Gas Conservation Commission with copies of the above.

We trust your early attention will be given approval of these Notices.

Thank you for your cooperation in this matter.

Y

Yours very truly,

DAVIS OIL COMPANY

Paul Messinger
Paul Messinger
Exploration Manager

PM:ljp
Encls.

CC: Mr. Cleon Feight
Oil & Gas Conservation Commission
310 Newhouse Building
Salt Lake City, Utah

DAVIS OIL COMPANY

OIL
PRODUCERS

1020 MIDLAND SAVINGS BLDG. • DENVER 2, COLORADO • Alpine 5-4661

NEW YORK, NEW YORK

DENVER, COLORADO

SALT LAKE CITY, UTAH

CASPER, WYOMING

ALBUQUERQUE, NEW MEXICO

July 12, 1961

Re: Navajo Honolulu

Navajo G-1

Navajo G-1-X

Oil & Gas Conservation Commission
310 Newhouse Building
Salt Lake City 11, Utah

Attention: Ann W. Glines

With reference to your letter of June 22, 1961, please be advised that the two Navajo G-1 and G-1-X wells are water wells and it has not been decided to abandon these wells at this time.

With reference to the Navajo Honolulu well, we have been advised that this location is not completely cleaned up and therefore, we are waiting until we receive such notice that it is completed before filing the Subsequent Report of Abandonment.

Yours very truly,


DAVIS OIL COMPANY


Paul Messinger
Exploration Manager

PM:ljp

(SUBMIT IN TRIPLICATE)

Indian Agency Window Rock



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee _____
Lease No. 14-20-603-222

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

October 25, 19 61

Navajo G-1
Well No. / _____ is located 660 ft. from $\left\{ \begin{matrix} N \\ S \end{matrix} \right\}$ line; and 660 ft. from $\left\{ \begin{matrix} E \\ W \end{matrix} \right\}$ line of sec. 27
NE 1/4 of Section 27 T. 43 S., R. 24 E. _____
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat San Juan Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5180 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

When drilling the Navajo G-1, 8 5/8" surface casing was set at 603' R.B. and 7 7/8" hole drilled below surface casing to 2661'. At this depth the surface casing parted. The rig was skidded 50' south to the Navajo G-1-X. The Navajo G-1 well was utilized as a source of water during subsequent drilling of the G-1-X and G-1-X2. Mr. D. A. Jamison, Oil & Gas Supervisor for the Navajo Tribe has requested that this source of water not be plugged. The Navajo G-1 well will therefore be capped at the surface and not plugged. Approval of this procedure was secured by telephone conversation with Mr. P. T. McGrath, U.S.G.S., Farmington, New Mexico on April 8, 1961. The location is now ready for inspection.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company DAVIS OIL COMPANY
Address 1020 Midland Savings Bldg.
Denver 2, Colorado
By E. L. Karn, Jr.
Title Production Manager

ORIGINAL SIGNED
BY E. L. KARN, JR.



SCOTT M. MATHESON
Governor

OIL, GAS, AND MINING BOARD

GORDON E. HARMSTON
Executive Director,
NATURAL RESOURCES

STATE OF UTAH

I. DANIEL STEWART
Chairman

DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS, AND MINING

CHARLES R. HENDERSON
JOHN L. BELL
THADIS W. BOX
C. RAY JUVELIN

CLEON B. FEIGHT
Director

1588 West North Temple
Salt Lake City, Utah 84116
(801) 533-5777

August 24, 1978

Davis Oil Company
Suite 1100, Metrobank Bldg.
Denver, Colorado 80202

Re: Well No. Navajo G-1
Sec. 27, T. 43S, R. 24E,
San Juan County, Utah
Well No. Navajo G-1-X
Sec. 27, T. 43S, R. 24E,
San Juan County, Utah

Gentlemen:

In the process of updating this Division's Water Well files, it was noted that we have not received any recent status notification on the above mentioned well(s).

In order to keep our records accurate and up-to-date, please complete the enclosed form OGC-1b, and forward them to this office as soon as possible.

Your prompt attention to the above will be greatly appreciated.

Very truly yours,

DIVISION OF OIL, GAS, AND MINING

Kathy Avila
KATHY AVILA
RECORDS CLERK