

FILE NOTATIONS

Entered in N I D File
Entered On S R Sheet _____
Location Map Pinned
Card Indexed
I W R for State or Fee Land _____

Checked by Chief R.D.
Copy N I D to Field Office
Approval Letter
Disapproval Letter _____

COMPLETION DATA:

Date Well Completed 3-10-61 *to be used as water well*
Location Inspected _____
OW..... WW..... TA..... Bond released _____
GW..... OS..... PA ✓ State of Fee Land _____

LOGS FILED

Driller's Log. 4-17-61
Electric Logs (No.) 10 Logs Run
E..... I..... E-I..... GR..... GR-N..... Micro.....
Lat..... Mi-L..... Sonic..... Others.....

DAVIS OIL COMPANY

OIL
PRODUCERS

1020 MIDLAND SAVINGS BLDG. • DENVER 2, COLORADO • Alpine 5-4661

March 9 1961

NEW YORK, NEW YORK
DENVER, COLORADO
SALT LAKE CITY, UTAH
CASPER, WYOMING
ALBUQUERQUE, NEW MEXICO

Re: Navajo G-1
Navajo G-1-X
San Juan Co., Utah

C

Mr. P. T. McGrath
U. S. Geological Survey
P. O. Box 965
Farmington, New Mexico

Dear Sir:

O

Enclosed please find submitted for your approval, an original and three copies of our Notice of Intention to Drill in connection with the Navajo G-1-X. We are also enclosing an original and three copies of our Supplementary Well History in connection with the Navajo G-1.

P

As the Sundry Notices explain, the Navajo G-1-X is a substitute well in place of the Navajo G-1 and is being drilled 50' South of the previous location. The old hole is temporarily being used as a water well for the drilling of the new test.

We trust you will be able to approve this new Notice of Intention to Drill and that our reports are in order. We are furnishing the Oil & Gas Conservation Commission with copies of these two Notices by a carbon copy of this letter.

Y

Thank you for your cooperation in this matter. The new well should be spudded this date.

Yours very truly,

DAVIS OIL COMPANY

CREATED BY PAUL MESSINGER


Paul Messinger
Exploration Manager

PM:ljp
Encls.

CC: Mr. Cleon Feight
310 Newhouse Bldg.
Salt Lake City, Utah

(SUBMIT IN TRIPLICATE)

Indian Agency Window Rock



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee _____

Lease No. 14-20-603-222

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 9, 19 61

Well No. Navajo G-1-X is located 710 ft. from N line and 660 ft. from E line of sec. 27
NE NE Sec. 27 43E 24E SLM
(¼ Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wilcat San Juan Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

This is a substitute well being drilled in place of the Navajo G-1, 50' South of the Navajo G-1 location.

- To set approximately 600' of 8-5/8" surface pipe with approximately 500 sacks cement.
- In the event of water flow, an intermediate 8-5/8" string will be run through the zone of trouble.
- To test the top of the Moles formation at approximately 6400'.
- In the event of commercial production, 5 1/2" OD csg will be set through the production zone and cemented with approximately 125 sacks cement.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company DAVIS OIL COMPANY

Address 1020 Midland Savings Bldg.
Denver 2, Colorado

By ORIGINAL SIGNED
Paul Hestegard
Title Exploration Manager

March 13, 1961

Davis Oil Company
1020 Midland Savings Bldg.
Denver 2, Colorado

Attn: Paul Messinger, Exploration Manager

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Navajo G-1-X, which is to be located 710 feet from the north line and 660 feet from the east line of Section 27, Township 43 South, Range 24 East, S1EM, San Juan County, Utah.

Please be advised that insofar as this office is concerned approval to drill said well is hereby granted. However, this approval is conditional upon a Plat being filed with this office in accordance with Rule C-4 (a), of our General Rules and Regulations.

This approval terminates within 90 days if the above mentioned well has not been spudded in within said period.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FREIGHT,
EXECUTIVE SECRETARY

CBF:avg

cc: P. T. McGrath, Dist. Eng.
U. S. Geological Survey

H. L. Coonts - OGCC, Moab

FIELD MARK

DATE	DEPTH	DIAMETER	REMARKS

MIDDING AND CEMENTING RECORD

HISTORY OF OIL OR GAS WELL

16-48094-2 U. S. GOVERNMENT PRINTING OFFICE

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidetracked" or left in the well, give its size and position. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of punping or balling.

CASING SIZE	DEPT. WEIGHT	THREADS PER FOOT	MAKE	AMOUNT	KIND OF JOBS	DATE AND PLUGGED FROM	FLOW	TO	PURPOSE
-------------	--------------	------------------	------	--------	--------------	-----------------------	------	----	---------

CASING RECORD

March 8, 1961	10' 3" from					Rig down and skid rig 50' from Navajo G-1 to G-1-X			
March 9, 1961	10' 1' from					Rigging up on G-1-X. Drill rat hole and mouse hole.			
March 10, 1961	10' 3' from					Drill 12 1/4" hole 0 to 375' 3" from			
	10' 3' from					Drill 12 1/4" hole 375' to 625' 30" of 8 5/8" surf. cas.			
	10' 3' from					Plug down at 11:00 a.m. W.O.C. work on water well.			
	10' 1' from					Drill 7 7/8" hole 625' to 1210' surf. cas. parted at 4 p.m.			
						613 feet. Wait on tools. Run fishing tools. Prepare to skid rig to Navajo G-1-X2.			
						Skid rig 10' to G-1-X2.			

(Denote gas by G)

OIL OR GAS SANDS OR ZONES

Commenced drilling _____ finished drilling _____

The summary on this page is for the condition of the well at above date.

Date _____

so far as can be determined from all available records.

The information given hereon is a complete and correct record of the well and all work done thereon.


Location _____ of _____ and _____ of _____

Well No. _____ Section _____ Township _____

Lesser of _____ Field _____ State _____

Company _____ Address _____

LOCATE WELL CORRECTLY




LOG OF OIL OR GAS WELL

GEOLOGICAL SURVEY
DEPARTMENT OF THE INTERIOR
UNITED STATES

PLEASE OR PERMIT TO REPRODUCE
SERIAL NUMBER
U. S. GOVERNMENT PRINTING OFFICE

(SUBMIT IN TRIPLICATE)

Indian Agency Window Rock



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee _____

Lease No. 14-20-603-222

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	<input checked="" type="checkbox"/>		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Davis Oil Company & Tiger Drig. Co.
Navajo G-1-X

April 10, 1961.

Well No. G-1-X is located ⁷¹⁰~~333~~ ft. from $\left\{ \begin{matrix} N \\ S \end{matrix} \right\}$ line and ⁶⁶⁰~~333~~ ft. from $\left\{ \begin{matrix} E \\ W \end{matrix} \right\}$ line of sec. 27

N. 1 Sec. 27 (1/4 Sec. and Sec. No.) T 43 S R 24 E (Twp.) _____ (Range) _____ (Meridian)
Wildcat (Field) San Juan (County or Subdivision) Utah (State or Territory)

The elevation of the derrick floor above sea level is 5120 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

When drilling the Navajo G-1-X, 8 5/8" surface casing was set at 620' K.B. and 7 7/8" hole drilled below surface casing to 1210'. At this depth the surface casing parted. The rig was skidded 10' south to the Navajo G-1-X2. Since this hole is 50' south of a source of good water it has been requested by Mr. D. A. Jamison, Oil & Gas supervisor for the Navajo Tribe that it not be plugged in order that the Navajo Tribe may attempt completion as a water well. The Navajo G-1-X will therefore be capped at the surface. If such attempt is not successful the Navajo G-1-X will be plugged as follows:

1. 1210' T.D. up to 590' 620' 200 s/s (From T.D. in Chile up into the 8 5/8" surf. casg. about 25')
 2. 25' up to 0' 25' 10 s/s (In top of 8 5/8" surf. casg.)
- Approval secured from Mr. P. T. McGrath, U.S.G.S., Farmington, N.M. on April 8, 1961.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Davis Oil Company
1020 Midland Savings Bldg.
Address Denver, Colorado

By Paul A. Buchler
Consulting Geologist
Title _____

DAVIS OIL COMPANY

1020 MIDLAND SAVINGS BLDG. • DENVER 2, COLORADO • Alpha 5-4661

NEW YORK, NEW YORK

DENVER, COLORADO

SALT LAKE CITY, UTAH

CASPER, WYOMING

ALBUQUERQUE, NEW MEXICO

July 12, 1961

Re: Navajo Honolulu

Navajo G-1
Navajo G-1-X

Oil & Gas Conservation Commission
310 Newhouse Building
Salt Lake City 11, Utah


Attention: Ann W. Glines

With reference to your letter of June 22, 1961, please be advised that the two Navajo G-1 and G-1-X wells are water wells and it has not been decided to abandon these wells at this time.

With reference to the Navajo Honolulu well, we have been advised that this location is not completely cleaned up and therefore, we are waiting until we receive such notice that it is completed before filing the Subsequent Report of Abandonment.

Yours very truly,


DAVIS OIL COMPANY


Paul Messinger
Exploration Manager

PM:ljp

(SUBMIT IN TRIPLICATE)

Indian Agency Window Rock



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee _____

Lease No. 14-20-603-222

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL _____	SUBSEQUENT REPORT OF WATER SHUT-OFF _____
NOTICE OF INTENTION TO CHANGE PLANS _____	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING _____
NOTICE OF INTENTION TO TEST WATER SHUT-OFF _____	SUBSEQUENT REPORT OF ALTERING CASING _____
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL _____	SUBSEQUENT REPORT OF REDRILLING OR REPAIR _____
NOTICE OF INTENTION TO SHOOT OR ACIDIZE _____	SUBSEQUENT REPORT OF ABANDONMENT _____
NOTICE OF INTENTION TO PULL OR ALTER CASING _____	SUPPLEMENTARY WELL HISTORY _____
NOTICE OF INTENTION TO ABANDON WELL _____	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

October 25, 19 61

Navajo G-1

Well No. _____ is located 660 ft. from N line and 660 ft. from E line of sec. 27

NE 1/4 of Section 27 T. 43 S., R. 24 E.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Wildcat San Juan Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5120 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

When drilling the Navajo G-1, 8 5/8" surface casing was set at 603' K.B. and 7 7/8" hole drilled below surface casing to 2661'. At this depth the surface casing parted. The rig was skidded 50' south to the Navajo G-1-X. The Navajo G-1 well was utilized as a source of water during subsequent drilling of the G-1-X and G-1-X2. Mr. D. A. Jamison, Oil & Gas Supervisor for the Navajo Tribe has requested that this source of water not be plugged. The Navajo G-1 well will therefore be capped at the surface and not plugged. Approval of this procedure was secured by telephone conversation with Mr. P. T. McGrath, U.S.G.S., Farmington, New Mexico on April 8, 1961. The location is now ready for inspection.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company DAVIS OIL COMPANY

Address 1020 Midland Savings Bldg.

Denver 2, Colorado

ORIGINAL SIGNED
BY E. L. KARN, JR.

By _____

E. L. Karn, Jr.

Title Production Manager

(SUBMIT IN TRIPLICATE)

Indian Agency Window Rock

	27		

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee _____

Lease No. 14-20-603-222

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL _____	SUBSEQUENT REPORT OF WATER SHUT-OFF _____	
NOTICE OF INTENTION TO CHANGE PLANS _____	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING _____	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF _____	SUBSEQUENT REPORT OF ALTERING CASING _____	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL _____	SUBSEQUENT REPORT OF REDRILLING OR REPAIR _____	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE _____	SUBSEQUENT REPORT OF ABANDONMENT _____	XX
NOTICE OF INTENTION TO PULL OR ALTER CASING _____	SUPPLEMENTARY WELL HISTORY _____	
NOTICE OF INTENTION TO ABANDON WELL _____		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

October 25, 1961

Navajo G-1-X

Well No. _____ is located 710 ft. from N line and 660 ft. from W line of sec. 27

NE 1/4 of Section 27 (1/4 Sec. and Sec. No.) T. 43 S., R. 24 E. (Twp.) (Range) (Meridian)

Wildcat (Field) San Juan (County or Subdivision) Utah (State or Territory)

The elevation of the derrick floor above sea level is 5120 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

The Navajo G-1-X was capped at the surface according to the verbal instructions of Mr. D. A. Jamison, Oil & Gas Supervisor for the Navajo Tribe. This well was capped so that the Navajo Tribe could use it for a possible water well.

The location is now ready for inspection.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company DAVIS OIL COMPANY

Address 1020 Midland Savings Bldg.

Denver 2, Colorado

ORIGINAL SIGNED
By E. L. KARN, JR.

Title Production Manager

DAVIS OIL COMPANY



1020 MIDLAND SAVINGS BLDG. • DENVER 2, COLORADO • Alpine 5-4661

NEW YORK, NEW YORK

DENVER, COLORADO

SALT LAKE CITY, UTAH

CASPER, WYOMING

ALBUQUERQUE, NEW MEXICO

December 26, 1961

Mr. E. G. Hoskins
Shell Oil Company
705 Municiple Drive
Farmington, New Mexico

Mr. Don Mathews
Superior Oil Company
309 Simms Building
Albuquerque, New Mexico

Mr. Ken Kirkland
Continental Oil Company
P. O. Box 1121
Durango, Colorado

Mr. Joe Salmon
Aztec Oil & Gas Company
P. O. Drawer 570
Farmington, New Mexico

Mr. E. M. Anderson
Aztec Oil & Gas Company
920 Mercantile Securities Bldg.
Dallas, Texas

Mr. Earl J. Ostling
Murphy Corporation
940 Petroleum Club Bldg.
Denver 2, Colorado

Gentlemen:

Enclosed please find for your respective files, one copy each of our approved Subsequent Report of Abandonment on the Navajo G-1, and the Navajo G-1-X.

Yours very truly,

DAVIS OIL COMPANY

ORIGINAL SIGNED
BY E. L. KARN, JR.

E. L. Karn, Jr.
Production Manager

ELK-jt
Encls.

cc- Mr. Cleon Feight
Oil & Gas Conservation Comm.
310 Newhouse Building
Salt Lake City, Utah



SCOTT M. MATHESON
Governor

OIL, GAS, AND MINING BOARD

GORDON E. HARMSTON
Executive Director,
NATURAL RESOURCES

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES

I. DANIEL STEWART
Chairman

CLEON B. FEIGHT
Director

DIVISION OF OIL, GAS, AND MINING

1588 West North Temple
Salt Lake City, Utah 84116
(801) 533-5771

CHARLES R. HENDERSON
JOHN L. BELL
THADIS W. BOX
C. RAY JUVELIN

August 24, 1978

Davis Oil Company
Suite 1100, Metrobank Bldg.
Denver, Colorado 80202

Re: Well No. Navajo G-1
Sec. 27, T. 43S, R. 24E,
San Juan County, Utah
Well No. Navajo G-1-X
Sec. 27, T. 43S, R. 24E,
San Juan County, Utah

Gentlemen:

In the process of updating this Division's Water Well files, it was noted that we have not received any recent status notification on the above mentioned well(s).

In order to keep our records accurate and up-to-date, please complete the enclosed form OGC-1b, and forward them to this office as soon as possible.

Your prompt attention to the above will be greatly appreciated.

Very truly yours,

DIVISION OF OIL, GAS, AND MINING

Kathy Avila
KATHY AVILA
RECORDS CLERK