

Subsequent Report of Abandonment

FILE NOTATIONS

Entered in NID File _____
Entered On S R Sheet _____
Location Map Pinned ✓ _____
Card Indexed _____
IWR for State or Fee Land _____

Checked by Chief PMB _____
Copy NID to Field Office _____
Approval Letter _____
Disapproval Letter _____

COMPLETION DATA:

Date Well Completed 10-18-67
OW _____ WW _____ TA _____
GW _____ OS _____ PAK

Location Inspected _____
Bond released _____
State of Fee Land _____

LOGS FILED

Driller's Log 10-25-67
Electric Logs (No.) 2

E _____ L _____ E-I ✓ GR _____ GR-N _____ Micro _____

Lat _____ Mi-L _____ Sonic _____ Others Licrustilog

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
 DRILL DEEPEN PLUG BACK

b. TYPE OF WELL
 OIL WELL GAS WELL OTHER
 SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
Monsanto Company

3. ADDRESS OF OPERATOR
900 Patterson Building, Denver, Colorado 80202

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*)
 At surface: **SE NW Sec. 31, 1980 FWL, 1980 FWL (NE 1/4 NW 1/4)**
 At proposed prod. zone: **Vertical hole 660**

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
5 miles South of S. Ismay Trading Post

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig. unit line, if any) **1980'**

16. NO. OF ACRES IN LEASE **2560**

17. NO. OF ACRES ASSIGNED TO THIS WELL **80**

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. **2930'**

19. PROPOSED DEPTH **5650'**

20. ROTARY OR CABLE TOOLS
Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
4800 GR (Est.)

22. APPROX. DATE WORK WILL START*
July 10, 1967

5. LEASE DESIGNATION AND SERIAL NO.
14-20-603-708

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
Navajo Tribal

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
Navajo "A"

9. WELL NO.
5

10. FIELD AND POOL, OR WILDCAT
Undesignated

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 31, T40N, R26E

12. COUNTY OR PARISH
San Juan

13. STATE
Utah

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
17 1/2"	13 3/8"	48.0#/	150	150
*12 1/2"	8 5/8"	24.0#/	1600	250

*Intermediate string will be set through the Navajo only if required to contain the water flow.

Water sands encountered will be protected by mud behind production casing should the well be productive or intermediate casing not required.

Production casing, if run, will be 4 1/2" or 5 1/2" OD set through the pay and sufficiently cemented to segregate oil and gas strata.

Well location plats will be mailed by the Surveyor to the USGS District Office in Farmington, New Mexico and the Oil & Gas Conservation Commission in Salt Lake City, Utah.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED *T. M. McNeill* TITLE District Production Eng. DATE June 30, 1967

(This space for Federal or State office use)

PERMIT NO. _____ APPROVAL DATE _____

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
 DRILL DEEPEN PLUG BACK
 b. TYPE OF WELL
 OIL WELL GAS WELL OTHER SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
 Monsanto Company

3. ADDRESS OF OPERATOR
 900 Patterson Building, Denver, Colorado 80202

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*)
 At surface
 SW SW Sec. 31, 510 FWL, 660 FSL
 At proposed prod. zone
 Vertical Hole

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
 5 miles South of S. Ismay Trading Post

16. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any)
 510'

16. NO. OF ACRES IN LEASE
 2560

17. NO. OF ACRES ASSIGNED TO THIS WELL
 80

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.
 2935'

19. PROPOSED DEPTH
 5700'

20. ROTARY OR CABLE TOOLS
 Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
 4831

22. APPROX. DATE WORK WILL START*
 August 18, 1967

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
17 1/2"	13 3/8"	48.0#	175	150 sacks
*12 1/4"	8 5/8"	24.0#	1525	250 sacks

*Intermediate string will be set through the Navajo only if required to contain the water flow.

Water sands encountered will be protected by mud behind production casing should the well be productive or intermediate casing not required.

Production casing, if run, will be 4 1/2" or 5 1/2" OD set through the pay and sufficiently cemented to segregate oil and gas strata.

Well location plats have been mailed by the Surveyor to the USGS District Office in Farmington, New Mexico and the Oil & Gas Conservation Commission in Salt Lake City, Utah.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. ORIGINAL SIGNED
 SIGNED J. MURPHY, JR. TITLE District Production Supt. DATE August 11, 1967


(This space for Federal or State office use)

PERMIT NO. _____ APPROVAL DATE _____

APPROVED BY _____ TITLE _____ DATE _____
 CONDITIONS OF APPROVAL, IF ANY:

NOTICES OF INTENTION TO DRILL - FILED DURING THE MONTH OF July, 19 67

COMPANY	WELL NUMBER	DESCRIPTION	COUNTY FIELD	DATE APPROVED TYPE SPACING	DATE COMPLETED or P & A	DATE WELL LOG DUE
(1) MONSANTO COMPANY API NO. 43-037-20255 900 Patterson Building Denver, Colorado 80202	NAVAJO "A" #5	1980' FNL & 1980' FWL C SE NW Sec 31 T. 40 S. R. 26 E	SAN JUAN McELMO MESA	R: 7-3-67 ELEV: 4800' Gr. (est.) PD: 5650' Navajo	I	
(2) MONSANTO COMPANY API NO. 43-037-20256 900 Patterson Building Denver, Colorado 80202	NAVAJO "A" #6	1980' FSL & 660' FWL CNW SW Sec. 31, T. 40 S., R. 26 E.	SAN JUAN McELMO MESA	R: 7-3-67 Elev: 4800' Gr. (est.) PD: 5650' Navajo	I	
(3) API NO.						
(4) API NO.	<p><i>These wells were never approved or drilled → later they were relocated to be</i></p>					
(5) API NO.						
(6) API NO.						



WELL LOCATION: Monsanto Navajo "A" No. 5

Located 660 feet North of the South line and 510 feet East of the West line of Section 31,
Township 40 South, Range 26 East, Salt Lake Base and Meridian
San Juan County, Utah
Existing ground elevation determined at 4831 feet based on U.S.G.S.

I hereby certify the above plat represents a survey made under my supervision and that it is accurate to the best of my knowledge and belief.

Frederick H. Reed

FREDERICK H. REED
Registered Land Surveyor
STATE OF UTAH # 2689



MONSANTO COMPANY Denver, Colorado	
WELL LOCATION PLAT Sec. 31 - T. 40S. - R. 26E. San Juan Co., Utah	
CLARK-REED & ASSOC. Durango, Colorado	DATE AUG. 9, 1967 FILE NO 67062

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
 DRILL DEEPEN PLUG BACK

b. TYPE OF WELL
 OIL WELL GAS WELL OTHER
 SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
 Monsanto Company

3. ADDRESS OF OPERATOR
 900 Patterson Building, Denver, Colorado 80202

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*)
 At surface
 SW SW Sec. 31, 510 FWL, 660 FSL
 At proposed prod. zone
 Vertical Hole

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
 5 miles South of S. Ismay Trading Post

10. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig. unit line, if any) 510'

16. NO. OF ACRES IN LEASE 2560

17. NO. OF ACRES ASSIGNED TO THIS WELL 80

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 2935'

19. PROPOSED DEPTH 5700' *Long*

20. ROTARY OR CABLE TOOLS Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
 4831

22. APPROX. DATE WORK WILL START*
 August 13, 1967

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
17 1/2"	13 3/8"	48.0#	175	150 sacks
*12 1/4"	8 5/8"	24.0#	1525	250 sacks

*Intermediate string will be set through the Navajo only if required to contain the water flow.

Water sands encountered will be protected by mud behind production casing should the well be productive or intermediate casing not required.

Production casing, if run, will be 4 1/2" or 5 1/2" OD set through the pay and sufficiently cemented to segregate oil and gas strata.

Well location plats have been mailed by the Surveyor to the USGS District Office in Farmington, New Mexico and the Oil & Gas Conservation Commission in Salt Lake City, Utah.

43-087-20274

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.


24. ORIGINAL SIGNED J. MURPHY, JR. SIGNED _____ TITLE District Production Supt. DATE August 11, 1967

(This space for Federal or State office use)

PERMIT NO. _____ APPROVAL DATE _____

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:



WELL LOCATION: Monsanto Navajo "A" No. 5

Located 660 feet North of the South line and 510 feet East of the West line of Section 31,
 Township 40 South, Range 26 East, Salt Lake Base and Meridian
 San Juan County, Utah
 Existing ground elevation determined at 4831 feet based on U.S.G.S.

I hereby certify the above plat represents a survey made under my supervision and that it is accurate to the best of my knowledge and belief.

Frederick H. Reed

FREDERICK H. REED
 Registered Land Surveyor
 STATE OF UTAH * 2689



MONSANTO COMPANY Denver, Colorado	
WELL LOCATION PLAT Sec. 31 - T. 40S. - R. 26E. San Juan Co., Utah	
CLARK - REED & ASSOC. Durango, Colorado	DATE AUG. 9, 1967 FILE NO 67062

August 14, 1967

Monsanto Company
900 Patterson Building
Denver, Colorado 80202

Re: Well No. Navajo "A" #5,
Sec. 31, T. 40 S., R. 26 E.,
San Juan County, Utah.

Gentlemen:

Insofar as this office is concerned, approval to drill the above mentioned well is hereby granted in accordance with the Order issued in Cause No. 54, dated May 9, 1961.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

PAUL W. BURCHELL, Chief Petroleum Engineer
HOME: 277-2890 - Salt Lake City, Utah
OFFICE: 328-5771

This approval terminates within 90 days if the well has not been spudded-in within said period.

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered while drilling. Your cooperation with respect to completing this form will be greatly appreciated.

Monsanto Company
900 Patterson Building
Denver, Colorado 80202

-2-

August 14, 1967

The API number assigned to this well is 43-037-20274 (see Bulletin D12 published by the American Petroleum Institute).

Very truly yours,

DIVISION OF OIL & GAS CONSERVATION

CLEON B. FEIGHT
DIRECTOR

CBF/sc

cc: U. S. Geological Survey
P. T. McGrath, District Engineer
Box 959
Farmington, New Mexico

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>Dry Hole</u>		5. LEASE DESIGNATION AND SERIAL NO. <u>14-20-603-708</u>
2. NAME OF OPERATOR <u>Monsanto Company</u>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME <u>Navajo Tribal</u>
3. ADDRESS OF OPERATOR <u>900 Patterson Building, Denver, Colorado 80202</u>		7. UNIT AGREEMENT NAME
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface <u>SW SW Sec. 31, 510 FWL, 660 FSL</u>		8. FARM OR LEASE NAME <u>Navajo "A"</u>
14. PERMIT NO. <u>August 14, 1967</u>		9. WELL NO. <u>5</u>
15. ELEVATIONS (Show whether DF, RT, GR, etc.) <u>4841 DF</u>		10. FIELD AND POOL, OR WILDCAT <u>Undesignated</u>
		11. SEC., T., E., M., OR BLK. AND SURVEY OR AREA <u>31, T40S, R26E</u>
		12. COUNTY OR PARISH <u>San Juan</u>
		13. STATE <u>Utah</u>

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input checked="" type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) _____	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Confirming phone conversation, request permission to plug and abandon as follows:

- Plug No. 1 - 5670-5400 with 80 sacks of cement.
- Plug No. 2 - 4600-4500 with 29 sacks of cement.
- Plug No. 3 - 2750-2650 with 29 sacks of cement.
- Plug No. 4 - 1500-1400 with 32 sacks of cement.
- Plug No. 5 - Top of surface with 10 sacks of cement.

18. I hereby certify that the foregoing is true and correct
SIGNED [Signature] TITLE District Production Supt. DATE 10/24/67
(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TR. REVERSE SIDE
(Other instructions reverse side)

5. LEASE DESIGNATION AND SERIAL NO.

14-20-603-708

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Navajo Tribal

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Navajo "A"

9. WELL NO.

5

10. FIELD AND POOL, OR WILDCAT

Undesignated

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

31, T40S, R26E

12. COUNTY OR PARISH 13. STATE

San Juan

Utah

1.

OIL WELL GAS WELL OTHER Dry Hole

2. NAME OF OPERATOR

Monsanto Company

3. ADDRESS OF OPERATOR

900 Patterson Building, Denver, Colorado 80202

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)

At surface
SW SW Sec. 31, 510' FWL, 660' FSL

14. PERMIT NO.

August 14, 1967

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4841 DF

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

At TD of 5670' on October 19, 1967, this well was plugged and abandoned. Cement plugs as follows were applied by pump through drill pipe and heavily mud laden fluid remains between the plugs.

Casing left in hole. 291' of 13 3/8" 48.0# H-40 ST&C.
1493' of 8 5/8" 24.0# J-55 ST&C.

- Plug No. 1 - 5670-5400' with 80 sacks of cement.
- Plug No. 2 - 4600-4500' with 29 sacks of cement.
- Plug No. 3 - 2750-2650' with 29 sacks of cement.
- Plug No. 4 - 1500-1400' with 32 sacks of cement.
- Plug No. 5 - Top of surface with 10 sacks of cement.

18. I hereby certify that the foregoing is true and correct

SIGNED

J. Murphy

TITLE District Production Supt.

DATE

10/24/67

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE*

(See other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R355.5.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL GAS WELL DRY Other _____

b. TYPE OF COMPLETION: NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF. RESVR. Other _____

2. NAME OF OPERATOR
Monsanto Company

3. ADDRESS OF OPERATOR
900 Patterson Building, Denver, Colorado 80202

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*
At surface SW SW Sec. 31, 509' FWL, 663' FSL
At top prod. interval reported below
At total depth Vertical Hole

14. PERMIT NO. _____ DATE ISSUED 8/14/67

5. LEASE DESIGNATION AND SERIAL NO. 14-20-603-706

6. IF INDIAN, ALLOTTEE OR TRIBE NAME Navajo Tribal
7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME Navajo "A"

9. WELL NO. 5

10. FIELD AND POOL, OR WILDCAT Undesignated

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA 31, T40S, R26E

12. COUNTY OR PARISH San Juan
13. STATE Utah

15. DATE SPURRED 9/30/67
16. DATE T.D. REACHED 10/16/67
17. DATE COMPL. (Ready to prod.) -
18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* 4841 DF
19. ELEV. CASINGHEAD -

20. TOTAL DEPTH, MD & TVD 5670
21. PLUG, BACK T.D., MD & TVD -
22. IF MULTIPLE COMPL., HOW MANY* -
23. INTERVALS DRILLED BY - ROTARY TOOLS 5670 CABLE TOOLS -

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* None
25. WAS DIRECTIONAL SURVEY MADE Max. Dev. 3/4 deg.

26. TYPE ELECTRIC AND OTHER LOGS RUN Lane Wells - Induction Electrolog & Acoustilog GR.
27. WAS WELL CORED No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13 3/8"	48.0#	305	17 1/2"	300 sacks	None
8 5/8"	24.0#	1506	12 1/2"	450 sacks	None

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)

30. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)

31. PERFORATION RECORD (Interval, size and number)
Plugged & Abandoned October 18, 1967.

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED

33.* PRODUCTION

DATE FIRST PRODUCTION	PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)	WELL STATUS (Producing or shut-in)

DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO

FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) TEST WITNESSED BY

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records
SIGNED [Signature] TITLE District Production Supt. DATE 10/24/67.

*(See Instructions and Spaces for Additional Data on Reverse Side)

FORM OGCC-8-X

FILE IN QUADRUPLICATE

STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION
348 EAST SOUTH TEMPLE
SUITE 301
SALT LAKE CITY, UTAH

REPORT OF WATER ENCOUNTERED DURING DRILLING

Well Name & Number Navajo "A" No. 5
Operator Monsanto Company Address 900 Patterson Bldg.
Denver, Colorado Phone 222-5641
Contractor Brinkerhoff Drlg. Co., Inc. Address 870 Denver Club Bldg.
Denver, Colorado Phone 222-9733
Location SW 1/4 Sec. 31 T. 40 S. R. 26 E San Juan County, Utah.

Water Sands:

<u>Depth</u>		<u>Volume</u>	<u>Quality</u>
From	To	Flow Rate or Head	Fresh or Salty
1. <u>Navajo</u>	<u>990-1230</u>	<u>Not Measured</u>	<u>Not Available</u> ✓
2. <u>De Chelly</u>	<u>2708-2770</u>	<u>Not Measured</u>	<u>Not Available</u>
3.			
4.			
5.			

(Continued on reverse side if necessary)

Formation Tops:
Cutler 2769
Hermosa 4590
Ismay 5476

Remarks:

- NOTE:
- (a) Upon diminishing supply of forms, please inform the Commission.
 - (b) Report on this form as provided for in Rule C-20, General Rules and Regulations and Rules of Practice and Procedure, (See back of form).
 - (c) If a water analysis has been made of the above reported zone, please forward a copy along with this form.

348 East South Temple
Suite 301
Salt Lake City, Utah 84111
328-5771

October 27, 1967

Monsanto Company
900 Patterson Building
Denver, Colorado 80202

Re: Well No. Navajo A #5,
Sec. 31, T. 40 S., R. 26 E.
San Juan County, Utah.

Gentlemen:

In checking our files, it has come to the attention of this office that you have not as yet filed the water sands encountered while drilling for the above mentioned well.

Please complete the enclosed Form OGC-8-X and return to this office as soon as possible.

Thank you for your cooperation with respect to this request.

Yours very truly

DIVISION OF OIL & GAS CONSERVATION

SHARON CAMERON
RECORDS CLERK

COPY

sc

Encl: Form OGC-8-X