

FILE NOTATIONS

Entered in NID File

Entered On S R Sheet _____

Location Map Pinned

Card Indexed

I W R for State or Fee Land _____

Checked by Chief RTB

Copy NID to Field Office _____

Approval Letter 3-14-68

Disapproval Letter _____

COMPLETION DATA:

Date Well Completed _____

Location Inspected _____

OW _____ WW _____ TA _____

Bond released _____

GW _____ OS _____ PA

State of Fee Land _____

LOGS FILED

Driller's Log _____

Electric Logs (No.) 2

E _____ I _____ E-I GR _____ GR-N _____ Micro _____

Lat _____ Mi-L _____ Sonic _____ Others _____

Acoustilog 94

*CPW
12-17-91*

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
 DRILL DEEPEN PLUG BACK

b. TYPE OF WELL
 OIL WELL GAS WELL OTHER SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
 Monsanto Company

3. ADDRESS OF OPERATOR
 900 Patterson Building, Denver, Colorado 80202

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)
 At surface
 SE NW or 1830 FNL & 1980 FWL Sec. 35
 At proposed prod. zone
 Vertical Hole

5. LEASE DESIGNATION AND SERIAL NO.
 14-20-0603-9513

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
 Navajo Tribal

7. UNIT AGREEMENT NAME
 Navajo "F"

8. FARM OR LEASE NAME
 Navajo "F"

9. WELL NO.
 1

10. FIELD AND POOL, OR WILDCAT
 Greater Anoth Field
 Wildcat Extension to Test

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
 35, T40S, R25E

12. COUNTY OR PARISH | 13. STATE
 San Juan | Utah

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
 5 miles South of Ismay Trading Post

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any) 1980

16. NO. OF ACRES IN LEASE
 640

17. NO. OF ACRES ASSIGNED TO THIS WELL
 80 (F.L.S. No. 11 mo Creek Springs)

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.

19. PROPOSED DEPTH
 5780

20. ROTARY OR CABLE TOOLS
 5780

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
 4920 GR (Est.)

22. APPROX. DATE WORK WILL START*
 March 20, 1968

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
17 1/4"	13 3/8"	48.0#	150' L	300 sacks ✓
*12 1/2"	8 5/8"	24.0#	1400' L	400 sacks ✓

*Intermediate string will be set through the Navajo only if required to contain the water flow. ✓

Water sands encountered will be protected by mud behind production casing should the well be productive or intermediate casing not required. ✓

Production casing, if run, will be 4 1/2" or 5 1/2" OD set through the pay and sufficiently cemented to segregate oil and gas strata. ✓

Well location plats will be mailed by the Surveyor to the USGS District Office in Farmington, New Mexico and the Oil & Gas Conservation Commission in Salt Lake City, Utah. ✓

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED [Signature] TITLE District Production Supt. DATE March 12, 1968


(This space for Federal or State office use)

PERMIT NO. _____ APPROVAL DATE _____

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

R. 25 E.



WELL LOCATION: Monsanto Company Navajo "F" No. 1

Located 1830 feet South of the North line and 1980 feet East of the West line of Section 35
 Township 40 South Range 25 East Salt Lake Base & Meridian
 San Juan Co., Utah
 Existing ground elevation determined at 4926 feet based on adjoining wells.

I hereby certify the above plat represents a survey made under my supervision and that it is accurate to the best of my knowledge and belief.

Frederick H. Reed

FREDERICK H. REED
 Registered Land Surveyor

MONSANTO COMPANY Denver, Colorado	
WELL LOCATION PLAT Sec. 35 T. 40 S., R. 25 E. San Juan Co., Utah	
CLARK - REED & ASSOC. Durango, Colorado	DATE March 14, 1968 FILE NO 68012

C-4

March 14, 1968

Monsanto Company
900 Patterson Building
Denver, Colorado 80202

Re: Well No. Navajo "E" #1,
Sec. 5, T. 42 S., R. 26 E.,
Well No. Navajo "F" #1,
Sec. 35, T. 40 S., R. 25 E.,
San Juan County, Utah.

Gentleman:

Insofar as this office is concerned, approval to drill the above mentioned wells is hereby granted. However, this approval is conditional upon a surveyor's plat on each well being furnished this office.

Should you determine that it will be necessary to plug and abandon these wells, you are hereby requested to immediately notify the following:

PAUL W. BURCHELL, Chief Petroleum Engineer
HOME: 277-2890 - Salt Lake City, Utah
OFFICE: 328-5771

This approval terminates within 90 days if the wells have not been spudded-in within said period.

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered while drilling. Your cooperation with respect to completing this form will be greatly appreciated.

Monsanto Company

March 14, 1968

-2-

The API number assigned to well No. Navajo "E" #1 is 43-037-30006 and to the Navajo "F" #1 the API number is 43-037-30007 (see Bulletin D12 published by the American Petroleum Institute).

Very truly yours,

DIVISION OF OIL & GAS CONSERVATION

CLEON B. FEIGHT
DIRECTOR

CBF:sc

cc: U. S. Geological Survey
P. T. McGrath, District Engineer
Box 959
Farmington, New Mexico

July 1, 1968

Monsanto Company
900 Patterson Building
Denver, Colorado 80202

Re: Well No. Navajo "F" #1,
Sec. 35, T. 40 S., R. 25 E.,
San Juan County, Utah.

For the months of April & May, 1968

Gentlemen:

Our records indicate that you have not filed a Monthly Report of Operations for the month(s) mentioned above for the subject well. Rule C-22 (1), General Rules and Regulations and Rules of Practice and Procedure, Utah State Division of Oil and Gas Conservation requires that said reports be filed on or before the sixteenth (16) day of the succeeding month. This report may be filed on Form OGC-1b, (U. S. Geological Survey 9-331, "Sundry Notices and Reports on Wells"), or on company forms containing substantially the same information. We are enclosing forms for your convenience.

Your cooperation with respect to this request is greatly appreciated.

Very truly yours,

DIVISION OF OIL & GAS CONSERVATION

SHARON CAMERON
RECORDS CLERK

sc

Enclosure: Form OGC-1b

THE STATE OF UTAH
DIVISION OF OIL AND GAS CONSERVATION

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

5. LEASE DESIGNATION AND SERIAL NO.

14-20-0603-9513

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Navajo Tribal

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Navajo "F"

8. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Wildcat

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

35, T40S, R25E

12. COUNTY OR PARISH 13. STATE

San Juan

Utah

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR

Monsanto Company

3. ADDRESS OF OPERATOR

Suite 1102 Lincoln Tower Building, Denver, Colorado 80202

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)
At surface

SE NW or 1830 FNL & 1980 FWL Sec. 35

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4920 GR (Est.)

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

FULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

FOR MONTHS OF APRIL, MAY & JUNE, 1968

Not yet spudded.

18. I hereby certify that the foregoing is true and correct

SIGNED

[Signature]

TITLE District Production Supt.

DATE 7/8/68

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO. 14-20-0603-9513
2. NAME OF OPERATOR Monsanto Company		6. IF INDIAN, ALLOTTEE OR TRIBE NAME Navajo Tribal
3. ADDRESS OF OPERATOR Suite 1102 Lincoln Tower Building, Denver, Colorado 80203		7. UNIT AGREEMENT NAME
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface SE NW or 1746 FNL & 1961 FWL Sec. 35		8. FARM OR LEASE NAME Navajo "F"
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT, GR, etc.) 4942 DF	9. WELL NO. 1
		10. FIELD AND POOL, OR WILDCAT Wildcat
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA 35, T40S, R25E
		12. COUNTY OR PARISH San Juan
		13. STATE Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input checked="" type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	(Other) <input type="checkbox"/>

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Confirming verbal approval, request authority to plug and abandon as follows:

- Plug No. 1 - 5600-5800 with 60 sacks of cement.
- Plug No. 2 - 4600-4700 with 30 sacks of cement.
- Plug No. 3 - 2750-2950 with 60 sacks of cement.
- Plug No. 4 - 0-15 with 10 sacks of cement.

18. I hereby certify that the foregoing is true and correct
SIGNED [Signature] TITLE District Production Supt. DATE 8/15/68

(This space for Federal or State office use)
APPROVED BY _____ TITLE _____
CONDITIONS OF APPROVAL, IF ANY: _____ DATE _____

*See Instructions on Reverse Side

Vertical text on the right side of the page, possibly a stamp or administrative notes, including the word "acknowledged" and various numbers and dates.

UNITED STATES DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN REVERSE SIDE
(Other Instr. on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

<p>1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/></p> <p>2. NAME OF OPERATOR <u>Monsanto Company</u></p> <p>3. ADDRESS OF OPERATOR <u>Suite 1102 Lincoln Tower Building, Denver, Colorado 80203</u></p> <p>4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface <u>SE NW or 1746 FNL & 1961 FWL Sec. 35</u></p>		<p>5. LEASE DESIGNATION AND SERIAL NO. <u>14-20-0603-9513</u></p> <p>6. IF INDIAN, ALLOTTEE OR TRIBE NAME <u>Navajo Tribal</u></p> <p>7. UNIT AGREEMENT NAME</p> <p>8. FARM OR LEASE NAME <u>Navajo "F"</u></p> <p>9. WELL NO. <u>1</u></p> <p>10. FIELD AND POOL, OR WILDCAT <u>Wildcat</u></p> <p>11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA <u>35, T4OS, R25E</u></p> <p>12. COUNTY OR PARISH <u>San Juan</u> 13. STATE <u>Utah</u></p>	
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT, GR, etc.) <u>4942 DF</u>		

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input checked="" type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	
(Other) <input type="checkbox"/>		(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

On July 27, 1968, well reached TD of 5800'. No commercial shows were encountered and well was plugged and abandoned as follows. Cement plugs were pumped through drill pipe and heavily mud laden fluid remains between the plugs.

- Plug No. 1 - 5600-5800 with 60 sacks of cement.
- Plug No. 2 - 4600-4700 with 30 sacks of cement.
- Plug No. 3 - 2750-2950 with 60 sacks of cement.
- Plug No. 4 - 0-15 with 10 sacks of cement.

165' of 13 3/8" surface casing remains in well.

18. I hereby certify that the foregoing is true and correct

SIGNED [Signature] TITLE District Production Supt. DATE 8/15/68

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUP. 2*

(See other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R355.5.

5. LEASE DESIGNATION AND SERIAL NO.

14-20-0603-9513

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Navajo Tribal

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Navajo "F"

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Wildcat

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA

35, T40S, R25E

12. COUNTY OR PARISH

San Juan

13. STATE

Utah

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL GAS WELL DRY Other _____

b. TYPE OF COMPLETION: NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF. RESVR. Other _____

2. NAME OF OPERATOR

Monsanto Company

3. ADDRESS OF OPERATOR

Suite 1102 Lincoln Tower Building, Denver, Colorado 80203

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface SE NW or 1746' FNL 1961' FWL Sec. 35

At top prod. interval reported below

At total depth

14. PERMIT NO.

DATE ISSUED

Vertical Hole

6/21/68

15. DATE SPUDDED

16. DATE T.D. REACHED

17. DATE COMPL. (Ready to prod.)

18. ELEVATIONS (DF, RKB, RT, GR, ETC.)*

19. ELEV. CASINGHEAD

7/9/68

7/27/68

4942 DF

4931 GR

20. TOTAL DEPTH, MD & TVD

21. PLUG, BACK T.D., MD & TVD

22. IF MULTIPLE COMPL., HOW MANY*

23. INTERVALS DRILLED BY

ROTARY TOOLS

CABLE TOOLS

5800

5800

None

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*

25. WAS DIRECTIONAL SURVEY MADE

None - Well Plugged and Abandoned

Max. Dev. 1 1/4 deg. at 2300'.

26. TYPE ELECTRIC AND OTHER LOGS RUN

Dresser Atlas 7/26/68 Induction Electrolog & Acoustilog

27. WAS WELL CORED

No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13 3/8"	48.0#	165	17 1/4	160 sacks of regular	None

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER-SET (MD)
	None						

31. PERFORATION RECORD (Interval, size and number)

None

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
None	

33. PRODUCTION

DATE FIRST PRODUCTION	PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)	WELL STATUS (Producing or shut-in)					
None							
DATE OF TEST	HOURS TESTED	CHOKER SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

TEST WITNESSED BY

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

[Signature]

TITLE

District Production Supt.

DATE

8/15/68

*(See Instructions and Spaces for Additional Data on Reverse Side)

REPRODUCTION

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	GEOLOGIC MARKERS
Ismay	5652	5746	Open 10 min. Shut-In 30 min. Open 30 min. Shut-In 60 min. Open 60 min. Shut-In 96 min. Recovered 170' HG&OCM, 180' GCM5W 1600' GCSW.	Navajo DeChelley Hermosa Boundary Butte Ismay	1100 2820 4665 5596 5652
DST No. 1	5698	5723	Open 20 min. Shut-In 30 min. Open 60 min. Shut-In 120 min. Recovered 15' Mud.		
DST No. 2	5696	5706			
DST No. 3	5698	5706			
DST No. 4	5676	5706			

FORM 888-8X

FILE IN QUADRUPLICATE

STATE OF UTAH
 DEPARTMENT OF NATURAL RESOURCES
 DIVISION OF OIL & GAS CONSERVATION
 348 EAST SOUTH TEMPLE
 SUITE 301
 SALT LAKE CITY, UTAH

REPORT OF WATER ENCOUNTERED DURING DRILLING

Well Name & Number Navajo "F" #1
 Operator Monsanto Company Address Suite 1102 Lincoln Tower Bldg. Denver, Colorado Phone 222-5641
P. O. Box 108
 Contractor Mesa Drillers Address Lubbock, Texas 79408 Phone 744-1017
 Location SE 1/4 NW 1/4 Sec. 35 T. 40 N. R. 25 E San Juan County, Utah
S N

Water Sands:

	<u>Depth</u>		<u>Volume</u>	<u>Quality</u>
	From	To	Flow Rate or Head	Fresh or Salty
1.	<u>DeChelley</u>	<u>2814-2906</u>	<u>Not Measured</u>	<u>Not Determined</u>
2.				
3.				
4.				
5.				

(Continued on reverse side if nec.)

<u>Formation Tops:</u>				
Cutler	2906	Upper Ismay	5652	
Hermosa	4702	Lower Ismay	5698	
Boundary Butte	5596	Desert Creek	5746	

Remarks:

- NOTE:
- (a) Upon diminishing supply forms, please inform the Commission,
 - (b) Report on this form as provided for in Rule C-20, General Rules and Regulations and Rules of Practice and Procedure, (See back of form.)
 - (c) If a water analysis has been made of the above reported zone, please forward a copy along with this form.