

FILE NOTATIONS

Entered in NID File ✓
Location Map Pinned ✓
Card Indexed ✓

Checked by Chief *PMB*
Approval Letter *3-5-74*
Disapproval Letter

COMPLETION DATA:

Date Well Completed *7-14-74*
OW..... ✓ WW..... TA.....
GW..... OS..... PA..... ✓

Location Inspected
Bond released
State or Fee Land

LOGS FILED

Driller's Log..... ✓
Electric Logs (No.) ✓
G..... I..... Dual I Lat..... GR-N..... Micro.....
MHC Sonic GR..... Lat..... Mi-L..... Sonic.....
CBLog..... CCLog..... Others.....

4-4-74 Corrected Application Filed

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
 DRILL DEEPEN PLUG BACK

b. TYPE OF WELL
 OIL WELL GAS WELL OTHER
 SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
Texaco Inc. Attention: T. Bliss

3. ADDRESS OF OPERATOR
P. O. Box 2100, Denver, Colorado 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*
 At surface
NW SW¹/₄ SW¹/₄ Sec. 18
 At proposed prod. zone
978' FSL & 216' FWL, Sec. 18

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any)
 --

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.
1000'

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
5058' Gr.

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
17-1/2"	New 13-3/8"	48# H-40	100'	Circulate to surface
12-1/4"	New 8-5/8"	24# K-55	1600'	Circulate to surface
7-7/8"	New 5-1/2"	14 & 15.5# K-55	6072'	Cement 600' above pay zone

DV collar to be run below DeChelly and cement to bottom of surface casing.

Propose to drill this infill well in order to gain optimum primary and secondary oil recovery from the Aneth Unit. Samples will be taken at 10' intervals from 5000' to TD. No cores or DSTs are planned. Logs will be run from surface casing to TD. Prospective zones will be perforated and acidized. Blowout preventer equipment will be as indicated on the attached exhibit, and will be tested at regular intervals. Necessary steps will be taken to protect the environment.

APPROVED BY DIVISION OF
OIL & GAS CONSERVATION
 DATE **APR 5 1974**
 BY *Chas. F. Feigh*

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED *T. Bliss* TITLE **District Superintendent** DATE **April 1, 1974**

(This space for Federal or State office use)
 PERMIT NO. **43-037-30165** APPROVAL DATE

APPROVED BY TITLE DATE

CONDITIONS OF APPROVAL, IF ANY:
 USGS(3) OGCC(2) TB ARM Shell Oil Co. The Navajo Tribe
 Farmington SLIC Superior Oil Co. Gulf Oil Company (2)

*See Instructions On Reverse Side

5. LEASE DESIGNATION AND SERIAL NO.
Gulf Federal SL-067807

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME
Aneth Unit

8. FARM OR LEASE NAME
Unit

9. WELL NO.
E418

10. FIELD AND POOL, OR WILDCAT
Aneth Field

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 18 T40S-R24E S1M

12. COUNTY OR PARISH
San Juan

13. STATE
Utah

17. NO. OF ACRES ASSIGNED TO THIS WELL
40

20. ROTARY OR CABLE TOOLS
Rotary

22. APPROX. DATE WORK WILL START*
May 15, 1974

COMPANY Texaco Inc.


Well Name & No. ANETH UNIT WELL NO. E418 Lease No. _____

Location 978 feet from South line and 216 feet from West line

Being in San Juan County, Utah

Sec. 18, T.40S., R.24E., S.L.M.

Ground Elevation 5058



Scale -- 4 inches equals 1 mile

Surveyed _____ March 16 _____, 19 74

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Seal:

Farmington, New Mexico

E. L. Poteet
Registered Professional
Engineer and Land Surveyor.
Utah Surveyor No. 2533

Minimum equipment requirements are:


1. Blowout preventers must be capable of being operated both mechanically and hydraulically. Controls must be located so that the blowout preventer can be operated outside the drilling rig substructure. All steel tubing and connections must be used between the hydraulic controls and the blowout preventer.

2. Pressure rating of the blowout preventer and associated connections must be proportional to depth and pressure expectations. Use Figure 1 as a guide in unknown areas. 10" series 600.

3. Distance "A" must be sufficient to accommodate a Hydril preventer if required.

4. Chokes, valves, manifold piping and kill line must be flanged and designed equal to or above the pressure rating of the blowout preventer.

5. Kelly cock must be used at all times and should be checked daily.



MAXIMUM ANTICIPATED BOTTOM HOLE PRESSURE

2500 PSI

DRILLING FLUID - WATER & SALT MUD


NOTE: BLOWOUT PREVENTER MUST HAVE DOUBLE RAMS; ONE BLIND & ONE PIPE RAM OR THE EQUIPMENT MUST CONSIST OF TWO BLOWOUT PREVENTERS, ONE EQUIPPED WITH BLIND RAMS & THE OTHER WITH PIPE RAMS. ALWAYS PLACE THE BLIND RAMS IN THE TOP PREVENTER.

ANETH UNIT WELL NO. E418




SAN JUAN COUNTY, UTAH

APPROVED
[Handwritten Signature]

TEXACO INC DENVER, COLORADO	
BLOWOUT PREVENTER ASSEMBLY STANDARD NO. 2	
DRAWN BY M.B.D.	CHKD BY F.B.E.
DATE 11-8-58	FILE 44000
REVISED _____	SERIAL X-148-2




ROAD AND LOCATION PLAT
ANETH UNIT NO. E418
SAN JUAN COUNTY, UTAH



MONTEZUMA CREEK, UTAH
 N3715—W10915/15

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
 FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225 OR WASHINGTON, D. C. 20242
 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

NORTH



- A. Drilling pad will be compacted soil.
- B. Rocky & sandy ground with thinly scattered grass and salt weed.

LOCATION AND RIG LAYOUT PLAT

ANETH UNIT WELL NO. E418

SAN JUAN COUNTY, UTAH

MB

April 4, 1974

APPLICATION FOR PERMIT TO DRILL
ANETH UNIT WELL NO. E418
SW¹/₄SW¹/₄ SEC. 18 T40S-R24E
SAN JUAN COUNTY, UTAH
6.34

Mr. P. T. McGrath (3)
District Engineer
U. S. Geological Survey
P. O. Box 959
Farmington, New Mexico 87401

Dear Mr. McGrath:

The attached USGS Form 9-331C, Application For Permit To Drill, supersedes USGS Form 9-331C dated April 1, 1974, for the captioned well. Aneth Unit E418 will be directionally drilled as indicated on the attached application. Please destroy the application of April 1, 1974.

Thank you.

Very truly yours,

T. Bliss / J. Eaton

Tommie Bliss
District Superintendent

Corrected Application

DDU:rb

Attach.

cc: Board of Oil & Gas Conservation
1588 West North Temple
Salt Lake City, Utah 84116

APR 11 1974
6-331A

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
 DRILL DEEPEN PLUG BACK

b. TYPE OF WELL
 OIL WELL GAS WELL OTHER
 SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
Texaco Inc. Attention: **T. Bliss**

3. ADDRESS OF OPERATOR
P. O. Box 2100, Denver, Colorado 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*)
 At surface **NW SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 18**
 At proposed prod. zone **978' FSL & 216' FWL, Sec. 18**

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
 - -

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any)
 - -

16. NO. OF ACRES IN LEASE
 - -

17. NO. OF ACRES ASSIGNED TO THIS WELL
40

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.
1000'

19. PROPOSED DEPTH
6072'

20. ROTARY OR CABLE TOOLS
Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
5058' GR

22. APPROX. DATE WORK WILL START*
May 15, 1974

5. LEASE DESIGNATION AND SERIAL NO.
Gulf Federal SL-067807

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME
Aneth Unit

8. FARM OR LEASE NAME
Unit

9. WELL NO.
R418

10. FIELD AND POOL, OR WILDCAT
Aneth Field

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
**Sec. 18 T40S-R24E
S.L.M.**

12. COUNTY OR PARISH
San Juan

13. STATE
Utah

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
17-1/2"	New 13-3/8"	48# H-40	100'	Circulate to surface.
12-1/4"	New 8-5/8"	24# K-55	1600'	Circulate to surface.
7-7/8"	New 5-1/2"	14 & 15.5# K-55	6072'	Cement 600' above pay zone.

DV collar to be run below DeChelly and cement to bottom of surface casing.

Propose to directionally drill this infill well in order to gain optimum primary and secondary oil recovery from the Aneth Unit. Samples will be taken at 10' intervals from 5000' to TD. No cores or DSTs are planned. Logs will be run from surface casing to TD. Prospective zones will be perforated and acidized. Blowout preventer equipment will be as indicated on the attached exhibit, and will be tested at regular intervals. Necessary steps will be taken to protect the environment.

APPROVED BY **INTERNAL**
OIL & GAS CONSERVATION

DATE **4-8-74**

BY **C.B. Hughes**

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

SIGNED **T. Bliss / G. Eaton** TITLE **District Superintendent** DATE **April 4, 1974**

(This space for Federal or State office use)

PERMIT NO. **4603030** APPROVAL DATE

APPROVED BY TITLE DATE

CONDITIONS OF APPROVAL, IF ANY:

**USGS(3) OGCC(2) TB ARM Shell Oil Co. The Navajo Tribe
Farmington SLC Superior Oil Co. Gulf Oil Company (2)**

*See Instructions On Reverse Side

April 1, 1974

**SURFACE USE DEVELOPMENT PLAN
ANETH UNIT WELL NO. E418
SW¹/₄SW¹/₄ SEC. 18 T40S-R24E
SAN JUAN COUNTY, UTAH**

6.34

Mr. P. T. McGrath (3)
District Engineer
U. S. Geological Survey
P. O. Box 959
Farmington, New Mexico 87401

Dear Mr. McGrath:

As requested by your office, the Surface Use Development Plan for Aneth Unit Well No. E418, San Juan County, Utah, is as follows:

1. Existing roads and exit to the location are shown on the attached plats.
2. New access road 1100' x 30' wide will be required. The road will run south from an existing road to the location with a compact ground surface.
3. Offset wells to the proposed well are shown on the attached plat.
4. Lateral roads in the vicinity of the location are shown on the attached plat.
5. The flowline for this well will run one mile northwest to an existing battery (see attached plat).
6. Water for drilling operations will be obtained from Texaco's produced water tank located near the Texaco office, a distance of four miles.
7. All waste material will be contained by earthen and steel pits. Earthen pits will be subsequently backfilled and buried.

April 1, 1974

8. No separate drill campsites are proposed.
9. There are no registered airstrips in the vicinity of the location.
10. The drillsite location will be laid bare and will be approximately 250' x 300'. Proper grading will be used to control erosion, and the drilling pad surface will be compact soil. A plat showing the location and rig layout is attached.
11. All surfaces not used in normal well servicing and maintenance will be cleaned and graded.
12. The wellsite is located on rocky, sandy ground with thinly scattered grass and weeds. No Indian buildings or artifacts are evident in the immediate vicinity.

Very truly yours,



Tommie Bliss
District Superintendent

FME:rb

Attach.

cc: Board of Oil & Gas Conservation (2)
1588 West North Temple
Salt Lake City, Utah 84116

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.
Gulf Fed. SL-067807
6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		7. UNIT AGREEMENT NAME Aneth Unit	
2. NAME OF OPERATOR Texaco Inc.		8. FARM OR LEASE NAME Unit	
3. ADDRESS OF OPERATOR P. O. Box 2100, Denver, Colorado 80201		9. WELL NO. E418	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface SW$\frac{1}{4}$SW$\frac{1}{4}$ Sec. 18 978' FSL & 216' FWL, Sec. 18		10. FIELD AND POOL, OR WILDCAT Aneth Field	
14. PERMIT NO.		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 18-T40S-R24E S.L.M.	
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 5058' Gr.		12. COUNTY OR PARISH San Juan	13. STATE Utah

18. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO :		SUBSEQUENT REPORT OF :	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) Surface Casing	<input checked="" type="checkbox"/>
(Other) <input type="checkbox"/>		(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Well spudded 2:00 p.m. 5-18-74.

5-19-74: Ran 12 joints, 504', of 8-5/8" OD, 24#, K-55, ST&C, R-3 casing set at 500' KB. Cemented with 225 sacks Class "B" cement with 2% CaCl and 1/4# Flocele per sack. Plug down 10:30 a.m. 5-19. Cement circulated to surface.

Tested BOP and casing for 30 minutes at 1000 psi, no loss in pressure.

18. I hereby certify that the foregoing is true and correct

SIGNED *Ammie Bliss* TITLE District Superintendent DATE 5-20-74

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

USGS (3) Farmington
OGCC (2) ✓ SLC
TB ARM Shell Oil Co. The Navajo Tribe
Superior Oil Co. Gulf Oil Co. (2)
*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIP DATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

Gulf-Ped 81-067807

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

7. UNIT AGREEMENT NAME

Aneth Unit

8. FARM OR LEASE NAME

Unit

9. WELL NO.

K418

10. FIELD AND POOL, OR WILDCAT

Aneth Field

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

**Sec. 18-T40S-R24E
S.L.M.**

12. COUNTY OR PARISH 13. STATE

San Juan

Utah

1.

OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR

Texaco Inc. Attention: T. Bliss

3. ADDRESS OF OPERATOR

P. O. Box 2100, Denver, Colorado 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

**SW¹/₄ Sec. 18
978' FSL & 216' FWL, Sec. 18**

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

5058' Gr.

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

Production Casing

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

6-25-74: Ran 195 joints, 6,197', of 5 1/2" OD casing set at 6189'. DV collar at 2965', cemented first stage with 300 sacks regular Class "B" cement. Plug down at 4:30 p.m. Cemented second stage through DV collar at 2965' with 450 sacks Halliburton lite cement, followed with 50 sacks regular cement. Plug down 5:15 p.m. 6-25.

18. I hereby certify that the foregoing is true and correct

SIGNED

Jimmie Bliss

TITLE **District Superintendent**

DATE **June 27, 1974**

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

**USGS (3)
Farmington**

**OGCC (2)
SIC**

**TB ARM Shell Oil Co.
Superior Oil Co.
See Instructions on Reverse Side**

**The Navajo Tribe
Gulf Oil Company (2)**

**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

SUBMIT IN DUPLICATE

(See other instructions on reverse side)

Form approved,
Budget Bureau No. 42-R355.6

5. LEASE DESIGNATION AND SERIAL NO.

Gulf-Ped SL-067807

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Aneth Unit

8. FARM OR LEASE NAME

Unit

9. WELL NO.

E418

10. FIELD AND POOL, OR WILDCAT

Aneth Field

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA

**Sec. 18 T40S-R24E
S.L.M.**

12. COUNTY OR PARISH

San Juan

13. STATE

Utah

18. ELEVATIONS (DF, RKB, RT, GR, ETC.)*

5069' KB

5058' GR

ROTARY TOOLS

Surface to TD

CABLE TOOLS

--

25. WAS DIRECTIONAL SURVEY MADE

Yes

27. WAS WELL CORED

Yes

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL GAS WELL DRY Other _____

b. TYPE OF COMPLETION: NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF. RESVR. Other _____

2. NAME OF OPERATOR
Texaco Inc. Attention: T. Bliss

3. ADDRESS OF OPERATOR
P. O. Box 2100 Denver, Colorado 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*
At surface **SW1/4 Sec. 18**
978' FSL & 216' FWL, Sec. 18
At top prod. interval reported below
At total depth **770' FSL & 643' FWL, Sec. 18**

14. PERMIT NO. DATE ISSUED

13-037-20165

15. DATE SPUNDED **5-18-74** 16. DATE T.D. REACHED **6-24-74** 17. DATE COMPL. (Ready to prod.) **7-14-74**

20. TOTAL DEPTH, MD & TVD **6190' MD; 6140'** 21. PLUG, BACK T.D., MD & TVD **6125' MD; 6092' TVD** 22. IF MULTIPLE COMPL., HOW MANY* **--** 23. INTERVALS DRILLED BY **Surface to TD**

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*
Desert Creek Top 5968' Bottom TD

26. TYPE ELECTRIC AND OTHER LOGS RUN
DLL-GR, MLL, FDC-CNL-GR

28. CASING RECORD (Report all strings set in well)					
CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8"	24#	500'	11"	225 sacks	
5-1/2"	15.5#	6189'	7-7/8"	300 sacks	
	DV TOOL	2965'		500 sacks	

29. LINER RECORD					30. TUBING RECORD		
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
NONE					2-7/8"	5890'	

31. PERFORATION RECORD (Interval, size and number)		32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.	
SEE ATTACHED		DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
		SEE	ATTACHED

33.* PRODUCTION							
DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)				WELL STATUS (Producing or shut-in)	
7-14-74		Pumping				Producing	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
7-18-74	24	--	→	82	90	544	1096
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
--	--	→	--	--	--	40.5	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)
Sold

TEST WITNESSED BY
W. L. Wilson

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED *Jimmie Bliss* TITLE **District Superintendent** DATE **July 24, 1974**

*(See Instructions and Spaces for Additional Data on Reverse Side)

USGS (3) OGCC (2) TB ARM Shell Oil Co The Navajo Tribe
Farmington SLC Superior Oil Co Gulf Oil (2) Tenecco Sun Oil

WELL COMPLETION HISTORY
ANETH UNIT WELL NO. E418

- 6-30-74 Drilled through DV tool at 2965'.
- 7-1-74 Cleaned out to 6125'.
- 7-2-74 Pressured casing to 1000 psi, pressure held. Pulled tubing and bit. Ran GR correlation log. Perforated with 2 Jet shots per foot Desert Creek intervals 5990-98', 6004-10', 6020-38'.
- 7-3-74 Displaced hole with lease crude. Set bridge plug at 6080'. Spotted acid across perfs 6020-38'. Zone communicated with packer set at 6014'; moved packer to 5930'. Acidized with 3000 gallons 28% NE HCl in 2 equal stages with one 500 gallon TDA plug. Maximum pressure 3200# at 4 BPM. Initial shut in pressure 2600#, 5 minutes shut in 2150#, 10 minutes 1900#, 15 minutes 1700#.
- 7-4-74 Pulled tubing, packer, and bridge plug.
- 7-5-74 Ran pump and rods.
- 7-14-74 Pumped 20 hours, 130 barrels of oil and 506 barrels of water.
- 7-18-74 Initial potential pumped 24 hours, 82 barrels of oil and 544 barrels of water, 8½ strokes per minute, 186" length of stroke, with a 2¼" pump. Gas-oil ratio 1096. Specific gravity 40.5° at 60°.

ELECTRIC LOG TOPS

DeChelly	2984'
Hermosa	4964'
Ismay	5800'
Desert Creek	5968'

DRILL STEM TESTS

No DSTs were run.

CORES

Core 1	Ismay & Desert Creek	5954-6014'	cut 60', recovered 60'
Core 2	Desert Creek	6014-6074'	cut 60', recovered 60'
Core 3	Desert Creek	6074-6117'	cut 43', recovered 43'
Core 4	Desert Creek	6117-6127'	cut 10', recovered 9'

UNITED STATES
 DEPARTMENT OF THE INTERIOR
 BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
 (Other instructions on reverse side)

Form approved.
 Budget Bureau No. 1004-0135
 Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO.

Gulf Fed. SL-067807

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT" for such proposals.)

1. OIL WELL GAS WELL OTHER

7. UNIT AGREEMENT NAME

Aneth Unit

2. NAME OF OPERATOR
 TEXACO Inc.

8. FARM OR LEASE NAME

Unit

3. ADDRESS OF OPERATOR
 P.O. Box EE, Cortez, CO. 81321

9. WELL NO.

E418

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)
 At surface

10. FIELD AND POOL, OR WILDCAT

Aneth Field

SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 18
 978' FSL & 216' FWL, Sec. 18

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 18, T40S, R24E SLM

12. COUNTY OR PARISH 13. STATE
 5058' Gr. San Juan Utah

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

WATER SHUT-OFF
 FRACTURE TREATMENT
 SHOOTING OR ACIDIZING
 PACKER WELL
 (Other)

REPAIR OR ALTER CASING
 MULTIPLE COMPLETION
 ABANDONMENT*
 CHANGE PLANT

WATER SHUT-OFF
 FRACTURE TREATMENT
 SHOOTING OR ACIDIZING
 (Other)

REPAIRING WELL
 ALTERING CASING
 ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

IF OPERATIONS OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

10/11/84: Pull tbg & Sp. Tilt w/bit & scraper Clean out to 6125' KB. T.O.O.H., run tbg & PKR. Set Pkr @ 5850' KB tail pipe @ 5918 Acidize w/1000 gals 28% Hcl, 2BPM @ 1500#, shut in 1/2 hr., swab back 65 Bbls load fluid. Chemical squeezed well T.O.O.H w/tbg. & packer ran Reda Pump, flange up well. RDMOSU, place well back on production.

I hereby certify that the foregoing is true and correct.

SIGNED Chas. R. Mary

TITLE Field Supt.

DATE 1/7/85

(This space for Federal or State office use)

APPROVED BY _____
 CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

DATE _____

BLM Farmington (3)-OGCC (2)- Navajo Tribe-Superior Oil-JNH-RJH-ARM
 SLC

*See Instructions on Reverse Side

UNIT STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLI
(Other instructions re-
verse side)

Form approved. 121912
Budget Bureau No. 10040439
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO. **13**
Gulf Fed. SL-067807
6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
TEXACO INC.

3. ADDRESS OF OPERATOR
P. O. Box EE, Cortez, Co. 81321

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)
At surface
978' FSL & 216' FWL

14. PERMIT NO. **30165**

15. ELEVATIONS (Show whether DF, RT, GR, etc.)
5058' GR

RECEIVED
DEC 18 1986
DIVISION OF OIL, GAS & MINING

Navajo

7. UNIT AGREEMENT NAME
Aneth Unit

8. FARM OR LEASE NAME
Unit

9. WELL NO.
E418

10. FIELD AND POOL, OR WILDCAT
Aneth Field

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 18, T40S, R24E SLM

12. COUNTY OR PARISH
San Juan

13. STATE
Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input checked="" type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input checked="" type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

9-17-86 MIRUSU. TOO H w/submersible pump equipment. Heavy scale on tubing & cable. TIH w/bit & scraper. Clean out to 6050' KB (PBDT). Circulate hole clean. TOO H w/bit & scraper. TIH w/RBP & pkr. Set RBP @ 5900' KB. Attempted to test plug to 1500 psi. Would not hold. Set pkr & psi test annulus to 1300 psi. Communicated w/tbg. Retrieve RBP & TOO H looking for tbg leak. Found hole in tbg. TIH w/RBP & pkr. Reset RBP @ 5900' KB. Psi test to 2000 psi. held good. TOO H w/pkr. Isolate hole(s) in casing from 2964' KB to 3214' KB. TOO H w/pkr. Drop 2 sx sand on RBP. Spot 100 sx class B cement w/2% CaCl₂. Braden-head squeezed to 1600 psi. SI & woc. Drill out cement. Psi tested squeeze to 800 psi. held good. TOO H w/RBP. TIH w/pkr to acidize. Hit tight spot at 2920' KB. Unable to get thru. TIH/string reamer and work tight spot. TIH to PBDT. TOO H. TIH w/pkr & set at 5781'. Acidize perms w/750 gals 15% Hcl w/additives. Overdisplaced by 2 bbls. 2 BPM @ 2000 psi Avg. Max psi 2200 psi. ISIP 1800 psi. RDMO acidizing co. and backflow well to recover load. TOO H w/tbg & pkr. TIH w/SP equipment and put well on production. SP began to cycle. Unit oversized. Convert SP to rod pump and put well on production. RDMOSU.

Before 27 BOPD/284 BWPD/19 MCFPD
After 36 BOPD/48 BWPD/34 MCFPD

18. I hereby certify that the foregoing is true and correct

SIGNED Alan A. Klein TITLE Area Superintendent DATE 12/11/86

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:
BLM (5) UOGCC (3) Navajo Tribe Mobil Oil JNH LAA AAK
Farmington

*See Instructions on Reverse Side

ACCT NUM	COMPANY NAME	FLD NUM	FIELD NAME	TOWN SHIP	RANGE	SEC	QTR QTR	API NUMBER	PROD ZONE	WELL STATUS	ENTITY	WELL NAME				
NO980	TEXACO INC	365	GREATER ANETH	S400	E240	18	SWSW	4303730165	DSCR	POW	7000	ANETH U E418				
				S400	E230	13	NENE	4303730174	DSCR	WIW	7000	ANETH UNIT D113				
				S400	E240	7	SWSW	4303730175	DSCR	WIW	7000	ANETH U E407				
				S400	E240	8	NESE	4303730177	DSCR	POW	7000	ANETH U H308				
				S400	E240	21	NENE	4303730183	DSCR	POW	7000	ANETH U H121				
				S400	E240	21	SWSW	4303730188	IS-DC	POW	7000	ANETH U E421				
				S400	E240	19	NENW	4303730197	DSCR	POW	7000	ANETH U F119				
				S400	E240	11	SESW	4303730217	IS-DC	POW	7000	ANETH U F411				
				S400	E240	23	SWNW	4303730219	DSCR	POW	7000	ANETH U E223				
				S400	E240	23	SWNE	4303730226	IS-DC	POW	7000	ANETH U G223				
				S400	E240	14	NWSE	4303730230	DSCR	POW	7000	ANETH U G314				
				S400	E240	26	NESW	4303730232	IS-DC	POW	7000	ANETH U F326				
				S400	E240	25	SWNW	4303730233	IS-DC	POW	7000	ANETH U E225				
				S400	E240	25	NESW	4303730237	IS-DC	POW	7000	ANETH U F325				
				S400	E250	30	SWNE	4303730241	IS-DC	POW	7000	ANETH U L230				
				S400	E250	30	SWSW	4303730249	DSCR	TA	7000	ANETH U J430				
				S400	E240	23	SWSE	4303730311	DSCR	POW	7000	ANETH U G423				
				S400	E240	25	SWSW	4303730343	DSCR	POW	7000	ANETH U E425				
				S400	E240	26	NENE	4303730348	DSCR	POW	7000	ANETH U H126				
				S400	E240	23	SWSW	4303730370	DSCR	POW	7000	ANETH U E423				
				S400	E240	26	SWNW	4303730371	DSCR	POW	7000	ANETH U E226				
				S400	E240	22	SWSE	4303730375	DSCR	POW	7000	ANETH U G422				
				S400	E240	20	NENE	4303730404	IS-DC	POW	7000	ANETH U H120X				
				S400	E240	36	SWNE	4303730410	DSCR	POW	7000	ANETH U G236				
				S400	E240	21	SWNE	4303730516	DSCR	TA	7000	ANETH U G221X				
				S400	E230	14	NWNE	4303730636	DSCR	POW	7000	ANETH U C114				
				S400	E230	14	SENE	4303730638	DSCR	POW	7000	ANETH U D214				
				S400	E240	27	NENE	4303730643	DSCR	POW	7000	ANETH U H127				
				S400	E250	30	NENE	4303730649	DSCR	POW	7000	ANETH U M130				
				S400	E240	36	SWNW	4303730716	DSCR	POW	7000	ANETH U E236				
							1 WILDCAT	S280	E040	25	C-NW	4305511273		PA	99998	THOUSAND LAKE MTN UNIT #2
							380 ISMAY	S400	E260	16	SWSW	4303715544	ISMAY	POW	7010	ST WOOLLEY 1 (S416)
							365 GREATER ANETH	S400	E230	24	NENE	4303715701	DSCR	POW	7000	FED B-1 (D124)
								S400	E230	12	NESE	4303715831	DSCR	POW	7000	BURTON 43-12 (D312)
								S400	E230	23	NENE	4303716036	DSCR	POW	7000	AW RICE 1 (D123)
								S400	E240	35	NWNW	4303716056	DSCR	TA	7000	NAV TRB Q-3 (E135)
								S400	E240	22	SWNW	4303716059	DSCR	POW	7000	NAV TRB D-9 (E222)
								S400	E240	19	NESW	4303716081	DSCR	POW	7000	NAV TRB D-29 (F319)
							380 ISMAY	S400	E260	21	SWNW	4303716172	ISMAY	TA	7010	NAV TR J-11 (S221)
								S400	E260	22	SWSE	4303716187	ISMAY	POW	7010	NAV J-15 (U422)
							365 GREATER ANETH	S400	E240	33	SESE	4303716229	DSCR	POW	7000	ANETH 33-D4 (H433)
								S400	E240	7	SWNW	4303716283	DSCR	WIW	99990	GULF-AZTEC FED #7 (ANETH)
								S400	E240	18	SWSE	4303730132	DSCR	POW	7000	ANETH U G418
								S400	E240	17	SWSW	4303730134	IS-DC	POW	7000	ANETH U E417
								S400	E240	20	NESE	4303730154	IS-DC	POW	7000	ANETH U H320
								S400	E240	17	SWNE	4303730166	IS-DC	POW	7000	ANETH U G217
								S400	E240	8	SWNE	4303730178	DSCR	POW	7000	ANETH U G208



Texaco Exploration and Production Inc
Midland Producing Division

P O Box 3109
Midland TX 79702-3109

May 22, 1991

RECEIVED

MAY 28 1991

DIVISION OF
OIL GAS & MINING

Division of Oil, Gas, and Mining
Attn: Ms. Lisha Romero
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

Gentlemen:

This is to advise that as a part of a reorganization of Texaco Inc., a Delaware corporation, the name of Texaco Producing Inc., a Delaware corporation and wholly owned subsidiary of Texaco Inc., has been changed to Texaco Exploration and Production Inc. Further, Texaco Exploration and Production Inc. will succeed to the rights, titles, interests and obligations of Texaco Inc.

This means that Texaco Exploration and Production Inc. will be the operator for all the oil and gas properties that were operated by Texaco Inc. and Texaco Producing Inc. We plan to abbreviate the name as Texaco E & P Inc. for purposes of submitting production reports, etc., via computer, and we suggest that for consistency you use that abbreviation also.

We have enclosed a Sundry Notice with a list of the wells which Texaco operates in Utah. Also attached is UIC Form 5 for transfer of injection authority. Please note that Texaco has two Divisions which operate wells in Utah. One is located in Denver, Colorado, and the other is in Midland, Texas. We have enclosed separate Sundry Notices and lists of wells for each Division. If you have questions concerning the Denver-operated wells, please call Roger Hadley at (303) 793-4833. If you have questions concerning the Midland-operated wells, please call Ken Miller at (915) 688-4834.

Please change any of your other records as necessary to reflect this change.

Yours very truly,

R. S. Lane
Assistant Division Manager

RKH/KMM-CC

Attachments

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO.
2. NAME OF OPERATOR Texaco Exploration and Production Inc.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR P.O. Box 46510, Denver, CO 80201		7. UNIT AGREEMENT NAME
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface		8. FARM OR LEASE NAME
14. PERMIT NO.		9. WELL NO.
15. ELEVATIONS (Show whether OF, FT, GR, etc.)		10. FIELD AND POOL, OR WILDCAT
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
		12. COUNTY OR PARISH 13. STATE

RECEIVED
MAY 28 1991

DIVISION OF
OIL GAS & MINING

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	FULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <u>Transfer of Owner/Operator</u>	
(Other) Transfer of Plugging Bond <input checked="" type="checkbox"/>		(Note: Report results of multiple completion on Well (Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Texaco Inc. has assigned all its ownership rights in the subject well. As of January 1, 1991, Texaco Inc. is no longer the Operator of subject well. The New Operator Texaco Exploration and Production Inc. hereby accepts operating responsibility and liability under its good and sufficient bond or other security accepted by the Commission for proper plugging and surface restoration of the subject well.

Former Operator:

TEXACO INC.

Signed:

[Signature]
Attorney-In-Fact
for Texaco Inc.

Date:

3/1/91

New Operator:

Texaco Exploration and Production Inc.

Signed:

[Signature]

Title:

Division Manager

Date:

3/1/91

18. I hereby certify that the foregoing is true and correct

SIGNED

[Signature]

TITLE

Division Manager

DATE

3/1/91

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

REASON FOR APPROVAL, IF ANY:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

6. Lease Designation and Serial Number

7. Indian Allottee or Tribe Name

8. Unit or Communitization Agreement

9. Well Name and Number

10. API Well Number

11. Field and Pool, or Wildcat

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT for such proposals

1. Type of Well

- Oil Well Gas Well Other (specify)

2. Name of Operator

Texaco Exploration and Production Inc.

3. Address of Operator

3300 North Butler, Farmington, NM 87401

4. Telephone Number

(505) 325-4397

5. Location of Well

Footage :
QQ, Sec. T., R., M. : See Attached

County :
State : UTAH

CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
(Submit in Duplicate)

- Abandonment New Construction
 Casing Repair Pull or Alter Casing
 Change of Plans Recompletion
 Conversion to Injection Shoot or Acidize
 Fracture Treat Vent or Flare
 Multiple Completion Water Shut-Off
 Other Transfer of Plugging Bond

Approximate Date Work Will Start _____

SUBSEQUENT REPORT
(Submit Original Form Only)

- Abandonment * New Construction
 Casing Repair Pull or Alter Casing
 Change of Plans Shoot or Acidize
 Conversion to Injection Vent or Flare
 Fracture Treat Water Shut-Off
 Other Change of Operator/Operator Name

Date of Work Completion _____

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.

* Must be accompanied by a cement verification report.

13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

This submittal is for a change of operator (name change) for all of the attached wells. The new operator, Texaco Exploration and Production Inc., hereby accepts operating responsibility and liability under its good and sufficient bond or other security accepted by the Department for proper plugging and surface restoration of the attached wells. All contact personnel, office addresses and phone numbers will remain the same.

FORMER OPERATOR: TEXACO INC.

NEW OPERATOR: TEXACO EXPLORATION AND PRODUCTION INC.

SIGNED: [Signature]
Attorney-in-Fact

SIGNED: [Signature]
Assistant Division Manager

DATE: _____

DATE: _____

14. I hereby certify that the foregoing is true and correct

Name & Signature _____

Title Asst. Div. Manager Date _____

(State Use Only)

Routing:	
1- LCR/GIL	✓
2- DTS/DTS	✓
3- VLC	✓
4- RJF	✓
5- RWM	✓
6- LCR	✓

Attach all documentation received by the division regarding this change.
 Initial each listed item when completed. Write N/A if item is not applicable.

- Change of Operator (well sold) Designation of Agent
 Designation of Operator Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 1-1-91)
(TEXACO EXPLORATION AND PRODUCTION INC.)

TO (new operator)	<u>TEXACO E & P INC.</u>	FROM (former operator)	<u>TEXACO INC.</u>
(address)	<u>3300 NORTH BUTLER</u>	(address)	<u>3300 NORTH BUTLER</u>
	<u>FARMINGTON, NM 87401</u>		<u>FARMINGTON, NM 87401</u>
	<u>BRENT HELQUIST</u>		<u>FRANK</u>
	phone <u>(505) 325-4397</u>		phone <u>(505) 325-4397</u>
	account no. <u>N 5700 (6-5-91)</u>		account no. <u>N 0980</u>

Well(s) (attach additional page if needed):

Name: <u>(SEE ATTACHED)</u>	API: _____	Entity: _____	Sec ___ Twp ___ Rng ___	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec ___ Twp ___ Rng ___	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec ___ Twp ___ Rng ___	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec ___ Twp ___ Rng ___	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec ___ Twp ___ Rng ___	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec ___ Twp ___ Rng ___	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

- See 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). (5-28-91)
- N/A 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form).
- See 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes) no ____ If yes, show company file number: #114097.
- See 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of Federal and Indian well operator changes should take place prior to completion of steps 5 through 9 below.
- See 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. (6-11-91)
- See 6. Cardex file has been updated for each well listed above.
- See 7. Well file labels have been updated for each well listed above. (will update when filing)
- See 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission.
- See 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

- 1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) no (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
- 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only)

- 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond. # K0290791-4 80,000-Ins. Co. of N. America rec. 2-11-91.
- 2. A copy of this form has been placed in the new and former operators' bond files.
- 3. The former operator has requested a release of liability from their bond (yes/no) yes. Today's date _____ 19____. If yes, division response was made by letter dated _____ 19____. # m157448 80,000-Ins. Co. of N. America

OPERATOR INTEREST OWNER NOTIFICATION RESPONSIBILITY

- 1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated _____ 19____, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
- 2. Copies of documents have been sent to State Lands for changes involving State leases. 6-27-91

OPERATOR COMMENT

- 1. All attachments to this form have been microfilmed. Date: July 15 1991

STATE LANDS COMMENT

- 1. Copies of all attachments to this form have been filed in each well file.
- 2. The original of this form and the original attachments have been filed in the Operator Change file.

REMARKS

910606 Btm/Farmington N.M. - Duane Spencer (505) 327-5344 will follow up & call back.
 910607 Btm/Farmington - Approved 4-2-91 "Company Merger" Includes Aneth Unit and Ismay Flodine Unit.
 910607 St. Lands approved 4-15-91 "merger".

**UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT --" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well: OIL WELL GAS WELL OTHER

2. Name of Operator
TEXACO EXPLORATION & PRODUCTION, INC.

3. Address and Telephone No.
3300 N. Butler Ave., Suite 100 Farmington NM 87401 325-4397

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Unit Letter M : 978 Feet From The SOUTH Line and 216 Feet From The
WEST Line Section 18 Township T40S Range R24E

5. Lease Designation and Serial No.
SL-067807

6. If Indian, Alottee or Tribe Name
NAVAJO TRIBE

7. If Unit or CA, Agreement Designation
ANETH UNIT

8. Well Name and Number
ANETH UNIT
E418

9. API Well No.
4303730165

10. Field and Pool, Exploratory Area
DESERT CREEK

11. County or Parish, State
SAN JUAN , UTAH

12. Check Appropriate Box(s) To Indicate Nature of Notice, Report, or Other Data

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> OTHER: <u>ACIDIZE</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water


(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log Form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work,)*.

***** THIS SUNDRY REPORT IS FOR UTAH SEVERANCE TAX CALCULATION INFORMATION PURPOSES ONLY *****

TEXACO E&P INC HAS ACIDIZED THE SUBJECT WELL

8-8-96 MIRU, POOH W/ RODS, PUMP & TBG, RIH W/ TBG & PKR, SET PKR @ 5930', ACIDIZED W/ 1500 GALS 28% HCL & 1000 GALS TDA, POOH W/ TBG & PKR, RIH W/ TBG, RODS & PUMP, RDMO, PUT WELL ON PRODUCTION



14. I hereby certify that the foregoing is true and correct

SIGNATURE *Allen Davis* TITLE Senior Engineer DU Mgr. DATE 12/3/97

TYPE OR PRINT NAME Rached Hindi ALLEN DAVIS

(This space for Federal or State office use)

APPROVED _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY: _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

NO tax credit 6/98



Chevron

Chevron U.S.A. Production Company
Mid-Continent Business Unit
P.O. Box 36366
Houston, TX 77236
Phone 713 754 2000

April 9, 2002

Mr. John Baza,
Associate Director of Oil and Gas
Utah Department of Natural Resources
Division of Oil, Gas & Mining
1594 W. North Temple St., Suite 1210
Salt Lake City, UT 84114-5801

RECEIVED

APR 12 2002

DIVISION OF
OIL, GAS AND MINING

Dear Mr. Baza:

As you may recall from our meeting last year, we planned to combine the assets of Chevron U.S.A. Inc. ("CUSA"), by merger, and Texaco Exploration and Production Inc. ("TEPI"), by assignment, into a new entity which we referred to as "Newco LP". Along the way, additional information came to light and it was decided that this proposed corporate restructure would not be preferable. Therefore, CUSA and TEPI have continued to operate as separate entities.

We are now planning a simpler restructuring process where TEPI will assign most of its assets/operatorship to CUSA effective May 1, 2002. We plan to use the existing CUSA bonds/letters of credit, operator identification numbers, etc., for the TEPI assets that will be assigned.

A task force of Land, Regulatory and Environmental Compliance personnel are finishing the work that was begun last year to assign TEPI's assets—using the same forms and procedures as before. We have "new faces" in this task force due to reassignments and departures. In some cases, it may be worthwhile to visit you and your staff in person where new people are involved or if we need to review/clarify your forms and procedures. Otherwise, we will endeavor to complete the work to assign TEPI's assets/operatorship to CUSA and deliver the requisite materials to you in a timely manner.

During discussions last year, our focus was on Land, Regulatory and Environmental matters. The Finance organization also desires to join in this effort. For State Tax, Royalty and Regulatory reporting purposes (applicable to production from May 2002 through December 2002), we intend to generate two reports and two payments.

However, the reporting company name and identification number will be CUSA's. Beginning with January 2003 production and thereafter, we will issue only one CUSA report and payment. We trust this plan meets with your approval. Any questions or comments should be directed to Rick Dunlavy (telephone 713/752-7411, rickdunlavy@chevrontexaco.com).

We appreciate the cooperation and guidance you provided us in the past, and we look forward to bringing these efforts to a conclusion.

Respectfully submitted,

A handwritten signature in cursive script that reads "Don R. Sellars".

Don R. Sellars

Sr. Environmental Specialist

Chevron U. S. A. Inc.
 Permian Business Unit
 Aneth Operations
 San Juan County, Utah

Name/Operatorship Change
 Texaco Exploration and Production Inc.
 to
 Chevron U. S. A. Inc.
 Aneth Unit Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	11	400S	230E	4303716037	MESA 2 (ANTH D311)	1	OW	S
N5700	12	400S	230E	4303715822	BURTON 14-12 (A412)	1	OW	P
N5700	12	400S	230E	4303715829	BURTON 34-12 (C412)	1	OW	P
N5700	12	400S	230E	4303715831	BURTON 43-12 (D312)	1	OW	P
N5700	12	400S	230E	4303731537	ANETH B412	1	OW	S
N5700	13	400S	230E	4303715821	BURTON 12-13 (A213)	1	OW	P
N5700	13	400S	230E	4303715823	BURTON 14-13 (A413)	1	OW	P
N5700	13	400S	230E	4303715824	BURTON 21-13 (B113)	1	OW	P
N5700	13	400S	230E	4303715826	ANETH UNIT B313	1	OW	P
N5700	13	400S	230E	4303730162	ANETH U D313	1	OW	S
N5700	13	400S	230E	4303730173	ANETH U C213	1	OW	P
N5700	13	400S	230E	4303730298	ANETH U C413	1	OW	S
N5700	13	400S	230E	4303731076	ANETH UNIT C313SE	1	OW	S
N5700	13	400S	230E	4303731383	ANETH UNIT D213SE	1	OW	P
N5700	14	400S	230E	4303716030	ARROWHEAD 7 (A214)	1	OW	P
N5700	14	400S	230E	4303716031	ARROWHEAD 8 (A414)	1	OW	S
N5700	14	400S	230E	4303730634	ANETH U A114	1	OW	S
N5700	14	400S	230E	4303730635	ANETH U B214	1	OW	P
N5700	14	400S	230E	4303730636	ANETH U C114	1	OW	S
N5700	14	400S	230E	4303730637	ANETH U C314	1	OW	P
N5700	14	400S	230E	4303730638	ANETH U D214	1	OW	P
N5700	14	400S	230E	4303730639	ANETH U D414	1	OW	S
N5700	18	400S	240E	4303730165	ANETH U E418	1	OW	S
N5700	18	400S	240E	4303731077	ANETH UNIT E118SE	1	OW	S
N5700	18	400S	240E	4303731385	ANETH UNIT E218SE	1	OW	P

N5700	18	400S	240E	4303731534	ANETH E407SE	1	OW	S
N5700	23	400S	230E	4303716036	AW RICE 1 (D123)	1	OW	P
N5700	24	400S	230E	4303715701	FED B-1 (D124)	1	OW	S
N5700	07	400S	240E	4303730115	ANETH U F307	1	OW	P
N5700	07	400S	240E	4303730151	ANETH U G407	1	OW	P
N5700	07	400S	240E	4303731386	ANETH UNIT E407SW	1	OW	P

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>Operator Name Change</u>		5. LEASE DESIGNATION AND SERIAL NUMBER: See Attached List of Wells
2. NAME OF OPERATOR: Chevron U.S.A. Inc.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Navajo Nation & State of Utah
3. ADDRESS OF OPERATOR: P.O. Box 1150 CITY <u>Midland</u> STATE <u>TX</u> ZIP <u>79702</u>		7. UNIT or CA AGREEMENT NAME: Aneth Unit
4. LOCATION OF WELL FOOTAGES AT SURFACE: <u>See Attached List of Well Locations</u>		8. WELL NAME and NUMBER: See Attached List of Wells
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		9. API NUMBER:
		10. FIELD AND POOL, OR WILDCAT:
		COUNTY: <u>San Juan</u>
		STATE: <u>UTAH</u>

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: <u>Operator Name Change (Merger)</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.
Effective May 1, 2002, Chevron U.S.A. Inc. is the new operator of the attached list of subject wells and leases that were previously operated by Texaco Exploration and Production Inc. The Aneth Unit and subject wells are located on both Navajo Nation and State of Utah lands, 4 1/2 miles North of Montezuma Creek, San Juan County, Utah. These wells will be protected by the following surety bonds.

STATE OF UTAH Bond #: 103521627-0016 in the amount of \$80,000. (This replaces United Pacific Insurance Company bond number U89-75-80-0059. We respectfully request this bond be released and returned.)
BLM Nationwide Bond #: U89-75-81-0034 in the amount of \$300,000.
BIA Nationwide Bond #: U89-75-81-0026 in the amount of \$150,000.

KEY CONTACTS:
Roger Atcity - Operations Supervisor - 435-651-3277 x103
Ron Wackowski - Operations Manager - 970-675-3714

RECEIVED
MAY 06 2002
DIVISION OF
OIL, GAS AND MINING

NAME (PLEASE PRINT) <u>Allen S. Robinson</u>	TITLE <u>Attorney-In-Fact</u>
SIGNATURE <u></u>	DATE <u>April 30, 2002</u>

(This space for State use only)



**THE
NAVAJO
NATION**

MINERALS DEPARTMENT
Post Office Box 1910
Window Rock, Arizona 86515
Phone: (928) 871-6587 • Fax: (928) 871-7095

KELSEY A. BEGAYE
PRESIDENT

TAYLOR MCKENZIE, M.D.
VICE PRESIDENT

October 11, 2002

Mr. Don Sellars
Regulatory Specialist
ChevronTexaco
11111 S. Wilcrest
Houston, Texas 77099

Subject: Navajo Nation Assignment of Oil & Gas Lease

Dear Mr. Sellars:

Attached are fourteen (14) approved Navajo Nation Assignment of Oil and Gas Lease applications for assignment of interest from Texaco Exploration & Production, Inc. to Chevron U.S.A., Inc. (Chevron) for the following leases:

- | | | |
|---------------------|---------------------|----------------------|
| 1) I-149-IND-8834 | 6) I-149-IND-8839 | 11) 14-20-603-4035 |
| 2) I-149-IND-8835 | 7) 14-20-603-2057 | 12) 14-20-603-4037 |
| 3) I-149-IND-8836 | 8) 14-20-603-2059 | 13) 14-20-603-5043-A |
| 4) I-149-IND-8838 | 9) 14-20-603-4030-A | 14) 14-20-603-5446 |
| 5) I-149-IND-8839-A | 10) 14-20-603-4032 | |

If you have any questions, please call me or Mr. Brad Nesemeier at (928) 871-6587.

Sincerely,

Akhtar Zaman
Akhtar Zaman, Director
Minerals Department

Attachments
AZ/GLB/cab

5. If **NO**, the operator was contacted on: N/A

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 10/11/2002

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 10/11/2002

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: N/A

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 10/21/2002

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 11/14/2002

2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 11/14/2002

3. Bond information entered in RBDMS on: N/A

4. Fee wells attached to bond in RBDMS on: N/A

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: N/A

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: 8975810026

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: N/A

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number N/A

2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS: Chevron USA Inc merged with Texaco Exploration & Production Inc to form ChevronTexaco Inc although all the Utah operations will be operated by Chevron USA Inc.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>Injection wells</u>		5. LEASE DESIGNATION AND SERIAL NUMBER: <u>See Attachment</u>
2. NAME OF OPERATOR: <u>Resolute Natural Resources Company</u> <u>N2700</u>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: <u>Navajo</u>
3. ADDRESS OF OPERATOR: <u>1675 Broadway, Suite 1950</u> CITY <u>Denver</u> STATE <u>CO</u> ZIP <u>80202</u>		7. UNIT or CA AGREEMENT NAME: <u>Aneth Unit</u>
4. LOCATION OF WELL FOOTAGES AT SURFACE: <u>See Attachment</u>		8. WELL NAME and NUMBER: <u>See Attachment</u>
PHONE NUMBER: <u>(303) 534-4600</u>		9. API NUMBER: <u>See Attach</u>
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		10. FIELD AND POOL, OR WILDCAT: <u>Desert Creek</u>
COUNTY: <u>San Juan</u>		STATE: <u>UTAH</u>

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Change of Operator</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

As of December 1, 2004, Chevron U.S.A. Inc. resigned as Operator of the Aneth Unit. The successor operator is Resolute Natural Resources Company.

NAME (PLEASE PRINT) <u>Janet Pasque</u>	TITLE <u>Vice President</u>
SIGNATURE <u>Janet Pasque</u>	DATE <u>11/30/04</u>

(This space for State use only)

APPROVED 12/29/2004
ER
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>See attached exhibit.</u>		5. LEASE DESIGNATION AND SERIAL NUMBER: See attached exhibit.
2. NAME OF OPERATOR: Resolute Natural Resources Company		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Navajo
3. ADDRESS OF OPERATOR: 1675 Broadway, Suite 1950 CITY Denver STATE CO ZIP 80202		7. UNIT or CA AGREEMENT NAME: Aneth Unit
4. LOCATION OF WELL		8. WELL NAME and NUMBER: See attached exhibit.
FOOTAGES AT SURFACE: _____		9. API NUMBER: See attached exhibit.
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____		10. FIELD AND POOL, OR WILDCAT: Aneth
		COUNTY: <u>San Juan</u>
		STATE: <u>UTAH</u>

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Change of operator</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

As of December 1, 2004, Chevron U.S.A. Inc. resigned as operator of the Aneth Unit. Resolute Natural Resources Company has been elected the successor operator.

RECEIVED
DEC 22 2004
DIV. OF OIL, GAS & MINING

NAME (PLEASE PRINT) <u>Chevron U.S.A. Inc.</u> <u>N0210</u>	TITLE <u>A. E. Wacker, Attorney-in-Fact</u>
SIGNATURE <u>A. E. Wacker</u>	DATE <u>12/20/2004</u>

(This space for State use only)

APPROVED 12/29/2004
ER
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

Chevron USA to Resolute Natural Resources

D124	4303715701	SI Producer	NE	NE	24	T40S	R23E	520' FNL / 660' FEL	SL-0701010-C	See Attached SI and TA Well Status Spreadsheet
A213	4303715821	Producer	SW	NW	13	T40S	R23E	3287' FSL / 4631' FEL	SL-070968-A	
A412	4303715822	SI Producer	SW	SW	12	T40S	R23E	659' FSL / 4474' FEL	SL-070968-A	See Attached SI and TA Well Status Spreadsheet
A413	4303715823	Producer	SW	SW	13	T40S	R23E	657' FSL / 4631' FEL	SL-070968-A	
B113	4303715824	Producer	NE	NW	13	T40S	R23E	4602' FSL / 3311' FEL	SL-070968-A	
B313	4303715826	Producer	NE	SW	13	T40S	R23E	1972' FSL / 3302' FEL	SL-070968-A	
C412	4303715829	Producer	SW	SE	12	T40S	R23E	4606' FNL / 1980' FEL	SL-070968-A	
D312	4303715831	Producer	NE	SE	12	T40S	R23E	3290' FNL / 660' FEL	SL-070968-A	
E216	4303715833	Producer	SW	NW	16	T40S	R24E	2128' FNL / 662' FWL	NOG 99041323	
E416	4303715834	Producer	SW	SW	16	T40S	R24E	442' FSL / 721' FWL	NOG 99041323	
G216	4303715835	Producer	SW	NE	16	T40S	R24E	1975' FNL / 3304' FWL	NOG 99041323	
G416	4303715836	Producer	SW	SE	16	T40S	R24E	660' FSL / 1980' FEL	NOG 99041323	
H316	4303715837	Producer	NE	SE	16	T40S	R24E	1980' FSL / 662' FEL	NOG 99041323	
A214	4303716030	TA Producer	SW	NW	14	T40S	R23E	1980' FNL / 740' FWL	SL-070968	See Attached SI and TA Well Status Spreadsheet
A414	4303716031	SI Producer	SW	SW	14	40S	23E	820' FSL / 740' FWL	UTSL 070968	
D123	4303716036	Producer	NE	NE	23	T40S	R23E	660' FNL / 660' FEL	SL-0701010	
D311	4303716037	SI Producer	NE	SE	11	40S	23E	1980' FSL / 660' FEL	UTSL 070968B	
E123	4303716052	Producer	NW	NW	23	T40S	R24E	660' FNL / 660' FWL	I-149-IND-8838	
E135	4303716056	SI Producer	NW	NW	35	T40S	R24E	760' FNL / 703' FWL	14-20-603-2059	See Attached SI and TA Well Status Spreadsheet
E209	4303716057	Producer	SW	NW	9	T40S	R24E	2105' FNL / 670' FWL	I-149-IND-8834	
E215	4303716058	Producer	SW	NW	15	T40S	R24E	2109' FNL / 505' FWL	I-149-IND-8834	
E222	4303716059	Producer	SW	NW	22	T40S	R24E	1960' FNL / 770' FWL	I-149-IND-8836	
E335	4303716072	SI Producer	NW	SW	35	T40S	R24E	1900' FSL / 820' FWL	14-20-603-2059	See Attached SI and TA Well Status Spreadsheet
E415	4303716073	Producer	SW	SW	15	T40S	R24E	660' FSL / 660' FWL	I-149-IND-8834	
F122	4303716075	Producer	NE	NW	22	T40S	R24E	660' FNL / 1980' FWL	I-149-IND-8836	
F319	4303716081	Producer	NE	SW	19	T40S	R24E	1940' FSL / 2055' FWL	I-149-IND-8836	
G115	4303716088	Producer	NW	NE	15	T40S	R24E	660' FNL / 1980' FEL	I-149-IND-8834	
G222	4303716099	Producer	SW	NE	22	T40S	R24E	1890' FNL / 2140' FEL	I-149-IND-8836	
G309	4303716102	Producer	NW	SE	9	T40S	R24E	2080' FSL / 1990' FEL	I-149-IND-8834	
G329	4303716114	Producer	NW	SE	29	T40S	R24E	2045' FSL / 2125' FEL	14-20-603-5043	
G335	4303716115	Producer	NW	SE	35	T40S	R24E	1830' FSL / 1820' FEL	14-20-603-2059	
H415	4303716126	Producer	SE	SE	15	T40S	R24E	815' FSL / 812' FEL	I-149-IND-8834	
H435	4303716130	Producer	SE	SE	35	T40S	R24E	510' FSL / 725' FEL	14-20-603-2059	
L130	4303716138	Producer	NW	NE	30	T40S	R25E	745' FNL / 1900' FEL	I-149-IND-8839	
G134	4303716225	Producer	NW	NE	34	T40S	R24E	540' FNL / 2000' FEL	14-20-603-2056	S
G327	4303716226	Producer	NW	SE	27	T40S	R24E	2075' FSL / 1800' FEL	14-20-603-2056	
G334	4303716227	SI Producer	NW	SE	34	T40S	R24E	1980' FSL / 2130' FEL	14-20-603-2056	See Attached SI and TA Well Status Spreadsheet
H433	4303716229	SI Producer	SE	SE	33	T40S	R24E	745' FSL / 605' FEL	14-20-603-2056	See Attached SI and TA Well Status Spreadsheet
H434	4303716230	SI Producer	SE	SE	34	T40S	R24E	700' FSL / 500' FEL	14-20-603-2056	See Attached SI and TA Well Status Spreadsheet
H114	4303716310	Producer	NE	NE	14	T40S	R24E	730' FNL / 690' FEL	I-149-IND-8839	
H409	4303716324	Producer	SE	SE	9	T40S	R24E	660' FSL / 660' FEL	I-149-IND-8834	
G215	4303730066	SI Producer	SW	NE	15	T40S	R24E	2415' FNL / 1850' FEL	I-149-IND-8834	See Attached SI and TA Well Status Spreadsheet
E114	4303730093	Producer	NW	NW	14	T40S	R24E	500' FNL / 100' FWL	I-149-IND-8837	
F307	4303730115	SI Producer	NE	SW	7	T40S	R24E	2290' FSL / 1860' FWL	SL-067807	See Attached SI and TA Well Status Spreadsheet
F121	4303730117	Producer	NE	NW	21	T40S	R24E	50' FNL / 2150' FWL	I-149-IND-8836	
H307	4303730122	TA Producer	NE	SE	7	T40S	R24E	2120' FSL / 980' FEL	I-149-IND-8835	See Attached SI and TA Well Status Spreadsheet

Chevron USA to Resolute Natural Resources

H414	4303730123	Producer	SE	SE	14	40S	24E	300' FSL / 500' FEL	I-149-IND-8839	
G218	4303730131	Producer	SW	NE	18	T40S	R24E	1870' FNL / 2050' FEL	I-149-IND-8835	
G418	4303730132	Producer	SW	SE	18	T40S	R24E	760' FSL / 1950' FEL	I-149-IND-8835	
H119	4303730133	Producer	NE	NE	19	T40S	R24E	695' FNL / 570' FEL	I-149-IND-8836	
E417	4303730134	Producer	SW	SW	17	T40S	R24E	710' FSL / 630' FWL	I-149-IND-8835	
F120	4303730135	Producer	NE	NW	20	T40S	R24E	710' FNL / 1980' FWL	I-149-IND-8836	
H318	4303730136	Producer	NE	SE	18	T40S	R24E	1980' FSL / 610' FEL	I-149-IND-8835	
F317	4303730139	Producer	NE	SW	17	T40S	R24E	1980' FSL / 2140' FWL	I-149-IND-8835	
E217	4303730142	Producer	SW	NW	17	T40S	R24E	1980' FNL / 550' FWL	I-149-IND-8835	
G417	4303730144	Producer	SW	SE	17	T40S	R24E	660' FSL / 1980' FEL	I-149-IND-8835	
E220	4303730150	Producer	SW	NW	20	T40S	R24E	1956' FNL / 584' FWL	I-149-IND-8836	
G407	4303730151	Producer	SW	SE	7	T40S	R24E	650' FSL / 1960' FEL	SL-067807	
G408	4303730152	Producer	SW	SE	8	T40S	R24E	774' FSL / 1991' FEL	I-149-IND-8834	
H117	4303730153	Producer	NE	NE	17	T40S	R24E	866' FNL / 785' FEL	I-149-IND-8833	
H320	4303730154	Producer	NE	SE	20	T40S	R24E	2036 FSL / 650' FEL	I-149-IND-8836	
G220	4303730156	Producer	SW	NE	20	T40S	R24E	1860' FNL / 2086' FEL	I-149-IND-8833	
H118	4303730157	Producer	NE	NE	18	T40S	R24E	626' FNL / 650' FEL	I-149-IND-8835	
E408	4303730159	TA Producer	SW	SW	8	T40S	R24E	650' FSL / 626' FWL	I-149-IND-8833	See Attached SI and TA Well Status Spreadsheet
F117	4303730160	SI Producer	NE	NW	17	T40S	R24E	522' FNL / 1956' FWL	I-149-IND-8835	See Attached SI and TA Well Status Spreadsheet
D313	4303730162	TA Producer	NE	SE	13	T40S	R23E	1987' FSL / 782' FEL	SL-070968-A	See Attached SI and TA Well Status Spreadsheet
F320	4303730164	Producer	NE	SW	20	T40S	R24E	2130' FSL / 1950' FWL	I-149-IND-8836	
E418	4303730165	Producer	SW	SW	18	T40S	R24E	978' FSL / 216' FWL	SL-067807	
G217	4303730166	TA Producer	SW	NE	17	T40S	R24E	2170' FNL / 1860' FEL	I-149-IND-8835	See Attached SI and TA Well Status Spreadsheet
G219	4303730167	Producer	SW	NE	19	T40S	R24E	1989' FNL / 1923' FEL	I-149-IND-8836	
H319	4303730168	Producer	NE	SE	19	T40S	R24E	2086' FSL / 593' FEL	I-149-IND-8836	
F318	4303730169	Producer	NE	SW	18	T40S	R24E	1578' FSL / 1773' FWL	I-149-IND-8835	
C213	4303730173	Producer	SW	NE	13	T40S	R23E	1898' FNL / 1815' FEL	SL-070968-A	
F308	4303730176	Producer	NE	SW	8	T40S	R24E	1880' FSL / 1980' FWL	I-149-IND-8833	
H308	4303730177	TA Producer	NE	SE	8	T40S	R24E	1890' FSL / 660' FEL	I-149-IND-8834	See Attached SI and TA Well Status Spreadsheet
G208	4303730178	TA Producer	SW	NE	8	T40S	R24E	1939' FNL / 1939' FEL	I-149-IND-8833	See Attached SI and TA Well Status Spreadsheet
E221	4303730181	Producer	SW	NW	21	T40S	R24E	1898' FNL / 619' FWL	I-149-IND-8836	
H121	4303730183	Producer	NE	NE	21	T40S	R24E	520' FNL / 760' FEL	I-149-IND-8836	
F321	4303730185	Producer	NE	SW	21	T40S	R24E	1980' FSL / 1720' FWL	I-149-IND-8836	
F129	4303730187	Producer	NE	NW	29	T40S	R24E	550' FNL / 1690'FWL	14-20-603-4030-A	
E421	4303730188	Producer	SW	SW	21	T40S	R24E	660' FSL / 660' FWL	I-149-IND-8836	
E409	4303730189	Producer	SW	SW	9	T40S	R24E	910' FSL / 330' FWL	I-149-IND-8834	
H317	4303730196	Producer	NE	SE	17	T40S	R24E	2230' FSL / 930' FEL	I-149-IND-8833	
F119	4303730197	TA Producer	NE	NW	19	T40S	R24E	350' FNL / 1960' FWL	I-149-IND-8836	See Attached SI and TA Well Status Spreadsheet
E313	4303730200	Producer	NW	SW	13	T40S	R24E	1815' FSL / 785' FWL	I-149-IND-8837	
F216	4303730212	TA Producer	SE	NW	16	T40S	R24E	1848 FNL / 2043' FWL	NOG 99041323	See Attached SI and TA Well Status Spreadsheet
G421	4303730214	Producer	SW	SE	21	T40S	R24E	380' FSL / 1980' FEL	I-149-IND-8836	
H321	4303730216	Producer	NE	SE	21	T40S	R24E	2043' FSL / 591' FEL	I-149-IND-8836	
F411	4303730217	Producer	SE	SW	11	T40S	R24E	561' FSL / 1798' FWL	I-149-IND-8837	
G114	4303730218	Producer	NW	NE	14	T40S	R24E	660' FNL / 2220' FEL	I-149-IND-8837	
E223	4303730219	Producer	SW	NW	23	T40S	R24E	2106' FNL / 660' FWL	I-149-IND-8838	
E426	4303730220	Producer	SW	SW	26	T40S	R24E	660' FSL / 660' FWL	I-149-IND-8838	

Chevron USA to Resolute Natural Resources

F125	4303730221	Producer	NE	NW	25	T40S	R24E	627' FNL / 1980' FWL	I-149-IND-8838	
G225	4303730222	Producer	SW	NE	25	T40S	R24E	1760' FNL / 2170' FEL	I-149-IND-8838	
H123	4303730223	Producer	NE	NE	23	T40S	R24E	660' FNL / 660' FEL	I-149-IND-8838	
K330	4303730224	Producer	NE	SW	30	T40S	R25E	2020' FSL / 2010' FWL	I-149-IND-8839	
M330	4303730225	Producer	NE	SE	30	T40S	R25E	2046' FSL / 726' FEL	I-149-IND-8839	
G223	4303730226	Producer	SW	NE	23	T40S	R24E	2012' FNL / 1914' FEL	I-149-IND-8838	
H136	4303730227	Producer	NE	NE	36	T40S	R24E	660' FNL / 620' FEL	14-20-603-5443	
G420	4303730228	Producer	SW	SE	20	T40S	R24E	770' FSL / 1900' FEL	I-149-IND-8836	
G314	4303730230	Producer	NW	SE	14	T40S	R24E	1940' FSL / 2020' FEL	I-149-IND-8837	
E224	4303730231	Producer	SW	NW	24	T40S	R24E	1850' FNL / 660' FWL	I-149-IND-8838	
F326	4303730232	Producer	NE	SW	26	T40S	R24E	1914' FSL / 1914' FWL	I-149-IND-8838	
E225	4303730233	SI Producer	SW	NW	25	T40S	R24E	2079' FNL / 790' FWL	I-149-IND-8838	See Attached SI and TA Well Status Spreadsheet
F323	4303730234	Producer	NE	SW	23	T40S	R24E	1914' FSL / 1980' FWL	I-149-IND-8838	
G426	4303730236	Producer	SW	SE	26	T40S	R24E	610' FSL / 1980' FEL	I-149-IND-8838	
F325	4303730237	Producer	NE	SW	25	T40S	R24E	1850' FSL / 1840' FWL	I-149-IND-8838	
G425	4303730238	Producer	SW	SE	25	T40S	R24E	480' FSL / 1840' FEL	I-149-IND-8838	
H325	4303730239	Producer	NE	SE	25	T40S	R24E	1914' FSL / 660' FEL	I-149-IND-8838	
J230	4303730240	Producer	SW	NW	30	T40S	R25E	1980' FNL / 660' FWL	I-149-IND-8839 A	
L230	4303730241	Producer	SW	NE	30	T40S	R25E	1930' FNL / 1898' FEL	I-149-IND-8839	
J430	4303730243	Producer	SW	SW	30	T40S	R25E	660' FSL / 660' FWL	I-149-IND-8839	
F214	4303730250	Producer	SE	NW	14	T40S	R24E	2030' FNL / 1881' FWL	I-149-IND-8837	
E314	4303730266	Producer	NW	SW	14	T40S	R24E	1930' FSL / 660' FWL	I-149-IND-8837	
F414	4303730274	Producer	SE	SW	14	T40S	R24E	593' FSL / 1771' FWL	I-149-IND-8837	
C413	4303730298	TA Producer	SW	SE	13	T40S	R23E	810' FSL / 1980' FEL	SL-070968-A	See Attached SI and TA Well Status Spreadsheet
H125	4303730308	Producer	NE	NE	25	T40S	R24E	660' FNL / 560' FEL	I-149-IND-8838	
F126	4303730310	Producer	NE	NW	26	T40S	R24E	560' FNL / 1940' FWL	I-149-IND-8838	
G423	4303730311	Producer	SW	SE	23	T40S	R24E	660' FSL / 1980' FEL	I-149-IND-8838	
H323	4303730316	Producer	NE	SE	23	T40S	R24E	1845' FSL / 507' FEL	I-149-IND-8838	
G424	4303730334	TA Producer	SW	SE	24	T40S	R24E	660' FSL / 1980' FEL	I-149-IND-8838	See Attached SI and TA Well Status Spreadsheet
E425	4303730343	Producer	SW	SW	25	T40S	R24E	760' FSL / 840' FWL	I-149-IND-8838	
F322	4303730345	Producer	NE	SW	22	T40S	R24E	2130' FSL / 1980' FWL	I-149-IND-8836	
E422	4303730346	Producer	SW	SW	22	T40S	R24E	890' FSL / 600' FWL	I-149-IND-8836	
H126	4303730348	Producer	NE	NE	26	T40S	R24E	660' FNL / 830' FEL	I-149-IND-8838	
F324	4303730349	SI Producer	NE	SW	24	T40S	R24E	1980' FSL / 2080' FWL	I-149-IND-8838	See Attached SI and TA Well Status Spreadsheet
E424	4303730350	TA Producer	SW	SW	24	T40S	R24E	540' FSL / 450' FWL	I-149-IND-8838	See Attached SI and TA Well Status Spreadsheet
H326	4303730368	Producer	NE	SE	26	T40S	R24E	1850' FSL / 520' FEL	I-149-IND-8838	
G226	4303730369	Producer	SW	NE	26	T40S	R24E	2080' FNL / 1950' FEL	I-149-IND-8838	
E423	4303730370	Producer	SW	SW	23	T40S	R24E	550' FSL / 580' FWL	I-149-IND-8838	
E226	4303730371	Producer	SW	NW	26	T40S	R24E	1980' FNL 660' FWL		
G325X	4303730374	Producer	NW	SE	25	T40S	R24E	1850' FSL / 1710' FEL	I-149-IND-8838	
G422	4303730375	Producer	SW	SE	22	T40S	R24E	500' FSL / 1950' FEL	I-149-IND-8836	
H120X	4303730404	Producer	NE	NE	20	T40S	R24E	280' FNL / 840' FEL	I-149-IND-8833	
H322	4303730407	Producer	NE	SE	22	T40S	R24E	2070' FSL / 770' FEL	I-149-IND-8836	
F136	4303730409	Producer	NE	NW	36	T40S	R24E	760' FNL / 2020' FWL	14-20-603-5444	
G236	4303730410	Producer	SW	NE	36	T40S	R24E	1950' FNL / 1980' FEL	14-20-603-5443	
H335	4303730412	Producer	NE	SE	35	T40S	R24E	1980' FSL / 700' FEL	14-20-603-2059	

Chevron USA to Resolute Natural Resources

J231	4303730413	SI Producer	SW	NW	31	T40S	R25E	1850' FNL / 660' FWL	14-20-603-5443	See Attached SI and TA Well Status Spreadsheet
G221X	4303730516	Producer	SW	NE	21	T40S	R24E	1940' FNL / 1930' FEL	I-149-IND-8836	
A114	4303730634	SI Producer	NW	NW	14	40S	23E	735' FNL / 718' FWL	UTSL 070968	
B214	4303730635	Producer	SE	NW	14	T40S	R23E	1910' FNL / 1950' FWL	SL-070968	
C114	4303730636	SI Producer	NW	NE	14	T40S	R23E	820' FNL / 1920' FEL	SL-070968	See Attached SI and TA Well Status Spreadsheet
C314	4303730637	Producer	NW	SE	14	T40S	R23E	2140' FSL / 1870' FEL	SL-070968	
D214	4303730638	Producer	SE	NE	14	T40S	R23E	2090' FNL / 790' FEL	SL-070968	
D414	4303730639	Producer	SE	SE	14	T40S	R23E	570' FSL / 810' FEL	SL-070968	
H127	4303730643	Producer	NE	NE	27	T40S	R24E	660' FNL / 510' FEL	14-20-603-2056	
H128	4303716224	Injector	NE	NE	28	40S	24E	810' FNL / 510' FEL	14-20-603-2056	
J229	4303730645	SI Producer	SW	NW	29	40S	25E	1980' FNL / 510' FWL	I-149-IND-8839A	
K130	4303730646	Producer	NE	NW	30	T40S	R25E	660' FNL / 2010' FWL	I-149-IND-8839	
K131	4303730647	Producer	NE	NW	31	T40S	R25E	660' FNL / 1980' FWL	14-20-603-372-A	
L430	4303730648	Producer	SW	SE	30	T40S	R25E	660' FSL / 1980' FEL	I-149-IND-8839	
M130	4303730649	Producer	NE	NE	30	T40S	R25E	510' FNL / 780' FEL	I-149-IND-8839	
E236	4303730716	Producer	SW	NW	36	T40S	R24E	1930' FNL / 630' FWL	14-20-603-5444	
F127	4303730718	Producer	NE	NW	27	T40S	R24E	620' FNL / 1910' FWL	14-20-603-2056	
F128	4303730728	Producer	NE	NW	28	T40S	R24E	660' FNL / 1910' FWL	14-20-603-2056	
C313SE	4303731076	SI Producer	C	SE	13	40S	23E	1320' FSL / 1320' FEL	UTSL 070968A	
E118SE	4303731077	TA Producer	SW	NW	18	T40S	R24E	1340' FNL / 1140' FWL	SL-067807	See Attached SI and TA Well Status Spreadsheet
E121SE	4303731078	SI Producer	SW	NW	21	T40S	R24E	1400' FNL / 1320' FWL	I-149-IND-8836	See Attached SI and TA Well Status Spreadsheet
D113SE	4303731382	TA Producer	SE	NE	13	T40S	R23E	1330' FNL / 100' FEL	SL-070968-A	See Attached SI and TA Well Status Spreadsheet
D213SE	4303731383	TA Producer	NE	SE	13	T40S	R23E	2700' FNL / 150' FEL	SL-070968-A	See Attached SI and TA Well Status Spreadsheet
E218SE	4303731385	TA Producer	NW	SW	18	T40S	R24E	2660' FNL / 1220' FWL	SL-067807	See Attached SI and TA Well Status Spreadsheet
E407SW	4303731386	TA Producer	SW	SW	7	T40S	R24E	0' FSL / 70' FWL	SL-067807	See Attached SI and TA Well Status Spreadsheet
E115	4303731396	Producer	NW	NW	15	T40S	R24E	630' FNL / 660' FWL	I-149-IND-8834	
F215	4303731397	Producer	SE	NW	15	T40S	R24E	1900' FNL / 1990' FWL	I-149-IND-8834	
F415	4303731398	Producer	SE	SW	15	T40S	R24E	680' FSL / 1880' FWL	I-149-IND-8834	
G315X	4303731408	Producer	NW	SE	15	T40S	R24E	1880' FSL / 1980' FEL	I-149-IND-8834	
H116	4303731409	TA Producer	NE	NE	16	T40S	R24E	660' FNL / 900' FEL	NOG 99041323	
H129	4303731529	Producer	NE	NE	29	T40S	R24E	730' FNL / 730' FEL	14-20-603-4030	
H135	4303731531	Producer	NE	NE	35	T40S	R24E	503' FNL / 813' FEL	14-20-603-2059	
E407SE	4303731534	Producer	NE	NW	18	40S	24E	199' FNL / 1602' FWL	UTSL 067807	
B412	4303731537	TA Producer	SE	SW	12	T40S	R23E	901' FSL / 1600' FWL	SL-070968-A	
F214SE	4303731684	Producer	SE	NW	14	T40S	R24E	2580' FNL / 2350' FWL	I-149-IND-8837	

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM not yet BIA not yet

8. **Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: not yet

9. **Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: _____

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 12/29/2004
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 12/29/2004
3. Bond information entered in RBDMS on: n/a
4. Fee/State wells attached to bond in RBDMS on: n/a
5. Injection Projects to new operator in RBDMS on: separate list
6. Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: B001263

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: B001264

FEE & STATE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number B001262
2. The **FORMER** operator has requested a release of liability from their bond on: not yet
The Division sent response by letter on: _____

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: _____

COMMENTS:
