

UTAH DIVISION OF OIL AND GAS CONSERVATION

REMARKS: WELL LOG \_\_\_\_\_ ELECTRIC LOGS \_\_\_\_\_ FILE  WATER SANDS \_\_\_\_\_ LOCATION INSPECTED \_\_\_\_\_ SUB. REPORT/abd. \_\_\_\_\_

*3/15/76 - Application to drill terminated*

DATE FILED 10-10-75

LAND: FEE & PATENTED STATE LEASE NO. PUBLIC LEASE NO. UTAH 0147666-B INDIAN

DRILLING APPROVED: 10-9-75

SPUDDED IN:

COMPLETED: PUT TO PRODUCING:

INITIAL PRODUCTION:

GRAVITY A.P.I.

GOR:

PRODUCING ZONES:

TOTAL DEPTH:

WELL ELEVATION:

DATE ABANDONED: *3-15-76 La'd*

FIELD: ~~Recapture Creek Ext.~~ *3/86 Greater Aneth*

UNIT:

COUNTY: San Juan

WELL NO. Federal 1-26

APT. NO: 43-037-30253

LOCATION 622' FT. FROM ~~(N)~~(S) LINE, 1855' FT. FROM ~~(E)~~(W) LINE. SE SW <sup>14</sup> ¼-¼ SEC. 26

TWP.	RGE.	SEC.	OPERATOR	TWP.	RGE.	SEC.	OPERATOR
40S	23E	26	LADD PETROLEUM COMPANY				

3/15/76 - Application to drill terminated

FILE NOTATIONS

Entered in NID File .....	Checked by Chief .....
Location Map Pinned .....	Approval Letter .....
Card Indexed .....	Disapproval Letter .....

COMPLETION DATA:

Date Well Completed .....	Location Inspected .....
W..... WW..... TA.....	Bond released
GW..... OS..... PA.....	State or Fee Land .....

LOGS FILED

Driller's Log.....

Electric Logs (No.) .....

E..... I..... Dual I Lat..... GR-N..... Micro.....

ANC Sonic GR..... Lat..... MI-L..... Sonic.....

CBLog..... CCLog..... Others.....

Oct Nov 75

5-15-91  
JCR

**JOHN M. HELLER**

**REGISTERED ENGINEER  
(Petroleum)**

October 6, 1975

P.O. Box 1507  
1727 Forest Avenue  
Durango, Colorado 81301

Office: (303) 247-0146  
Res.: (303) 247-3846



State of Utah  
Division of Oil, Gas, and Mining  
1588 West Temple North  
Salt Lake City, Utah 84116

Re: Application for Permit to Drill  
Ladd Petroleum Corporation  
Federal No. 1-22 Sec. 22  
Federal No. 1-26 Sec. 26  
T-40-S; R-23-E, San Juan Co.

Gentlemen:

Please find enclosed are two copies of Application for Permit to Drill for the two captioned wells.

You may note that the casing programs have been altered as indicated by attached Form 9-331. It is felt that the change is in order since no water flows have been encountered in the drilling of the Texaco-Federal No. 1-27, Sec. 27 of the same township and range.

Very truly yours,

*John M. Heller*  
John M. Heller  
Field Agent  
Utah Reg. #3951

Encl.-4

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK  
 DRILL  DEEPEN  PLUG BACK

b. TYPE OF WELL  
 OIL WELL  GAS WELL  OTHER   
 SINGLE ZONE  MULTIPLE ZONE

2. NAME OF OPERATOR  
 LADD PETROLEUM CORPORATION

3. ADDRESS OF OPERATOR  
 830 Denver Club Building  
 Denver, Colorado 80202

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)\*  
 At surface  
 622' NSL 1855 EWL  
 At proposed prod. zone

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE\*  
 Approx. 1 mile West of Montezuma Creek

15. DISTANCE FROM PROPOSED\* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any)  
 622'

16. NO. OF ACRES IN LEASE  
 80

17. NO. OF ACRES ASSIGNED TO THIS WELL  
 80

18. DISTANCE FROM PROPOSED LOCATION\* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.  
 -

19. PROPOSED DEPTH  
 6000'

20. ROTARY OR CABLE TOOLS  
 Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)  
 4526 gr.

5. LEASE DESIGNATION AND SERIAL NO.  
 6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
 7. UNIT AGREEMENT NAME  
 8. FARM OR LEASE NAME  
 FEDERAL  
 9. WELL NO.  
 1-26  
 10. FIELD AND POOL, OR WILDCAT  
 Wildcat  
 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
 26-40S-23E  
 12. COUNTY OR PARISH  
 San Juan  
 13. STATE  
 Utah

22. APPROX. DATE WORK WILL START\*  
 October 30, 1975

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
17 1/2"	13 3/8"	48	100	115 Sx. to surface
11"	8 5/8"	24	1450, 1220	500 Sx. 525 Sx
7 7/8"	4 1/2"	10.5	T.D.	As required.


- Cement 13 3/8" casing to 100' with sufficient cement to fill to surface. WOC 12 hrs.
- Drill 11" hole to approx. 1450' & cement 8 5/8" with approx. 450 Sx cement. WOC 18 hrs.
- Drill 7 7/8" hole to approx. 6000', run logs, complete with 4 1/2" or abandon.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED A.J. Huser TITLE Manager of Drilling DATE 9/15/75

(This space for Federal or State office use)  
 PERMIT NO. 43-031-30253 APPROVAL DATE \_\_\_\_\_

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
 CONDITIONS OF APPROVAL, IF ANY:



**WELL LOCATION: LADD PETROLEUM CORP. NO. 1 - 26**

Located 622 feet North of the South line and 1855 feet East of the West line of Section 26,  
 Township 40 South, Range 23 East, Salt Lake Base & Meridian,  
 San Juan County, Utah.  
 Existing ground elevation determined at 4526 feet based on U.S.G.S. datum.

I hereby certify the above plat represents a survey made under my supervision and that it is accurate to the best of my knowledge and belief

*Frederick H. Reed*

FREDERICK H. REED  
 Registered Land Surveyor  
 Reg. No. 2689



<b>LADD PETROLEUM CORP.</b> Denver, Colorado	
<b>WELL LOCATION PLAT</b>	
Section 26, T. 40 S., R. 23 E., San Juan County, Utah	
CLARK-REED & ASSOC. Durango, Colorado	DATE: Sept. 9, 1975 FILE NO: 75048

## DESIGNATION OF OPERATOR

The undersigned is, on the records of the Bureau of Land Management, holder of lease

DISTRICT LAND OFFICE: Salt Lake City, Utah  
SERIAL NO.: Federal Utah 0147666-B

and hereby designates

NAME: Ladd Petroleum Corporation  
ADDRESS: 830 Denver Club Building, Denver, Colorado 80202

as his operator and local agent, with full authority to act in his behalf in complying with the terms of the lease and regulations applicable thereto and on whom the supervisor or his representative may serve written or oral instructions in securing compliance with the Operating Regulations with respect to (describe acreage to which this designation is applicable):

Township 40 South, Range 23 East, SLM  
Section 26: SE $\frac{1}{4}$ SW $\frac{1}{4}$

San Juan County, Utah

It is understood that this designation of operator does not relieve the lessee of responsibility for compliance with the terms of the lease and the Operating Regulations. It is also understood that this designation of operator does not constitute an assignment of any interest in the lease.

In case of default on the part of the designated operator, the lessee will make full and prompt compliance with all regulations, lease terms, or orders of the Secretary of the Interior or his representative.

The lessee agrees promptly to notify the supervisor of any change in the designated operator.

TEXACO Inc.

By R. M. Dennis

(Signature of lessee)

Agent and Attorney-in-Fact

P. O. Box 2100, Denver, Colorado 80201

(Address)

9-26-75

(Date)

Re: Ladd Petroleum Corp.  
No. 1-26 Federal  
SE/4 SW/4 Sec. 26-40S-23E  
San Juan County, Utah

Development Plan for Surface Use: On the captioned drillsite

1. Existing Roads - See attached topography map.
2. Planned Access Roads - See attached topography map and Exhibit No. 1
3. Location of Existing Wells - See attached Exhibit No. 2
4. Lateral Roads to Well Locations - See topography map. Location is about 200 yards from existing road but it will be necessary to construct approximately 0.4 mile of roadway down hillside in order to obtain a reasonable roadgrade. An existing trail will be utilized to the most feasible extent.
5. Location of Tank Battery and Flow Line - Propose to construct on drillsite.
6. Location and Type of Water Supply - Propose to obtain fresh water from the well currently being used on the Texaco-Federal No. 1-27 drilling operation. Water well is situated in NW/4 Sec. 27. Propose to haul. Alternate source would be to haul from the San Juan River near Montezuma Creek.
7. Methods of Handling Waste - All burnable trash to be gathered and burned in a burn pit. Waste drilling fluids to be contained in a reserve pit and filled over on completion of operations. Other waste to be buried when restoration is made to the surface.
8. Location of Camps - None planned
9. Location of Airstrips - None planned
10. Rig Layout - See attached Exhibit No. 1
11. Plans for Restoration of Surface - To fill and grade reserve pit and location to conform to the original topography as much as possible. To seed area as specified by US BLM recommendation with Indian Salt Grass at the prudent time. If reserve pit does not permit restoration to be made at the completion of drilling, a temporary fence will be constructed to prevent any hazard to livestock.
12. Other Information - Drillsite has been staked off standard pattern due to rough topography. Falls in an eroded shaly area at the head of a small canyon. Vegetation is very light. Some Black brush present. No trees.

Ladd Petroleum Corporation  
Federal No. 1-26  
SE/4 SW/4 Sec. 26 T40S R23E  
San Juan County, Utah






EXHIBIT NO. 1  
Proposed Rig Layout  
Scale 1" = 50' Approx.




Ladd Petroleum Corporation  
 No. 1-26 Federal

EXHIBIT NO. 2



(WHITE MESA VILLAGE) 4158 III




CONTOUR INTERVAL 40 FEET  
 DOTTED LINES REPRESENT 20-FOOT CONTOURS  
 DATUM IS MEAN SEA LEVEL

Ladd Petroleum Corporation  
 Federal 1-26 Location and area.

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
 FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225 OR WASHINGTON, D. C. 20242  
 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

○ Location

Existing Road



UNITED STATES DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE\*  
(Other instructions on reverse side)

Form approved.  
Budget Bureau No. 42-R1424.

**SUNDRY NOTICES AND REPORTS ON WELLS**

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. <input type="checkbox"/> OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER		5. LEASE DESIGNATION AND SERIAL NO. <b>Utah 0147666-B</b>																																						
2. NAME OF OPERATOR <b>Ladd Petroleum Corporation</b>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME																																						
3. ADDRESS OF OPERATOR <b>830 Denver Club Building Denver, Colorado 80202</b>		7. UNIT AGREEMENT NAME																																						
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface <b>622' NSL; 1855' EWL</b>		8. FARM OR LEASE NAME <b>Federal</b>																																						
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT, GR, etc.) <b>4526' Ground</b>	9. WELL NO. <b>1-26</b>																																						
16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data		10. FIELD AND POOL, OR WILDCAT <b>Wildcat</b>																																						
<table border="0" style="width:100%;"> <tr> <td style="width:50%; vertical-align: top;"> <p align="center">NOTICE OF INTENTION TO:</p> <table border="0"> <tr><td>TEST WATER SHUT-OFF</td><td><input type="checkbox"/></td><td>PULL OR ALTER CASING</td><td><input checked="" type="checkbox"/></td></tr> <tr><td>FRACTURE TREAT</td><td><input type="checkbox"/></td><td>MULTIPLE COMPLETE</td><td><input type="checkbox"/></td></tr> <tr><td>SHOOT OR ACIDIZE</td><td><input type="checkbox"/></td><td>ABANDON*</td><td><input type="checkbox"/></td></tr> <tr><td>REPAIR WELL</td><td><input type="checkbox"/></td><td>CHANGE PLANS</td><td><input type="checkbox"/></td></tr> <tr><td>(Other)</td><td><input type="checkbox"/></td><td></td><td></td></tr> </table> </td> <td style="width:50%; vertical-align: top;"> <p align="center">SUBSEQUENT REPORT OF:</p> <table border="0"> <tr><td>WATER SHUT-OFF</td><td><input type="checkbox"/></td><td>REPAIRING WELL</td><td><input type="checkbox"/></td></tr> <tr><td>FRACTURE TREATMENT</td><td><input type="checkbox"/></td><td>ALTERING CASING</td><td><input type="checkbox"/></td></tr> <tr><td>SHOOTING OR ACIDIZING</td><td><input type="checkbox"/></td><td>ABANDONMENT*</td><td><input type="checkbox"/></td></tr> <tr><td>(Other)</td><td><input type="checkbox"/></td><td></td><td></td></tr> </table> <p align="center"><small>(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)</small></p> </td> </tr> </table>		<p align="center">NOTICE OF INTENTION TO:</p> <table border="0"> <tr><td>TEST WATER SHUT-OFF</td><td><input type="checkbox"/></td><td>PULL OR ALTER CASING</td><td><input checked="" type="checkbox"/></td></tr> <tr><td>FRACTURE TREAT</td><td><input type="checkbox"/></td><td>MULTIPLE COMPLETE</td><td><input type="checkbox"/></td></tr> <tr><td>SHOOT OR ACIDIZE</td><td><input type="checkbox"/></td><td>ABANDON*</td><td><input type="checkbox"/></td></tr> <tr><td>REPAIR WELL</td><td><input type="checkbox"/></td><td>CHANGE PLANS</td><td><input type="checkbox"/></td></tr> <tr><td>(Other)</td><td><input type="checkbox"/></td><td></td><td></td></tr> </table>	TEST WATER SHUT-OFF	<input type="checkbox"/>	PULL OR ALTER CASING	<input checked="" type="checkbox"/>	FRACTURE TREAT	<input type="checkbox"/>	MULTIPLE COMPLETE	<input type="checkbox"/>	SHOOT OR ACIDIZE	<input type="checkbox"/>	ABANDON*	<input type="checkbox"/>	REPAIR WELL	<input type="checkbox"/>	CHANGE PLANS	<input type="checkbox"/>	(Other)	<input type="checkbox"/>			<p align="center">SUBSEQUENT REPORT OF:</p> <table border="0"> <tr><td>WATER SHUT-OFF</td><td><input type="checkbox"/></td><td>REPAIRING WELL</td><td><input type="checkbox"/></td></tr> <tr><td>FRACTURE TREATMENT</td><td><input type="checkbox"/></td><td>ALTERING CASING</td><td><input type="checkbox"/></td></tr> <tr><td>SHOOTING OR ACIDIZING</td><td><input type="checkbox"/></td><td>ABANDONMENT*</td><td><input type="checkbox"/></td></tr> <tr><td>(Other)</td><td><input type="checkbox"/></td><td></td><td></td></tr> </table> <p align="center"><small>(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)</small></p>	WATER SHUT-OFF	<input type="checkbox"/>	REPAIRING WELL	<input type="checkbox"/>	FRACTURE TREATMENT	<input type="checkbox"/>	ALTERING CASING	<input type="checkbox"/>	SHOOTING OR ACIDIZING	<input type="checkbox"/>	ABANDONMENT*	<input type="checkbox"/>	(Other)	<input type="checkbox"/>			11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA <b>Sec. 26-40S-23E</b>
<p align="center">NOTICE OF INTENTION TO:</p> <table border="0"> <tr><td>TEST WATER SHUT-OFF</td><td><input type="checkbox"/></td><td>PULL OR ALTER CASING</td><td><input checked="" type="checkbox"/></td></tr> <tr><td>FRACTURE TREAT</td><td><input type="checkbox"/></td><td>MULTIPLE COMPLETE</td><td><input type="checkbox"/></td></tr> <tr><td>SHOOT OR ACIDIZE</td><td><input type="checkbox"/></td><td>ABANDON*</td><td><input type="checkbox"/></td></tr> <tr><td>REPAIR WELL</td><td><input type="checkbox"/></td><td>CHANGE PLANS</td><td><input type="checkbox"/></td></tr> <tr><td>(Other)</td><td><input type="checkbox"/></td><td></td><td></td></tr> </table>	TEST WATER SHUT-OFF	<input type="checkbox"/>	PULL OR ALTER CASING	<input checked="" type="checkbox"/>	FRACTURE TREAT	<input type="checkbox"/>	MULTIPLE COMPLETE	<input type="checkbox"/>	SHOOT OR ACIDIZE	<input type="checkbox"/>	ABANDON*	<input type="checkbox"/>	REPAIR WELL	<input type="checkbox"/>	CHANGE PLANS	<input type="checkbox"/>	(Other)	<input type="checkbox"/>			<p align="center">SUBSEQUENT REPORT OF:</p> <table border="0"> <tr><td>WATER SHUT-OFF</td><td><input type="checkbox"/></td><td>REPAIRING WELL</td><td><input type="checkbox"/></td></tr> <tr><td>FRACTURE TREATMENT</td><td><input type="checkbox"/></td><td>ALTERING CASING</td><td><input type="checkbox"/></td></tr> <tr><td>SHOOTING OR ACIDIZING</td><td><input type="checkbox"/></td><td>ABANDONMENT*</td><td><input type="checkbox"/></td></tr> <tr><td>(Other)</td><td><input type="checkbox"/></td><td></td><td></td></tr> </table> <p align="center"><small>(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)</small></p>	WATER SHUT-OFF	<input type="checkbox"/>	REPAIRING WELL	<input type="checkbox"/>	FRACTURE TREATMENT	<input type="checkbox"/>	ALTERING CASING	<input type="checkbox"/>	SHOOTING OR ACIDIZING	<input type="checkbox"/>	ABANDONMENT*	<input type="checkbox"/>	(Other)	<input type="checkbox"/>					
TEST WATER SHUT-OFF	<input type="checkbox"/>	PULL OR ALTER CASING	<input checked="" type="checkbox"/>																																					
FRACTURE TREAT	<input type="checkbox"/>	MULTIPLE COMPLETE	<input type="checkbox"/>																																					
SHOOT OR ACIDIZE	<input type="checkbox"/>	ABANDON*	<input type="checkbox"/>																																					
REPAIR WELL	<input type="checkbox"/>	CHANGE PLANS	<input type="checkbox"/>																																					
(Other)	<input type="checkbox"/>																																							
WATER SHUT-OFF	<input type="checkbox"/>	REPAIRING WELL	<input type="checkbox"/>																																					
FRACTURE TREATMENT	<input type="checkbox"/>	ALTERING CASING	<input type="checkbox"/>																																					
SHOOTING OR ACIDIZING	<input type="checkbox"/>	ABANDONMENT*	<input type="checkbox"/>																																					
(Other)	<input type="checkbox"/>																																							
		12. COUNTY OR PARISH   13. STATE <b>San Juan   Utah</b>																																						

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

<p align="center">NOTICE OF INTENTION TO:</p> <table border="0"> <tr><td>TEST WATER SHUT-OFF</td><td><input type="checkbox"/></td><td>PULL OR ALTER CASING</td><td><input checked="" type="checkbox"/></td></tr> <tr><td>FRACTURE TREAT</td><td><input type="checkbox"/></td><td>MULTIPLE COMPLETE</td><td><input type="checkbox"/></td></tr> <tr><td>SHOOT OR ACIDIZE</td><td><input type="checkbox"/></td><td>ABANDON*</td><td><input type="checkbox"/></td></tr> <tr><td>REPAIR WELL</td><td><input type="checkbox"/></td><td>CHANGE PLANS</td><td><input type="checkbox"/></td></tr> <tr><td>(Other)</td><td><input type="checkbox"/></td><td></td><td></td></tr> </table>	TEST WATER SHUT-OFF	<input type="checkbox"/>	PULL OR ALTER CASING	<input checked="" type="checkbox"/>	FRACTURE TREAT	<input type="checkbox"/>	MULTIPLE COMPLETE	<input type="checkbox"/>	SHOOT OR ACIDIZE	<input type="checkbox"/>	ABANDON*	<input type="checkbox"/>	REPAIR WELL	<input type="checkbox"/>	CHANGE PLANS	<input type="checkbox"/>	(Other)	<input type="checkbox"/>			<p align="center">SUBSEQUENT REPORT OF:</p> <table border="0"> <tr><td>WATER SHUT-OFF</td><td><input type="checkbox"/></td><td>REPAIRING WELL</td><td><input type="checkbox"/></td></tr> <tr><td>FRACTURE TREATMENT</td><td><input type="checkbox"/></td><td>ALTERING CASING</td><td><input type="checkbox"/></td></tr> <tr><td>SHOOTING OR ACIDIZING</td><td><input type="checkbox"/></td><td>ABANDONMENT*</td><td><input type="checkbox"/></td></tr> <tr><td>(Other)</td><td><input type="checkbox"/></td><td></td><td></td></tr> </table> <p align="center"><small>(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)</small></p>	WATER SHUT-OFF	<input type="checkbox"/>	REPAIRING WELL	<input type="checkbox"/>	FRACTURE TREATMENT	<input type="checkbox"/>	ALTERING CASING	<input type="checkbox"/>	SHOOTING OR ACIDIZING	<input type="checkbox"/>	ABANDONMENT*	<input type="checkbox"/>	(Other)	<input type="checkbox"/>		
TEST WATER SHUT-OFF	<input type="checkbox"/>	PULL OR ALTER CASING	<input checked="" type="checkbox"/>																																		
FRACTURE TREAT	<input type="checkbox"/>	MULTIPLE COMPLETE	<input type="checkbox"/>																																		
SHOOT OR ACIDIZE	<input type="checkbox"/>	ABANDON*	<input type="checkbox"/>																																		
REPAIR WELL	<input type="checkbox"/>	CHANGE PLANS	<input type="checkbox"/>																																		
(Other)	<input type="checkbox"/>																																				
WATER SHUT-OFF	<input type="checkbox"/>	REPAIRING WELL	<input type="checkbox"/>																																		
FRACTURE TREATMENT	<input type="checkbox"/>	ALTERING CASING	<input type="checkbox"/>																																		
SHOOTING OR ACIDIZING	<input type="checkbox"/>	ABANDONMENT*	<input type="checkbox"/>																																		
(Other)	<input type="checkbox"/>																																				

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

It is proposed to change the original Application for Permit to Drill as follows:

To set 8-5/8" casing at 1320' and cement with 1100 cuft. (400 sx. Lite-Poz and 125 sx. neat) cement back to surface.

18. I hereby certify that the foregoing is true and correct

SIGNED <u><i>John M. Heller</i></u> <b>John M. Heller</b>	TITLE <u>Field Agent</u>	DATE <u>Oct. 3, 1975</u>
<small>(This space for Federal or State office use)</small>		
APPROVED BY _____	TITLE _____	DATE _____
CONDITIONS OF APPROVAL, IF ANY:		

\*See Instructions on Reverse Side

DIVISION OF OIL, GAS, AND MINING

\*FILE NOTATIONS\*

*Pulled Copy Part*

Date: October 8 -  
Operator: Ladd Petroleum Co.  
Well No: Federal 1-26  
Location: Sec. 26 T. 40S R. 23E County: San Juan

File Prepared  Entered on N.I.D.   
Card Indexed  Completion Sheet

Checked By:  
Administrative Assistant: *AW*

Remarks:

Petroleum Engineer/Mined Land Coordinator: *o.k. P*

Remarks:

Director: *2*

Remarks:

Include Within Approval Letter:

Bond Required  Survey Plat Required   
Order No.  Blowout Prevention Equipment   
Rule C-3(c) Topographical exception/company owns or controls acreage within a 660' radius of proposed site   
O.K. Rule C-3  O.K. In  Unit   
Other:

Letter Written

October 9, 1975

Ladd Petroleum Corporation  
830 Denver Club Building  
Denver, Colorado 80202

Re: Well No. Federal #1-26  
Sec. 26, T. 40 S, R. 23 E,  
San Juan County, Utah

Gentlemen:

Insofar as this office is concerned, approval to drill the above referred to well is hereby granted in accordance with Rule C-3, General Rules and Regulations and Rules of Practice and Procedure; as amended with respect to your casing program.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

PATRICK L. DRISCOLL - Chief Petroleum Engineer  
HOME: 272-5813  
OFFICE: 533-5771

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling.

The API number assigned to this well is 43-037-30253.

Very truly yours,

DIVISION OF OIL, GAS, AND MINING

CLEON B. FEIGHT  
DIRECTOR

CBF:sw  
cc: U.S. Geological Survey