

FILE NOTATIONS

Entered in NID File ✓
Location Map Pinned ✓
Card Indexed ✓

Checked by Chief
Approval Letter
Disapproval Letter

COMPLETION DATA:

Date Well Completed
..... VV TA
..... OS PA

Location Inspected
.....
State or Fee Land

LOGS FILED

Driller's Log.....
Electric Logs (No.)
E..... I..... Dual I Lat..... GR-N..... Micro.....
BHC Sonic GR..... Lat..... MI-L..... Sonic.....
CBLog..... CGLog..... Others.....

THE SUPERIOR OIL COMPANY

P. O. DRAWER G

CORTEZ, COLORADO 81321

August 31, 1978

Mr. P. T. McGrath
District Engineer
U. S. Geological Survey
P. O. Box 959
Farmington, New Mexico 87401

Re: Surface Use Development Plan
Proposed Well
McElmo Creek Unit #R-20
750' FSL, 600' FWL
Section 9, T41S, R25E
San Juan County, Utah

Dear Mr. McGrath:

The "Surface Use Development Plan" for the proposed McElmo Creek Unit Well #R-20 is as follows:

1. The existing roads and the location of the main highway exit are shown on the attached map.
2. A new 1100' X 30' access road is required as shown on the attached plat. The proposed road will run east to the location and will be of compacted sand and gravel with a maximum grade of 2%. The road will be constructed so as to provide for adequate drainage. No major cuts or fills will be necessary.
3. The location and status of wells in the vicinity are shown on the attached plat.
4. The location of existing tank batteries, flow lines and lateral roads in the vicinity of the proposed well are shown on the attached plat. The 2" flow line for the proposed well will run 4000' southwest to a tie-in with #P-21 flowline that runs to Area 4 tank battery.
5. Water for drilling operations will be obtained from the San Juan River.
6. Materials necessary for the construction of the access road and drilling pad will be obtained directly from the construction site. No access roads for the purpose of hauling materials will be necessary.
7. Waste materials will be collected in earth pits. The perimeter of these pits will be fenced with small mesh wire. When drilling operations are complete these earth pits will be backfilled and leveled to the contour of the original landscape. Small portable trailer houses for the company and contract drilling personnel may be on location. A sufficient number of OSHA approved chemical toilets will be provided and maintained.

8. No permanent campsite or airstrips are anticipated.
9. The location and position of drilling equipment is shown on the attached plat. Included on this plat is a cross section diagram showing cuts and fills necessary for the construction of the drilling pad. The drilling pad will be located approximately at ground level. Native materials from the immediate area will be used in its construction.
10. The proposed drillsite is located on a sandstone outcrop. Surface land is owned by the Navajo Tribe and is used primarily for grazing. Vegetation consists of sparse desert type ground cover and Tamarisks. There are no Indian habitations or artifacts in the immediate vicinity of the proposed drillsite, access road or flow line.

Very truly yours,

THE SUPERIOR OIL COMPANY

James R. Oberlander

James R. Oberlander

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by THE SUPERIOR OIL COMPANY and its contractor and sub-contractors in conformity with this plan and the terms and conditions under which it is approved.

Aug 31-78
Date

Wm. H. Edwards
Wm. H. Edwards
Area Production Superintendent

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
 DRILL DEEPEN PLUG BACK

b. TYPE OF WELL
 OIL WELL GAS WELL OTHER SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
 THE SUPERIOR OIL COMPANY

3. ADDRESS OF OPERATOR
 P.O. DRAWER 'G', CORTEZ, COLORADO 81321

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*
 At surface 750' FSL, 600' FWL, SEC. 9, T41S, R25E SLB&M
 At proposed prod. zone

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
 1.0 Miles N of Aneth, Utah

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any) 2000'

16. NO. OF ACRES IN LEASE

17. NO. OF ACRES ASSIGNED TO THIS WELL 40

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 1200'

19. PROPOSED DEPTH 5661'

20. ROTARY OR CABLE TOOLS Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.) 4668' Ungraded Ground Level

22. APPROX. DATE WORK WILL START* December 15, 1978

5. LEASE DESIGNATION AND SERIAL NO.
 14-20-603-359

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
 NAVAJO

7. UNIT AGREEMENT NAME
 McELMO CREEK UNIT ✓

8. FARM OR LEASE NAME

9. WELL NO.
 MCU #R-20 ✓

10. FIELD AND POOL, OR WILDCAT
 GREATER ANETH- ✓

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA.
 SEC 9, T41S, R25E


12. COUNTY OR PARISH 13. STATE
 SAN JUAN | UTAH

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	8-5/8"	24#	1381'	To Surface
7-7/8"	5-1/2"	14 & 15.5#	5661'	250 Sacks

1. Drill 12-1/4" hole to 1381'. Set 8-5/8" casing to 1381' and cement to surface.
2. Drill 7-7/8" hole into Chimney Rock Shale to approximately 5661'
3. Log well.
4. Set 5-1/2" casing at 5661' and cement with 250 sacks.
5. Perforate Desert Creek and stimulate based on log evaluation.

APPROVED BY THE DIVISION OF
 OIL, GAS, AND MINING
 DATE: 9-14-78
 BY: C.B. Feight



IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED J. R. Oberlander TITLE Engineer DATE 8-31-78

(This space for Federal or State office use)

PERMIT NO. _____ APPROVAL DATE _____

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

SUPPLEMENT TO FORM 9-331C

WELL: MCU #R-20

SURFACE FORMATION WHERE PROPOSED DRILLING IS TO TAKE PLACE: Dakota

ESTIMATED FORMATION TOPS: (Measured from KB approximately 4681')

Chinle	1351'
De Chelly	2556'
Ismay	5295'
Gothic Shale	5446'
Desert Creek	5461'
Chimney Rock	5636'
TD	5661'

WATER BEARING FORMATION: Water is expected to be encountered intermittently from 300' to 1351'.

HYDROCARBON BEARING FORMATION: Oil and gas are expected to be encountered intermittently from 5461' to 5636'.

MUD PROGRAM: Surface to 2000' - Water
2000' to 5000' - Lignosulfonate or similar mud system; no water loss control, weighted as necessary with Barite.
5000' to TD - Lignosulfonate or similar mud system; 15 cc water loss, weighted as necessary with Barite.


CEMENT PROGRAM: Surface - Cement to surface w/500 sx Lt Wt cement w/10#/sk Gilsonite, followed w/100 sx Class 'B' Neat w/2% CaCl at 15.6 ppg.
Production - 250 sx Class 'B' with 5#/sk salt, 1/2# sk Fix Set and 0.75% friction reducer.

LOGGING PROGRAM: CNL/DENSITY/GR - TD to 5200'.

PRESSURE CONTROLS: Blowout preventer equipment will be 10" series 600 with blind rams and drill pipe rams hydraulically and manually controlled. The schematic of the pressure control equipment can be seen on the following page. The mud system will be monitored by visual inspection.


THE SUPERIOR OIL COMPANY
Operator

WELL NO. MCU R-20



SW/SW SECTION 9 , T41 S, R 25 E

McELMO CREEK UNIT




Charles L. Hill


Scale 1" = 1000'




- Location
- Well
- ⌵ Injector



Shaffer Double Gate Blow Out Preventer
 10" 3000# W.P., 6000# Test, Type E




THE SUPERIOR OIL CO.
 CORTEZ - CASPER DISTRICT
 ENGINEERING DEPARTMENT
 SCHEMATIC DIAGRAM
 OF PRESSURE CONTROL
 EQUIPMENT
 BY SCALE none DATE REVISED 8-12-76



THE SUPERIOR OIL CO.
 CORTEZ - CASPER DISTRICT
 ENGINEERING DEPARTMENT
PIPE LINE PLAT
McElmo Creek Unit


BY SCALE: 1" = 2,000' DATE REVISED 8-29-75



THE SUPERIOR OIL CO.
 CORTEZ - CASPER DISTRICT
 ENGINEERING DEPARTMENT

PROPOSED LOCATION


BY _____ DATE **8-15-78**
 SCALE _____ REVISED _____



THE DRILLING PAD WILL BE GRADED AND COMPACTED, AND COMPOSED OF NATIVE MATERIALS.

Drilling Site

ungraded elevation
4667.56





- - - - - original contour
- ⊕ reference point
- proposed grading



THE SUPERIOR OIL CO.
 CORTEZ - CASPER DISTRICT
 ENGINEERING DEPARTMENT
**RIG LAYOUT & DRILL
 PAD CROSS SECTION**
 MCU WELL No. R-20
 McELMO CREEK UNIT
 SAN JUAN COUNTY, UTAH
 BY M.H.T. DATE: 8-12-76
 SCALE 1" = 50' REVISED

Superior Oil Company
 February 27, 1978
 Well R-20

Well R-20 located in the SW $\frac{1}{2}$ SW $\frac{1}{2}$ of
 Section 9, T.41S., R.25E., S.L.M.,
 San Juan County, Utah



- 4700
- 4690
- 4680
- 4670
- 4660



KNOW ALL MEN BY THESE PRESENTS:
 That I, Fredric P. Thomas,
 do hereby certify that I prepared this plat from an
 actual and accurate survey of the land and that the
 same is true and correct to the best of my knowledge
 and belief.

Fredric P. Thomas
 Fredric P. Thomas
 Reg. L.S. and P.E.
 Colo. Reg. No. 6728

THOMAS Engineering Inc.
 432 N. Broadway
 Cortez, Colorado
 565-7805

Utah Reg. No. 4346

Bearing by
 solar
 observation



Corners
 are 15" x 1/2"
 rebar



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well gas well other

2. NAME OF OPERATOR
THE SUPERIOR OIL CO.

3. ADDRESS OF OPERATOR
P.O. DRAWER 'G' Cortez, CO 81321

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space below.)
AT SURFACE: 750' FSL, 600' FWL
AT TOP PROD. INTERVAL: Same as surface
AT TOTAL DEPTH: same as surface

5. LEASE
14-20-603-359

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
NAVAJO

7. UNIT AGREEMENT NAME
MCELMO CREEK UNIT

8. FARM OR LEASE NAME

9. WELL NO.
MCU R-20

10. FIELD OR WILDCAT NAME
GREATER ANETH

11. SEC., T., R. OR BLK. AND SURVEY OR AREA
SEC. 9 T4 R25E

12. COUNTY OR PARISH
SAN JUAN

13. STATE
UTAH

14. API NO.
43-037-30462

15. ELEVATIONS (SHOW DF KDB AND WD)
KB 4696'

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

PULL OR ALTER CASING

MULTIPLE COMPLETE

CHANGE ZONES

ABANDON*

(other)

SUBSEQUENT REPORT OF:

Drilling

Completion

Fracturing

Acidizing

Cementing

Other

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

- Spudded in at 2015 hrs. 6-4-79. Drilled 12-1/4 hole to 100' and opened up same to 17-1/2". POH.
- Ran 13-3/8", 48#, H-40, ST&C with float collar and guide shoe. Cemented with 125 sxs Class 'B' with 4% gel, 2% CaCl. Slurry weight 14.1 ppg. WOC 6 hrs. RIH and tagged cement at 97'. Drill out cement shoe.
- Drilled to 1388' on 6-8-79. Ran 34 1/2" 8-5/8" 24# K-55 ST&C casing with float collar and shoe to TD. Cemented w/ 600 sxs pipe weight with 10#/sx gilsonite and .2% Lo Dense slurry followed with 100 sxs Class 'B; w/ 2% CaCl. Did not circulate cement. Ran 1" pipe in annulus and pumped 125 sxs Class 'B' w/ 5% CaCl OVER PLEASE

Subsurface Safety Valve: Manu. and Type _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED J. R. Oberlander TITLE PRODUCTION ENG DATE Jan 5 1979

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

JRO/mh
Crig. + 3 USGS, State 2, T.W. Cooley, JIB/C, File WHS, FEF, RFK,
WNM/File, Navajo Tribe, Walter Duncan Oil Property

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE

(See other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R35.

13

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *


1a. TYPE OF WELL: OIL WELL GAS WELL DRY Other _____
 b. TYPE OF COMPLETION: NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF. RESVR. Other _____

5. LEASE DESIGNATION AND SERIAL NO.
14-20-603-359
 6. IF INDIAN, ALLOTTEE OR TRIBE NAME
Navajo
 7. UNIT AGREEMENT NAME
McElmo Creek Unit
 8. FARM OR LEASE NAME

2. NAME OF OPERATOR
The Superior Oil Company

3. ADDRESS OF OPERATOR
P. O. Box 71, Conroe, Texas 77301

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*
 At surface 750' FSL, 600' FWL Sec. 9
 At top prod. interval reported below Same
 At total depth Same



14. PERMIT NO. _____ DATE ISSUED _____
 12. COUNTY PARIS STATE _____

15. DATE SPUNDED 6-4-79 16. DATE T.D. REACHED 6-25-79 17. DATE COMPL. (Ready to prod.) 7-6-79
 18. ELEVATIONS (DF, RESB, RT, OR, ETC.)* 4696' KB 19. ELEV. CASINGHEAD 4684'

20. TOTAL DEPTH, MD & TVD 5665' 21. PLUG, BACK T.D., MD & TVD 5604'
 22. IF MULTIPLE COMPL., HOW MANY* _____
 23. INTERVALS DRILLED BY 0-5665' ROTARY TOOLS None CABLE TOOLS None

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*
Desert Creek 5475-5572'
 25. WAS DIRECTIONAL SURVEY MADE? No

26. TYPE ELECTRIC AND OTHER LOGS RUN
Compensated Neutron-Formation Density
 27. WAS WELL CORED? No

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13-3/8"	48	109'	17-1/2"	125 sx Class "B"	None
8-5/8"	24	1388'	12-1/4"	825 sx Class "B"	None
5-1/2"	14 & 15.5	5665'	7-7/8"	250 sx Class "B"	None

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)

30. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)
2-7/8"	5590'	None

31. PERFORATION RECORD (Interval, size and number)

5475', 79', 82', 86', 95', 99', - 1 shot each
 5504', 10', 18', 24', 29', 65', 68', 72', 1 shot each

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
5475-5572'	6,100 gal. 28% HCl acid

33.* PRODUCTION

DATE FIRST PRODUCTION 7-6-79 PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) Pumping—2" rod pump WELL STATUS (Producing or shut-in) Producing

DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
7-11-79	24	3/4"	→	219	No test	357	

FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API. (CORR.)
120 psi	50 psi	→	219	No test	357	41.3

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)
Sold
 TEST WITNESSED BY: D. C. Collins

35. LIST OF ATTACHMENTS
Logs

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED W. H. Snyder TITLE Lead Production Engineer DATE 8-22-79

*(See Instructions and Spaces for Additional Data on Reverse Side)

STORM CHOKE

TYPE _____ LOC. _____

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. **Items 22 and 24:** If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES:

SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.
			NO CORES OR DST'S

38. GEOLOGIC MARKERS

NAME	MEAS. DEPTH	TOP	TRUE VERT. DEPTH
Ismay	5308'		
Gothic Shale	5448'		
Desert Creek	5464'		
Chimney Rock	5630'		

STATE OF UTAH
DIVISION OF OIL, GAS, AND MINING

** FILE NOTATIONS **

Date: Sept. 6, 1978

Operator: Superior Oil Company

Well No: MCU # R-20

Location: Sec. 9 T. 41S R. 25E County: San Juan

File Prepared:

Entered on N.I.D.:

Card Indexed:

Completion Sheet:

API Number: 43-037-30462

CHECKED BY:

Administrative Assistant: [Signature]

Remarks: OK

Petroleum Engineer: [Signature]

Remarks:

Director: [Signature]

Remarks:

INCLUDE WITHIN APPROVAL LETTER:

Bond Required:

Survey Plat Required:

Order No. _____

Surface Casing Change
to _____

Rule C-3(c), Topographic exception/company owns or controls acreage
within a 660' radius of proposed site

O.K. Rule C-3

O.K. In Mc Elmo Creek Unit

Other:

Letter written/Approved

orig file
cc R. Firth

Mobil Oil Corporation

P.O. BOX 5444
DENVER, COLORADO 80217

January 14, 1985

Utah Division of Oil, Gas and Mining
355 W. North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

RECEIVED

FEB 0 1985

Attention: Ms. Dianne Nielson, Director

DIVISION OF OIL
GAS & MINING

RE: NOTICES TO SUPERIOR OIL COMPANY

Dear Ms. Nielson:

As a result of the merger which became effective on September 28, 1984, The Superior Oil Companies ("Superior") is now a wholly owned subsidiary of Mobil Corporation.

Effective January 1, 1985, Mobil Oil Corporation began acting on behalf of The Superior Oil Companies as service contractor, for the purpose of performing comprehensive business management and related administrative services. To this end, Superior has entered into a Services Agreement with Mobil and has issued Powers of Attorney to certain Mobil employees, whereby Mobil has agreed to perform all of Superior's obligations and duties, and shall be entitled to enforce all of Superior's rights and privileges, including but not limited to all applicable Operating Agreements and leases (see attached). This shall include, without limitation, the making and receiving of payments, the giving and receiving of notices and other information, and the performance of all other related functions. Therefore, after December 31, 1984, notices to Superior or relative to its interests, assets or obligations should designate Mobil and be mailed to:

PERMITS ONLY

Mobil Oil Corporation
P.O. Box 5444
Denver, Colorado 80217-5444
Attention: R. D. Baker


(303) 298-2577

RON

Enclosed is a list of all Superior wells. This list includes the well names, locations, API numbers and producing zone (if applicable).

We appreciate your consideration and cooperation. If you have any questions, please direct them to the undersigned.

Very truly yours,



R. D. Baker
Environmental & Regulatory Manager - West

Enclosure

WESTERN REGULATORY WELL COMPLIANCE DATA FILE (PAGE 1 OF 2)
 FOR THE CORTEZ SUPERVISOR AREA
 FOR THE GREATER ANETH FIELD 05/13/86

PROPERTY NAME	WELL NAME	COUNTY	STATE	SEC	TWNHP	RNG	S T		FEDERAL LEASE NUMBER	STATE NUMBER	UNIT NUMBER
							WELL TYPE	API NUMBER			
MC ELMO CREEK	P-23	SAN JUAN	UT	NW	32	17-41S-25E	INJ	OP 43-037-16370	14-20-603-263		96-004190
	Q-09	SAN JUAN	UT	NE	32	40S-25E	PROD	OP 43-037-31013	14-20-603-372		96-004190
	Q-10	SAN JUAN	UT	SE	32	40S-25E	PROD	OP 43-037-15973	14-20-603-372		96-004190
	Q-11	SAN JUAN	UT	NE	32	40S-25E	PROD	OP 43-037-30282	14-20-603-372		96-004190
	Q-12	SAN JUAN	UT	SE	32	40S-25E	INJ	OP 43-037-05720	14-20-603-372		96-004190
	Q-13	SAN JUAN	UT	NE	05	41S-25E	PROD	OP 43-037-30288	14-20-603-372		96-004190
	Q-14	SAN JUAN	UT	SE	05	41S-25E	INJ	OP 43-037-15974	14-20-603-372		96-004190
	Q-15	SAN JUAN	UT	NE	05	41S-25E	PROD	OP 43-037-30290	14-20-603-372		96-004190
	Q-16	SAN JUAN	UT	SE	05	41S-25E	INJ	OP 43-037-15975	14-20-603-372		96-004190
	Q-17	SAN JUAN	UT	NE	08	41S-25E	PROD	OP 43-037-30271	14-20-603-263		96-004190
	Q-18	SAN JUAN	UT	SE	08	41S-25E	PROD	OP 43-037-15521	14-20-603-263		96-004190
	Q-19	SAN JUAN	UT	NE	08	41S-25E	PROD	OP 43-037-30652	14-20-603-263		96-004190
	Q-20	SAN JUAN	UT	SE	08	41S-25E	PROD	OP 43-037-15522	14-20-603-263		96-004190
	Q-21	SAN JUAN	UT	NE	17	41S-25E	PROD	OP 43-037-30463	14-20-603-263		96-004190
	Q-22	SAN JUAN	UT	SE	17	41S-25E	PROD	OP 43-037-15523	14-20-603-263		96-004190
	Q-23	SAN JUAN	UT	SE	17	4S-25E	PROD	OP 43-037-31124			
	R-06	SAN JUAN	UT	SW	28	40S-25E	MSW	SI 43-037-05843	14-20-603-2048-A		96-004190
	R-08	SAN JUAN	UT	SW	28	40S-25E	PROD	OP 43-037-15329	14-20-603-2048-A		96-004190
	R-09	SAN JUAN	UT	NW	33	40S-25E	PROD	OP 43-037-16147	14-20-603-2057		96-004190
	R-10	SAN JUAN	UT	SW	33	40S-25E	PROD	OP 43-037-31121	14-20-603-2057		96-004190
	R-11	SAN JUAN	UT	NW	33	40S-25E	INJ	SI 43-037-05741	14-20-603-2057		96-004190
	R-11A	SAN JUAN	UT	NW	33	40S-25E	INJ	OP 43-037-30179	14-20-603-2057		96-004190
	R-12	SAN JUAN	UT	SW	33	40S-25E	PROD	OP 43-037-30651	14-20-603-2057		96-004190
	R-13	SAN JUAN	UT	NW	04	41S-25E	INJ	OP 43-037-05709	14-20-603-2057		96-004190
	R-14	SAN JUAN	UT	SW	04	41S-25E	PROD	OP 43-037-30202	14-20-603-2057		96-004190
	R-16	SAN JUAN	UT	SW	04	41S-25E	PROD	OP 43-037-30272	14-20-603-2057		96-004190
	R-17	SAN JUAN	UT	NW	09	41S-25E	INJ	OP 43-037-05602	14-20-603-359		96-004190
	R-18	SAN JUAN	UT	SW	09	41S-25E	PROD	OP 43-037-30770	14-20-603-359		96-004190
	R-19	SAN JUAN	UT	NW	09	41S-25E	INJ	OP 43-037-05554	14-20-603-359		96-004190
	R-20	SAN JUAN	UT	SW	09	41S-25E	PROD	OP 43-037-30462	14-20-603-359		96-004190

Mobil Oil Corporation

P.O. BOX 5444
DENVER, COLORADO 80217-5444

May 14, 1986

Utah Board of Oil, Gas and Mining
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

Attn: R. J. Firth
Associate Director

RECEIVED
MAY 16 1986

DIVISION OF
OIL, GAS & MINING

SUPERIOR OIL COMPANY MERGER

Dear Mr. Firth:

On September 20, 1984, The Superior Oil Company (Superior) became a wholly owned subsidiary of Mobil Corporation. Since January 1, 1985, Mobil Oil Corporation (MOC), another wholly owned subsidiary of Mobil Corporation, has acted as agent for Superior and has operated the Superior-owned properties.

On April 24, 1986, Superior was merged with Mobil Exploration and Producing North America Inc. (MEPNA), which is also a wholly owned subsidiary of Mobil Corporation. MEPNA is the surviving company of the merger.

This letter is to advise you that all properties held in the name of Superior will now be held in the name of MEPNA; and that these properties will continue to be operated by MOC as agent for MEPNA.

Attached is a listing of all wells and a separate listing of injection-disposal wells, Designation of Agent and an organization chart illustrating the relationships of the various companies. If you have any questions or require additional documentation of this merger, please feel free to contact me at the above address or (303) 298-2577.

Very truly yours,



R. D. Baker
Environmental Regulatory Manager

CNE/rd
CNE8661

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: September 30, 1990

5. Lease Designation and Serial No.
14-20-603-359

6. If Indian, Allottee or Tribe Name
Navajo Tribal

7. If Unit or CA, Agreement Designation

McElmo Creek

8. Well Name and No.
R-20

9. API Well No.
43-037-30462

10. Field and Pool, or Exploratory Area
Greater Aneth

11. County or Parish, State

San Juan, Utah

SUBMIT IN TRIPLICATE

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
MOBIL OIL CORPORATION

3. Address and Telephone No. % MOBIL EXPLOATION & PRODUCING U.S. INC.
P.O. BOX 633, MIDLAND, TX 79702

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

750' FSL, 600' FWL, Sec. 9, T41S, R25E

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input checked="" type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection

Perf & Acidize

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

- 3-13-91 MIRU POOH w/ rod & 2 7/8 tbg.
- 3-14-91 RIH w/bit & scrapper. SWAB
- 3-17-91 Perf w/4 SPF 5522-32; 5509-15; 5495-5500; 5475-88; 5420-30
- 3-18-91 Acdz DCI & II perf intervals w/3400 gals 15% HCL & 800 gals 2PPG gelled salt plug.
- 3-19-91 Acdz Ismay perf interval (5420-30) w/2000 gals 15% HCL & 600 gals PPG gelled salt plug
- 3-20-91 Press test on BP /1500 psi/Held OK/30 min RIH w/ tbg
- 3-21-91 RIH w/rods RDMO

RECEIVED

APR 22 1991

DIVISION OF
OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct

Signed Shuley Sodd (915) 688-2585

MOBIL EXPLORATION & PRODUCING U.S. INC.
AS AGENT FOR MOBIL OIL CORPORATION

Date 4-16-91

(This space for Federal or State office use)

Approved by _____
Conditions of approval, if any:

Title _____

Date _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING
 355 West North Temple, 3 Triad, Suite 350, Salt Lake City, UT 84180-1203

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS:

C/O MOBIL OIL CORP
 M E P N A
 PO DRAWER G
 CORTEZ CO 81321

UTAH ACCOUNT NUMBER: N7370

REPORT PERIOD (MONTH/YEAR): 6 / 95

AMENDED REPORT (Highlight Changes)

Well Name				Producing Zone	Well Status	Days Oper	Production Volumes		
API Number	Entity	Location					OIL(BBL)	GAS(MCF)	WATER(BBL)
MCELMO CREEK S-13									
4303730453	05980	41S	25E 4	DSCR					
MCELMO CREEK U-08									
4303730454	05980	40S	25E 28	IS-DC					
MCELMO CREEK U-11									
4303730455	05980	40S	25E 33	DSCR					
MCELMO CREEK U-13									
4303730456	05980	41S	25E 4	IS-DC					
MCELMO CREEK S-08									
4303730457	05980	40S	25E 33	IS-DC					
MCELMO CR T-14									
4303730459	05980	41S	25E 4	DSCR					
ELMO CR T-10									
4303730460	05980	40S	25E 33	DSCR					
MCELMO CR R-20									
4303730462	05980	41S	25E 9	DSCR					
MCELMO CR Q-21									
4303730463	05980	41S	25E 17	DSCR					
MCELMO CR P-20									
4303730505	05980	41S	25E 8	DSCR					
MCELMO CR P-22									
4303730506	05980	41S	25E 17	DSCR					
MCELMO CREEK S-15									
4303730632	05980	41S	25E 4	IS-DC					
MCELMO CR U-15									
4303730633	05980	41S	25E 4	DSCR					
TOTALS									

COMMENTS: _____

I hereby certify that this report is true and complete to the best of my knowledge. Date: _____
 Name and Signature: _____ Telephone Number: _____

Division of Oil, Gas and Mining
PHONE CONVERSATION DOCUMENTATION FORM

Route original/copy to:

<input type="checkbox"/> Well File _____	<input type="checkbox"/> Suspense _____	<input checked="" type="checkbox"/> Other _____
(Location) Sec _____ Twp _____ Rng _____	(Return Date) _____	OPER NM CHG _____
(API No.) _____	(To - Initials) _____	_____

1. Date of Phone Call: 8-3-95 Time: _____

2. DOGM Employee (name) L. CORDOVA (Initiated Call)
Talked to:

Name R. J. FIRTH (Initiated Call) - Phone No. () _____
of (Company/Organization) _____

3. Topic of Conversation: M E P N A / N7370

4. Highlights of Conversation: _____

OPERATOR NAME IS BEING CHANGED FROM M E P N A (MOBIL EXPLORATION AND PRODUCING NORTH AMERICA INC) TO MOBIL EXPLOR & PROD. THE NAME CHANGE IS BEING DONE AT THIS TIME TO ALLEVIATE CONFUSION, BOTH IN HOUSE AND AMONGST THE GENERAL PUBLIC.
*SUPERIOR OIL COMPANY MERGED INTO M E P N A 4-24-86 (SEE ATTACHED).

Mobil Oil Corporation

P.O. BOX 5444
DENVER, COLORADO 80217-5444

May 14, 1986

Utah Board of Oil, Gas and Mining
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

RECEIVED
MAY 16 1986

Attn: R. J. Firth
Associate Director

DIVISION OF
OIL, GAS & MINING

SUPERIOR OIL COMPANY MERGER

Dear Mr. Firth:

On September 20, 1984, The Superior Oil Company (Superior) became a wholly owned subsidiary of Mobil Corporation. Since January 1, 1985, Mobil Oil Corporation (MOC), another wholly owned subsidiary of Mobil Corporation, has acted as agent for Superior and has operated the Superior-owned properties.

On April 24, 1986, Superior was merged with Mobil Exploration and Producing North America Inc. (MEPNA), which is also a wholly owned subsidiary of Mobil Corporation. MEPNA is the surviving company of the merger.

This letter is to advise you that all properties held in the name of Superior will now be held in the name of MEPNA; and that these properties will continue to be operated by MOC as agent for MEPNA.

Attached is a listing of all wells and a separate listing of injection-disposal wells, Designation of Agent and an organization chart illustrating the relationships of the various companies. If you have any questions or require additional documentation of this merger, please feel free to contact me at the above address or (303) 298-2577.

Very truly yours,



CNE/rd
CNE8661

R. D. Baker
Environmental Regulatory Manager

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

Routing:	
1-LEC	7-PL
2-LWP	8-SJ
3-DES	9-FILE
4-VLC	
5-RJF	
6-LWP	

Attach all documentation received by the division regarding this change.
 Initial each listed item when completed. Write N/A if item is not applicable.

- Change of Operator (well sold) Designation of Agent
 Designation of Operator Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 8-2-95)

TO (new operator) <u>MOBIL EXPLOR & PROD</u>	FROM (former operator) <u>M E P N A</u>
(address) <u>C/O MOBIL OIL CORP</u>	(address) <u>C/O MOBIL OIL CORP</u>
<u>PO DRAWER G</u>	<u>PO DRAWER G</u>
<u>CORTEZ CO 81321</u>	<u>CORTEZ CO 81321</u>
phone <u>(303) 564-5212</u>	phone <u>(303) 564-5212</u>
account no. <u>N7370</u>	account no. <u>N7370</u>

Well(s) (attach additional page if needed):

Name: ** SEE ATTACHED **	API: <u>037-30462</u>	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

- N/A 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form).
- N/A 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form).
- N/A 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes/no) _____ If yes, show company file number: _____.
- N/A 4. (For **Indian and Federal Wells ONLY**) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of **Federal and Indian** well operator changes should take place prior to completion of steps 5 through 9 below.
- Yes 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. (8-3-95)
- LWP 6. Cardex file has been updated for each well listed above. 8-21-95
- LWP 7. Well file labels have been updated for each well listed above. 9-28-95
- Yes 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission. (8-3-95)
- Yes 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

- Lee* 1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) ____ (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
- N/A* 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only) *# No Fee Lease Wells at this time!*

- N/A/ Lee* 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
- ___ 2. A copy of this form has been placed in the new and former operators' bond files.
- ___ 3. The former operator has requested a release of liability from their bond (yes/no) ____.
Today's date _____ 19____. If yes, division response was made by letter dated _____ 19____.

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

- N/A* 1. (Rule R615-2-10) The former operator/lessee of any **fee lease** well listed above has been notified by letter dated _____ 19____, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
ETS 8/5/95
- N/A* 2. Copies of documents have been sent to State Lands for changes involving State leases.

FILMING

1. All attachments to this form have been microfilmed. Date: October 6 1995.

FILING

- ___ 1. Copies of all attachments to this form have been filed in each well file.
- ___ 2. The original of this form and the original attachments have been filed in the Operator Change file.

COMMENTS

950803 LIC F5/Not necessary!

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT - " for such proposals

5. Lease Designation and Serial No.

14-20-603-359

6. If Indian, Allottee or Tribe Name

NAVAJO TRIBAL

7. If Unit or CA, Agreement Designation

MCELMO CREEK UNIT

8. Well Name and No.

MCELMO CREEK R-20

9. API Well No.

43-037-30462

10. Field and Pool, or exploratory Area

GREATER ANETH

11. County or Parish, State

SAN JUAN UT

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

**MOBIL PRODUCING TX & NM INC.*
*MOBIL EXPLORATION & PRODUCING US INC. AS AGENT FOR MPTM**

3. Address and Telephone No.

P.O. Box 633, Midland TX 79702 (915) 688-2585

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

**SEC. 9, T41S, R25E (SW.SW)
750' FSL & 600' FWL**

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- Notice of Intent
 Subsequent Report
 Final Abandonment Notice

TYPE OF ACTION


- Abandonment Change of Plans
 Recompletion New Construction
 Plugging Back Non-Routine Fracturing
 Casing Repair Water Shut-Off
 Altering Casing Conversion to Injection
 Other MIT/CHART Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

ATTACHED IS MIT & CHART.

Accepted by the
Utah Divk of
Oil, Gas and Mining
FOR RECORD ONLY



14. I hereby certify that the foregoing is true and correct

Signed Shirley Houchins for

Title **SHIRLEY HOUCHINS, ENV. & REG. TECH**

Date **1-19-98**

(This space for Federal or State office use)

Approved by _____

Title _____

Date _____

Conditions of approval, if any: _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

* See Instruction on Reverse Side

MECHANICAL INTEGRITY TEST

Navajo Nation Minerals Department

Operator Mobil E. & P., Inc.
Well Name R-20
Utah Tribal Lease No. 14-20-603-359
Location SWSW-09-415-25E

Date of Test 12-9-97
State and County San Juan county
Continous Recorder? Yes No
Pressure Gauge? Yes No

<u>TIME</u>	<u>CASING PRESSURE, psi</u>	<u>TUBING PRESSURE, psi</u>
_____	_____	_____
_____	_____	_____
<u>3:20</u>	<u>500</u>	_____
<u>3:25</u>	<u>↓</u>	_____
<u>3:35</u>	<u>↓</u>	_____
<u>3:45</u>	<u>500</u>	_____
_____	_____	_____


MAX. INJECTION PRESSURE: 500 PSI
MAX. ALLOWABLE PRESSURE CHANGE: _____ PSI (TEST PRESSURE X 0.10)
REMARKS: Passed? Failed?

[Signature]
COMPANY REPRESENTATIVE: (Print and Sign)

DATE

Davis Bennallie [Signature]
INSPECTOR:

12-9-97
DATE



UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an Abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. 14-20-603-359
2. Name of Operator Mobil Producing TX & NM Inc* *Mobil Exploration & Producing US Inc as agent for MPTM		6. If Indian, Allottee or Tribe Name NAVAJO TRIBAL
3a. Address P.O. Box 4358, Houston, TX 77210-4358	3b. Phone No. (include area code) 713-431-1022	7. If Unit or CA/Agreement, Name and/or No. Mc Elmo Creek Unit
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 750' FSL & 600' FWL Sec 9-T41S-R25E		8. Well Name and No. McElmo Creek R-20
		9. API Well No. 43-037-30462
		10. Field and Pool, or Exploratory Area Greater Aneth
		11. County or Parish, State San Juan, UTAH

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input checked="" type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	


13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompletes horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection)

Mobil Exploration & Producing US Inc. as agent for Mobil Producing Texas & New Mexico Inc. & Mobil Exploration & Producing North America Inc requests approval to Temporarily Abandon McElmo Creek Unit R-20 while we are evaluating it for return to production. Procedures to TA this well will follow within 30 days.

RECEIVED

JUL 19 2000

DIVISION OF
OIL, GAS AND MINING

14. I hereby certify that the foregoing is true and correct Name (Printed/Typed) Mark Del Pico	Title EHS Advisor
Signature 	Date 7/17/2000

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Accepted by the
Utah Division of

Oil, Gas and Mining

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

COPY SENT TO OPERATOR
Date: 7-18-00
Initials: CHD

Federal Approval of this
Action is Necessary

FOR RECORD ONLY

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an Abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No. 14-20-603-359
6. If Indian, Allottee or Tribe Name NAVAJO TRIBAL
7. If Unit or CA/Agreement, Name and/or No. Mc Elmo Creek Unit
8. Well Name and No. McElmo Creek R-20
9. API Well No. 43-037-30462
10. Field and Pool, or Exploratory Area Greater Aneth
11. County or Parish, State San Juan, UTAH

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other	
2. Name of Operator Mobil Producing TX & NM Inc* *Mobil Exploration & Producing US Inc as agent for MPTM	
3a. Address P.O. Box 4358, Houston, TX 77210-4358	3b. Phone No. (include area code) 713-431-1022
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 750' FSL & 600' FWL Sec 9-T41S-R25E	

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input checked="" type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection)

Mobil Exploration & Producing US Inc. as agent for Mobil Producing Texas & New Mexico Inc. & Mobil Exploration & Producing North America Inc requests approval to Temporarily Abandon McElmo Creek Unit R-20. The McElmo Creek Unit is a tertiary recovery project and every wellbore is a vital part of this field. The subject well is located in an important area for injection. We are studying this area of the field for possible future injection.

See attached procedures to TA this well.

RECEIVED

DIVISION OF
OIL, GAS AND MINING

COPY SENT TO OPERATOR
Date: 8-10-00
Initials: CHD

14. I hereby certify that the foregoing is true and correct Name (Printed/Typed) Mark Del Pico	Title EHS Advisor
Signature <i>M. Del Pico</i>	Date 8/7/2000
THIS SPACE FOR FEDERAL OR STATE OFFICE USE	

Approved By	Title
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office

**Accepted by the
Utah Division of
Oil, Gas and Mining**

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

FOR RECORD ONLY

Federal Approval of this
Action is Necessary

GENERAL PROCEDURES

- (1) Prior to MIRU PU, attempt to establish well control by blowing the well down into a pit or flat tank. If well control cannot be established, then proceed to fill the hole with a known fluid, and shut-in the well so that a kill fluid weight can be established.
- (2) MIRU PU, remove horse's head, make sure brake is set and weights are in the down position.
- (3) POOH LD 61 - 1" rods, 71 - 7/8" rods, 88 - 3/4" rods, and 2 1.2" x 1 3/4" x 25' RHBC pump w/ grooved plunger.
- (4) ND Wellhead and NU BOPE. POOH LD 2 7/8" production string.
- (5) MI 2 7/8" workstring. PU 2 7/8" workstring, 5 1/2" scraper, 7jts of 2 7/8" tbg, 4 3/4" bit and RIH to 5604' (PBSD) and clean out wellbore. *Note - perforations are from 5420' to 5532'.*
- (6) POOH SB workstring and LD 5 1/2" scraper, and 4 3/4" bit.
- (7) PU 5 1/2" treating pkr and RIH on 2 7/8" workstring to 5345' (+/-50')
- (8) Set pkr @ 5345' and test csg to 1000psi (MIT pressure).
- (9) If csg doesn't hold, then proceed to move up the hole until the csg holds pressure.
Note - The TOC is 3969'. Refrain from setting pkr above this point.
- (10) Once a suitable setting depth for CIBP has been established, POOH SB workstring and LD 5 1/2" treating pkr.
- (11) PU 5 1/2" CIBP and RIH to predetermined setting depth. The suggested setting depth is 5345' +/- 50'.
- (12) Set CIBP and test to 1000# for 30min.
- (13) Drop 2sx of cmt on top of CIBP.
- (14) Circ out kill fluid and circ in pkr fluid (140bbls of freshwater and 59gallons of CRW 132 Baker corrosion inhibitor). *Note - Volume based on a setting depth of 5345' + 10%.*
- (15) POOH LD 2 7/8" workstring.
- (16) ND BOP and NU WH w/ 1jt of tbg in the hole with a bull plug and pressure gauge at surface. *Note - Call ahead (at least 48hrs prior to testing) to the Navajo EPA and BLM so that they have time to find a witness for the MIT test if needed once the injection string is run back in. The backside should be tested to 1000psi with no more than a 10% loss in 30minutes if a successful test is to be obtained. The test should be charted and an original copy sent to Ellen Carroll (713-431-1197) in Houston, Tx.*
- (17) RDMO PU and clean location.

McElmo Creek R20
WELL ID
API # 43-037-30462
SEC 9 - T41S - R25E

OVERALL OBJECTIVE:

- (1) Pull existing equipment
- (2) RIH w/ treating pkr to find an acceptable setting depth for CIBP
- (3) TA wellbore with CIBP

Surface csg - 13 3/8", 48#,
109' w/ 125sx

Production csg - 8 5/8", 24#,
K55, 1388' w/ 700sx


180jts of 2 7/8" Tbg

Surface Csg Shoe @ 1388'

EXISTING EQUIPMENT

Run time - 10/28/93

- TAC 5440', SN5566'
- 180jts of 2 7/8" tbg
- 2 1/2" x 1 3/4" x 25' RHBC
- pump
- 88- 3/4" rods
- 71- 7/8" rods
- 61 - 1" rods




TOC - 3969'

Production Csg - 5 1/2", 14#,
15.5#, K55, 5665', w/ 250sx

- Perfs
- 5420'-5430'
 - 5475'-5488'
 - 5495'-5500'
 - 5509'-5515'
 - 5522'-5532'

PBTD - 5604'
TD - 5665'



McElmo Creek R20
WELL ID
API # 43-037-30462
SEC 9 - T41S - R25E

OVERALL OBJECTIVE:
(1) Pull existing equipment
(2) RIH w/ treating pkr to find an acceptable setting depth for CIBP
(3) TA wellbore with CIBP

Surface csg - 13 3/8", 48#,
109' w/ 125sx

Production csg - 8 5/8", 24#,
K55, 1388' w/ 700sx

Surface Csg Shoe @ 1388'

EXISTING EQUIPMENT

TA Equipment
- 140 bbls of pkr fluid
- 2sx of cmt
- 5 1/2" CIBP @ 5345' +/- 50'


TOC - 3969'

CIBP @ 5345'

Perfs
- 5420'-5430'
- 5475'-5488'
- 5495'-5500'
- 5509'-5515'
- 5522'-5532'

Production Csg - 5 1/2", 14#,
15.5#, K55, 5665', w/ 250sx

PBTD - 5604'
TD - 5665'



ExxonMobil Production Company
U.S. West
P.O. Box 4358
Houston, Texas 77210-4358

June 27, 2001

ExxonMobil
Production

Mr. Jim Thompson
State of Utah, Division of Oil, Gas and Mining
1549 West North Temple
Suite 1210
Salt Lake City, UT 84114-5801

Change of Name – Mobil Oil Corporation to
ExxonMobil Oil Corporation

Dear Mr. Thompson

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.


Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.

A copy of the Certification, Bond Rider and a list of wells are attached.

If you have any questions please feel free to call Joel Talavera at 713-431-1010

Very truly yours,



Charlotte H. Harper
Permitting Supervisor

ExxonMobil Production Company
a division of Exxon Mobil Corporation,
acting for ExxonMobil Oil Corporation

RECEIVED

JUN 29 2001

DIVISION OF
OIL, GAS AND MINING



United States Department of the Interior

BUREAU OF INDIAN AFFAIRS

Navajo Area Office
~~XXXXXXXXXXXX~~
NAVAJO REGION

P.O. Box 1060
Gallup, New Mexico 87305-1060

AUG 30 2001

IN REPLY REFER TO:

RRES/543

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Charlotte H. Harper, Permitting Supervisor
Exxon Mobil Production Company
U. S. West
P. O. Box 4358
Houston, TX 77210-4358

Dear Ms. Harper:

This is to acknowledge receipt of your company's name change from Mobil Oil Corporation to ExxonMobil Oil Corporation effective June 1, 2001. The receipt of documents includes the Name Change Certification, current listing of Officers and Directors, Listing of Leases, Financial Statement, filing fees of \$75.00 and a copy of the Rider for Bond Number 8027 31 97. There are no other changes.

Please note that we will provide copies of these documents to other concerned parties. If you need further assistance, you may contact Ms. Bertha Spencer, Realty Specialist, at (928) 871-5938.

Sincerely,

DEMMI DENETSONE

Regional Realty Officer

cc: BLM, Farmington Field Office w/enclosures ✓
Navajo Nation Minerals Office, Attn: Mr. Akhtar Zaman, Director/w enclosures

MINERAL RESOURCES	
ADM J	<i>DMC</i>
NATV AM M/N COORD	_____
SOLID MIN TEAM	_____
PETRO MENT TEAM	<i>2</i>
O & G INSPECT TEAM	_____
ALL TEAM LEADERS	_____
LAND RESOURCES	_____
ENVIRONMENT	_____
FILES	_____

ExxonMobil Production Company
U.S. West
P.O. Box 4358
Houston, Texas 77210-4358


AS 7/12/2001
SN
543
File

June 27, 2001

ExxonMobil
Production

Certified Mail
Return Receipt Requested

Ms. Genni Denetson
United States Department of the Interior
Bureau of Indian Affairs, Navajo Region
Real Estate Services
P. O. Box 1060
Gallup, New Mexico 87305-1060
Mail Code 543



Change of Name -
Mobil Oil Corporation to
ExxonMobil Oil Corporation

Dear Ms. Denetson:

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.

Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.

Attached is the Name Change Certification, Current listing of Officers and Directors, Filing Fee of \$75/-, Listing of Leases, Financial Statement and a copy of the Rider for Bond number 8027 31 97. The original Bond Rider has been sent to Ms. Barbar Davis at your Washington Office.


If you have any questions, please contact Alex Correa at (713) 431-1012.

Very truly yours,

Charlotte H. Harper

Charlotte H. Harper
Permitting Supervisor

Attachments



ExxonMobil Production Company
a division of Exxon Mobil Corporation,
acting for ExxonMobil Oil Corporation

NOTE: Check forwarded to Ella Issac

Bureau of Indian Affairs
Navajo Region Office
Attn: RRES - Mineral and Mining Section
P.O. Box 1060
Gallup, New Mexico 87305-1060

Gentlemen:

The current listing of officers and director of ExxonMobil Oil Corporation (Name of Corporation), of New York (State) is as follows:

OFFICERS

President	<u>F.A. Risch</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Vice President	<u>K.T. Koonce</u>	Address <u>800 Bell Street Houston, TX 77002</u>
Secretary	<u>F.L. Reid</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Treasure	<u>B.A. Maher</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>

DIRECTORS

Name	<u>D.D. Humphreys</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Name	<u>P.A. Hanson</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Name	<u>T.P. Townsend</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Name	<u>B.A. Maher</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Name	<u>F.A. Risch</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>

Sincerely,

Alex Correa

This is to certify that the above information pertaining to ExxonMobil Oil Corporation (Corporation) is true and correct as evidenced by the records and accounts covering business for the State of Utah and in the custody of Corporation Service Company (Agent), Phone: 1 (800) 927-9800 whose business address is One Utah Center, 201 South Main Street, Salt Lake City, Utah 84111-2218



Signature

AGENT AND ATTORNEY IN FACT

Title

CERTIFICATION

I, the undersigned Assistant Secretary of ExxonMobil Oil Corporation. (formerly Mobil Oil Corporation), a corporation organized and existing under the laws of the State of New York, United States of America, DO HEREBY CERTIFY, That, the following is a true and exact copy of the resolutions adopted by the Board of Directors on May 22, 2001:

CHANGE OF COMPANY NAME

WHEREAS, the undersigned Directors of the Corporation deem it to be in the best interest of the Corporation to amend the Certificate of Incorporation of the Corporation to change the name and principal office of the Corporation:

NOW THEREFORE BE IT RESOLVED, That Article 1st relating to the corporate name is hereby amended to read as follows:

"1st The corporate name of said Company shall be,
ExxonMobil Oil Corporation",

FURTHER RESOLVED, That the amendment of the Corporation's Certificate of Incorporation referred to in the preceding resolutions be submitted to the sole shareholder of the Corporation entitled to vote thereon for its approval and, if such shareholder gives its written consent, pursuant to Section 803 of the Business Corporation Law of the State of New York, approving such amendment, the proper officers of the Corporation be, and they hereby are, authorized to execute in the name of the Corporation the Certificate of Amendment of Certificate of Incorporation, in the form attached hereto;

FURTHER RESOLVED, That the proper officers of the Corporation be and they hereby are authorized and directed to deliver, file and record in its behalf, the Certificate of Amendment of Certificate of Incorporation, and to take such action as may be deemed necessary or advisable to confirm and make effective in all respects the change of this Company's name to EXXONMOBIL OIL CORPORATION.


WITNESS, my hand and the seal of the Corporation at Irving, Texas, this 8th day of June, 2001.

S. A. Milligan
Assistant Secretary

COUNTY OF DALLAS)
STATE OF TEXAS)
UNITED STATES OF AMERICA)

Sworn to and subscribed before me at Irving, Texas, U. S. A. on this the 8th day of June, 2001.

Janice M. Phillip
Notary Public



LISTING OF LEASES OF MOBIL OIL CORPORATION

Lease Number

- 1) 14-20-0603-6504
- 2) 14-20-0603-6505
- 3) 14-20-0603-6506
- 4) 14-20-0603-6508
- 5) 14-20-0603-6509
- 6) 14-20-0603-6510
- 7) 14-20-0603-7171
- 8) 14-20-0603-7172A
- 9) 14-20-600-3530
- 10) 14-20-603-359
- 11) 14-20-603-368
- 12) 14-20-603-370
- 13) 14-20-603-370A
- 14) 14-20-603-372
- 15) 14-20-603-372A
- 16) 14-20-603-4495
- 17) 14-20-603-5447
- 18) 14-20-603-5448
- 19) 14-20-603-5449
- 20) 14-20-603-5450
- 21) 14-20-603-5451

6/1/01

CHUBB GROUP OF INSURANCE COMPANIES

1000 West Loop South, Suite 1900, Houston, Texas 77027-3301
Telephone: (713) 297-4600 • Facsimile: (713) 297-4750

NW Bond

FEDERAL INSURANCE COMPANY RIDER
to be attached to and form a part of

BOND NO 8027 31 97

wherein

Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc. is
named as Principal and

FEDERAL INSURANCE COMPANY AS SURETY,

in favor of United States of America, Department of the Interior
Bureau of Indian Affairs

in the amount of \$150,000.00

bond date: 11/01/65

IT IS HEREBY UNDERSTOOD AND AGREED THAT effective June 1, 2001
the name of the Principal is changed

FROM: Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc.

TO : ExxonMobil Oil Corporation

All other terms and conditions of this Bond are unchanged.

Signed, sealed and dated this 12th of June, 2001.

ExxonMobil Oil Corporation

By: 

FEDERAL INSURANCE COMPANY

By: 
Mary Pierson, Attorney-in-fact



**Chubb
Surety**

**POWER
OF
ATTORNEY**

**Federal Insurance Company
Vigilant Insurance Company
Pacific Indemnity Company**

**Attn.: Surety Department
15 Mountain View Road
Warren, NJ 07059**

Know All by These Presents, That **FEDERAL INSURANCE COMPANY**, an Indiana corporation, **VIGILANT INSURANCE COMPANY**, a New York corporation, and **PACIFIC INDEMNITY COMPANY**, a Wisconsin corporation, do each hereby constitute and appoint **R.F. Bobo**, **Mary Pierson**, **Philana Berros**, and **Jody E. Specht** of **Houston, Texas**-----

each as their true and lawful Attorney-in-Fact to execute under such designation in their names and to affix their corporate seals to and deliver for and on their behalf as surety thereon or otherwise, bonds and undertakings and other writings obligatory in the nature thereof (other than bail bonds) given or executed in the course of business, and any instruments amending or altering the same, and consents to the modification or alteration of any instrument referred to in said bonds or obligations.

In Witness Whereof, said **FEDERAL INSURANCE COMPANY**, **VIGILANT INSURANCE COMPANY**, and **PACIFIC INDEMNITY COMPANY** have each executed and attested these presents and affixed their corporate seals on this **10th** day of **May**, 2001.

Kenneth C. Wendel, Assistant Secretary

Frank E. Robertson, Vice President

STATE OF NEW JERSEY } ss.
County of Somerset

On this **10th** day of **May**, 2001, before me, a Notary Public of New Jersey, personally came **Kenneth C. Wendel**, to me known to be Assistant Secretary of **FEDERAL INSURANCE COMPANY**, **VIGILANT INSURANCE COMPANY**, and **PACIFIC INDEMNITY COMPANY**, the companies which executed the foregoing Power of Attorney, and the said **Kenneth C. Wendel** being by me duly sworn, did depose and say that he is Assistant Secretary of **FEDERAL INSURANCE COMPANY**, **VIGILANT INSURANCE COMPANY**, and **PACIFIC INDEMNITY COMPANY** and knows the corporate seals thereof, that the seals affixed to the foregoing Power of Attorney are such corporate seals and were thereto affixed by authority of the By-Laws of said Companies; and that he signed said Power of Attorney as Assistant Secretary of said Companies by like authority; and that he is acquainted with **Frank E. Robertson**, and knows him to be Vice President of said Companies; and that the signature of **Frank E. Robertson**, subscribed to said Power of Attorney is in the genuine handwriting of **Frank E. Robertson** and was thereto subscribed by authority of said **Frank E. Robertson** in the presence of the Notary Public.



Notary Public State of New Jersey
No. 2231647

Karen A. Price
Notary Public

Commission Expires **Oct 28, 2004**

Extract from the By-Laws of **FEDERAL INSURANCE COMPANY**, **VIGILANT INSURANCE COMPANY**, and **PACIFIC INDEMNITY COMPANY**:

"All powers of attorney for and on behalf of the Company may and shall be executed in the name and on behalf of the Company, either by the Chairman or the President or a Vice President or an Assistant Vice President, jointly with the Secretary or an Assistant Secretary, under their respective designations. The signature of such officers may be engraved, printed or lithographed. The signature of each of the following officers: Chairman, President, any Vice President, any Assistant Vice President, any Secretary, any Assistant Secretary and the seal of the Company may be affixed by facsimile to any power of attorney or to any certificate relating thereto appointing Assistant Secretaries or Attorneys-in-Fact for purposes only of executing and attesting bonds and undertakings and other writings obligatory in the nature thereof, and any such power of attorney or certificate bearing such facsimile signature or facsimile seal shall be valid and binding upon the Company and any such power so executed and certified by such facsimile signature and facsimile seal shall be valid and binding upon the Company with respect to any bond or undertaking to which it is attached."

I, **Kenneth C. Wendel**, Assistant Secretary of **FEDERAL INSURANCE COMPANY**, **VIGILANT INSURANCE COMPANY**, and **PACIFIC INDEMNITY COMPANY** (the "Companies") do hereby certify that

- (i) the foregoing extract of the By-Laws of the Companies is true and correct,
- (ii) the Companies are duly licensed and authorized to transact surety business in all 50 of the United States of America and the District of Columbia and are authorized by the U. S. Treasury Department; further, Federal and Vigilant are licensed in Puerto Rico and the U. S. Virgin Islands, and Federal is licensed in American Samoa, Guam, and each of the Provinces of Canada except Prince Edward Island; and
- (iii) the foregoing Power of Attorney is true, correct and in full force and effect.

Given under my hand and seals of said Companies at **Warren, NJ** this **12th** day of **June**, 2001



Kenneth C. Wendel, Assistant Secretary

IN THE EVENT YOU WISH TO NOTIFY US OF A CLAIM, VERIFY THE AUTHENTICITY OF THIS BOND OR NOTIFY US OF ANY OTHER MATTER, PLEASE CONTACT US AT ADDRESS LISTED ABOVE, OR BY Telephone (908) 903-3485 Fax (908) 903-3656 e-mail: surety@chubb.com

CSC

5184334741

06/01 '01 08:46 NO.410 03/05

CSC

06/01 '01 09:06 NO.135 02/04

F010601000187

CERTIFICATE OF AMENDMENT
OF
CERTIFICATE OF INCORPORATION
OF
MOBIL OIL CORPORATION

CSC 45

(Under Section 805 of the Business Corporation Law)

Pursuant to the provisions of Section 805 of the Business Corporation Law, the undersigned President and Secretary, respectively, of Mobil Oil Corporation hereby certify:

FIRST: That the name of the corporation is MOBIL OIL CORPORATION and that said corporation was incorporated under the name of Standard Oil Company of New York.

SECOND: That the Certificate of Incorporation of the corporation was filed by the Department of State, Albany, New York, on the 10th day of August, 1882.

THIRD: That the amendments to the Certificate of Incorporation effected by this Certificate are as follows:

(a) Article 1st of the Certificate of Incorporation, relating to the corporate name, is hereby amended to read as follows:

"1st The corporate name of said Company shall be,
ExxonMobil Oil Corporation",

(b) Article 7th of the Certificate of Incorporation, relating to the office of the corporation is hereby amended to read as follows:

The office of the corporation within the State of New York is to be located in the County of Albany. The Company shall have offices at such other places as the Board of Directors may from time to time determine.

CSC
CSC

5184334741

06/01 '01 08:47 NO.410 04/05
06/01 '01 09:00 NO.133 03/04

FOURTH: That the amendments to the Certificate of Incorporation were authorized by the Board of Directors followed by the holder of all outstanding shares entitled to vote on amendments to the Certificate of Incorporation by written consent of the sole shareholder dated May 22, 2001.


IN WITNESS WHEREOF, this Certificate has been signed this 22nd Day of May, 2001.



F. A. Risch, President 

STATE OF TEXAS)
COUNTY OF DALLAS)


F. L. REID, being duly sworn, deposes and says that he is the Secretary of MOBIL OIL CORPORATION, the corporation mentioned and described in the foregoing instrument; that he has read and signed the same and that the statements contained therein are true.




F. L. REID, Secretary

SUBSCRIBED AND SWORN TO before me, the undersigned authority, on this the 22nd day of May, 2001.

[SEAL]



NOTARY PUBLIC, STATE OF TEXAS



CSC
CSC

5184334741

06/01 '01 09:01 NO.411 02/02
06/01 '01 09:06 NO.153 04/04
F010601000187

CSC 45

CERTIFICATE OF AMENDMENT

OF

MOBIL OIL CORPORATION

Under Section 805 of the Business Corporation Law

SAC

**STATE OF NEW YORK
DEPARTMENT OF STATE**

100 cc

Filed by: EXXONMOBIL CORPORATION

FILED JUN 01 2001

(Name)

TAX \$

6959 Las Colinas Blvd.

BY: *SAC*


(Mailing address)

ny Albany

Irving, TX 75039-2298

(City, State and Zip code)

Cust Ref # 165578 MPJ



010601000195

State of New York }
Department of State } ss:

I hereby certify that the annexed copy has been compared with the original document in the custody of the Secretary of State and that the same is a true copy of said original.

Witness my hand and seal of the Department of State on **JUN 01 2001**



Special Deputy Secretary of State

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
14-20-603-359

6. If Indian, Allottee or Tribe Name
NAVAJO TRIBAL

7. If Unit or CA/Agreement, Name and/or No.
MCELMO CREEK UNIT

8. Well Name and No.
MCELMO CREEK UNIT R-20

9. API Well No.
43-037-30462

10. Field and Pool, or Exploratory Area
GREATER ANETH

11. County or Parish, State
SAN JUAN UT

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
MOBIL EXPL&PROD., NA INC

3a. Address
P.O. Box 4358, HOUSTON, TX 77210-4358

3b. Phone No. (include area code)
(713) 431-1214

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
750' FSL & 600' FWL SEC 9-T41S-R25E

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other TA EXTENSION
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recomplate in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the final site is ready for final inspection.)

MOBIL EXPLORATION & PRODUCING US INC. AS AGENT FOR MOBIL PRODUCING TEXAS & NEW MEXICO INC. & MOBIL EXPLORATION & PRODUCING NORTH AMERICA INC REQUESTS EXTENSION OF TEMPORARILY ABANDON STATUS. THE AREA OF FIELD THE WELL IS LOCATED IN IS BEING STUDIED FOR POSSIBLE FUTURE INJECTION.

Accepted by the
Utah Division of
Oil, Gas and Mining

Federal Approval Of This
Action Is Necessary

Date: **8/29/01**
By: **[Signature]**
STATEXTA: **9/1/2003**

8-30-01
CHD

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed) **JACQUELINE P. DAVIS** Title **SUPPORT STAFF OFFICE ASSISTANT**

[Signature] Date **7/27/01**

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by _____ Title _____ Date _____

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Office _____

Division of Oil, Gas and Mining
PHONE CONVERSATION DOCUMENTATION FORM

Route original/copy to:

Well File _____ Suspense _____ Other _____
Rutherford Unit Wells (Return Date) _____
(Loc.) Sec _____ Twp _____ Rng. _____ (To-Initials) _____
(API No.) _____

1. Date of Phone Call: _____ Time: _____

2. DOGM Employee (name) DUSTIN DOUCET (Initiated Call)
Talked to:
Name Steve Mason (Initiated Call) - Phone No. (505) 599-6364
of (Company/Organization) BLM - Farmington

3. Topic of Conversation: SI/TA Extension - is it justified
where do the BLM stand?

4. Highlights of Conversation: Called Steve 7/19/01 15:45 left message
Steve returned call 7/20/01 @ 10:30. He has approved
the SI/TA's. Said it is a small percentage of SI's in
area (~~one~~ 23 of four 300 in area). They are making progress
on plugging SI wells in area. It is taking a while
to put SI's on Injection waiting on results etc.
Adaguate info has been provided to BLM according to Steve.
9/28/01 - Has shut in period for 2 years (End of 2003).

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

FORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 2000

5. Lease Serial No.
14-20-603-359

6. If Indian, Allottee or Tribe Name
NAVAJO TRIBAL

7. If Unit or CA/Agreement, Name and/or No.
MCELMO CREEK UNIT

8. Well Name and No.
MCELMO CREEK UNIT R-20

9. API Well No.
43-037-30462

10. Field and Pool, or Exploratory Area
GREATER ANETH

11. County or Parish, State
SAN JUAN UT

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
MOBIL PRODUCING TX. & N.M. INC.

3a. Address
P. O. BOX 4358, HOUSTON, TEXAS 77210-4358

3b. Phone No. (include area code)
(713) 431-1214

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
750' FSL & 600' FWL SEC 9-T41S-R25E

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	TA EXTENSION
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the final site is ready for final inspection.)

ExxonMobil Producing Company, a division of Exxon Mobil Corporation on behalf of Mobil Producing Texas & New Mexico, Inc. requests extension of temporarily abandon status for one year. The area of field the well is located in is being studied for possible future injection.

RECEIVED

SEP 27 2001

DIVISION OF
OIL, GAS AND MINING

Extension Approved 9/25/2001

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) **Jacqueline P. Davis** Title **Support Staff Office Assistant**

Jacqueline P. Davis Date **09/26/2001**

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by _____ Title _____ Date _____

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Office _____

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an
abandoned well. Use Form 3160-3 (APD) for such proposals.

FORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 2000

5. Lease Serial No.

14-20-603-359

6. If Indian, Allottee or Tribe Name

NAVAJO TRIBAL

7. If Unit or CA/Agreement, Name and/or No.

MCELMO CREEK UNIT

8. Well Name and No.
MCELMO CREEK UNIT R-20

9. API Well No.

43-037-30462

10. Field and Pool, or Exploratory Area

GREATER ANETH

11. County or Parish, State

SAN JUAN UT

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

MOBIL PRODUCING TX. & N.M. INC.

3a. Address

P. O. BOX 4358, HOUSTON, TEXAS 77210-4358

3b. Phone No. (include area code)

(713) 431-1214

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

750' FSL & 600' FWL SEC 9-T41S-R25E

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input checked="" type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Coompleted Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the final site is ready for final inspection.)

05/12/97 MIRU. POOH with tubing. RIH and set CIBP at 5375'.

06/12/97 POOH with tubing. Circulate w/packer fluid. Temporarily abandon.

We will schedule an MIT for the month of July, 2002.

Accepted by the
Utah Division of
Oil, Gas and Mining

Date: 10/1/01

By: Donna K. Dent

Federal Approval Of This
Action Is Necessary

RECEIVED

SEP 27 2001

DIVISION OF
OIL, GAS AND MINING

APPROVED BY OPERATOR
10-1-01
CHD

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

JACQUELINE P. DAVIS

Title

SUPPORT STAFF OFFICE ASSISTANT

Date

09/26/2001

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW ✓
3. FILE

Change of Operator (Well Sold)

Designation of Agent

X Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective: **06-01-2001**

FROM: (Old Operator):	TO: (New Operator):
MOBIL EXPLORATION & PRODUCTION	EXXONMOBIL OIL CORPORATION
Address: P O BOX DRAWER "G"	Address: U S WEST P O BOX 4358
CORTEZ, CO 81321	HOUSTON, TX 77210-4358
Phone: 1-(970)-564-5212	Phone: 1-(713)-431-1010
Account No. N7370	Account No. N1855

CA No.

Unit:

MCELMO CREEK

WELL(S)

NAME	SEC TWN RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
MCELMO CR S-18	09-41S-25E	43-037-15978	5980	INDIAN	OW	P
MCELMO CR U-18	09-41S-25E	43-037-15982	5980	INDIAN	OW	P
MCELMO CR R-20	09-41S-25E	43-037-30462	5980	INDIAN	OW	TA
MCELMO CR R-18	09-41S-25E	43-037-30778	5980	INDIAN	OW	P
MCELMO CR S-17	09-41S-25E	43-037-30779	5980	INDIAN	OW	P
MCELMO CR S-19	09-41S-25E	43-037-30780	5980	INDIAN	OW	P
MCELMO CR T-18	09-41S-25E	43-037-30781	5980	INDIAN	OW	P
MCELMO CR U-17	09-41S-25E	43-037-30782	5980	INDIAN	OW	S
MCELMO CR S-22	16-41S-25E	43-037-15980	5980	INDIAN	OW	P
MCELMO CR Q-22	17-41S-25E	43-037-15523	5980	INDIAN	OW	S
MCELMO CR O-22A	17-41S-25E	43-037-15970	5980	INDIAN	OW	P
MCELMO CR Q-21	17-41S-25E	43-037-30463	5980	INDIAN	OW	P
MCELMO CR P-22	17-41S-25E	43-037-30506	5980	INDIAN	OW	P
MCELMO CREEK N-22	17-41S-25E	43-037-30661	5980	INDIAN	OW	P
MCELMO CR O-21	17-41S-25E	43-037-30662	5980	INDIAN	OW	P
MCELMO CREEK UNIT O-23	17-41S-25E	43-037-31123	5980	INDIAN	OW	P
MCELMO CREEK UNIT Q-23	17-41S-25E	43-037-31124	5980	INDIAN	OW	P
MCELMO CR J-23	18-41S-25E	43-037-15500	5980	INDIAN	OW	P
MCELMO CR M-22	18-41S-25E	43-037-15512	5980	INDIAN	OW	P
MCELMO CR M-24	18-41S-25E	43-037-15513	5980	INDIAN	OW	P

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 06/29/2001
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 06/29/2001
3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 04/09/2002
4. Is the new operator registered in the State of Utah: YES Business Number: 579865-0143
5. If **NO**, the operator was contacted on: N/A

6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BIA-06/01/01

7. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: BIA-06/01/2001

8. **Federal and Indian Communitization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: N/A

9. **Underground Injection Control ("UIC")**

The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 04/25/2002
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 04/25/2002
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: N/A

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: N/A

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: 80273197

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number N/A
2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS:

Additional data for EC transaction #26080 that would not fit on the form

32. Additional remarks, continued

(15.8ppg, 1.15 yield). Pull up hole and reverse circulate tubing clean. RBIH to top of cement. Circulate wellbore with 10ppg mud.

5. POOH with workstring. Stand back 1,500 of workstring and lay down remaining workstring.

6. MIRU WLSU. NU wireline BOP and Lubricator. Test per ExxonMobil guidelines. PU and RIH with 5-1/2 14# deep penetrating perforating gun loaded with 4spf (8 holes). Perforate 5-1/2 14# casing from 1,500 -1,502. POOH with wireline and perforating equipment. Open 8-5/8 x 5-1/2 surface casing valve. Establish circulation between 8-5/8 x 5-1/2 casing annuli. Once circulation is established, RDMO WLSU.

7. PU and RIH with 5-1/2 14# CICR and workstring. Set CICR @ 1,450. Open 8-5/8 x 5-1/2 surface casing valve. Pump 10 bbis fresh water spacer. Circulate 340 sxs of Type III cement (14.6 ppg and 1.37 cu ft/sx yield) into perforation from 1,500 -1,502. When cement reached the surface casing valve, close valve. Latch out of CICR and fill remaining 5-1/2 casing from the CICR to 10 below ground level with 150 sxs Type III cement (14.6ppg and 1.37 cu ft/sx yield). Lay down workstring as needed.

8. ND BOP stack and wellhead. PU and RIH with 5-1/2 14# mechanical cutter on 1jt 2-7/8 workstring. Cut 5-1/2 casing 6 below ground level. PU and LD wellhead and mechanical cutter. Top fill all casing strings with cement to the surface. Flush all lines and RDMO BJ Services.

9. Weld steel cap with a 4 x 10 marker across the casing stub. Leave 4 of marker above ground level. Weld the following information on the marker above ground level.

- a. ExxonMobil Prod. Company, U.S. West
- b. McElmo Creek Unit # R-20
- c. Navajo Tribal Lease # 14-20-603-359
- d. GL: 4684
- e. 750 FSL & 600 FWL
- f. Sec 9-T41S-R25E
- g. San Juan County, Utah

10. RDMO WSU. Clean and reclaim location per regulatory requirements.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires January 31, 2004

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other Instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
Exxon Mobil Corporation

3a. Address **P.O. Box 4358**
Houston TX 77210-4358

3b. Phone No. (include area code)
(281) 654-1913

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Sec 9 T41S R25E SWSW 750' FSL & 600' FWL

5. Lease Serial No.
14-20-603-359

6. If Indian, Allottee or Tribe Name
Navajo Tribal

7. If Unit or CA/Agreement, Name and/or No.
McElmo Creek Unit

8. Well Name and No.
McElmo Creek Unit R-20

9. API Well No.
43-037-30462

10. Field and Pool, or Exploratory Area
GREATER ANETH

11. County or Parish, State
SAN JUAN UT

12. CHECK APPROPRIATE BOX(es) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	_____
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	_____

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recomplate in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

3/2/05 - MIRU WS Key #61, spot equipment, RU hardlines, found 1400# on csg, bled well down to 700#, flow back 80 bbls, SI well, pressure built up to 1525#. left well SI.

3/3/05 - BJSA, RDMO rig off location, MU choke manifold, start backflowing back into open top Rig tank, flow back mostly start out with 1600#, bled down to 1250# in 3 hrs, SI well watch to see built up, no built in 10 mis, SION.

3/4/05 - BJSA, bled well down to 1250 # from 1600#, flow back 80- bbls, tie in line to pump 16 KWF, start at 1300#, pump 95 bbls 16.1 bbls at 1/2 BPM, pressure started to drop when pump 25 bbls, Ran out of KWF. SICP 60#, SISD, called Mud Engineer for more KWF for Monday.

3/5/05 - No Activity, well had 450#, bled down to 50#.

3/6/05 - No Activity, well had 850#, bled well down to 450#, mostly CO2, SI

RECEIVED
APR 08 2005

SEE ATTACHMENT FOR ADDITIONAL REMARKS DIV OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) **Jacqueline P. Davis** Title **Support Staff Office Assistant**

Signature *Jacqueline P. Davis* Date **04/07/2005**

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by _____ Title _____ Date _____

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Office _____

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

ATTACHMENT

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

5. Lease Serial No. 14-20-603-359	
6. If Indian, Allottee or Tribe Name Navajo Tribal	
7. If Unit or CA/Agreement, Name and/or No. McElmo Creek Unit	
8. Well Name and No. McElmo Creek Unit	R-20
9. API Well No. 43-037-30462	
10. Field and Pool, or Exploratory Area GREATER ANETH	
11. County or Parish, State SAN JUAN UT	

SUBMIT IN TRIPLICATE - Other Instructions on reverse side

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other	
2. Name of Operator Exxon Mobil Corporation	
3a. Address P.O. Box 4358 Houston TX 77210-4358	3b. Phone No. (include area code) (281) 654-1913
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 9 T41S R25E SWSW 750' FSL & 600' FWL	

Additional Remarks

3/7/05
BJSA, well had 850#, bled well down to 500#, pump 10 bbl 16.4# pressure up to 850#, SD pump, bled well down to 600#, pump 1 bbls, pressuer up to 1000#, SI, bled well down to 440#, pump 2 bbls, pressure back up to 1000#, SI, slowly bled well down to 600#, start getting mud back, open well back up let flow back, flow back 8 bbls, pressure drop down to 80- #, SI pump 20 bbls 16.4#KWF, well dead, NU valve on top of sub. MIRU WSU. SION

3/8/05
BJSA, well had 100#, bled off, pump 5 bbls 16.4 KWF, NUBOP, PU tension set packer, test BOP, test good, POOH LD packer, PU bit and scraper, PU 174 jts, tagged CIPB @ 5376' POOH LD 4 jts, SION.

3/9/05
BSJA, well had 100#, bled off, gassy, pump 10 bbls 16.4 down casing, 2 bbls down tbg, well dead, POOH w/ 2 stds, well started to flow on casing, tried to kill all day got pressure down to 50 #, kept flowing, pump 10 bbl sleft 800# on casing SION.

3/10/05
BJSA, TP 0#, csg 800#, bled csg down, flowing, pump 10 bbls down tbg, 30 bbls down csg 16.4#KWF, bled well down, well dead, POOH L Dbit and scraper, PU CICR, set at 5368' test tbg to 2200# held good, sting out cicr 130 bbls fresh water, test casing to 500#, held good, SION.

3/11/05
BJSA, Safety mtg, MIRU BJ Service, test lines to 2000#, test good, pump 5 bbl s ahead, 30 bbls Cement, 150 sx, 15,.8#, 1.38 yield, displace 24 bbls fresh water, POOH SB 44 jts, LD 129 jts, RIH w/ 44 jts for KS, SISD for the weeken

3/12 - 13/05
Weekend No Rig Activity

3/14/05
BJSA, Bled Well Down No psi. TOO H with 44 joints of tubing and lay down 7 joints, RU wireline and tagged cement at 4000', Perforated casing at 1450', Circulate down the casing and up the btaden head, RD wire line, PU retainer, TIH with a single, and the 22 stands from the dirreck. and set the retainer at 1400' from surface, RU BJ Services, pumped about 75 bbls of cement up to the bradon head, sting out and pumped about 17 more bbls of cement, shut Down BJ Service while crew TOO H with 23 joints of tubinnng and lay on trailer, Started pumping cement to surface about 20 more bbls of cement. RD BJ Services, TOO H with the 22 joints of tubing and stinger and lay them down. RD down the rig floor and NDBOP plus Hydrill. PU casing cutter plus 1 joint of tubing, No cut, lay down tool. SIFN

3/15/05
BJSA, PU casing cutter plus 1 joint of tubing, Cut Casing 6' below surface, lay down cutter and 1 joint of tubing. Clean location, RDMO location. FINAL REPORT

RECEIVED
APR 08 2005

DIV. OF OIL, GAS & MINING

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

ROUTING	
1. DJJ	
2. CDW	

X Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective: 6/1/2006	
FROM: (Old Operator): N1855-ExxonMobil Oil Corporation PO Box 4358 Houston, TX 77210-4358 Phone: 1 (281) 654-1936	TO: (New Operator): N2700-Resolute Natural Resources Company 1675 Broadway, Suite 1950 Denver, CO 80202 Phone: 1 (303) 534-4600
CA No.	Unit:
	MC ELMO

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 4/21/2006
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 4/24/2006
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/7/2006
- Is the new operator registered in the State of Utah: YES Business Number: 5733505-0143
- If **NO**, the operator was contacted on:
- (R649-9-2)Waste Management Plan has been received on: requested
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM n/a BIA not yet
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: not yet
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 6/12/2006

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 6/22/2006
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 6/22/2006
- Bond information entered in RBDMS on: n/a
- Fee/State wells attached to bond in RBDMS on: n/a
- Injection Projects to new operator in RBDMS on: 6/22/2006
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: n/a
- Indian well(s) covered by Bond Number: PA002769
- (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number n/a
- The **FORMER** operator has requested a release of liability from their bond on: n/a
The Division sent response by letter on: n/a

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER: See attached list
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Navajo Tribe
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>Unit Agreement</u>		7. UNIT or CA AGREEMENT NAME: McElmo Creek Unit
2. NAME OF OPERATOR: Resolute Natural Resources Company <i>Na 700</i>		8. WELL NAME and NUMBER: See attached list
3. ADDRESS OF OPERATOR: 1675 Broadway, Suite 1950 CITY Denver STATE CO ZIP 80202	PHONE NUMBER: (303) 534-4600	9. API NUMBER: Attached
4. LOCATION OF WELL FOOTAGES AT SURFACE: See attached list		10. FIELD AND POOL, OR WILDCAT: Greater Aneth
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		COUNTY: San Juan
		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective June 1, 2006 Exxon Mobil Oil Corporation resigns as operator of the McElmo Creek Unit. Also effective June 1, 2006 Resolute Natural Resources Company is designated as successor operator of the McElmo Creek Unit.

A list of affected producing and water source wells is attached. A separate of affected injection wells is being submitted with UIC Form 5, Transfer of Authority to Inject.

As of the effective date, bond coverage for the affected wells will transfer to BIA Bond # PA002769.

NAME (PLEASE PRINT) <u>Dwight E Mallory</u>	TITLE <u>Regulatory Coordinator</u>
SIGNATURE	DATE <u>4/20/2006</u>

(This space for State use only)

APPROVED 6/22/06
Earlene Russell
Division of Oil, Gas and Mining (See Instructions on Reverse Side)
Earlene Russell, Engineering Technician

RECEIVED
APR 24 2006
DIV. OF OIL, GAS & MINING

(5/2000)

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9


SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Ship Rock
		7. UNIT or CA AGREEMENT NAME: UTU68930A
1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____	8. WELL NAME and NUMBER: McElmo Creek	
2. NAME OF OPERATOR: ExxonMobil Oil Corporation <i>N1855</i>	9. API NUMBER: attached	
3. ADDRESS OF OPERATOR: P.O. Box 4358 CITY Houston STATE TX ZIP 77210-4358 PHONE NUMBER: (281) 654-1936	10. FIELD AND POOL, OR WILDCAT: Aneth	
4. LOCATION OF WELL FOOTAGES AT SURFACE: _____ COUNTY: San Juan		STATE: UTAH
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>6/1/2006</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

ExxonMobil Oil Corporation is transferring operatorship of Greater Aneth field, McElmo Creek lease to Resolute Natural Resources Company. All change of operator notices should be made effective as of 7:00 AM MST on June 1, 2006.

Attached please find a listing of producers and water source wells included in the transfer.

NAME (PLEASE PRINT) <u>Laurie Kilbride</u>	TITLE <u>Permitting Supervisor</u>
SIGNATURE 	DATE <u>4/19/2006</u>

(This space for State use only) **APPROVED** 6/22/06
Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

RECEIVED
APR 21 2006
DIV. OF OIL, GAS & MINING

McElmo Creek Unit - Producer Well List

Lease	Number	API #	Status	Lease #	Location					
					Sec	T	R	QTR/QTR	NSFoot	EWFoot
MCU	H-12	43037303600S1	Producing	14-200-6036145	36	40S	24E	SWSE	0643FSL	2123FEL
MCU	I-11	430373035800S1	Producing	14-200-6036145	36	40S	24E	NESE	1975FSL	0318FEL
MCU	F-12	430373038000S1	Producing	14-200-6036146	36	40S	24E	SWSW	0585FSL	0628FWL
MCU	G-11	430373037600S1	Producing	14-200-6036146	36	40S	24E	NESW	1957FSL	1995FWL
MCU	D-16	430373038700S1	Producing	14-200-6036147	2	41S	24E	SWSE	0622FSL	1773FSL
MCU	E-15	430373038900S1	Producing	14-200-6036147	2	41S	24E	NESE	1877FSL	0575FEL
MCU	C-15	430373038400S1	Producing	14-200-6036508	2	41S	24E	NESW	1765FSL	3206FEL
MCU	C-13	430373037900S1	TA	14-200-6036509	2	41S	24E	NENW	0881FNL	3076FEL
MCU	D-14	430373038600S1	Producing	14-200-6036510	2	41S	24E	SWNE	1884FNL	1856FEL
MCU	E-13	430373038800S1	SI	14-200-6036510	2	41S	24E	NENE	0789FNL	0296FEL
MCU	U-08	430373045400S1	Producing	14-20-6032048A	28	40S	25E	SESE	0100FSL	0650FEL
MCU	R-10	430373112100S1	SI	14-20-6032057	33	40S	25E	SWNW	2326FNL	0632FWL
MCU	R-12	430373065100S1	Producing	14-20-6032057	33	40S	25E	SWSW	0692FSL	0339FWL
MCU	R-14	430373020200S1	Producing	14-20-6032057	4	41S	25E	SWNW	2030FNL	0560FWL
MCU	R-16	430373027200S1	Producing	14-20-6032057	4	41S	25E	SWSW	0656FSL	0505FWL
MCU	S-11	430373045200S1	Producing	14-20-6032057	33	40S	25E	NESW	1928FSL	1731FWL
MCU	S-13	430373045300S1	Producing	14-20-6032057	4	41S	25E	NENW	0761FNL	1837FWL
MCU	S-15	430373063200S1	Producing	14-20-6032057	4	41S	25E	NESW	1854FSL	1622FWL
MCU	T-10	430373046000S1	Producing	14-20-6032057	33	40S	25E	SWNE	1931FNL	1793FEL
MCU	T-12	430373007400S1	Producing	14-20-6032057	33	40S	25E	NWSE	1940FSL	1960FEL
MCU	T-12A	430373040100S1	Producing	14-20-6032057	33	40S	25E	SWSE	0590FSL	2007FEL
MCU	T-14	430373045900S1	Producing	14-20-6032057	4	41S	25E	SWNE	1922FNL	1903FEL
MCU	T-16	430373065400S1	Producing	14-20-6032057	4	41S	25E	SWSE	0630FSL	2030FEL
MCU	U-09	430373112200S1	Producing	14-20-6032057	33	40S	25E	NENE	1019FNL	0526FEL
MCU	U-13	430373045600S1	Producing	14-20-6032057	4	41S	25E	NENE	0700FNL	0700FEL
MCU	U-15	430373063300S1	Producing	14-20-6032057	4	41S	25E	NESE	1798FSL	0706FEL
MCU	V-14	430373065300S1	SI	14-20-6032057	3	41S	25E	SWNW	2091FNL	0322FWL
MCU	J-18	430373031800S1	Producing	14-20-603263	7	41S	25E	SWNW	1823FNL	0663FWL
MCU	J-20	430373030600S1	Producing	14-20-603263	7	41S	25E	SWSW	0819FSL	0577FWL
MCU	J-22	430373034100S1	Producing	14-20-603263	18	41S	25E	SWNW	1977FNL	0515FWL
MCU	J-23	430371550000S1	Producing	14-20-603263	18	41S	25E	NWSW	1980FSL	0575FWL
MCU	J-24	430373120500S1	Producing	14-20-603263	18	41S	25E	SWSW	0675FSL	0575FWL
MCU	K-17	430373032800S1	Producing	14-20-603263	7	41S	25E	NENW	0763FNL	1898FWL
MCU	K-19	430373032700S1	Producing	14-20-603263	7	41S	25E	NESW	1999FSL	1807FWL
MCU	K-21	430373030200S1	Producing	14-20-603263	18	41S	25E	NENW	0738FNL	1735FWL
MCU	K-23	430373033600S1	Producing	14-20-603263	18	41S	25E	NESW	1833FSL	1823FWL
MCU	L-18	430373031900S1	Producing	14-20-603263	7	41S	25E	SWNE	1950FNL	1959FEL
MCU	L-20	430373031300S1	Producing	14-20-603263	7	41S	25E	SWSE	0312FSL	1560FEL
MCU	L-22	430373034700S1	Producing	14-20-603263	18	41S	25E	NWSE	2844FSL	2140FEL
MCU	L-24	430373033900S1	SI	14-20-603263	18	41S	25E	SWSE	1980FNL	1980FEL
MCU	M-17	430373031400S1	Producing	14-20-603263	7	41S	25E	NENE	0454FNL	1031FEL
MCU	M-19	430373030700S1	Producing	14-20-603263	7	41S	25E	NESE	2012FSL	0772FEL
MCU	M-21	430373030300S1	Producing	14-20-603263	18	41S	25E	NENE	0919FNL	0463FEL
MCU	M-22	430371551200S1	Producing	14-20-603263	18	41S	25E	SENE	1720FNL	0500FEL
MCU	M-23	430373033800S1	Producing	14-20-603263	18	41S	25E	NESE	1890FSL	4214FWL
MCU	M-24	430371551300S1	Producing	14-20-603263	18	41S	25E	SESE	0500FSL	0820FEL
MCU	N-18	430373028600S1	Producing	14-20-603263	8	41S	25E	SWNW	1779FNL	0573FWL
MCU	N-20	430373026900S1	Producing	14-20-603263	8	41S	25E	SWSW	0620FSL	0634FWL
MCU	N-22	430373066100S1	SI	14-20-603263	17	41S	25E	SWNW	1763FNL	0730FWL
MCU	O-17	430373028900S1	Producing	14-20-603263	8	41S	25E	NENW	0627FNL	1855FWL
MCU	O-19	430373027000S1	Producing	14-20-603263	8	41S	25E	NESW	1932FSL	2020FWL
MCU	O-20	430371551800S1	Producing	14-20-603263	8	41S	25E	SESW	0660FSL	1980FWL
MCU	O-21	430373066200S1	Producing	14-20-603263	17	41S	25E	NENW	0796FNL	1868FWL
MCU	O-22A	430371597000S1	Producing	14-20-603263	17	41S	25E	SENE	1840FNL	1928FWL
MCU	O-23	430373112300S1	Producing	14-20-603263	17	41S	25E	NESW	2276FSL	1966FWL

McElmo Creek Unit - Producer Well List

Lease	Number	API #	Status	Lease #	Location					
					Sec	T	R	QTR/QTR	NSFoot	EWFoot
MCU	P-18	430373026700S1	Producing	14-20-603263	8	41S	25E	SWNE	1816FNL	1855FEL
MCU	P-22	430373050600S1	Producing	14-20-603263	17	41S	25E	SWNE	2035FNL	2135FEL
MCU	Q-17	430373027100S1	SI	14-20-603263	8	41S	25E	NENE	0714FNL	0286FEL
MCU	Q-18	430371552100S1	SI	14-20-603263	8	41S	25E	SENE	1980FNL	0660FEL
MCU	Q-19	430373065200S1	SI	14-20-603263	8	41S	25E	NESE	1957FSL	0899FEL
MCU	Q-20	430371552200S1	SI	14-20-603263	8	41S	25E	SESE	0650FSL	0740FEL
MCU	Q-21	430373046300S1	Producing	14-20-603263	17	41S	25E	NENE	0730FNL	0780FEL
MCU	Q-23	430373112400S1	SI	14-20-603263	17	41S	25E	NESE	2501FSL	0581FEL
MCU	J-25	430371550100S1	SI	14-20-603264	19	41S	25E	NWNW	0750FNL	0695FWL
MCU	K-25	430373118600S1	Producing	14-20-603264	19	41S	25E	NENW	0440FNL	1780FWL
MCU	R-18	430373077800S1	Producing	14-20-603359	9	41S	25E	SWNW	1808FNL	0513FWL
MCU	S-17	430373077900S1	Producing	14-20-603359	9	41S	25E	NENW	700FNL	1899FWL
MCU	S-18	430371597800S1	Producing	14-20-603359	9	41S	25E	SENE	1943FNL	1910FWL
MCU	S-19	430373078000S1	Producing	14-20-603359	9	41S	25E	NESW	3391FNL	2340FWL
MCU	S-22	430373159800S1	Producing	14-20-603359	16	41S	25E	SENE	1980FNL	1980FWL
MCU	T-18	430373078100S1	Producing	14-20-603359	9	41S	25E	SWNE	1774FNL	3499FWL
MCU	U-17	430373078200S1	Producing	14-20-603359	9	41S	25E	NENE	0625FNL	4399FWL
MCU	U-18	430371598200S1	Producing	14-20-603359	9	41S	25E	SENE	2048FNL	0805FEL
MCU	F-22	430371594700S1	Producing	14-20-603370	13	41S	24E	SWNW	1800FNL	0664FWL
MCU	G-22	430373120400S1	TA	14-20-603370	13	41S	24E	SENE	1910FNL	2051FWL
MCU	G-24	430373100800S1	Producing	14-20-603370	13	41S	24E	SESW	0458FSL	2540FWL
MCU	H-21	430373119200S1	Producing	14-20-603370	13	41S	24E	NWNE	0715FNL	2161FEL
MCU	H-22	430371595000S1	Producing	14-20-603370	13	41S	24E	SWNE	1980FNL	1980FEL
MCU	H-23	430373119300S1	Producing	14-20-603370	13	41S	24E	NWSE	2178FSL	1777FEL
MCU	H-24	430371595100S1	TA	14-20-603370	13	41S	24E	SWSE	1820FSL	0500FEL
MCU	H-26	430371595200S1	Producing	14-20-603370	24	41S	24E	SWNE	2053FNL	2077FEL
MCU	I-21	430371595300S1	SI	14-20-603370	13	41S	24E	NENE	0810FNL	0660FEL
MCU	I-22	430373118700S1	Producing	14-20-603370	13	41S	24E	SENE	1975FNL	0700FEL
MCU	I-24	430373018000S1	Producing	14-20-603370	13	41S	24E	SESE	0660FSL	0250FEL
MCU	I-16B	430373041700S1	Producing	14-20-603372	6	41S	25E	NWSW	1442FSL	0040FWL
MCU	J-12	430373034200S1	Producing	14-20-603372	31	40S	25E	SWSW	0631FSL	0495FWL
MCU	J-14	430373032100S1	Producing	14-20-603372	6	41S	25E	SWNW	1822FNL	0543FWL
MCU	J-15B	430373041400S1	Producing	14-20-603372	6	41S	25E	NWSW	2679FNL	1299FWL
MCU	J-16A	430373101100S1	Producing	14-20-603372	6	41S	25E	SWSW	0601FSL	0524FWL
MCU	K-11	430373035900S1	Producing	14-20-603372	31	40S	25E	NESW	1803FSL	1887FWL
MCU	K-13	430373033700S1	Producing	14-20-603372	6	41S	25E	NENW	0935FNL	2132FWL
MCU	K-15	430373032600S1	Producing	14-20-603372	6	41S	25E	NESW	1920FSL	1950FWL
MCU	L-12	430373004000S1	Producing	14-20-603372	31	40S	25E	SWSE	0100FSL	1700FEL
MCU	L-14	430373032300S1	SI	14-20-603372	6	41S	25E	SWNE	1955FNL	1821FEL
MCU	L-16	430373032400S1	SI	14-20-603372	6	41S	25E	SESW	0642FSL	1788FEL
MCU	M-11	430373035400S1	Producing	14-20-603372	31	40S	25E	NESE	2028FSL	0535FEL
MCU	M-12B	430373041600S1	Producing	14-20-603372	31	40S	25E	SESE	1230FSL	0057FEL
MCU	M-13	430373032000S1	Producing	14-20-603372	6	41S	25E	NENE	0897FNL	0402FEL
MCU	M-15	430373031500S1	Producing	14-20-603372	6	41S	25E	NESE	1927FSL	0377FEL
MCU	N-10	430373030400S1	Producing	14-20-603372	32	40S	25E	SWNW	3280FSL	0360FWL
MCU	N-12	430373029100S1	SI	14-20-603372	32	40S	25E	SWSW	1266FSL	1038FWL
MCU	N-14	430373028100S1	SI	14-20-603372	5	41S	25E	SWNW	2053FNL	0767FWL
MCU	N-16	430373027700S1	SI	14-20-603372	5	41S	25E	SWSW	0665FSL	0788FWL
MCU	O-09	430373035600S1	Producing	14-20-603372	32	40S	25E	NENW	0604FNL	1980FWL
MCU	O-11	430373028200S1	Producing	14-20-603372	32	40S	25E	NESW	2094FSL	1884FWL
MCU	O-13	430373028000S1	Producing	14-20-603372	5	41S	25E	NENW	0562FNL	2200FWL
MCU	O-15	430373027500S1	SI	14-20-603372	5	41S	25E	NESW	2017FSL	2054FWL
MCU	P-10	430373028401S1	Producing	14-20-603372	32	40S	25E	SWNE	3328FSL	1890FEL
MCU	P-14	430373027600S1	TA	14-20-603372	5	41S	25E	SWNE	1947FNL	1852FEL
MCU	P-16	430373028700S1	Producing	14-20-603372	5	41S	25E	SWSE	0680FSL	1865FEL
MCU	Q-09	430373101300S1	Producing	14-20-603372	32	40S	25E	NENE	0753FNL	0574FEL
MCU	Q-11	430373028300S1	Producing	14-20-603372	32	40S	25E	NESE	2027FSL	0868FEL
MCU	Q-13	430373028800S1	Producing	14-20-603372	5	41S	25E	NENE	0699FNL	0760FEL
MCU	Q-15	430373029000S1	Producing	14-20-603372	5	41S	25E	NESE	2027FSL	0591FEL

McElmo Creek Unit - Producer Well List

Lease	Number	API #	Status	Lease #	Location					
					Sec	T	R	QTR/QTR	NSFoot	EWFoot
MCU	F-14	430373025500S1	Producing	14-20-6034032	1	41S	24E	SWNW	2041FNL	0741FWL
MCU	F-16	430373038100S1	Producing	14-20-6034032	1	41S	24E	SWSW	0813FSL	0339FWL
MCU	G-13	430373036300S1	Producing	14-20-6034032	1	41S	24E	NENW	0656FNL	1999FWL
MCU	H-14	430373036200S1	Producing	14-20-6034032	1	41S	24E	SWNE	1937FNL	2071FEL
MCU	I-13	430373025700S1	Producing	14-20-6034032	1	41S	24E	NENE	0624FNL	0624FEL
MCU	E-17	430373039000S1	SI	14-20-6034039	11	41S	24E	NENE	0713FNL	0661FEL
MCU	G-17	430373037800S1	Producing	14-20-6034039	12	41S	24E	NENW	0649FNL	1904FWL
MCU	H-16	430373036600S1	Producing	14-20-6034039	1	41S	24E	SWSE	0923FSL	1974FEL
MCU	H-17B	430373041500S1	SI	14-20-6034039	1	41S	24E	SESE	0105FSL	1250FEL
MCU	I-15	430373036100S1	Producing	14-20-6034039	1	41S	24E	NESE	1895FSL	0601FEL
MCU	I-17	430373036700S1	Producing	14-20-6034039	12	41S	24E	NENE	0646FNL	0493FEL
MCU	G-18B	430373039900S1	Producing	14-20-6034495	12	41S	24E	NWNE	1332FNL	2605FEL
MCU	H-18	430373036400S1	SI	14-20-6034495	12	41S	24E	SWNE	1922FNL	1942FEL
MCU	I-19	430373036500S1	Producing	14-20-6034495	12	41S	24E	NESE	2060FSL	0473FEL
MCU	D-18	430373025600S1	Producing	14-20-6035447	11	41S	24E	SWNE	2380FNL	2000FEL
MCU	E-18	430371570600S1	Producing	14-20-6035447	11	41S	24E	SENE	1600FNL	0660FEL
MCU	F-18	430372018400S1	Producing	14-20-6035447	12	41S	24E	SWNW	1820FSL	2140FEL
MCU	C-17	430373038500S1	TA	14-20-6035448	11	41S	24E	NENW	0182FNL	3144FEL
MCU	C-19	430371570300S1	Producing	14-20-6035448	11	41S	24E	NESW	1980FSL	2060FWL
MCU	F-20	430371570700S1	TA	14-20-6035450	12	41S	24E	SWSW	0510FSL	0510FWL
MCU	G-20	430373118800S1	SI	14-20-6035450	12	41S	24E	SESW	0250FSL	1820FWL
MCU	H-19	430372030400S1	Producing	14-20-6035451	12	41S	24E	NWSE	2035FSL	1900FEL
MCU	H-20	430371570800S1	SI	14-20-6035451	12	41S	24E	SWSE	0300FSL	2200FEL
MCU	N-08	430373101200S1	Producing	I-149-IND8839	29	40S	25E	SWSW	0700FSL	0699FWL
MCU	O-08	430371614600S1	SI	I-149-IND8839	29	40S	25E	SESW	0750FSL	2030FWL
MCU	P-08	430373035500S1	SI	I-149-IND8839	29	40S	25E	SWSE	0765FSL	3170FWL
MCU	P-12	430373027800S1	SI	NOG-99041326	32	40S	25E	SWSE	758FSL	2237FEL

Water Source Wells (Feb 2006)

MCU	2	4303712715	Active
MCU	3	4303712716	Active
MCU	4	4303712717	Active
MCU	5	4303712718	Active
MCU	6	4303712719	Active
MCU	7	4303712720	Active
MCU	8	4303712721	Active
MCU	9	4303712722	Active
MCU	10	4303712723	Active
MCU	11	4303712724	Active
MCU	12		Inactive
MCU	13	4303712726	Active
MCU	14	4303712727	Active
MCU	15	4303712728	Active
MCU	16	4303712729	Active
MCU	17	4303712730	Active
MCU	18	4303767001	Active
MCU	19	4303712732	Active
MCU	20	4303712733	Active
MCU	21	4303712734	Active
MCU	PIT1	4303700297	Active