

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

5. LEASE DESIGNATION AND SERIAL NO.
14-20-603-353

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
Navajo

7. UNIT AGREEMENT NAME
SW-I-4192

8. FARM OR LEASE NAME
Ratherford Unit

9. WELL NO.
#18-44

10. FIELD AND POOL, OR WILDCAT
Greater Aneth

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 18-T41S-R24E

12. COUNTY OR PARISH
San Juan

13. STATE
Utah

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1A. TYPE OF WORK
DRILL DEEPEN PLUG BACK

B. TYPE OF WELL
OIL WELL GAS WELL OTHER

SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
Phillips Oil Company

3. ADDRESS OF OPERATOR
P. O. Box 2920, Casper, Wyoming 82602

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*
At surface 660' FSL, 660' FEL (SE SE)
At proposed prod. zone same

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
approximately 4 miles South of Montezuma Creek, Utah

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig. unit line, if any)
4620' East of Ratherford Unit Lease Line

16. NO. OF ACRES IN LEASE
2534 Acres

17. NO. OF ACRES ASSIGNED TO THIS WELL
40 Acres

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.
1200' East of #18-34

19. PROPOSED DEPTH
5700'

20. ROTARY OR CABLE TOOLS
Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
4760' ungraded ground

22. APPROX. DATE WORK WILL START*
Third quarter 1984

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
17-1/2"	13-3/8"	48#	100'	150 sx (circ. to surface)
12-1/4"	9-5/8"	36#	1600'	800 sx (circ. to surface)
8-1/2"	7"	23#, & 26#	5700'	1000 sx est. (T.O.C. approx. 2000)

Approval is requested to drill Ratherford Unit #18-44, a Desert Creek Development oil well, to increase the ultimate recovery from the Ratherford Unit.

BOP equipment will be operated daily and tested weekly.

RECEIVED

JUL 23 1984

DIVISION OF OIL
GAS & MINING

APPROVED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING
DATE: 7/27/84
BY: John R. Baya

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED A. E. Stuart TITLE Area Manager DATE July 16, 1984

(This space for Federal or State office use)

PERMIT NO. _____ APPROVAL DATE _____

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

- 5- BLM, Farmington, NM
- 2- Utah O&GCC-SLC, Utah
- 1- LeRoy Williamson (r) T.C. Doughty
- 1- G. W. Berk
- 1- J.R. Weichbrodt
- 1- File
- 1-Chevron - Denver
- 1-Superior-Denver
- 1-Texaco - Denver

See Instructions On Reverse Side


COMPANY PHILIPS OIL COMPANY

LEASE RATHERFORD UNIT WELL NO. 18-44

SEC. 18, T 41S, R 24E
SAN JUAN COUNTY, UTAH

LOCATION 660'FSL 660'FEL


ELEVATION 4760 ungraded ground



SCALE—4 INCHES EQUALS 1 MILE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTE OF ACTUAL SURVEYS MADE BY ME UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

SEAL:



SURVEYED May 14 1984

FARMINGTON, N. M.

RATHERFORD UNIT #18-44

Supplement to Form 9-331C "Application for permit to Drill, Deepen, or Plug Back."

DRILLING PROGRAM

1. Surface formation is the Dune Sand, which consists of loose windblown sand, age-recent.

Estimated tops of geologic markers:

Chinle	1515'
Shinarump	2340'
DeChelly	2650'
Hermosa	4565'
Desert Creek Zone I	5550'

2. Brackish water-bearing sands are expected in the Navajo, Wingate, and DeChelly formations. Oil is expected to be encountered in the Ismay and Desert Creek formations. The top of cement will be approximately at 2000'.
including safety valve, and a pit level indicator.

3. Blow-out preventers will be 10" Series 900 equipment to be tested initially to 3000 psi. They will be inspected and operated daily and pressure tested weekly to 1500 psi. Weekly pressure tests will be supervised by representatives of Phillips Oil Company and the drilling contractor. Tests will be recorded on the daily drilling report which will remain on the rig floor during drilling operations. BOP tests will be conducted in accordance with Phillips standards, copy attached.

4. a. Proposed Casing Program:

1. Conductor casing:

100' 13-3/8" 48#/ft H-40 ST&C new

2. Surface casing:

1600' 9-5/8" 36#/ft K-55 ST&C new
Surface casing will be tested to 1500# before drilling out.

3. Production casing:

5700' 7" 23# & 26#/ft K-55 ST&C new
Production casing will be tested to 3000#.

b. Proposed Cementing Program:

1. Conductor Casing:

Conductor casing will be cemented with 150 sks Class B cement. Cement will be brought to surface.

2. Surface Casing:

Surface casing will be cemented with 400 sks "light" cement followed with 400 sks Class B cement. Cement will be brought to surface.

3. Production casing:

Production casing will be cemented with "light" cement followed with Class B cement. For cement volume, caliper will be used with 15% excess. The top of the cement should be around 2000'. If other zones with hydrocarbon potential are encountered, they will be covered with cement.

c. Auxiliary Equipment:

Auxiliary equipment will include upper and lower kelly cocks, a drill string safety valve, and a pit level indicator.

5. Drilling Fluid:

Drilling fluid will be a fresh water based mud system. Spud mud is gel and water with a weight of 8.4-8.8 ppg. From the surface to approximately 1600', gel and water will be used. Mud weight may be up to 9 ppg to control water flow from the Wingate formation. A slurry of 8.6-9.5 ppg, 32-38 viscosity, and less than 15cc/30 min. water loss will be used from 1600'-5200'. Mud weight may be increased to 10.4 ppg if a water flow is encountered. From 5200' to total depth mud properties will be 10.5-12.5 ppg, 40-45 viscosity, and below 10 cc water loss.

Adequate quantities of mud materials will be stored at the location to equal the volume of the rigs complete circulating system. A flow sensor will be used.

6. Testing, logging, and coring:

The logging program will consist of DILL from T.D. to the surface casing, and a FDC/CNL with G.R. and caliper from T.D. to 4300'. The caliper will be pulled to surface casing. A temperature or cement bond log will be run to determine cement top. No coring or drill stem tests are planned.

7. Downhole Conditions:

Drilling in the area indicates no abnormal pressures, temperatures, or hydrogen sulfide gas.

8. Phillips anticipates starting operations in the Third Quarter of 1984. Drilling operations are estimated to take fifteen days per well.

CULTURAL RESOURCE REPORT

San Juan College has prepared a cultural resource inventory of the subject wellsite. A copy of the report has been sent to the BLM Farmington office. Pertinent information regarding the subject well is attached.

SURFACE USE PROGRAM

1. Existing Roads
 - a. Access to existing lease roads is approximately 4 miles south of Montezuma Creek, Utah.
 - b. The existing roads will be maintained in the same or better condition.
 - c. Refer to the attached access road map for road information.
2. Access Roads

Planned upgrading of existing access roads is shown on the attached map.
3. Location of Existing Wells.

Locations of existing wells are shown on the attached maps.
4. Production from the proposed well will be piped to Ratherford Unit Tank Battery #1, located in the SW SW Sec. 16-T41S-R24E San Juan County, Utah. The flowline will be visible from the existing lease roads. A plat of the proposed leadline is attached.
5. Water Supply
 - a. The source of water to drill the subject well is from the River Booster, NE/4 Sec. 5., or from the Water Injection Plant, SE/4 Sec. 17 in T41S-R24E, San Juan County, Utah.
 - b. The drilling water will be trucked from the water source to the subject well.
 - c. A water supply well will not be drilled on the lease.
6. Construction Materials
 - a. Only native soils will be used for construction of wellsite and the access road.

- b. Pit run rock will be used on the wellsite and access road when needed.
- c. The above materials are owned by the Navajo Tribe.

7. Waste Disposal

- a. Cuttings: Cuttings will be contained in a fenced unlined reserve pit until dry enough to cover. Upon abandonment, the reserve pit area will be backfilled, shaped to natural topography, and seeded.
- b. Drilling Fluid: Drilling fluid will be contained in a fenced unlined reserve pit until dry enough to cover. Upon abandonment, the reserve pit area will be backfilled, shaped to natural topography, and seeded.
- c. Garbage/Trash: All garbage and trash will be put in the burn pit. The burn pit will be fenced on four sides. After the burn pit is no longer in use, the trash and garbage will be covered with a minimum of 4 feet of fill.
- d. Salt: No salts are anticipated on this well. If salt is present, it will be disposed of in the reserve pit.
- e. Chemicals: Chemicals will be disposed of in the reserve pit.
- f. Sewage: Dry chemical toilets will be used.

8. Ancillary Facilities

No ancillary facilities are required.

9. Well Site Layout.

- a. Refer to attached Rig Layout plat
- b. There are no plans to line the reserve pit unless porous soil materials are encountered during construction.

10. Surface Reclamation Plans

- a. Construction Program: The top 10 inches of topsoil will be removed and stockpiled. A cross section of the drill site showing cuts and fills is attached.
- b. Well Abandonment: All disturbed areas will be shaped to the natural topography. The topsoil will be distributed evenly over the area and seeded in accordance with BLM requirements.
- c. Producing Well: Those areas not needed for production purposes will be recontoured to the surrounding topography. The topsoil will be distributed evenly over those areas not needed for production. Seeding will be in accordance with BLM requirements.

d. Pipelines and flowlines: Flowlines will be above ground and follow existing roads.

e. Rehabilitation will begin as soon as possible, considering weather and other factors, and proceed per recommendation of the BLM. The reserve pit will be reclaimed once it dries.

11. Surface Ownership: The wellsite location, access road and leadline are on the Navajo Indian Reservation. No dwellings are in the proposed drilling area.

12. Other information:

The reserve pit will be fenced on three sides during drilling and on the fourth side after the rig is moved out.


13. Operator's Representative and Certification.

a. Field Representative:

A. E. Stuart
P. O. Box 2920
Casper, Wyoming 82602
307-237-3791


I hereby certify that I or persons under my direct supervision have inspected the proposed drill site and access route; and I am familiar with the conditions which currently exist; that the statements made in this plan are to the best of my knowledge true and correct; and that the work associated with operations proposed herein will be performed by Phillips Oil Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of the 18 U.S.C. 1001 for the filing of a false statement.

Date July 19, 1984




A. E. Stuart
Area Manager

BJM/fb (18)
Casper - RC

Profile for
 PHILLIPS OIL COMPANY #18-41, RATHERFORD UNIT
 660'FSL 660'FEL Sec. 18-T41S-R24E
 SAN JUAN COUNTY, UTAH



Scale: 1"=50'



A-A' Vert: 1"=30' Horiz: 1"=100' C-L


4770					
4760					
4750					

B-B' C-L

4770					
4760					
4750					


WHITE MESA VILLAGE QUADRANGLE
UTAH
15 MINUTE SERIES (TOPOGRAPHIC)

1:50,000
CANYON MESA




Vicinity Map for
PHILLIPS OIL COMPANY # 18-14 RATHERFORD UNIT
660'FSL 660'FEL Sec. 18-T11S-R24E
SAN JUAN COUNTY, UTAH

T 425
T 435
5'
4105



RATHERFORD UNIT # 18-44
SE SE SEC. 18 T41S-R24E




1. RESERVE PIT
2. TRASH PIT
3. CIR. PITS & PUMP
4. RIG
5. CAT WALK & PIPE RACKS
6. TRAILERS

DRILLING RIG LAYOUT


OUTLINE OF LOCATION APPROXIMATELY 325' x 350'
NOT TO SCALE.



NO.	REVISION	BY	DATE	CHKD	APP'D
FOR BIDS	 PHILLIPS PETROLEUM COMPANY BARTLESVILLE, OKLAHOMA		JA NO.	FILE CODE	
FOR APPR			AFE NO.	SCALE 2.2" = 1 mile	
FOR CONST			DWG NO.		
DRAWN 3-13-64	BJM	RATHERFORD UNIT WELL 18-44 PROPOSED SE SE SEC 18 T41S-R24E SAN JUAN CO., UTAH		SH NO.	
CHECKED					
APP'D					




1 Relocation of proposed road		BJM	6-7-84		
NO.	REVISION	BY	DATE	CHKD	APP'D
FOR BIDS	 PHILLIPS PETROLEUM COMPANY BARTLESVILLE, OKLAHOMA		JA NO.	FILE CODE	
FOR APPR			AFE NO.	SCALE	2.2" = 1 mile
FOR CONST			DWG NO.		
DRAWN 3-13-84	BJM	RATHERFORD UNIT WELL 18-44 PROPOSED ROAD PLAT SE SE SEC 18 T41S-R24E SAN JUAN CO., UTAH		SH NO.	
CHECKED					
APP'D					



R-23-E

R-24-E 30-23

NO.	REVISION	BY	DATE	CHKD	APP'D
FOR BIDS	 PHILLIPS PETROLEUM COMPANY 			JA NO.	FILE CODE
FOR APPR	BARTLESVILLE, OKLAHOMA			AFE NO.	SCALE
FOR CONST	RATHERFORD UNIT WELL 18-44 PROPOSED LEADLINE PLAT SE SE SEC 18 T41S-R24E SAN JUAN CO., UTAH			2nd = 1/4" = 1'	
DRAWN 3-13-04 BJM				DWG NO.	
CHECKED				SH NO.	
APP'D					



NO.	REVISION	BY	DATE	CHKD	APP'D
FOR BIDS	 PHILLIPS PETROLEUM COMPANY BARTLESVILLE, OKLAHOMA		JA NO.	FILE CODE	
FOR APPR			AFE NO.	SCALE 2.2" = 1 mi	
FOR CONST			DWG NO. SH NO.		
DRAWN 7-6-84 BJM	RATHERFORD UNIT WELL 18-44 INJECTION LINES SE SE SEC. 18 T41S-R24E SAN JUAN CO., UTAH				
CHECKED					
APP'D					




Figure 7-10. Standard Hydraulic Blowout Preventer Assembly
 (2 M or 3 M Working Pressure) Alternative 3 (without Drilling Spool)

Well Control 4
 January/83

PHILLIPS PETROLEUM COMPANY



Page 251
 Section II

7.6 Testing Surface Blowout Preventer Equipment

7.6.1 Pressure Test Frequency

All rams, annulars, valves, choke and kill lines, choke manifold, kelly cocks, and safety valves shall be pressure tested at the following frequencies:

- (1) Initial installation of blowout preventers.
- (2) After setting casing, before drilling cement.
- (3) Every 7 days or on first trip out of hole after 7 days since previous pressure test.
- (4) After any component of the blowout preventer assembly is disturbed, replaced or repaired (this includes lines, valves, or choke manifold). In this case, the component changed may be the only component tested.
- (5) Prior to conducting first drill stem test in a series of one or more DST's.
- (6) Any time the Phillips Wellsite Supervisor deems necessary, such as prior to drilling into suspected high pressure zones.



7.6.2 Function Test Frequency

All rams, annulars, valves, and other items specified below, shall be function tested at the following frequencies.

- (1) On initial installation from driller control and remote panel.
- (2) Each trip out of hole alternating between driller's and remote control panel but not more than once every twenty-four (24) hours. Close pipe rams or annular preventer ONLY on drill pipe.

7.6.3 Test Pressures

Use the following table to identify which test is appropriate and at what pressure.

TEST	DESCRIPTION
Low Pressure	Test to 200-300 psi prior to each high pressure test.
Initial Installation	<p>Test all rams, annulars, valves, choke manifold, kelly cocks, and safety valves to the lesser of the following pressures.</p> <ul style="list-style-type: none"> . Rated working pressure of the component in the blowout preventer assembly with the exception of annular preventer which is to be tested to 70% of the rated working pressure. . The API rated casing burst pressure of the last casing to be utilized in the well with the BOP assembly being tested. . Rated working pressure of the casing head. . If "Cup Tester" is used do not exceed 80% of the API rated burst pressure of the casing.
Repair	Repaired or replaced components are to be tested to the same pressures used in the Initial Test.



7.6.3, cont'd

TEST	DESCRIPTION
Weekly and After Setting Casing	<p>Test all rams, annulars, valves, choke and kill lines, choke manifold, kelly cocks, and safety valves, to the lesser of the following pressures.</p> <ul style="list-style-type: none"> . 50% of the rated working pressure of the component to be tested. . 80% of the API rating of the casing burst pressure then in the well. . Test blind rams during internal casing pressure test. (Refer to drilling program for test pressures).
DST Operations	<p>Test all pipe rams, annular preventers, valves, choke and kill lines, choke manifold, kelly cocks, and safety valves to the maximum anticipated surface pressure expected while conducting drill stem tests. Do not test annular to more than 70% of its working pressure.</p>
Shallow Casing	<p>Where cased hole is less than 2000 feet measured depth, the test pressure may be 1.5 psi per foot of casing depth, not to exceed 80% of the API rated burst pressure. In the case of shallow conductor casing or drive pipe (500 feet or less) that is equipped with one BOP, then the test pressures do not need to exceed 1.0 psi per foot of casing depth.</p>
Accumulator	<p>Test accumulator to the manufacturer's rated working pressure. Test the accumulator for time to pump up to specifications.</p>

7.6.4 Blowout Preventer Test Practices

- (1) All pressure tests shall be witnessed by Phillips' Representative and the Contractor's Senior Supervisor on Location. All tests shall be recorded on the Phillips' Daily Drilling Report, the IADC Report and the BOP Test Form; see Figure 7-13. A reproducible copy of the BOP Test Form (Figure 7-13) can be found in Section III.



7.6.4, cont'd

- (2) Hold all low pressure tests for three minutes and high pressure tests for five minutes or until Phillips Representative and the Contractor's Senior Supervisor are satisfied no leaks exist.
- (3) A detail procedure for the testing of blowout preventer and choke manifold equipment will be included in the drilling programs. The procedure is to be distributed for each drilling unit under contract by the operating office. Each operating office must include the following practices:
 - a. Prior to testing, all lines and valves will be thoroughly flushed to ensure the system is clear. Test all opening and closing control lines to 1500 psi and inspect for leaks.
 - b. If necessary, run a stand of drill collars below the test plug to prevent unseating the test tool during testing.
 - c. All precautions must be taken to avoid pressuring the casing below the test tool.
 - d. The running string is to be full of water (or antifreeze solution) for immediate indication of test tool leakage.
 - e. All pipe rams, blind/shear rams, blind rams, annular preventers, valves, fail-safe valves, choke and kill lines are to be tested at the frequencies and pressures outlined in this section.
 - f. Drill pipe safety valve, lower and upper kelly cocks are to be tested from below at pressures and frequencies outlined in this section.
 - g. All test fluids are to be bled back to the pump unit in safe manner.

7.6.5 Testing Wellhead Pack-offs

The wellhead pack-off is to be pressure tested upon installation for five minutes. Test pressure is to be 80% API rated casing collapse or the rated working pressure of the casing head whichever is the lesser. Casing annulus valve(s) must be in open position to prevent casing collapse during pack-off testing.

When testing the wellhead pack-off, use recorded test pressures and volumes to determine if pack-off is leaking. Pressure should be immediately released at the first indication of a leak.

7.6.6 Safety Precautions

One pumping unit operator is to be stationed at the high pressure pumping unit, and is to remain at this station until all testing has been completed. The pump unit operator is to be in continuous communication with the person who is recording the test data. The Phillips Wellsite Supervisor and Contractor's Senior Supervisor on location will be the only personnel who will go into the test area to inspect for leaks when the equipment involved is under pressure. The rig crews are to stay clear of the area until such time that both the Phillips Wellsite Supervisor and the Contractor's Senior Supervisor have contacted the pumping unit operator and all three have agreed that all pressure has been released, and there is no possibility of pressure being trapped. The rig crews may then go into the area to repair leaks or work as directed.

All lines, swings, and connections that are used in the testing of the blowout preventers are to be adequately secured in place.


Pressure is to be released only through the pressure release lines that are vented back into the pump unit tanks. The lines are to be clamped down to direct the flow into unit tanks.



Cultural Resources Management Program

San Juan College

**Archaeological Surveys of
Thirteen Proposed Well Locations and
Associated Flow Lines and Access Routes
in San Juan County, Utah,
Conducted for Phillips Petroleum**



Report 84-SJC-071A

**Federal Antiquities Permit 83-AZ/NM/UT-047 and
Navajo Nation Antiquities Permit #1984-4**

June 6, 1984

Ratherford Unit:

17-13

17-24

18-44

19-22

19-31

19-33

Satellite Gathering Expansion

20-11

20-31

20-42

21-11

21-24

29-11

29-22

A Cultural Resources Inventory Prepared by Kristin Langenfeld and L. Jean Hooton, Archaeologists, Under the Supervision of Dr. Richard P. Watson, Director, Cultural Resources Management Program, San Juan College, Farmington, New Mexico



BACK 1

T 41S

Scale 1: 250,000

Report 84-SJC-071A

Project Location

ABSTRACT

On May 21, 22 and 23, 1984 a Class III Archaeological Survey was conducted south of Montezuma Creek, San Juan County, Utah, on lands to be used for nineteen proposed well locations, associated flow lines and access routes and one satellite station expansion. A total of eight archaeological sites and eleven isolated occurrences were located during the inspections. This report details the results of archaeological surveys on thirteen of the proposed locations, access and flow line routes and the satellite station expansion. Approximately 36 hectares (90 acres) in Sections 17, 18, 19, 20, 21 and 29, T. 41 S., R. 24 E. were inspected for cultural resources in conjunction with the project areas described in this report. A total of six isolated occurrences were located. These isolates do not appear to represent surface indications of subsurface cultural deposits and archaeological clearance is recommended for the project areas described in this report. The remaining six proposed locations, access routes and flow lines and associated cultural resources will be detailed in a report to be sent under separate cover.

The work was conducted by the:

Cultural Resources Management Program
San Juan College
4601 College Blvd.
Farmington, NM 87401-4699
Phone: 505/326-3311, Extension 344

The work was conducted under:

Federal Antiquities Permit 83-AZ/NM/UT-047 and
Navajo Nation Antiquities Permit #1984-4

The work was conducted for:

Phillips Petroleum Company

TABLE OF CONTENTS

ABSTRACT	1.
LIST OF FIGURES	111.
INTRODUCTION	1.
PHYSIOGRAPHY AND ENVIRONMENT	3.
RECORDS SEARCH	10.
PROJECT LOCATIONS	13.
SUMMARY	37.
TABLE 1: Summary of Isolated Occurrences	38.
BIBLIOGRAPHY	39.

LIST OF FIGURES

FIGURE 1: General Location of Project Area	4.
FIGURE 2: Project Area Showing Proposed Well Locations	5.
FIGURE 3: Vicinity Map Showing Locations of Nearby Sites (FOR B.I.A. ARCHAEOLOGIST ONLY)	12a.
FIGURE 4: Project Locations - Section 17	15.
FIGURE 5: Project Locations - Section 18	18.
FIGURE 6: Project Locations - Section 19	24.
FIGURE 7: Project Locations - Section 20	29.
FIGURE 8: Project Locations - Section 21	33.
FIGURE 9: Project Locations - Section 29	36.

INTRODUCTION

On May 21, 22 and 23, 1984 Kristin Langenfeld and L. Jean Hooton, from the Cultural Resources Management Program, San Juan College, conducted a Class III Archaeological Survey for Phillips Petroleum Company. The survey was conducted under Federal Antiquities Permit 83-AZ/NM/UT-047 and Navajo Nation Antiquities Permit #1984-4 on lands owned by the Navajo Nation. Mr. Max Isaacs, of Phillips Petroleum, accompanied the archaeologists during the inspection.

Nature of Proposed Land Modifications:

Land modifications proposed by Phillips Petroleum for the Rutherford Unit include the construction of well locations and, in some cases, access routes. These activities will constitute the major mechanical disturbances in the area. In addition, aboveground flow lines connecting each well with a local gathering station will be laid. These lines usually parallel either existing or proposed roads and will be laid from the road. Mechanical disturbance connected with flow lines will be minimal. Access routes, where required, will either follow existing two-tracks or run cross-country. In a few cases existing, bladed roads will be modified to accommodate drill rigs. Well locations will be 350' x 350' (107 m. x 107 m.) including pits. Access routes will be 30' (10 m.) in width and flow lines will require a 10-foot-wide (3-meter) corridor. Combined flow lines and access routes will require a 40-foot (12-meter) right-of-way.

Methodology:

A series of parallel transects spaced 10 meters to 15 meters apart was used to survey a 450-foot x 450-foot (137-meter x 137-meter) area for each well location. This includes a buffer zone of 50 feet (15 meters) around the perimeter of the project area.

Zigzag transects were used to survey 25-foot-wide (7.6-meter) flow line corridors. This includes a buffer zone of 7.5 feet (2.3 meters) on each side of the right-of-way. Zigzag transects were used to survey 75-foot-wide (23-meter) access or combined access and flow line routes. This includes a buffer zone of between 17.5 feet (5 meters) and 23 feet (7 meters) on each side of the right-of-way.

During the inspection the presence of recent trash, recent features and existing disturbances within individual project areas were noted. Isolates were mapped relative to a known point using a Brunton compass and pacing. Locations of isolates were plotted on maps provided by Phillips Petroleum. When isolates were encountered, an area with a radius of at least 25 feet (8 meters) around the isolate was closely inspected for features and additional artifacts.

In report preparation UTM Coordinates were plotted from the USGS White Mesa Village, Utah, 15-Minute Quadrangle (Figure 2). Legal descriptions were made using maps enlarged from the 15-Minute Quadrangle (Figures 4-9). The project area is on unplatted land, therefore, some discrepancies occur between the two map scales.

PHYSIOGRAPHY AND ENVIRONMENT

The project locations are confined to an area 3.2 kilometers by 4 kilometers (2 miles by 2.5 miles) located approximately 8 kilometers (5 miles) south of Montezuma Creek, San Juan County, Utah. The area is bordered on the north by Flat Top Mesa and on the south by White Mountain Mesa. Blue Hogan Wash and Sahgzie Creek delineate the western and eastern boundaries, respectively (see Figures 1 and 2). Several zones, differing in soils, vegetation, topography, terrain and elevation, are represented within the survey area. The major characteristics of these zones are outlined below.

Zone A - Mesa Slopes:


This zone is confined to the northern slopes of White Mesa Mountain. Terrain is broken and eroded with a slope of up to 32%. Soils are poorly developed and include locally sandy, shallow soils on narrow benches and clayey soils with bentonite deposits in badland formations. Sandstone outcrops and exposed bedrock sandstone are common. Surface deposits include lag gravels and numerous sandstone spalls. Numerous arroyos dissect the slopes. Vegetation is generally sparse and includes rabbitbrush, shadscale, Russian thistle and prickly pear cactus. Ground cover ranges from 0% to 20%. Maximum elevation is approximately 1,570 meters (5,150 feet)

Zone B - Badland Formations:

This zone includes erosional remnants of both sandstone capped badland hills and somewhat more extensive low mesa shaped remnants. These formations are characterized by steep slopes frequently dissected

R 23E

24E



White Mesa Village
 unsurveyed lands
 WHITE MESA VILLAGE, UTAH
 N3700-W10915/15

1962

AMS 4158 III-SERIES V797

FIGURE 1

Report 84-SJC-071A

T 41S
 T 42S


R 23E

R 24E

UNITED STATES GEOLOGICAL SURVEY

100000 FEET 109° 35'

37° 0'



■ proposed wells

unsurveyed lands
WHITE MESA VILLAGE, UTAH
N3700-W10915/15

1962

AMS 4158 III-SERIES V797

FIGURE 2
Report 84-SJC-071A

by arroyos. Soils are generally clayey, shallow and poorly developed with localized bentonitic clay deposits common. In many areas broken, platy shale is exposed. Vegetation is generally quite sparse and limited to scattered snakeweed and grasses. Ground cover ranges from 0% to 20%. In general, the badland formations characterized by Zone B are similar to Zone A except that they are generally lower in elevation, averaging 1,433 meters (4,700 feet), and contain areas with shaley outcrops.

Zone C - Stabilized and Semistabilized Dunes:

This zone characterizes the majority of the project locations. Dunes are found in a variety of topographic situations including ridges, arroyo bottoms and mesa tops and slopes. In some areas they are found on or adjacent to badland formations. Terrain ranges from level to rolling and gently rolling with blown-out areas common. In some instances the blowouts have acted as seasonal catchments, as evidenced by surface clay deposits left behind as water evaporates or filters down. Soils within the dunal deposits are sandy to very sandy loams and are generally reddish-brown in color. The deposits range from shallow, where old blowouts have exposed bedrock sandstone or shale, to quite deep. Entrenched arroyos through dunal deposits were noted to exceed 3 meters in depth in some places. Vegetation is of the desertscrub community and includes blackbrush, sagebrush, shadscale, ephedra, rabbitbrush, snakeweed, echinocereus, narrowleaf yucca, prickly pear cactus and Russian thistle. A wide variety of grasses and annuals is also represented and includes grama, galleta, ricegrass, needle & thread, ring muhly, six-weeks fescue, brome, dropseed, crested

wheat, alkali sacaton, globemallow, white asters and lupine. Not all species are represented in all areas and additional unidentified shrubs and grasses are present. Ground cover varies greatly from as little as 10% to as much as 80%. In general, elevations range between 1,425 to 1,479 meters (4,675 to 4,850 feet).

Zone D - Active Dunes:

This zone includes those dunal deposits which are unstable and shifting. Topographic context is the same as for Zone C and active dunes are frequently associated with stabilized dunes. These dunes are long and rounded. Blowouts are common and the white sand of the active dunes displays characteristic wave patterns. The depth of the deposits is variable as with the stabilized and semistabilized dunes. Vegetation is limited to sparse, scattered grasses and low shrubs. Elevations are the same as for Zone C.

Discussion of Zones:

Owing to one or more factors (including terrain, slope and lack of developed soils), neither Zone A nor Zone B is an area likely to contain cultural materials. Project areas located in these zones represent less than 15% of the total locations described in this report. With the exception of recent trash, no cultural materials were located in these zones.

The remaining 86% of the project areas are located in Zone C (13 locations), or in a combination of Zones C and D (one location). As indicated in the preceding description of the stabilized and semistabilized dunal deposits, these areas are all remarkably similar in terms of soils and terrain. They differ primarily in terms of

topographic setting, direction of slope and degree to which they have been dissected by erosion. The areas represented by Zone C are considered most likely to contain subsurface in-situ cultural materials. Over 60% of the archaeological sites (to be detailed in Report 84-SJC-071B) and the overwhelming majority of isolates were located in stabilized and semistabilized dune situations. The possibility of subsurface cultural remains with no surface indications in the deposits is acknowledged as quite real.

No project locations were located completely within the active dunes described as Zone D. Active dunes were encountered on portions of two of the project areas described in this report. Potential for cultural materials, with or without surface indications, within these deposits is also considered to be high. Both sites and isolates were located in Zone D. The major distinction between Zones C and D, in terms of cultural resources, is the likelihood that materials in Zone D are likely to be encountered only in blowouts and are much more likely to be out of context.

Water Sources:

Within the project area water sources are generally limited to seasonally running washes - the largest of which are Blue Hogan Wash and Sahgzie Creek. The San Juan River is located approximately 3.2 kilometers (2 miles) northeast of the most easterly portions of the project area. Only one permanent water source, a spring in the southern half of Section 18, is shown on USGS maps. The presence of tamarisk in the southern portion of Section 21 along an east trending feeder of Sahgzie Creek suggests the existence of either an underground

water source or seasonally accumulating water. An earthen dam of relatively recent construction (now broken) is located on Blue Hogan Wash in the NW 1/4 of Section 19 and provided a relatively large catchment area. Tamarisk is present below the dam although no water was present at the time of the survey. In addition, as noted earlier, some catchments seasonally hold small amounts of water. A windmill in the SW 1/4 of Section 24, T. 41 S., R. 23 E., just west of the project area, and a flowing well in the NW 1/4 of Section 12, T. 41 S., R. 23 E., just west of the project area, are also used by local inhabitants for watering livestock. A few isolated, seasonal springs or seeps are reported in the area, however, their locations are not known.

Fauna:

Little wildlife was seen within the project area during the archaeological inspection. Lizards were seen frequently and one cottontail rabbit was observed. Large and small rodent burrows were noted and coyote were heard during the survey of the slopes of White Mesa Mountain. According to Mr. Isaacs, hawks are also frequently seen in the vicinity of White Mesa Mountain.

Present Day Land Use:

The project area is located in the heart of the Aneth Oil Field where extensive development related to energy exploration and production over the past 20 years has occurred. Well locations dot the area and numerous roads, powerlines, above and below ground pipelines and oil field camps are a direct result of this development.

The area is also used extensively by local Navajo families. Occupied and unoccupied houses and hogans occur frequently throughout

the project area. Although no interviews were conducted with customary land users due, in part, to the fragility of relations between oil companies and local Navajos, it was noted that the area is intensively utilized for grazing activities. Moreover, both functional sweat houses and the remains of sweat houses attest to the use of the area in ritual activity. In the absence of interviews it is impossible to know whether sacred areas or graves are present within the project area. Nothing resembling grave sites was noted during the inspection of individual project locations.

RECORDS SEARCH

Prior to the initiation of fieldwork a records search was conducted using information available at the Cultural Resources Management Program, San Juan College, and the Navajo Nation Cultural Resource Management Program, Farmington Office, as well as through phone contact with both the Navajo Nation Cultural Resource Management Program, Window Rock and several local contract archaeology firms.

Numerous large and small archaeological surveys and excavations have been conducted in southeastern Utah. The majority of those projects have been located north of the San Juan River to the north, northeast and northwest of the project area. Projects have been related to both large parcel inventory surveys (see for example Fike and Lindsay, 1976) and energy and economic development (see for example Hewett, Powers and Kemrer, 1979; Berge, 1975; Langenfeld, 1982 and Reed, 1983). Sites dating from the Archaic Period through recent Historic Period have been documented.

Within the project area itself few sites have been documented. According to a contact at Phillips Petroleum, previous archaeological surveys in the Phillips Field had been conducted by Complete Archaeological Service Associates of Cortez. Only one site has been recorded by C.A.S.A., and it is a lithic scatter with diagnostic tools dated to the San Jose Phase of the Archaic Period (L. Hammack to R.P. Watson, personal communication). The site is located in the SE 1/4 of the NE 1/4 of Section 29, T. 41 S., R. 24 E. The site number is unknown and its location was plotted on Figure 3 by use of UTM's provided by Mr. Hammack of C.A.S.A.

Two additional sites within the Phillips Field have been documented by the Navajo Nation Cultural Resource Management Program (Martin, 1983). Those sites are also located in Sections 16 and 29, T. 41 S., R. 24 E. UT-C-54-3 is described as a permanent Historic Navajo sheep camp with two corrals or lambing pens and possible hogan. UT-C-54-4 is an undated lithic scatter containing complete and broken flakes and burned sandstone. The locations of these sites were also plotted on Figure 3 on the basis of UTM's provided in the report. The actual site location in Section 16 is uncertain. On maps provided by Phillips Petroleum a large site area is shown in the SW 1/4, however, it has not been determined if this site was recorded by Navajo Nation Cultural Resource Management Program or C.A.S.A.

According to Mr. Isaacs, the Navajo Tribal Utility Authority has worked on the Phillips Lease Area within the last year. In the absence of a known project number, however, it is not possible to obtain information concerning a cultural resource inventory related to the project (Joe Anderson, personal communication).

Three additional sites north of the project area and south of the San Juan River have been recorded by the Navajo Nation Cultural Resource Management Program. Those sites are briefly described below and were plotted on Figure 3 on the basis of information provided by the source listed:

- UT-C-54-1: Post 1970 Navajo site (Phillip Stewart, personal communication).
- UT-C-54-2: Lithic/ceramic/ground stone scatter located in blowouts; Anasazi, Basketmaker III-Pueblo I (Phillip Stewart, personal communication).
- UT-C-54-5: Lithic scatter; undated (McEnany, 1984).
- SJC-727: Rubble mound, lithics, ceramics.

None of the previously recorded sites will be impacted by the proposed land modifications.

Proposed Well: Ratherford Unit 18-44 (Figure 5)

Land Jurisdiction: Navajo Nation

Legal Description: The proposed location will be in the Center of the SE 1/4 of the SE 1/4 of Section 18, T. 41 S., R. 24 E., S.L.P.M., San Juan County, Utah. The center stake is located 660 feet from the south line and 660 feet from the east line. The flow line and access run from the SE 1/4 of the SE 1/4 through the NW 1/4 of the SE 1/4 of Section ~~17~~.

Section 18, per MEMO dated 6-12-84

Elevation: 1,451 meters (4,760 feet)

UTM Coordinates: Well = Zone 12; 649,400 mE; 4,120,060 mN.
E-O-L = Zone 12; 648,850 mE; 4,120,560 mN.

Actual Project Area: Well = 107 m. x 107 m. (350' x 350')
Access/Flow = 12.2 m. x 702 m. (40' x 2,300')
TOTAL: 2.0 hectares (5.0 acres)

Actual Survey Area: 137 m. x 137 m. (450' x 450')
23 m. x 702 m. (75' x 2,300')
TOTAL: 3.4 hectares (8.6 acres)

Physiography and Environment:

The well, flow line and access are located primarily in Zone C. The most northerly portion of the access and flow line crosses a small section of Zone D.

Cultural Resources:


Two isolated occurrences were located during the inspection of the project area. I.O. #1 consists of three pieces of chipped stone including two broken tertiary flakes and one piece of shatter. I.O. #2 consists of one exhausted chert core. Cultural affiliation of the isolates is unknown.

Recommendations:

The isolates do not appear to represent surface indications of subsurface cultural remains. As isolated manifestations, their

information potential has been exhausted with recording and, therefore, archaeological clearance is recommended for the project area.

R 24E



unsurveyed lands

18

T 41S

IO# 84-SJC-071A-1

IO# 84-SJC-071A-2

Ratherford Unit 18-44
 660' FSL / 660' FEL
 Sect. 18, T 41S, R 24E
 San Juan County, Utah
 owner: Navajo Res.

Scale: 1" = 1000'
 WHITE MESA VILLAGE, UTAH
 N3700-W10915/15.

1962
 AMS 4158 III-SERIES V797

 proposed well
 proposed flow line

FIGURE 5
 Report 84-SJC-071A

SUMMARY

A total of six isolated occurrences were located during the inspection of the fourteen project areas. The isolates are described in the appropriate preceding "Project Location" sections and are summarized in Table 1.

Eleven of the project areas contained no archaeological materials. Three project areas contained isolated chipped or ground stone artifacts, the information potential of which is suggested to have been exhausted with recording. Archaeological clearance, therefore, is recommended for all fourteen project areas described in this report.

In the event that any previously undiscovered archaeological materials are encountered during the course of construction activities, work in the immediate area should cease immediately and the Bureau of Indian Affairs Area Archaeologist should be notified.


Final clearance is the prerogative of the Bureau of Indian Affairs Area Archaeologist and will be granted upon review of this report at his discretion.

TABLE 1: Summary of Isolated Occurrences

IO #	Well Name	$\frac{1}{2}, \frac{1}{4}, \frac{1}{8}$	Sec	T	R	UTM's	Description	Comments
1	18-44	NW,NW,SE	18	41 S	24 E	Zone 12; 648965E 4120535N	Three pieces of chipped stone. Two broken tertiary flakes, quartzite; one piece shatter less than 3 cm in length. Cultural affiliation unknown.	Information potential exhausted with recording.
2	18-44	C,W $\frac{1}{2}$,NW,SE	18	41 S	24 E	Zone 12; 648995E 4120475N	One exhausted chert core. Cultural affiliation unknown.	Located approximately 122 m (400') southeast of IO #1. Information potential exhausted with recording.
4	20-42	C,SE,NE	20	41 S	24 E	Zone 12; 651020E 4119290N	One quartzite hammerstone. Cultural affiliation unknown.	Located in bladed area. Probably out of context. Information potential exhausted with recording.
5	20-42	SE,NE,NE	20	41 S	24 E	Zone 12; 651170E 4119565N	One ground stone fragment. Possible mano. Unifacial grinding. Fine grained sandstone. Cultural affiliation unknown.	Located approximately 275 m (900') northeast of IO #4. Information potential exhausted with recording.
10	19-22	C,N $\frac{1}{2}$,SE,NW	19	41 S	24 E	Zone 12; 648675E 4119245N	One broken secondary chert flake. No retouch present.	Information potential exhausted with recording.
11	19-22	C,N $\frac{1}{2}$,SE,NW	19	41 S	24 E	Zone 12; 648665E 4119265N	One complete tertiary quartzite flake. Single-struck platform, distal termination hinged, no retouch present. Maximum size: 70 mm x 25 mm x 5 mm. Cultural affiliation unknown.	Information potential exhausted with recording.

BIBLIOGRAPHY

- Fike, Richard E. and LaMar W. Lindsay
1976 Archaeological Survey of the Bluff Bench/San Juan River and White Mesa Areas, San Juan County, Utah, 1973-1974. In Antiquities Section Selected Papers Volume III, Numbers 9-11, Pgs. 1-23. Salt Lake City: Utah State Historical Society, Department of Development Services, Division of State History.
- Hewett, Nancy S., Margaret A. Powers and Meade F. Kemrer
1979 An Archaeological Survey and Evaluation of Resources Along the San Juan River Near Aneth, Utah. Division of Conservation Archaeology, Contributions to Anthropology Series 46.
- Langenfeld, Kristin
1982 Archaeological Surveys of 24 Proposed Drill Pad Conversions Near Montezuma Creek, San Juan County, Utah (CRMP-82-077). On file, Navajo Nation Cultural Resource Management Program, Window Rock, Arizona.
- Lipe, William
1970 Anasazi Communities of the Red Rock Plateau, Southeastern Utah. In Reconstructing Prehistoric Pueblo Societies, edited by William A. Longacre, Pgs. 84-139. Albuquerque: UNM Press.
- Martin, Rena
1983 An Archaeological Survey of Surface Flowlines and Assorted Parcels of Land in San Juan County, Utah (CRMP-83-336). On file, Navajo Nation Cultural Resource Management Program, Farmington, New Mexico.
- McEnany, Tim
1984 An Archaeological Survey of Two Well Locations Near Montezuma Creek, Utah for the Chuska Energy Company (CRMP-84-36). On file, Navajo Nation Cultural Resource Management Program, Farmington, New Mexico.
- Reed, Alan C.
1983 An Archaeological Survey of a Segment of Seismic Line R-3-83 in San Juan County, Utah. Contributions to Anthropology Series No. 749. On file, Division of Conservation Archaeology, Farmington, New Mexico.



MEMORANDUM

TO: Dr. Mark Henderson, B.I.A. Archaeologist
FROM: Kristin Langenfeld, Archaeologist *KML*
DATE: June 12, 1984
SUBJECT: Erratum to Report 84-SJC-071A

Please note the following changes in Report 84-SJC-071A:

Pg. 16, Line 9 reads: ... "NW 1/4 of SE 1/4 of Section 17";
this should read: ... "NW 1/4 of SE 1/4 of Section 18".

Pg. 27, Line 4 reads: ... "NE 1/4 of Section 17";
this should read: ... "NE 1/4 of Section 20".

These errors were pointed out by Mr. Max Isaacs in a phone conversation on June 8, 1984. I regret any inconvenience these errors may have caused.

/cap

cc: *MF* Mr. Max Isaacs, Phillips Petroleum, Cortez, CO
Mr. Bill Bingham, U.S. Bureau of Land Management, Farmington, NM
Mr. Jerry Elwood, Office of Navajo Land Administration,
Crownpoint, NM
Mr. Randy Cornett, Bureau of Indian Affairs, Shiprock, NM
Ms. Nellie Jackson, Navajo Nation, Montezuma Creek, UT

RECONCILE WELL NAME AND LOCATION ON APD AGAINST SAME DATA ON PLAT MAP.

AUTHENTICATE LEASE AND OPERATOR INFORMATION

VERIFY ADEQUATE AND PROPER BONDING

AUTHENTICATE IF SITE IS IN A NAMED FIELD, ETC.

APPLY SPACING CONSIDERATION

ORDER _____

UNIT Rutherford

c-3-b

c-3-c

CHECK DISTANCE TO NEAREST WELL.

CHECK OUTSTANDING OR OVERDUE REPORTS FOR OPERATOR'S OTHER WELLS.

IF POTASH DESIGNATED AREA, SPECIAL LANGUAGE ON APPROVAL LETTER

IF IN OIL SHALE DESIGNATED AREA, SPECIAL APPROVAL LANGUAGE.

July 27, 1984

Phillips Oil Company
P. O. Box 2920
Casper, Wyoming 82602

RE: Well No. Rutherford Unit 18-44
SESE Sec. 18, T. 41S, R. 24E
660' FSL, 660' FEL
San Juan County, Utah

Gentlemen:

Approval to drill the above referenced oil well is hereby granted in accordance with Section 40-6-18, Utah Code Annotated, as amended 1983; and predicated on Rule A-3, General Rules and Regulations and Rules of Practice and Procedure, subject to the following stipulations:

1. Prior to commencement of drilling, receipt by the Division of evidence providing assurance of an adequate and approved supply of water.

In addition, the following actions are necessary to fully comply with this approval:


1. Spudding notification to the Division within 24 hours after drilling operations commence.
2. Submittal to the Division of completed Form OGC-8-X, Report of Water Encountered During Drilling.
3. Prompt notification to the Division should you determine that it is necessary to plug and abandon this well. Notify John R. Baza, Petroleum Engineer, (Office) (801) 533-5771, (Home) 298-7695 or R. J. Firth, Associate Director, (Home) 571-6068.
4. Compliance with the requirements and regulations of Rule C-27, Associated Gas Flaring, General Rules and Regulations, Oil and Gas Conservation.

Page 2
Philips Oil Company
Well No. Rutherford Unit 18-44
July 27, 1984

5. This approval shall expire one (1) year after date of issuance unless substantial and continuous operation is underway or an application for an extension is made prior to the approval expiration date.

The API number assigned to this well is 43-037-31045.

Sincerely,



R. D. Firth
Associate Director, Oil & Gas

RJF/as

cc: Branch of Fluid Minerals
Bureau of Indian Affairs

Enclosures

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE*

(See reverse for instructions on reverse side)

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1a. TYPE OF WELL: OIL WELL GAS WELL DRY Other _____

b. TYPE OF COMPLETION: NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF. REVR. Other _____

2. NAME OF OPERATOR
Phillips Oil Company

3. ADDRESS OF OPERATOR
P. O. Box 2920, Casper, Wyoming 82602

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*
At surface 660' FSL & 660' FEL, SE SE
At top prod. interval reported below
At total depth

5. LEASE DESIGNATION AND SERIAL NO.
14-20-603-353

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
Navajo

7. UNIT AGREEMENT NAME
SW-I-4192

FARM OR LEASE NAME
Ratherford Unit

9. WELL NO.
18-44

10. FIELD AND POOL, OR WILDCAT
Greater Aneth

11. SEC. T. R., M., OR BLOCK AND SURVEY OR AREA
Sec. 18-T41S-R24E

12. COUNTY OR PARISH
San Juan

13. STATE
Utah

14. PERMIT NO. 43-037-31045
DATE ISSUED 7-27-84

15. DATE SPUDDED 10/5/84
16. DATE T.D. REACHED 10/18/84
17. DATE COMPL. (Ready to prod.) 11/27/84
18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* GR 4760', RKB 4773'

19. ELEV. CASINGHEAD --
20. TOTAL DEPTH, MD & TVD 5630'
21. PLUG, BACK T.D., MD & TVD 5617'

22. IF MULTIPLE COMPL., HOW MANY* --
23. INTERVALS DRILLED BY ROTARY TOOLS 0 - 5630'
CABLE TOOLS --

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*
5577' - 5608' Desert Creek Zone I

25. WAS DIRECTIONAL SURVEY MADE
No

26. TYPE ELECTRIC AND OTHER LOGS RUN
DIL/MSFL, MEL, SGR, CDL/CNL/GR

27. WAS WELL CORED
No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13-3/8"	54.5#	115'	17-1/2"	177 cu.ft. Class "B"	--
9-5/8"	36#	1613'	12-1/4"	1080 cu.ft. Class "B", Cntd thru 1" w/118 cu.ft. Class "B"	--
7"	23# & 26#	5630'	8-3/4"	1504 cu.ft. Class "B"	--

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)
--	--	--	--	--

30. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)
2-7/8"	5477'	--

31. PERFORATION RECORD (Interval, size and number)
5591-5608', 2 SPF, 4" HSC Gun, 34 shots
5587-5590.5', 2 SPF, 4" HSC Gun, 7 shots
5577-5587', 2 SPF, 4" HSC Gun, 20 shots

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
5577-5608' -	Spot 500 gal 28% FE Acid w/2 gal/1000 HAI-60, 2-1/2 gal/1000 HC-2 & 4 gal/1000 Lo-Surf 259. Pump 500 gal acid, pump 400 gal block w/30#/1000 gal WG-6 in saturated salt

33. PRODUCTION (CONTINUED ON BACK)
DATE FIRST PRODUCTION 11/27/84
PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) Flowing
WELL STATUS (Producing or shut-in) Producing


DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
12/9/84	4	14/64"	→	23	9	0	400

FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)
75#	--	→	138	55	0	40.0

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)
Sold

35. LIST OF ATTACHMENTS
None

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records
SIGNED A. E. Sedart TITLE Area Manager DATE December 10, 1984



SEE BACK FOR DIST. *(See Instructions and Spaces for Additional Data on Reverse Side)

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	TOP MEAS. DEPTH	TRUE VERT. DEPTH
CONTINUED NO. 32	NO DST's INTERVAL 5577-5608'	OR CORES RUN MATERIAL USED	- water w/500# rock salt, 200# TLC-80. Pump 1000 gal acid, pump 2nd block w/500# rock salt, 200# TLC-80. Pump 1250 gal acid, pump 3rd block w/500# rock salt. Pump 125 gal acid. Flushed w/39 bbl lease wtr.	Shinarump DeChelly Hermosa Desert Creek	LOG TOPS 2312' 2635' 4558' 5538'	
4 - BLM, Farmington, NM	2 - Utah O&G CC, Salt Lake City, UT	1 - The Navajo Nation, Window Rock, AZ				
1 - B. A. Conner, B'Ville	1 - L. R. Williamson, Denver	1 - R. M. Coffelt, Denver				
1 - D. L. Fraser, Denver	1 - O. G. Pelling, Denver	1 - WI Owners				
1 - P. J. Adamson	1 - File RC					

38. GEOLOGIC MARKERS

**UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**

SUBMIT IN DUPLICATE

(No other information on reverse side)

16

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1. TYPE OF WELL: OIL WELL GAS WELL DRY Other _____

2. TYPE OF COMPLETION: NEW WELL WORK OVER REKIT-EN PLUG BACK DIFF. REKIT. Other _____

3. NAME OF OPERATOR
Phillips Oil Company

4. ADDRESS OF OPERATOR
P.O. Box 2920, Casper, WY 82602

5. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*
At surface 660' FSL & 660' FEL, SE SE
At top prod. interval reported below
At total depth

6. LEASE DESIGNATION AND SERIAL NO.
14-20-603-353

7. IF INDIAN, ALLOTTEE OR TRIBE NAME
Navajo

8. UNIT AGREEMENT NAME
SW-I-4192

9. FARM OR LEASE NAME
Ratherford Unit

10. WELL NO.
18-44

11. FIELD AND POOL, OR WILDCAT
Greater Aneth

12. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA
Sec. 18-T41S-R24E

13. PERMIT NO. DATE ISSUED
API #43-037-31045 43-037-31045 17-27-84

14. COUNTY OR PARISH STATE
San Juan Utah

15. DATE SPUDDED 10/5/84 16. DATE T.D. REACHED 10/18/84 17. DATE COMPL. (Ready to prod.) 11/27/84 18. ELEVATIONS (DF, RKB, BT, OR, ETC.)* GR 4760' RKB 4773' 19. ELEV. CASINGHEAD --

20. TOTAL DEPTH, MD & TVD 5630' 21. PLUG BACK T.D., MD & TVD 5617' 22. IF MULTIPLE COMPL., HOW MANY? -- 23. INTERVALS DRILLED BY ROTARY TOOLS CABLE TOOLS
0 - 5630' --

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* 5543' - 5608' Desert Creek Zone I 25. WAS DIRECTIONAL SURVEY MADE No

26. TYPE ELECTRIC AND OTHER LOGS RUN DIL/MSFL MEL, SGR, CDL/CNL/GR 27. WAS WELL CORRED No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13-3/8"	54.5#	115'	17-1/2"	177 cu ft Class B	--
9-5/8"	36#	1613'	12-1/4"	1080 cu ft Class B, cmtd thru 1" w/118 cu ft Class B	--
7"	23# & 26#	5630'	8-3/4"	1504 cu ft Class B	--

29. LINER RECORD 30. TUBING RECORD

SIZE	TOP (MD)	BOTTOM (MD)	BACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
--	--	--	--	--	2-7/8"	5468'	--

31. PERFORATION RECORD (Interval, size and number) 32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

5591-5608', 2 SPF, 4" HSC Gun, 34 shots	<table border="1"> <thead> <tr> <th>DEPTH INTERVAL (MD)</th> <th>AMOUNT AND KIND OF MATERIAL USED</th> </tr> </thead> <tbody> <tr> <td>5577-5608' -</td> <td>Spot 500 gal 28% FE Acid w/2 gal/1000 HAI-60, 2-1/2 gal/1000 HC-2 & 4 gal/1000 Lo-Surf 259. Pump 500 gal acid, pump 400 gal block w/30#/1000 gal WG-6 in saturated salt</td> </tr> </tbody> </table>	DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED	5577-5608' -	Spot 500 gal 28% FE Acid w/2 gal/1000 HAI-60, 2-1/2 gal/1000 HC-2 & 4 gal/1000 Lo-Surf 259. Pump 500 gal acid, pump 400 gal block w/30#/1000 gal WG-6 in saturated salt
DEPTH INTERVAL (MD)		AMOUNT AND KIND OF MATERIAL USED			
5577-5608' -		Spot 500 gal 28% FE Acid w/2 gal/1000 HAI-60, 2-1/2 gal/1000 HC-2 & 4 gal/1000 Lo-Surf 259. Pump 500 gal acid, pump 400 gal block w/30#/1000 gal WG-6 in saturated salt			
5587-5590.5', 2 SPF, 4" HSC Gun, 7 shots					
5577-5587', 2 SPF, 4" HSC Gun, 20 shots					
5543-5560', 2 SPF, 4" HSC Gun, 35 shots					

33. PRODUCTION (CONTINUED ON BACK)

DATE FIRST PRODUCTION	PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)	WELL STATUS (Producing or shut-in)					
11/27/84	Pumping - 1-3/4" pump	Producing					
DATE OF TEST	HOURS TESTED	CHOKED SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
12/26/84	24	--	→	84	33 (est)	6	400
FLOW. TUBING FROM.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
--	--	→	84	33(est)	6	40.0	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Sold TEST WITNESSED BY --

35. LIST OF ATTACHMENTS
None

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED A. F. Stuart TITLE Area Manager DATE 1/15/85

DIST. ON BACK *(See Instructions and Spaces for Additional Data on Reverse Side)

IV. WORKOVERS

None

Wells Currently Being Drilled

- #17-24 - RURT 11/6/84. Spudded 12-1/4" surf hole at 1:30 a.m. 11/7/84, Drld to 1612'. Set 9-5/8" csg at 1612', cmtd w/700 sx Class B. Full returns, no cmt. Cmtd 1" down backside w/100 sx Class B. Drld 8-3/4" hole to TD 5623', 11/18/84. Set 7" csg at 5594', cmtd w/700 sx Class B. Released rig at 12:00 midnight, 11/21/84. As of November 30, 1984 - Waiting on completion unit.
- #18-44 - MI Completion Unit 11/22/84. Drld out to PBTD 5617'. Perforated 5591-5608', 34 shots, 5587-5590.5', 7 shots and 5577-5587', 20 shots. All 2 SPF, 4" hollow steel carrier gun. Spotted 500 gal 28% FE Acid. Acidized w/2875 gal acid. Flowing on test from lower Desert Creek Zone I perfs 5577-5608', with a test of 138 BOPD, 55 MCFGPD, 0 BWPD. Prep to perf upper interval.
- #19-11 - Drld cond hole to 122'. Set & cmtd 13-3/8" csg at 121' w/150 sx Class B. RURT 11/22/84. Spudded 12-1/4" surf hole at 6:00 p.m., 11/22/84. Set 9-5/8" csg at 1610', cmtd w/700 sx Class B. Drld 8-3/4" hole to 4707'. As of November 30, 1984 - Drlg at 4707'.
- #19-31 - Shut-in, waiting to perforate upper interval.
- #19-33 - Drld to TD 5590', 11/2/84. Set 7" csg at 5590', cmtd w/700 sx Class B. Released rig at 12:00, 11/6/84. MI completion unit 11/16/84. Drld out to PBTD 5564'. Press test csg to 1500 psi, OK. LD tbg, DC, scraper & bit. ND BOP's. NU wellhead. Released rig 11/19/84. As of 11/30/84 - Waiting on cased hole logging unit.
- #19-44 - Drld cond hole to 125'. Set & cmtd 13-3/8" csg at 123' w/150 sx Class B. As of 11/30/84 - Waiting on rotary tools.
- #20-11 - Drld to 5573'. Core #1 5567-5627', cut & rec 60'. Core #2 5627-5657', cut & rec 30'. TD 5657', 11/5/84. Set 7" csg at 5657', cmtd w/700 sx Class B. Released rig 11/6/84. As of 11/30/84 - Waiting on completion unit.

Mobil Oil Corporation

P.O. BOX 5444
DENVER, COLORADO 80217-5444

May 14, 1986

RECEIVED
MAY 16 1986

Utah Board of Oil, Gas and Mining
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

Attn: R. J. Firth
Associate Director

DIVISION OF
OIL, GAS & MINING

SUPERIOR OIL COMPANY MERGER

Dear Mr. Firth:

On September 20, 1984, The Superior Oil Company (Superior) became a wholly owned subsidiary of Mobil Corporation. Since January 1, 1985, Mobil Oil Corporation (MOC), another wholly owned subsidiary of Mobil Corporation, has acted as agent for Superior and has operated the Superior-owned properties.

On April 24, 1986, Superior was merged with Mobil Exploration and Producing North America Inc. (MEPNA), which is also a wholly owned subsidiary of Mobil Corporation. MEPNA is the surviving company of the merger.

This letter is to advise you that all properties held in the name of Superior will now be held in the name of MEPNA; and that these properties will continue to be operated by MOC as agent for MEPNA.

Attached is a listing of all wells and a separate listing of injection-disposal wells, Designation of Agent and an organization chart illustrating the relationships of the various companies. If you have any questions or require additional documentation of this merger, please feel free to contact me at the above address or (303) 298-2577.

Very truly yours,



R. D. Baker
Environmental Regulatory Manager

CNE/rd
CNE8661

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS:

ACCOUNT NUMBER: N0772

P J KONKEL
PHILLIPS PETROLEUM COMPANY
5525 HWY 64 NBU 3004
FARMINGTON NM 87401

RECEIVED

AUG 16 1993

REPORT PERIOD (MONTH/YEAR):

6 / 93

DIVISION OF
OIL, GAS & MINING

AMENDED REPORT (Highlight Changes)

Well Name			Producing Zone	Well Status	Days Oper	Production Volumes		
API Number	Entity	Location				OIL(BBL)	GAS(MCF)	WATER(BBL)
#21-23								
4303713754	06280	41S 24E 21	DSCR	POW	29	1374	883	58
#3-44								
4303715031	06280	41S 24E 3	DSCR	POW	30	111	94	2905
#3-14								
4303715124	06280	41S 24E 3	DSCR	POW	30	67	23	302
#9-12								
4303715126	06280	41S 24E 9	DSCR	POW	30	112	654	17363
#9-14								
4303715127	06280	41S 24E 9	DSCR	POW	30	201	315	423
#28-12								
4303715336	06280	41S 24E 28	PRDX	POW	29	112	47	2428
#29-12								
4303715337	06280	41S 24E 29	PRDX	POW	29	56	0	672
#29-32								
4303715339	06280	41S 24E 29	DSCR	POW	29	1402	287	2224
#29-34								
4303715340	06280	41S 24E 29	DSCR	POW	29	757	48	0
#30-32								
4303715342	06280	41S 24E 30	DSCR	POW	29	588	1049	3744
#3-12								
4303715620	06280	41S 24E 3	DSCR	POW	30	268	11	363
#9-34								
4303715711	06280	41S 24E 9	DSCR	POW	30	45	46	9800
#10-12								
4303715712	06280	41S 24E 10	DSCR	POW	30	45	23	1088
TOTALS						5138	3480	41370

COMMENTS: Effective July 1, 1993, Phillips Petroleum Company has sold its interest in the Ratherford Unit to Mobil Exploration and Producing U.S., Incorporated, P. O. Box 633, Midland, Texas 79702. Mobil assumed operations on July 1, 1993.

I hereby certify that this report is true and complete to the best of my knowledge.

Date: 8/11/93

Name and Signature: PAT KONKEL

Pat Konkell

Telephone Number: 505 599-3452

Sept 29, 1993

TO: Lisha Cordova - Utah Mining
Oil & Gas

FROM: Janice Easley
BLM Farmington, NM
505 599-6355

Here is copy of Rutherford Unit
Successor Operator.

4 pages including this one.

File Ratherford Unit (GC)

RECEIVED
BLM

JUL 27 11:44

Navajo Area Office
P. O. Box 1060
Gallup, New Mexico 87305-1060

070 FARMINGTON, NM

ARES/543

JUL 28 1993

Mr. G. D. Cox
Mobil Exploration and
Producing North America, Inc.
P. O. Box 633
Midland, Texas 79702

MINERALS DEPARTMENT
NO. 182
DATE
BY
REMARKS
FILE
ALL SUPV.
FILE

Dear Mr. Cox:

Enclosed for your information and use is the approved Designation of Operator between the Phillips Petroleum Company and Mobil Exploration and Producing North America, Inc. for the Ratherford Unit.

Please note that all other concerned parties will be furnished their copy of the approved document.

Sincerely,

ACTING Area Director

Enclosure

cc: Bureau of Land Management, Farmington District Office w/enc.
TNN, Director, Minerals Department w/enc.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF INDIAN AFFAIRS
DESIGNATION OF OPERATOR

RECEIVED
BLM

Phillips Petroleum Company is, on the records of the Bureau of Indian Affairs, operator of the Rutherford Unit,

AREA OFFICE: Window Rock, Arizona
LEASE NO: Attached hereto as Exhibit "A"

JUN 27 11:44
070 FARMINGTON, NM

and, pursuant to the terms of the Rutherford Unit Agreement, is resigning as Unit Operator effective July 1, 1993, and hereby designates

NAME: Mobil Exploration and Producing North America Inc., duly elected pursuant to the terms of the Rutherford Unit Agreement,

ADDRESS: P. O. Box 633, Midland, Texas 79702
Attn: G. D. Cox

as Operator and local agent, with full authority to act on behalf of the Rutherford Unit lessees in complying with the terms of all leases and regulations applicable thereto and on whom the authorized officer may serve written or oral instructions in securing compliance with the Operating Regulations (43 CFR 3160 and 25 CFR 211 and 212) with respect to (described acreage to which this designation is applicable):

Attached hereto as Exhibit "A"

Bond coverage under 25 CFR 211, 212 or 225 for lease activities conducted by the above named designated operator is under Bond Number 05202782 (attach copy). Evidence of bonding is required prior to the commencement of operations.

It is understood that this designation of operator does not relieve any lessee of responsibility for compliance with the terms of the leases and the Operating Regulations. It is also understood that this designation of operator does not constitute an assignment of any interest in the leases.

In case of default on the part of the designated operator, the lessees will make full and prompt compliance with all regulations, lease terms, stipulations, or orders of the Secretary of the Interior or his representative.

Attached is the appropriate documentation relevant to this document.

The designated operator agrees to promptly notify the authorized officer of any change in the operatorship of said Rutherford Unit.

Phillips Petroleum Company

June 17, 1993

By: M. B. [Signature]
Attorney-in-Fact

Mobil Exploration and Producing
North America Inc.

June 11, 1993

By: B. D. [Signature]
Attorney-in-Fact B.D. MARTINY

[Signature] ACTING AREA DIRECTOR
APPROVED BY TITLE DATE
7/9/93

APPROVED PURSUANT, TO SECRETARIAL REDELEGATION ORDER 209 DM 8 AND 230 DM 3.
This form does not constitute an information collection as defined by 44 U.S.C. 3502 and therefore does not require OMB approval.

EXHIBIT "A"

ATTACHED TO AND MADE A PART OF DESIGNATION OF SUCCESSOR OPERATOR, RATHERFORD UNIT

EXHIBIT "C"

Revised as of September 29, 1992
SCHEDULE OF TRACT PERCENTAGE PARTICIPATION

<u>Tract Number</u>	<u>Description of Land</u>	<u>Serial Number and Effective Date of Lease</u>	<u>Tract Percentage Participation</u>
1	S/2 Sec. 1, E/2 SE/4 Sec. 2, E/4 Sec. 11, and all of Sec. 12, T-41-S, R-23-E, S.L.M., San Juan County, Utah	14-20-603-246-A Oct. 5, 1953	11.0652565
2	SE/4 and W/2 SW/4 Sec. 5, the irregular SW/4 Sec. 6, and all of Sec. 7 and 8, T-41-S, R-24-E, San Juan County, Utah	14-20-603-368 Oct. 26, 1953	14.4159942
3	SW/4 of Sec. 4, T-41-S, R-24-E, San Juan County, Utah	14-20-603-5446 Sept. 1, 1959	.5763826
4	SE/4 Sec. 4, and NE/4 Sec. 9, T-41-S, R-24-E, San Juan County, Utah	14-20-603-4035 March 3, 1958	1.2587779
5	SW/4 of Sec. 3, T-41-S, R-24-E, S.L.M., San Juan County, Utah	14-20-603-5445 Sept. 3, 1959	.4667669
6	NW/4 of Sec. 9, T-41-S, R-24-E, S.L.M., San Juan County, Utah	14-20-603-5045 Feb. 4, 1959	1.0187043
7	NW/4, W/2 NE/4, and SW/4 Sec. 10, SE/4 Sec. 9, T-41-S, R-24-E, San Juan County, Utah	14-20-603-4043 Feb. 18, 1958	3.5097575
8	SW/4 Sec. 9, T-41-S, R-24-E, S.L.M., San Juan County, Utah	14-20-603-5046 Feb. 4, 1959	1.1141679
9	SE/4 Sec. 10 and S/2 SW/4 Sec. 11 T-41-S, R-24-E, San Juan County, Utah	14-20-603-4037 Feb. 14, 1958	2.6186804
10	All of Sec. 13, E/2 Sec. 14, and E/2 SE/4 and N/2 Sec. 24, T-41-S, R-23-E, S.L.M., San Juan County, Utah	14-20-603-247-A Oct. 5, 1953	10.3108861
11	Sections 17, 18, 19 and 20, T-41-S, R-24-E, San Juan County Utah	14-20-603-353 Oct. 27, 1953	27.3389265
12	Sections 15, 16, 21, and NW/4, and W/2 SW/4 Sec. 22, T-41-S, R-24-E, San Juan County, Utah	14-20-603-355 Oct. 27, 1953	14.2819339
13	W/2 Section 14, T-41-S, R-24-E, San Juan County, Utah	14-20-603-370 Oct. 26, 1953	1.8500847
14	N/2 and SE/4, and E/2 SW/4 Sec. 29, NE/4 and E/2 SE/4 and E/2 W/2 Irregular Sec. 30, and E/2 NE/4 Sec. 32, T-41-S, R-24-E, San Juan County, Utah	14-20-603-407 Dec. 10, 1953	6.9924969
15	NW/4 Sec. 28, T-41-S, R24-E San Juan County, Utah	14-20-603-409 Dec. 10, 1953	.9416393
16	SE/4 Sec. 3, T-41-S, R-24-E San Juan County, Utah	14-20-0603-6504 July 11, 1961	.5750254
17	NE/4 Sec. 3, T-41-S, R-24-E San Juan County, Utah	14-20-0603-6505 July 11, 1961	.5449292
18	NW/4 Sec. 3, T-41-S, R-24-E San Juan County, Utah	14-20-0603-6506 July 11, 1961	.5482788
19	NE/4 Sec. 4, T-41-S, R24-E San Juan County, Utah	14-20-0603-7171 June 11, 1962	.4720628
20	E/2 NW/4 Sec. 4, T-41-S, R-24-E San Juan County, Utah	14-20-0603-7172 June 11, 1962	.0992482

100% Indian Lands

TOTAL 12,909.74

100.0000000

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

3. LEASE DESIGNATION & SERIAL NO.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

NAVAJO TRIBAL

7. UNIT AGREEMENT NAME

RATHERFORD UNIT

8. FARM OR LEASE NAME

9. WELL NO.

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR

MOBIL OIL CORPORATION

3. ADDRESS OF OPERATOR

P. O. BOX 633 MIDLAND, TX 79702

SEP 15 1993

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)
At surface

10. FIELD AND POOL, OR WILDCAT
GREATER ANETH

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

DIVISION OF OIL, GAS & MINING

14. API NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

12. COUNTY

SAN JUAN

13. STATE

UTAH

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT*

(Other) CHANGE OF OPERATOR

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

APPROX. DATE WORK WILL START _____

DATE OF COMPLETION _____

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

* Must be accompanied by a cement verification report.

AS OF JULY1, 1993, MOBIL OIL CORPORATION IS THE OPERATOR OF THE RATHERFORD UNIT. ATTACHED ARE THE INDIVIDUAL WELLS.

18. I hereby certify that the foregoing is true and correct

SIGNED

Shirley Todd

TITLE

ENV. & REG TECHNICIAN

DATE

9-8-93

(This space for Federal or State office use)

APPROVED BY _____

TITLE _____

DATE _____

CONDITIONS OF APPROVAL, IF ANY:

See Instructions On Reverse Side

MONTHLY OIL AND GAS DISPOSITION REPORT

OPERATOR NAME AND ADDRESS:

L.S. SHEFFIELD
~~BRIAN BERRY~~
~~MEPNA MOBIL~~
~~POB 219031 1807A RENTW~~ *F.O. DRAWER G*
 DALLAS TX 75221-9031 *CORTEZ, CO. 81321*

UTAH ACCOUNT NUMBER: N7370

REPORT PERIOD (MONTH/YEAR): 7 / 93

AMENDED REPORT (Highlight Changes)

**931006 updated.
 Jie*

ENTITY NUMBER	PRODUCT	GRAVITY BTU	BEGINNING INVENTORY	VOLUME PRODUCED	DISPOSITIONS				ENDING INVENTORY
					TRANSPORTED	USED ON SITE	FLARED/VENTED	OTHER	
05980	OIL			177609	177609	0			
	GAS			72101	66216	5885			
11174	OIL								
	GAS								
	OIL								
	GAS								
	OIL								
	GAS								
	OIL								
	GAS								
	OIL								
	GAS								
	OIL								
	GAS								
TOTALS				249710	243825	5885			

RECEIVED

SEP 13 1993

DIVISION OF
OIL, GAS & MINING

COMMENTS: *PLEASE NOTE ADDRESS change. Mobil ~~ASO~~ PRODUCTION REPORTS will be compiled and sent from the Cortez, Co. office IN THE FUTURE.*

I hereby certify that this report is true and complete to the best of my knowledge.

Name and Signature: *Lwell B Sheffield*

Date: 9/5/93
 Telephone Number: 303 565 2212
244 658 2528

Division of Oil, Gas and Mining
PHONE CONVERSATION DOCUMENTATION FORM

Route original/copy to:

Well File _____

(Location) Sec ___ Twp ___ Rng ___
(API No.) _____

Suspense
(Return Date) _____
(To - Initials) _____

Other
OPERATOR CHANGE

1. Date of Phone Call: 10-6-93 : Time: 9:30

2. DOGM Employee (name) L. CORDOVA (Initiated Call
Talked to:

Name GLEN COX (Initiated Call - Phone No. (915) 688-2114

of (Company/Organization) MOBIL

3. Topic of Conversation: OPERATOR CHANGE FROM PHILLIPS TO MOBIL "RATHERFORD UNIT".
(NEED TO CONFIRM HOW OPERATOR WANTS THE WELLS SET UP - MEPNA AS PER BIA APPROVAL
OR MOBIL OIL CORPORATION AS PER SUNDRY DATED 9-8-93?)

4. Highlights of Conversation: _____

MR. COX CONFIRMED THAT THE WELLS SHOULD BE SET UNDER ACCOUNT N7370/MEPNA AS
PER BIA APPROVAL, ALSO CONFIRMED THAT PRODUCTION & DISPOSITION REPORTS WILL NOW
BE HANDLED OUT OF THEIR CORTEZ OFFICE RATHER THAN DALLAS.

MEPNA-

PO DRAWER G

CORTEZ, CO 81321

(303)565-2212

*ADDRESS CHANGE AFFECTS ALL WELLS CURRENTLY OPERATED BY MEPNA, CURRENTLY
REPORTED OUT OF DALLAS (MCELMO CREEK).

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

Routing:	
1-VLC/17-93	
2-DES/58-93	
3-VLC	
4-RJF	
5-DES	
6-PL	

Attach all documentation received by the division regarding this change.
 Initial each listed item when completed. Write N/A if item is not applicable.

- Change of Operator (well sold) Designation of Agent
 Designation of Operator Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 7-1-93)

TO (new operator)	<u>M E P N A</u>	FROM (former operator)	<u>PHILLIPS PETROLEUM COMPANY</u>
(address)	<u>PO DRAWER G</u>	(address)	<u>5525 HWY 64 NBU 3004</u>
	<u>CORTEZ, CO 81321</u>		<u>FARMINGTON, NM 87401</u>
	<u>GLEN COX (915)688-2114</u>		<u>PAT KONKEL</u>
	phone <u>(303) 565-2212</u>		phone <u>(505) 599-3452</u>
	account no. <u>N7370</u>		account no. <u>N0772(A)</u>

Well(s) (attach additional page if needed): ***RATHERFORD UNIT (NAVAJO)**

Name: **SEE ATTACHED**	API: <u>43037-3045</u>	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

- Sec 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). (Reg. 8-20-93) (6/93 Prod. Rpt. 8-16-93)
- Sec 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form). (Reg. 8-31-93) (Rec'd 9-14-93)
- N/A 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes/no) _____ If yes, show company file number: _____.
- Sec 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of Federal and Indian well operator changes should take place prior to completion of steps 5 through 9 below.
- Sec 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. (O&G wells 10-6-93) (wiw's 10-26-93)
- Sec 6. Cardex file has been updated for each well listed above. (O&G wells 10-6-93) (wiw's 10-26-93)
- Sec 7. Well file labels have been updated for each well listed above. (O&G wells 10-6-93) (wiw's 10-26-93)
- Sec 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission. (10-6-93)
- Sec 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

- 1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) no (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
- 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only)

- 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
- 2. A copy of this form has been placed in the new and former operators' bond files.
- 3. The former operator has requested a release of liability from their bond (yes/no) no. Today's date 1993. If yes, division response was made by letter dated 19 .

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

- 1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated 1993, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
- 2. Copies of documents have been sent to State Lands for changes involving State leases.

FILMING

- 1. All attachments to this form have been microfilmed. Date: 11-17 1993.

FILING

- 1. Copies of all attachments to this form have been filed in each well file.
- 2. The original of this form and the original attachments have been filed in the Operator Change file.

COMMENTS

931006 BIA/Btm Approved 7-9-93.

✓ 12W-44	43-037-16405	14-20-603-246A	SEC. 12, T41S, R23E	SE/SE 660 FSL; 660 FEL
✓ 12W-44A	43-037-31543	14-20-603-246A	SEC. 12, T41S, R23E	SE/SE 807 FEL; 772 FSL
✓ 13-11W	43-037-31152	14-20-603-247A	SEC. 13, T41S, R23E	NW/NW 500 FNL; 660 FWL
✓ 13-12	43-037-31127	14-20-603-247A	SEC. 13, T41S, R23E	SW/NW 1705 FNL; 640 FWL
✓ 13W-13	43-037-15851	14-20-603-247A	SEC. 13, T41S, R23E	NW/SW 1980 FSL; 4620 FEL
✓ 13-14	43-037-31589	14-20-603-247A	SEC. 13, T41S, R23E	660 FSL; 660 FWL
✓ 13-21	43-037-31128	14-20-603-247A	SEC. 13, T41S, R23E	NE/NW 660 FNL; 1920 FWL
✓ 13W-22	43-037-15852	14-20-603-247A	SEC. 13, T41S, R23E	SE/NW 1988 FNL; 3300 FEL
✓ 13-23	43-037-31129	14-20-603-247A	SEC. 13, T41S, R23E	NE/SW 1980 FSL; 1930 FWL
✓ 13W-44	43-037-15853	14-20-603-247	SEC. 13, T41S, R23E	600 FSL; 3300 FEL
✓ 13W-32	43-037-16406	14-20-603-247A	SEC. 13, T41S, R23E	1881 FNL; 1979 FEL
✓ 13W-33	43-037-15855	14-20-603-247A	SEC. 13, T41S, R23E	NW/SE 1970 FSL; 1979 FEL
✓ 13W-34	43-037-31130	14-20-603-247A	SEC. 13, T41S, R23E	SW/SE 660 FSL; 1980 FEL
✓ 13-41	43-037-15856	14-20-603-247A	SEC. 13, T41S, R23E	NE/NE 660 FNL; 660 FEL
✓ 13W-42	43-037-15857	14-20-603-247A	SEC. 13, T41S, R23E	SE/NE 2139; 585 FEL
✓ 13-43	43-037-31131	14-20-603-247A	SEC. 13, T41S, R23E	NE/SE 1700 FSL; 960 FEL
✓ 13W-44	43-037-16407	14-20-603-247A	SEC. 13, T41S, R23E	SE/SE 635 FSL; 659 FEL
✓ 14-03	NA	14-20-603-4037	SEC. 11, T41S, R23E	SW/SW 660 FSL; 660 FEL
✓ 14-32	43-037-15858	14-20-603-247A	SEC. 14, T41S, R23E	2130 FNL; 1830 FEL
✓ 14-41	43-037-31623	14-20-603-247A	SEC. 14, T41S, R23E	NE/NE 521 FEL; 810 FNL
✓ 14W-42	43-037-15860	14-20-603-247A	SEC. 14, T41S, R23E	SE/NE 1976 FNL; 653 FEL
✓ 14W-43	43-037-16410	14-20-603-247A	SEC. 14, T41S, R23E	3300 FSL; 4770 FEL
✓ 14-33	43-037-15859	14-20-603-247	SEC. 14, T41S, R23E	2130 FSL; 1830 FEL
✓ 15-12	43-037-15715	14-20-603-355	SEC. 15, T41S, R24E	1820 FNL; 500 FWL
✓ 15W-21	43-037-16411	14-20-603-355	SEC. 15, T41S, R24E	660 FNL; 1820 FWL
✓ 15-22	43-037-30449	14-20-603-355	SEC. 15, T41S, R24E	SE/NW, 1980 FNL; 2050 FWL
✓ 15-32	43-037-15717	14-20-603-355A	SEC. 15, T41S, R24E	1980 FNL; 1980 FEL
✓ 15-33	43-037-15718	14-20-603-355	SEC. 15, T41S, R24E	NW/SE 1650 FSL; 1980 FEL
✓ 15-41	43-037-15719	14-20-603-355	SEC. 15, T41S, R24E	660 FNL; 660' FEL
✓ 15-42	43-037-30448	14-20-603-355	SEC. 15, T41S, R24E	SE/NE 2020 FNL; 820 FEL
✓ 16W-12	43-037-15720	14-20-603-355	SEC. 16, T41S, R24E	SW/NW 1880 FNL; 660 FWL
✓ 16-13	43-037-31168	14-20-603-355	SEC. 16, T41S, R24E	1980 FSL; 660 FWL
✓ 16W-14	43-037-15721	14-20-603-355	SEC. 16, T41S, R24E	SW/SW 660 FSL; 660 FWL
✓ 16W-21	43-037-16414	14-20-603-355	SEC. 16, T41S, R24E	NE/NW 660 FNL; 1880 FWL
✓ 16W-23	43-037-15722	14-20-603-355	SEC. 16, T41S, R24E	NE/SW 1980 FSL; 1980 FWL
✓ 16-32	43-037-15723	14-20-603-355	SEC. 16, T41S, R24E	1980 FNL; 1980' FEL
✓ 16-34	43-037-15724	14-20-603-355	SEC. 16, T41S, R24E	660 FNL; 1980' FEL
✓ 16-41	43-037-15725	14-20-603-355	SEC. 16, T41S, R24E	660 FNL; 660 FEL
✓ 16W-43	43-037-16415	14-20-603-355	SEC. 16, T41S, R24E	NE/SE 2140 FSL; 820 FEL
✓ 17-11	43-037-31169	14-20-603-353	SEC. 17, T41S, R24E	NW/NW 1075' FNL; 800' FWL
✓ 17W-12	43-037-15726	14-20-603-353	SEC. 17, T41S, R24E	SW/NW 1980' FNL; 510' FWL
✓ 17-13	43-037-31133	14-20-603-353	SEC. 17, T41S, R24E	NW/SW 2100' FSL; 660' FWL
✓ 17W-14	43-037-15727	14-20-603-353	SEC. 17, T41S, R24E	SW/SW 660' FSL; 660' FWL
✓ 17W-21	43-037-16416	14-20-603-353	SEC. 17, T41S, R24E	510' FNL; 1830' FWL
✓ 17-22	43-037-31170	14-20-603-353	SEC. 17, T41S, R24E	1980' FNL; 1980' FWL
✓ 17W-23	43-037-15728	14-20-603-353	SEC. 17, T41S, R24E	NE/SW 1980' FWL; 1880' FSL
✓ 17-31	43-037-31178	14-20-603-353	SEC. 17, T41S, R24E	NW/NE 500' FNL; 1980' FEL
✓ 17-32W	43-037-15729	14-20-603-353	SEC. 17, T41S, R24E	SW/NE 1830' FNL; 2030' FEL
✓ 17-33	43-037-31134	14-20-603-353	SEC. 17, T41S, R24E	NW/SE 1980' FSL; 1845' FEL
✓ 17-34W	43-037-15730	14-20-603-353	SEC. 17, T41S, R24E	SW/SE 560' FSL; 1880' FEL
✓ 17W-41	43-037-15731	14-20-603-353	SEC. 17, T41S, R24E	610' FNL; 510' FEL
✓ 17-42	43-037-31177	14-20-603-353	SEC. 17, T41S, R24E	SE/NE 1980; FNL, 660' FEL
✓ 17-44	43-037-15732	14-20-603-353	SEC. 17, T41S, R24E	660 FSL; 660' FEL
✓ 17W-43	43-037-16417	14-20-603-353	SEC. 17, T41S, R24E	NE/SE 1980' FSL; 660' FEL
✓ 18-11	43-037-15733	14-20-603-353	SEC. 18, T41S, R24E	NW/NW 720' FNL; 730' FWL
✓ 18-12W	43-037-31153	14-20-603-353	SEC. 18, T41S, R24E	SW/NW 1980' FNL; 560' FWL
✓ 18W-21	43-037-16418	14-20-603-353	SEC. 18, T41S, R24E	NE/NW 660' FNL; 1882' FWL
✓ 18-22	43-037-31236	14-20-603-353	SEC. 18, T41S, R24E	SW/NW 2200' FNL; 2210' FWL
✓ 18W-23	43-037-30244	14-20-603-353	SEC. 18, T41S, R24E	NE/SW 2385' FSL; 2040' FWL
✓ 18W-14	43-037-15735	14-20-603-353	SEC. 18, T41S, R24E	SW/SW 810' FSL; 600' FWL
✓ 18-24	43-037-31079	14-20-603-353	SEC. 18, T41S, R24E	SE/SW 760' FSL; 1980' FWL
✓ 18-31	43-037-31181	14-20-603-353	SEC. 18, T41S, R24E	NW/NE 795' FNL; 2090; FEL
✓ 18W-32	43-037-15736	14-20-603-353	SEC. 18, T41S, R24E	SW/NE 2140' FNL, 1830' FEL
✓ 18-33	43-037-31135	14-20-603-353	SEC. 18, T41S, R24E	NW/SE 1870' FSL; 1980' FEL
✓ 18-34W	43-037-15737	14-20-603-353	SEC. 18, T41S, R24E	SW/SE 780' FSL; 1860 FEL
✓ 18W-41	43-037-15738	14-20-603-353	SEC. 18, T41S, R24E	NE/NE 660' FNL; 660' FEL
✓ 18-42	43-037-31182	14-20-603-353	SEC. 18, T41S, R24E	SE/NE 2120' FNL; 745' FEL
✓ 18W-43	43-037-16419	14-20-603-353	SEC. 18, T41S, R24E	NE/SE 1980' FSL; 660' FEL
✓ 18-44	43-037-31045	14-20-603-353	SEC. 18, T41S, R24E	SE/SE 660' FSL; 660' FEL
✓ 19-11	43-037-31080	14-20-603-353	SEC. 19, T41S, R24E	NW/NW 660' FNL; 660' FWL
✓ 19-12	43-037-15739	14-20-603-353	SEC. 19, T41S, R24E	600' FWL; 1980' FNL
✓ 19-14	43-037-15740	14-20-603-353	SEC. 19, T41S, R24E	600' FSL; 660' FEL

PA'd

PA'd

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING
 355 West North Temple, 3 Triad, Suite 350, Salt Lake City, UT 84180-1203

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS:

C/O MOBIL OIL CORP
 M E P N A
 PO DRAWER G
 CORTEZ CO 81321

UTAH ACCOUNT NUMBER: N7370

REPORT PERIOD (MONTH/YEAR): 6 / 95

AMENDED REPORT (Highlight Changes)

Well Name			Producing Zone	Well Status	Days Oper	Production Volumes		
API Number	Entity	Location				OIL(BBL)	GAS(MCF)	WATER(BBL)
#20-13								
4303730917	06280	41S 24E 20	DSCR					
#20-24								
4303730918	06280	41S 24E 20	DSCR					
#21-13								
4303730921	06280	41S 24E 21	DSCR					
#20-22								
4303730930	06280	41S 24E 20	DSCR					
RATHERFORD UNIT 20-33								
4303730931	06280	41S 24E 20	DSCR					
#29-33								
4303730932	06280	41S 24E 29	IS-DC					
RATHERFORD UNIT 29-42								
4303730937	06280	41S 24E 29	DSCR					
RATHERFORD UNIT 17-24								
4303731044	06280	41S 24E 17	DSCR					
RATHERFORD UNIT 18-44								
4303731045	06280	41S 24E 18	DSCR					
RATHERFORD UNIT 19-22								
4303731046	06280	41S 24E 19	DSCR					
RATHERFORD UNIT 19-31								
4303731047	06280	41S 24E 19	DSCR					
RATHERFORD UNIT 19-33								
4303731048	06280	41S 24E 19	DSCR					
RATHERFORD UNIT 20-11								
4303731049	06280	41S 24E 20	DSCR					
TOTALS								

COMMENTS: _____

I hereby certify that this report is true and complete to the best of my knowledge.

Date: _____

Name and Signature: _____

Telephone Number: _____

PHONE CONVERSATION DOCUMENTATION FORM

Route original/copy to:

Well File _____
(Location) Sec ___ Twp ___ Rng ___
(API No.) _____

Suspense
(Return Date) _____
(To - Initials) _____

Other
OPER NM CHG OF _____

1. Date of Phone Call: 8-3-95 Time: _____

2. DOGM Employee (name) L. CORDOVA (Initiated Call)
Talked to:

Name R. J. FIRTH (Initiated Call) - Phone No. () _____
of (Company/Organization) _____

3. Topic of Conversation: M E P N A / N7370

4. Highlights of Conversation: _____

OPERATOR NAME IS BEING CHANGED FROM M E P N A (MOBIL EXPLORATION AND PRODUCING
NORTH AMERICA INC) TO MOBIL EXPLOR & PROD. THE NAME CHANGE IS BEING DONE AT
THIS TIME TO ALLEVIATE CONFUSION, BOTH IN HOUSE AND AMONGST THE GENERAL PUBLIC.
*SUPERIOR OIL COMPANY MERGED INTO M E P N A 4-24-86 (SEE ATTACHED).

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

1-LEC	7-PL
2-LWP	8-SJ
3-DES	9-FILE
4-VLC	
5-RJF	
6-LWP	

Attach all documentation received by the division regarding this change.
 Initial each listed item when completed. Write N/A if item is not applicable.

- Change of Operator (well sold) Designation of Agent
 Designation of Operator Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 8-2-95)

TO (new operator)	<u>MOBIL EXPLOR & PROD</u>	FROM (former operator)	<u>M E P N A</u>
(address)	<u>C/O MOBIL OIL CORP</u>	(address)	<u>C/O MOBIL OIL CORP</u>
	<u>PO DRAWER G</u>		<u>PO DRAWER G</u>
	<u>CORTEZ CO 81321</u>		<u>CORTEZ CO 81321</u>
	phone <u>(303) 564-5212</u>		phone <u>(303) 564-5212</u>
	account no. <u>N7370</u>		account no. <u>N7370</u>

Well(s) (attach additional page if needed):

Name: <u>** SEE ATTACHED **</u>	API: <u>037 31045</u>	Entity: _____	Sec _____	Twlp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twlp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twlp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twlp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twlp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twlp _____	Rng _____	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

- N/A 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form).
- N/A 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form).
- N/A 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes/no) _____ If yes, show company file number: _____.
- N/A 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of **Federal and Indian** well operator changes should take place prior to completion of steps 5 through 9 below.
- Yes 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. (8-3-95)
- Yes 6. Cardex file has been updated for each well listed above. 8-21-95
- Yes 7. Well file labels have been updated for each well listed above. 9-28-95
- Yes 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission. (8-3-95)
- Yes 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

- Yes* 1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) no (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
- N/A* 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only) ** No Fee Lease Wells at this time!*

- N/A* *Yes* 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
2. A copy of this form has been placed in the new and former operators' bond files.
3. The former operator has requested a release of liability from their bond (yes/no) no. Today's date _____ 1995. If yes, division response was made by letter dated _____ 1995.

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

- N/A* 1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated _____ 1995, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested. *OTS 8/5/95*
- N/A* 2. Copies of documents have been sent to State Lands for changes involving State leases.

FILMING

1. All attachments to this form have been microfilmed. Date: October 6 1995.

FILING

1. Copies of all attachments to this form have been filed in each well file.
2. The original of this form and the original attachments have been filed in the Operator Change file.

COMMENTS

950803 LIC F5/Not necessary!

ExxonMobil Production Comp.

U.S. West

P.O. Box 4358

Houston, Texas 77210-4358

June 27, 2001

ExxonMobil
Production

Mr. Jim Thompson
State of Utah, Division of Oil, Gas and Mining
1549 West North Temple
Suite 1210
Salt Lake City, UT 84114-5801

Change of Name – Mobil Oil Corporation to
ExxonMobil Oil Corporation

Dear Mr. Thompson

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.


Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.

A copy of the Certification, Bond Rider and a list of wells are attached.

If you have any questions please feel free to call Joel Talavera at 713-431-1010

Very truly yours,



Charlotte H. Harper
Permitting Supervisor

ExxonMobil Production Company
a division of Exxon Mobil Corporation,
acting for ExxonMobil Oil Corporation

RECEIVED

JUN 29 2001

DIVISION OF
OIL, GAS AND MINING



United States Department of the Interior

BUREAU OF INDIAN AFFAIRS
XXXXXXXXXXXXXXXXXXXX
Navajo Area Office
NAVAJO REGION

P.O. Box 1060
Gallup, New Mexico 87305-1060

AUG 30 2001

IN REPLY REFER TO:

RRES/543

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Charlotte H. Harper, Permitting Supervisor
Exxon Mobil Production Company
U. S. West
P. O. Box 4358
Houston, TX 77210-4358

Dear Ms. Harper:

This is to acknowledge receipt of your company's name change from Mobil Oil Corporation to ExxonMobil Oil Corporation effective June 1, 2001. The receipt of documents includes the Name Change Certification, current listing of Officers and Directors, Listing of Leases, Financial Statement, filing fees of \$75.00 and a copy of the Rider for Bond Number 8027 31 97. There are no other changes.

Please note that we will provide copies of these documents to other concerned parties. If you need further assistance, you may contact Ms. Bertha Spencer, Realty Specialist, at (928) 871-5938.

Sincerely,

GENNI DENETSONE

Regional Realty Officer

cc: BLM, Farmington Field Office w/enclosures ✓
Navajo Nation Minerals Office, Attn: Mr. Akhtar Zaman, Director/w enclosures

MINERAL RESOURCES	
ADM 1	<i>QSM</i>
NATV AM MIN COORD	_____
SOLID MIN TEAM	_____
PETRO MENT TEAM	<i>2</i>
O & G INSPECT TEAM	_____
ALL TEAM LEADERS	_____
LAND RESOURCES	_____
ENVIRONMENT	_____
FILES	_____

ExxonMobil Production Company
U.S. West
P.O. Box 4358
Houston, Texas 77210-4358


PS 7/12/2001
SN
543
File

June 27, 2001

ExxonMobil
Production

Certified Mail
Return Receipt Requested

Ms. Genni Denetsone
United States Department of the Interior
Bureau of Indian Affairs, Navajo Region
Real Estate Services
P. O. Box 1060
Gallup, New Mexico 87305-1060
Mail Code 543



Change of Name -
Mobil Oil Corporation to
ExxonMobil Oil Corporation

Dear Ms. Denetsone:

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.

Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.

Attached is the Name Change Certification, Current listing of Officers and Directors, Filing Fee of \$75/-, Listing of Leases, Financial Statement and a copy of the Rider for Bond number 8027 31 97. The original Bond Rider has been sent to Ms. Barbar Davis at your Washington Office.


If you have any questions, please contact Alex Correa at (713) 431-1012.

Very truly yours,

Charlotte H. Harper

Charlotte H. Harper
Permitting Supervisor

Attachments



ExxonMobil Production Company
a division of Exxon Mobil Corporation,
acting for ExxonMobil Oil Corporation

NOTE: Check forwarded to Ella Issac

Bureau of Indian Affairs
Navajo Region Office
Attn: RRES - Mineral and Mining Section
P.O. Box 1060
Gallup, New Mexico 87305-1060

Gentlemen:

The current listing of officers and director of ExxonMobil Oil Corporation (Name of Corporation), of New York (State) is as follows:

OFFICERS

President	<u>F.A. Risch</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Vice President	<u>K.T. Koonce</u>	Address <u>800 Bell Street Houston, TX 77002</u>
Secretary	<u>F.L. Reid</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Treasure	<u>B.A. Maher</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>

DIRECTORS

Name	<u>D.D. Humphreys</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Name	<u>P.A. Hanson</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Name	<u>T.P. Townsend</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Name	<u>B.A. Maher</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Name	<u>F.A. Risch</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>

Sincerely,

Alex Correa

This is to certify that the above information pertaining to ExxonMobil Oil Corporation (Corporation) is true and correct as evidenced by the records and accounts covering business for the State of Utah and in the custody of Corporation Service Company (Agent), Phone: 1 (800) 927-9800 whose business address is One Utah Center, 201 South Main Street, Salt Lake City, Utah 84111-2218



Signature

AGENT AND ATTORNEY IN FACT

Title

CERTIFICATION

I, the undersigned Assistant Secretary of ExxonMobil Oil Corporation. (formerly Mobil Oil Corporation), a corporation organized and existing under the laws of the State of New York, United States of America, DO HEREBY CERTIFY, That, the following is a true and exact copy of the resolutions adopted by the Board of Directors on May 22, 2001:

CHANGE OF COMPANY NAME

WHEREAS, the undersigned Directors of the Corporation deem it to be in the best interest of the Corporation to amend the Certificate of Incorporation of the Corporation to change the name and principal office of the Corporation:

NOW THEREFORE BE IT RESOLVED, That Article 1st relating to the corporate name is hereby amended to read as follows:

"1st The corporate name of said Company shall be,

ExxonMobil Oil Corporation",

FURTHER RESOLVED, That the amendment of the Corporation's Certificate of Incorporation referred to in the preceding resolutions be submitted to the sole shareholder of the Corporation entitled to vote thereon for its approval and, if such shareholder gives its written consent, pursuant to Section 803 of the Business Corporation Law of the State of New York, approving such amendment, the proper officers of the Corporation be, and they hereby are, authorized to execute in the name of the Corporation the Certificate of Amendment of Certificate of Incorporation, in the form attached hereto;

FURTHER RESOLVED, That the proper officers of the Corporation be and they hereby are authorized and directed to deliver, file and record in its behalf, the Certificate of Amendment of Certificate of Incorporation, and to take such action as may be deemed necessary or advisable to confirm and make effective in all respects the change of this Company's name to EXXONMOBIL OIL CORPORATION.


WITNESS, my hand and the seal of the Corporation at Irving, Texas, this 8th day of June, 2001.

S. A. Milligan
Assistant Secretary

COUNTY OF DALLAS)
STATE OF TEXAS)
UNITED STATES OF AMERICA)

Sworn to and subscribed before me at Irving, Texas, U. S. A. on this the 8th day of June, 2001.

Janice M. Phillips
Notary Public



LISTING OF LEASES OF MOBIL OIL CORPORATION**Lease Number**

- 1) 14-20-0603-6504
- 2) 14-20-0603-6505
- 3) 14-20-0603-6506
- 4) 14-20-0603-6508
- 5) 14-20-0603-6509
- 6) 14-20-0603-6510
- 7) 14-20-0603-7171
- 8) 14-20-0603-7172A
- 9) 14-20-600-3530
- 10) 14-20-603-359
- 11) 14-20-603-368
- 12) 14-20-603-370
- 13) 14-20-603-370A
- 14) 14-20-603-372
- 15) 14-20-603-372A
- 16) 14-20-603-4495
- 17) 14-20-603-5447
- 18) 14-20-603-5448
- 19) 14-20-603-5449
- 20) 14-20-603-5450
- 21) 14-20-603-5451

6/1/01

CHUBB GROUP OF INSURANCE COMPANIES

100 West Loop South, Suite 1400, Houston, Texas 77027-3500
Telephone: (713) 297-4600 • Facsimile: (713) 297-4750

NW Bond

FEDERAL INSURANCE COMPANY RIDER
to be attached to and form a part of

BOND NO 8027 31 97

wherein

Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc. is
named as Principal and

FEDERAL INSURANCE COMPANY AS SURETY,

in favor of **United States of America, Department of the Interior**
Bureau of Indian Affairs

in the amount of **\$150,000.00**

bond date: **11/01/65**

IT IS HEREBY UNDERSTOOD AND AGREED THAT effective June 1, 2001
the name of the Principal is changed

FROM: Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc.

TO : ExxonMobil Oil Corporation

All other terms and conditions of this Bond are unchanged.

Signed, sealed and dated this 12th of June, 2001.

ExxonMobil Oil Corporation

By: 

FEDERAL INSURANCE COMPANY

By: 
Mary Pierson, Attorney-in-fact



**Chubb
Surety**

**POWER
OF
ATTORNEY**

**Federal Insurance Company
Vigilant Insurance Company
Pacific Indemnity Company**

**Attn.: Surety Department
15 Mountain View Road
Warren, NJ 07059**

Know All by These Presents, That FEDERAL INSURANCE COMPANY, an Indiana corporation, VIGILANT INSURANCE COMPANY, a New York corporation, and PACIFIC INDEMNITY COMPANY, a Wisconsin corporation, do each hereby constitute and appoint

Mary Pierson, Philana Berros, and Jody E. Specht of Houston, Texas----- R.F. Bobo,

each as their true and lawful Attorney-in-Fact to execute under such designation in their names and to affix their corporate seals to and deliver for and on their behalf as surety thereon or otherwise, bonds and undertakings and other writings obligatory in the nature thereof (other than bail bonds) given or executed in the course of business, and any instruments amending or altering the same, and consents to the modification or alteration of any instrument referred to in said bonds or obligations.

In Witness Whereof, said FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY have each executed and attested these presents and affixed their corporate seals on this 10th day of May, 2001.

Kenneth C. Wendel
Kenneth C. Wendel, Assistant Secretary

Frank E. Robertson
Frank E. Robertson, Vice President

STATE OF NEW JERSEY } ss.
County of Somerset

On this 10th day of May, 2001, before me, a Notary Public of New Jersey, personally came Kenneth C. Wendel, to me known to be Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY, the companies which executed the foregoing Power of Attorney, and the said Kenneth C. Wendel being by me duly sworn, did depose and say that he is Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY and knows the corporate seals thereof, that the seals affixed to the foregoing Power of Attorney are such corporate seals and were thereto affixed by authority of the By-Laws of said Companies; and that he signed said Power of Attorney as Assistant Secretary of said Companies by like authority; and that he is acquainted with Frank E. Robertson, and knows him to be Vice President of said Companies; and that the signature of Frank E. Robertson, subscribed to said Power of Attorney is in the genuine handwriting of Frank E. Robertson, and was thereto subscribed by authority of said Notary Public dependent's presence.



Notary Public State of New Jersey
No. 2231647
Commission Expires Oct 29, 2004

Karen Price
Notary Public

Extract from the By-Laws of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY:

"All powers of attorney for and on behalf of the Company may and shall be executed in the name and on behalf of the Company, either by the Chairman or the President or a Vice President or an Assistant Vice President, jointly with the Secretary or an Assistant Secretary, under their respective designations. The signature of such officers may be engraved, printed or lithographed. The signature of each of the following officers: Chairman, President, any Vice President, any Assistant Vice President, any Secretary, any Assistant Secretary and the seal of the Company may be affixed by facsimile to any power of attorney or to any certificate relating thereto appointing Assistant Secretaries or Attorneys-in-Fact for purposes only of executing and attesting bonds and undertakings and other writings obligatory in the nature thereof, and any such power of attorney or certificate bearing such facsimile signature or facsimile seal shall be valid and binding upon the Company and any such power so executed and certified by such facsimile signature and facsimile seal shall be valid and binding upon the Company with respect to any bond or undertaking to which it is attached."

I, Kenneth C. Wendel, Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY (the "Companies") do hereby certify that

- (i) the foregoing extract of the By-Laws of the Companies is true and correct,
- (ii) the Companies are duly licensed and authorized to transact surety business in all 50 of the United States of America and the District of Columbia and are authorized by the U. S. Treasury Department; further, Federal and Vigilant are licensed in Puerto Rico and the U. S. Virgin Islands, and Federal is licensed in American Samoa, Guam, and each of the Provinces of Canada except Prince Edward Island; and
- (iii) the foregoing Power of Attorney is true, correct and in full force and effect.

Given under my hand and seals of said Companies at Warren, NJ this 12th day of June, 2001



Kenneth C. Wendel
Kenneth C. Wendel, Assistant Secretary

IN THE EVENT YOU WISH TO NOTIFY US OF A CLAIM, VERIFY THE AUTHENTICITY OF THIS BOND OR NOTIFY US OF ANY OTHER MATTER, PLEASE CONTACT US AT ADDRESS LISTED ABOVE, OR BY Telephone (908) 903-3485 Fax (908) 903-3656 e-mail: surety@chubb.com

CSC

5184334741

06/01 '01 08:46 NO.410 03/05

CSC

06/01 '01 09:06 NO.135 02/04

F010601000187

CERTIFICATE OF AMENDMENT
OF
CERTIFICATE OF INCORPORATION
OF
MOBIL OIL CORPORATION

CSC 45

(Under Section 805 of the Business Corporation Law)

Pursuant to the provisions of Section 805 of the Business Corporation Law, the undersigned President and Secretary, respectively, of Mobil Oil Corporation hereby certify:

FIRST: That the name of the corporation is MOBIL OIL CORPORATION and that said corporation was incorporated under the name of Standard Oil Company of New York.

SECOND: That the Certificate of Incorporation of the corporation was filed by the Department of State, Albany, New York, on the 10th day of August, 1882.

THIRD: That the amendments to the Certificates of Incorporation effected by this Certificate are as follows:

(a) Article 1st of the Certificate of Incorporation, relating to the corporate name, is hereby amended to read as follows:

"1st: The corporate name of said Company shall be,
ExxonMobil Oil Corporation",

(b) Article 7th of the Certificate of Incorporation, relating to the office of the corporation is hereby amended to read as follows:

The office of the corporation within the State of New York is to be located in the County of Albany. The Company shall have offices at such other places as the Board of Directors may from time to time determine.

CSC
CSC

5184334741

06/01 '01 08:47 NO.410 04/05
06/01 '01 07:06 NO.133 03/04

FOURTH: That the amendments to the Certificate of Incorporation were authorized by the Board of Directors followed by the holder of all outstanding shares entitled to vote on amendments to the Certificate of Incorporation by written consent of the sole shareholder dated May 22, 2001.

IN WITNESS WHEREOF, this Certificate has been signed this 22nd Day of May, 2001.



F. A. Risch, President 

STATE OF TEXAS)
COUNTY OF DALLAS)


F. L. REID, being duly sworn, deposes and says that he is the Secretary of MOBIL OIL CORPORATION, the corporation mentioned and described in the foregoing instrument; that he has read and signed the same and that the statements contained therein are true.




F. L. REID, Secretary

SUBSCRIBED AND SWORN TO before me, the undersigned authority, on this the 22nd day of May, 2001.

[SEAL]



NOTARY PUBLIC, STATE OF TEXAS



CSC
CSC

5184334741

06/01 '01 09:01 NO.411 02/02
06/01 '01 09:06 NO.133 04/04
F010601000187

CSC 45

CERTIFICATE OF AMENDMENT

OF

MOBIL OIL CORPORATION

Under Section 805 of the Business Corporation Law

SAC

**STATE OF NEW YORK
DEPARTMENT OF STATE**

100 cc

Filed by: EXXONMOBIL CORPORATION
(Name)

FILED JUN 01 2001


6949 Las Colinas Blvd.
(Mailing address)

TAX \$ _____
BY: *SAC*

Irving, TX 75039-2298
(City, State and Zip code)

ny Albany

Cust Ref # 1655781MPJ



010601000195

State of New York }
Department of State } ss:

I hereby certify that the annexed copy has been compared with the original document in the custody of the Secretary of State and that the same is a true copy of said original.

Witness my hand and seal of the Department of State on JUN 01 2001



Special Deputy Secretary of State

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW !
3. FILE

Change of Operator (Well Sold)

Designation of Agent

X Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective: **06-01-2001**

FROM: (Old Operator):	TO: (New Operator):
MOBIL EXPLORATION & PRODUCTION	EXXONMOBIL OIL CORPORATION
Address: P O BOX DRAWER "G"	Address: U S WEST P O BOX 4358
CORTEZ, CO 81321	HOUSTON, TX 77210-4358
Phone: 1-(970)-564-5212	Phone: 1-(713)-431-1010
Account No. N7370	Account No. N1855

CA No. Unit: RATHERFORD

WELL(S)

NAME	SEC TWN RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
RATHERFORD UNIT 17-33	17-41S-24E	43-037-31134	6280	INDIAN	OW	P
RATHERFORD UNIT 17-11	17-41S-24E	43-037-31169	6280	INDIAN	OW	S
RATHERFORD UNIT 17-22	17-41S-24E	43-037-31170	6280	INDIAN	OW	P
RATHERFORD UNIT 17-42	17-41S-24E	43-037-31177	6280	INDIAN	OW	P
RATHERFORD UNIT 17-31	17-41S-24E	43-037-31178	6280	INDIAN	OW	P
18-11	18-41S-24E	43-037-15733	6280	INDIAN	OW	P
RATHERFORD 18-13	18-41S-24E	43-037-15734	6280	INDIAN	OW	P
RATHERFORD UNIT 18-44	18-41S-24E	43-037-31045	6280	INDIAN	OW	P
RATHERFORD UNIT 18-24	18-41S-24E	43-037-31079	6280	INDIAN	OW	P
RATHERFORD UNIT 18-33	18-41S-24E	43-037-31135	6280	INDIAN	OW	P
RATHERFORD UNIT 18-31	18-41S-24E	43-037-31181	6280	INDIAN	OW	P
RATHERFORD UNIT 18-42	18-41S-24E	43-037-31182	6280	INDIAN	OW	P
RATHERFORD UNIT 18-22	18-41S-24E	43-037-31236	6280	INDIAN	OW	P
19-42	19-41S-24E	43-037-30916	6280	INDIAN	OW	P
RATHERFORD UNIT 19-22	19-41S-24E	43-037-31046	6280	INDIAN	OW	P
RATHERFORD UNIT 19-31	19-41S-24E	43-037-31047	6280	INDIAN	OW	P
RATHERFORD UNIT 19-33	19-41S-24E	43-037-31048	6280	INDIAN	OW	P
RATHERFORD UNIT 19-11	19-41S-24E	43-037-31080	6280	INDIAN	OW	P
RATHERFORD UNIT 19-44	19-41S-24E	43-037-31081	6280	INDIAN	OW	P
RATHERFORD 19-97	19-41S-24E	43-037-31596	6280	INDIAN	OW	P

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 06/29/2001
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 06/29/2001
3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 04/09/2002
4. Is the new operator registered in the State of Utah: YES Business Number: 579865-0143
5. If **NO**, the operator was contacted on: N/A

6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BIA-06/01/01

7. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 06/01/2001

8. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: N/A

9. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 04/15/2002
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 04/15/2002
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: N/A

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: N/A

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: 80273197

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number N/A
2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS:

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

ROUTING
1. DJJ
2. CDW

X Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective: 6/1/2006	
FROM: (Old Operator): N1855-ExxonMobil Oil Corporation PO Box 4358 Houston, TX 77210-4358 Phone: 1 (281) 654-1936	TO: (New Operator): N2700-Resolute Natural Resources Company 1675 Broadway, Suite 1950 Denver, CO 80202 Phone: 1 (303) 534-4600
CA No.	Unit: RATHERFORD

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 4/21/2006
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 4/24/2006
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/7/2006
- Is the new operator registered in the State of Utah: YES Business Number: 5733505-0143
- If **NO**, the operator was contacted on:
- (R649-9-2) Waste Management Plan has been received on: requested
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM n/a BIA not yet
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: not yet
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 6/12/2006

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 6/22/2006
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 6/22/2006
- Bond information entered in RBDMS on: n/a
- Fee/State wells attached to bond in RBDMS on: n/a
- Injection Projects to new operator in RBDMS on: 6/22/2006
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: n/a
- Indian well(s) covered by Bond Number: PA002769
- (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number n/a
- The **FORMER** operator has requested a release of liability from their bond on: n/a
The Division sent response by letter on: n/a

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>Unit Agreement</u>		5. LEASE DESIGNATION AND SERIAL NUMBER: <u>See attached list</u>
2. NAME OF OPERATOR: <u>Resolute Natural Resources Company</u> <u>N2700</u>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: <u>Navajo Tribe</u>
3. ADDRESS OF OPERATOR: <u>1675 Broadway, Suite 1950</u> CITY <u>Denver</u> STATE <u>CO</u> ZIP <u>80202</u>		7. UNIT or CA AGREEMENT NAME: <u>Ratherford Unit</u>
4. LOCATION OF WELL FOOTAGES AT SURFACE: <u>See attached list</u>		8. WELL NAME and NUMBER: <u>See attached list</u>
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____		9. API NUMBER: <u>Attached</u>
COUNTY: <u>San Juan</u>		10. FIELD AND POOL, OR WILDCAT: <u>Greater Aneth</u>
STATE: <u>UTAH</u>		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA


TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective June 1, 2006 Exxon Mobil Oil Corporation resigns as operator of the Ratherford Unit. Also effective June 1, 2006 Resolute Natural Resources Company is designated as successor operator of the Ratherford Unit.

A list of affected producing and water source wells is attached. A separate of affected injection wells is being submitted with UIC Form 5, Transfer of Authority to Inject.

As of the effective date, bond coverage for the affected wells will transfer to BIA Bond # PA002769.

NAME (PLEASE PRINT) <u>Dwight E Mallory</u>	TITLE <u>Regulatory Coordinator</u>
SIGNATURE 	DATE <u>4/20/2006</u>

(This space for State use only)

APPROVED 6127106
Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

RECEIVED
APR 24 2006
DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER:
2. NAME OF OPERATOR: ExxonMobil Oil Corporation N1855		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Ship Rock
3. ADDRESS OF OPERATOR: P.O. Box 4358 CITY Houston STATE TX ZIP 77210-4358		7. UNIT or CA AGREEMENT NAME: UTU68931A
4. LOCATION OF WELL FOOTAGES AT SURFACE: QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		8. WELL NAME and NUMBER: Ratherford 9. API NUMBER: attached
		10. FIELD AND POOL, OR WILDCAT: Aneth
		COUNTY: San Juan
		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>6/1/2006</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

ExxonMobil Oil Corporation is transferring operatorship of Greater Aneth field, Ratherford lease to Resolute Natural Resources Company. All change of operator notices should be made effective as of 7:00 AM MST on June 1, 2006.

Attached please find a listing of producers and water source wells included in the transfer.

NAME (PLEASE PRINT) <u>Laurie Kilbride</u>	TITLE <u>Permitting Supervisor</u>
SIGNATURE	DATE <u>4/19/2006</u>

(This space for State use only) **APPROVED** 6/13/06
Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

RECEIVED
APR 21 2006
DIV. OF OIL, GAS & MINING

Ratherford Unit - Producer Well List

minus P&A's

Lease	Number	API #	Status	Lease #	Location					
					Sec	T	R	QTR/QTR	NSFoot	EWFoot
Ratherford	01-14	430373116200S1	Producing	1420603246A	1	41S	23E	SWSW	0660FSL	0660FWL
Ratherford	01-34	430371638501S1	SI	1420603246A	1	41S	23E	SWSE	1133FSL	1980FEL
Ratherford	11-41	430373154400S1	Producing	1420603246A	11	41S	23E	NENE	0860FNL	0350FEL
Ratherford	11-43	430373162201S1	Producing	1420603246A	11	41S	23E	NESE	1980FSL	0660FEL
Ratherford	12-12	430373119000S1	Producing	1420603246A	12	41S	23E	SWNW	1850FNL	0660FWL
Ratherford	12-14	430371584400S1	SI	1420603246A	12	41S	23E	SWSW	0660FSL	4622FEL
Ratherford	12-21	430373120100S1	Producing	1420603246A	12	41S	23E	NENW	0660FNL	1980FWL
Ratherford	12-23	430371584601S1	Producing	1420603246A	12	41S	23E	NESW	1958FSL	3300FEL
Ratherford	12-32	430373120300S1	Producing	1420603246A	12	41S	23E	SWNE	1820FNL	1820FEL
Ratherford	12-34	430373112600S1	Producing	1420603246A	12	41S	23E	SWSE	0675FSL	1905FEL
Ratherford	12-43	430373120200S1	SI	1420603246A	12	41S	23E	NESE	2100FSL	0660FEL
Ratherford	13-12	430373112701S1	Producing	1420603247A	13	41S	23E	SWNW	1705FNL	0640FWL
Ratherford	13-14	430373158900S1	Producing	1420603247A	13	41S	23E	SWSW	0660FSL	0660FWL
Ratherford	13-21	430373112801S1	SI	1420603247A	13	41S	23E	NENW	0660FNL	1920FWL
Ratherford	13-23	430373112900S1	Producing	1420603247A	13	41S	23E	NESW	1980FSL	1930FWL
Ratherford	13-34	430373113001S1	Producing	1420603247A	13	41S	23E	SWSE	0660FSL	1980FEL
Ratherford	13-41	430371585601S1	Producing	1420603247A	13	41S	23E	NENE	660FNL	660FEL
Ratherford	13-43	430373113100S1	Producing	1420603247A	13	41S	23E	NESE	1700FSL	0960FEL
Ratherford	14-32	430371585801S1	Producing	1420603247A	14	41S	23E	SWNE	2130FNL	1830FEL
Ratherford	14-41	430373162300S1	Producing	1420603247A	14	41S	23E	NENE	0521FNL	0810FEL
Ratherford	24-32	430373159300S1	Producing	1420603247A	24	41S	23E	SWNE	2121FNL	1846FEL
Ratherford	24-41	430373113200S1	Producing	1420603247A	24	41S	23E	NENE	0660FNL	0710FEL
Ratherford	17-11	430373116900S1	Producing	1420603353	17	41S	24E	NWNW	1075FNL	0800FWL
Ratherford	17-13	430373113301S1	Producing	1420603353	17	41S	24E	NWSW	2100FSL	0660FWL
Ratherford	17-22	430373117001S1	Producing	1420603353	17	41S	24E	SENE	1882FNL	1910FWL
Ratherford	17-24	430373104400S1	Producing	1420603353	17	41S	24E	SESW	0720FSL	1980FWL
Ratherford	17-31	430373117800S1	Producing	1420603353	17	41S	24E	NWNE	0500FNL	1980FEL
Ratherford	17-33	430373113400S1	Producing	1420603353	17	41S	24E	NWSE	1980FSL	1845FEL
Ratherford	17-42	430373117700S1	Producing	1420603353	17	41S	24E	SENE	1980FNL	0660FEL
Ratherford	17-44	430371573201S1	Producing	1420603353	17	41S	24E	SESE	0660FSL	0660FEL
Ratherford	18-11	430371573300S1	SI	1420603353	18	41S	24E	NWNW	0720FNL	0730FWL
Ratherford	18-13	430371573401S1	Producing	1420603353	18	41S	24E	NWSW	1980FSL	0500FWL
Ratherford	18-22	430373123600S1	Producing	1420603353	18	41S	24E	SENE	2200FNL	2210FWL
Ratherford	18-24	430373107900S1	Producing	1420603353	18	41S	24E	SESW	0760FSL	1980FWL
Ratherford	18-31	430373118101S1	Producing	1420603353	18	41S	24E	NWNE	0795FNL	2090FEL
Ratherford	18-33	430373113501S1	Producing	1420603353	18	41S	24E	NWSE	1870FSL	1980FEL
Ratherford	18-42	430373118200S1	Producing	1420603353	18	41S	24E	SENE	2120FNL	0745FEL
Ratherford	18-44	430373104500S1	SI	1420603353	18	41S	24E	SESE	0660FSL	0660FEL
Ratherford	19-11	430373108000S1	Producing	1420603353	19	41S	24E	NWNW	0660FNL	0660FWL
Ratherford	19-13	430373171900S1	Producing	1420603353	19	41S	24E	NWSW	1980FSL	0660FWL
Ratherford	19-22	430373104601S1	Producing	1420603353	19	41S	24E	SENE	1840FNL	1980FWL
Ratherford	19-24	430373175401S1	Producing	1420603353	19	41S	24E	SESW	0600FSL	1980FWL
Ratherford	19-31	430373104701S1	Producing	1420603353	19	41S	24E	NWNE	510FNL	1980FEL
Ratherford	19-33	430373104800S1	Producing	1420603353	19	41S	24E	NWSE	1980FSL	1980FEL
Ratherford	19-42	430373091600S1	Producing	1420603353	19	41S	24E	SENE	1880FNL	0660FEL
Ratherford	19-44	430373108100S1	Producing	1420603353	19	41S	24E	SESE	0660FSL	0660FEL
Ratherford	19-97	430373159600S1	Producing	1420603353	19	41S	24E	SENE	2562FNL	0030FEL
Ratherford	20-11	430373104900S1	Producing	1420603353	20	41S	24E	NWNW	0500FNL	0660FWL
Ratherford	20-13	430373091700S1	Producing	1420603353	20	41S	24E	NWSW	2140FSL	0500FWL
Ratherford	20-22	430373093000S1	Producing	1420603353	20	41S	24E	SENE	2020FNL	2090FWL
Ratherford	20-24	430373091800S1	Producing	1420603353	20	41S	24E	SESW	0820FSL	1820FWL

Ratherford Unit - Producer Well List

minus P&A's

Lease	Number	API #	Status	Lease #	Location					
					Sec	T	R	QTR/QTR	NSFoot	EWFoot
Ratherford	20-31	430373105001S1	Producing	1420603353	20	41S	24E	NWNE	0660FNL	1880FEL
Ratherford	20-33	430373093100S1	Producing	1420603353	20	41S	24E	NWSE	1910FSL	2140FEL
Ratherford	20-42	430373105100S1	Producing	1420603353	20	41S	24E	SENE	1980FNL	0660FEL
Ratherford	20-44	430373091501S1	Producing	1420603353	20	41S	24E	SESE	0620FSL	0760FEL
Ratherford	20-66	430373159201S1	Producing	1420603353	20	41S	24E	SWNW	1369FNL	1221FWL
Ratherford	20-68	430373159100S1	Producing	1420603353	20	41S	24E	NWSW	1615FSL	1276FWL
Ratherford	15-12	430371571501S1	Producing	1420603355	15	41S	24E	SWNW	1820FNL	0500FWL
Ratherford	15-22	430373044900S1	SI	1420603355	15	41S	24E	SENE	1980FNL	2050FWL
Ratherford	15-32	430371571700S1	Producing	1420603355	15	41S	24E	SWNE	1980FNL	1980FEL
Ratherford	15-33	430371571800S1	Producing	1420603355	15	41S	24E	NWSE	1650FSL	1980FEL
Ratherford	15-41	430371571900S1	TA	1420603355	15	41S	24E	NENE	0660FNL	0660FEL
Ratherford	15-42	430373044800S1	Producing	1420603355	15	41S	24E	SENE	2020FNL	0820FEL
Ratherford	16-13	430373116801S1	Producing	1420603355	16	41S	24E	NWSW	1980FSL	660FWL
Ratherford	16-32	430371572300S1	Producing	1420603355	16	41S	24E	SWNE	1980FNL	1980FEL
Ratherford	16-41	430371572500S1	Producing	1420603355	16	41S	24E	NENE	0660FNL	0660FEL
Ratherford	16-77	430373176800S1	Producing	1420603355	16	41S	24E	NESW	2587FSL	2410FWL
Ratherford	21-23	430371375400S1	Producing	1420603355	21	41S	24E	NESW	1740FSL	1740FWL
Ratherford	21-24	430373172001S1	SI	1420603355	21	41S	24E	SESW	487FSL	2064FWL
Ratherford	21-32	430371575500S1	SI	1420603355	21	41S	24E	SWNE	1880FNL	1980FEL
Ratherford	21-77	430373175801S1	SI	1420603355	21	41S	24E	NWSE	2511FSL	2446FEL
Ratherford	07-11	430373116300S1	Producing	1420603368	7	41S	24E	NWNW	0660FNL	0710FWL
Ratherford	07-13	430373116400S1	Producing	1420603368	7	41S	24E	NWSW	2110FSL	0740FWL
Ratherford	07-22	430373116500S1	Producing	1420603368	7	41S	24E	SENE	1980FNL	1980FWL
Ratherford	07-24	430373116600S1	Producing	1420603368	7	41S	24E	SESW	0880FSL	2414FWL
Ratherford	07-44	430373118900S1	SI	1420603368	7	41S	24E	SESE	0737FSL	0555FEL
Ratherford	08-12	430371599100S1	Producing	1420603368	8	41S	24E	SWNW	1909FNL	0520FWL
Ratherford	08-21	430371599300S1	Producing	1420603368	8	41S	24E	NENW	0616FNL	1911FWL
Ratherford	08-23	430371599400S1	Producing	1420603368	8	41S	24E	NESW	1920FSL	2055FWL
Ratherford	08-32	430371599500S1	Producing	1420603368	8	41S	24E	SWNE	1980FNL	1980FEL
Ratherford	08-34	430371599600S1	Producing	1420603368	8	41S	24E	SWSE	0660FSL	1980FEL
Ratherford	04-34	430371616400S1	Producing	14206034035	4	41S	24E	SWSE	0660FSL	1980FEL
Ratherford	11-14	430371616700S1	Producing	14206034037	11	41S	24E	SWSW	0660FSL	0660FWL
Ratherford	09-34	430371571100S1	SI	14206034043	9	41S	24E	SWSE	0660FSL	1980FEL
Ratherford	10-12	430371571200S1	Producing	14206034043	10	41S	24E	SWNW	1980FNL	0660FWL
Ratherford	10-14	430371571300S1	Producing	14206034043	10	41S	24E	SWSW	0510FSL	0710FWL
Ratherford	10-32	430371571400S1	TA	14206034043	10	41S	24E	SWNE	2080FNL	1910FEL
Ratherford	10-44	430373045100S1	TA	14206034043	10	41S	24E	SESE	0820FSL	0510FEL
Ratherford	29-11	430373105300S1	Producing	1420603407	29	41S	24E	NWNW	0770FNL	0585FWL
Ratherford	29-22	430373108200S1	Producing	1420603407	29	41S	24E	SENE	2130FNL	1370FWL
Ratherford	29-31	430373091401S1	Producing	1420603407	29	41S	24E	NWNE	0700FNL	2140FEL
Ratherford	29-33	430373093200S1	SI	1420603407	29	41S	24E	NWSE	1860FSL	1820FEL
Ratherford	29-34	430371534000S1	SI	1420603407	29	41S	24E	SWSE	0817FSL	2096FEL
Ratherford	29-42	430373093700S1	SI	1420603407	29	41S	24E	SENE	1850FNL	0660FEL
Ratherford	30-32	430371534200S1	Producing	1420603407	30	41S	24E	SWNE	1975FNL	2010FEL
Ratherford	28-11	430373044600S1	Producing	1420603409	28	41S	24E	NWNW	0520FNL	0620FWL

Ratherford Unit - Producer Well List

minus P&A's

Lease	Number	API #	Status	Lease #	Location					
					Sec	T	R	QTR/QTR	NSFoot	EWFoot
Ratherford	09-12	430371512600S1	Producing	14206035045	9	41S	24E	SWNW	1865FNL	0780FWL
Ratherford	09-14	430371512700S1	Producing	14206035046	9	41S	24E	SWSW	0695FSL	0695FWL
Ratherford	04-14	430371616300S1	Producing	14206035446	4	41S	24E	SWSW	0500FSL	0660FWL
Ratherford	03-12	430371562000S1	Producing	14206036506	3	41S	24E	SWNW	2140FNL	0660FWL

Water Source Wells (Feb 2006)

RU	S1	4303700001	Active
RU	S2	4303700002	Active
RU	S3	4303700003	Active
RU	S4	4303700004	Active
RU	S5	4303700005	Active
RU	S6	4303700006	Active
RU	S7	4303700007	Active
RU	S8	4303700008	Active
RU	S9	4303700009	Active
RU	S10	4303700010	Active
RU	S11	4303700011	Active
RU	S12	4303700012	Active
RU	S13	4303700013	Active
RU	S14	4303700014	Active
RU	S16	4303700016	Active
RU	S17	4303700017	Active