

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK

DRILL DEEPEN PLUG BACK

b. TYPE OF WELL

OIL WELL GAS WELL OTHER SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR

Texaco, Inc.

Att: A. **RECEIVED**

3. ADDRESS OF OPERATOR

Box EE, Cortez, CO. 81321

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements) **27 1984**

At surface
C SE/4 Sec. 13
At proposed prod. zone 1320' FSL & 1320' FEL

DIVISION OF OIL
GAS & MINING

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

Approximately 7 miles NW of Montezuma Creek, Utah

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any)

1320'

16. NO. OF ACRES IN LEASE

-

17. NO. OF ACRES ASSIGNED TO THIS WELL

20

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.

700'

19. PROPOSED DEPTH

5950' *DSCR*

20. ROTARY OR CABLE TOOLS

Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

4789' GL

22. APPROX. DATE WORK WILL START*

8/10/84

23.

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
17 1/2"	13 3/8"	48#	100'	Circ. to Surface
11 "	8 5/8"	24#	1630'	Circ. to Surface
7 7/8"	5 1/2"	14#; 15.5#	5950'	1st Stage: 300 sacks 2ed Stage: 575 sacks

DV collar to be run below DeChelly and cement to bottom of 8 5/8" surface casing.

Propose to drill this infill well in order to gain optimum primary and secondary oil recovery from Aneth Unit. Samples will be taken at 10' intervals from 5000' to TD. No cores or DST's are planned. Logs will be run from surface casing to TD. Prospective zones will be perforated and acidized. Blowout preventer equipment will be as indicated on the attached exhibit and will be tested at regular intervals. Necessary steps will be taken to protect the environment.

Estimated Formation Tops. Chinle-1607'; Ismay-5500';
Desert Creek-5700'

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

SIGNED *A.R. Marx by James [Signature]* TITLE Field Superintendent DATE 7/20/84

(This space for Federal or State office use)

PERMIT NO. _____ APPROVAL DATE _____

APPROVED BY _____ TITLE _____

CONDITIONS OF APPROVAL, IF ANY:

BLM (5) UOCC (3) JNH, LAA, ARM, Superior Oil Co. Shell Oil Co.

**DEPARTMENT OF THE INTERIOR
DIVISION OF OIL, GAS, AND MINING
DATE: _____ BY: _____**

COMPANY Texaco Inc.


Well Name & No. Aneth Unit Well No. C3131 Lease No. _____

Location 1320 feet from South line and 1320 feet from East line

Being in San Juan County, Utah

Sec. 13, T.40S., R.23E., S.L.M.

Ground Elevation 4789





Scale - 4 inches equals 1 mile

Surveyed July 6, 19 84

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.




Texaco Inc.
Aneth Unit Well No. C3131
1320' FSL & 1320' FEL Sec. 13-40S-23E
San Juan County, Utah



Minimum equipment requirements are:

1. Blowout preventers must be capable of being operated both mechanically and hydraulically. Controls must be located so that the blowout preventer can be operated outside the drilling rig substructure. All steel tubing and connections must be used between the hydraulic controls and the blowout preventer.
2. Pressure rating of the blowout preventer and associated connections must be proportional to depth and pressure expectations. Use Figure 1 as a guide in unknown areas.
3. Distance "A" must be sufficient to accommodate a Hydril preventer if required.
4. Chokes, valves, manifold piping and kill line must be flanged and designed equal to or above the pressure rating of the blowout preventer.
5. Kelly cock must be used at all times and should be checked daily.



NOTE: BLOWOUT PREVENTER MUST HAVE DOUBLE RAMS, ONE BLIND & ONE PIPE RAM ON THE EQUIPMENT MUST CONSIST OF TWO BLOWOUT PREVENTERS, ONE EQUIPPED WITH BLIND RAMS & THE OTHER WITH PIPE RAMS. ALWAYS PLACE THE BLIND RAMS IN THE TOP PREVENTER.

APPROVED
[Signature]

TEXACO INC DENVER, COLORADO	
BLOWOUT PREVENTER ASSEMBLY STANDARD NO. 2	
DESIGNED BY: E.A.B.	CHECKED BY: E.A.B.
DATE: 11-1-52	FILE: 443021
PROJECT: _____	BY: _____

ADDITIONAL INFORMATION

- 1) Conductor Casing 100' of 13 3/8" OD 48# H-40 ST & C casing.
- 2) Surface casing: 1630' of 8 5/8" OD 24# K-55 ST & C casing.
- 3) Production casing:
0-5350: 5350' of 5 1/2" OD 14# K-55 ST & C casing.
5350 - 5950: 600' of 5 1/2" OD 15.5# K-55 ST & C casing
(Ruff Coated).
- 4) Blowout Preventer: Schaffer, Double Gate, Hydraulic, 900 series. Tested when surface casing set and at regular intervals.
- 5) Auxiliary equipment:
 - a) Kelly Cock will be used at all times and checked daily.
 - b) Safety sub with full opening valve for drill pipe on floor.
- 6) Anticipated bottom hole pressure: 2500 psi.
- 7) Drilling Fluid:
Fresh Water - 0 - 2000'
Fresh Water Gel - 2000' -TD

Surface Use Development Plan
Aneth Unit Well No. C313I
C SE/4 Sec. 13, T-40S, R-23E
San Juan County, Utah

- 1) Existing Roads and exit to the location are shown on the attached map (Map #1).
- 2) Planned access road: Access road will depart from the existing road as shown on the attached map (Map #1). The road will be 400' long, 18' wide with a drainage ditch on the upper side of the road. There will be no turnouts, culverts, or surface materials required. There will not be any need for fences to be cut or cattleguards to be put in.
- 3) Off set wells to the proposed well are shown on the attached map (Map #1).
- 4) Flowline will run Northwest approximately 3630' to existing battery. Powerline will run South approximately 500' to existing power line. (Shown on attached Maps #2 and #3).
- 5) Water for drilling operations will be trucked from Texaco's pressure maintenance system, a distance of approximately eight miles Southeast of the proposed well.
- 6) No additional construction material will be required.
- 7) All waste material will be contained by earthen and steel pits. Earthen pits will be subsequently back-filled and buried. A portable chemical toilet will be furnished for drilling personnel.
- 8) No separate drill campsites are proposed.
- 9) The drilling site location will be graded and will be approximately 250' x 250' with natural drainage to the West. Proper grading will be used to control erosion and the drilling pad surface will be compacted soil. There will be approximately a 20 foot cut on the Northeast side of the location with approximately ten feet of fill on the Southwest side.
- 10) All surfaces not used in normal well servicing and maintenance will be cleaned and graded.

Surface Use Development Plan
Continued from Page One

11) This location slopes at a decrease of 20 feet per 350' to the Southwest. The surface is sandy and rocky, sparsely covered with vegetation normally found in the Aneth Unit area (Rabbit Brush, Sage, Snake Weed, Ephedra, Shadscale, Narrow leaf Yucca, Prickly Pear, Galleta, Indian Rice Grass, Brome, and Three-Awn).

12) Texaco's Representative:

Mr. A. R. Marx
Field Superintendent
Box EE
Cortez, Colorado 81321
(303) 565-8401

13) Certification:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by Texaco, Inc. and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved.

Date

7/20/87

A. R. Marx by James S. Agan
A. R. Marx
Field Superintendent

HUMBLE

MAP# 1

HICKMAN FED
A351
B401
SI

(262)


PROPOSED
LOCATION
C313I

BURTON FED SHELL


FED TEXACO

ACCESS ROAD


SLIM
SINCLAIR




MAP




MAP 5



PROPOSED
LOCATION
C313I





RESERVE
PIT

100'

150'

METAL

MUD PIT

BURN PIT
8' X 12' X 4'

MUD
PUMP

DRAWWORKS

CATWALK

LATRINE
2' X 4' X 4'

PIPE
RACK

170'

325'

RECONCILE WELL NAME AND LOCATION ON APD AGAINST SAME DATA ON PLAT MAP.

AUTHENTICATE LEASE AND OPERATOR INFORMATION

VERIFY ADEQUATE AND PROPER BONDING

AUTHENTICATE IF SITE IS IN A NAMED FIELD, ETC.

APPLY SPACING CONSIDERATION

ORDER 152-1 (Aneth Unit)

UNIT Aneth Unit

c-3-b

c-3-c

CHECK DISTANCE TO NEAREST WELL.

CHECK OUTSTANDING OR OVERDUE REPORTS FOR OPERATOR'S OTHER WELLS.

IF POTASH DESIGNATED AREA, SPECIAL LANGUAGE ON APPROVAL LETTER

IF IN OIL SHALE DESIGNATED AREA, SPECIAL APPROVAL LANGUAGE.

VERIFY LEGAL AND SUFFICIENT DRILLING WATER

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
 DRILL DEEPEN PLUG BACK

b. TYPE OF WELL
 OIL WELL GAS WELL OTHER SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
 TEXACO INC. ATTENTION: A. R. Marx

3. ADDRESS OF OPERATOR
 Box EE; Cortez, CO 81321

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*
 At surface
 C - SE/4 Sec. 13
 At proposed prod. zone
 1320' FSL & 1320' FEL

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
 Approximately 7 miles NW of Montezuma Creek, Utah

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any) 1320'

16. NO. OF ACRES IN LEASE

17. NO. OF ACRES ASSIGNED TO THIS WELL 20

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 700'

19. PROPOSED DEPTH 5950'

20. ROTARY OR CABLE TOOLS Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.) 4789' GL

22. APPROX. DATE WORK WILL START* 8/10/84

5. LEASE DESIGNATION AND SERIAL NO.
 SL-070968-A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME
 Aneth Unit

8. FARM OR LEASE NAME
 Unit

9. WELL NO.
 C313T

10. FIELD AND POOL, OR WILDCAT
 Aneth Field

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
 Sec. 13, T40S, R23E SLM

12. COUNTY OR PARISH
 San Juan

13. STATE
 Utah

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
11"	8 5/8"	24#	550'	Circ. to Surface
7 7/8"	5 1/2"	14#: 15.5#	5950'	1st Stage: 300 sacks 2nd Stage: 575 sacks

This is to amend the original APD dated 7/20/84.

Eliminate the 100' of 13 3/8" Conductor Casing.
 Reduce the 8 5/8" Surface Casing to 550'.

RECEIVED

AUG 8 1984

DIVISION OF OIL
 GAS & MINING

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED John R. Darya TITLE Field Supt. DATE 8-1-84

(This space for Federal or State office use)

PERMIT NO. _____ APPROVAL BY _____

APPROVED BY _____ TITLE _____

CONDITIONS OF APPROVAL, IF ANY:

APPROVED BY THE STATE
 OF UTAH DIVISION OF
 OIL, GAS, AND MINING
 DATE: 7/10/9/84
 BY: John R. Darya



October 9, 1984

Texaco, Inc.
Box EE
Cortez, Colorado 81321

Gentlemen:

Re: Well No. Aneth Unit #C 313-I - C SE Sec. 13, T. 40S, R. 23E
1320' FSL, 1320' FEL - San Juan County, Utah

Approval to drill the above referenced oil well is hereby granted in accordance with Section 40-6-18, Utah Code Annotated, as amended 1983; and predicated on Rule A-3, General Rules and Regulations and Rules of Practice and Procedure, subject to the following stipulations:

1. Prior to commencement of drilling, receipt by the Division of evidence providing assurance of an adequate and approved supply of water.

In addition, the following actions are necessary to fully comply with this approval:


1. Spudding notification to the Division within 24 hours after drilling operations commence.
2. Submittal to the Division of completed Form OGC-8-X, Report of Water Encountered During Drilling.
3. Prompt notification to the Division should you determine that it is necessary to plug and abandon this well. Notify John R. Baza, Petroleum Engineer, (Office) (801) 533-5771, (Home) 298-7695 or R. J. Firth, Associate Director, (Home) 571-6068.
4. Compliance with the requirements and regulations of Rule C-27, Associated Gas Flaring, General Rules and Regulations, Oil and Gas Conservation.

Page 2
Texaco, Inc.
Well No. Aneth Unit #C 313-I
October 9, 1984

5. This approval shall expire one (1) year after date of issuance unless substantial and continuous operation is underway or an application for an extension is made prior to the approval expiration date.

The API number assigned to this well is 43-037-31076.

Sincerely,

A handwritten signature in black ink, appearing to read "R. J. Firth". The signature is written in a cursive style with a large initial "R" and "F".

R. J. Firth
Associate Director, Oil & Gas

as
Enclosures
cc: Branch of Fluid Minerals

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
 DRILL DEEPEN PLUG BACK

b. TYPE OF WELL
 OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
 Texaco, Inc.

3. ADDRESS OF OPERATOR
 Box EE, Cortez, CO. 81321

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*
 At surface
 C SE/4 Sec. 13
 At proposed prod. zone 1320' FSL & 1320' FEL

5. LEASE DESIGNATION AND SERIAL NO.
 SL-070968-A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME
 Aneth Unit

8. FARM OR LEASE NAME
 Unit

9. WELL NO.
 C313I

10. FIELD AND POOL, OR WILDCAT
 Aneth Field

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
 Sec 13, T40S, R23E

12. COUNTY OR PARISH 13. STATE
 San Juan Utah

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
 Approximately 7 miles NW of Montezuma Creek, Utah

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any)
 1320'

16. NO. OF ACRES IN LEASE
 -

17. NO. OF ACRES ASSIGNED TO THIS WELL
 20

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.
 700'

19. PROPOSED DEPTH
 5950'

20. ROTARY OR CABLE TOOLS
 Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
 4789' GL

22. APPROX. DATE WORK WILL START*
 8/10/84

RECEIVED
 OCT 24 1984
 DIVISION OF OIL
 GAS & MINING

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
17 1/2"	13 3/8"	48#	100'	Circ. to Surface
11 "	8 5/8"	24#	1630'	Circ. to Surface
7 7/8"	5 1/2"	14#; 15.5#	5950'	1st Stage: 300 sacks 2ed Stage: 575 sacks

DV collar to be run below DeChelly and cement to bottom of 8 5/8" surface casing.

Propose to drill this infill well in order to gain optimum primary and secondary oil recovery from Aneth Unit. Samples will be taken at 10' intervals from 5000' to TD. No cores or DST's are planned. Logs will be run from surface casing to TD. Prospective zones will be perforated and acidized. Blowout preventer equipment will be as indicated on the attached exhibit and will be tested at regular intervals. Necessary steps will be taken to protect the environment.

Estimated Formation Tops. Chinle-1607'; Ismay-5500';
 Desert Creek-5700'

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED A.R. Marx by James Han TITLE Field Superintendent DATE 7/20/84

(This space for Federal or State office use)

PERMIT NO. _____ APPROVAL DATE _____

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

BLM (5) UOCC (3) JNH, LAA, ARM, Superior Oil Co. Shell Oil Co.

COMPANY Texaco Inc.


Well Name & No. Aneth Unit Well No. C313I Lease No. _____

Location 1320 feet from South line and 1320 feet from East line

Being in San Juan County, Utah

Sec. 13, T.40S., R.23E., S.L.M.


Ground Elevation 4789



Scale - 4 inches equals 1 mile

Surveyed July 6, 19 84

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.



Texaco, Inc.
Well No. Aneth Unit C-131
SE Sec. 13, T. 40 S., R. 23 E.
San Juan County, Utah
Lease SL-070968-A

MOAB DISTRICT

CONDITIONS OF APPROVAL FOR PERMIT TO DRILL

STIPULATIONS

1. Planned Access Roads

- a. The maximum total disturbed width will be 25 feet.
- b. Maximum grade: will be less than 10%
- c. Drainage: One 24" culvert will be needed

Surface disturbance and vehicular travel will be limited to the approved location and approved access route. Any additional area needed will be approved in advance by the San Juan Area Manager.

The access road will be water barred or brought to Class III Road Standards within 60 days of dismantling of the drill rig. If this time frame cannot be met, the San Juan Area Manager will be notified so that temporary drainage control can be installed along the access road.

The Class III Road Standards which ensure drainage control over the entire road through the use of natural, rolling topography; ditch turnouts; drainage dips; outsloping; crowning; low water crossings; and culverts will be determined at the appropriate field inspection.

2. Location of Tank Batteries and Production Facilities

All permanent (on site for 6 months or longer) above ground facilities (including pump jacks) will be painted a flat, nonreflective, earthtone color to match the standard environmental colors, as determined by the Rocky Mountain 5-State Interagency Committee. All facilities will be painted within 6 months of installation. Facilities required to comply with the Occupational Safety and Health Act (OSHA) will be excluded. The color will be Texaco Earthtone.

3. Location and Type of Water Supply:

All water needed for drilling purposes will be obtained from: PMS.

Use of water for this operation will be approved by obtaining a temporary use permit from the Utah State Engineer, (801) 637-1303 and by receiving permission from the land owner or surface management agency to use the land containing the water source.

4. Methods of Handling Waste Disposal

The reserve pit will not be lined with commercial bentonite sufficient to prevent seepage. At least half of the capacity will be in cut.

Three sides of the reserve pit will be fenced with four strands of barbed wire before drilling starts. The fourth side will be kept in good repair while the pit is drying.

A trash pit will be constructed near the mud tanks and dug at least six feet into solid undisturbed material. It will be totally enclosed with a fine wire mesh before the rig moves in. The road and pad will be kept litter free.

A burning permit is required for burning trash between May 1 and October 31. This can be acquired by contacting the State Fire Warden, John Baker, at (801) 587-2705.

Produced waste water will be confined to an unlined pit for a period not to exceed 90 days after initial production. During the 90 day period an application for approval of a permanent disposal method and location, along with the required water analysis, will be submitted for the District Manager's approval pursuant to Onshore Oil and Gas Order No. 3 (NTL-2B).

5. Well Site Layout:

The reserve pit will be located: on the southeast.

The top 2-3 inches of soil material will be removed from the location and stockpiled separate from the trees on the north side. Topsoil along the access will be reserved in place.

Access to the well pad will be from: the southeast.

6. Reclamation:

- a. Immediately on completion of drilling, all trash and debris will be collected from the location and surrounding area. All trash and debris will be disposed of in the trash pit and will then be compacted and buried under a minimum of two feet of compacted soil.
- b. The operator/holder or his contractor will contact the San Juan Resource Area office in Monticello, Utah, (801) 587-2201, 48 hours before starting reclamation work that involves earthmoving equipment and upon completion of restoration measures.
- c. Before any dirt work to restore the location takes place, the reserve pit must be completely dry.
- d. All disturbed areas will be recontoured to blend as nearly as possible with the natural topography. This includes removing all berms and refilling all cuts.

e. The stockpiled topsoil will be spread evenly over the disturbed area. All disturbed areas will be ripped 6 inches deep with the contour.

f. Water bars will be built as follows to control erosion.

<u>Grade</u>	<u>Spacing</u>
2%	Every 200 feet
2-4%	Every 100 feet
4-5%	Every 75 feet
5+%	Every 50 feet

g. Seed will be broadcast between October 1 and February 28 with the following prescription. A harrow or similar implement will be dragged over the area to assure seed cover.

2 lbs/acre Indian ricegrass (*Oryzopsis hymenoides*)

2 lbs/acre Curlygrass (*Hilaria jamesii*)

1 lbs/acre crested wheatgrass (*Agropyron desertorum*)

1 lbs/acre Western wheatgrass (*Agropyron smithii*)

1 lbs/acre Alkali sacaton (*Sporobolus airoides*)

1 lbs/acre Sand dropseed (*Sporogolus cryptandrus*)

2 lbs/acre Fourwing saltbush (*Atriplex canescens*)

1 lbs/acre Shadscale (*Atriplex confertifolia*)

1 lbs/acre Green ephedra (*Ephedra viridis*)

1 lbs/acre Cliffrose (*Cowania mexicana*)

1 lbs/acre Desert bitterbrush (*Purshia glandulosa*)

1 lbs/acre Winterfat (*Eurotia lanata*)

1 lbs/acre Globemallow (*Sphaeralcea ambigua*)

1 lbs/acre Wild sunflower (*Helianthus annuus*)

1 lbs/acre

h. The reserve pit and that portion of the location and access road not needed for production or production facilities will be reclaimed as described in the reclamation section. Enough topsoil will be kept to reclaim the remainder of the location at a future date. This remaining stockpile of topsoil will be seeded in place using the prescribed seed mixture.

7. Other Information: _____

There will be no change from the proposed drilling and/or workover program without prior approval from the District Manager. Safe drilling and operating practices must be used. All wells, whether drilling, producing, suspended, or abandoned will be identified in accordance with 43 CFR 3162.2

"Sundry Notice and Report on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3164.

The dirt contactor will be provided with an approved copy of the surface use plan.

If subsurface cultural materials are exposed during construction, work in that spot will stop immediately and the San Juan Resource Area Office will be contacted. All people who are in the area will be informed by the operator/holder that they are subject to prosecution for disturbing archaeological sites or picking up artifacts. Salvage or excavation of identified archaeological sites will be done by a BLM approved archaeologist only if damage occurs.

This permit will be valid for a period of one year from the date of approval. After permit termination a new application will be filed for approval for any future operations.

Your contact with the District Office is: Bob Graff
Office Phone: 801-2259-6111 Address: P.O. Box 970, Moab, UT 84532.

Resource Area Manager's address and contacts:
Address: P. O. Box 7, Monticello, UT 84535

Your contact is: Rich McClure
Office Phone: 801-587-2201
Home Phone: 801-587-2874

REC'D MDO AUG 06 1984

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
 DRILL DEEPEN PLUG BACK

b. TYPE OF WELL
 OIL WELL GAS WELL OTHER SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
 TEXACO INC. ATTENTION: A. R. Marx

3. ADDRESS OF OPERATOR
 Box EE; Cortez, CO 81321

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*)
 At surface
 C - SE/4 Sec. 13
 At proposed prod. zone
 1320' FSL & 1320' FEL

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
 Approximately 7 miles NW of Montezuma Creek, Utah

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any) 1320'

16. NO. OF ACRES IN LEASE

17. NO. OF ACRES ASSIGNED TO THIS WELL 20

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 700'

19. PROPOSED DEPTH 5950'

20. ROTARY OR CABLE TOOLS
 Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
 4789' GL

22. APPROX. DATE WORK WILL START*
 8/10/84

5. LEASE DESIGNATION AND SERIAL NO.
 SL-070968-A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME
 Aneth Unit

8. FARM OR LEASE NAME
 Unit

9. WELL NO.
 C313T

10. FIELD AND POOL, OR WILDCAT
 Aneth Field

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
 Sec. 13, T40S, R23E SLM

12. COUNTY OR PARISH
 San Juan

13. STATE
 Utah

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
11"	8 5/8"	24#	550'	Circ. to Surface
7 7/8"	5 1/2"	14#: 15.5#	5950'	1st Stage: 300 sacks 2nd Stage: 575 sacks

This is to amend the original APD dated 7/20/84.

Eliminate the 100' of 13 3/8" Conductor Casing.
 Reduce the 8 5/8" Surface Casing to 550'.

RECEIVED
 OCT 24 1984
 DIVISION OF OIL
 GAS & MINING

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED Alan R. Marx TITLE Field Supt. DATE 8-1-84

PERMIT NO. _____ APPROVAL DATE _____
 APPROVED BY Dave Corine TITLE District Mgr. DATE 10/17/84
 CONDITIONS OF APPROVAL, IF ANY:

State of Utah-D06-m
 BLM (5) UOCC (3) JNH, LAA, ARM, PART (12) FLARING OR VENTING OF GAS IS SUBJECT OF NTL 4-A DATED 1/1/80

DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

API #43-037=31076

NAME OF COMPANY: TEXACO INC

WELL NAME: Aneth Unit #C-313-I

SECTION C SE 13 TOWNSHIP 40S RANGE 23E COUNTY San Juan

DRILLING CONTRACTOR True

RIG # 4

SPUDED: DATE 11-10-84

TIME 4:30 PM

How Rotary

DRILLING WILL COMMENCE _____

REPORTED BY Mike

TELEPHONE # _____

DATE 11-11-84 SIGNED RJF

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well gas well other

2. NAME OF OPERATOR
TEXACO INC

3. ADDRESS OF OPERATOR

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: C-SE/4 - Sec. 13
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	<input type="checkbox"/>		<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>		<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>		<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>		<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>		<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>		<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>		<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>		<input type="checkbox"/>
(other) <u>Change of operations</u>			

5. LEASE	<u>SL-070-968A</u>
6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
7. UNIT AGREEMENT NAME	<u>Aneth Unit</u>
8. FARM OR LEASE NAME	<u>Aneth Unit</u>
9. WELL NO.	<u>C313I</u>
10. FIELD OR WILDCAT NAME	<u>Aneth Unit</u>
11. SEC., T., R., M. OR BLK. AND SURVEY OR AREA	<u>Sec. 13 - T40S - R23E</u>
12. COUNTY OR PARISH	<u>San Juan</u>
13. STATE	<u>Utah</u>
14. API NO.	<u>43-037-31076</u>
15. ELEVATIONS (SHOW DF, KDB, AND WD)	

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Texaco plans to move off drill rig and move in completion rig.
This confirms verbal approval given by Bob Turri to Texaco's M. J. Videtich
@ 3:30 P.M. 12-1-84

RECEIVED
DEC 10 1984

DIVISION OF
OIL, GAS & MINING

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Alan R. Mary TITLE Field Supt. DATE 12-3-84

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

BLM 4 - note 2 JWH, RJH, ARM

**UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**

SUBMIT IN TRIP DATE*
(Other instructor re-
verse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO.

SL-070968-A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

7. UNIT AGREEMENT NAME

Aneth Unit

8. FARM OR LEASE NAME

Unit

9. WELL NO.

C313I

10. FIELD AND POOL, OR WILDCAT

Aneth Field

11. SEC., T., E., M., OR BLK. AND SURVEY OR AREA

Sec. 13 T40S, R23E SLM

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
Texaco Inc. ATTN: A.R. Marx

3. ADDRESS OF OPERATOR
Box EE, Cortez, CO. 81321

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

C-SE/4 Sec. 13
1320' FSL & 1320' FEL

14. PERMIT NO.
API#43-037-31076

15. ELEVATIONS (Show whether DF, RT, GR, etc.)
4789' GL

12. COUNTY OR PARISH 13. STATE
San Juan Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF
FRACTURE TREAT
SHOOT OR ACIDIZE
REPAIR WELL

PULL OR ALTER CASING
MULTIPLE COMPLETE
ABANDON*
CHANGE PLANS

(Other) IP

SUBSEQUENT REPORT OF:

WATER SHUT-OFF
FRACTURE TREATMENT
SHOOTING OR ACIDIZING

REPAIRING WELL
ALTERING CASING
ABANDONMENT*

(Other) (NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

IP on 12/24/84 @ 96 bbl oil
386 bbl H2o
72.57 MCF Gas
756 GOR

As reported on 12/31/84

RECEIVED
JAN 07 1985
DIVISION OF
OIL, GAS & MINING

18. I hereby certify that the foregoing is true and correct

SIGNED James S. Lyon

TITLE Asst. Field Supt.

DATE 1/3/85

(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

DATE _____

BLM (5) UOCC (3) JNH, LAA, ARM

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well gas well other

2. NAME OF OPERATOR **Attn: R. J.**

TEXACO Inc., Producing Hamilton

3. ADDRESS OF OPERATOR

P. O. Box 2100, Denver, Colo. 80201

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE: **C SE $\frac{1}{4}$ Sec. 13**
AT TOP PROD. INTERVAL: **1320' FSL & 1320' FEL,**
AT TOTAL DEPTH: **Sec. 13**

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

- TEST WATER SHUT-OFF
- FRACTURE TREAT
- SHOOT OR ACIDIZE
- REPAIR WELL
- PULL OR ALTER CASING
- MULTIPLE COMPLETE
- CHANGE ZONES
- ABANDON*

(other) **Ran Surface Casing X**

SUBSEQUENT REPORT OF:

-
-
-
-
-
-
-
-

RECEIVED
JAN 18 1985
Division of
OIL, GAS & MINING

5. LEASE SL-070968-A
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
7. UNIT AGREEMENT NAME Aneth Unit
8. FARM OR LEASE NAME Unit
9. WELL NO. C3131
10. FIELD OR WILDCAT NAME Aneth Field
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 13 T40S-R23E
12. COUNTY OR PARISH 13. STATE San Juan Utah
14. API NO.
15. ELEVATIONS (SHOW DF, KDB, AND WD) 4809' KB

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*


Spud well at 4:30 PM, 11-10-84.

Ran 547' (13 joints) of 8-5/8" OD 24# K-55 ST&C new casing. Landed casing at 542' KB and cemented with 275 sacks Class "B" with 2% CaCl. Cement to surface. Bumped plug at 900 psi at 6:30 PM, 11-11-84. Float did not hold. Held 300 psi.

Test BOP's to 2000 psi and test casing to 1000 psi. Held ok.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED  TITLE **Dist. Manager** DATE **January 14, 1985**

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

BLM(4)-OGCC(2)-JNH-RJH-ARM(2)-Navajo-Amax-Exxon-Florida-Gulf-Marathon-FP&SH-Reynolds-Shell-Sun-Superior-Tenneco-Union

**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well gas well other

2. NAME OF OPERATOR **Attn: R. J. TEXACO Inc., Producing Hamilton**

3. ADDRESS OF OPERATOR **P. O. Box 2100, Denver, Colorado 80201**

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
 AT SURFACE: **C SE $\frac{1}{4}$ Sec. 13**
 AT TOP PROD. INTERVAL: **1320' FSL & 1320' FEL**
 AT TOTAL DEPTH: **Sec. 13**

5. LEASE **SL-070968-A**

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME **Aneth Unit**

8. FARM OR LEASE NAME **Unit**

9. WELL NO. **C3131**

10. FIELD OR WILDCAT NAME **Aneth Field**

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA **Sec. 13 T40S-R23E**

12. COUNTY OR PARISH **San Juan** 13. STATE **Utah**

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD) **4809' KB**

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:	SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF <input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE <input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES <input type="checkbox"/>	<input type="checkbox"/>
ABANDON* <input type="checkbox"/>	<input type="checkbox"/>
(other) Ran Prod. Casing <input checked="" type="checkbox"/>	X <input checked="" type="checkbox"/>

RECEIVED
JAN 18 1985
DIVISION OF
OIL, GAS & MINING


(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

On 11-29-84, ran 5983' (74 joints) of 5-1/2" OD 14# & 15.5# K-55 LT&C new casing. Landed casing at 5931' KB and set DV collar at 2920' KB. Cemented first stage with 500 sacks HOWCO Lite with 1/4# per sack cellophane flakes, 18% salt & .6% Halad 9 followed with 425 sacks Class "H" with 3% KCl, 1/4% friction reducer & .8% Halad 9. Plug down at 3:00 PM, 11-29-84. Bumped at 1900 PSI. Cement circulated. Cemented second stage with 725 sacks HOWCO Lite with 1/4# per sack cellophane flakes, 18% salt, .6% Halad 9 & 10# per sack gilsonite, followed with 300 sacks Class "B" with .6% Halad 9. Plug down at 8:15 PM, 11-29-84. Bumped at 1700 PSI. Cement circulated. Floats held. Did not reciprocate because pipe was stuck on bottom.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED  TITLE **Dist. Manager** DATE **January 15, 1985**

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
 CONDITIONS OF APPROVAL, IF ANY:

BLM (4) - OGCC (2) - JNH - RJH - ARM (2) - Exxon - Gulf - Sun - Superior - Tenneco

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well gas well other

2. NAME OF OPERATOR **Attn: R. J. TEXACO Inc., Producing Hamilton**

3. ADDRESS OF OPERATOR **P. O. Box 2100, Denver, Colorado 80201**

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: **C SE $\frac{1}{4}$ Sec. 13**
AT TOP PROD. INTERVAL: **1320' FSL & 1320' FEL,**
AT TOTAL DEPTH: **Sec. 13**

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

5. LEASE **SL-070968-A**

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME **Aneth Unit**

8. FARM OR LEASE NAME **Unit**

9. WELL NO. **C313I**

10. FIELD OR WILDCAT NAME **Aneth Field**

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA **Sec. 13 T40S-R23E**

12. COUNTY OR PARISH **San Juan** 13. STATE **Utah**

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD) **4809' KB**

REQUEST FOR APPROVAL TO:

- TEST WATER SHUT-OFF
- FRACTURE TREAT
- SHOOT OR ACIDIZE
- REPAIR WELL
- PULL OR ALTER CASING
- MULTIPLE COMPLETE
- CHANGE ZONES
- ABANDON*
- (other)

SUBSEQUENT REPORT OF:

-
-
-
-
-
-
-
-

RECEIVED
JAN 18 1985
DIVISION OF
OIL, GAS & MINING

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

On 12-5-84, perforated Desert Creek intervals 5762-5766, 5774-5778, and 5788-5804' with 2 jet shots per foot. Spotted 500 gallons MCA over perforations and swab test. Cement squeezed 5762-5804' with 100 sacks Class "B" cement with 2% KCl and .6% FLA.

On 12-8-84, perforated Ismay intervals 5636-40 and 5648-5652' and Desert Creek intervals 5690-5702, 5704-5715, 5717-5730 and 5737-5743' with 2 JSPF. Spot 500 gallons MCA over perforations 5636-5743' and swab test. Acidized 5636-5743' with 6000 gallons HCl acid.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED [Signature] TITLE **Dist. Manager** DATE **January 15, 1985**

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

BLM (4) - OGCC (2) - JNH - RJH - ARM (2) - Exxon - Gulf - Sun - Superior - Tenneco

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE

(See other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R355.5.

16

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL GAS WELL DRY Other _____

b. TYPE OF COMPLETION: NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF. RESVR. Other _____

2. NAME OF OPERATOR
TEXACO Inc., Producing Attn: R. J. Hamilton

3. ADDRESS OF OPERATOR
P. O. Box 2100, Denver, Colorado 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*
At surface **C Sec. 13**
At top prod. interval reported below **1320' FSL & 1320' FEL, Sec. 13**
At total depth _____

5. LEASE DESIGNATION AND SERIAL NO.
SL-070968-A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME _____

7. UNIT AGREEMENT NAME
Aneth Unit

8. FARM OR LEASE NAME
Unit

9. WELL NO.
C3131

10. FIELD AND POOL, OR WILDCAT
Aneth Field

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA
Sec. 13 T40S-R23E

12. COUNTY OR PARISH
San Juan

13. STATE
Utah

14. PERMIT NO. **43-037-31076** DATE ISSUED **10-9-84**

15. DATE SPUDDED **11-10-84** 16. DATE T.D. REACHED **11-28-84** 17. DATE COMPL. (Ready to prod.) **12-14-84** 18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* **4809' KB** 19. ELEV. CASINGHEAD **4797' GR**

20. TOTAL DEPTH, MD & TVD **5931'** 21. PLUG, BACK T.D., MD & TVD **5752'** 22. IF MULTIPLE COMPL., HOW MANY* **-** 23. INTERVALS DRILLED BY ROTARY TOOLS **Surf.-TD** CABLE TOOLS **-**

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*
Ismay 5506-5680'
Desert Creek 5681-5752' (FBTD)

25. WAS DIRECTIONAL SURVEY MADE
No

26. TYPE ELECTRIC AND OTHER LOGS RUN
DIL, EMT, CNL-GR-Cal, RFP, CBC

27. WAS WELL CORED
No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8"	24#	542'	11"	275 sacks	JAN 23 1985
5-1/2"	14#-15.5#	5931'	7-7/8"	925 sacks	
	DV Collar	2920'		1025 sacks	

DIVISION OF OIL, GAS & MINING

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	30. TUBING RECORD
					SIZE: 2-7/8" DEPTH SET (MD): 5533' PACKER SET (MD): _____

31. PERFORATION RECORD (Interval, size and number)

Desert Creek 2 JSPF 5762-5766, 5774-5778 and 5788-5804'
Ismay 2 JSPF 5636-5640, 5648-5652'
Desert Creek 5690-5702, 5704-5715, 5717-5730 and 5737-5743' 2 JSPF.

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
5762-5804'	500 gal. MCA
5762-5804-	Cement Squeezed w/100 sacks
5636-5743'	500 gal. MCA and 6000 gal. HCl acid.


33.* PRODUCTION

DATE FIRST PRODUCTION	PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)	WELL STATUS (Producing or shut-in)					
12-6-84	Pumping 1-3/4"	Producing					
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
12-24-84	24	-	-	96	73	386	756
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
-	-	-	96	73	386	41.6	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) **Sold** TEST WITNESSED BY **A. R. Marx**

35. LIST OF ATTACHMENTS _____

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED  TITLE **District Manager** DATE **1-21-85**

*(See Instructions and Spaces for Additional Data on Reverse Side)

BLM(4) - OGCC(2) - JNH-RJH-ARM(2) - ERW-DRY-Exxon-Gulf-Sun-Superior-Tenneco

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below, or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 36.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. **Items 22 and 24:** If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple-stage cementing and the location of the cementing tool. **Item 33:** Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	MEAS. DEPTH	TRUE VERT. DEPTH
<u>CORES</u>						
No cores were taken.						
<u>DST'S</u>						
No DST's were taken.						
38. GEOLOGIC MARKERS						
				Chinle	1616'	
				DeChelly	2740'	
				Hermosa	4660'	
				Ismay	5506'	
				Desert Creek	5681'	

Form 3160-5
(November 1983)
(Formerly 9-331)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT..." for such proposals.)

REVIEWS
FEB 22 1988

5. LEASE DESIGNATION AND SERIAL NO.

SL-070968A *POW LIS-DC*
022401

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Aneth Unit

8. FARM OR LEASE NAME

Unit

9. WELL NO.

C3131

10. FIELD AND POOL, OR WILDCAT

Aneth

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 13, T40S, R23E

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
Texaco Inc. (303) 565-8401

DIVISION OF
OIL, GAS & MINING

3. ADDRESS OF OPERATOR
P. O. Box EE, Cortez, CO. 81321

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

1320' FSL & 1320' FEL Sec. 13, T40S, R23E

14. PERMIT NO.
43-037-31076

15. ELEVATIONS (Show whether DT, RT, CR, etc.)

12. COUNTY OR PARISH

San Juan

13. STATE

Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON*

REPAIR WELL

CHANGE PLANS

(Other) *

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT*

(Other)

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Referencing the above subject well, Texaco requests a well name change to C313SE. Please make the necessary changes in your files.

18. I hereby certify that the foregoing is true and correct

SIGNED

Alan G. Kleier

TITLE

AREA SUPT.

DATE

2/16/88

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

BLM (4) - UOGCC (3) - The Navajo Tribe-Mobil Oil-LAA-AAK

*See Instructions on Reverse Side

ACCT NUM	COMPANY NAME	FLD NUM	FIELD NAME	TOWN SHIP	RANGE	SEC	QTR QTR	API NUMBER	PROD ZONE	WELL STATUS	ENTITY	WELL NAME		
NO980	TEXACO INC	365	GREATER ANETH	S400	E240	21	NESW	4303730185	IS-DC	POW	7000	ANETH U F321		
				S400	E240	9	SWSW	4303730189	DSCR	POW	7000	ANETH U E409		
				S400	E240	17	NESE	4303730196	DSCR	POW	7000	ANETH U H317		
				S400	E240	20	NENE	4303730198	DSCR	PA	7000	ANETH U H120		
				S400	E250	30	NESE	4303730225	DSCR	POW	7000	ANETH U M330		
				S400	E240	25	SWSE	4303730238	DSCR	POW	7000	ANETH U G425		
				S400	E240	14	SESW	4303730274	DSCR	POW	7000	ANETH U F414		
				S400	E230	13	SWSE	4303730298	DSCR	POW	7000	ANETH U C413		
				S400	E240	26	NENW	4303730310	DSCR	POW	7000	ANETH U F126		
				S400	E240	23	NESE	4303730316	DSCR	TA	7000	ANETH U H323		
				S400	E240	22	NESW	4303730345	DSCR	POW	7000	ANETH U F322		
				S400	E240	26	SWNE	4303730369	DSCR	POW	7000	ANETH U G226		
				S400	E240	35	NESE	4303730412	DSCR	POW	7000	ANETH U H335		
				S400	E230	14	SENW	4303730635	DSCR	POW	7000	ANETH U B214		
				S400	E240	28	NENE	4303730644	IS-DC	SOW	7000	ANETH U H128		
				S400	E250	30	NENW	4303730646	DSCR	POW	7000	ANETH U K130		
				200	FENCE CANYON	S150	E220	26	NESE	4304716198	DKTA	SGW	7015	FENCE CYN U 2
				1	WILDCAT	S140	E090	19	SESE	4300730093	MRSN	WDW	99990	TELONIS #1
				365	GREATER ANETH	S400	E240	9	SESE	4303716324	ISMY	POW	7000	ANETH H 409
				1	WILDCAT	S140	E090	21	NWSW	4300730105		LA	99998	GOV'T W.A. DREW #2
						S150	E090	8	SESE	4300730106		PA	99999	GOV'T E.Y. HOLMES(NCT-1)
				365	GREATER ANETH	S400	E240	18	SWNW	4303731077	DSCR	POW	7000	ANETH UNIT E118SE
						S400	E240	21	C-NW	4303731078	DSCR	POW	7000	ANETH UNIT E121SE
				680	SEEP RIDGE	S140	E220	3	SENE	4304730135	DK-MR	PA	10842	J CHORNEY C-2
				47	UNNAMED 20-14S9	S140	E090	20	NESE	4300730107	FRSD	SGW	7101	E. G. TELONIS ETAL #1
				1	WILDCAT	S140	E090	23	NENW	4300730109		LA	99998	STATE OF UTAH #1
				365	GREATER ANETH	S400	E240	15	NWNW	4303731117		LA	99998	ANETH UNIT #E115
						S400	E240	16	NENE	4303731118		LA	99998	ANETH UNIT #H116
						S400	E230	13	C-SE	4303731076	IS-DC	SOW	7000	ANETH UNIT C313SE
				1	WILDCAT	S310	E240	5	NESW	4303730612		TA	7100	TEX GOVT E CHAMBERS #2
						S310	E240	6	NENE	4303730572	ISMY	SOW	7100	GOVT EVELYN CHAMBERS #1
				365	GREATER ANETH	S400	E230	13	SENW	4303715830	DSCR	WIW	7000	BURTON 42-13 (D213)
						S400	E230	1	SESW	4303715492	ISMY	SOW	7000	HICKMAN FED 1 (B401)
						S400	E230	13	SWNW	4303715821	DSCR	POW	7000	BURTON 12-13 (A213)
						S400	E230	13	SWSW	4303715823	DSCR	POW	7000	BURTON 14-13 (A413)
						S400	E230	13	NESW	4303715826	DSCR	POW	7000	BURTON 23-13 (B313)
						S400	E230	13	SWNE	4303730173	DSCR	POW	7000	ANETH U C213
		S400	E230	14	NWNW	4303730634	DSCR	SOW	7000	ANETH U A114				
		S400	E230	14	SWNW	4303716030	DSCR	POW	7000	ARROWHEAD 7 (A214)				
		S400	E230	14	NWSE	4303730637	DSCR	POW	7000	ANETH U C314				
		S400	E230	14	SESE	4303730639	DSCR	SOW	7000	ANETH U D414				
		S400	E240	7	NESE	4303730122	DSCR	POW	7000	ANETH U H307				
		S400	E240	9	SWNW	4303716057	IS-DC	POW	7000	NAV TRB E-18 (E209)				
		S400	E240	8	NESW	4303730176	DSCR	POW	7000	ANETH U F308				
		S400	E240	8	SWSE	4303730152	IS-DC	POW	7000	ANETH U G408				
		S400	E240	9	NWSB	4303716102	ISMY	POW	7000	NAV TRB E-3 (G309)				
		S400	E240	13	NWSW	4303730200	DSCR	POW	7000	ANETH U E313				



Texaco Exploration and Production Inc
Midland Producing Division

P O Box 3109
Midland TX 79702-3109

May 22, 1991

RECEIVED

MAY 28 1991

DIVISION OF
OIL GAS & MINING

Division of Oil, Gas, and Mining
Attn: Ms. Lisha Romero
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

Gentlemen:

This is to advise that as a part of a reorganization of Texaco Inc., a Delaware corporation, the name of Texaco Producing Inc., a Delaware corporation and wholly owned subsidiary of Texaco Inc., has been changed to Texaco Exploration and Production Inc. Further, Texaco Exploration and Production Inc. will succeed to the rights, titles, interests and obligations of Texaco Inc.

This means that Texaco Exploration and Production Inc. will be the operator for all the oil and gas properties that were operated by Texaco Inc. and Texaco Producing Inc. We plan to abbreviate the name as Texaco E & P Inc. for purposes of submitting production reports, etc., via computer, and we suggest that for consistency you use that abbreviation also.

We have enclosed a Sundry Notice with a list of the wells which Texaco operates in Utah. Also attached is UIC Form 5 for transfer of injection authority. Please note that Texaco has two Divisions which operate wells in Utah. One is located in Denver, Colorado, and the other is in Midland, Texas. We have enclosed separate Sundry Notices and lists of wells for each Division. If you have questions concerning the Denver-operated wells, please call Roger Hadley at (303) 793-4833. If you have questions concerning the Midland-operated wells, please call Ken Miller at (915) 688-4834.

Please change any of your other records as necessary to reflect this change.

Yours very truly,

R. S. Lane
Assistant Division Manager

RKH/KMM-CC

Attachments

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION (NO SERIAL NO.)
2. NAME OF OPERATOR Texaco Exploration and Production Inc.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR P.O. Box 46510, Denver, CO 80201		7. UNIT AGREEMENT NAME
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface		8. FARM OR LEASE NAME
14. PERMIT NO.		9. WELL NO.
15. ELEVATIONS (Show whether OP, ST, CR, etc.)		10. FIELD AND POOL, OR WILDCAT
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
		12. COUNTY OR PARISH 13. STATE

RECEIVED

MAY 28 1991

DIVISION OF OIL GAS & MINING

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
(Other) Transfer of Plugging Bond <input checked="" type="checkbox"/>	

SUBSEQUENT REPORT OF:

WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
(Other) Transfer of Owner/Operator <input type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Texaco Inc. has assigned all its ownership rights in the subject well. As of January 1, 1991, Texaco Inc. is no longer the Operator of subject well. The New Operator Texaco Exploration and Production Inc. hereby accepts operating responsibility and liability under its good and sufficient bond or other security accepted by the Commission for proper plugging and surface restoration of the subject well.

Former Operator:

TEXACO INC.

Signed: [Signature]
Attorney-In-Fact
for Texaco Inc.

Date: 3/1/91

New Operator:

Texaco Exploration and Production Inc.

Signed: [Signature]
Title: Division Manager

Date: 3/1/91

18. I hereby certify that the foregoing is true and correct

SIGNED [Signature] TITLE Division Manager DATE 3/1/91

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

6. Lease Designation and Serial Number
7. Indian Allottee or Tribe Name
8. Unit or Communitization Agreement
9. Well Name and Number
10. API Well Number
11. Field and Pool, or Wildcat

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT— for such proposals

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other (specify)	9. Well Name and Number
2. Name of Operator Texaco Exploration and Production Inc.	10. API Well Number
3. Address of Operator 3300 North Butler, Farmington, NM 87401	4. Telephone Number (505) 325-4397
5. Location of Well	
Footage : QQ, Sec. T., R., M. : See Attached	County : State : UTAH

12. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
(Submit in Duplicate)

<input type="checkbox"/> Abandonment	<input type="checkbox"/> New Construction
<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing
<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Shoot or Acidize
<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Vent or Flare
<input type="checkbox"/> Multiple Completion	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Other <u>Transfer of Plugging Bond</u>	

Approximate Date Work Will Start _____

SUBSEQUENT REPORT
(Submit Original Form Only)

<input type="checkbox"/> Abandonment *	<input type="checkbox"/> New Construction
<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing
<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Shoot or Acidize
<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Vent or Flare
<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Other <u>Change of Operator/Operator Name</u>	

Date of Work Completion _____

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.
* Must be accompanied by a cement verification report.

13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

This submittal is for a change of operator (name change) for all of the attached wells. The new operator, Texaco Exploration and Production Inc., hereby accepts operating responsibility and liability under its good and sufficient bond or other security accepted by the Department for proper plugging and surface restoration of the attached wells. All contact personnel, office addresses and phone numbers will remain the same.

FORMER OPERATOR: TEXACO INC.	NEW OPERATOR: TEXACO EXPLORATION AND PRODUCTION INC.
SIGNED: <u><i>[Signature]</i></u> Attorney-in-Fact	SIGNED: <u><i>[Signature]</i></u> Assistant Division Manager
DATE: _____	DATE: _____

14. I hereby certify that the foregoing is true and correct

Name & Signature _____ Title Asst. Div. Manager Date _____
(State Use Only)

Routing:

1- LCR/GIL	✓
2- DTS-DTS	✓
3- VLC	✓
4- RJF	✓
5- RWM	✓
6- LCR	✓

Attach all documentation received by the division regarding this change.
 Initial each listed item when completed. Write N/A if item is not applicable.

Change of Operator (well sold) Designation of Agent
 Designation of Operator Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 1-1-91)

(**TEXACO EXPLORATION AND PRODUCTION INC.**)

TO (new operator)	<u>TEXACO E & P INC.</u>	FROM (former operator)	<u>TEXACO INC.</u>
(address)	<u>3300 NORTH BUTLER</u>	(address)	<u>3300 NORTH BUTLER</u>
	<u>FARMINGTON, NM 87401</u>		<u>FARMINGTON, NM 87401</u>
	<u>BRENT HELQUIST</u>		<u>FRANK</u>
	phone <u>(505) 325-4397</u>		phone <u>(505) 325-4397</u>
	account no. <u>N 5700 (6-5-91)</u>		account no. <u>N 0980</u>

Well(s) (attach additional page if needed):

Name: <u>(SEE ATTACHED)</u>	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

- 1 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). (5-28-91)
- 1/A 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form).
- lee 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes) no) ____ If yes, show company file number: #114097.
- lee 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of Federal and Indian well operator changes should take place prior to completion of steps 5 through 9 below.
- lee 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. (6-11-91)
- lee 6. Cardex file has been updated for each well listed above.
- lee 7. Well file labels have been updated for each well listed above. (will update when filing)
- lee 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission.
- lee 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

- 1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) (no) (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
- 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only)

- 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond. # K0290791-4 80,000-Ins.Co.of N.America rec. 2-11-91.
- 2. A copy of this form has been placed in the new and former operators' bond files.
- 3. The former operator has requested a release of liability from their bond (yes/no) (yes). Today's date _____ 19____. If yes, division response was made by letter dated _____ 19____. # m157448 80,000-Ins.Co.of N.America

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

- 1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated _____ 19____, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
- 2. Copies of documents have been sent to State Lands for changes involving State leases. 6-27-91

MICROFILMING

- 1. All attachments to this form have been microfilmed. Date: July 15 1991

FILED

- 1. Copies of all attachments to this form have been filed in each well file.
- 2. The original of this form and the original attachments have been filed in the Operator Change file.

REMARKS

910606 Btm/Farmington N.M. - Duane Spencer (505) 327-5344 will follow up & call back.
 910607 Btm/Farmington - Approved 4-2-91 "Company Merger" Includes Aneth Unit and Ismay Flodine Unit.
 910607 St. Lands approved 4-15-91 "Merger".

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

5. Lease Designation and Serial Number:
SL-070968-A

6. If Indian, Allottee or Tribe Name:

7. Unit Agreement Name:
ANETH

8. Well Name and Number:
C313SE

9. API Well Number:
43-037-31076

10. Field and Pool, or Wildcat:
ANETH

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

1. Type of Well: OIL GAS OTHER:

2. Name of Operator:
Texaco Exploration & Production Inc.

3. Address and Telephone Number:
3300 N. Butler, Farmington N.M. 87401 (505)325-4397

4. Location of Well
Footages: **1320' FSL & 1320' FEL** County: **San Juan**
QQ, Sec., T., R., M.: **NW 1/4, SE 1/4 Sec. 13 T40S / R23E SLM** State: **Utah**

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT (Submit in Duplicate)		SUBSEQUENT REPORT (Submit Original Form Only)	
<input type="checkbox"/> Abandonment	<input type="checkbox"/> New Construction	<input type="checkbox"/> Abandonment *	<input type="checkbox"/> New Construction
<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing
<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Recompletion	<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Shoot or Acidize
<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Shoot or Acidize	<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Vent or Flare
<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Vent or Flare	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Multiple Completion	<input type="checkbox"/> Water Shut-Off	<input type="checkbox"/> Other _____	
<input type="checkbox"/> Other _____			

Approximate date work will start _____

Date of work completion _____

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.

* Must be accompanied by a cement verification report.

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

ANNUAL STATUS REPORT

The subject well is currently shut-in due to uneconomical production. It is requested that the well remain shut in until the economics of secondary or tertiary operations merit returning the well to operations.

RECEIVED

FEB 25 1993

DIVISION OF
OIL GAS & MINING

13. Name & Signature: Ted A. Tipton Title: Area Manager Date: 2/23/93

(This space for State use only)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

5. Lease Designation and Serial No.

SL-070968A

6. If Indian, Allottee or Tribe Name

Navajo

7. If Unit or CA, Agreement Designation

Aneth Unit

8. Well Name and No.

C313SE

9. API Well No.

43-037-31076

10. Field and Pool, or Exploratory Area

Aneth

11. County or Parish, State

San Juan, Utah

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

Texaco E&P Inc.

3. Address and Telephone No.

3300 N. Butler, Farmington N.M. 87401 (505)325-4397

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1320' FSL & 1320' FEL
Sec. 13 - T40S - R23E

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

Notice of Intent
 Subsequent Report
 Final Abandonment Notice

Abandonment
 Recompletion
 Plugging Back
 Casing Repair
 Altering Casing
 Other Extended Shut-In

Change of Plans
 New Construction
 Non-Routine Fracturing
 Water Shut-Off
 Conversion to Injection
 Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Texaco E&P Inc., Farmington Area, respectfully requests, an extension to the shut-in status on PRODUCING well C313SE located in the Aneth Unit, San Juan County, Utah. C313SE is not needed at this time as a producer. If offset production dictates, the subject well will be re-evaluated to return to production or be converted to an injector.

C313SE passed a mechanical integrity test (MIT) on December 10, 1993. The well casing annulus was pressure tested to 500 psi for 15 minutes at which time a chart was recorded. (See Attachment) The next MIT will be scheduled for December of 1994.

If you have any questions, please contact Mr. Larry N. Schlotterback, 325-4397 ext. 17.

ACCEPTED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING

DATE: 12-21-93

BY: [Signature]

RECEIVED
DEC 28 1993
DIVISION OF
OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Signed [Signature]

Title Area Manager

Date 12/14/93


(This space for Federal or State office use)

Approved by Federal Approval of this
Conditions of approval, if any, None is Necessary

Title _____ Date _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side



RECEIVED

DEC 20 1993

DIVISION OF OIL, GAS & MINING

1600

1400

1200

1000

800

600

400

200



GRAPHIC CONTROLS CORPORATION
BUFFALO, NEW YORK

CHART NO. MC MP-3000-S
75 DIVISIONS

METER _____

12/10/93

DEC 20 1993

CHART PUT ON OIL, CASE MINING

TAKEN OFF

11:30 A. M

11:45 A. M

LOCATION

C313 S.E.

REMARKS

S.E. Prod. Well


[Handwritten signature]

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS:

UTAH ACCOUNT NUMBER: N5700

BRENT HELQUIST
 TEXACO E & P INC
 3300 N BUTLER
 FARMINGTON NM 87401



REPORT PERIOD (MONTH/YEAR): 12 / 94

AMENDED REPORT (Highlight Changes)

Well Name API Number	Entity	Location	Producing Zone	Well Status	Days Oper	Production Volumes		
						OIL(BBL)	GAS(MCF)	WATER(BBL)
ANETH U E236 4303730716	07000	40S 24E 36	DSCR	POW	31	679	592	1281
ANETH U F127 4303730718	07000	40S 24E 27	IS-DC	POW	31	519	197	946
ANETH U F128 4303730728	07000	40S 24E 28	DSCR	POW	31	153	79	732
ANETH UNIT C313SE 4303731076	07000	40S 23E 13	IS-DC	SOW	0	0	0	0
ANETH UNIT E118SE 4303731077	07000	40S 24E 18	DSCR	POW	31	788	710	9303
ANETH UNIT E121SE 4303731078	07000	40S 24E 21	DSCR	POW	31	306	276	27115
ANETH UNIT D-113SE 4303731382	07000	40S 23E 13	DSCR	POW	21	79	107	2521
ANETH UNIT D213SE 4303731383	07000	40S 23E 13	DSCR	POW	31	1139	868	4819
ANETH UNIT E218SE 4303731385	07000	40S 24E 18	DSCR	POW	31	234	473	7015
ANETH UNIT E407SW 4303731386	07000	40S 24E 7	DSCR	POW	31	1168	1026	4514
ANETH UNIT E115 4303731396	07000	40S 24E 15	IS-DC	POW	31	1405	1578	397
ANETH UNIT F215 4303731397	07000	40S 24E 15	IS-DC	POW	31	428	276	1159
ANETH UNIT F415 4303731398	07000	40S 24E 15	DSCR	POW	31	1161	473	1281
TOTALS						8059	6655	61083

COMMENTS:

I hereby certify that this report is true and complete to the best of my knowledge.

Date: 1-20-95


Name and Signature: Terk Wade / Jerl Wade

Telephone Number:



Texaco Exploration and Production Inc.

2200 N. Temple
Farmington, UT 84402



March 20, 1995

State of Utah
Department of Natural Resources
Division of Oil, Gas and Mining
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

Mr. Don Staley, Administrative Manager, Oil and Gas

Subject: Annual Status Report of Shut-In and Temporarily-abandoned Wells

Dear Mr. Staley,

Attached is a list of shut-in and temporarily-abandoned wells for Texaco E&P Inc., located in San Juan County, Utah. If you require any additional information, please contact me at (505) 325-4397.

Sincerely,


Ted A. Tipton
Area Manager

LNS/s

Attachment

Aneth Unit Annual Status Report


Well Number	Well Status	Date of Last MIT	Comments	Proposed Action	BLM Approved Expiration Date
Injection Wells					
C112	Shut-In	9/92-Pass	Extended SI for future benefit to unit	BLM (Farmington) approved SI	11/1/95
C124	Shut-In		Evaluate: Extended SI or Workover		
C223	Shut-In	5/1/92-Pass	Extended SI for future benefit to unit	BLM (Farmington) approved SI	6/1/95
C411	Shut-In	9/21/92-Pass	Extended SI for future benefit to unit	BLM (Farmington) approved SI	10/1/95
E317	Shut-In	10/21/92 - Failed	Evaluate: Repair Casing or P&A	BLM approved repair of Casing Leak	Approved
E319	Shut-In	9/17/93 - Pass	Extended SI for future benefit to unit	BLM (Farmington) approved SI	10/1/95
F227	Shut-In	12/16/93 - Pass	Extended SI for future benefit to unit	BLM (Farmington) approved SI	1/1/96
F229	Shut-In	10/18/92 - Pass	Extended SI for future benefit to unit	BLM (Farmington) approved SI	10/8/95
H207	Shut-In	3/95 - Pass	Extended SI for future benefit to unit	BLM (Farmington) approved SI	3/1/98
H410	Shut-In	8/22/91 - Pass	Extended SI for future benefit to unit	BLM (Farmington) approved SI	10/1/97
Producing Wells					
A114	Shut-In	12/10/93-Pass	Extended SI for future benefit to unit	BLM (Farmington) approved SI	1/1/97
A414	Shut-In	12/10/93-Pass	Extended SI for future benefit to unit	BLM (Farmington) approved SI	1/1/97
B401	Shut-In	12/10/93-Pass	Evaluate: Extended SI or Workover	Submitted approval to BLM to SI	
B412	Shut-In	NO TEST	Evaluate: Extended SI or Workover		
C313SE	Shut-In	12/10/93-Pass	Extended SI for future benefit to unit	BLM (Farmington) approved SI	1/1/97
D311	Shut-In	12/10/93-Pass	Extended SI for future benefit to unit	BLM (Farmington) approved SI	1/1/97
D414	Shut-In	12/10/93-Pass	Extended SI for future benefit to unit	BLM (Farmington) approved SI	1/1/97
H128	Shut-In	12/10/93-Pass	Extended SI for future benefit to unit	BLM (Farmington) approved SI	1/1/97
J229	Shut-In	12/10/93-Pass	Extended SI for future benefit to unit	BLM (Farmington) approved SI	1/1/97



**ISMAY FLODINE PARK UNIT
ANNUAL STATUS REPORT**

DATE OF REPORT: 3/2/95

Well #	Type	Comments	Proposed Action	Action	BLM Approved Expiration Date
S216	OSI	SUBMITTED SUNDRY TO STATE OF UTAH FOR EXTENDED SHUT-IN, CASING LEAK	Call Gil Hunt with UOGCC to confirm approved	Approved 12/9/94	No requirement; will P&A
S221	OSI	REPAIRED CSG LEAK 1/12/94... STILL LEAK, REPAIR SUBMITTED AND APPROVED 2/94	Evaluate well (repair or P&A)	Sundry Extend SI	12/31/95
S222	OSI	EXTENDED SHUT-IN	Submit sundry for Extended Shut-in	Sundry 12/16/94	1/1/96
S234	OSI	EXTENDED SHUT-IN (DRY HOLE)	Submit sundry for Extended Shut-in	Sundry 8/24/94	8/1/95
S422	OSI	EXTENDED SHUT-IN, CASING LEAK	Submit sundry for Extended Shut-in	Sundry 9/94	4/1/95
T318	OSI	EXTENDED SHUT-IN	Submit sundry for Extended Shut-in	Sundry 12/16/94	1/1/96
U216	OSI	STUCK TBG, POSSIBLE COLLAPSED CASING, HAS APPROVED P&A IN WELL FILE 9/92	Submit proposed action to State of Utah, shut-in approval	P&A approved 1/26/95	No requirement; will P&A
U218	OSI	EXTENDED SHUT-IN	Submit sundry for Extended Shut-in	Sundry 12/16/94	1/1/96
U222	OSI	CASING LEAK, WELL HAS BEEN SHUT-IN SINCE, NO WORK TO DATE	Perform MIT, evaluate, submit proposed plan by 7/95	Sundry Extend SI	7/1/95
U417	OSI	EXTENDED SHUT-IN	Submit sundry for Extended Shut-in	Sundry 12/16/94	1/1/96
U418	OSI	EXTENDED SHUT-IN	Submit sundry for Extended Shut-in	Sundry 12/16/94	1/1/96
U427	OSI	CASING LEAK, WELL HAS BEEN SHUT-IN SINCE, NO WORK TO DATE	Perform MIT, evaluate, submit proposed plan by 7/95	Sundry Extend SI	7/1/95
V118	OSI	UNECONOMICAL TO PRODUCE	Evaluating well for possible Shut-In		
V318	OSI	EXTENDED SHUT-IN	Submit sundry for Extended Shut-in	Sundry 12/16/94	1/1/96
R124	WIWSI	UNECONOMICAL	Submit sundry for extended shut-in	Sundry 12/15/94	11/1/95
T117	WIWSI	UNECONOMICAL	Perform MIT, submit sundry for extended shut-in	Mit & Sundry	1/1/98
T118	WIWSI	UNECONOMICAL	Submit sundry for extended shut-in	Sundry 12/15/94	11/1/95
T119	WIWSI	UNECONOMICAL	Submit sundry for extended shut-in	Sundry 12/15/94	11/1/95
T317	WIWSI	UNECONOMICAL	Perform MIT, submit sundry for extended shut-in	Mit & Sundry	1/1/98
U421	WIWSI	UNECONOMICAL	Submit sundry for extended shut-in	Sundry 12/15/94	11/1/95
V117	WIWSI	UNECONOMICAL	Submit sundry for extended shut-in	Sundry 12/15/94	11/1/95
V121	WIWSI	UNECONOMICAL	Submit sundry for extended shut-in	Sundry 12/15/94	1/1/96
V321	WIWSI	UNECONOMICAL	Submit sundry for extended shut-in	Sundry 12/15/94	11/1/95
U121	WSSI	WATER WELL	Submit sundry for extended shut-in	Sundry 12/15/94	1/1/96
V219	WSSI	WATER WELL	Submit sundry for extended shut-in	Sundry 12/15/94	1/1/96
V220	WSSI	WATER WELL	Submit sundry for extended shut-in	Sundry 12/15/94	1/1/96
	Code	Definition			
	OSI	Oil Shut-In			
	WIWSI	Water Injection Well Shut-In			
	WSSI	Water Source Shut-In			



UNITED STATES DEPARTMENT OF INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

Texaco E&P Inc.

3. Address and Telephone No.

3300 N. Butler, Farmington, New Mexico 87401 (505)325-4397

4. Location of Well (Footage. Sec., T., R., M., or Survey Description)

1320' FSL & 740' FWL sec. 13, T40S, R23E

5. Lease Designation and Serial No.

UTSL-070968

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

Aneth Unit

8. Well Name and No.

C313SE

9. API Well No.

43-037-3107U

10. Field and Pool, or Exploratory Area

Desert Creek

11. County or Parish, State

San Juan County, Utah

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA


Table with columns TYPE OF SUBMISSION and TYPE OF ACTION. Includes checkboxes for Notice of Intent, Subsequent Report, Final Abandonment Notice, Abandonment, Recompletion, Plugging Back, Casing Repair, Altering Casing, Other, Change of Plans, New Construction, Non-Routine Fracturing, Water Shut-Off, Conversion to Injection, and Dispose Water.

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting and proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Texaco respectfully requests approval for extending the shut-in status of this well to maintain the subject wellbore for possible future benefit to the unit.

On 2/20/97, C313SE was tested to 1040 psi for 30 minutes and displayed a positive MIT (Mechanical Integrity Test). The test was conducted by Clisbee Black, Texaco water truck operator, with permission from Mr. Mark Kelly, BLM.

See attached field pressure test report and chart.



14. I hereby certify that the forgoing is true and correct

Signed [Signature]

Title Operations Manager

Date 2/26/97

(This space for Federal or State office use)

Approved by

Title

Date

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department of agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

ANNULAR PRESSURE TEST

OPERATOR Texaco E&P Inc., 3300 N. Butler, Farmington, New Mexico 87401

LEASE NAME Aneth Sub Area DATE OF TEST 2-20-97

WELL NAME C313 SE TYPE S.I. Prod. Well

LOCATION C/SE/4 QUARTER OF THE _____ QUARTER OF THE _____ QUARTER

SECTION 13 TOWNSHIP 40S RANGE 23E LEGAL _____

LEASE NUMBER _____ COUNTY NAME San Juan County, Utah

COMPANY REPRESENTATIVE Clisbee Black, TEPI FIELD INSPECTOR Clisbee Black

TYPE PRESSURE GAUGE Wika ^(Coil Filled) INCH FACE, 4" FULL SCALE, 3000 #PSI INCREMENTS
 NEW GAUGE: YES NO IF NO, DATE OF TEST CALIBRATION _____

PRESSURE RECORDER TYPE ITT Barton, MAX PRESSURE 1500, CLOCK Batt. Oper.
 CALIBRATION DATE 2-5-97

RESULTS

TIME	PRESSURE (PSIG)		CASING
	ANNULUS	TUBING	
<u>2:00 PM</u>	<u>1040</u>	<u>—</u>	<u>0 PSI</u>
<u>2:10</u>	<u>1035</u>	<u>—</u>	<u>" "</u>
<u>2:20</u>	<u>1035</u>	<u>—</u>	<u>BRADENHEAD " "</u>
<u>2:30</u>	<u>1035</u>	<u>—</u>	<u>FLUID RETURN</u>

COMMENTS:
This well has been S.I. since - 12-1-93
The well has a cement retainer set in the Csg. above the perms.

TEST PRESSURE:
 MAX. ALLOWABLE PRESSURE CHANGE: TEST PRESSURE X .05 52.0 PSI
 HALF HOUR PRESSURE CHANGE 5 PSI

(CHECK ONE)

TEST PASSED TEST FAILED*

IF FAILED, NO INJECTION MAY OCCUR UNTIL CORRECTIONS HAVE BEEN MADE AND WELL PASSES.

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT--" for such proposals

RECEIVED
BLM
07 FEB 28 PM 1:58

SUBMIT IN TRIPLICATE

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
Texaco E&P Inc.

3. Address and Telephone No.
3300 N. Butler, Farmington, New Mexico 87401 (505)325-4397

4. Location of Well (Footage. Sec., T., R., M., or Survey Description)
¹³²⁰
1320' FSL & ~~740~~' FWL sec. 13, T40S, R23E

5. Lease Designation and Serial No.
UTSL-070968A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation
Aneth Unit

8. Well Name and No.
C313SE

9. API Well No.
43-037-31076

10. Field and Pool, or Exploratory Area
Desert Creek

11. County or Parish, State
San Juan County, Utah

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other Extended Shut-In
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water


(Note: Report results of multiple completion on well Completion or Recompletion Report and Log form)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting and proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Texaco respectfully requests approval for extending the shut-in status of this well to maintain the subject wellbore for possible future benefit to the unit.

On 2/20/97, C313SE was tested to 1040 psi for 30 minutes and displayed a positive MIT (Mechanical Integrity Test). The test was conducted by Clisbee Black, Texaco water truck operator, with permission from Mr. Mark Kelly, BLM.

See attached field pressure test report and chart.



THIS APPROVAL EXPIRES **DEC 01 1999**

FARMINGTON AREA			
TAT		JMY	
RH		MGB	
LNS		RDW	
BRH			
MAR 10 1997			
MRR		JLS	
RPS		TLD	
BAB			
RSD		FILE	
TRB	Date	ZI	RETURN TO

14. I hereby certify that the foregoing is true and correct

Signed JLG Title **Operations Manager**

(This space for Federal or State office use)

Approved by Thomson Title Team Lead Date 3/6/97
 Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



Chevron U.S.A. Production Company
Mid-Continent Business Unit
P.O. Box 36366
Houston, TX 77236
Phone 713 754 2000

April 9, 2002

Mr. John Baza,
Associate Director of Oil and Gas
Utah Department of Natural Resources
Division of Oil, Gas & Mining
1594 W. North Temple St., Suite 1210
Salt Lake City, UT 84114-5801

RECEIVED

APR 12 2002

DIVISION OF
OIL, GAS AND MINING


Dear Mr. Baza:

As you may recall from our meeting last year, we planned to combine the assets of Chevron U.S.A. Inc. ("CUSA"), by merger, and Texaco Exploration and Production Inc. ("TEPI"), by assignment, into a new entity which we referred to as "Newco LP". Along the way, additional information came to light and it was decided that this proposed corporate restructure would not be preferable. Therefore, CUSA and TEPI have continued to operate as separate entities.

We are now planning a simpler restructuring process where TEPI will assign most of its assets/operatorship to CUSA effective May 1, 2002. We plan to use the existing CUSA bonds/letters of credit, operator identification numbers, etc., for the TEPI assets that will be assigned.

A task force of Land, Regulatory and Environmental Compliance personnel are finishing the work that was begun last year to assign TEPI's assets—using the same forms and procedures as before. We have "new faces" in this task force due to reassignments and departures. In some cases, it may be worthwhile to visit you and your staff in person where new people are involved or if we need to review/clarify your forms and procedures. Otherwise, we will endeavor to complete the work to assign TEPI's assets/operatorship to CUSA and deliver the requisite materials to you in a timely manner.

During discussions last year, our focus was on Land, Regulatory and Environmental matters. The Finance organization also desires to join in this effort. For State Tax, Royalty and Regulatory reporting purposes (applicable to production from May 2002 through December 2002), we intend to generate two reports and two payments.



However, the reporting company name and identification number will be CUSA's. Beginning with January 2003 production and thereafter, we will issue only one CUSA report and payment. We trust this plan meets with your approval. Any questions or comments should be directed to Rick Dunlavy (telephone 713/752-7411, rickdunlavy@chevrontexaco.com).

We appreciate the cooperation and guidance you provided us in the past, and we look forward to bringing these efforts to a conclusion.

Respectfully submitted,



Don R. Sellars

Sr. Environmental Specialist

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER: See Attached List of Wells
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Navajo Nation & State of Utah
		7. UNIT or CA AGREEMENT NAME: Aneth Unit
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>Operator Name Change</u>	8. WELL NAME and NUMBER: See Attached List of Wells	
2. NAME OF OPERATOR: Chevron U.S.A. Inc.		9. API NUMBER:
3. ADDRESS OF OPERATOR: P.O. Box 1150 CITY <u>Midland</u> STATE <u>TX</u> ZIP <u>79702</u>	PHONE NUMBER: <u>(915) 687-2000</u>	10. FIELD AND POOL, OR WILDCAT:
4. LOCATION OF WELL FOOTAGES AT SURFACE: <u>See Attached List of Well Locations</u>		COUNTY: <u>San Juan</u>
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		STATE: <u>UTAH</u>

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: <u>Operator Name Change (Merger)</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.
 Effective May 1, 2002, Chevron U.S.A. Inc. is the new operator of the attached list of subject wells and leases that were previously operated by Texaco Exploration and Production Inc. The Aneth Unit and subject wells are located on both Navajo Nation and State of Utah lands, 4 1/2 miles North of Montezuma Creek, San Juan County, Utah. These wells will be protected by the following surety bonds.

STATE OF UTAH Bond #: 103521627-0016 in the amount of \$80,000. (This replaces United Pacific Insurance Company bond number U89-75-80-0059. We respectfully request this bond be released and returned.)

BLM Nationwide Bond #: U89-75-81-0034 in the amount of \$300,000.

BIA Nationwide Bond #: U89-75-81-0026 in the amount of \$150,000.

KEY CONTACTS:
 Roger Atcitty - Operations Supervisor - 435-651-3277 x103
 Ron Wackowski - Operations Manager - 970-675-3714

RECEIVED

MAY 06 2002

DIVISION OF
OIL, GAS AND MINING

NAME (PLEASE PRINT) <u>Allen S. Robinson</u>	TITLE <u>Attorney-In-Fact</u>
SIGNATURE <u><i>Allen S. Robinson</i></u>	DATE <u>April 30, 2002</u>

(This space for State use only)



**THE
NAVAJO
NATION**

MINERALS DEPARTMENT
Post Office Box 1910
Window Rock, Arizona 86515
Phone: (928) 871-6587 • Fax: (928) 871-7095

KELSEY A. BEGAYE
PRESIDENT

TAYLOR MCKENZIE, M.D.
VICE PRESIDENT

October 11, 2002

Mr. Don Sellars
Regulatory Specialist
ChevronTexaco
11111 S. Wilcrest
Houston, Texas 77099

Subject: Navajo Nation Assignment of Oil & Gas Lease

Dear Mr. Sellars:

Attached are fourteen (14) approved Navajo Nation Assignment of Oil and Gas Lease applications for assignment of interest from Texaco Exploration & Production, Inc. to Chevron U.S.A., Inc. (Chevron) for the following leases:

- | | | |
|---------------------|---------------------|----------------------|
| 1) I-149-IND-8834 | 6) I-149-IND-8839 | 11) 14-20-603-4035 |
| 2) I-149-IND-8835 | 7) 14-20-603-2057 | 12) 14-20-603-4037 |
| 3) I-149-IND-8836 | 8) 14-20-603-2059 | 13) 14-20-603-5043-A |
| 4) I-149-IND-8838 | 9) 14-20-603-4030-A | 14) 14-20-603-5446 |
| 5) I-149-IND-8839-A | 10) 14-20-603-4032 | |

If you have any questions, please call me or Mr. Brad Nesemeier at (928) 871-6587.

Sincerely,

Akhtar Zaman
Akhtar Zaman, Director
Minerals Department

Attachments
AZ/GLB/cab

Chevron U. S. A. Inc.
 Permian Business Unit
 Aneth Operations
 San Juan County, Utah

Name/Operatorship Change
 Texaco Exploration and Production Inc.
 to
 Chevron U. S. A. Inc.
 Aneth Unit Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	11	400S	230E	4303716037	MESA 2 (ANTH D311)	1	OW	S
N5700	12	400S	230E	4303715822	BURTON 14-12 (A412)	1	OW	P
N5700	12	400S	230E	4303715829	BURTON 34-12 (C412)	1	OW	P
N5700	12	400S	230E	4303715831	BURTON 43-12 (D312)	1	OW	P
N5700	12	400S	230E	4303731537	ANETH B412	1	OW	S
N5700	13	400S	230E	4303715821	BURTON 12-13 (A213)	1	OW	P
N5700	13	400S	230E	4303715823	BURTON 14-13 (A413)	1	OW	P
N5700	13	400S	230E	4303715824	BURTON 21-13 (B113)	1	OW	P
N5700	13	400S	230E	4303715826	ANETH UNIT B313	1	OW	P
N5700	13	400S	230E	4303730162	ANETH U D313	1	OW	S
N5700	13	400S	230E	4303730173	ANETH U C213	1	OW	P
N5700	13	400S	230E	4303730298	ANETH U C413	1	OW	S
N5700	13	400S	230E	4303731076	ANETH UNIT C313SE	1	OW	S
N5700	13	400S	230E	4303731383	ANETH UNIT D213SE	1	OW	P
N5700	14	400S	230E	4303716030	ARROWHEAD 7 (A214)	1	OW	P
N5700	14	400S	230E	4303716031	ARROWHEAD 8 (A414)	1	OW	S
N5700	14	400S	230E	4303730634	ANETH U A114	1	OW	S
N5700	14	400S	230E	4303730635	ANETH U B214	1	OW	P
N5700	14	400S	230E	4303730636	ANETH U C114	1	OW	S
N5700	14	400S	230E	4303730637	ANETH U C314	1	OW	P
N5700	14	400S	230E	4303730638	ANETH U D214	1	OW	P
N5700	14	400S	230E	4303730639	ANETH U D414	1	OW	S
N5700	18	400S	240E	4303730165	ANETH U E418	1	OW	S
N5700	18	400S	240E	4303731077	ANETH UNIT E118SE	1	OW	S
N5700	18	400S	240E	4303731385	ANETH UNIT E218SE	1	OW	P

N5700	18	400S	240E	4303731534	ANETH E407SE	1	OW	S
N5700	23	400S	230E	4303716036	AW RICE 1 (D123)	1	OW	P
N5700	24	400S	230E	4303715701	FED B-1 (D124)	1	OW	S
N5700	07	400S	240E	4303730115	ANETH U F307	1	OW	P
N5700	07	400S	240E	4303730151	ANETH U G407	1	OW	P
N5700	07	400S	240E	4303731386	ANETH UNIT E407SW	1	OW	P

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW <input checked="" type="checkbox"/>
3. FILE

Change of Operator (Well Sold)

Designation of Agent

Operator Name Change

X Merger

The operator of the well(s) listed below has changed, effective: **05-01-2002**

FROM: (Old Operator):	TO: (New Operator):
TEXACO EXPLORATION & PRODUCTION INC	CHEVRON USA INC
Address: 3300 NORTH BUTLER, STE 100	Address: P O BOX 36366
FARMINGTON, NM 87401	HOUSTON, TX 79702
Phone: 1-(505)-325-4397	Phone: 1-(915)-687-2000
Account No. N5700	Account No. N0210

CA No. **Unit:** **ANETH**

WELL(S)

NAME	SEC TWN RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
MESA 2 (ANETH D311)	11-40S-23E	43-037-16037	7000	FEDERAL	OW	S
BURTON 14-12 (A412)	12-40S-23E	43-037-15822	7000	FEDERAL	OW	P
BURTON 34-12 (C412)	12-40S-23E	43-037-15829	7000	FEDERAL	OW	P
BURTON 43-12 (D312)	12-40S-23E	43-037-15831	7000	FEDERAL	OW	P
ANETH B412	12-40S-23E	43-037-31537	7000	FEDERAL	OW	S
BURTON 12-13 (A213)	13-40S-23E	43-037-15821	7000	FEDERAL	OW	P
BURTON 14-13 (A413)	13-40S-23E	43-037-15823	7000	FEDERAL	OW	P
BURTON 21-13 (B113)	13-40S-23E	43-037-15824	7000	FEDERAL	OW	P
ANETH UNIT B313	13-40S-23E	43-037-15826	7000	FEDERAL	OW	P
ANETH U D313	13-40S-23E	43-037-30162	7000	FEDERAL	OW	S
ANETH U C213	13-40S-23E	43-037-30173	7000	FEDERAL	OW	P
ANETH U C413	13-40S-23E	43-037-30298	7000	FEDERAL	OW	S
ANETH UNIT C313SE	13-40S-23E	43-037-31076	7000	FEDERAL	OW	S
ANETH UNIT D213SE	13-40S-23E	43-037-31383	7000	FEDERAL	OW	P
ARROWHEAD 7 (A214)	14-40S-23E	43-037-16030	7000	FEDERAL	OW	P
ARROWHEAD 8 (A414)	14-40S-23E	43-037-16031	7000	FEDERAL	OW	S
ANETH U A114	14-40S-23E	43-037-30634	7000	FEDERAL	OW	S
ANETH U B214	14-40S-23E	43-037-30635	7000	FEDERAL	OW	P
ANETH U C114	14-40S-23E	43-037-30636	7000	FEDERAL	OW	S
ANETH U C314	14-40S-23E	43-037-30637	7000	FEDERAL	OW	P

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-2-10) Sundry or legal documentation was received from the **FORMER** operator on: 05/06/2002
2. (R649-2-10) Sundry or legal documentation was received from the **NEW** operator on: 04/12/2002
3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 10/16/2002
4. Is the new operator registered in the State of Utah: YES Business Number: 564408-0143
5. If **NO**, the operator was contacted on: N/A

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 10/11/2002

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 10/11/2002

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: N/A

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 10/21/2002

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 11/14/2002
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 11/14/2002
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: N/A

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: 8975810026

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: N/A

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number N/A
2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS: Chevron USA Inc merged with Texaco Exploration & Production Inc to form ChevronTexaco Inc although all the Utah operations will be operated by Chevron USA Inc.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER: See Attachment
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Navajo
1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>Injection wells</u>		7. UNIT or CA AGREEMENT NAME: Aneth Unit
2. NAME OF OPERATOR: Resolute Natural Resources Company <u>N2700</u>		8. WELL NAME and NUMBER: See Attachment
3. ADDRESS OF OPERATOR: 1675 Broadway, Suite 1950 CITY <u>Denver</u> STATE <u>CO</u> ZIP <u>80202</u>	PHONE NUMBER: (303) 534-4600	9. API NUMBER: See Attach
4. LOCATION OF WELL FOOTAGES AT SURFACE: See Attachment		10. FIELD AND POOL, OR WILDCAT: Desert Creek
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		COUNTY: San Juan
		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Change of Operator</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

As of December 1, 2004, Chevron U.S.A. Inc. resigned as Operator of the Aneth Unit. The successor operator is Resolute Natural Resources Company.

NAME (PLEASE PRINT) <u>Janet Pasque</u>	TITLE <u>Vice President</u>
SIGNATURE <u>Janet Pasque</u>	DATE <u>11/30/04</u>

(This space for State use only)

APPROVED 12/29/2004
ER
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>See attached exhibit.</u>		5. LEASE DESIGNATION AND SERIAL NUMBER: <u>See attached exhibit.</u>
2. NAME OF OPERATOR: Resolute Natural Resources Company		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Navajo
3. ADDRESS OF OPERATOR: 1675 Broadway, Suite 1950 CITY Denver STATE CO ZIP 80202		7. UNIT or CA AGREEMENT NAME: Aneth Unit
4. LOCATION OF WELL FOOTAGES AT SURFACE: _____ COUNTY: San Juan		8. WELL NAME and NUMBER: See attached exhibit.
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____ STATE: UTAH		9. API NUMBER: See attached exhibit.
		10. FIELD AND POOL, OR WILDCAT: Aneth

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____ <input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Change of operator</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

As of December 1, 2004, Chevron U.S.A. Inc. resigned as operator of the Aneth Unit. Resolute Natural Resources Company has been elected the successor operator.

RECEIVED
DEC 22 2004
DIV. OF OIL, GAS & MINING

NAME (PLEASE PRINT) <u>Chevron U.S.A. Inc.</u> <u>N0210</u>	TITLE <u>A. E. Wacker, Attorney-in-Fact</u>
SIGNATURE <u>R. E. Wacker</u>	DATE <u>12/20/2004</u>

(This space for State use only)

APPROVED 12/29/2004
ER
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

Chevron USA to Resolute Natural Resources

D124	4303715701	SI Producer	NE	NE	24	T40S	R23E	520' FNL / 660' FEL	SL-0701010-C	See Attached SI and TA Well Status Spreadsheet
A213	4303715821	Producer	SW	NW	13	T40S	R23E	3287' FSL / 4631' FEL	SL-070968-A	
A412	4303715822	SI Producer	SW	SW	12	T40S	R23E	659' FSL / 4474' FEL	SL-070968-A	See Attached SI and TA Well Status Spreadsheet
A413	4303715823	Producer	SW	SW	13	T40S	R23E	657' FSL / 4631' FEL	SL-070968-A	
B113	4303715824	Producer	NE	NW	13	T40S	R23E	4602' FSL / 3311' FEL	SL-070968-A	
B313	4303715826	Producer	NE	SW	13	T40S	R23E	1972' FSL / 3302' FEL	SL-070968-A	
C412	4303715829	Producer	SW	SE	12	T40S	R23E	4606' FNL / 1980' FEL	SL-070968-A	
D312	4303715831	Producer	NE	SE	12	T40S	R23E	3290' FNL / 660' FEL	SL-070968-A	
E216	4303715833	Producer	SW	NW	16	T40S	R24E	2128' FNL / 662' FWL	NOG 99041323	
E416	4303715834	Producer	SW	SW	16	T40S	R24E	442' FSL / 721' FWL	NOG 99041323	
G216	4303715835	Producer	SW	NE	16	T40S	R24E	1975' FNL / 3304' FWL	NOG 99041323	
G416	4303715836	Producer	SW	SE	16	T40S	R24E	660' FSL / 1980' FEL	NOG 99041323	
H316	4303715837	Producer	NE	SE	16	T40S	R24E	1980' FSL / 662' FEL	NOG 99041323	
A214	4303716030	TA Producer	SW	NW	14	T40S	R23E	1980' FNL / 740' FWL	SL-070968	See Attached SI and TA Well Status Spreadsheet
A414	4303716031	SI Producer	SW	SW	14	40S	23E	820' FSL / 740' FWL	UTSL 070968	
D123	4303716036	Producer	NE	NE	23	T40S	R23E	660' FNL / 660' FEL	SL-0701010	
D311	4303716037	SI Producer	NE	SE	11	40S	23E	1980' FSL / 660' FEL	UTSL 070968B	
E123	4303716052	Producer	NW	NW	23	T40S	R24E	660' FNL / 660' FWL	I-149-IND-8838	
E135	4303716056	SI Producer	NW	NW	35	T40S	R24E	760' FNL / 703' FWL	14-20-603-2059	See Attached SI and TA Well Status Spreadsheet
E209	4303716057	Producer	SW	NW	9	T40S	R24E	2105' FNL / 670' FWL	I-149-IND-8834	
E215	4303716058	Producer	SW	NW	15	T40S	R24E	2109' FNL / 505' FWL	I-149-IND-8834	
E222	4303716059	Producer	SW	NW	22	T40S	R24E	1960' FNL / 770' FWL	I-149-IND-8836	
E335	4303716072	SI Producer	NW	SW	35	T40S	R24E	1900' FSL / 820' FWL	14-20-603-2059	See Attached SI and TA Well Status Spreadsheet
E415	4303716073	Producer	SW	SW	15	T40S	R24E	660' FSL / 660' FWL	I-149-IND-8834	
F122	4303716075	Producer	NE	NW	22	T40S	R24E	660' FNL / 1980' FWL	I-149-IND-8836	
F319	4303716081	Producer	NE	SW	19	T40S	R24E	1940' FSL / 2055' FWL	I-149-IND-8836	
G115	4303716088	Producer	NW	NE	15	T40S	R24E	660' FNL / 1980' FEL	I-149-IND-8834	
G222	4303716099	Producer	SW	NE	22	T40S	R24E	1890' FNL / 2140' FEL	I-149-IND-8836	
G309	4303716102	Producer	NW	SE	9	T40S	R24E	2080' FSL / 1990' FEL	I-149-IND-8834	
G329	4303716114	Producer	NW	SE	29	T40S	R24E	2045' FSL / 2125' FEL	14-20-603-5043	
G335	4303716115	Producer	NW	SE	35	T40S	R24E	1830' FSL / 1820' FEL	14-20-603-2059	
H415	4303716126	Producer	SE	SE	15	T40S	R24E	815' FSL / 812' FEL	I-149-IND-8834	
H435	4303716130	Producer	SE	SE	35	T40S	R24E	510' FSL / 725' FEL	14-20-603-2059	
L130	4303716138	Producer	NW	NE	30	T40S	R25E	745' FNL / 1900' FEL	I-149-IND-8839	
G134	4303716225	Producer	NW	NE	34	T40S	R24E	540' FNL / 2000' FEL	14-20-603-2056	S
G327	4303716226	Producer	NW	SE	27	T40S	R24E	2075' FSL / 1800' FEL	14-20-603-2056	
G334	4303716227	SI Producer	NW	SE	34	T40S	R24E	1980' FSL / 2130' FEL	14-20-603-2056	See Attached SI and TA Well Status Spreadsheet
H433	4303716229	SI Producer	SE	SE	33	T40S	R24E	745' FSL / 605' FEL	14-20-603-2056	See Attached SI and TA Well Status Spreadsheet
H434	4303716230	SI Producer	SE	SE	34	T40S	R24E	700' FSL / 500' FEL	14-20-603-2056	See Attached SI and TA Well Status Spreadsheet
H114	4303716310	Producer	NE	NE	14	T40S	R24E	730' FNL / 690' FEL	I-149-IND-8839	
H409	4303716324	Producer	SE	SE	9	T40S	R24E	660' FSL / 660' FEL	I-149-IND-8834	
G215	4303730066	SI Producer	SW	NE	15	T40S	R24E	2415' FNL / 1850' FEL	I-149-IND-8834	See Attached SI and TA Well Status Spreadsheet
E114	4303730093	Producer	NW	NW	14	T40S	R24E	500' FNL / 100' FWL	I-149-IND-8837	
F307	4303730115	SI Producer	NE	SW	7	T40S	R24E	2290' FSL / 1860' FWL	SL-067807	See Attached SI and TA Well Status Spreadsheet
F121	4303730117	Producer	NE	NW	21	T40S	R24E	50' FNL / 2150' FWL	I-149-IND-8836	
H307	4303730122	TA Producer	NE	SE	7	T40S	R24E	2120' FSL / 980' FEL	I-149-IND-8835	See Attached SI and TA Well Status Spreadsheet

Chevron USA to Resolute Natural Resources

H414	4303730123	Producer	SE	SE	14	40S	24E	300' FSL / 500' FEL	I-149-IND-8839	
G218	4303730131	Producer	SW	NE	18	T40S	R24E	1870' FNL / 2050' FEL	I-149-IND-8835	
G418	4303730132	Producer	SW	SE	18	T40S	R24E	760' FSL / 1950' FEL	I-149-IND-8835	
H119	4303730133	Producer	NE	NE	19	T40S	R24E	695' FNL / 570' FEL	I-149-IND-8836	
E417	4303730134	Producer	SW	SW	17	T40S	R24E	710' FSL / 630' FWL	I-149-IND-8835	
F120	4303730135	Producer	NE	NW	20	T40S	R24E	710' FNL / 1980' FWL	I-149-IND-8836	
H318	4303730136	Producer	NE	SE	18	T40S	R24E	1980' FSL / 610' FEL	I-149-IND-8835	
F317	4303730139	Producer	NE	SW	17	T40S	R24E	1980' FSL / 2140' FWL	I-149-IND-8835	
E217	4303730142	Producer	SW	NW	17	T40S	R24E	1980' FNL / 550' FWL	I-149-IND-8835	
G417	4303730144	Producer	SW	SE	17	T40S	R24E	660' FSL / 1980' FEL	I-149-IND-8835	
E220	4303730150	Producer	SW	NW	20	T40S	R24E	1956' FNL / 584' FWL	I-149-IND-8836	
G407	4303730151	Producer	SW	SE	7	T40S	R24E	650' FSL / 1960' FEL	SL-067807	
G408	4303730152	Producer	SW	SE	8	T40S	R24E	774' FSL / 1991' FEL	I-149-IND-8834	
H117	4303730153	Producer	NE	NE	17	T40S	R24E	866' FNL / 785' FEL	I-149-IND-8833	
H320	4303730154	Producer	NE	SE	20	T40S	R24E	2036 FSL / 650' FEL	I-149-IND-8836	
G220	4303730156	Producer	SW	NE	20	T40S	R24E	1860' FNL / 2086' FEL	I-149-IND-8833	
H118	4303730157	Producer	NE	NE	18	T40S	R24E	626' FNL / 650' FEL	I-149-IND-8835	
E408	4303730159	TA Producer	SW	SW	8	T40S	R24E	650' FSL / 626' FWL	I-149-IND-8833	See Attached SI and TA Well Status Spreadsheet
F117	4303730160	SI Producer	NE	NW	17	T40S	R24E	522' FNL / 1956' FWL	I-149-IND-8835	See Attached SI and TA Well Status Spreadsheet
D313	4303730162	TA Producer	NE	SE	13	T40S	R23E	1987' FSL / 782' FEL	SL-070968-A	See Attached SI and TA Well Status Spreadsheet
F320	4303730164	Producer	NE	SW	20	T40S	R24E	2130' FSL / 1950' FWL	I-149-IND-8836	
E418	4303730165	Producer	SW	SW	18	T40S	R24E	978' FSL / 216' FWL	SL-067807	
G217	4303730166	TA Producer	SW	NE	17	T40S	R24E	2170' FNL / 1860' FEL	I-149-IND-8835	See Attached SI and TA Well Status Spreadsheet
G219	4303730167	Producer	SW	NE	19	T40S	R24E	1989' FNL / 1923' FEL	I-149-IND-8836	
H319	4303730168	Producer	NE	SE	19	T40S	R24E	2086' FSL / 593' FEL	I-149-IND-8836	
F318	4303730169	Producer	NE	SW	18	T40S	R24E	1578' FSL / 1773' FWL	I-149-IND-8835	
C213	4303730173	Producer	SW	NE	13	T40S	R23E	1898' FNL / 1815' FEL	SL-070968-A	
F308	4303730176	Producer	NE	SW	8	T40S	R24E	1880' FSL / 1980' FWL	I-149-IND-8833	
H308	4303730177	TA Producer	NE	SE	8	T40S	R24E	1890' FSL / 660' FEL	I-149-IND-8834	See Attached SI and TA Well Status Spreadsheet
G208	4303730178	TA Producer	SW	NE	8	T40S	R24E	1939' FNL / 1939' FEL	I-149-IND-8833	See Attached SI and TA Well Status Spreadsheet
E221	4303730181	Producer	SW	NW	21	T40S	R24E	1898' FNL / 619' FWL	I-149-IND-8836	
H121	4303730183	Producer	NE	NE	21	T40S	R24E	520' FNL / 760' FEL	I-149-IND-8836	
F321	4303730185	Producer	NE	SW	21	T40S	R24E	1980' FSL / 1720' FWL	I-149-IND-8836	
F129	4303730187	Producer	NE	NW	29	T40S	R24E	550' FNL / 1690'FWL	14-20-603-4030-A	
E421	4303730188	Producer	SW	SW	21	T40S	R24E	660' FSL / 660' FWL	I-149-IND-8836	
E409	4303730189	Producer	SW	SW	9	T40S	R24E	910' FSL / 330' FWL	I-149-IND-8834	
H317	4303730196	Producer	NE	SE	17	T40S	R24E	2230' FSL / 930' FEL	I-149-IND-8833	
F119	4303730197	TA Producer	NE	NW	19	T40S	R24E	350' FNL / 1960' FWL	I-149-IND-8836	See Attached SI and TA Well Status Spreadsheet
E313	4303730200	Producer	NW	SW	13	T40S	R24E	1815' FSL / 785' FWL	I-149-IND-8837	
F216	4303730212	TA Producer	SE	NW	16	T40S	R24E	1848 FNL / 2043' FWL	NOG 99041323	See Attached SI and TA Well Status Spreadsheet
G421	4303730214	Producer	SW	SE	21	T40S	R24E	380' FSL / 1980' FEL	I-149-IND-8836	
H321	4303730216	Producer	NE	SE	21	T40S	R24E	2043' FSL / 591' FEL	I-149-IND-8836	
F411	4303730217	Producer	SE	SW	11	T40S	R24E	561' FSL / 1798' FWL	I-149-IND-8837	
G114	4303730218	Producer	NW	NE	14	T40S	R24E	660' FNL / 2220' FEL	I-149-IND-8837	
E223	4303730219	Producer	SW	NW	23	T40S	R24E	2106' FNL / 660' FWL	I-149-IND-8838	
E426	4303730220	Producer	SW	SW	26	T40S	R24E	660' FSL / 660' FWL	I-149-IND-8838	

Chevron USA to Resolute Natural Resources

F125	4303730221	Producer	NE	NW	25	T40S	R24E	627' FNL / 1980' FWL	I-149-IND-8838	
G225	4303730222	Producer	SW	NE	25	T40S	R24E	1760' FNL / 2170' FEL	I-149-IND-8838	
H123	4303730223	Producer	NE	NE	23	T40S	R24E	660' FNL / 660' FEL	I-149-IND-8838	
K330	4303730224	Producer	NE	SW	30	T40S	R25E	2020' FSL / 2010' FWL	I-149-IND-8839	
M330	4303730225	Producer	NE	SE	30	T40S	R25E	2046' FSL / 726' FEL	I-149-IND-8839	
G223	4303730226	Producer	SW	NE	23	T40S	R24E	2012' FNL / 1914' FEL	I-149-IND-8838	
H136	4303730227	Producer	NE	NE	36	T40S	R24E	660' FNL / 620' FEL	14-20-603-5443	
G420	4303730228	Producer	SW	SE	20	T40S	R24E	770' FSL / 1900' FEL	I-149-IND-8836	
G314	4303730230	Producer	NW	SE	14	T40S	R24E	1940' FSL / 2020' FEL	I-149-IND-8837	
E224	4303730231	Producer	SW	NW	24	T40S	R24E	1850' FNL / 660' FWL	I-149-IND-8838	
F326	4303730232	Producer	NE	SW	26	T40S	R24E	1914' FSL / 1914' FWL	I-149-IND-8838	
E225	4303730233	SI Producer	SW	NW	25	T40S	R24E	2079' FNL / 790' FWL	I-149-IND-8838	See Attached SI and TA Well Status Spreadsheet
F323	4303730234	Producer	NE	SW	23	T40S	R24E	1914' FSL / 1980' FWL	I-149-IND-8838	
G426	4303730236	Producer	SW	SE	26	T40S	R24E	610' FSL / 1980' FEL	I-149-IND-8838	
F325	4303730237	Producer	NE	SW	25	T40S	R24E	1850' FSL / 1840' FWL	I-149-IND-8838	
G425	4303730238	Producer	SW	SE	25	T40S	R24E	480' FSL / 1840' FEL	I-149-IND-8838	
H325	4303730239	Producer	NE	SE	25	T40S	R24E	1914' FSL / 660' FEL	I-149-IND-8838	
J230	4303730240	Producer	SW	NW	30	T40S	R25E	1980' FNL / 660' FWL	I-149-IND-8839 A	
L230	4303730241	Producer	SW	NE	30	T40S	R25E	1930' FNL / 1898' FEL	I-149-IND-8839	
J430	4303730243	Producer	SW	SW	30	T40S	R25E	660' FSL / 660' FWL	I-149-IND-8839	
F214	4303730250	Producer	SE	NW	14	T40S	R24E	2030' FNL / 1881' FWL	I-149-IND-8837	
E314	4303730266	Producer	NW	SW	14	T40S	R24E	1930' FSL / 660' FWL	I-149-IND-8837	
F414	4303730274	Producer	SE	SW	14	T40S	R24E	593' FSL / 1771' FWL	I-149-IND-8837	
C413	4303730298	TA Producer	SW	SE	13	T40S	R23E	810' FSL / 1980' FEL	SL-070968-A	See Attached SI and TA Well Status Spreadsheet
H125	4303730308	Producer	NE	NE	25	T40S	R24E	660' FNL / 560' FEL	I-149-IND-8838	
F126	4303730310	Producer	NE	NW	26	T40S	R24E	560' FNL / 1940' FWL	I-149-IND-8838	
G423	4303730311	Producer	SW	SE	23	T40S	R24E	660' FSL / 1980' FEL	I-149-IND-8838	
H323	4303730316	Producer	NE	SE	23	T40S	R24E	1845' FSL / 507' FEL	I-149-IND-8838	
G424	4303730334	TA Producer	SW	SE	24	T40S	R24E	660' FSL / 1980' FEL	I-149-IND-8838	See Attached SI and TA Well Status Spreadsheet
E425	4303730343	Producer	SW	SW	25	T40S	R24E	760' FSL / 840' FWL	I-149-IND-8838	
F322	4303730345	Producer	NE	SW	22	T40S	R24E	2130' FSL / 1980' FWL	I-149-IND-8836	
E422	4303730346	Producer	SW	SW	22	T40S	R24E	890' FSL / 600' FWL	I-149-IND-8836	
H126	4303730348	Producer	NE	NE	26	T40S	R24E	660' FNL / 830' FEL	I-149-IND-8838	
F324	4303730349	SI Producer	NE	SW	24	T40S	R24E	1980' FSL / 2080' FWL	I-149-IND-8838	See Attached SI and TA Well Status Spreadsheet
E424	4303730350	TA Producer	SW	SW	24	T40S	R24E	540' FSL / 450' FWL	I-149-IND-8838	See Attached SI and TA Well Status Spreadsheet
H326	4303730368	Producer	NE	SE	26	T40S	R24E	1850' FSL / 520' FEL	I-149-IND-8838	
G226	4303730369	Producer	SW	NE	26	T40S	R24E	2080' FNL / 1950' FEL	I-149-IND-8838	
E423	4303730370	Producer	SW	SW	23	T40S	R24E	550' FSL / 580' FWL	I-149-IND-8838	
E226	4303730371	Producer	SW	NW	26	T40S	R24E	1980' FNL 660' FWL		
G325X	4303730374	Producer	NW	SE	25	T40S	R24E	1850' FSL / 1710' FEL	I-149-IND-8838	
G422	4303730375	Producer	SW	SE	22	T40S	R24E	500' FSL / 1950' FEL	I-149-IND-8836	
H120X	4303730404	Producer	NE	NE	20	T40S	R24E	280' FNL / 840' FEL	I-149-IND-8833	
H322	4303730407	Producer	NE	SE	22	T40S	R24E	2070' FSL / 770' FEL	I-149-IND-8836	
F136	4303730409	Producer	NE	NW	36	T40S	R24E	760' FNL / 2020' FWL	14-20-603-5444	
G236	4303730410	Producer	SW	NE	36	T40S	R24E	1950' FNL / 1980' FEL	14-20-603-5443	
H335	4303730412	Producer	NE	SE	35	T40S	R24E	1980' FSL / 700' FEL	14-20-603-2059	

Chevron USA to Resolute Natural Resources

J231	4303730413	SI Producer	SW	NW	31	T40S	R25E	1850' FNL / 660' FWL	14-20-603-5443	See Attached SI and TA Well Status Spreadsheet
G221X	4303730516	Producer	SW	NE	21	T40S	R24E	1940' FNL / 1930' FEL	I-149-IND-8836	
A114	4303730634	SI Producer	NW	NW	14	40S	23E	735' FNL / 718' FWL	UTSL 070968	
B214	4303730635	Producer	SE	NW	14	T40S	R23E	1910' FNL / 1950' FWL	SL-070968	
C114	4303730636	SI Producer	NW	NE	14	T40S	R23E	820' FNL / 1920' FEL	SL-070968	See Attached SI and TA Well Status Spreadsheet
C314	4303730637	Producer	NW	SE	14	T40S	R23E	2140' FSL / 1870' FEL	SL-070968	
D214	4303730638	Producer	SE	NE	14	T40S	R23E	2090' FNL / 790' FEL	SL-070968	
D414	4303730639	Producer	SE	SE	14	T40S	R23E	570' FSL / 810' FEL	SL-070968	
H127	4303730643	Producer	NE	NE	27	T40S	R24E	660' FNL / 510' FEL	14-20-603-2056	
H128	4303716224	Injector	NE	NE	28	40S	24E	810' FNL / 510' FEL	14-20-603-2056	
J229	4303730645	SI Producer	SW	NW	29	40S	25E	1980' FNL / 510' FWL	I-149-IND-8839A	
K130	4303730646	Producer	NE	NW	30	T40S	R25E	660' FNL / 2010' FWL	I-149-IND-8839	
K131	4303730647	Producer	NE	NW	31	T40S	R25E	660' FNL / 1980' FWL	14-20-603-372-A	
L430	4303730648	Producer	SW	SE	30	T40S	R25E	660' FSL / 1980' FEL	I-149-IND-8839	
M130	4303730649	Producer	NE	NE	30	T40S	R25E	510' FNL / 780' FEL	I-149-IND-8839	
E236	4303730716	Producer	SW	NW	36	T40S	R24E	1930' FNL / 630' FWL	14-20-603-5444	
F127	4303730718	Producer	NE	NW	27	T40S	R24E	620' FNL / 1910' FWL	14-20-603-2056	
F128	4303730728	Producer	NE	NW	28	T40S	R24E	660' FNL / 1910' FWL	14-20-603-2056	
C313SE	4303731076	SI Producer	C	SE	13	40S	23E	1320' FSL / 1320' FEL	UTSL 070968A	
E118SE	4303731077	TA Producer	SW	NW	18	T40S	R24E	1340' FNL / 1140' FWL	SL-067807	See Attached SI and TA Well Status Spreadsheet
E121SE	4303731078	SI Producer	SW	NW	21	T40S	R24E	1400' FNL / 1320' FWL	I-149-IND-8836	See Attached SI and TA Well Status Spreadsheet
D113SE	4303731382	TA Producer	SE	NE	13	T40S	R23E	1330' FNL / 100' FEL	SL-070968-A	See Attached SI and TA Well Status Spreadsheet
D213SE	4303731383	TA Producer	NE	SE	13	T40S	R23E	2700' FNL / 150' FEL	SL-070968-A	See Attached SI and TA Well Status Spreadsheet
E218SE	4303731385	TA Producer	NW	SW	18	T40S	R24E	2660' FNL / 1220' FWL	SL-067807	See Attached SI and TA Well Status Spreadsheet
E407SW	4303731386	TA Producer	SW	SW	7	T40S	R24E	0' FSL / 70' FWL	SL-067807	See Attached SI and TA Well Status Spreadsheet
E115	4303731396	Producer	NW	NW	15	T40S	R24E	630' FNL / 660' FWL	I-149-IND-8834	
F215	4303731397	Producer	SE	NW	15	T40S	R24E	1900' FNL / 1990' FWL	I-149-IND-8834	
F415	4303731398	Producer	SE	SW	15	T40S	R24E	680' FSL / 1880' FWL	I-149-IND-8834	
G315X	4303731408	Producer	NW	SE	15	T40S	R24E	1880' FSL / 1980' FEL	I-149-IND-8834	
H116	4303731409	TA Producer	NE	NE	16	T40S	R24E	660' FNL / 900' FEL	NOG 99041323	
H129	4303731529	Producer	NE	NE	29	T40S	R24E	730' FNL / 730' FEL	14-20-603-4030	
H135	4303731531	Producer	NE	NE	35	T40S	R24E	503' FNL / 813' FEL	14-20-603-2059	
E407SE	4303731534	Producer	NE	NW	18	40S	24E	199' FNL / 1602' FWL	UTSL 067807	
B412	4303731537	TA Producer	SE	SW	12	T40S	R23E	901' FSL / 1600' FWL	SL-070968-A	
F214SE	4303731684	Producer	SE	NW	14	T40S	R24E	2580' FNL / 2350' FWL	I-149-IND-8837	

OPERATOR CHANGE WORKSHEET

ROUTING	
1. GLH	
2. CDW	
3. FILE	

X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective: <u>12/1/2004</u>	
FROM: (Old Operator): N0210-Chevron USA, Inc. PO Box 4791 Houston, TX 77210-4791 Phone: 1-(713) 752-7431	TO: (New Operator): N2700-Resolute Natural Resources Company 1675 Broadway, Suite 1950 Denver, CO 80202 Phone: 1-(303) 534-4600

CA No.

Unit:

ANETH

WELL(S)

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
ANETH B412	12	400S	230E	4303731537	7000	Federal	OW	S
ANETH UNIT C313SE	13	400S	230E	4303731076	7000	Federal	OW	S
ANETH UNIT D213SE	13	400S	230E	4303731383	7000	Federal	OW	S
ANETH U D214	14	400S	230E	4303730638	7000	Federal	OW	P
ANETH U D414	14	400S	230E	4303730639	7000	Federal	OW	P
ANETH UNIT E407SW	07	400S	240E	4303731386	7000	Federal	OW	S
NAV TRB E-18 (E209)	09	400S	240E	4303716057	7000	Indian	OW	P
NAV TRB E-3 (G309)	09	400S	240E	4303716102	7000	Indian	OW	P
NAV TRB E-2 (E215)	15	400S	240E	4303716058	7000	Indian	OW	P
NAV TRB E-6 (E415)	15	400S	240E	4303716073	7000	Indian	OW	P
NAVAJO TRIBAL E-9 (ANETH G115)	15	400S	240E	4303716088	7000	Indian	OW	P
ANETH UNIT E118SE	18	400S	240E	4303731077	7000	Federal	OW	S
ANETH UNIT E218SE	18	400S	240E	4303731385	7000	Federal	OW	S
ANETH E407SE	18	400S	240E	4303731534	7000	Federal	OW	S
NAV TRB D-29(F319)	19	400S	240E	4303716081	7000	Indian	OW	P
NAV TRB D-9 (E222)	22	400S	240E	4303716059	7000	Indian	OW	P
NAV TRB D-11 (F122)	22	400S	240E	4303716075	7000	Indian	OW	P
NAV TRB D-1 (G222)	22	400S	240E	4303716099	7000	Indian	OW	P
NAV TRB C-2 (E123)	23	400S	240E	4303716052	7000	Indian	OW	P
NAV TRB AB-1 (G329)	29	400S	240E	4303716114	7000	Indian	OW	P
NAVAJO TRIBE Q-3 (E135)	35	400S	240E	4303716056	7000	Indian	OW	S
NAVAJO TRIBE Q-2 (E335)	35	400S	240E	4303716072	7000	Indian	OW	S

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 12/22/2004
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 12/13/2004
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 11/22/2004
- Is the new operator registered in the State of Utah: YES Business Number: 5733505-0143
- If **NO**, the operator was contacted on:
- (R649-9-2) Waste Management Plan has been received on: _____ requested
- Inspections of LA PA state/fee well sites complete on: 12/20/2004

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM not yet BIA not yet

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: not yet

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: _____

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 12/29/2004
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 12/29/2004
3. Bond information entered in RBDMS on: n/a
4. Fee/State wells attached to bond in RBDMS on: n/a
5. Injection Projects to new operator in RBDMS on: separate list
6. Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: B001263

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: B001264

FEE & STATE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number B001262

2. The **FORMER** operator has requested a release of liability from their bond on: not yet
The Division sent response by letter on: _____

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: _____

COMMENTS:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or re-enter an
abandoned well. Use form 3160-3 (APD) for such proposals

FORM APPROVED
OMB No. 1004-0135
Expires: November 30, 2000

5. Lease Serial No. SL-070968-A

6. If Indian, Allottee or Tribe Name
NAVAJO

7. If Unit or CA, Agreement, Name and/or No.
ANETH

8. Well Name and No.
ANETH UNIT

C313SE

9. API Well No. 4303731076

10. Field and Pool, or Exploratory Area
DESERT CREEK

11. County or Parish, State
SAN JUAN, UTAH

SUBMIT IN TRIPLICATE

1. Type of Well: OIL WELL GAS WELL OTHER

2. Name of Operator
CHEVRONTXACO

3. Address PO BOX 1289 FARMINGTON N.M. 87499 3b. Phone No. (include area code) 505-326-2697 X-114

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Unit Letter J 1320 Feet From The SOUTH Line and 1320 Feet From The
EAST Line Section 13 Township T40S Range R23E Meridian:

12. Check Appropriate Box(s) To Indicate Nature of Notice, Report, or Other Data

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Now Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measurements and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operations results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Rigged Up 4/7/04
Test Plug to 500# - Okay
5,574' - 5,406' - Spot 1st Plug (20 Sks)
4,702' - 4,549' - Spot 2nd Plug (18 Sks)
1,683' - 1,533' - Spot 3rd Plug (18 Sks)
642' - No Injection
50' Perfed - Good Circulation
688' - 442' - Spot 4th Plug (29Sks)
50' - Surface - Spot 5th Plug (36 Sks)
Rigged Down - 4/13/04

RECEIVED
APR 04 2005

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name (Printed, Typed) MIKE DREYER TITLE MAINTENANCE PLANNER

SIGNATURE [Signature] DATE 11/14/04

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by _____ Title _____ Date _____

Conditions of approval, if any are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office _____

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	FORM 9 5. LEASE DESIGNATION AND SERIAL NUMBER: UTSL-070968A
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: 7. UNIT or CA AGREEMENT NAME: ANETH
1. TYPE OF WELL Oil Well	8. WELL NAME and NUMBER: ANETH UNIT C313SE
2. NAME OF OPERATOR: RESOLUTE NATURAL RESOURCES	9. API NUMBER: 43037310760000
3. ADDRESS OF OPERATOR: 1700 Lincoln Street, Suite 2800 , Denver, CO, 80203 4535	PHONE NUMBER: 303 534-4600 Ext
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1320 FSL 1320 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: C-SE Section: 13 Township: 40.0S Range: 23.0E Meridian: S	9. FIELD and POOL or WILDCAT: GREATER ANETH COUNTY: SAN JUAN STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT Approximate date work will start: 4/20/2015 <input type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: <input type="checkbox"/> SPUD REPORT Date of Spud: <input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input checked="" type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: <input style="width: 100px;" type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Resolute Natural Resources respectfully submits this sundry as notice of a P&A on the above well. Attached are the procedures and schematics

Accepted by the Utah Division of Oil, Gas and Mining

Date: April 14, 2015

By: *Derek Duff*

NAME (PLEASE PRINT) Erin Joseph	PHONE NUMBER 303 573-4886	TITLE Sr. Regulatory Analyst
SIGNATURE N/A	DATE 4/13/2015	

Resolute

Natural Resources

Date: 4/13/2015

Re: AU C-313SE Permanent Abandonment


Procedure

- 1) Spot surface cmt plug (rig will not be required).
Note: *Mark Jones has requested to be present for P&A – (435)820-0129*
- 2) Install P&A marker.
Note: *SE/4-SE/4, Sec. 13, T40S, R23E*
- 3) Re-claim location.

Resolute

Well Name: AU C-313SE - PA

API Number 4303731076	Section 13	City/State 40S	Township 23E	Block	Map Scale Nag. Soud. 2017	Field Name Aneth Unit	County San Juan	State/Prov Utah	Well (%) 62.39
--------------------------	---------------	-------------------	-----------------	-------	------------------------------	--------------------------	--------------------	--------------------	-------------------



Tubing		Set Depth (ft)	Run Date	Plu Date					
Tubing - Injection		5,586.1	10/1/2007						
IS	Ann Des	OC (in)	ID (in)	Wt (lb/ft)	Grade	Top Thread	Len (ft)	Top (ft/S)	Bot (ft/S)
7	Tubing/tbg subs	2 3/8	1.995	4.60	J-55	Top Thread	34.00	0.0	34.0
177	Tubing/plastic coated tbg	2 3/8	1.995	4.70	J-55		5,552.05	34.0	5,586.1

Resolute

Well Name: AU C-313SE - PA

API Number 4303731076	Section 13	Cor. Or.	Township 40S	Range 23E	Block	Reg. Subd. Cont.	Field Name Aneth Unit	County San Juan	State Prov. Utah	Well No. 62.39
--------------------------	---------------	----------	-----------------	--------------	-------	------------------	--------------------------	--------------------	---------------------	-------------------


Most Recent Job

Job Category Other	Primary Job Type Other	Secondary Job Type	Start Date 10/1/2007	End Date 10/4/2007
-----------------------	---------------------------	--------------------	-------------------------	-----------------------

TD: 5,931.0

Original Hole, 4/10/2015 9:11:58 AM

Vertical schematic (actual)



STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		5. LEASE DESIGNATION AND SERIAL NUMBER: UTSL-070968A
		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
1. TYPE OF WELL Oil Well		7. UNIT or CA AGREEMENT NAME: ANETH
2. NAME OF OPERATOR: RESOLUTE NATURAL RESOURCES		8. WELL NAME and NUMBER: ANETH UNIT C313SE
3. ADDRESS OF OPERATOR: 1700 Lincoln Street, Suite 2800 , Denver, CO, 80203 4535		9. API NUMBER: 43037310760000
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1320 FSL 1320 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: C-SE Section: 13 Township: 40.0S Range: 23.0E Meridian: S		9. FIELD and POOL or WILDCAT: GREATER ANETH
		COUNTY: SAN JUAN
		STATE: UTAH

11.

CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start:	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> CASING REPAIR
<input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 4/13/2015	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME
<input type="checkbox"/> SPUD REPORT Date of Spud:	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> CONVERT WELL TYPE
<input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION
	<input type="checkbox"/> OPERATOR CHANGE	<input checked="" type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK
	<input type="checkbox"/> PRODUCTION START OR RESUME	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON
	<input type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input type="checkbox"/> APD EXTENSION
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> OTHER	OTHER: <input style="width: 100px;" type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Resolute Natural Resources respectfully submits this sundry as notice of the completion of the P&A on the above well Summary is as follows:
4/13/15 - Build P&A marker, dig around wellhead and anchors, cut off wellhead and anchors cut casing and tubing, pour 2 sacks of cement, install P&A marker on top of the conductor pipe, backfill around wellhead, reclaim and reseed wellsite.

**Accepted by the
Utah Division of
Oil, Gas and Mining
FOR RECORD ONLY
February 18, 2016**

NAME (PLEASE PRINT) Erin Joseph	PHONE NUMBER 303 573-4886	TITLE Sr. Regulatory Analyst
SIGNATURE N/A	DATE 2/17/2016	