

16

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
 DRILL DEEPEN PLUG BACK
 b. TYPE OF WELL
 OIL WELL GAS WELL OTHER SINGLE ZONE MULTIPLE ZONE

RECEIVED

2. NAME OF OPERATOR
Phillips Petroleum Company

3. ADDRESS OF OPERATOR
P.O. Box 2920, Casper, WY 82602

4. LOCATION OF WELL (Report location clearly and in accordance with the requirements.)
 At surface
 737 FSL 590 FEL Sec. 7-T41S-R24E (SE SE)
 At proposed prod. zone

AUG 28 1985

DIVISION OF OIL & GAS & MINING

5. LEASE DESIGNATION AND SERIAL NO.
14-20-603-368
 6. IF INDIAN, ALLOTTEE OR TRIBE NAME
Navajo
 7. UNIT AGREEMENT NAME
SW-I-4192
 8. FARM OR LEASE NAME
Ratherford Unit
 9. WELL NO.
7-44
 10. FIELD AND POOL, OR WILDCAT
Greater Aneth
 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 7-T41S-R24E
 12. COUNTY OR PARISH
San Juan
 13. STATE
Utah

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
Approximately 5 miles south of Montezuma Creek, Utah

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any)
737' from Ratherford Unit Lease Line.

16. NO. OF ACRES IN LEASE
1680

17. NO. OF ACRES ASSIGNED TO THIS WELL
40 Acres

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.
1165'

19. PROPOSED DEPTH
5700'

20. ROTARY OR CABLE TOOLS
Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
5104' ungraded ground

22. APPROX. DATE WORK WILL START*
3rd quarter 1985

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
17-1/2"	13-3/8"	48#	100'	175 cu ft (Circ to surface)
12-1/4"	9-5/8"	36#	1600'	1000 cu ft (Circ to surface)
8-3/4"	7"	23# & 26#	5700'	1500 cu ft (T.O.C. approx 2000)

Approval is requested to drill Ratherford Unit #7-44, a Desert Creek Development oil well, to increase the ultimate recovery from the Ratherford Unit.

BOP equipment will be operated daily and tested weekly.

APPROVED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING

DATE: 9/3/85
 BY: [Signature]
 WELL SPACING: 132-42 4/17/85

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED D. C. Gill TITLE Area Manager DATE Aug. 20, 1985

(This space for Federal or State office use)

PERMIT NO. 43-037-31189 APPROVAL DATE _____

APPROVED BY _____ TITLE _____ DATE _____
 CONDITIONS OF APPROVAL, IF ANY:

*See Instructions On Reverse Side

COMPANY PHILLIPS OIL COMPANY


LEASE RATHERFORD WELL NO. 7-44

SEC. 7 T. 41 SOUTH R. 24 EAST, S.L.M.

LOCATION 737 FEET FROM THE SOUTH LINE AND
590 FEET FROM THE EAST LINE

ELEVATION 5104 UNGRADED GROUND

SAN JUAN COUNTY, East 5280 UTAH






SCALE - 1 INCH EQUALS 1000 FEET West 5280

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

James P. Leese
Registered Land Surveyor.
James P. Leese
Utah Reg. #1472

SEAL:

SURVEYED June 28, 19 85



Handwritten notes:
 100' x 125'
 100'

B' 125'

A-A' Vert: 1"=30' Horiz: 1"=100' C-L

PAD					

B-B' C-L

PAD					

RATHERFORD UNIT #7-44

Supplement to Form 9-331C "Application for Permit to Drill, Deepen, or Plug Back."

DRILLING PROGRAM

1. Surface formation is the Dune Sand, which consists of loose windblown sand, age-recent.

Estimated tops of geologic markers:

Shinarump	2729'
DeChelly	3046'
Hermosa	4939'
Desert Creek Zone I	5700'

2. Brackish water-bearing sands are expected in the Navajo, Wingate, and DeChelly formations. Oil is expected to be encountered in the Ismay and Desert Creek formations. The top of cement will be approximately at 2000'.

3. Blow-out preventers will be 10" Series 900 equipment to be tested initially to 3000 psi. They will be inspected and operated daily and pressure tested weekly to 1500 psi. Weekly pressure tests will be supervised by representatives of Phillips Oil Company and the drilling contractor. Tests will be recorded on the daily drilling report which will remain on the rig floor during drilling operations. BOP tests will be conducted in accordance with Phillips standards, copy attached.

4. a. Proposed Casing Program:

1. Conductor casing:

100'	13-3/8"	48#/ft	H-40	ST&C	new
------	---------	--------	------	------	-----

2. Surface casing:

1600'	9-5/8"	36#/ft	K-55	ST&C	new
-------	--------	--------	------	------	-----

Surface casing will be tested to 1500# before drilling out.

3. Production casing:

5700'	7"	23# & 26#/ft	K-55	ST&C	new
-------	----	--------------	------	------	-----

Production casing will be tested to 3000#.

b. Proposed Cementing Program:

1. Conductor Casing:

Conductor casing will be cemented with 150 sks (175 cu. ft.) Class B cement. Cement will be brought to surface.

2. Surface Casing:

Surface casing will be cemented with 300 sks (1000 cu. ft.) "light" cement followed with 300 sks Class B cement. Cement will be brought to surface.

3. Production casing:

Production casing will be cemented with "light" cement (1500 cu. ft.) followed with Class B cement. For cement volume, caliper will be used with 15% excess. The top of the cement should be around 2000'. If other zones with hydrocarbon potential are encountered, they will be covered with cement.

c. Auxiliary Equipment:

Auxiliary equipment will include upper and lower kelly cocks, a drill string safety valve, and a pit level indicator.

5. Drilling Fluid:

Drilling fluid will be a fresh water based mud system. Spud mud is gel and water with a weight of 8.4-8.8 ppg. From the surface to approximately 1600', gel and water will be used. Mud weight may be up to 9 ppg to control water flow from the Wingate formation. A slurry of 8.6-9.5 ppg, 32-38 viscosity, and less than 15cc/30 min. water loss will be used from 1600'-5200'. Mud weight may be increased to 10.4 ppg if a water flow is encountered. From 5200' to total depth mud properties will be 10.5-12.5 ppg, 40-45 viscosity, and below 10 cc water loss.

Adequate quantities of mud materials will be stored at the location to equal the volume of the rigs complete circulating system. A flow sensor will be used.

6. Testing, logging, and coring:

The logging program will consist of DLL, MSFL, GR, SP, and Caliper from T. D. to the surface casing. A FDC/CNL and a Micro-proximity log will be run from T. D. to 4300'. A temperature or cement bond log will be run to determine cement top. It is proposed to core the Desert Creek Zone I.

7. Downhole Conditions:

Drilling in the area indicates no abnormal pressures, temperatures, or hydrogen sulfide gas.

8. Phillips anticipates starting operations in the third quarter of 1985. Drilling operations are estimated to take fifteen days per well.

CULTURAL RESOURCE REPORT

Division of Conservation Archaeology has prepared a cultural resource inventory of the subject wellsite. A copy of the report has been sent to the BLM Farmington office. Pertinent information regarding the subject well is attached.

SURFACE USE PROGRAM

1. Existing Roads

- a. Access to existing lease roads is approximately 5 miles south of Montezuma Creek, Utah.
- b. The existing roads will be maintained in the same or better condition.
- c. Refer to the attached access road map for road information.

2. Access Roads

Planned upgrading of existing access roads is shown on the attached map.

3. Location of Existing Wells.

Locations of existing wells are shown on the attached maps.

4. Production from the proposed well will be piped to Ratherford Unit Tank Battery #1, located in the SW SW Sec. 16-T41S-R24E San Juan County, Utah. The flowline will be visible from the existing lease roads. A plat of the proposed leadline is attached.

5. Water Supply

- a. The source of water to drill the subject well is from the River Booster, NE/4 Sec. 5., or from the Water Injection Plant, SE/4 Sec. 17 in T41S-R24E, San Juan County, Utah.
- b. The drilling water will be trucked from the water source to the subject well.
- c. A water supply well will not be drilled on the lease.

6. Construction Materials

- a. Only native soils will be used for construction of wellsite and the access road.
- b. Pit run rock will be used on the wellsite and access road when needed.
- c. The above materials are owned by the Navajo Tribe.

7. Waste Disposal

- a. **Cuttings:** Cuttings will be contained in a fenced reserve pit until dry enough to cover. Upon abandonment, the reserve pit area will be backfilled, shaped to natural topography, and seeded.
- b. **Drilling Fluid:** Drilling fluid will be contained in a fenced reserve pit until dry enough to cover. Upon abandonment, the reserve pit area will be backfilled, shaped to natural topography, and seeded.
- c. **Garbage/Trash:** All garbage and trash will be put in the burn pit. The burn pit will be fenced on four sides. After the burn pit is no longer in use, the trash and garbage will be covered with a minimum of 4 feet of fill.
- d. **Salt:** No salts are anticipated on this well. If salt is present, it will be disposed of in the reserve pit.
- e. **Chemicals:** Chemicals will be disposed of in the reserve pit.
- f. **Sewage:** Dry chemical toilets will be used.

8. Ancillary Facilities

No ancillary facilities are required.

9. Well Site Layout.

- a. Refer to attached Rig Layout plat
- b. There are no plans to line the reserve pit unless porous soil materials are encountered during construction.

10. Surface Reclamation Plans

- a. **Construction Program:** The top 8 inches of surface material will be removed and stockpiled. A cross section of the drill site showing cuts and fills is attached.
- b. **Well Abandonment:** All disturbed areas will be shaped to the natural topography and seeded in accordance with BLM requirements.

- c. Producing Well: Those areas not needed for production purposes will be recontoured to the surrounding topography. Seeding will be in accordance with BLM requirements.
 - d. Pipelines and flowlines: Flowlines will be above ground and follow or be visible from existing roads.
 - e. Rehabilitation will begin as soon as possible, considering weather and other factors, and proceed per recommendation of the BLM. The reserve pit will be reclaimed once it dries.
11. Surface Ownership: The wellsite location, access road and leadline are on the Navajo Indian Reservation. No dwellings are in the proposed drilling area.

12. Other information:

The reserve pit will be lined if needed to contain drilling fluids. The reserve pit will be fenced on three sides during drilling and on the fourth side after the rig is moved out.

13. Operator's Representative and Certification.

a. Field Representative:


D. C. Gill
P. O. Box 2920
Casper, Wyoming 82602
307-237-3791

I hereby certify that I or persons under my direct supervision have inspected the proposed drill site and access route; and I am familiar with the conditions which currently exist; that the statements made in this plan are to the best of my knowledge true and correct; and that the work associated with operations proposed herein will be performed by Phillips Oil Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of the 18 U.S.C. 1001 for the filing of a false statement.

Date August 19, 1985


D. C. Gill
Area Manager

RCT/lc (18)
Casper - RC



1. BELL RIFFLE
2. FLOW LINE
3. FILL-UP LINE
4. 2" FE PRESSURE-OPERATED CHOKE LINE VALVE
5. 2" FE GATE VALVE
6. 2" FE CHOKE LINE TO MANFOLD
7. 2" FE GATE VALVES
8. 2" FE KILL LINE
9. 2" BE OR FE GATE VALVE WITH NEEDLE VALVE
11. CASING HEAD HOUSING

Figure 7-10. Standard Hydraulic Blowout Preventer Assembly
(2 M or 3 M Working Pressure) Alternative 3 (without Drilling Spool)

Well Control 4
January/83

PHILLIPS PETROLEUM COMPANY



Page 251
Section II

7.6 Testing Surface Blowout Preventer Equipment**7.6.1 Pressure Test Frequency**

All rams, annulars, valves, choke and kill lines, choke manifold, kelly cocks, and safety valves shall be pressure tested at the following frequencies:

- (1) Initial installation of blowout preventers.
- (2) After setting casing, before drilling cement.
- (3) Every 7 days or on first trip out of hole after 7 days since previous pressure test.
- (4) After any component of the blowout preventer assembly is disturbed, replaced or repaired (this includes lines, valves, or choke manifold). In this case, the component changed may be the only component tested.
- (5) Prior to conducting first drill stem test in a series of one or more DST's.
- (6) Any time the Phillips Wellsite Supervisor deems necessary, such as prior to drilling into suspected high pressure zones.



7.6.2 Function Test Frequency

All rams, annulars, valves, and other items specified below, shall be function tested at the following frequencies.

- (1) On initial installation from driller control and remote panel.
- (2) Each trip out of hole alternating between driller's and remote control panel but not more than once every twenty-four (24) hours. Close pipe rams or annular preventer ONLY on drill pipe.

7.6.3 Test Pressures

Use the following table to identify which test is appropriate and at what pressure.

TEST	DESCRIPTION
Low Pressure	Test to 200-300 psi prior to each high pressure test.
Initial Installation	<p>Test all rams, annulars, valves, choke manifold, kelly cocks, and safety valves to the lesser of the following pressures.</p> <ul style="list-style-type: none"> . Rated working pressure of the component in the blowout preventer assembly with the exception of annular preventer which is to be tested to 70% of the rated working pressure. . The API rated casing burst pressure of the last casing to be utilized in the well with the BOP assembly being tested. . Rated working pressure of the casing head. . If "Cup Tester" is used do not exceed 80% of the API rated burst pressure of the casing.
Repair	Repaired or replaced components are to be tested to the same pressures used in the Initial Test.

7.6.3, cont'd

TEST	DESCRIPTION
Weekly and After Setting Casing	<p>Test all rams, annulars, valves, choke and kill lines, choke manifold, kelly cocks, and safety valves, to the lesser of the following pressures.</p> <ul style="list-style-type: none"> • 50% of the rated working pressure of the component to be tested. • 80% of the API rating of the casing burst pressure then in the well. • Test blind rams during internal casing pressure test. (Refer to drilling program for test pressures).
DST Operations	<p>Test all pipe rams, annular preventers, valves, choke and kill lines, choke manifold, kelly cocks, and safety valves to the maximum anticipated surface pressure expected while conducting drill stem tests. Do not test annular to more than 70% of its working pressure.</p>
Shallow Casing	<p>Where cased hole is less than 2000 feet measured depth, the test pressure may be 1.5 psi per foot of casing depth, not to exceed 80% of the API rated burst pressure. In the case of shallow conductor casing or drive pipe (500 feet or less) that is equipped with one BOP, then the test pressures do not need to exceed 1.0 psi per foot of casing depth.</p>
Accumulator	<p>Test accumulator to the manufacturer's rated working pressure. Test the accumulator for time to pump up to specifications.</p>

7.6.4 Blowout Preventer Test Practices

- (1) All pressure tests shall be witnessed by Phillips' Representative and the Contractor's Senior Supervisor on Location. All tests shall be recorded on the Phillips' Daily Drilling Report, the IADC Report and the BOP Test Form; see Figure 7-13. A reproducible copy of the BOP Test Form (Figure 7-13) can be found in Section III.

7.6.4, cont'd

- (2) Hold all low pressure tests for three minutes and high pressure tests for five minutes or until Phillips Representative and the Contractor's Senior Supervisor are satisfied no leaks exist.
- (3) A detail procedure for the testing of blowout preventer and choke manifold equipment will be included in the drilling programs. The procedure is to be distributed for each drilling unit under contract by the operating office. Each operating office must include the following practices:
- a. Prior to testing, all lines and valves will be thoroughly flushed to ensure the system is clear. Test all opening and closing control lines to 1500 psi and inspect for leaks.
 - b. If necessary, run a stand of drill collars below the test plug to prevent unseating the test tool during testing.
 - c. All precautions must be taken to avoid pressuring the casing below the test tool.
 - d. The running string is to be full of water (or antifreeze solution) for immediate indication of test tool leakage.
 - e. All pipe rams, blind/shear rams, blind rams, annular preventers, valves, fail-safe valves, choke and kill lines are to be tested at the frequencies and pressures outlined in this section.
 - f. Drill pipe safety valve, lower and upper kelly cocks are to be tested from below at pressures and frequencies outlined in this section.
 - g. All test fluids are to be bled back to the pump unit in safe manner.

7.6.5 Testing Wellhead Pack-offs

The wellhead pack-off is to be pressure tested upon installation for five minutes. Test pressure is to be 80% API rated casing collapse or the rated working pressure of the casing head whichever is the lesser. Casing annulus valve(s) must be in open position to prevent casing collapse during pack-off testing.


When testing the wellhead pack-off, use recorded test pressures and volumes to determine if pack-off is leaking. Pressure should be immediately released at the first indication of a leak.

7.6.6 Safety Precautions


One pumping unit operator is to be stationed at the high pressure pumping unit, and is to remain at this station until all testing has been completed. The pump unit operator is to be in continuous communication with the person who is recording the test data. The Phillips Wellsite Supervisor and Contractor's Senior Supervisor on location will be the only personnel who will go into the test area to inspect for leaks when the equipment involved is under pressure. The rig crews are to stay clear of the area until such time that both the Phillips Wellsite Supervisor and the Contractor's Senior Supervisor have contacted the pumping unit operator and all three have agreed that all pressure has been released, and there is no possibility of pressure being trapped. The rig crews may then go into the area to repair leaks or work as directed.

All lines, swings, and connections that are used in the testing of the blowout preventers are to be adequately secured in place.


Pressure is to be released only through the pressure release lines that are vented back into the pump unit tanks. The lines are to be clamped down to direct the flow into unit tanks.



NO.	REVISION	BY	DATE	CHKD	APP'D
FOR BIDS	 PHILLIPS PETROLEUM COMPANY BARTLESVILLE, OKLAHOMA 	JA NO.	FILE CODE		
FOR APPR		AFE NO.	SCALE 2.2" = 1 mi		
FOR CONST		DWG NO.	SH NO.		
DRAWN 3-30-84 BJM	RATHERFORD UNIT WELL 7-44 WATER INJECTION LINES SE SE SEC 7 - T41S-R24E SAN JUAN CO., UTAH				
CHECKED					
APP'D					




NO.	REVISION	BY	DATE	CHKD	APP'D
FOR BIDS	 PHILLIPS PETROLEUM COMPANY 			JA NO	FILE CODE
FOR APPR	BARTLESVILLE, OKLAHOMA			AFE NO.	SCALE
FOR CONST	RATHERFORD UNIT WELL 7-44 PROPOSED ROAD PLAT SE SE SEC 7 T41S-R24E SAN JUAN CO., UTAH			2.0" = 1 mi	
DRAWN 1-17-95 EJM				DWG NO	
CHECKED				SH NO	
APP'D					



NO.	REVISION	BY	DATE	CHKD	APP'D
FOR BIDS	 PHILLIPS PETROLEUM COMPANY BARTLESVILLE, OKLAHOMA 	JA NO	FILE CODE		
FOR APPR		AFE NO	SCALE 2.2" = 1 mi		
FOR CONST		DWG NO	SH NO		
DRAWN	RATHERFORD UNIT WELL 7-44 PROPOSED LEADLINE PLAT SE SE SEC. 7 T41S-R24E SAN JUAN CO., UTAH				
CHECKED					
APP'D					

Rutherford Unit # 7-44

SESE Sec 1 T41S-R24E



- 1. RESERVE PIT
- 2. TRASH PIT
- 3. CIR. PITS + PUMP
- 4. RIG
- 5. CAT WALK + PIPE RACKS
- 6. TRAILERS

DRILLING RIG LAYOUT

Outline of LOCATION APPROXIMATELY 300' x 350'
No Scale.

Project No. 19-85-C
BIA DCA-85-187

NAO-BIA Use Authorization
No. 84-DCA-013-1 (Navajo)
Navajo Nation Permit No. 84-22

State of Utah No. U-84-3

An Archaeological Survey of
17 Well Pads and Their Access Routes
and Pipelines near White Rock Curve Village,
San Juan County, Utah

for

Phillips Petroleum Company

Ratherford Unit:

1-14	12-21	17-31
7-11	12-32	17-42
7-13	12-43	18-22
7-22	16-13	18-31
7-44	17-11	18-42
12-12	17-22	

by

Roger A. Moore and Timothy M. Kearns
Supervisory Archaeologists


Submitted by

Margaret A. Powers
Principal Investigator

DIVISION OF CONSERVATION ARCHAEOLOGY

Contributions to Anthropology Series, No. 963
San Juan County Archaeological Research Center and Library

April 19, 1985



ABSTRACT

On April 4-10 and 12, 1985, the Division of Conservation Archaeology of the San Juan County Museum Association completed an archaeological survey of 17 well pads and their access routes and pipeline tie-ins for Phillips Petroleum Company. The survey area is located in the Ratherford Unit, north of White Rock Curve Village, San Juan County, Utah and is under the jurisdiction of the Bureau of Indian Affairs (BIA) and the Navajo Nation. A total of 131.02 acres was surveyed.

Six archaeological sites and 34 isolated loci were found and recorded. The documentation of the isolates in the field has exhausted their research potential. Archaeological clearance is recommended with the following stipulations that 1) the revised locations for wells 7-44 and 12-12 be used; 2) the pipeline be laid within the existing bladed road within site DCA-85-13; and 3) the access road to well 18-22 follow the new flagged route which avoids site DCA-85-10.

INTRODUCTION

On April 4-6, and 19, 1985, the Division of Conservation Archaeology (DCA) of the San Juan County Museum Association conducted an archaeological survey for Phillips Petroleum Company of Cortez, Colorado. Jon Weichbrodt requested the survey on March 27, 1985 and administered the project for Phillips Petroleum Company. Margaret A. Powers administered the project for DCA.

In recognition of the limited, nonrenewable nature of archaeological remains, the federal government has enacted legislation that is designed to conserve and protect these resources. The principal legislation includes the Antiquities Act of 1906 (PL 52-209), the Historic Preservation Act of 1966 (PL 89-665), the National Environmental Policy Act of 1969 (PL 91-852), the 1971 Executive Order No. 11593, the Archaeological and Historical Conservation Act of 1974 (PL 93-291), and the Archaeological Resources Protection Act of 1979 (PL 96-95). In addition, the states of Arizona, New Mexico, Utah, and Colorado have enacted laws to ensure compliance with federal legislation and to protect archaeological resources within their jurisdiction. Work undertaken in the course of this project is intended to comply with these statutes and is governed by the stipulations of NAO-BIA Use Authorization No. 84-DCA-013-1, Navajo Nation Permit No. 84-22, and State of Utah Permit No. U-84-3.

Roger A. Moore and Timothy M. Kearns, DCA archaeologists, surveyed the project area for cultural remains. Anthony Klesert (Coordinator of the Navajo Nation Cultural Resource Management Program) and Mark Henderson (Bureau of Indian Affairs Navajo Area Archaeologist) were notified of the survey schedule before fieldwork began. Jon Weichbrodt of Phillips Petroleum Company accompanied the archaeologists during part of the fieldwork.

METHODS

The area was surveyed by walking parallel transects 15m apart across the well pads, and a single zigzag transect along the access routes and pipeline right-of-ways. A buffer zone 50 to 100 ft wide (depending on amount of cut and fill for a pad) was included in well surveys, and 20 ft was added to each side of the access routes and pipeline right-of-ways. The archaeologists recorded all cultural remains. Those whose information potential exceeded what could be extracted during the survey phase were assigned site status. Other cultural remains were documented as isolated loci (IL). Pertinent environmental data were also recorded.

In addition to field inspection, the archaeologists conducted a search of the records at the Division of Conservation Archaeology, San Juan College, and the Utah Division of State History to determine if any sites had been recorded in the project area. Site and project records required by the BIA and the Utah Division of State History were completed.

GENERAL DISCUSSION

The areas surveyed are within the Phillips Petroleum Company Ratherford Unit on and around Flat Top Mountain, north of White Rock Curve Village, San Juan County, Utah. Table 1 contains the legal descriptions; Table 2 defines the areas surveyed. The legal descriptions of the project areas are referenced to the Salt Lake City Meridian; the project areas are on the USGS 7.5' Aneth 3 NE, Utah (Blueline) (1962) quadrangle map. The map showing all the well locations and right-of-ways is Figure 1. The legal descriptions and artifact descriptions for the isolated loci are in Table 3.

In the discussion of well pads, access, and pipeline right-of-ways the term "access route" will refer to the route to be constructed between the well pad and an existing bladed or paved road. The term "route" is used because it is just that, a proposed route, not an existing road. Unless otherwise stated, the pipeline will follow the same right-of-way from the pad as the access route. The term "road" refers to an existing feature.

Topography

Flat Top Mountain is a large mesa rising above the San Juan Valley south of the San Juan River. It is surrounded by a gently sloping upland valley. This part of the valley resembles a broad bench of a mesa; most of it is covered by stable and semistable dune fields and cut by several deep washes. The principal washes traversing the project area are Blue Hogan Wash and Desert Creek.

The top of Flat Top Mountain is capped by the Brushy Basin Member of the Morrison Formation. A gray to light gray-green chert and a silty chert occurs on this surface. The base of Flat Top Mountain is composed of the Westwater Canyon Member of the Morrison Formation. The surface bedrock of the upland valley surrounding the mountain consists of the Recapture Member of the Morrison Formation. This member is made of "reddish-gray, white, and brown fine- to medium-grained sandstone characterized by dark- and light-colored grains; interbedded reddish-gray siltstone and mudstone" (Haynes, et al. 1972).

Vegetation

The vegetation on Flat Top Mountain is a shadscale community which varies in density from 10-35 percent ground cover. Vegetation includes shadscale (Atriplex confertifolia), snakeweed (Gutierrezia sarothrae), Indian ricegrass (Oryzopsis hymenoides), prickly pear cactus (Opuntia sp.), and fishhook cactus (Mamillaria sp.).

The dune field below Flat Top Mountain is covered principally by a desert scrub community. This community is dominated by one or more of the following: two-scale Mormon tea (Ephedra viridis), narrowleaf yucca (Yucca angustissima), snakeweed, rabbitbrush (Chrysothamnus nauseosus), or Indian ricegrass. Other plants common to this community include galleta grass (Hilaria jamesii), prickly pear cactus, barrel cactus (Ferocactus sp.), and wolfberry (Lycium sp.). The ground cover varies from 5 to 25 percent.

Table 1
Legal Description for Well Pads

Well Pad No.	AFE #	LEGAL DESCRIPTION						UTM COORDINATES					
		T	R	Sec.	1/4	1/4	1/4	Center of Well Pad Zone	Center of Well Pad Northing	Center of Well Pad Easting	End of Access route (pipeline) Zone	End of Access route (pipeline) Northing	End of Access route (pipeline) Easting
1-14	POC-R259	41S	23E	1		SW	SW	12	4123375	646550	12	4122960	646600
		41S	23E	12	N 1/2	NW	NW						
7-11	POC-R258	41S	24E	7	E 1/2	W 1/2	NW	12	4122800	648200	12	4122800	648000
					S 1/2	NE	NW					(4122025	648200)
					NE	SE	NW						
					W 1/2	SW	NE						
7-13	POC-R257	41S	24E	7	N 1/2	NW	SW	12	412075	648200	12	(4122025	648500)
					W 1/2	NE	SW						
7-22	POC-R256	41S	24E	7	CT	SE	NW	12	4122450	648600	12	4121975	648575
					W 1/2	SE	NW					(4122025	648500)
					W 1/2	NE	SW						
7-44	POC-R253	41S	24E	*		SE	SE	12	4121625	649475	12	(4122025	648500)
					SW	NE	SE						
					S 1/2	NW	SE						
12-12	POC-R252	41S	23E	12	N 1/2	SW	NW	12	4122650	646560	12	4122300	646575
						SE	NW					(4122450	647150)
					NE	NE	SW						
12-21	POC-R251	41S	23E	12		NE	NW	12	4122975	646940	12	4122900	647150
					E 1/2	SE	NW					(4122450	647150)
					NE	NE	SW						
12-32	POC-R250	41S	23E	12	NE	SW	NE	12	4122650	647450	12	4122775	647375
					NW	SW	NE					(4122450	647150)
					E 1/2	SE	NW						
					NE	NE	SE						

Table 2
Area Surveyed

Well Pad No.	AFE #	Footages for Well	Well Pad ¹	Access Route ¹	Pipeline ¹	Acres
1-14	POC-R259	660' F/SL 660' F/WL	300' x 350' (400' x 450')	1600' x 20' (1600' x 60')	900' x 20' (900' x 60')	7.58
7-11	POC-R258	660' F/NL 710' F/WL	300' x 350' (400' x 450')	600' x 20' 400' x 20' (1000' x 60')	3400' x 20' (3400' x 60')	10.19
7-13	POC-R257	2110' F/SL 740' F/WL	300' x 350' (400' x 450')	----	1000' x 20' (1000' x 60')	5.51
7-22	POC-R256	1980' F/NL* 1990' F/WL	300' x 350' (450' x 450')	1350' x 20' (1350' x 60')	100' x 20' (100' x 60')	6.66
7-44	POC-R253	625' F/SL* 560' F/EL	300' x 350' (500' x 500')	----	4000' x 20' (4000' x 60')	11.25
12-12	POC-R252	1850' F/NL 660' F/WL	300' x 350' (450' x 550')	50' x 20' (50' x 60')	2000' x 20' (2000' x 60')	8.51
12-21	POC-R251	660' F/NL 1980' F/WL	300' x 350' (400' x 450')	400' x 20' (400' x 60')	2300' x 20' (2300' x 60')	7.85
12-32	POC-R250	1820' F/NL 1820' F/EL	300' x 350' (450' x 450')	300' x 20' (300' x 60')	700' x 20' (700' x 60')	6.03
12-43	POC-R249	2100' F/SL 660' F/EL	300' x 350' (400' x 450')	----	3000' x 20' (3000' x 60')	8.27
16-13	POC-R248	1980' F/SL 660' F/WL	300' x 350' (400' x 450')	230' x 20' (230' x 60')	2400' x 20' (2400' x 60')	7.76
17-11	POC-R247	1075' F/NL 800' F/WL	300' x 350' (400' x 450')	400' x 20' (400' x 60')	3100' x 20' (3100' x 60')	8.95

Table 3 (Cont.)
Isolated Loci Descriptions

IL No.	Well No.	LEGAL DESCRIPTION				UTM		Description
		T	R	Sec.	Zone	Northing	Easting	
7	7-44	41S	24E	7	12	4122075	648585	One light green chert tertiary core reduction flake, 3.3cm long, 2.2cm wide, 0.4cm thick.
8	7-44	41S	24E	7	12	4122085	648545	One light green chert secondary core reduction flake, 8.6cm long, 3.7cm wide, 2.6cm thick.
9	7-44	41S	24E	7	12	4122100	648545	One light green chert tertiary core reduction flake, 4.1cm long, 2.8cm wide, 1.3cm thick.
10	7-44	41S	24E	7	12	4122100	648400	One green chert secondary core reduction flake, 5cm long, 4.8cm wide, 1.5cm thick.
11	7-44	41S	24E	7	12	4122200	649250	One gray chert secondary core reduction flake, 7.5cm long, 4.9cm wide, 1.4cm thick.
12	12-12	41S	23E	12	12	4122665	646550	One tan and gray chert secondary core reduction flake of a pebble core.
13	12-12	41S	23E	12	12	4122635	646470	One white-tan quartzite tertiary core reduction flake.
14	12-12	41S	23E	12	12	4122655	646490	37+ mottled yellow-tan-white grainy quartzite flakes and flake fragments in an area 0.4m ² . Most of the recognizable flakes are tertiary.

Well 7-22

The proposed well pad is in a deeply dissected area of the dune field just west of Flat Top Mountain. The scrubland community provides about 10 percent cover dominated by Mormon tea, narrowleaf yucca, and snakeweed. An old two-track road cuts through the center of the pad from east to west along the ridge of the dune. From the west side of the pad the access follows this two-track 130 ft west, heads south about 900 ft toward the satellite station, then runs southeast 150 ft to well 7-23. The pipeline right-of-way will parallel the access route to the satellite.

Cultural Resources: One isolated locus was found on the well pad. IL 6 is unusual because it consists of a core and seven flakes removed from the core, none of which fit back onto the core, and none of which fit together. Flake scars on the core indicate that at least six more flakes were removed. These may be under the soil, or may have been removed by the person making them for a specific use. The core was probably procured from the base or slopes of Flat Top Mountain.

Recommendations: Archaeological clearance is recommended because the isolate contains little additional research value.

Well 7-44

The proposed well is on the top of Flat Top Mountain on the top mesa bench. The shadscale here community provides about 15 percent cover.


The original location was on the west edge of the bench (625' F/SL, 560' F/EL. The revised well location is 100 ft farther northeast on the vector of the original pad's B-B' line (Figure 2).

A pipeline runs along the southwest edge of the revised location, and a bladed road, which provides access, cuts through the pad from southeast to northwest. The pipeline right-of-way follows the west edge of this road northwest 1100 ft to a "T" intersection, then follows the south side of the road 1700 ft southwest to the main Flat Top Mountain road. The pipeline crosses the road and follows an existing pipeline and the 7-24 pipeline northwest down the side of Flat Top Mountain to the satellite in Section 7.

Cultural Resources: Five isolated loci (all flakes) and three sites were recorded. IL 7 is 70 ft south of the pad, IL 8 and 9 are along the west side of the revised pad location, and IL 10 and 11 are along the access road, and sites DCA-85-11 and DCA-85-12 are in the reserve pit area of the original pad location. Site DCA-85-13 is along the access road about 800 ft north of the pad. Site DCA-85-11 and DCA-85-13 are lithic quarries. Site DCA-85-12 is an historic sheep pen. The sites are further described in the next section of this report.

The revised pad location will avoid impacting sites DCA-85-11 and 12. The west edge of site DCA-85-13 is cut by the bladed road, which appear to have removed the cultural deposits. Phillips Petroleum Company has agreed to keep the pipeline within the bladed area of the road to prevent additional impact to the site.

FIGURE 1



SCALE 1:24000

1 MILE

1000 0 1000 2000 3000 4000 5000 6000 7000 FEET


1 5 0 1 KILOMETER

CONTOUR INTERVAL 20 FEET



22

FIGURE 2





DIVISION OF CONSERVATION ARCHAEOLOGY

San Juan County
Museum Association

April 19, 1985

Mr. Jon Weichbrodt
Phillips Petroleum Company
P.O. Box 1150
Cortez, Colorado 81321

Re: BIA DCA-85-187

Dear Mr. Weichbrodt:

Our report on the archaeological survey of 17 well pads, access roads and pipeline right-of-ways in the Ratherford Unit, San Juan County, Utah is enclosed. Six sites and 34 isolated loci were found.

We have recommended clearance for all 17 locations (with stipulations for wells 7-44, 12-12 and 18-22 (see report for details)). Wells 7-24 and 7-33 require further treatment of archaeological sites and will be submitted in a separate report so they will not delay construction of the others.

The Bureau of Indian Affairs will review this report and make the final decision on archaeological clearance for your project. The Bureau of Indian Affairs in Window Rock should notify the Real Property Management office of the Shiprock Bureau of Indian Affairs of its decision.

An invoice will follow. We have enjoyed working with you and hope we can be of service again. If you have any questions, please call us. We will be happy to help you.

Sincerely,

Roger A. Moore
Supervisory Archaeologist

cc: Mark Henderson, BIA, Window Rock (6)
State Historic Preservation Office, Salt Lake City

OPERATOR Phillips Petroleum Co. DATE 8-28-85

WELL NAME Ratherford Unit 7-44

SEC SESE 7 T 41S R 24E COUNTY San Juan

43-037-31189
API NUMBER

Indian
TYPE OF LEASE

CHECK OFF:

- PLAT
- BOND
- NEAREST WELL
- LEASE
- FIELD
- POTASH OR OIL SHALE

PROCESSING COMMENTS:

Water OK

APPROVAL LETTER:

- SPACING: A-3 Ratherford c-3-a _____
UNIT CAUSE NO. & DATE
- c-3-b c-3-c

STIPULATIONS:



STATE OF UTAH
NATURAL RESOURCES
Oil, Gas & Mining

Norman H. Bangerter, Governor
Dee C. Hansen, Executive Director
Dianne R. Nielson, Ph.D., Division Director

355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

September 3, 1985

Phillips Petroleum Company
P.O. Box 2920
Casper, Wyoming 82602

Gentlemen:

Re: Well No. Ratherford Unit 7-44 - SE SE Sec. 7, T. 41S, R. 24E
737' FSL, 590' FEL - San Juan County, Utah

Approval to drill the above-referenced oil well is hereby granted in accordance with Section 40-6-18, Utah Code Annotated, as amended 1983; and predicated on Rule A-3, General Rules and Regulations and Rules of Practice and Procedure.

In addition, the following actions are necessary to fully comply with this approval:

1. Spudding notification to the Division within 24 hours after drilling operations commence.
2. Submittal to the Division of completed Form OGC-8-X, Report of Water Encountered During Drilling.
3. Prompt notification to the Division should you determine that it is necessary to plug and abandon this well. Notify John R. Baza, Petroleum Engineer, (Office) (801) 538-5340, (Home) 298-7695, or R. J. Firth, Associate Director, (Home) 571-6068.
4. Compliance with the requirements and regulations of Rule C-27, Associated Gas Flaring, General Rules and Regulations, Oil and Gas Conservation.
5. This approval shall expire one (1) year after date of issuance unless substantial and continuous operation is underway or an application for an extension is made prior to the approval expiration date.

The API number assigned to this well is 43-037-31189.

Sincerely,

R. J. Firth
Associate Director, Oil & Gas

Enclosures

cc: Branch of Fluid Minerals
Bureau of Indian Affairs

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIP
(Other instructions
reverse side)

Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. WELL TYPE OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
Phillips Oil Company

3. ADDRESS OF OPERATOR
P. O. Box 2920 Casper, WY 82602

4. LOCATION OF WELL (Report location clearly and in accordance with any BLM instructions.
See also space 17 below.)
At surface
737' FSL & 555' FEL (SE SE) Sec. 7 - T41S - R24E

16. PERMIT NO.

18. ELEVATIONS (Show whether of, to, or, etc.)
5104' ungraded ground

RECEIVED

OCT 07 1985

DIVISION OF OIL
GAS & MINING

5. LEASE INFORMATION AND SERIAL NO.
14-20-603-368

6. IF OTHER, ALLOTTEE OR PLUGS FANS
Navajo

7. WELL IDENTIFICATION NAME
SW-I-4192

8. FARM OR LEASE NAME
Ratherford Unit

9. WELL NO.
7-44

10. FIELD AND POOL, OR WILDCAT
Greater Aneth

11. SEC., T., R., N., OR S.E., AND SURVEY OR AREA
Sec. 7 - T41S - R24E

12. COUNTY OR PARISH San Juan

13. STATE Utah

15. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PLUG OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDISE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDISING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) _____	(Other) _____
(Other) Amend APD <input checked="" type="checkbox"/>		(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)*

There was an error in the legal description of the surface location. The surface location should be 737' FSL & 555' FEL (SE SE) rather than 737' FSL & 590' FEL as reported on the APD. The stake and the physical location has not changed but due to survey errors the legal description should be changed as described above.

- | | |
|---------------------------|---------------------|
| 5-BLM | 1-Chevron USA, Inc. |
| 2-Utah O&G Salt Lake City | 1-Texaco, Inc. |
| 1-P. Adamson | 1-Mobil Oil Corp. |
| 1-J. R. Weichbrodt | 1-Shell Oil Corp. |
| 1-C. M. Anderson | |
| 1-L. Williamson | |
| 1-File | |

18. I hereby certify that the foregoing is true and correct

SIGNED Jon Weichbrodt for D. C. Gill TITLE Area Manager DATE October 1, 1985

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

COMPANY PHILLIPS OIL COMPANY


LEASE RATHERFORD WELL NO. 7-44

SEC. 7 T. 41 SOUTH R. 24 EAST, S.L.M.

LOCATION 737 FEET FROM THE SOUTH LINE AND
555 FEET FROM THE EAST LINE

ELEVATION 5104 UNGRADED GROUND

SAN JUAN COUNTY, EAST 5280 UTAH



*This is
a certified
copy*

CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEY BY ME UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

James P. Leese
Registered Land Surveyor.
James P. Leese
Utah Reg. #1472

September 12

19 85

RECEIVED

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

DEC 09 1985

DIVISION OF OIL
& GAS MINING

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well gas well other

2. NAME OF OPERATOR
Phillips Petroleum Company (Attn: RMR Drlg)

3. ADDRESS OF OPERATOR
8055 E. Tufts Ave. Pkwy., Denver, CO 80237

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 737' FSL, 590' FEL
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

5. LEASE
14-20-603-368

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
Navajo

7. UNIT AGREEMENT NAME
SW-I-4192

8. FARM OR LEASE NAME
Ratherford Unit

9. WELL NO.
#7-44

10. FIELD OR WILDCAT NAME
Greater Aneth

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 7-T41S-R24E

12. COUNTY OR PARISH | 13. STATE
San Juan | Utah

14. API NO.
43-037-81189

15. ELEVATIONS (SHOW DF, KDB, AND WD)
5104' unq. GL

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	<input type="checkbox"/>		<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>		<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>		<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>		<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>		<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>		<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>		<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>		<input type="checkbox"/>
(other)	<input type="checkbox"/>		<input type="checkbox"/>

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Drilled 17½" conductor hole to 122' RKB on 11-13-85. Ran 122' 13-3/8" 54.5# K-55 Butt casing. Set at 135', cemented with 177 cu.ft. (150 sx) Class B cement to surface. Finished job and moved out rat hole drilled 11-13-85.

Spudded well 11-14-85 with Energy Search Drilling Rig #2. Drilled 12-1/4" hole to 1620'. Ran 9-5/8" 36# K-55 ST&C and LT&C casing, set at 1620'. Cemented with 956 cu.ft. (395 sx) Howco Light cement; tailed with 354 cu.ft. (300 sx) Class B cement. Circulated to surface, fell back; pumped 10 sx Class B as top job. Job complete 11-16-85.

Drilled 8-3/4" hole to 5981'. Ran 7" 23# and 26# K-55 LT&C & ST&C casing; set at 5980'. Cemented with 1428 cu.ft. (700 sx) Light cement; tailed with 360 cu.ft. (300 sx) Class B w/18% salt. Pressure tested casing to 2000 psi. Job complete 11-30-85. Plug back total depth 5933'; TOC ± 2000.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED [Signature] TITLE Drilling Manager DATE December 5, 1985

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

- 6-BLM, Farmington, NM
- 2-Utah O&GCC, SLC
- 1-Casper
- 1-Well File
- 1-J. Weichbrodt

- 1-Chevron USA, Inc.
- 1-Mobil Oil Corp.
- 1-Texaco, Inc.
- *See Instructions on Reverse Side
- 1-Shell Oil Corp.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE*

(See other in
books on
the side)

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1a. TYPE OF WELL: OIL WELL GAS WELL DRY Other _____

b. TYPE OF COMPLETION: NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF. REMVR. Other _____

2. NAME OF OPERATOR
Phillips Petroleum Company

3. ADDRESS OF OPERATOR
P. O. Box 2920, Casper, Wyoming 82602

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*
At surface 737' FSL & 555' FEL, SE SE
At top prod. interval reported below
At total depth

14. PERMIT NO. --- DATE ISSUED 19-3-85
API #43-037-31189

15. DATE SPUNDED 11/14/85 16. DATE T.D. REACHED 11/28/85 17. DATE COMPL. (Ready to prod.) 1/18/86 18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* GR 5103', RKB 5116' 19. ELEV. CASINGHEAD ---

20. TOTAL DEPTH, MD & TVD 5981' 21. PLUG. BACK T.D., MD & TVD 5968' 22. IF MULTIPLE COMPL. HOW MANY* --- 23. INTERVALS DRILLED BY --- ROTARY TOOLS 0 - 5981' CABLE TOOLS ---

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* 5894' - 5954' Desert Creek Zone I 25. WAS DIRECTIONAL SURVEY MADE No

26. TYPE ELECTRIC AND OTHER LOGS RUN FDC-CND, DLL-MSEF, ML CBXCEL 27. WAS WELL CORED Yes

29. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13-3/8"	54.5#	135'	17-1/2"	177 cu.ft. Class B	---
9-5/8"	36#	1620'	12-1/4"	956 cu.ft. Howco Lite & 354 cu.ft. Class B	---
7"	23# & 26#	5980'	8-3/4"	1428 cu.ft. Howco Lite & 360 cu.ft. Class B	---

29. LINER RECORD 30. TUBING RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
---	---	---	---	---	2-7/8"	5811'	---

31. PERFORATION RECORD (Interval, size and number)

5954-5944, 2 SPF, 4" HSC Gun, .40"hole, 20 shots
5933-5919, 2 SPF, 4" HSC Gun, .40"hole, 28 shots
5906-5894, 2 SPF, 4" HSC Gun, .40"hole, 24 shots

32. ACID. SHOT. FRACTURE. CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
5894-5954' -	Break down ea ft of perms w/50 gal 28% acid/ft (total 1800 gal). Acidized entire interval w/3600 gal 28% HCL containing 2 gal/1000 F-801 fines suspender, 3 gal/1000 W-802

33. PRODUCTION (CONTINUED ON BACK)

DATE FIRST PRODUCTION	PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)	WELL STATUS (Producing or shut-in)					
1/18/86	Pumping 1-1/4"	Producing					
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
2/13/86	24	---	---	142	71	7	500
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
---	---	---	142	71	7	40.0	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Sold TEST WITNESSED BY ---

35. LIST OF ATTACHMENTS None

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED D. C. Gill TITLE Area Manager DATE February 14, 1986

*(See Instructions and Spaces for Additional Data on Reverse Side)

16

8602 28

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

38. GEOLOGIC MARKERS

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	MEAS. DEPTH	TOP TRUE VERT. DEPTH
ACID TREATMENT CONTINUED -						
non-emulsifier, 1 gal/1000 iron agent Used 100 ball sealers			corrosion inhibitor and 6 gal/1000 U-42 for divertant.	LOG TOPS	2711 3022 4933 5740 5889	
CORE #1	5898	5948	Cut 50', Recovered 44'.			
CORE #2	5948	5977	Cut and Recovered 29'.			
<p>Distribution:</p> <ul style="list-style-type: none"> 4 - BLM, Farmington, NM 2 - Utah O&G CC, Salt Lake City, UT 1 - The Navajo Nation, Window Rock, AZ 1 - R. Ewing, B'Ville 1 - L. R. Williamson r) G. W. Berk, Denver 1 - T. L. Carten r) P. Bertuzzi, Denver 1 - J. B. Lindemood, Denver 1 - D. L. Kennedy, Denver 17 - W. I. Owners 1 - J. Weichbrodt, Cortez 1 - File RC 						

Mobil Oil Corporation

P.O. BOX 5444
DENVER, COLORADO 80217-5444

May 14, 1986

Utah Board of Oil, Gas and Mining
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

Attn: R. J. Firth
Associate Director

RECEIVED
MAY 16 1986

DIVISION OF
OIL, GAS & MINING

SUPERIOR OIL COMPANY MERGER

Dear Mr. Firth:

On September 20, 1984, The Superior Oil Company (Superior) became a wholly owned subsidiary of Mobil Corporation. Since January 1, 1985, Mobil Oil Corporation (MOC), another wholly owned subsidiary of Mobil Corporation, has acted as agent for Superior and has operated the Superior-owned properties.

On April 24, 1986, Superior was merged with Mobil Exploration and Producing North America Inc. (MEPNA), which is also a wholly owned subsidiary of Mobil Corporation. MEPNA is the surviving company of the merger.

This letter is to advise you that all properties held in the name of Superior will now be held in the name of MEPNA; and that these properties will continue to be operated by MOC as agent for MEPNA.

Attached is a listing of all wells and a separate listing of injection-disposal wells, Designation of Agent and an organization chart illustrating the relationships of the various companies. If you have any questions or require additional documentation of this merger, please feel free to contact me at the above address or (303) 298-2577.

Very truly yours,



CNE/rd
CNE8661

R. D. Baker
Environmental Regulatory Manager

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1104-1115
Expires September 30 1990

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.

5. Lease Designation and Serial No.
14-20-603-368

6. If Indian, Allottee or Tribe Name
Navajo

SUBMIT IN TRIPLICATE

RECEIVED
JUN 25 1990

7. If Unit or CA Agreement Designation
SW-I-4192

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
Phillips Petroleum Company

3. Address and Telephone No.
P. O. Box 1150, Cortez, CO 80321 (303) 565-3426

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
737' FSL & 555' FEL, SE SE, Sec 7-T41S-R24E

8. Well Name and No.
Ratherford Unit #7-44

9. API Well No.
43-037-31189

10. Field and Pool, or Exploratory Area
Greater Aneth

11. County or Parish, State
San Juan, Utah

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection

Vent Produced Gas

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

This well will be tested through a portable tester from approximately 6/22/90 to 6/25/90. The produced gas of approximately 13 MCFD will be flared.

The gas flaring was verbally approved by Kenny Howell on 6/18/90.

OIL AND GAS	
DFN	RJF
1-JPB ✓	GLH
DIS	SLS
2- MICROFILM ✓	
3- FLE	

- 3 - BLM, Farmington
- 2 - Utah O&GCC
- 1 - Cortez, PPCo
- 1 - Casper, PPCo

14. I hereby certify that the foregoing is true and correct

Signed A. H. Oden S. H. Oden Title District Superintendent BY THE STATE Date June 22, 1990


(This space for Federal or State office use)

Approved by _____ Title _____
Conditions of approval, if any:

OF UTAH DIVISION OF OIL, GAS, AND MINING

DATE: 7-6-90
BY: John R. Bay

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



CHUSKA ENERGY COMPANY

3315 BLOOMFIELD HIGHWAY • FARMINGTON, NEW MEXICO 87401 • PHONE: (505) 326-5525

23 April, 1991

State of Utah Department of Natural Resources
Division of Oil, Gas and Mining
355 West North Temple
3 Triad Building, Suite 350
Salt Lake City, Utah 84180-1203

Ref: Sundry Notice: Beaver 12L 1 Well
Notification of Intent to Plug and Abandon

Gentlemen

Attached for your examination and approval are the original and two copies of the subject Sundry Notice.

Please advise if you require additional information concerning this submission.

Sincerely,

Larry G. Sessions
Operations Manager

LGS/csw
File: C:\WP51\BEAVER.12L\1PASUN.CVR

encl.

RECEIVED

APR 26 1991

DIVISION OF
OIL GAS & MINING

RECEIVED

APR 29 1991

Form 3160-5
(June 1990)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

DIVISION OF
OIL GAS & MINING

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

5. Lease Designation and Serial No.

14-20-603-368

6. If Indian, Allottee or Tribe Name

Navajo Tribal

7. If Unit or CA, Agreement Designation

SW-I-4192

Ratherford Unit

8. Well Name and No.

Ratherford Unit #7-44

9. API Well No.

43-037-31189

10. Field and Pool, or Exploratory Area

Greater Aneth

11. County or Parish, State

San Juan County, Utah

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

Phillips Petroleum Company

3. Address and Telephone No.

300 W. Arrington, Suite 200, Farmington, NM 87401, 505-599-3400

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

737' FSL & 590' FEL, SE SE, Sec. 7-T41S-R24E

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other Acidize
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

January 29, 1991 Through February 5, 1991

MI & RU well service unit 1/29/91. COOH w/rods and pump. ND Wellhead, NU BOP. Rel TAC and COOH w/191 jts 2-7/8" tbg. GIH w/bit & scraper & cleaned out well to 5963' PBTD. PU 7" R-3 pkr, TIH, & set pkr at 5833'. Acidized perforations w/1000 gal 28% MSR-100 and 3000 gal 15% J-425 gelled acid, displaced w/80 bbls wtr, 0 psi at 7 BPM. ISIP 100 psi. Swabbed well. COOH w/pkr. TIH w/production tbg, set TAC at 5828', SN at 5956'. ND BOP, NU wellhead. Ran rods & pump. RD & MO well service unit and returned well to producing status 2/5/91.

Test Prior to Acid Job - 10 BOPD, 3 BWPD, 1 MCFGPD
Test After Acid Job - 25 BOPD, 12 BWPD, 2 MCFGPD

Distribution

- 5 - BLM, Farmington
- 2 - Utah O&GCC
- 1 - N. Anstine
- 1 - P. J. Konkell
- 1 - Chieftain
- 1 - Mobil
- 1 - Texaco, Inc.
- 1 - S. L. Ebert
- 1 - PPCo, Houston
- 1 - PPCo, Farmington, NM

14. I hereby certify that the foregoing is true and correct

Signed [Signature] Title Production Engineer Date 3/8/91

(This space for Federal or State office use)

Approved by _____ Title _____ Date _____
Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See instruction on Reverse Side

RECEIVED

JUN 14 1991

Form 3160-5
(June 1990)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
DIVISION OF OIL GAS & MINING

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

5. Lease Designation and Serial No.

14-20-603-368

6. If Indian, Allottee or Tribe Name

Navajo Tribal

7. If Unit or CA, Agreement Designation

SW-I-4192

Ratherford Unit

8. Well Name and No.

Ratherford Unit #7-44

9. API Well No.

43-037-31189

10. Field and Pool, or Exploratory Area

Greater Aneth

11. County or Parish, State

San Juan County, Utah

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

Phillips Petroleum Company

3. Address and Telephone No.

300 W. Arrington, Suite 200, Farmington, NM 87401, 505-599-3400

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

737' FSL & 599' FEL, SE SE, Sec. 7-T41S-R24E

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other Acidize
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

January 29, 1991 Through February 5, 1991

MI & RU well service unit 1/29/91. COOH w/rods and pump. ND Wellhead, NU BOP. Rel TAC and COOH w/191 jts 2-7/8" tbg. GIH w/bit & scraper & cleaned out well to 5963' PBTD. PU 7" R-3 pkr, TIH, & set pkr at 5833'. Acidized perforations w/1000 gal 28% MSR-100 and 3000 gal 15% J-425 gelled acid, displaced w/80 bbls wtr, 0 psi at 7 BPM. ISIP 100 psi. Swabbed well. COOH w/pkr. TIH w/production tbg, set TAC at 5828', SN at 5956'. ND BOP, NU wellhead. Ran rods & pump. RD & MO well service unit and returned well to producing status 2/5/91.

Test Prior to Acid Job - 10 BOPD, 3 BWPD, 1 MCFGPD
Test After Acid Job - 25 BOPD, 12 BWPD, 2 MCFGPD

Distribution

5 - BLM, Farmington	1 - Mobil
2 - Utah O&GCC	1 - Texaco, Inc.
1 - N. Anstine	1 - S. L. Ebert
1 - P. J. Konkel	1 - PPCo, Houston
1 - Chieftain	1 - PPCo, Farmington, NM

14. I hereby certify that the foregoing is true and correct

Signed

[Signature]

Title

Production Engineer

ACCEPTED *[Signature]* Date *2/8/91*

(This space for Federal or State office use)

Approved by

Conditions of approval, if any:

Title

Date

[Signature]

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See instruction on Reverse Side
OPERATOR

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS:

ACCOUNT NUMBER: N0772

P J KONKEL
PHILLIPS PETROLEUM COMPANY
5525 HWY 64 NBU 3004
FARMINGTON NM 87401

RECEIVED

AUG 16 1993

REPORT PERIOD (MONTH/YEAR):

6 / 93

DIVISION OF
OIL, GAS & MINING

AMENDED REPORT (Highlight Changes)

Well Name API Number Entity Location	Producing Zone	Well Status	Days Oper	Production Volumes		
				OIL(BBL)	GAS(MCF)	WATER(BBL)
#21-23 4303713754 06280 41S 24E 21	DSCR	POW	29	1374	883	58
#3-44 4303715031 06280 41S 24E 3	DSCR	POW	30	111	94	2905
#3-14 4303715124 06280 41S 24E 3	DSCR	POW	30	67	23	302
#9-12 4303715126 06280 41S 24E 9	DSCR	POW	30	112	654	17363
#9-14 4303715127 06280 41S 24E 9	DSCR	POW	30	201	315	423
#28-12 4303715336 06280 41S 24E 28	PRDX	POW	29	112	47	2428
#29-12 4303715337 06280 41S 24E 29	PRDX	POW	29	56	0	672
#29-32 4303715339 06280 41S 24E 29	DSCR	POW	29	1402	287	2224
#29-34 4303715340 06280 41S 24E 29	DSCR	POW	29	757	48	0
#30-32 4303715342 06280 41S 24E 30	DSCR	POW	29	588	1049	3744
#3-12 4303715620 06280 41S 24E 3	DSCR	POW	30	268	11	363
#9-34 4303715711 06280 41S 24E 9	DSCR	POW	30	45	46	9800
#10-12 4303715712 06280 41S 24E 10	DSCR	POW	30	45	23	1088
TOTALS				5138	3480	41370

COMMENTS: Effective July 1, 1993, Phillips Petroleum Company has sold its interest in the Ratherford Unit to Mobil Exploration and Producing U.S., Incorporated, P. O. Box 633, Midland, Texas 79702. Mobil assumed operations on July 1, 1993.

I hereby certify that this report is true and complete to the best of my knowledge. Date: 8/11/93

Name and Signature: PAT KONKEL *Pat Konkell* Telephone Number: 505 599-3452

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

3. LEASE DESIGNATION & SERIAL NO.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

6. IF INDIAN ALLOTTEE OR TRIBE NAME

NAVAJO TRIBAL

7. UNIT AGREEMENT NAME

RATHERFORD UNIT

8. FARM OR LEASE NAME

9. WELL NO.

10. FIELD AND POOL, OR WILDCAT

GREATER ANETH

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR

MOBIL OIL CORPORATION

3. ADDRESS OF OPERATOR

P. O. BOX 633 MIDLAND, TX 79702

SEP 15 1993

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)

At surface

At proposed prod. zone

DIVISION OF OIL, GAS & MINING

14. API NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

12. COUNTY

SAN JUAN

13. STATE

UTAH

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other) CHANGE OF OPERATOR

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

APPROX. DATE WORK WILL START _____

DATE OF COMPLETION _____

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

* Must be accompanied by a cement verification report.

AS OF JULY 1, 1993, MOBIL OIL CORPORATION IS THE OPERATOR OF THE RATHERFORD UNIT. ATTACHED ARE THE INDIVIDUAL WELLS.

18. I hereby certify that the foregoing is true and correct

SIGNED Shirley Todd

TITLE ENV. & REG TECHNICIAN

DATE 9-8-93

(This space for Federal or State office use)

APPROVED BY _____

TITLE _____

DATE _____

CONDITIONS OF APPROVAL, IF ANY:

See Instructions On Reverse Side

WELL #	API#	LEASE #	SEC., T, R	LOCATION OF WELL
✓01W-13	43-037-15838	14-20-603-246A	SEC. 1, T41S, R23E	NW/SW 1980 FSL; 660 FWL
✓01-14	43-037-31162	14-20-603-246A	SEC. 1, T41S, R23E	SW/SW 660 FSL; 660 FWL
✓01W-24	43-037-15939	14-20-603-246	SEC. 1, T41S, R23E	SE/SW 651 FSL; 3300 FEL
✓01-34	43-037-16385	14-20-603-246A	SEC. 1, T41S, R23E	SW/SE 4147 FNL; 1980 FEL
✓01W-44	43-037-15840	14-20-603-246A	SEC. 1, T41S, R23E	660 FSL; 661 FEL
✓02W-44	43-037-16386	14-20-603-246A	SEC. 2, T41S, R23E	SE/SE 810 FNL; 5110' FWL
✓03-14	43-037-15124	14-20-603-5445	SEC. 3, T41S, R24E	660 FSL; 660 FEL
✓03-12	43-037-15620	14-20-603-6506	SEC. 3, T41S, R24E	SW/NW 2140 FNL; 660 FWL
✓03W-42	43-037-16388	14-20-603-6505	SEC. 3, T41S, R24E	SW/NE 1980 FNL; 660 FEL
✓03-44	43-037-15031	14-20-603-6504	SEC. 3, T41S, R24E	520 FSL; 820 FEL
✓04-14	43-037-16163	14-20-603-5446	SEC. 4, T41S, R24E	500 FSL; 600 FEL
✓04-34	43-037-16164	14-20-603-4035	SEC. 4, T41S, R24E	660 FSL; 1980 FEL
✓05-34	43-037-15983	14-20-603-368	SEC. 5, T41S, R24E	SW/SE 612 FSL; 1990 FEL
✓05W-43	43-037-16392	14-20-603-368	SEC. 5, T41S, R24E	1400 FSL; 990 FEL
✓06W-14	43-037-15984	14-20-603-368	SEC. 6, T41S, R24E	SW/SW 660; FSL; 660 FWL
✓06W-23	43-037-16393	14-20-603-368	SEC. 6, T41S, R24E	1830 FSL; 1895 FWL
✓07-11	43-037-31163	14-20-603-368	SEC. 7, T41S, R24E	NW/NW 660 FNL; 710 FWL
✓07W-12	43-037-15985	14-20-603-368	SEC. 7, T41S, R24E	SW/NW 2140 FNL; 585 FWL
✓07-13	43-037-31164	14-20-603-368	SEC. 7, T41S, R24E	NW/SW 2110 FSL; 740 FWL
✓07W-14	43-037-15986	14-20-603-368	SEC. 7, T41S, R24E	SW/SW 1065 FSL; 660 FWL
✓07W-21	43-037-16394	14-20-603-368	SEC. 7, T41S, R24E	710 FNL; 1820 FWL
✓07-22	43-037-31165	14-20-603-368	SEC. 7, T41S, R24E	SE/NW 1980 FNL; 1980 FWL
✓07W-23	43-037-15987	14-20-603-368	SEC. 7, T41S, R24E	NE/SW 1980 FSL 1980 FWL
✓07-24	43-037-31166	14-20-603-368	SEC. 7, T41S, R24E	SE/SW 880 FSL; 2414 FWL
✓07W-32	43-037-15988	14-20-603-368	SEC. 7, T41S, R23E	SW/NE 1980 FNL; 1980 FEL
✓07-33	43-037-31167	14-20-603-368	SEC. 7, T41S, R24E	NW/SE 2105 FSL; 1876 FEL
✓07W-34	43-037-15989	14-20-603-368	SEC. 7, T41S, R24E	710 FSL; 2003 FEL
✓07W-41	43-037-15990	14-20-603-368	SEC. 7, T41S, R24E	NE/NE 585 FNL; 770 FEL
✓07W43	43-037-16395	14-20-603-368	SEC. 7, T41S, R24E	2110 FSL; 660 FEL
✓07-44	43-037-31189	14-20-603-368	SEC. 7, T41S, R24E	SE/SE 737 FSL; 555 FEL
✓08-12	43-037-15991	14-20-603-368	SEC. 8, T41S, R24E	SW/NW 1909 FNL; 520 FWL
✓08W-14	43-037-15992	14-20-603-368	SEC. 8, T41S, R24E	745 FSL; 575 FWL
✓08-21	43-037-15993	14-20-603-368	SEC. 8, T41S, R24E	616 FNL; 1911 FWL
✓08-23	43-037-15994	14-20-603-368	SEC. 8, T41S, R24E	NE/NW 1920 FSL; 2055 FWL
✓08-32	43-037-15995	14-20-603-368	SEC. 8, T41S, R24E	SW/NE 1980 FNL; 1980 FEL
✓08-34	43-037-15996	14-20-603-368	SEC. 8, T41S, R24E	SW/SE 660 FSL; 1980 FEL
✓08-41	43-037-15997	14-20-603-368	SEC. 8, T41S, R24E	NE/NE 660 FNL; 660 FEL
✓08W-43	43-037-16396	14-20-603-368	SEC. 8, T41S, R24E	1980 FSL; 660 FEL
✓09W-23	43-037-16398	14-20-603-5046	SEC. 9, T41S, R24E	NW/SE 1980 FSL; 1980 FWL
✓09-12	43-037-15126	14-20-603-5045	SEC. 9, T41S, R24E	1865 FNL; 780 FWL
✓09W-21	43-037-16397	14-20-603-5045	SEC. 9, T41S, R24E	660 FNL; 2080 FWL
✓09-14A	43-037-15127	14-20-603-5046	SEC. 9, T41S, R24E	710 FSL; 660 FWL
✓09-32	43-037-16165	14-20-603-4035	SEC. 9, T41S, R24E	1980 FNL; 1980 FEL
✓09W-41	43-037-16399	14-20-603-4035	SEC. 9, T41S, R24E	660 FNL; 660 FEL
✓09W-43	43-037-16400	14-20-603-4043	SEC. 9, T41S, R24E	1980 FSL; 660 FEL
✓10W-23	43-037-16402	14-20-603-4043	SEC. 10, T41S, R24E	1980 FSL; 1980 FWL
✓10-14	43-037-15713	14-20-603-4043	SEC. 10, T41S, R24E	510 FSL; 710 FWL
✓10-12	43-037-15712	14-20-603-4043	SEC. 10, T41S, R24E	660 FWL; 1980 FNL
✓10W-21	43-037-16401	14-20-603-4043	SEC. 10, T41S, R24E	810 FNL; 1980 FWL
✓10-34	43-037-16166	14-20-603-4037	SEC. 10, T41S, R24E	620 FSL; 1860 FEL
✓10W-43	43-037-16403	14-20-603-4037	SEC. 10, T41S, R24E	1980 FSL; 550 FEL
✓11-41	43-037-31544	14-20-603-246A	SEC. 11, T41S, R23E	NE/NE 860 FNL; 350 FEL
✓11-42W	43-037-15841	14-20-603-246	SEC. 11, T41S, R23E	3290 FNL; 4617 FEL
✓11-43	43-037-31622	14-20-603-246A	SEC. 11, T41S, R23E	1980 FSL; 660 FEL
✓11W-44	43-037-15842	14-20-603-246A	SEC. 11, T41S, R23E	SE/SE 660 FSL; 558 FEL
✓12W-11	43-037-15843	14-20-603-246A	SEC. 12, T41S, R23E	NW/NW 678 FNL; 4620 FEL
✓12-12	43-037-31190	14-20-603-246A	SEC. 12, T41S, R23E	SW/NW 1850 FNL; 660 FWL
✓12W-13	43-037-16404	14-20-603-246A	SEC. 12, T41S, R23E	1980 FSL; 4620 FEL
✓12-14	43-037-15844	NA	SEC. 12, T41S, R23E	660 FNL; 4622 FWL
✓12-21	43-037-31201	14-20-603-246A	SEC. 12, T41S, R23E	NE/NW 660 FNL; 1980 FWL
✓12W-22	43-037-15845	14-20-603-246	SEC. 12, T41S, R23E	NA
✓12-23	43-037-15846	14-20-603-246A	SEC. 12, T41S, R23E	1958 FNL; 3300 FWL
✓12W-24	43-037-31151	14-20-603-246A	SEC. 12, T41S, R23E	775 FSL; 1980
✓12-32	43-037-31203	14-20-603-246A	SEC. 12, T41S, R23E	SW/NE 1820 FNL; 1820 FEL
✓12W-33	43-037-15848	14-20-603-246A	SEC. 12, T41S, R23E	NW/SE 1957 FSL; 1981 FEL
✓12-34	43-037-31126	14-20-603-246A	SEC. 12, T41S, R23E	SW/SE 675 FSL; 1905 FEL
✓12-41	43-037-15849	14-20-603-246A	SEC. 12, T41S, R23E	656 FNL; 660 FEL
✓12W-42	43-037-15850	14-20-603-246A	SEC. 12, T41S, R23E	3275 FSL; 662 FEL

PAID
KINGSTON

SEP 15 1993

DIVISION OF
OIL, GAS & MINING

PAID

PAID
PAID

14-20-603-246

SE NW 1920 FNL 2080 FWL

MONTHLY OIL AND GAS DISPOSITION REPORT

OPERATOR NAME AND ADDRESS:

L B SHEFFIELD
~~BRIAN BERRY~~
~~M E P N A MOBIL~~
~~POB 219031 1807A RENTWYR~~ *P.O. DRAWER G*
 DALLAS TX 75221-9031 *CORTEZ, CO. 81321*

UTAH ACCOUNT NUMBER: N7370

REPORT PERIOD (MONTH/YEAR): 7 / 93

AMENDED REPORT (Highlight Changes)

X931006 updated. jlc

ENTITY NUMBER	PRODUCT	GRAVITY	BEGINNING INVENTORY	VOLUME PRODUCED	DISPOSITIONS				ENDING INVENTORY
		BTU			TRANSPORTED	USED ON SITE	FLARED/VENTED	OTHER	
05980	OIL			177609	177609	0			
	GAS			72101	66216	5885			
11174	OIL								
	GAS								
	OIL								
	GAS								
	OIL								
	GAS								
	OIL								
	GAS								
	OIL								
	GAS								
	OIL								
	GAS								
TOTALS					249710	243825	5885		

RECEIVED

SEP 13 1993

DIVISION OF OIL, GAS & MINING

COMMENTS: *PLEASE NOTE Address change. Mobil ~~ASO~~ PRODUCTION Reports will be compiled and sent from the Cortez, Co. office IN THE FUTURE.*

I hereby certify that this report is true and complete to the best of my knowledge.

Date: 9/5/93

Name and Signature: *Lwell B Sheffield*

Telephone Number: *303 565 2212*
~~244 588 2578~~

Sept 29, 1993

TO: Lisha Cordova - Utah Mining
Oil & Gas

FROM: Janice Casley
BLM Farmington, NM
505 599-6355

Here is copy of Rutherford Unit
Successor Operator,

4 pages including this one.

Like Ratherford Unit (GC)

RECEIVED
BLM

JUL 27 AM 11:44

070 FARMINGTON, NM

Navajo Area Office
P. O. Box 1060
Gallup, New Mexico 87305-1060

ARES/543

JUL 28 1993

Mr. G. D. Cox
Mobil Exploration and
Producing North America, Inc.
P. O. Box 633
Midland, Texas 79702

MINERAL RIGHTS	1992
DATE	
TIME	
BY	
FILED	
ALL COPY	
FILED	

Dear Mr. Cox:

Enclosed for your information and use is the approved Designation of Operator between the Phillips Petroleum Company and Mobil Exploration and Producing North America, Inc. for the Ratherford Unit.

Please note that all other concerned parties will be furnished their copy of the approved document.

Sincerely,

ACTING Area Director

Enclosure

cc: Bureau of Land Management, Farmington District Office w/enc.
TNN, Director, Minerals Department w/enc.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF INDIAN AFFAIRS

RECEIVED
BLM

DESIGNATION OF OPERATOR

Phillips Petroleum Company is, on the records of the Bureau of Indian Affairs, operator of the Rutherford Unit,

JUN 27 11:44

AREA OFFICE: Window Rock, Arizona
LEASE NO: Attached hereto as Exhibit "A"

070 FARMINGTON, NM

and, pursuant to the terms of the Rutherford Unit Agreement, is resigning as Unit Operator effective July 1, 1993, and hereby designates

NAME: Mobil Exploration and Producing North America Inc., duly elected pursuant to the terms of the Rutherford Unit Agreement,

ADDRESS: P. O. Box 633, Midland, Texas 79702
Attn: G. D. Cox

as Operator and local agent, with full authority to act on behalf of the Rutherford Unit lessees in complying with the terms of all leases and regulations applicable thereto and on whom the authorized officer may serve written or oral instructions in securing compliance with the Operating Regulations (43 CFR 3160 and 25 CFR 211 and 212) with respect to (described acreage to which this designation is applicable):

Attached hereto as Exhibit "A"

Bond coverage under 25 CFR 211, 212 or 225 for lease activities conducted by the above named designated operator is under Bond Number 05202782 (attach copy). Evidence of bonding is required prior to the commencement of operations.

It is understood that this designation of operator does not relieve any lessee of responsibility for compliance with the terms of the leases and the Operating Regulations. It is also understood that this designation of operator does not constitute an assignment of any interest in the leases.

In case of default on the part of the designated operator, the lessees will make full and prompt compliance with all regulations, lease terms, stipulations, or orders of the Secretary of the Interior or his representative.

Attached is the appropriate documentation relevant to this document.

The designated operator agrees to promptly notify the authorized officer of any change in the operatorship of said Rutherford Unit.

Phillips Petroleum Company

June 17, 1993

By: M. B. [Signature]
Attorney-in-Fact

Mobil Exploration and Producing
North America Inc.

June 11, 1993

By: B. D. Martiny
Attorney-in-Fact B.D. MARTINY

[Signature] ACTING AREA DIRECTOR
APPROVED BY TITLE DATE
7/9/93

APPROVED PURSUANT, TO SECRETARIAL REDELEGATION ORDER 209 DM 8 AND 230 DM 3.

This form does not constitute an information collection as defined by 44 U.S.C. 3502 and therefore does not require OMB approval.

EXHIBIT "A"

ATTACHED TO AND MADE A PART OF DESIGNATION OF SUCCESSOR OPERATOR, RATHERFORD UNIT

EXHIBIT "C"

Revised as of September 29, 1992
SCHEDULE OF TRACT PERCENTAGE PARTICIPATION

<u>Tract Number</u>	<u>Description of Land</u>	<u>Serial Number and Effective Date of Lease</u>	<u>Tract Percentage Participation</u>
1	S/2 Sec. 1, E/2 SE/4 Sec. 2, E/4 Sec. 11, and all of Sec. 12, T-41-S, R-23-E, S.L.M. San Juan County, Utah	14-20-603-246-A Oct. 5, 1953	11.0652565
2	SE/4 and W/2 SW/4 Sec. 5, the irregular SW/4 Sec. 6, and all of Sec. 7 and 8, T-41-S, R-24-E, San Juan County, Utah	14-20-603-368 Oct. 26, 1953	14.4159942
3	SW/4 of Sec. 4, T-41-S, R-24-E, San Juan County, Utah	14-20-603-5446 Sept. 1, 1959	.5763826
4	SE/4 Sec. 4, and NE/4 Sec. 9, T-41-S, R-24-E, San Juan County, Utah	14-20-603-4035 March 3, 1958	1.2587779
5	SW/4 of Sec. 3, T-41-S, R-24-E, S.L.M., San Juan County, Utah	14-20-603-5445 Sept. 3, 1959	.4667669
6	NW/4 of Sec. 9, T-41-S, R-24-E, S.L.M., San Juan County, Utah	14-20-603-5045 Feb. 4, 1959	1.0187043
7	NW/4, W/2 NE/4, and SW/4 Sec. 10, SE/4 Sec. 9, T-41-S, R-24-E, San Juan County, Utah	14-20-603-4043 Feb. 18, 1958	3.5097575
8	SW/4 Sec. 9, T-41-S, R-24-E, S.L.M. San Juan County, Utah	14-20-603-5046 Feb. 4, 1959	1.1141679
9	SE/4 Sec. 10 and S/2 SW/4 Sec. 11 T-41-S, R-24-E, San Juan County, Utah	14-20-603-4037 Feb. 14, 1958	2.6186804
10	All of Sec. 13, E/2 Sec. 14, and E/2 SE/4 and N/2 Sec. 24, T-41-S, R-23-E, S.L.M., San Juan County, Utah	14-20-603-247-A Oct. 5, 1953	10.3108861
11	Sections 17, 18, 19 and 20, T-41-S, R-24-E, San Juan County Utah	14-20-603-353 Oct. 27, 1953	27.3389265
12	Sections 15, 16, 21, and NW/4, and W/2 SW/4 Sec. 22, T-41-S, R-24-E, San Juan County, Utah	14-20-603-355 Oct. 27, 1953	14.2819339
13	W/2 Section 14, T-41-S, R-24-E, San Juan County, Utah	14-20-603-370 Oct. 26, 1953	1.8500847
14	N/2 and SE/4, and E/2 SW/4 Sec. 29, NE/4 and E/2 SE/4 and E/2 W/2 irregular Sec. 30, and E/2 NE/4 Sec. 32, T-41-S, R-24-E, San Juan County, Utah	14-20-603-407 Dec. 10, 1953	6.9924969
15	NW/4 Sec. 28, T-41-S, R24-E San Juan County, Utah	14-20-603-409 Dec. 10, 1953	.9416393
16	SE/4 Sec. 3, T-41-S, R-24-E San Juan County, Utah	14-20-0603-6504 July 11, 1961	.5750254
17	NE/4 Sec. 3, T-41-S, R-24-E San Juan County, Utah	14-20-0603-6505 July 11, 1961	.5449292
18	NW/4 Sec. 3, T-41-S, R-24-E San Juan County, Utah	14-20-0603-6506 July 11, 1961	.5482788
19	NE/4 Sec. 4, T-41-S, R24-E San Juan County, Utah	14-20-0603-7171 June 11, 1962	.4720628
20	E/2 NW/4 Sec. 4, T-41-S, R-24-E San Juan County, Utah	14-20-0603-7172 June 11, 1962	.0992482

100% Indian Lands

TOTAL 12,909.74

100.0000000

Division of Oil, Gas and Mining
PHONE CONVERSATION DOCUMENTATION FORM

Route original/copy to:

Well File _____

(Location) Sec ___ Twp ___ Rng ___
(API No.) _____

Suspense
(Return Date) _____
(To - Initials) _____

Other
OPERATOR CHANGE

1. Date of Phone Call: 10-6-93 : Time: 9:30

2. DOGM Employee (name) L. CORDOVA (Initiated Call
Talked to:

Name GLEN COX (Initiated Call - Phone No. (915) 688-2114
of (Company/Organization) MOBIL

3. Topic of Conversation: OPERATOR CHANGE FROM PHILLIPS TO MOBIL "RATHERFORD UNIT".
(NEED TO CONFIRM HOW OPERATOR WANTS THE WELLS SET UP - MEPNA AS PER BIA APPROVAL
OR MOBIL OIL CORPORATION AS PER SUNDRY DATED 9-8-93?)

4. Highlights of Conversation: _____
MR. COX CONFIRMED THAT THE WELLS SHOULD BE SET UNDER ACCOUNT N7370/MEPNA AS
PER BIA APPROVAL, ALSO CONFIRMED THAT PRODUCTION & DISPOSITION REPORTS WILL NOW
BE HANDLED OUT OF THEIR CORTEZ OFFICE RATHER THAN DALLAS.

MEPNA-

PO DRAWER G

CORTEZ, CO 81321

(303)565-2212

*ADDRESS CHANGE AFFECTS ALL WELLS CURRENTLY OPERATED BY MEPNA, CURRENTLY
REPORTED OUT OF DALLAS (MCELMO CREEK).

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

Routing:

1-VLC/47-93
2-DEPT 58-414
3-VLC
4-RJFY
5-DEPT
6-PL

Attach all documentation received by the division regarding this change.
 Initial each listed item when completed. Write N/A if item is not applicable.

- Change of Operator (well sold) Designation of Agent
 Designation of Operator Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 7-1-93)

TO (new operator)	<u>M E P N A</u>	FROM (former operator)	<u>PHILLIPS PETROLEUM COMPANY</u>
(address)	<u>PO DRAWER G</u>	(address)	<u>5525 HWY 64 NBU 3004</u>
	<u>CORTEZ, CO 81321</u>		<u>FARMINGTON, NM 87401</u>
	<u>GLEN COX (915)688-2114</u>		<u>PAT KONKEL</u>
	phone <u>(303)565-2212</u>		phone <u>(505)599-3452</u>
	account no. <u>N7370</u>		account no. <u>N0772(A)</u>

Well(s) (attach additional page if needed): ***RATHERFORD UNIT (NAVAJO)**

Name: **SEE ATTACHED**	API: <u>43037-31189</u>	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

- See 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). (Reg. 8-20-93) (6/93 Prod. Rpt. 8-16-93)
- See 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form). (Reg. 8-31-93) (Rec'd 9-14-93)
- N/A 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes/no) _____ If yes, show company file number: _____.
- See 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of Federal and Indian well operator changes should take place prior to completion of steps 5 through 9 below.
- See 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. (O&G wells 10-6-93) (wiw's 10-26-93)
- See 6. Cardex file has been updated for each well listed above. (O&G wells 10-6-93) (wiw's 10-26-93)
- See 7. Well file labels have been updated for each well listed above. (O&G wells 10-6-93) (wiw's 10-26-93)
- See 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission. (10-6-93)
- See 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

- 1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) no (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
- 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only)

- 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
- 2. A copy of this form has been placed in the new and former operators' bond files.
- 3. The former operator has requested a release of liability from their bond (yes/no) no. Today's date 11-10-93 1993. If yes, division response was made by letter dated 11-10-93 1993.

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

- 1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated 11-10-93 1993, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
- 2. Copies of documents have been sent to State Lands for changes involving State leases.

FILMING

- 1. All attachments to this form have been microfilmed. Date: 11-17 1993.

FILING

- 1. Copies of all attachments to this form have been filed in each well file.
- 2. The original of this form and the original attachments have been filed in the Operator Change file.

COMMENTS

931006 BIA/Btm Approved 7-9-93.

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING
 355 West North Temple, 3 Triad, Suite 350, Salt Lake City, UT 84180-1203

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS:

C/O MOBIL OIL CORP
 M E P N A
 PO DRAWER G
 CORTEZ CO 81321

UTAH ACCOUNT NUMBER: N7370

REPORT PERIOD (MONTH/YEAR): 6 / 95

AMENDED REPORT (Highlight Changes)

Well Name API Number	Entity	Location	Producing Zone	Well Status	Days Oper	Production Volumes		
						OIL(BBL)	GAS(MCF)	WATER(BBL)
RATHERFORD UNIT #17-22 4303731170	06280	41S 24E 17	DSCR					
RATHERFORD UNIT #17-42 4303731177	06280	41S 24E 17	DSCR					
RATHERFORD UNIT #17-31 4303731178	06280	41S 24E 17	DSCR					
RATHERFORD UNIT #18-31 4303731181	06280	41S 24E 18	DSCR					
RATHERFORD UNIT #18-42 4303731182	06280	41S 24E 18	DSCR					
RATHERFORD UNIT #7-44 4303731189	06280	41S 24E 7	DSCR					
RATHERFORD UNIT #12-12 4303731190	06280	41S 23E 12	DSCR					
RATHERFORD UNIT #12-21 4303731201	06280	41S 23E 12	DSCR					
RATHERFORD UNIT 12-43 4303731202	06280	41S 23E 12	DSCR					
RATHERFORD UNIT #12-32 4303731203	06280	41S 23E 12	DSCR					
RATHERFORD UNIT 18-22 4303731236	06280	41S 24E 18	DSCR					
RATHERFORD 11-41 4303731544	06280	41S 23E 11	DSCR					
RATHERFORD 13-14 4303731589	06280	41S 23E 13	DSCR					
TOTALS								

REMARKS: _____

I hereby certify that this report is true and complete to the best of my knowledge. Date: _____
 Name and Signature: _____ Telephone Number: _____

PHONE CONVERSATION DOCUMENTATION FORM

Route original/copy to:

Well File _____
(Location) Sec _____ Twp _____ Rng _____
(API No.) _____

Suspense
(Return Date) _____
(To - Initials) _____

Other
OPER NM CHG _____

1. Date of Phone Call: 8-3-95 Time: _____

2. DOGM Employee (name) L. CORDOVA (Initiated Call)
Talked to:

Name R. J. FIRTH (Initiated Call) - Phone No. (_____)
of (Company/Organization) _____

3. Topic of Conversation: M E P N A / N7370

4. Highlights of Conversation: _____

OPERATOR NAME IS BEING CHANGED FROM M E P N A (MOBIL EXPLORATION AND PRODUCING NORTH AMERICA INC) TO MOBIL EXPLOR & PROD. THE NAME CHANGE IS BEING DONE AT THIS TIME TO ALLEVIATE CONFUSION, BOTH IN HOUSE AND AMONGST THE GENERAL PUBLIC.
*SUPERIOR OIL COMPANY MERGED INTO M E P N A 4-24-86 (SEE ATTACHED).

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

Routing:	
1-LEC	7-PL
2-LWP	8-SJ
3- DE 9-FILE	
4-VLC	
5-RJP	
6-LWP	

Attach all documentation received by the division regarding this change.
 Initial each listed item when completed. Write N/A if item is not applicable.

- Change of Operator (well sold) Designation of Agent
 Designation of Operator Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 8-2-95)

TO (new operator) <u>MOBIL EXPLOR & PROD</u>	FROM (former operator) <u>M E P N A</u>
(address) <u>C/O MOBIL OIL CORP</u>	(address) <u>C/O MOBIL OIL CORP</u>
<u>PO DRAWER G</u>	<u>PO DRAWER G</u>
<u>CORTEZ CO 81321</u>	<u>CORTEZ CO 81321</u>
phone <u>(303) 564-5212</u>	phone <u>(303) 564-5212</u>
account no. <u>N7370</u>	account no. <u>N7370</u>

Well(s) (attach additional page if needed):

Name: <u>** SEE ATTACHED **</u>	API: <u>037-31189</u>	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

- N/A 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form).
- N/A 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form).
- N/A 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes/no) _____ If yes, show company file number: _____.
- N/A 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of Federal and Indian well operator changes should take place prior to completion of steps 5 through 9 below.
- Yes 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. (8-3-95)
- Yes 6. Cardex file has been updated for each well listed above. 8-21-95
- Yes 7. Well file labels have been updated for each well listed above. 9-28-95
- Yes 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission. (8-3-95)
- Yes 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

- Lee* 1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) ____ (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
- N/A* 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only) ** No Fee Lease Wells at this time!*

- N/A/ Lee* 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
- ___ 2. A copy of this form has been placed in the new and former operators' bond files.
- ___ 3. The former operator has requested a release of liability from their bond (yes/no) ____. Today's date _____ 19___. If yes, division response was made by letter dated _____ 19__.

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

- N/A* 1. (Rule R615-2-10) The former operator/lessee of any **fee lease** well listed above has been notified by letter dated _____ 19__, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested. *UTS 8/5/95*
- N/A* 2. Copies of documents have been sent to State Lands for changes involving State leases.

FILMING

- ✓* 1. All attachments to this form have been microfilmed. Date: October 6 1995.

FILING

- ___ 1. Copies of all attachments to this form have been filed in each well file.
- ___ 2. The original of this form and the original attachments have been filed in the Operator Change file.

COMMENTS

950803 LIC F5/Not necessary!

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires: July 31, 1996

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other Instructions on reverse side

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. 14-20-603-368
2. Name of Operator Mobil Expl&Prod., NA Inc		6. If Indian, Allottee or Tribe Name NAVAJO TRIBAL
3a. Address P.O. Box 4358 WGR, Rm. 310 Houston TX 77210-4358	3b. Phone No. (include area code) (713) 431-1012	7. If Unit or CA/Agreement, Name and/or No. RATHERFORD UNIT
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 737' FSL & 555' FEL, SE SE, Sec. 7, T41S R24E		8. Well Name and No. Ratherford Unit 7-44
		9. API Well No. 43-037-31189
		10. Field and Pool, or Exploratory Area GREATER ANETH
		11. County or Parish, State SAN JUAN UT

12. CHECK APPROPRIATE BOX(es) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input checked="" type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	_____
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	_____

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including recompletion, have been completed, and the operator has determined that the site is ready for final inspection.)

Mobil Exploration & Producing US Inc., as agent for Mobil Producing Texas & New Mexico and Mobil Exploration & Producing North America Inc.

Well has been SI more than 90 days and was returned to production 04/01/01.

This well has been always a producer (4)

APPROVED
DATE
BY
OFFICE
LAND MANAGEMENT

14. I hereby certify that the foregoing is true and correct Name (Printed/Typed) Alex M. Correa		Title Sr. Regulatory Specialist
Signature <i>Alex M. Correa</i> (4054)		Date 04/03/2001

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on Reverse)

ExxonMobil Production Comp
U.S. West
P.O. Box 4358
Houston, Texas 77210-4358

June 27, 2001

ExxonMobil
Production

Mr. Jim Thompson
State of Utah, Division of Oil, Gas and Mining
1549 West North Temple
Suite 1210
Salt Lake City, UT 84114-5801

Change of Name – Mobil Oil Corporation to
ExxonMobil Oil Corporation

Dear Mr. Thompson

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.


Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.

A copy of the Certification, Bond Rider and a list of wells are attached.

If you have any questions please feel free to call Joel Talavera at 713-431-1010

Very truly yours,



Charlotte H. Harper
Permitting Supervisor

ExxonMobil Production Company
a division of Exxon Mobil Corporation,
acting for ExxonMobil Oil Corporation

RECEIVED

JUN 27 2001

DIVISION OF
OIL, GAS AND MINING



United States Department of the Interior

BUREAU OF INDIAN AFFAIRS

Navajo Area Office
NAVAJO REGION

P.O. Box 1060
Gallup, New Mexico 87305-1060

AUG 30 2001

IN REPLY REFER TO:

RRES/543

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Charlotte H. Harper, Permitting Supervisor
Exxon Mobil Production Company
U. S. West
P. O. Box 4358
Houston, TX 77210-4358

Dear Ms. Harper:

This is to acknowledge receipt of your company's name change from Mobil Oil Corporation to ExxonMobil Oil Corporation effective June 1, 2001. The receipt of documents includes the Name Change Certification, current listing of Officers and Directors, Listing of Leases, Financial Statement, filing fees of \$75.00 and a copy of the Rider for Bond Number 8027 31 97. There are no other changes.

Please note that we will provide copies of these documents to other concerned parties. If you need further assistance, you may contact Ms. Bertha Spencer, Realty Specialist, at (928) 871-5938.

Sincerely,

DEMI DENETSONE

Regional Realty Officer

cc: BLM, Farmington Field Office w/enclosures ✓
Navajo Nation Minerals Office, Attn: Mr. Akhtar Zaman, Director/w enclosures

MINERAL RESOURCES	
ADM 1	<i>DMC</i>
NATV AM MIN COORD	
SOLID MIN TEAM	
PETRO MIN TEAM	<i>2</i>
O & G INSPECT TEAM	
ALL TEAM LEADERS	
LAND RESOURCES	
ENVIRONMENT	
FILES	

ExxonMobil Production Company
U.S. West
P.O. Box 4358
Houston, Texas 77210-4358


By 7/12/2001
GO
593
File

June 27, 2001

ExxonMobil
Production

Certified Mail
Return Receipt Requested

Ms. Genni Denetsone
United States Department of the Interior
Bureau of Indian Affairs, Navajo Region
Real Estate Services
P. O. Box 1060
Gallup, New Mexico 87305-1060
Mail Code 543



Change of Name -
Mobil Oil Corporation to
ExxonMobil Oil Corporation

Dear Ms. Denetsone:

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.

Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.

Attached is the Name Change Certification, Current listing of Officers and Directors, Filing Fee of \$75/-, Listing of Leases, Financial Statement and a copy of the Rider for Bond number 8027 31 97. The original Bond Rider has been sent to Ms. Barbar Davis at your Washington Office.


If you have any questions, please contact Alex Correa at (713) 431-1012.

Very truly yours,

Charlotte H. Harper

Charlotte H. Harper
Permitting Supervisor

Attachments



ExxonMobil Production Company
a division of Exxon Mobil Corporation,
acting for ExxonMobil Oil Corporation

NOTE: Check forwarded to Ella Issa

Bureau of Indian Affairs
Navajo Region Office
Attn: RRES - Mineral and Mining Section
P.O. Box 1060
Gallup, New Mexico 87305-1060

Gentlemen:

The current listing of officers and director of ExxonMobil Oil Corporation (Name of Corporation), of New York (State) is as follows:

OFFICERS

President	<u>F.A. Risch</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Vice President	<u>K.T. Koonce</u>	Address <u>800 Bell Street Houston, TX 77002</u>
Secretary	<u>F.L. Reid</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Treasure	<u>B.A. Maher</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>

DIRECTORS

Name	<u>D.D. Humphreys</u>	Address	<u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Name	<u>P.A. Hanson</u>	Address	<u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Name	<u>T.P. Townsend</u>	Address	<u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Name	<u>B.A. Maher</u>	Address	<u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Name	<u>F.A. Risch</u>	Address	<u>5959 Las Colinas Blvd. Irving, TX 75039</u>

Sincerely,



Alex Correa

This is to certify that the above information pertaining to ExxonMobil Oil Corporation (Corporation) is true and correct as evidenced by the records and accounts covering business for the State of Utah and in the custody of Corporation Service Company (Agent), Phone: 1 (800) 927-9800, whose business address is One Utah Center, 201 South Main Street, Salt Lake City, Utah 84111-2218



Signature

AGENT AND ATTORNEY IN FACT

Title

CERTIFICATION

I, the undersigned Assistant Secretary of ExxonMobil Oil Corporation. (formerly Mobil Oil Corporation), a corporation organized and existing under the laws of the State of New York, United States of America, DO HEREBY CERTIFY, That, the following is a true and exact copy of the resolutions adopted by the Board of Directors on May 22, 2001:

CHANGE OF COMPANY NAME

WHEREAS, the undersigned Directors of the Corporation deem it to be in the best interest of the Corporation to amend the Certificate of Incorporation of the Corporation to change the name and principal office of the Corporation:

NOW THEREFORE BE IT RESOLVED, That Article 1st relating to the corporate name is hereby amended to read as follows:

"1st The corporate name of said Company shall be,

ExxonMobil Oil Corporation",

FURTHER RESOLVED, That the amendment of the Corporation's Certificate of Incorporation referred to in the preceding resolutions be submitted to the sole shareholder of the Corporation entitled to vote thereon for its approval and, if such shareholder gives its written consent, pursuant to Section 803 of the Business Corporation Law of the State of New York, approving such amendment, the proper officers of the Corporation be, and they hereby are, authorized to execute in the name of the Corporation the Certificate of Amendment of Certificate of Incorporation, in the form attached hereto;

FURTHER RESOLVED, That the proper officers of the Corporation be and they hereby are authorized and directed to deliver, file and record in its behalf, the Certificate of Amendment of Certificate of Incorporation, and to take such action as may be deemed necessary or advisable to confirm and make effective in all respects the change of this Company's name to EXXONMOBIL OIL CORPORATION.

WITNESS, my hand and the seal of the Corporation at Irving, Texas, this 8th day of June, 2001.

S. A. Milligan
Assistant Secretary

COUNTY OF DALLAS)
STATE OF TEXAS)
UNITED STATES OF AMERICA)

Sworn to and subscribed before me at Irving, Texas, U. S. A. on this the 8th day of June, 2001.

Janice M. Phillips
Notary Public



LISTING OF LEASES OF MOBIL OIL CORPORATION

	Lease Number
1)	14-20-0603-6504
2)	14-20-0603-6505
3)	14-20-0603-6506
4)	14-20-0603-6508
5)	14-20-0603-6509
6)	14-20-0603-6510
7)	14-20-0603-7171
8)	14-20-0603-7172A
9)	14-20-600-3530
10)	14-20-603-359
11)	14-20-603-368
12)	14-20-603-370
13)	14-20-603-370A
14)	14-20-603-372
15)	14-20-603-372A
16)	14-20-603-4495
17)	14-20-603-5447
18)	14-20-603-5448
19)	14-20-603-5449
20)	14-20-603-5450
21)	14-20-603-5451

6/1/01

CHUBB GROUP OF INSURANCE COMPANIES

1000 West Loop South, Suite 1900, Houston, Texas 77027-3301
Telephone: (713) 227-4600 • Facsimile: (713) 297-4750

NW Bond

FEDERAL INSURANCE COMPANY RIDER
to be attached to and form a part of

BOND NO 8027 31 97

wherein

Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc. is
named as Principal and

FEDERAL INSURANCE COMPANY AS SURETY,

in favor of United States of America, Department of the Interior
Bureau of Indian Affairs

in the amount of \$150,000.00
bond date: 11/01/65

IT IS HEREBY UNDERSTOOD AND AGREED THAT effective June 1, 2001
the name of the Principal is changed

FROM: Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc.

TO : ExxonMobil Oil Corporation

All other terms and conditions of this Bond are unchanged.

Signed, sealed and dated this 12th of June, 2001.

ExxonMobil Oil Corporation

By:



FEDERAL INSURANCE COMPANY

By:



Mary Pierson, Attorney-in-fact



**Chubb
Surety**

**POWER
OF
ATTORNEY**

**Federal Insurance Company
Vigilant Insurance Company
Pacific Indemnity Company**

**Attn.: Surety Department
15 Mountain View Road
Warren, NJ 07059**

Know All by These Presents, That FEDERAL INSURANCE COMPANY, an Indiana corporation, VIGILANT INSURANCE COMPANY, a New York corporation, and PACIFIC INDEMNITY COMPANY, a Wisconsin corporation, do each hereby constitute and appoint R.F. Bobo,
Mary Pierson, Philana Berros, and Jody E. Specht of Houston, Texas-----

each as their true and lawful Attorney-in-Fact to execute under such designation in their names and to affix their corporate seals to and deliver for and on their behalf as surety thereon or otherwise, bonds and undertakings and other writings obligatory in the nature thereof (other than bail bonds) given or executed in the course of business, and any instruments amending or altering the same, and consents to the modification or alteration of any instrument referred to in said bonds or obligations.

In Witness Whereof, said FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY have each executed and attested these presents and affixed their corporate seals on this 10th day of May, 2001.

Kenneth C. Wendel
Kenneth C. Wendel, Assistant Secretary

Frank E. Robertson
Frank E. Robertson, Vice President

STATE OF NEW JERSEY } ss.
County of Somerset

On this 10th day of May, 2001, before me, a Notary Public of New Jersey, personally came Kenneth C. Wendel, to me known to be Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY, the companies which executed the foregoing Power of Attorney, and the said Kenneth C. Wendel being by me duly sworn, did depose and say that he is Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY and knows the corporate seals thereof, that the seals affixed to the foregoing Power of Attorney are such corporate seals and were thereto affixed by authority of the By-Laws of said Companies; and that he signed said Power of Attorney as Assistant Secretary of said Companies by like authority; and that he is acquainted with Frank E. Robertson, and knows him to be Vice President of said Companies; and that the signature of Frank E. Robertson, subscribed to said Power of Attorney is in the genuine handwriting of Frank E. Robertson, and was thereto subscribed by authority of said Companies in the presence of Karen A. Price.



Notary Public State of New Jersey
No. 2231647
Commission Expires Oct 28, 2004

Karen A. Price
Notary Public

Extract from the By-Laws of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY:

"All powers of attorney for and on behalf of the Company may and shall be executed in the name and on behalf of the Company, either by the Chairman or the President or a Vice President or an Assistant Vice President, jointly with the Secretary or an Assistant Secretary, under their respective designations. The signature of such officers may be engraved, printed or lithographed. The signature of each of the following officers: Chairman, President, any Vice President, any Assistant Vice President, any Secretary, any Assistant Secretary and the seal of the Company may be affixed by facsimile to any power of attorney or to any certificate relating thereto appointing Assistant Secretaries or Attorneys-in-Fact for purposes only of executing and attesting bonds and undertakings and other writings obligatory in the nature thereof, and any such power of attorney or certificate bearing such facsimile signature or facsimile seal shall be valid and binding upon the Company and any such power so executed and certified by such facsimile signature and facsimile seal shall be valid and binding upon the Company with respect to any bond or undertaking to which it is attached."

I, Kenneth C. Wendel, Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY (the "Companies") do hereby certify that

- (i) the foregoing extract of the By-Laws of the Companies is true and correct,
- (ii) the Companies are duly licensed and authorized to transact surety business in all 50 of the United States of America and the District of Columbia and are authorized by the U. S. Treasury Department; further, Federal and Vigilant are licensed in Puerto Rico and the U. S. Virgin Islands, and Federal is licensed in American Samoa, Guam, and each of the Provinces of Canada except Prince Edward Island; and
- (iii) the foregoing Power of Attorney is true, correct and in full force and effect.

Given under my hand and seals of said Companies at Warren, NJ this 12th day of June, 2001



Kenneth C. Wendel
Kenneth C. Wendel, Assistant Secretary

IN THE EVENT YOU WISH TO NOTIFY US OF A CLAIM, VERIFY THE AUTHENTICITY OF THIS BOND OR NOTIFY US OF ANY OTHER MATTER, PLEASE CONTACT US AT ADDRESS LISTED ABOVE, OR BY
Telephone (908) 903-3485 Fax (908) 903-3656 e-mail: surety@chubb.com

CSC

5184334741

06/01 '01 08:46 NO.410 03/05

CSC

06/01 '01 09:06 NO.135 02/04

F010601000187

CERTIFICATE OF AMENDMENT
OF
CERTIFICATE OF INCORPORATION
OF
MOBIL OIL CORPORATION

CSC 45

(Under Section 805 of the Business Corporation Law)

Pursuant to the provisions of Section 805 of the Business Corporation Law, the undersigned President and Secretary, respectively, of Mobil Oil Corporation hereby certify:

FIRST: That the name of the corporation is MOBIL OIL CORPORATION and that said corporation was incorporated under the name of Standard Oil Company of New York.

SECOND: That the Certificate of Incorporation of the corporation was filed by the Department of State, Albany, New York, on the 10th day of August, 1882.

THIRD: That the amendments to the Certificate of Incorporation effected by this Certificate are as follows:

(a) Article 1st of the Certificate of Incorporation, relating to the corporate name, is hereby amended to read as follows:

"1st: The corporate name of said Company shall be,
ExxonMobil Oil Corporation",

(b) Article 7th of the Certificate of Incorporation, relating to the office of the corporation is hereby amended to read as follows:

The office of the corporation within the State of New York is to be located in the County of Albany. The Company shall have offices at such other places as the Board of Directors may from time to time determine.

CSC
CSC

5184334741

06/01 '01 08:47 NO.410 04/05
06/01 '01 07:00 NO.133 03/04

FOURTH: That the amendments to the Certificate of Incorporation were authorized by the Board of Directors followed by the holder of all outstanding shares entitled to vote on amendments to the Certificate of Incorporation by written consent of the sole shareholder dated May 22, 2001.


IN WITNESS WHEREOF, this Certificate has been signed this 22nd Day of May, 2001.



F. A. Risch, President 

STATE OF TEXAS)
COUNTY OF DALLAS)

F. L. REID, being duly sworn, deposes and says that he is the Secretary of MOBIL OIL CORPORATION, the corporation mentioned and described in the foregoing instrument; that he has read and signed the same and that the statements contained therein are true.




F. L. REID, Secretary

SUBSCRIBED AND SWORN TO before me, the undersigned authority, on this the 22nd day of May, 2001.

[SEAL]



NOTARY PUBLIC, STATE OF TEXAS



CSC
CSC

5184334741

06/01 '01 09:01 NO.411 02/02
06/01 '01 09:06 NO.155 04/04
F010601000187

CSC 45

CERTIFICATE OF AMENDMENT

OF

MOBIL OIL CORPORATION

Under Section 805 of the Business Corporation Law

SAC

**STATE OF NEW YORK
DEPARTMENT OF STATE**

100 cc

Filed by: EXXONMOBIL CORPORATION
(Name)

FILED JUN 01 2001


5959 Las Colinas Blvd.
(Mailing address)

TAX \$ _____
BY: *SAC*

Irving, TX 75039-2298
(City, State and Zip code)

ny Albany

Cost Ref # 165578 MPJ



010601000195

State of New York }
Department of State } ss:

I hereby certify that the annexed copy has been compared with the original document in the custody of the Secretary of State and that the same is a true copy of said original.

Witness my hand and seal of the Department of State on **JUN 01 2001**



A handwritten signature in black ink, appearing to read "J. Heub", with a long horizontal line extending to the right.

Special Deputy Secretary of State

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW ✓
3. FILE

Change of Operator (Well Sold)

Designation of Agent

X Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective: **06-01-2001**

FROM: (Old Operator):	TO: (New Operator):
MOBIL EXPLORATION & PRODUCTION	EXXONMOBIL OIL CORPORATION
Address: P O BOX DRAWER "G"	Address: U S WEST P O BOX 4358
CORTEZ, CO 81321	HOUSTON, TX 77210-4358
Phone: 1-(970)-564-5212	Phone: 1-(713)-431-1010
Account No. N7370	Account No. N1855

CA No. Unit: RATHERFORD

WELL(S)

NAME	SEC TWN RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
RATHERFORD UNIT 14-41	14-41S-23E	43-037-31623	6280	INDIAN	OW	P
RATHERFORD UNIT 24-41	24-41S-23E	43-037-31132	6280	INDIAN	OW	P
RATHERFORD UNIT 24-32	24-41S-23E	43-037-31593	6280	INDIAN	OW	S
3-12	03-41S-24E	43-037-15620	6280	INDIAN	OW	P
4-14	04-41S-24E	43-037-16163	6280	INDIAN	OW	P
4-34	04-41S-24E	43-037-16164	6280	INDIAN	OW	P
5-34	05-41S-24E	43-037-15983	6280	INDIAN	OW	P
RATHERFORD UNIT 7-11	07-41S-24E	43-037-31163	6280	INDIAN	OW	P
RATHERFORD UNIT 7-13	07-41S-24E	43-037-31164	6280	INDIAN	OW	P
RATHERFORD UNIT 7-22	07-41S-24E	43-037-31165	6280	INDIAN	OW	P
RATHERFORD UNIT 7-24	07-41S-24E	43-037-31166	6280	INDIAN	OW	S
RATHERFORD UNIT 7-44	07-41S-24E	43-037-31189	6280	INDIAN	OW	S
8-12	08-41S-24E	43-037-15991	6280	INDIAN	OW	P
8-21	08-41S-24E	43-037-15993	6280	INDIAN	OW	S
8-23	08-41S-24E	43-037-15994	6280	INDIAN	OW	P
8-32	08-41S-24E	43-037-15995	6280	INDIAN	OW	P
8-34	08-41S-24E	43-037-15996	6280	INDIAN	OW	P
8-41	08-41S-24E	43-037-15997	6280	INDIAN	OW	S
9-12	09-41S-24E	43-037-15126	6280	INDIAN	OW	P
9-14	09-41S-24E	43-037-15127	6280	INDIAN	OW	P

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 06/29/2001
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 06/29/2001
- The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 04/09/2002
- Is the new operator registered in the State of Utah: YES Business Number: 579865-0143
- If **NO**, the operator was contacted on: N/A

6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BIA-06/01/01

7. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 06/01/2001

8. **Federal and Indian Communitization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: N/A

9. **Underground Injection Control ("UIC")**

The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 04/15/2002

2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 04/15/2002

3. Bond information entered in RBDMS on: N/A

4. Fee wells attached to bond in RBDMS on: N/A

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: N/A

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: N/A

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: 80273197

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number N/A

2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS:

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

ROUTING
1. DJJ
2. CDW

X Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective: <u>6/1/2006</u>	
FROM: (Old Operator): N1855-ExxonMobil Oil Corporation PO Box 4358 Houston, TX 77210-4358 Phone: 1 (281) 654-1936	TO: (New Operator): N2700-Resolute Natural Resources Company 1675 Broadway, Suite 1950 Denver, CO 80202 Phone: 1 (303) 534-4600
CA No.	Unit: RATHERFORD

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 4/21/2006
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 4/24/2006
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/7/2006
- Is the new operator registered in the State of Utah: YES Business Number: 5733505-0143
- If **NO**, the operator was contacted on:
- (R649-9-2) Waste Management Plan has been received on: requested
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM n/a BIA not yet
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: not yet
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 6/12/2006

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 6/22/2006
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 6/22/2006
- Bond information entered in RBDMS on: n/a
- Fee/State wells attached to bond in RBDMS on: n/a
- Injection Projects to new operator in RBDMS on: 6/22/2006
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: n/a
- Indian well(s) covered by Bond Number: PA002769
- (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number n/a
- The **FORMER** operator has requested a release of liability from their bond on: n/a
The Division sent response by letter on: n/a

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>Unit Agreement</u>		5. LEASE DESIGNATION AND SERIAL NUMBER: <u>See attached list</u>
2. NAME OF OPERATOR: <u>Resolute Natural Resources Company</u> <u>N2700</u>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: <u>Navajo Tribe</u>
3. ADDRESS OF OPERATOR: <u>1675 Broadway, Suite 1950</u> CITY <u>Denver</u> STATE <u>CO</u> ZIP <u>80202</u>		7. UNIT or CA AGREEMENT NAME: <u>Ratherford Unit</u>
4. LOCATION OF WELL FOOTAGES AT SURFACE: <u>See attached list</u>		8. WELL NAME and NUMBER: <u>See attached list</u>
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____		9. API NUMBER: <u>Attached</u>
COUNTY: <u>San Juan</u>		10. FIELD AND POOL, OR WILDCAT: <u>Greater Aneth</u>
STATE: <u>UTAH</u>		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA


TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective June 1, 2006 Exxon Mobil Oil Corporation resigns as operator of the Ratherford Unit. Also effective June 1, 2006 Resolute Natural Resources Company is designated as successor operator of the Ratherford Unit.

A list of affected producing and water source wells is attached. A separate of affected injection wells is being submitted with UIC Form 5, Transfer of Authority to Inject.

As of the effective date, bond coverage for the affected wells will transfer to BIA Bond # PA002769.

NAME (PLEASE PRINT) <u>Dwight E Mallory</u>	TITLE <u>Regulatory Coordinator</u>
SIGNATURE 	DATE <u>4/20/2006</u>

(This space for State use only)

APPROVED 6127106
Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

RECEIVED
APR 24 2006
DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER:
2. NAME OF OPERATOR: ExxonMobil Oil Corporation <i>N1855</i>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Ship Rock
3. ADDRESS OF OPERATOR: P.O. Box 4358 CITY Houston STATE TX ZIP 77210-4358		7. UNIT or CA AGREEMENT NAME: UTU68931A
4. LOCATION OF WELL FOOTAGES AT SURFACE: QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		8. WELL NAME and NUMBER: Ratherford
PHONE NUMBER: (281) 654-1936		9. API NUMBER: attached
COUNTY: San Juan		10. FIELD AND POOL, OR WILDCAT: Aneth
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>6/1/2006</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

ExxonMobil Oil Corporation is transferring operatorship of Greater Aneth field, Ratherford lease to Resolute Natural Resources Company. All change of operator notices should be made effective as of 7:00 AM MST on June 1, 2006.

Attached please find a listing of producers and water source wells included in the transfer.

NAME (PLEASE PRINT) <u>Laurie Kilbride</u>	TITLE <u>Permitting Supervisor</u>
SIGNATURE <i>Laurie B. Kilbride</i>	DATE <u>4/19/2006</u>

(This space for State use only) **APPROVED** 6/13/06
Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

RECEIVED
APR 21 2006

DIV. OF OIL, GAS & MINING

Ratherford Unit - Producer Well List

minus P&A's

Lease	Number	API #	Status	Lease #	Location					
					Sec	T	R	QTR/QTR	NSFoot	EWFoot
Ratherford	01-14	430373116200S1	Producing	1420603246A	1	41S	23E	SWSW	0660FSL	0660FWL
Ratherford	01-34	430371638501S1	SI	1420603246A	1	41S	23E	SWSE	1133FSL	1980FEL
Ratherford	11-41	430373154400S1	Producing	1420603246A	11	41S	23E	NENE	0860FNL	0350FEL
Ratherford	11-43	430373162201S1	Producing	1420603246A	11	41S	23E	NESE	1980FSL	0660FEL
Ratherford	12-12	430373119000S1	Producing	1420603246A	12	41S	23E	SWNW	1850FNL	0660FWL
Ratherford	12-14	430371584400S1	SI	1420603246A	12	41S	23E	SWSW	0660FSL	4622FEL
Ratherford	12-21	430373120100S1	Producing	1420603246A	12	41S	23E	NENW	0660FNL	1980FWL
Ratherford	12-23	430371584601S1	Producing	1420603246A	12	41S	23E	NESW	1958FSL	3300FEL
Ratherford	12-32	430373120300S1	Producing	1420603246A	12	41S	23E	SWNE	1820FNL	1820FEL
Ratherford	12-34	430373112600S1	Producing	1420603246A	12	41S	23E	SWSE	0675FSL	1905FEL
Ratherford	12-43	430373120200S1	SI	1420603246A	12	41S	23E	NESE	2100FSL	0660FEL
Ratherford	13-12	430373112701S1	Producing	1420603247A	13	41S	23E	SWNW	1705FNL	0640FWL
Ratherford	13-14	430373158900S1	Producing	1420603247A	13	41S	23E	SWSW	0660FSL	0660FWL
Ratherford	13-21	430373112801S1	SI	1420603247A	13	41S	23E	NENW	0660FNL	1920FWL
Ratherford	13-23	430373112900S1	Producing	1420603247A	13	41S	23E	NESW	1980FSL	1930FWL
Ratherford	13-34	430373113001S1	Producing	1420603247A	13	41S	23E	SWSE	0660FSL	1980FEL
Ratherford	13-41	430371585601S1	Producing	1420603247A	13	41S	23E	NENE	660FNL	660FEL
Ratherford	13-43	430373113100S1	Producing	1420603247A	13	41S	23E	NESE	1700FSL	0960FEL
Ratherford	14-32	430371585801S1	Producing	1420603247A	14	41S	23E	SWNE	2130FNL	1830FEL
Ratherford	14-41	430373162300S1	Producing	1420603247A	14	41S	23E	NENE	0521FNL	0810FEL
Ratherford	24-32	430373159300S1	Producing	1420603247A	24	41S	23E	SWNE	2121FNL	1846FEL
Ratherford	24-41	430373113200S1	Producing	1420603247A	24	41S	23E	NENE	0660FNL	0710FEL
Ratherford	17-11	430373116900S1	Producing	1420603353	17	41S	24E	NWNW	1075FNL	0800FWL
Ratherford	17-13	430373113301S1	Producing	1420603353	17	41S	24E	NWSW	2100FSL	0660FWL
Ratherford	17-22	430373117001S1	Producing	1420603353	17	41S	24E	SENE	1882FNL	1910FWL
Ratherford	17-24	430373104400S1	Producing	1420603353	17	41S	24E	SESW	0720FSL	1980FWL
Ratherford	17-31	430373117800S1	Producing	1420603353	17	41S	24E	NWNE	0500FNL	1980FEL
Ratherford	17-33	430373113400S1	Producing	1420603353	17	41S	24E	NWSE	1980FSL	1845FEL
Ratherford	17-42	430373117700S1	Producing	1420603353	17	41S	24E	SENE	1980FNL	0660FEL
Ratherford	17-44	430371573201S1	Producing	1420603353	17	41S	24E	SESE	0660FSL	0660FEL
Ratherford	18-11	430371573300S1	SI	1420603353	18	41S	24E	NWNW	0720FNL	0730FWL
Ratherford	18-13	430371573401S1	Producing	1420603353	18	41S	24E	NWSW	1980FSL	0500FWL
Ratherford	18-22	430373123600S1	Producing	1420603353	18	41S	24E	SENE	2200FNL	2210FWL
Ratherford	18-24	430373107900S1	Producing	1420603353	18	41S	24E	SESW	0760FSL	1980FWL
Ratherford	18-31	430373118101S1	Producing	1420603353	18	41S	24E	NWNE	0795FNL	2090FEL
Ratherford	18-33	430373113501S1	Producing	1420603353	18	41S	24E	NWSE	1870FSL	1980FEL
Ratherford	18-42	430373118200S1	Producing	1420603353	18	41S	24E	SENE	2120FNL	0745FEL
Ratherford	18-44	430373104500S1	SI	1420603353	18	41S	24E	SESE	0660FSL	0660FEL
Ratherford	19-11	430373108000S1	Producing	1420603353	19	41S	24E	NWNW	0660FNL	0660FWL
Ratherford	19-13	430373171900S1	Producing	1420603353	19	41S	24E	NWSW	1980FSL	0660FWL
Ratherford	19-22	430373104601S1	Producing	1420603353	19	41S	24E	SENE	1840FNL	1980FWL
Ratherford	19-24	430373175401S1	Producing	1420603353	19	41S	24E	SESW	0600FSL	1980FWL
Ratherford	19-31	430373104701S1	Producing	1420603353	19	41S	24E	NWNE	510FNL	1980FEL
Ratherford	19-33	430373104800S1	Producing	1420603353	19	41S	24E	NWSE	1980FSL	1980FEL
Ratherford	19-42	430373091600S1	Producing	1420603353	19	41S	24E	SENE	1880FNL	0660FEL
Ratherford	19-44	430373108100S1	Producing	1420603353	19	41S	24E	SESE	0660FSL	0660FEL
Ratherford	19-97	430373159600S1	Producing	1420603353	19	41S	24E	SENE	2562FNL	0030FEL
Ratherford	20-11	430373104900S1	Producing	1420603353	20	41S	24E	NWNW	0500FNL	0660FWL
Ratherford	20-13	430373091700S1	Producing	1420603353	20	41S	24E	NWSW	2140FSL	0500FWL
Ratherford	20-22	430373093000S1	Producing	1420603353	20	41S	24E	SENE	2020FNL	2090FWL
Ratherford	20-24	430373091800S1	Producing	1420603353	20	41S	24E	SESW	0820FSL	1820FWL

Ratherford Unit - Producer Well List

minus P&A's

Lease	Number	API #	Status	Lease #	Location					
					Sec	T	R	QTR/QTR	NSFoot	EWFoot
Ratherford	20-31	430373105001S1	Producing	1420603353	20	41S	24E	NWNE	0660FNL	1880FEL
Ratherford	20-33	430373093100S1	Producing	1420603353	20	41S	24E	NWSE	1910FSL	2140FEL
Ratherford	20-42	430373105100S1	Producing	1420603353	20	41S	24E	SENE	1980FNL	0660FEL
Ratherford	20-44	430373091501S1	Producing	1420603353	20	41S	24E	SESE	0620FSL	0760FEL
Ratherford	20-66	430373159201S1	Producing	1420603353	20	41S	24E	SWNW	1369FNL	1221FWL
Ratherford	20-68	430373159100S1	Producing	1420603353	20	41S	24E	NWSW	1615FSL	1276FWL
Ratherford	15-12	430371571501S1	Producing	1420603355	15	41S	24E	SWNW	1820FNL	0500FWL
Ratherford	15-22	430373044900S1	SI	1420603355	15	41S	24E	SENE	1980FNL	2050FWL
Ratherford	15-32	430371571700S1	Producing	1420603355	15	41S	24E	SWNE	1980FNL	1980FEL
Ratherford	15-33	430371571800S1	Producing	1420603355	15	41S	24E	NWSE	1650FSL	1980FEL
Ratherford	15-41	430371571900S1	TA	1420603355	15	41S	24E	NENE	0660FNL	0660FEL
Ratherford	15-42	430373044800S1	Producing	1420603355	15	41S	24E	SENE	2020FNL	0820FEL
Ratherford	16-13	430373116801S1	Producing	1420603355	16	41S	24E	NWSW	1980FSL	660FWL
Ratherford	16-32	430371572300S1	Producing	1420603355	16	41S	24E	SWNE	1980FNL	1980FEL
Ratherford	16-41	430371572500S1	Producing	1420603355	16	41S	24E	NENE	0660FNL	0660FEL
Ratherford	16-77	430373176800S1	Producing	1420603355	16	41S	24E	NESW	2587FSL	2410FWL
Ratherford	21-23	430371375400S1	Producing	1420603355	21	41S	24E	NESW	1740FSL	1740FWL
Ratherford	21-24	430373172001S1	SI	1420603355	21	41S	24E	SESW	487FSL	2064FWL
Ratherford	21-32	430371575500S1	SI	1420603355	21	41S	24E	SWNE	1880FNL	1980FEL
Ratherford	21-77	430373175801S1	SI	1420603355	21	41S	24E	NWSE	2511FSL	2446FEL
Ratherford	07-11	430373116300S1	Producing	1420603368	7	41S	24E	NWNW	0660FNL	0710FWL
Ratherford	07-13	430373116400S1	Producing	1420603368	7	41S	24E	NWSW	2110FSL	0740FWL
Ratherford	07-22	430373116500S1	Producing	1420603368	7	41S	24E	SENE	1980FNL	1980FWL
Ratherford	07-24	430373116600S1	Producing	1420603368	7	41S	24E	SESW	0880FSL	2414FWL
Ratherford	07-44	430373118900S1	SI	1420603368	7	41S	24E	SESE	0737FSL	0555FEL
Ratherford	08-12	430371599100S1	Producing	1420603368	8	41S	24E	SWNW	1909FNL	0520FWL
Ratherford	08-21	430371599300S1	Producing	1420603368	8	41S	24E	NENW	0616FNL	1911FWL
Ratherford	08-23	430371599400S1	Producing	1420603368	8	41S	24E	NESW	1920FSL	2055FWL
Ratherford	08-32	430371599500S1	Producing	1420603368	8	41S	24E	SWNE	1980FNL	1980FEL
Ratherford	08-34	430371599600S1	Producing	1420603368	8	41S	24E	SWSE	0660FSL	1980FEL
Ratherford	04-34	430371616400S1	Producing	14206034035	4	41S	24E	SWSE	0660FSL	1980FEL
Ratherford	11-14	430371616700S1	Producing	14206034037	11	41S	24E	SWSW	0660FSL	0660FWL
Ratherford	09-34	430371571100S1	SI	14206034043	9	41S	24E	SWSE	0660FSL	1980FEL
Ratherford	10-12	430371571200S1	Producing	14206034043	10	41S	24E	SWNW	1980FNL	0660FWL
Ratherford	10-14	430371571300S1	Producing	14206034043	10	41S	24E	SWSW	0510FSL	0710FWL
Ratherford	10-32	430371571400S1	TA	14206034043	10	41S	24E	SWNE	2080FNL	1910FEL
Ratherford	10-44	430373045100S1	TA	14206034043	10	41S	24E	SESE	0820FSL	0510FEL
Ratherford	29-11	430373105300S1	Producing	1420603407	29	41S	24E	NWNW	0770FNL	0585FWL
Ratherford	29-22	430373108200S1	Producing	1420603407	29	41S	24E	SENE	2130FNL	1370FWL
Ratherford	29-31	430373091401S1	Producing	1420603407	29	41S	24E	NWNE	0700FNL	2140FEL
Ratherford	29-33	430373093200S1	SI	1420603407	29	41S	24E	NWSE	1860FSL	1820FEL
Ratherford	29-34	430371534000S1	SI	1420603407	29	41S	24E	SWSE	0817FSL	2096FEL
Ratherford	29-42	430373093700S1	SI	1420603407	29	41S	24E	SENE	1850FNL	0660FEL
Ratherford	30-32	430371534200S1	Producing	1420603407	30	41S	24E	SWNE	1975FNL	2010FEL
Ratherford	28-11	430373044600S1	Producing	1420603409	28	41S	24E	NWNW	0520FNL	0620FWL

Ratherford Unit - Producer Well List

minus P&A's

Lease	Number	API #	Status	Lease #	Location					
					Sec	T	R	QTR/QTR	NSFoot	EWFoot
Ratherford	09-12	430371512600S1	Producing	14206035045	9	41S	24E	SWNW	1865FNL	0780FWL
Ratherford	09-14	430371512700S1	Producing	14206035046	9	41S	24E	SWSW	0695FSL	0695FWL
Ratherford	04-14	430371616300S1	Producing	14206035446	4	41S	24E	SWSW	0500FSL	0660FWL
Ratherford	03-12	430371562000S1	Producing	14206036506	3	41S	24E	SWNW	2140FNL	0660FWL

Water Source Wells (Feb 2006)

RU	S1	4303700001	Active
RU	S2	4303700002	Active
RU	S3	4303700003	Active
RU	S4	4303700004	Active
RU	S5	4303700005	Active
RU	S6	4303700006	Active
RU	S7	4303700007	Active
RU	S8	4303700008	Active
RU	S9	4303700009	Active
RU	S10	4303700010	Active
RU	S11	4303700011	Active
RU	S12	4303700012	Active
RU	S13	4303700013	Active
RU	S14	4303700014	Active
RU	S16	4303700016	Active
RU	S17	4303700017	Active

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	FORM 9 5. LEASE DESIGNATION AND SERIAL NUMBER: 14-20-603-368
---	---

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: NAVAJO 7. UNIT or CA AGREEMENT NAME: RATHERFORD
--	--

1. TYPE OF WELL Oil Well	8. WELL NAME and NUMBER: RATHERFORD UNIT 7-44
------------------------------------	---

2. NAME OF OPERATOR: RESOLUTE NATURAL RESOURCES	9. API NUMBER: 43037311890000
---	---

3. ADDRESS OF OPERATOR: 1700 Lincoln Street, Suite 2800 , Denver, CO, 80203 4535	PHONE NUMBER: 303 534-4600 Ext	9. FIELD and POOL or WILDCAT: GREATER ANETH
--	--	---

4. LOCATION OF WELL FOOTAGES AT SURFACE: 0737 FSL 0555 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SESE Section: 07 Township: 41.0S Range: 24.0E Meridian: S	COUNTY: SAN JUAN STATE: UTAH
---	---

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT Approximate date work will start: 3/24/2016 <input type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: <input type="checkbox"/> SPUD REPORT Date of Spud: <input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input checked="" type="checkbox"/> OTHER	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: <input style="width: 100px;" type="text" value="Rod Repair"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Resolute Natural Resources respectfully submits this sundry as notice of a rod repair on the above well. Attached are the procedures and schematics

Accepted by the Utah Division of Oil, Gas and Mining

Date: March 24, 2016

By: *Derek Duff*

NAME (PLEASE PRINT) Erin Joseph	PHONE NUMBER 303 573-4886	TITLE Sr. Regulatory Analyst
SIGNATURE N/A		DATE 3/21/2016

Resolute

Natural Resources

Re: RU 7-44 Parted Rods Repair

Procedure


Horsley Witten: NO

1. MIRU WSU, LOTO,
2. Pressure test tubing to 1000 psig.
3. Kill well as necessary.
4. POOH with rods down to part, fish parted rods & pump as required. Call Bill Albert 970-371-9682 for rod inspection. If unavailable, contact Tech Support: Virgil Holly 435-444-0020, or Nate Dee 435-730-5442. 3/4 x 7/8 S-88 rods were run Oct 2008.
5. Drop SV and re-PT the tubing. If PT passes, go to step 5A; if PT fails, retrieve the SV, NU BOPE, prepare to pull tubing (run 9-16-2008) - Step 6 onward.
 - 5A. Retrieve SV, run 16' x 1/4" GA, new 1-1/2" insert pump, and 3/4 x 7/8 rods.
Use reconditioned rods if any need replaced.
 - 5B. Land pump, long stroke it to test pump action.
 - 5C. Leave enough polish rod for correctly spacing the pump.
 - 5D. Notify Area Production Supervisor Alfred Redhouse 435-619-7227 that well is ready to return to production.
 - 5E. RDMOL. Hook up appropriate chemical treatment.
6. Release the TAC @ 5440' KB. Install a packer. Pressure test BOPE, LD pkr.
7. TOOH with tubing, standing it back.
8. Call & notify Bill Albert to inspect tubing. If unavailable contact Virgil Holly or Nate Dee. Replacement tbg to be YB, if replacement is needed.
9. Make bit & scraper trip to TOF at 5627'. Circulate clean using FW. POOH & LD bit & scraper.
10. TIH w 3-1/2 SMA joint, x-over, 2-7/8 carbon steel SN, x-over, 3-1/2" blast jt, x-over, 3 jts tbg, 7" TAC, 2-7/8 YB tbg to surface; set TAC at ~ 5448'; EOT at ~ 5613' KB as before.
11. ND BOP, NU B-1 flange & land tubing. Install master valve above the B-1 flange.
12. RIH with 1-1/4 x 16' GA, new 1-1/2" insert pump, & rods. Contact Tech Support for pump & rod details.
13. Notify Area Production Supervisor Alfred Redhouse 435-619-7227 that well is temporarily abandoned.
14. RDMOL. Hook up appropriate chemical treatment.

RATHERFORD UNIT # 7-44
GREATER ANETH FIELD
 737' FSL & 555' FEL
 SEC 7-T41S-R24E
 SAN JUAN COUNTY, UTAH
 API 43-037-31189
 PRISM 0042952

PRODUCER

Capacity:	bbbl/d	gal/d	cuft/d
2-7/8" 6.5#	.00579	.2431	.0325
7" 23#	.0393	1.6335	.2210
7" 28#	.0382	1.6070	.2148
2-7/8" 7" 23#	.0313	1.3162	.1780
2-7/8" 7" 28#	.0302	1.2898	.1697



S. Sandoval 2012.03.01 R.U. #7-44
 K.B. Duhon 2002.11.06

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9	
		5. LEASE DESIGNATION AND SERIAL NUMBER: 14-20-603-368	
SUNDRY NOTICES AND REPORTS ON WELLS		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: NAVAJO	
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		7. UNIT or CA AGREEMENT NAME: RATHERFORD	
1. TYPE OF WELL Oil Well		8. WELL NAME and NUMBER: RATHERFORD UNIT 7-44	
2. NAME OF OPERATOR: RESOLUTE NATURAL RESOURCES		9. API NUMBER: 43037311890000	
3. ADDRESS OF OPERATOR: 1700 Lincoln Street, Suite 2800 , Denver, CO, 80203 4535	PHONE NUMBER: 303 534-4600 Ext	9. FIELD and POOL or WILDCAT: GREATER ANETH	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0737 FSL 0555 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SESE Section: 07 Township: 41.0S Range: 24.0E Meridian: S		COUNTY: SAN JUAN	
		STATE: UTAH	
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start: <input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 4/6/2016 <input type="checkbox"/> SPUD REPORT Date of Spud: <input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION <input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input checked="" type="checkbox"/> OTHER		<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: <input style="width: 100px;" type="text" value="Rod Repair"/>
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.			
<p>Resolute Natural Resources respectfully submits this sundry as notice that the Rod Repair was completed on 4/6/16 according to previously approved procedures</p>			
<p>Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY May 13, 2016</p>			
NAME (PLEASE PRINT) Erin Joseph	PHONE NUMBER 303 573-4886	TITLE Sr. Regulatory Analyst	
SIGNATURE N/A		DATE 5/13/2016	