

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
 DRILL DEEPEN PLUG BACK

b. TYPE OF WELL
 OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
 Texaco Inc.

3. ADDRESS OF OPERATOR
 P. O. Box 3109, Midland, TX 79702

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*
 At surface: 730' FNL, 730' FEL NENE
 At proposed prod. zone: Same

5. LEASE DESIGNATION AND SERIAL NO.
 14-20-603-4030

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
 Navajo

7. UNIT AGREEMENT NAME
 Aneth Unit

8. FARM OR LEASE NAME
 Unit

9. WELL NO.
 H129

10. FIELD AND POOL, OR WILDCAT
 Aneth (365)

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
 Sec. 29, T-40-S, R-24 -E

12. COUNTY OR PARISH
 San Juan

13. STATE
 Utah

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
 1.7 Miles Northeast of Montezuma Creek, Utah

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any)
 1910'

16. NO. OF ACRES IN LEASE
 16950

17. NO. OF ACRES ASSIGNED TO THIS WELL
 40

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.
 1150'

19. PROPOSED DEPTH
 5654' Desert Creek

20. ROTARY OR CABLE TOOLS
 Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
 GR - 4667.8

22. APPROX. DATE WORK WILL START*
 June 1, 1990

R
FEB 28 1990
OIL, GAS & MINING

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
17 1/2"	13 3/8"	48#	40'	Redimix to Surface
11"	8 5/8"	24#	1540'	Cement to surface- 570 sacks
7 7/8"	5 1/2"	15.5#	5654'	Cement to surface- 2140 sacks

CEMENTING PROGRAM

Conductor - Redimix

Surface Casing - 450 sacks Class "G" with 2% Gel mixed at 14.9 ppg & 1.33 ft³/sx yield, followed by 120 sx Class "G" with 2% CaCl₂ mixed at 15.9 ppg & 1.16 ft³/sx yield.

Production Casing - 1800 sacks 35/65 Poz Glass "G" with 6% gel, 5% salt, 1/4# flocele mixed at 12.5 ppg & 1.85 ft³/sx yield, followed by 340 sx 50/50 Poz Class "G" with 2% gel, 5% salt, 1/4# flocele mixed at 13.7 ppg & 1.23 ft³/sx yield.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED CP Baslan TITLE Drilling Superintendent DATE February 23, 1990

(This space for Federal or State office use)

PERMIT NO. 43-037-31529 APPROVAL DATE APPROVED BY THE STATE OF UTAH DIVISION OF OIL, GAS, AND MINING

APPROVED BY _____ TITLE _____ DATE 4-27-90 BY John R. Bay

WELL SPACING: R/15-2-3

*See Instructions On Reverse Side


COMPANY TEXACO, INC.

LEASE ANETH WELL NO. H129

SEC. 29 , T 40 SOUTH , R 24 EAST, S.L.M.


LOCATION 730 FEET FROM THE NORTH LINE AND
730 FEET FROM THE EAST LINE

ELEVATION 4667.8 UNGRADED GROUND



SCALE - 1 INCH EQUALS 1000 FEET

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.



James P. Leese
Registered Land Surveyor.
JAMES P. LEESE, UTAH REG. 1472

SURVEYED JANUARY 19, 19 90

CONDITIONS OF APPROVAL FOR PERMIT TO DRILL

Company: Texaco Inc. Well Name: Aneth Unit No. H129

Location: Sec. 29, T-40-S, R-24-E Lease No: 14-20-603-4030

730' FNL, 730' FEL
San Juan County, Utah

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas Order No. 1, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished to the field representative to ensure compliance.

A. DRILLING PROGRAM

1. Surface Formation and Estimated Formation Tops:

Navajo - 629', Chinle - 1487', DeChelly - 2590', Hermosa - 4284', Ismay - 5350', Desert Creek - 5511', Total Depth - 5654'

2. Estimated depth at which Oil, Gas, Water or Other Mineral Bearing Zones are expected to be encountered:

	<u>Formation</u>	<u>Depth</u>	<u>(Subsea)</u>
Expected Oil Zones:	Ismay	5350'	-694'
	Desert Creek	5511'	-855'
Expected Water Zones:	Navajo	659'	+3992'
	DeChelly	2590'	+2061'

All fresh water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling, will be recorded by depth, cased, and cemented. All oil and gas shows will be tested to determine commercial potential.

Texaco Inc.
Aneth Unit
San Juan County, Utah

3. Pressure Control Equipment: 3000 psi Double Gate preventer with 3000 psi annular preventer(See Exhibit #1).

BOP systems will be consistent with API RP 53. Pressure tests will be conducted before drilling out from under casing strings which are set and cemented into place. Blowout preventor controls will be installed prior to drilling the surface casing plug and will remain in use until the well is completed or abandoned. Preventors will be inspected and operated at least daily to ensure good mechanical working order, and this inspection recorded on the daily drilling report. Preventors will be pressure tested before drilling casing cement plugs.

4. Casing Program and Auxiliary Equipment: 13-3/8" conductor set at 40' and redi-mix to surface. 8-5/8", 24#, K-55 surface pipe set at 1540' and cemented to surface, 5-1/2" 15.5#, J-55 production casing set at 5654'. Cemented in one stage to surface. If cement does not circulate, we will verify top of cement by Temperature Survey.
5. Mud program and Circulating Medium: Fresh Water with gel slugs to clean holes as necessary from 0' to 1540'. Low solids non-dispersed (LSND) mud will be used from 1540' to TD. Mud weight minimum to ensure integrity of hole, Viscosity 33-35, WL 10-20.
6. Coring, Logging, and Testing Program: No cores or DST's are planned. Logging program will include a Dual-Induction-Spherical Focused Log (DILSFL) and a Gamma Ray Litho Density Caliper - Compensated Neutron Log (GR-LDT-CNL). 10' samples will be collected from 5000' to TD.

Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. Two copies of all logs, core descriptions, core analysis, well-test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed within 30 days of completion. If requested, samples (cuttings, fluids, and/or gases) will be submitted to the District Manager.

Texaco Inc.
Aneth Unit
San Juan County, Utah

7. Abnormal Conditions, Bottom Hole Pressures and Potential Hazards:

Anticipated Bottom Hole Pressure: 2800 psi. No abnormal hazards or drilling conditions are anticipated.

8. Anticipated Starting Dates and Notifications of Operations:

Anticipated Spud Date is June 1, 1990. It is expected to take 13 days to drill the well and 16 days to complete this well. Written notification in the form of a Sundry Notice (Form 3160-5) will be submitted to the District Office within twenty-four (24) hours after spudding. If the spudding occurs on a weekend or holiday, the written report will be submitted on the following regular work day. Texaco will notify the appropriate BLM District Office for the following:

Two days prior to commencement of dirt work, construction or reclamation - a Pre-construction on site shall be arranged by Texaco.

One day prior to spud.

One day prior to running and cementing casing.

One day prior to testing casing and/or BOP's.

In accordance with Onshore Oil and Gas Order No. 1, this well will be reported on Form 9-329 "Monthly Report of Operations", starting with the month in which operations commence each month until the well is physically plugged and abandoned.

Immediate Report: Spills, blowouts, fires, leaks, accidents, or any other occurrences shall be promptly reported to the Resource Area in accordance with requirements of NTL-3A.

If the well is successfully completed for production, then the District Manager will be notified when the well is placed in a producing status. Such notification will be sent by telegram or other written communication, not later than 5 business days following the date on which the well is placed on production.

Texaco Inc.
Aneth Unit
San Juan County, Utah

No well abandonment operations will begin without the prior approval of the District Manager. In the case of newly drilled dry holes or failures, and in emergencies, oral approval will be obtained from the District Petroleum Engineer. A "Subsequent Report of Abandonment" (Form 3160-5) will be filed with the District Manager, within 30 days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration.


Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the Area Manager, or the appropriate Surface Manager.

Approval to vent/flare gas during initial well evaluation will be obtained from the District Office. This preliminary approval will not exceed 30 days or 50 MMCF gas. Approval to vent/flare beyond this initial period will require District Office approval pursuant to guidelines in NTL-4A.

Upon completion of approved plugging, a regulation marker will be erected in accordance with 43 CFR 3162.6. The following information will be permanently beaded-on with a welding torch: Fed, well number, location by 1/4 1/4, section, township and range, lease number. The marker will be at least four (4) feet above ground level and be steel pipe.

A first production conference will be scheduled within 15 days after receipt of the first production notice. The Area Manager will schedule the conference.

**DRILLING CONTROL
CONDITION III-B 3000 PSI WP**



H₂S TRIM REQUIRED
YES NO

DRILLING CONTROL

MATERIAL LIST - CONDITION III - B

- A Texaco Wellhead
- B 3000# W.P. Dual ram type preventer, hydraulic operated with 1" steel, 3000# W.P. control lines (where sub-structure height is adequate, 2 - 3000# W.P. single ram preventers may be utilized with 3000# W.P. drilling spool with 2" minimum flanged outlet for kill line and 3" minimum flanged outlet for choke line. The drilling spool is to be installed below the single ram type preventers).
- C 3000# W.P. Annular Preventer with 1" steel, 3000# W.P. control lines.
- D Rotating Head with fill up outlet and extended Blooie line.
- 1,3,4, 7,8, 2" minimum 3000# W.P. flanged full opening steel gate valve, or Halliburton Lo Torc Plug valve.
- 2 2" minimum 3000# W.P. back pressure valve.
- 5,6,9 3" minimum 3000# W.P. flanged full opening steel gate valve, or Halliburton Lo Torc Plug valve.
- 12 3" minimum Schedule 80, Grade B, seamless line pipe.
- 13 2" minimum x 3" minimum 3000# W.P. flanged cross.
- 10,11 2" minimum 3000# W.P. adjustable choke bodies.
- 14 Cameron Mud Gauge or equivalent (location optional in Choke line).
- 15 2" minimum 3000# W.P. flanged or threaded full opening steel gate valve, or Halliburton Lo Torc Plug valve.

SCALE	DATE	EST NO.	ORG. NO.
DRAWN BY			
CHECKED BY			



TEXACO, INC.
MIDLAND DIVISION
MIDLAND, TEXAS



EXHIBIT 1

THIRTEEN POINT SURFACE USE DEVELOPMENT PLAN

Texaco, Inc.

Aneth H129
NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 29, T40S, R24E
San Juan County, Utah

1. Existing Roads

- a) To reach the proposed location drive to Montezuma Creek, Utah and turn north on Highway 262 approximately 1 3/4 miles, turn west. Refer to Vicinity Map.
- b) Existing roads within a one-mile radius - Refer to Vicinity Map.
- c) The existing road will be maintained as necessary to provide access during the drilling operation.

2. Planned Access Road

Existing access road is adjacent to the north side of proposed well pad.

3. Location of Existing Wells

Offset wells are shown on lease map.

4. Location of Facilities

- a) Flowline will run Approximately 4600' Northeastly To Existing Facilities
- b) Powerline will run to site from existing line that serves existing well approximately 500 feet east of proposed site.
- c) Any production equipment will be painted earthtone to blend into the surrounding terrain.

5. Water Supply

Water for drilling operations will be trucked from Texaco's pressure maintenance system. Authorization for use of this water has been granted by the State of Utah through application number A-10458 (09-248), certificate number A-1318.

6. Source of Construction Materials:

- a) No additional construction materials will be required to build the proposed location.
- b) The Navajo Tribe/BLM on-site inspection may dictate any changes in location construction.

7. Methods of Handling Waste Disposal:

- a) The drill cuttings, fluids and completion fluids will be placed in the reserve pit. The reserve pit will be fenced on three sides away from the pad during drilling and the fourth side fenced as soon as the rig moves out. The reserve pit will be allowed to dry and materials remaining in the reserve pit buried. The reserve pit will be backfilled, leveled, and contoured so as to prevent any materials being carried into the watershed. Upon completion, the pad will be leveled, contoured and reseeded with the appropriate seed mixture.
- b) All garbage and trash will be placed in a portable trash cage and hauled off to a dump site after drilling operations are completed.
- c) A portable chemical toilet will be provided for drilling personnel during drilling operations. (See Well Pad Layout Plat.)

8. Ancillary Facilities

Camp facilities will not be required. Portable trailers will be on location to house a company drilling foreman and contract toolpusher.

9. Wellsite Layout

- a) The drilling location will be graded and will be approximately 300' x 180' with a 100' x 100' reserve pit. Cross-sections have been drafted to visualize the planned cuts and fills across the location.
- b) The general location of mud tanks, reserve pit, pipe racks, trash cage, portable toilet, rig orientation and access road may be found on the well pad layout plat.
- c) The reserve pit will be an unlined pit as the natural soil contains bentonite.

10. Plans for Restoration of Surface

When the well site is abandoned, the location and access road will be cleaned and restored to original topographical contours as much as possible. The area will be reseeded with the appropriate seed mixture.

11. Surface Ownership

The surface ownership is the Navajo Tribe and is administered by the Bureau of Indian Affairs, U.S. Department of Interior.

12. Other Information:

- a) An archaeological survey will be conducted during the on-site inspection.
- b) Any questions regarding this APD may be directed to Texaco's designated representative:

Mr. C.P. Basham
Division Drilling Superintendent
P. O. Box 3109
Midland, TX 79702
Phone: (915) 688-4620

Mr. Alan A. Kleier
Area Manager
3000 North Butler
Farmington, NM 87401
(505) 326-2657


13. Certification:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions that presently exist; that the statements made in this plan are, to the best of my knowledge and belief, true and correct; and that the work associated with the operations proposed herein will be performed by Texaco, Inc. and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved.

2-13-90
Date



C. P. Basham
Division Drilling Superintendent



R-23-E

2

R-24-E

4

3

R-25-E

6


5

6

5

2

1



11

12

7


8

9

10

11

12



7

8

14

13

18

17

16

15

14

13

18

17

23

24

19

20

21

22

23

24

19

20

26

25

30

29

28

27

26

25

30

29

35

36

31

32

33

34

35


36

31

32


ANETH UNIT
SAN JUAN COUNTY, UTAH

ANETH UNIT LEASE MAP



VICINITY MAP FOR TEXACO INC.

WELL LOCATION ANETH H-129
730' F/NL-730' F/EL, SECTION 29,
T40S, R24E, SAN JUAN CO, UTAH.



SCALE: NTS

DATE: JANUARY, 1990


SAN JUAN ENGINEERS

2101 SAN JUAN BLVD, FARMINGTON, NEW MEXICO.

WELL PAD LAYOUT FOR

TEXACO INC.

WELL LOCATION ANETH H-129
730' F/NL-730' F/EL SECTION 29,
T40S, R 24E, SAN JUAN CO, UTAH.



SCALE: 1" = 50'

DATE: JANUARY, 1990.


SAN JUAN ENGINEERS

2101 SAN JUAN BLVD, FARMINGTON, NEW MEXICO.

CUT AND FILL SHEET
FOR
TEXACO, INC.
WELL LOCATION ANETH H-129
SECTION 29, T40S, R24E, SAN JUAN CO, UTAH.

4670


4660



SECTION A-A.

4670


4660



SECTION B-B.

4670

4660



SECTION C-C.

SCALE:
HORIZ: 1" = 50'
VERT: 1" = 10'

JANUARY, 1990.

SAN JUAN ENGINEERS
2101 SAN JUAN BLVD, FARMINGTON, NEW MEXICO

OPERATOR Texaco Inc. (N0980) DATE 3-2-90

WELL NAME Aneth H129

SEC NENE 29 T 40S R 24E COUNTY San Juan

43-037-31529
API NUMBER

Indian (2)
TYPE OF LEASE

CHECK OFF:

PLAT

BOND

NEAREST WELL

LEASE

FIELD

POTASH OR OIL SHALE

PROCESSING COMMENTS:

Nearest well ok under unit agreement.
Water Permit A-10458 (09-248) cc: Being mailed - Received 3-5-90
Need 1990 P.O.D. Aneth Unit. Received 4-19-90 eff. 4-17-90.

APPROVAL LETTER:

SPACING: R615-2-3 Aneth R615-3-2
UNIT

CAUSE NO. & DATE R615-3-3

STIPULATIONS:

cc: BIA

09-248
RECEIVED

RECEIVED
MAR 05 1990
DIVISION OF
OIL, GAS & MINING

CERTIFICATE OF PERMANENT CHANGE OF POINT OF
DIVERSION, PLACE, PURPOSE OR PERIOD OF USE
OF WATER

JAN 14 1982

STATE OF UTAH

STATE ENGINEER
PRICE, UTAH

Change Application No. a-10458 (09-248)

Certificate No. a-1318

1. Nature of change: Point of diversion Place of use Purpose of use Period of use

2. Name of applicant Texaco, Inc.

3. Address of applicant P. O. Box 2100
Denver, CO 80201

4. Source of supply Underground Water, (19) Wells Drainage area Colorado River

5. Priority of original right January 19, 1959 Priority of change a-10458 - October 25, 1978

6. Right or rights upon which change was based A 30547, Cert. 7375, (09-248)

7. Quantity of water changed 5.1 c.f.s. _____ Acre-ft.

8. Nature and annual period of use: (both dates inclusive)

<u>X</u>	Irrigation	from	<u>March 15</u>	to	<u>November 15</u>
_____	Stockwatering	from	_____	to	_____
_____	Domestic	from	_____	to	_____
_____	Municipal	from	_____	to	_____
<u>X</u>	Other (Mining)	from	<u>January 1</u>	to	<u>December 31</u>

9. Point of diversion See Attached Sheet

_____ County, Utah

10. Description of diverting works 19 wells, 12 3/4 inch diameter wells, all approximately
40 feet deep

11. Place and/or extent of use IRRIGATION: 2.01 acs. SE 1/4 NE 1/4, Sec. 31, T40S, R24E, SLBM;
5.19 acs. SW 1/4 NW 1/4, Sec. 32, T40S, R24E, SLBM or a total acreage of 7.2 acres.

INJECTION MINING OF GAS AND OIL IN: Sections 1, 11, 12, 13, 14, 23, and 24,
T40S, R23E, SLBM; Sections 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20,
21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 33, 34, 35, and 36, T40S, R24E, SLBM;
Sections 19, 20, 29, 30, and 31, T40S, R25E, SLBM; Section 2, T41S, R24E, SLBM.

12. Other rights appurtenant None

This certificate entitles the holder to use only sufficient water from all rights combined to constitute an economic duty without waste.

The right evidenced by this certificate is restricted to the change described herein, and the certificate in no way establishes nor validates the water right claimed by the applicant, and the change is to in no way enlarge the original right or rights.

The works employed in this change are to be operated and maintained in such manner and condition as will prevent waste of water.

In Witness Whereof, I have hereunto set my hand and affixed the seal of my office this 16th day of December, 19 81.

T. Lee C. Hansen
State Engineer

In the event the right evidenced by this certificate is transferred, a copy of such transfer should be furnished the State Engineer by the party acquiring the right.

CHANGE APPL. NO. a-10458 (09-248)

CERTIFICATE NO. a-1318

RECORDED
MAR 05 1990

PARAGRAPH #9: POINT OF DIVERSION

- Well #1, Div. Pt. 97, E. 144 ft. S. 1484 ft. from NW Cor., Sec. 31, T40S, R24E, SLBM;
- Well #2, Div. Pt. 96, E. 301 ft. S. 1503 ft. from NW Cor., Sec. 31, T40S, R24E, SLBM;
- Well #3, Div. Pt. 95, E. 517 ft. S. 1524 ft. from NW Cor., Sec. 31, T40S, R24E, SLBM;
- Well #4, Div. Pt. 94, E. 738 ft. S. 1641 ft. from NW Cor., Sec. 31, T40S, R24E, SLBM;
- Well #5, Div. Pt. 93, E. 968 ft. S. 1733 ft. from NW Cor., Sec. 31, T40S, R24E, SLBM;
- Well #6, Div. Pt. 91, E. 1186 ft. S. 1857 ft. from NW Cor., Sec. 31, T40S, R24E, SLBM;
- Well #7, Div. Pt. 90, E. 1394 ft. S. 1998 ft. from NW Cor., Sec. 31, T40S, R24E, SLBM;
- Well #8, Div. Pt. 89, E. 1568 ft. S. 2191 ft. from NW Cor., Sec. 31, T40S, R24E, SLBM;
- Well #9, Div. Pt. 87, E. 1764 ft. S. 2332 ft. from NW Cor., Sec. 31, T40S, R24E, SLBM;
- Well #10, Div. Pt. 86, E. 1937 ft. S. 2512 ft. from NW Cor., Sec. 31, T40S, R24E, SLBM;
- Well #11, Div. Pt. 84, E. 2152 ft. S. 2650 ft. from NW Cor., Sec. 31, T40S, R24E, SLBM;
- Well #12, Div. Pt. 83, E. 2353 ft. S. 2809 ft. from NW Cor., Sec. 31, T40S, R24E, SLBM;
- Well #13, Div. Pt. 82, E. 2561 ft. S. 2936 ft. from NW Cor., Sec. 31, T40S, R24E, SLBM;
- Well #14, Div. Pt. 81, E. 2743 ft. S. 3095 ft. from NW Cor., Sec. 31, T40S, R24E, SLBM;
- Well #15, Div. Pt. 80, E. 2960 ft. S. 3244 ft. from NW Cor., Sec. 31, T40S, R24E, SLBM;
- Well #16, Div. Pt. 78, E. 3127 ft. S. 3425 ft. from NW Cor., Sec. 31, T40S, R24E, SLBM;
- Well #17, Div. Pt. 77, E. 3321 ft. S. 3583 ft. from NW Cor., Sec. 31, T40S, R24E, SLBM;
- Well #18, Div. Pt. 76, E. 3473 ft. S. 3797 ft. from NW Cor., Sec. 31, T40S, R24E, SLBM;
- Well #19, Div. Pt. 75, E. 3677 ft. S. 3920 ft. from NW Cor., Sec. 31, T40S, R24E, SLBM;

(Gallery, Div. Pts. 4 through 8, perforated pipe)

from E. 4220 ft. S. 3562 ft. from NW Cor., Sec. 31, T40S, R24E, SLBM.



State of Utah

DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

Norman H. Bangerter
Governor

Dee C. Hansen
Executive Director

Dianne R. Nielson, Ph.D.
Division Director

355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203
801-538-5340

April 27, 1990

Texaco Incorporated
P. O. Box 3109
Midland, Texas 79702

Gentlemen:

Re: Aneth H129 - NE NE Sec. 29, T. 40S, R. 24E - San Juan County, Utah
730' FNL, 730' FEL

Approval to drill the referenced well is hereby granted in accordance with Section 40-6-18, Utah Code Annotated, as amended 1983; and predicated on Rule R615-2-3, Oil and Gas Conservation General Rules.

In addition, the following actions are necessary to fully comply with this approval:

1. Spudding notification within 24 hours after drilling operations commence.
2. Submittal of an Entity Action Form within five working days following spudding and whenever a change in operations or interests necessitates an entity status change.
3. Submittal of the Report of Water Encountered During Drilling, Form 7.
4. Prompt notification if it is necessary to plug and abandon the well. Notify John R. Baza, Petroleum Engineer, (Office) (801) 538-5340, (Home) 298-7695, or Jim Thompson, Lead Inspector, (Home) 298-9318.
5. Compliance with the requirements of Rule R615-3-20, Gas Flaring or Venting, Oil and Gas Conservation General Rules.
6. Prior to commencement of the proposed drilling operations, plans for facilities for disposal of sanitary wastes at the drill site shall be submitted to the local health department. These drilling operations and any subsequent well operations must be conducted in accordance with applicable state and local health department regulations. A list of local health departments and copies of applicable regulations are available from the Division of Environmental Health, Bureau of General Sanitation, telephone (801) 538-6121.

Page 2
Texaco Incorporated
Aneth H129
April 27, 1990

7. This approval shall expire one (1) year after date of issuance unless substantial and continuous operation is underway or an application for an extension is made prior to the approval expiration date.

The API number assigned to this well is 43-037-31529.

Sincerely,



R. O. Firth
Associate Director, Oil & Gas

lcr
Enclosures
cc: Bureau of Land Management
Bureau of Indian Affairs
J. L. Thompson
WE14/58-59



Texaco USA
Producing Department
Midland Division

PO Box 3109
Midland TX 79702-3109

June 22, 1990

GOV - STATE AND LOCAL GOVERNMENTS

Sanitary Wastes

Texaco Inc.

Aneth Unit Well No. H-129 4303731529
Section 29, T-40-S, R-24-E
San Juan County, Utah

Southeastern Utah District Health Dept.
P. O. Box 800
Price, Utah 84501

Attention: Mr. Claron Bjork
Environmental Health Director

Gentlemen:

Attached, as per Utah State Oil and Gas Conservation Rule R615-2-3, Item 6, is the \$35 Filing Fee and Well Pad Layout for the captioned well.

Potable water will be brought to the location in portable cans by each rig crew, each tour, and will be located on the rig floor which will be greater than 50 feet from the portable toilet. Texaco will not have a trailer house on location. If the drilling contractor chooses to have a trailer house on location, it will be 50 feet or more from the portable toilet.

Yours very truly,

C. P. Basham
Drilling Superintendent


CWH:cwh
Attachments

cc: State of Utah, Department of Natural Resources
Division of Oil, Gas and Mining
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

WELL PAD LAYOUT FOR

TEXACO INC.

WELL LOCATION ANETH H-129
 730' F/NL-730' F/EL SECTION 29,
 T40S, R 24E, SAN JUAN CO, UTAH.



SCALE: 1" = 50'

DATE: JANUARY, 1990.

SAN JUAN ENGINEERS
 2101 SAN JUAN BLVD, FARMINGTON, NEW MEXICO.

DIVISION OF OIL, GAS AND MINING

API NO. 43-037-31529

SPUDDING INFORMATION

NAME OF COMPANY: TEXACO, INC.

WELL NAME: ANETH UNIT H-129

SECTION NENE 29 TOWNSHIP 40S RANGE 24E COUNTY SAN JUAN

DRILLING CONTRACTOR ARAPAHOE

RIG # 4

SPUDDED: DATE 7/8/90

TIME 5:00 p.m.

How ROTARY

DRILLING WILL COMMENCE _____

REPORTED BY WADE HOWARD

TELEPHONE # 915-688-4606

OIL AND GAS	
DFN	RJF
JFB	GLH
DIS	SLS
TAS LCR ✓	
Q	MICROFILM ✓
S	FILE

DATE 7/11/90 SIGNED TAS TAKEN BY: MKS

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING
DRILLING AND WELL PLUGGING INSPECTION FORM

COMPANY: Texaco inc COMPANY MAN: John Bouns
WELL NAME: H-129 API #: 43-037-31529
QTR/QTR: NE/NE SECTION: 29 TWP: 409 RANGE: 24E
CONTRACTOR: Arapahoe #4 PUSHER/DRLR: TH Schram
INSPECTOR: AK DATE: 7/10/90 OPERATIONS: Re cmt. Surface
SPUD DATE: 2/8/90 TOTAL DEPTH: 1550'

DRILLING AND COMPLETIONS

- APD
- WELL SIGN
- BOPE
- RESERVE PIT
- FLARE PIT
- BURN PIT
- H2S
- BLOOIE LINE
- SANITATION
- HOUSEKEEPING
- VENTED/FLARED

PLUGGING AND ABANDONMENT

PRODUCING FM(S): _____

PLUGS:	TYPE/SIZE	INTERVAL

PERFORATIONS: _____

CASING SIZE: _____ PULLED: YES / NO CUT AT: _____

PLUGS TESTED: _____ HOW: _____ WOC: _____

MARKER: _____ SURFACE: _____ PLATE: _____

RECLAMATION:

CONTOURED: _____ RIPPED: _____ REHAB'D: _____

LEGEND: (Y)-YES (P)-PROBLEM (U)-UNKNOWN (BLANK)-NOT APPLICABLE

REMARKS: had to re cement 8 5/8 surface before nipple up

5. LEASE DESIGNATION AND SERIAL NO.
14-20-603-4030

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to
Use "APPLICATION FOR PERMIT-" for such proposals.)

RECEIVED
JUL 16 1990
DIVISION OF
OIL, GAS & MINING

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
TEXACO INC.

3. ADDRESS OF OPERATOR
P. O. Box 3109, Midland, Texas 79702

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface
730' FNL & 730' FEL

NAVAJO
UNIT AGREEMENT NAME
ANETH UNIT

8. FARM OR LEASE NAME
UNIT

9. WELL NO.
H129

10. FIELD AND POOL, OR WILDCAT
ANETH

11. SEC., T., R., OR BLK. AND
SURVEY OR AREA
SEC. 29, T-40-S, R-24-E

14. PERMIT NO.
API#: 43-037-31529

15. ELEVATIONS (Show whether DF, RT, GR, etc.)
GR-4668', KB-4682'

12. COUNTY OR PARISH
SAN JUAN

13. STATE
UTAH

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
(Other) <input type="checkbox"/>	

SUBSEQUENT REPORT OF:

WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
(Other) SPUD & SURFACE CASING <input checked="" type="checkbox"/>	

(NOTE: Report results of multiple completion on well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1. ARAPAHOE RIG #4 SPUD 11 in. HOLE @ 5:00pm 7-8-90. DRILL TO 1540'. TD @ 7:00pm 7-9-90.
2. RAN 36 JTS OF 8 5/8, 24#, K-55, ST&C CSG. SET AT 1540'.
3. HALLIBURTON CEMENTED w/ 450 SX CLASS G w/ 2% GEL @ 14.9ppg. F/B 120 SX CLASS G w/ 2% CaCl2 @ 15.9ppg. DID NOT CIRC. PLUG DOWN @ 12:45am 7-10-90. TOC @ 280'. RAN 1 in. TUBING AND CEMENTED TO SURFACE w/ 65 SX CLASS G NEAT & 2 YDS GRAVEL. JOB APPROVED BY STEVE MASON AT THE BLM.
4. INSTALL WELLHEAD & TEST TO 1000#. NU BOP & TEST TO 3000#.
5. TEST CSG. TO 1000# FOR 30 MIN. FROM 8:30 TO 9:00am 7-11-90.
6. WOC TIME 29 1/2 HOURS FROM 12:45am 7-10-90 TO 6:15am 7-11-90.
7. DRILLING 7 7/8 HOLE.

OIL AND GAS	
DFN	RJF
JPB	GLH
DIS	SLS
1-DWE	
2- MICROFILM	
3- FILE	

18. I hereby certify that the foregoing is true and correct

SIGNED [Signature] TITLE DRILLING SUPERINTENDENT

DATE 07-12-90

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____
CONDITIONS OF APPROVAL, IF ANY:

DATE _____

*See Instructions on Reverse Side

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT-" for such purposes.)

RECEIVED
JUL 30 1990

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
TEXACO INC.

3. ADDRESS OF OPERATOR
P. O. Box 3109, Midland, Texas 79702

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface
730' FNL & 730' FEL

DIVISION OF
OIL, GAS & MINING

5. LEASE DESIGNATION AND SERIAL NO.
14-20-603-4030

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
NAVAJO

7. UNIT AGREEMENT NAME
ANETH UNIT

8. FARM OR LEASE NAME
UNIT

9. WELL NO.
H129

10. FIELD AND POOL, OR WILDCAT
ANETH

11. SEC., T., R., OR BLK. AND
SURVEY OR AREA

SEC. 29, T-40-S, R-24-E

14. PERMIT NO.
API#: 43-037-31529

15. ELEVATIONS (Show whether DF, RT, GR, etc.)
GR-4668', KB-4682'

12. COUNTY OR PARISH
SAN JUAN

13. STATE
UTAH

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF
FRACTURE TREAT
SHOOT OR ACIDIZE
REPAIR WELL
(Other)

PULL OR ALTER CASING
MULTIPLE COMPLETE
ABANDON*
CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF
FRACTURE TREATMENT
SHOOTING OR ACIDIZING
(Other)

REPAIRING WELL
ALTERING CASING
ABANDONMENT*

PRODUCTION CASING

(NOTE: Report results of multiple completion on well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1. DRILL 7 7/8 HOLE TO 5712'. TD @ 1:00pm 7-21-90.
2. ATLAS RAN GR-DLL-SP AND GR-CNL-LDT-CAL FROM 5697' TO 4500'. PULLED GR-CNL TO SURFACE.
3. RAN 140 JTS OF 5 1/2, 15.5#, J-55, LT&C CASING SET @ 5712'.
4. HALLIBURTON CEMENTED w/ 1800 SX 35/65 POZ CLASS G w/ 6% GEL, 5% SALT & 1/4# FLOCELE @ 12.5ppg. F/B 340 SX 50/50 POZ CLASS G w/ 2% GEL, 5% SALT & 1/4# FLOCELE @ 13.7ppg. PLUG-DOWN @ 2:00am 7-24-90. CIRCULATED 300 SX.
5. INSTALL WELLHEAD AND TEST TO 2000#.
6. RELEASE RIG @ 6:00am 7-24-90.
7. PREP TO COMPLETE.

OIL AND GAS	
DFN	RJF
JPB	GLH
DIS	SLS
1-DME	
2- MICROFILM ✓	
3- FILE	

18. I hereby certify that the foregoing is true and correct

SIGNED [Signature]

TITLE DRILLING SUPERINTENDENT

DATE 07-24-90

(This space for Federal or State office use)

APPROVED BY _____

TITLE _____

DATE _____

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

STATE OF UTAH
DIVISION OF OIL, GAS & MINING
OIL AND GAS INSPECTION RECORD

OPERATOR Texaco LEASE Indian
WELL NO. A/J H-129 API 43-037-31529
SEC. 29 T. 403 R. 24E CONTRACTOR _____
COUNTY 3/J FIELD Arnet

DRILLING/COMPLETION/WORKOVER:

APD WELL SIGN HOUSEKEEPING BOPE
 SAFETY POLL. CONTROL SURFACE USE PITS
 OPERATIONS OTHER

SHUT-IN ___ / TA ___:

WELL SIGN HOUSEKEEPING EQUIPMENT* SAFETY
 OTHER

ABANDONED:

MARKER HOUSEKEEPING REHAB. OTHER

PRODUCTION:

WELL SIGN HOUSEKEEPING EQUIPMENT* FACILITIES*
 METERING* POLL. CONTROL PITS DISPOSAL
 SECURITY SAFETY OTHER

GAS DISPOSITION:

VENTED/FLARED SOLD LEASE USE

LEGEND: Y - YES OR SATISFACTORY
N - NO OR UNSATISFACTORY
NA - NOT APPLICABLE

*FACILITIES INSPECTED: P/S w/H loc

REMARKS: POW new completion

ACTION: _____

INSPECTOR: MA DATE: 8/8/90

SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT-" for such proposals.)		5. LEASE DESIGNATION AND SERIAL NO. 14-20-603-4030
1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME NAVAJO
2. NAME OF OPERATOR TEXACO INC.		7. UNIT AGREEMENT NAME ANETH UNIT
3. ADDRESS OF OPERATOR P. O. Box 3109, Midland, Texas 79702		8. FARM OR LEASE NAME UNIT
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 730' FNL & 730' FEL		9. WELL NO. H129
14. PERMIT NO. API#: 43-037-31529		10. FIELD AND POOL, OR WILDCAT ANETH
15. ELEVATIONS (Show whether DF, RT, GR, etc.) GR-4668', KB-4682'		11. SEC., T., R., OR BLK. AND SURVEY OR AREA SEC. 29, T-40-S, R-24-E
		12. COUNTY OR PARISH SAN JUAN
		13. STATE UTAH

RECEIVED
AUG 13 1990
DIVISION OF
OIL, GAS & MINING

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input checked="" type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) COMPLETING <input type="checkbox"/>	
(Other) <input type="checkbox"/>		(NOTE: Report results of multiple completion on well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*
- MIRU POOL COMPLETION UNIT. CLEAN OUT TO PBDT OF 5700'. APOLLO RAN GR-CCL-CBL FROM 5700' TO 1540'.
 - TESTED CASING TO 3000# FOR 30 MINUTES 7-27-90.
 - APOLLO PERF w/ 2 JSFP: 5620-24, 2630-50, 5659-65. 60 HOLES.
 - HALLIBURTON ACIDIZED w/ 3150 GAL 15% NEFE. 7-29-90.
 - WELL FLOWED 25 BNO, 68 BW & 164 BLW IN 8 HOURS.
 - TIH WITH RBP & SET @ 5616'. TEST TO 4000#.
 - APOLLO PERF w/ 2 JSFP: 5576-80, 5584-5610. 60 HOLES.
 - DOWELL ACIDIZED w/ 3150 GAL 15% NEFE. 7-31-90.
 - WELL FLOWED 72 BNO, 107 BW & 155 BLW IN 12 HOURS 8-1-90.
 - RETRIEVED RBP. TIH WITH 2 7/8 TUBING, PUMP AND RODS. SN @ 5660'.
 - PUMPED 24 HOURS 8-6-90. RECOVERED 98 BNO, 378 BW & 266 MCF.
 - TESTING.

OIL AND GAS	
DFN	RJF
JPB	GLH
DIS	SLS
1-DMB	
2	MICROFILM ✓
2	FILE

18. I hereby certify that the foregoing is true and correct

SIGNED *[Signature]* TITLE DRILLING SUPERINTENDENT DATE 08-07-90

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY: _____

*See Instructions on Reverse Side

5. LEASE DESIGNATION AND SERIAL NO.
14-20-603-4030

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
NAVAJO

7. UNIT AGREEMENT NAME
ANETH UNIT

8. FARM OR LEASE NAME
UNIT

9. WELL NO.
H129

10. FIELD AND POOL, OR WILDCAT
ANETH

11. SEC., T., R., OR BLK. AND SURVEY OR AREA
SEC. 29, T-40-S, R-24-E

12. COUNTY OR PARISH
SAN JUAN

13. STATE
UTAH

SUNDRY NOTICES AND REPORTS ON WELLS
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT-" for such proposals.)

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
TEXACO INC.

3. ADDRESS OF OPERATOR
P. O. Box 3109, Midland, Texas 79702

4. LOCATION OF WELL (Report location clearly and in accordance with State requirements.* See also space 17 below.)
At surface
730' FNL & 730' FEL

14. PERMIT NO.
API#: 43-037-31529

15. ELEVATIONS (Show whether DF, RT, GR, etc.)
GR-4668', KB-4682'

RECEIVED
SEP 05 1990

DIVISION OF OIL, GAS & MINING

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL (Other) <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) CONDUCTOR CASING <input checked="" type="checkbox"/>	

(NOTE: Report results of multiple completion on well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

- L. C. JONES RATHOLE SERVICE DRILLED 17 1/2 HOLE TO 40'.
- RAN 13 3/8, 48#, H-40 CONDUCTOR CASING. CEMENTED TO SURFACE WITH REDIMIX.
- JOB COMPLETE @ 10:00am 7-6-90.
- SPUDED WELL @ 5:00pm 7-8-90. TOTAL WOC TIME 55 HOURS.

OIL AND GAS	
DFN	RJF
JFB	GLH
DIS	SLS
1-Direct	
2	MICROFILM ✓
3	FILE

18. I hereby certify that the foregoing is true and correct

SIGNED C. P. Boehm/cwh TITLE DRILLING SUPERINTENDENT DATE 08-30-90

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY: _____

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE*
(See other instructions on reverse side)

Form approved.
Budget Bureau No. 1004-0137
Expires August 31, 1985

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1a. TYPE OF WELL: OIL WELL GAS WELL DRY Other
b. TYPE OF COMPLETION: NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF. RESER. Other

RECEIVED
SEP 17 1990

2. NAME OF OPERATOR
TEXACO INC

3. ADDRESS OF OPERATOR
P. O. Box 3109, Midland, Texas 79702

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*
At surface 730' FNL & 730' FEL
At top prod. interval reported below SAME
At total depth SAME

DIVISION OF
OIL, GAS & MINING

API #
43-037-31529

14. PERMIT NO. N/A
DATE ISSUED 05-08-90

5. LEASE DESIGNATION AND SERIAL NO.
14-20-603-4030

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
NAVAJO

UNIT AGREEMENT NAME
ANETH UNIT

FARM OR LEASE NAME
UNIT

9. WELL NUMBER
H129

10. FIELD AND POOL, OR WILDCAT
ANETH

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA
40
SEC. 29, T-20-S, R-24-E

12. COUNTY OR PARISH
SAN JUAN

13. STATE
UTAH

15. DATE SPUNNED 07-08-90
16. DATE T.D. REACHED 07-21-90
17. DATE COMPL. (Ready to prod.) 08-02-90
18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* GR-4668, KB-4682
19. ELEV. CASINGHEAD 4668'

20. TOTAL DEPTH, MD & TVD 5712'
21. PLUG BACK T.D., MD & TVD 5700'
22. IF MULTIPLE COMPL. HOW MANY*
23. INTERVALS DRILLED BY
ROTARY TOOLS 0-5712'
CABLE TOOLS

24. PRODUCING INTERVAL (S), OF THIS COMPLETION - TOP, BOTTOM, NAME (MD AND TVD)*
5576' - 5665'; DESERT CREEK
25. WAS DIRECTIONAL SURVEY MADE
YES

26. TYPE ELECTRIC AND OTHER LOGS RUN
GR-DLL-SP, GR-CNL-LDT-CAL, 5-13-91
RESERVOIR ANALYSIS
27. WAS WELL CORED
NO

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8	24#	1540'	11	CL-H 570 SX-TOP OUT W/65 SX	
5 1/2	15.5#	5712'	7 7/8	CL-H 2140 SX-CIR. 300 SX	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2 7/8	5660	

31. PERFORATION RECORD (Interval, size, and number)
5576-80, 5584-5610, 2 JSPF, 60 HOLES
5620-24, 5630-50, 5659-65, 2 JSPF, 60 HOLES

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
5576' - 5610'	ACID - 3150 GALS, 15% NEFE
5620' - 5665'	ACID - 3150 GALS, 15% NEFE

33.* PRODUCTION

DATE OF FIRST PRODUCTION 07-29-90
PRODUCTION METHOD (Flowing, gas lift, pumping- size and type of pump) 2.5 X 2 X 24
WELL STATUS (Producing or shut-in) PRODUCING
DATE OF TEST 08-10-90
HOURS TESTED 24
CHOKE SIZE
PROD'N. FOR TEST PERIOD
OIL - BBL. 105
GAS - MCF. 115
WATER - BBL. 245
GAS - OIL RATIO 1095
FLOW. TUBING PRESS. CASING PRESSURE CALCULATED 24 HOUR RATE OIL - BBL. GAS - MCF. WATER - BBL. OIL GRAVITY - API (CORR.) 41.20

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) SOLD
TEST WITNESSED BY HARVEY STEPHENS

35. LIST OF ATTACHMENTS
DEVIATION SURVEY

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED C. P. Bachman / SDH TITLE DRILLING SUPERINTENDENT DATE 08-22-90

*(See Instructions and Spaces for Additional Data on Reverse Side)



37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries).

FORMATION TOP BOTTOM DESCRIPTION, CONTENTS, ETC.

DESERT CREEK

5576'

5665'

LIMESTONE; OIL

OIL AND GAS	
DFN	<input checked="" type="checkbox"/> RJF
JFB	GLH
DIS	SLS
2-DAE	
3	MICROFILM <input checked="" type="checkbox"/>
4	FILE

38. GEOLOGIC MARKERS

TOP

NAME

MEAS. DEPTH

TRUE VERT. DEPTH

NAVAJO

695'

CHINLE

1545'

DeCHELLY

2612'

HERMOSA

4084'

ISMAY

5387'

DESERT CREEK

5548'

ARAPAHOE DRILLING CO., INC.

P. O. BOX 26687

ALBUQUERQUE, NEW MEXICO 87125

STEVE SCHALK
PRESIDENT

September 11, 1990

DEVIATION REPORT

Texaco, Inc.
Aneth Unit H-129
San Juan County, Utah

RECEIVED
SEP 17 1990

DIVISION OF
OIL, GAS & MINING

Date	Depth	Deviation
07-09-90	514'	1/2°
	1013'	3/4°
	1540'	1°
07-11-90	2030'	1 1/4°
07-12-90	2569'	4 3/4°
	2663'	4°
	2756'	4°
	2835'	3 3/4°
07-13-90	2942'	3 3/4°
	3026'	3°
	3270'	2 3/4°
07-14-90	3533'	2 1/2°
07-15-90	3802'	2 3/4°
	3937'	2 3/4°
07-16-90	4171'	2°
07-18-90	4671'	1 3/4°
	5060'	1 3/4°
07-19-90	5164'	1 3/4°
	5361'	1 3/4°
07-20-90	5712'	3/4°

I CERTIFY THE ABOVE TO BE TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF.

Larry H. Williams
Larry H. Williams, Office Manager

9/11/90
Date

SWORN AND subscribed to this 11th day of September 1990, by Larry H. Williams, known to me to be the Office Manager of Arapahoe Drilling Co., Inc.

My Commission Expires: July 5, 1992



OFFICIAL SEAL
KIM MCGUIRE
NOTARY PUBLIC - STATE OF NEW MEXICO
Notary bond filed with Secretary of State
My Commission Expires 7-5-92

Kim McGuire
Kim McGuire, Notary Public

ACCT NUM	COMPANY NAME	FLD NUM	FIELD NAME	TOWN SHIP	RANGE	SEC	QTR QTR	API NUMBER	PROD ZONE	WELL STATUS	ENTITY	WELL NAME						
N0980	TEXACO INC	365	GREATER ANETH	S400	E240	29	SENW	4303716292	PRDX	WIW	99990	NAVAJO TRIBE S-4 (ANETH F						
							SENE	4303716318	PRDX	WIW	99990	NAVAJO TRIBE S-3 (ANETH H						
							NWNE	4303716097	PRDX	WIW	99990	NAVAJO TRIBE S-1 (ANETH G						
							NWNW	4303716055	PRDX	WIW	99990	NAVAJO TRIBE S-2 (ANETH E						
							SENE	4303716319	PRDX	WIW	99990	ANETH 34-D2 (ANETH H-234)						
							SESW	4303716303	PRDX	WIW	99990	ANETH 34-B-4 (ANETH F-434)						
							SENE	4303716320	PRDX	WIW	99990	NAVAJO TRIBE Q-4 (ANETH H						
							SENW	4303716293	PRDX	WIW	99990	NAVAJO TRIBE Q-5 (ANETH F						
							SESW	4303716304	PRDX	WIW	99990	NAVAJO TRIBE Q-8 (ANETH F						
							SENE	4303715487	PRDX	WIW	99990	NAVAJO 1 (ANETH H-236)						
							SENW	4303716294	PRDX	WIW	99990	NAVAJO 3 (ANETH F-236)						
							NWNW	4303715485	PRDX	WIW	99990	NAVAJO 4 (ANETH E-136)						
								380 ISMAY	S400	E250	13	SWSE	4303716455	PRDX	PA	99998	NAVAJO TRIBE K-13 (Q-413)	
								365 GREATER ANETH	S400	E250	19	SWSE	4303716140	PRDX	WIW	99990	ANETH UNIT L-419	
								380 ISMAY	S400	E250	24	NENE	4303716169	ISMAY	WIW	99990	R-124 (NAVAJO TRIBE K-#11)	
								365 GREATER ANETH	S400	E250	29	NWNW	4303716131	DSCR	WIW	99990	NAVAJO TRIBE F-8 (ANETH J	
							S400		E250	30	NWSW	4303716134	PRDX	WIW	99990	NAVAJO TRIBE F-5 (ANETH J		
							S400		E250	30	NWSE	4303716139	PRDX	WIW	99990	NAVAJO TRIBE F-6 (ANETH L		
							S400		E250	30	SESW	4303716137	PRDX	WIW	99990	NAVAJO TRIBE F-7 (ANETH K		
							S400		E250	30	NWNW	4303716132	PRDX	WIW	99990	NAVAJO TRIBE F-9 (ANETH J		
							S400		E250	30	SENE	4303716141	PRDX	WIW	99990	NAVAJO TRIBE F-10 (ANETH		
							S400		E250	30	SENW	4303716135	PRDX	WIW	99990	NAVAJO TRIBE F-2 (ANETH K		
							S400		E250	30	SESE	4303716337	PRDX	WIW	99990	NAVAJO TRIBE F-11 (ANETH		
							S400		E250	31	SENW	4303716335	PRDX	WIW	99990	NAVAJO TRIBE C-22-31 (ANE		
									375 HOGAN	S410	E220	22	NENE	4303711254	ISMAY	PA	99998	NAVAJO TRIBE "AH" #1
									365 GREATER ANETH	S400	E260	19	NENE	4303716519	ISMAY	PA	99998	NAVAJO K-1(V219)
							S400			E240	18	NWNE	4303731522	DRL	99999	ANETH F407SE		
							S400	E240		29	NENE	4303731529	DSCR	POW	7000	ANETH H129		
							S400	E240		35	NWNE	4303731530	DRL	99999	ANETH G135X			
							S400	E240		35	NENE	4303731531	DSCR	POW	7000	ANETH H135		
							S400	E240		25	NWSE	4303731532	DRL	99999	ANETH G325Y			
							S400	E240		23	NWSE	4303731533	DRL	99999	ANETH G323X			
							S400	E240		18	NENW	4303731534	DSCR	POW	7000	ANETH E407SE		
							S400	E240		18	SWNE	4303731535	DRL	99999	ANETH F118SE			
							S400	E240		18	NESW	4303731536	DRL	99999	ANETH F218SE			
							S400	E230		12	SESW	4303731537	DSCR	POW	7000	ANETH B412		
S400	E230	12	SENE	4303716278	DSCR	WIW	99990	BURTON 42-12 (ANETH D212)										
	1 WILDCAT	N010	E080	12	SENW	4304330175		PA		99998	THOUSAND PEAKS RANCH NCT							
	365 GREATER ANETH	S400	E240	23	SESE	4303731557		DRL		99999	ANETH UNIT G323SE							
S400		E240	23	NENE	4303731556		DRL	99999		ANETH UNIT H123NW								
S400		E240	14	SESW	4303731559		DRL	99999		ANETH UNIT F314SE								
S400		E240	23	SWSW	4303731558		DRL	99999		ANETH UNIT E423SE								
S400		E240	26	SENW	4303731560		DRL	99999		ANETH UNIT F226SE								
S400		E240	23	NWNW	4303731561		DRL	99999	ANETH UNIT E123SE									
	1 WILDCAT	S380	W020	5	SESW	4302530009		PA	99998	GOVT SCHNEIDER 'A' NCT-1								
	365 GREATER ANETH	S400	E240	7	NWSW	4303715412	PRDX	WIW	99990	W ISMY FED #3 (ANETH E30								
S400		E230	12	SESE	4303730049	PRDX	WIW	99996	ANETH UNIT D-412									



Texaco Exploration and Production Inc
Midland Producing Division

P O Box 3109
Midland TX 79702-3109

May 22, 1991

RECEIVED

MAY 28 1991

DIVISION OF
OIL GAS & MINING

Division of Oil, Gas, and Mining
Attn: Ms. Lisha Romero
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

Gentlemen:

This is to advise that as a part of a reorganization of Texaco Inc., a Delaware corporation, the name of Texaco Producing Inc., a Delaware corporation and wholly owned subsidiary of Texaco Inc., has been changed to Texaco Exploration and Production Inc. Further, Texaco Exploration and Production Inc. will succeed to the rights, titles, interests and obligations of Texaco Inc.

This means that Texaco Exploration and Production Inc. will be the operator for all the oil and gas properties that were operated by Texaco Inc. and Texaco Producing Inc. We plan to abbreviate the name as Texaco E & P Inc. for purposes of submitting production reports, etc., via computer, and we suggest that for consistency you use that abbreviation also.

We have enclosed a Sundry Notice with a list of the wells which Texaco operates in Utah. Also attached is UIC Form 5 for transfer of injection authority. Please note that Texaco has two Divisions which operate wells in Utah. One is located in Denver, Colorado, and the other is in Midland, Texas. We have enclosed separate Sundry Notices and lists of wells for each Division. If you have questions concerning the Denver-operated wells, please call Roger Hadley at (303) 793-4833. If you have questions concerning the Midland-operated wells, please call Ken Miller at (915) 688-4834.

Please change any of your other records as necessary to reflect this change.

Yours very truly,

R. S. Lane
Assistant Division Manager

RKH/KMM-CC

Attachments

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

SUBMIT IN TRIPlicate
(For instructions on reverse side)

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO.
2. NAME OF OPERATOR Texaco Exploration and Production Inc.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR P.O. Box 46510, Denver, CO 80201		7. UNIT AGREEMENT NAME
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface		8. FARM OR LEASE NAME
16. PERMIT NO.		9. WELL NO.
16. ELEVATIONS (Show whether OF, RT, GR, etc.)		10. FIELD AND POOL, OR WILDCAT
		11. SEC. T., R., M., OR BLK. AND SURVEY OR AREA
		12. COUNTY OR PARISH 13. STATE

RECEIVED

MAY 28 1991

DIVISION OF OIL GAS & MINING

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	FULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <u>Transfer of Owner/Operator</u>	<input type="checkbox"/>
(Other) <u>Transfer of Plugging Bond</u> <input checked="" type="checkbox"/>		(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Texaco Inc. has assigned all its ownership rights in the subject well. As of January 1, 1991, Texaco Inc. is no longer the Operator of subject well. The New Operator Texaco Exploration and Production Inc. hereby accepts operating responsibility and liability under its good and sufficient bond or other security accepted by the Commission for proper plugging and surface restoration of the subject well.

<u>Former Operator:</u>	<u>New Operator:</u>
TEXACO INC.	Texaco Exploration and Production Inc.
Signed: <u>[Signature]</u>	Signed: <u>[Signature]</u>
Attorney-In-Fact for Texaco Inc.	Title: <u>Division Manager</u>
Date: <u>3/1/91</u>	Date: <u>3/1/91</u>

18. I hereby certify that the foregoing is true and correct
SIGNED [Signature] TITLE Division Manager DATE 3/1/91

(This space for Federal or State office use)
APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

6. Lease Designation and Serial Number

7. Indian Allottee or Tribe Name

8. Unit or Communitization Agreement

9. Well Name and Number

10. API Well Number

11. Field and Pool, or Wildcat

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
 Use APPLICATION FOR PERMIT— for such proposals

1. Type of Well
 Oil Well Gas Well Other (specify)

2. Name of Operator
 Texaco Exploration and Production Inc.

3. Address of Operator
 3300 North Butler, Farmington, NM 87401

4. Telephone Number
 (505) 325-4397

5. Location of Well
 Footage :
 QQ, Sec, T., R., M. : See Attached

County :
 State : UTAH

CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
 (Submit in Duplicate)

- | | |
|----------------------------------------------------------------------------|-----------------------------------------------|
| <input type="checkbox"/> Abandonment | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Casing Repair | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Recompletion |
| <input type="checkbox"/> Conversion to Injection | <input type="checkbox"/> Shoot or Acidize |
| <input type="checkbox"/> Fracture Treat | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Multiple Completion | <input type="checkbox"/> Water Shut-Off |
| <input checked="" type="checkbox"/> Other <u>Transfer of Plugging Bond</u> | |

Approximate Date Work Will Start _____

SUBSEQUENT REPORT
 (Submit Original Form Only)

- | | |
|-----------------------------------------------------------------------------------|-----------------------------------------------|
| <input type="checkbox"/> Abandonment * | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Casing Repair | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Shoot or Acidize |
| <input type="checkbox"/> Conversion to Injection | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Fracture Treat | <input type="checkbox"/> Water Shut-Off |
| <input checked="" type="checkbox"/> Other <u>Change of Operator/Operator Name</u> | |

Date of Work Completion _____

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.

* Must be accompanied by a cement verification report.

13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

This submittal is for a change of operator (name change) for all of the attached wells. The new operator, Texaco Exploration and Production Inc., hereby accepts operating responsibility and liability under its good and sufficient bond or other security accepted by the Department for proper plugging and surface restoration of the attached wells. All contact personnel, office addresses and phone numbers will remain the same.

FORMER OPERATOR: TEXACO INC.

NEW OPERATOR: TEXACO EXPLORATION AND PRODUCTION INC.

SIGNED: *R. J. Lane*
 Attorney-in-Fact

SIGNED: *R. J. Lane*
 Assistant Division Manager

DATE: _____

DATE: _____

14. I hereby certify that the foregoing is true and correct

Name & Signature _____

Title Asst. Div. Manager Date _____

(State Use Only)

Routing:

1- LCR/GIL	✓
2- DTS/DTS	✓
3- VLC	✓
4- RJF	✓
5- RWM	✓
6- LCR	✓

Attach all documentation received by the division regarding this change.
 Initial each listed item when completed. Write N/A if item is not applicable.

Change of Operator (well sold) Designation of Agent
 Designation of Operator Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 1-1-91)
(TEXACO EXPLORATION AND PRODUCTION INC.)
 TO (new operator) TEXACO E & P INC. FROM (former operator) TEXACO INC.
 (address) 3300 NORTH BUTLER (address) 3300 NORTH BUTLER
FARMINGTON, NM 87401 FARMINGTON, NM 87401
BRENT HELQUIST FRANK
 phone (505) 325-4397 phone (505) 325-4397
 account no. N 5700 (6-5-91) account no. N 0980

Well(s) (attach additional page if needed):

Name: <u>(SEE ATTACHED)</u>	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). (5-28-91)
2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form).
3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes) (no) ____ If yes, show company file number: #114097.
4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of Federal and Indian well operator changes should take place prior to completion of steps 5 through 9 below.
5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. (6-11-91)
6. Cardex file has been updated for each well listed above.
7. Well file labels have been updated for each well listed above. (will update when filing)
8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission.
9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

- 1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) no (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
- 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only)

- 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond. #K0290791-4 80,000-Ins. Co. of N. America rec. 2-11-91.
- 2. A copy of this form has been placed in the new and former operators' bond files.
- 3. The former operator has requested a release of liability from their bond (yes/no) yes. Today's date _____ 19____. If yes, division response was made by letter dated _____ 19____. #m157448 80,000-Ins. Co. of N. America

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

- 1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated _____ 19____, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
- 2. Copies of documents have been sent to State Lands for changes involving State leases. 6-27-91

FILED

- 1. All attachments to this form have been microfilmed. Date: July 15 1991.

FILED

- 1. Copies of all attachments to this form have been filed in each well file.
- 2. The original of this form and the original attachments have been filed in the Operator Change file.

REMARKS

910606 Btm/Farmington N.M. - Duane Spences (505) 327-5344 will follow up & call back.

910607 Btm/Farmington - Approved 4-2-91 "Company Merger" Includes Aneth Unit and Ismay Floedine Unit.

910607 St. Lands approved 4-15-91 "merger".



Chevron

Chevron U.S.A. Production Company
Mid-Continent Business Unit
P.O. Box 36366
Houston, TX 77236
Phone 713 754 2000

April 9, 2002

Mr. John Baza,
Associate Director of Oil and Gas
Utah Department of Natural Resources
Division of Oil, Gas & Mining
1594 W. North Temple St., Suite 1210
Salt Lake City, UT 84114-5801

RECEIVED

APR 12 2002

DIVISION OF
OIL, GAS AND MINING

Dear Mr. Baza:

As you may recall from our meeting last year, we planned to combine the assets of Chevron U.S.A. Inc. ("CUSA"), by merger, and Texaco Exploration and Production Inc. ("TEPI"), by assignment, into a new entity which we referred to as "Newco LP". Along the way, additional information came to light and it was decided that this proposed corporate restructure would not be preferable. Therefore, CUSA and TEPI have continued to operate as separate entities.

We are now planning a simpler restructuring process where TEPI will assign most of its assets/operatorship to CUSA effective May 1, 2002. We plan to use the existing CUSA bonds/letters of credit, operator identification numbers, etc., for the TEPI assets that will be assigned.


A task force of Land, Regulatory and Environmental Compliance personnel are finishing the work that was begun last year to assign TEPI's assets—using the same forms and procedures as before. We have "new faces" in this task force due to reassignments and departures. In some cases, it may be worthwhile to visit you and your staff in person where new people are involved or if we need to review/clarify your forms and procedures. Otherwise, we will endeavor to complete the work to assign TEPI's assets/operatorship to CUSA and deliver the requisite materials to you in a timely manner.

During discussions last year, our focus was on Land, Regulatory and Environmental matters. The Finance organization also desires to join in this effort. For State Tax, Royalty and Regulatory reporting purposes (applicable to production from May 2002 through December 2002), we intend to generate two reports and two payments.

However, the reporting company name and identification number will be CUSA's. Beginning with January 2003 production and thereafter, we will issue only one CUSA report and payment. We trust this plan meets with your approval. Any questions or comments should be directed to Rick Dunlavy (telephone 713/752-7411, rickdunlavy@chevrontexaco.com).

We appreciate the cooperation and guidance you provided us in the past, and we look forward to bringing these efforts to a conclusion.

Respectfully submitted,



Don R. Sellars

Sr. Environmental Specialist

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>Operator Name Change</u>		5. LEASE DESIGNATION AND SERIAL NUMBER: See Attached List of Wells
2. NAME OF OPERATOR: Chevron U.S.A. Inc.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: BLM & State of Utah
3. ADDRESS OF OPERATOR: P.O. Box 36366 CITY Houston STATE TX ZIP 77236		7. UNIT or CA AGREEMENT NAME: Orangeville & Huntington
4. LOCATION OF WELL FOOTAGES AT SURFACE: See Attached List of Wells		8. WELL NAME and NUMBER: See Attached List of Wells
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		9. API NUMBER:
COUNTY: Emery		10. FIELD AND POOL, OR WILDCAT:
STATE: UTAH		


11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG-AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: <u>Operator Name Change (Merger)</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	


12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.
Effective May 1, 2002, Chevron U.S.A. Inc. is the new operator of the attached list of subject wells and leases that were previously operated by Texaco Exploration and Production Inc. The subject wells are located North of Orangeville and North of Huntington, Emery County, Utah. These Wells will be protected by the following surety bonds:

STATE OF UTAH Bond #: 103521627-0016 in the amount of \$80,000. (This bond will replace United Pacific Insurance Company bond number U89-75-80-0059. We respectfully request this bond be released and returned.)

BLM Nationwide Bond#: U89-75-81-0034 in the amount of \$300,000.

Key Contacts:
Ron Wirth - Operations Supervisor - 435 748-5395 x1
Texaco Exploration & Production Inc.

J. S. Purdy, Attorney-In-Fact

RECEIVED
MAY 06 2002
DIVISION OF
OIL, GAS AND MINING

NAME (PLEASE PRINT) <u>Allen S. Robinson</u>	TITLE <u>Attorney-In-Fact</u>
SIGNATURE 	DATE <u>April 30, 2002</u>

This space for State use only)

Chevron U.S.A. Inc.
 Permian Business Unit
 Aneth Operations
 San Juan County, Utah

Name / Operatorship Change
 Texaco Exploration and Production Inc.
 to
 Chevron U.S.A. Inc.

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	11	400S	230E	4303716034	MESA 1 (ANETH C411)	1	I	WI
N5700	11	400S	230E	4303716037	MESA 2 (ANTH D311)	1	S	OW
N5700	12	400S	230E	4303715822	BURTON 14-12 (A412)	1	P	OW
N5700	12	400S	230E	4303715829	BURTON 34-12 (C412)	1	P	OW
N5700	12	400S	230E	4303715831	BURTON 43-12 (D312)	1	P	OW
N5700	12	400S	230E	4303716272	BURTON 23-12 (ANETH B312)	1	A	WI
N5700	12	400S	230E	4303716274	BURTON 31-12 (ANETH C-112)	1	I	WI
N5700	12	400S	230E	4303716278	BURTON 42-12 (ANETH D212)	1	A	WI
N5700	12	400S	230E	4303730049	ANETH UNIT D-412	1	A	WI
N5700	12	400S	230E	4303730112	ANETH UNIT C-312	1	A	WI
N5700	12	400S	230E	4303731537	ANETH B412	1	S	OW
N5700	13	400S	230E	4303715821	BURTON 12-13 (A213)	1	P	OW
N5700	13	400S	230E	4303715823	BURTON 14-13 (A413)	1	P	OW
N5700	13	400S	230E	4303715824	BURTON 21-13 (B113)	1	S	OW
N5700	13	400S	230E	4303715825	BURTON 22-13 (ANETH B-213)	1	A	WI
N5700	13	400S	230E	4303715826	ANETH UNIT B313	1	P	OW
N5700	13	400S	230E	4303715827	BURTON 31-13 (ANETH C-113)	1	A	WI
N5700	13	400S	230E	4303715828	BURTON 33-13 (ANETH C-313)	1	A	WI
N5700	13	400S	230E	4303715830	BURTON 42-13 (D213)	1	A	WI
N5700	13	400S	230E	4303716279	BURTON 44-13 (ANETH D-413)	1	A	WI
N5700	13	400S	230E	4303730119	ANETH UNIT A-113	1	A	WI
N5700	13	400S	230E	4303730162	ANETH U D313	1	S	OW
N5700	13	400S	230E	4303730173	ANETH U C213	1	P	OW
N5700	13	400S	230E	4303730174	ANETH UNIT D113	1	A	WI
N5700	13	400S	230E	4303730297	ANETH B-413	1	A	WI
N5700	13	400S	230E	4303730298	ANETH U C413	1	P	OW
N5700	13	400S	230E	4303730299	ANETH UNIT A-313	1	A	WI
N5700	13	400S	230E	4303731076	ANETH UNIT C313SE	1	S	OW
N5700	13	400S	230E	4303731382	ANETH UNIT D-113SE	2	P	OW
N5700	13	400S	230E	4303731383	ANETH UNIT D213SE	1	P	OW
N5700	14	400S	230E	4303716030	ARROWHEAD 7 (A214)	1	P	OW
N5700	14	400S	230E	4303716031	ARROWHEAD 8 (A414)	1	S	OW

Chevron U.S.A. Inc.
 Permian Business Unit
 Aneth Operations
 San Juan County, Utah

Name / Operatorship Change
 Texaco Exploration and Production Inc.
 to
 Chevron U.S.A. Inc.

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	14	400S	230E	4303716032	ARROWHEAD 6 (ANETH B-114)	1	A	WI
N5700	14	400S	230E	4303716033	ARROWHEAD 3 (ANETH C-214)	1	A	WI
N5700	14	400S	230E	4303716035	ARROWHEAD 5 (ANETH C-414)	1	A	WI
N5700	14	400S	230E	4303716038	ARROWHEAD 4 (ANETH D-314)	1	A	WI
N5700	14	400S	230E	4303716273	ARROWHEAD 2 (ANETH B-314)	1	A	WI
N5700	14	400S	230E	4303716277	ARROWHEAD 1 (ANETH D-114)	1	A	WI
N5700	14	400S	230E	4303730634	ANETH U A114	1	S	OW
N5700	14	400S	230E	4303730635	ANETH U B214	1	P	OW
N5700	14	400S	230E	4303730636	ANETH U C114	1	S	OW
N5700	14	400S	230E	4303730637	ANETH U C314	1	P	OW
N5700	14	400S	230E	4303730638	ANETH U D214	1	P	OW
N5700	14	400S	230E	4303730639	ANETH U D414	1	S	OW
N5700	23	400S	230E	4303716036	AW RICE 1 (D123)	1	P	OW
N5700	23	400S	230E	4303716271	A W RICE 2 (ANETH B-123)	1	A	WI
N5700	23	400S	230E	4303716276	A W RICE 3 (ANETH C-223)	1	A	WI
N5700	24	400S	230E	4303715701	FED B-1 (D124)	1	P	OW
N5700	24	400S	230E	4303716270	FEDERAL A-1 (ANETH A-124)	1	A	WI
N5700	24	400S	230E	4303716275	FEDERAL 1 (ANETH C-124)	1	A	WI
N5700	07	400S	240E	4303715412	W ISMY FED 3 (ANETH E307)	1	A	WI
N5700	07	400S	240E	4303715415	W ISMAY FED 2 (ANETH F-407)	1	A	WI
N5700	07	400S	240E	4303716100	NAVAJO FED 6-1 (ANETH G-307)	1	A	WI
N5700	07	400S	240E	4303716118	NAVAJO FED 7-1 (ANETH H-207)	1	I	WI
N5700	07	400S	240E	4303716283	GULF-AZTEC FED 7 (ANETH E-207)	1	A	WI
N5700	07	400S	240E	4303716322	NAVAJO TRIBE FED 5-1 (ANETH H-407)	2	A	WI
N5700	07	400S	240E	4303730115	ANETH U F307	1	P	OW
N5700	07	400S	240E	4303730122	ANETH U H307	2	P	OW
N5700	07	400S	240E	4303730151	ANETH U G407	1	P	OW
N5700	07	400S	240E	4303730175	ANETH U E407	1	A	WI
N5700	07	400S	240E	4303731386	ANETH UNIT E407SW	1	P	OW
N5700	08	400S	240E	4303716060	NAVAJO TRIBE E-15 (ANETH E-308)	2	A	WI
N5700	08	400S	240E	4303716076	NAVAJO FED 8-1 (ANETH F-208)	2	A	WI
N5700	08	400S	240E	4303716101	NAVAJO TRIBE L-6 (ANETH G-308)	2	A	WI

Chevron U.S.A. Inc.
 Permian Business Unit
 Aneth Operations
 San Juan County, Utah

Name / Operatorship Change
 Texaco Exploration and Production Inc.
 to
 Chevron U.S.A. Inc.

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	08	400S	240E	4303716119	NAVAJO TRIBE E-16 (ANETH H-208)	2	A	WI
N5700	08	400S	240E	4303716284	NAVAJO FED 9-1 (ANETH E-208)	2	A	WI
N5700	08	400S	240E	4303716298	NAVAJO TRIBE E-13 (ANETH F-408)	2	A	WI
N5700	08	400S	240E	4303716323	NAVAJO TRIBE L-3 (ANETH H-408)	2	A	WI
N5700	08	400S	240E	4303730152	ANETH U G408	2	P	OW
N5700	08	400S	240E	4303730159	ANETH U E408	2	P	OW
N5700	08	400S	240E	4303730176	ANETH U F308	2	P	OW
N5700	08	400S	240E	4303730177	ANETH U H308	2	P	OW
N5700	08	400S	240E	4303730178	ANETH U G208	2	P	OW
N5700	09	400S	240E	4303716057	NAV TRB E-18 (E209)	2	P	OW
N5700	09	400S	240E	4303716061	NAVAJO TRIBE E-14 (ANETH E-309)	2	A	WI
N5700	09	400S	240E	4303716082	NAVAJO TRIBE E-4 (ANETH F-409)	2	A	WI
N5700	09	400S	240E	4303716102	NAV TRB E-3 (G309)	2	P	OW
N5700	09	400S	240E	4303716324	ANETH H 409	2	P	OW
N5700	09	400S	240E	4303730189	ANETH U E409	2	P	OW
N5700	10	400S	240E	4303716125	NAVAJO TRIBE E-7 (ANETH H-410)	2	I	WI
N5700	11	400S	240E	4303715940	ANETH UNIT E-411	2	A	WI
N5700	11	400S	240E	4303715944	NAVAJO A-10/34-11 (ANETH G-411)	2	A	WI
N5700	11	400S	240E	4303716295	NAVAJO A-12/23-11 (ANETH F-311)	2	A	WI
N5700	11	400S	240E	4303730217	ANETH UNIT F411	2	P	OW
N5700	13	400S	240E	4303715938	NAV TRIBE A-13 (ANETH E-213)	2	A	WI
N5700	13	400S	240E	4303715941	NAVAJO A-4 (ANETH E-413)	2	A	WI
N5700	13	400S	240E	4303730200	ANETH U E313	2	P	OW
N5700	14	400S	240E	4303715939	NAVAJO A-6 (ANETH E-214)	2	A	WI
N5700	14	400S	240E	4303715942	ANETH F-314	2	A	WI
N5700	14	400S	240E	4303715943	NAVAJO A-7/32-14 (ANETH G-214)	2	A	WI
N5700	14	400S	240E	4303715945	NAVAJO A-1/34-14 (ANETH G-414)	2	A	WI
N5700	14	400S	240E	4303716310	NAVAJO A-9/41-14 (ANETH H-114)	2	A	WI
N5700	14	400S	240E	4303716421	ANETH UNIT E414	2	A	WI
N5700	14	400S	240E	4303716422	ANETH UNIT F-114	2	A	WI
N5700	14	400S	240E	4303730093	ANETH UNIT E114	2	P	OW
N5700	14	400S	240E	4303730123	ANETH UNIT H414 (MULTI-LEG)	2	P	OW

Chevron U.S.A. Inc.
 Permian Business Unit
 Aneth Operations
 San Juan County, Utah

Name / Operatorship Change
 Texaco Exploration and Production Inc.
 to
 Chevron U.S.A. Inc.

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	14	400S	240E	4303730218	ANETH UNIT G114	2	P	OW
N5700	14	400S	240E	4303730230	ANETH UNIT G314	2	P	OW
N5700	14	400S	240E	4303730250	ANETH U F214	2	P	OW
N5700	14	400S	240E	4303730266	ANETH UNIT E314	2	P	OW
N5700	14	400S	240E	4303730274	ANETH UNIT F414	2	P	OW
N5700	14	400S	240E	4303731381	ANETH UNIT H314X	2	I	WI
N5700	14	400S	240E	4303731684	ANETH UNIT F214SE	2	P	OW
N5700	15	400S	240E	4303716058	NAV TRB E-2 (E215)	2	P	OW
N5700	15	400S	240E	4303716073	NAV TRB E-6 (E415)	2	P	OW
N5700	15	400S	240E	4303716074	NAV TRB E-12 (F115)	2	S	OW
N5700	15	400S	240E	4303716088	NAVAJO TRIBAL E-9 (ANETH G115)	2	P	OW
N5700	15	400S	240E	4303716116	ANETH G-415	2	A	WI
N5700	15	400S	240E	4303716126	NAV TRB E-1 (H415)	2	P	OW
N5700	15	400S	240E	4303716296	NAVAJO TRIBAL E-8 (ANETH F-315)	2	A	WI
N5700	15	400S	240E	4303730066	ANETH U G215	2	S	OW
N5700	15	400S	240E	4303730213	ANETH E-315	2	A	WI
N5700	15	400S	240E	4303730312	ANETH H-315	2	A	WI
N5700	15	400S	240E	4303731396	ANETH UNIT E115	2	P	OW
N5700	15	400S	240E	4303731397	ANETH UNIT F215	2	P	OW
N5700	15	400S	240E	4303731398	ANETH UNIT F415	2	P	OW
N5700	15	400S	240E	4303731408	ANETH UNIT G315X	2	P	OW
N5700	16	400S	240E	4303715832	STATE THREE 11-16 (ANETH E-116)	3	A	WI
N5700	16	400S	240E	4303715833	ST THREE 12-16(E216)	3	P	OW
N5700	16	400S	240E	4303715834	ST THREE 14-16(E416)	3	P	OW
N5700	16	400S	240E	4303715835	ST THREE 32-16(G216)	3	P	OW
N5700	16	400S	240E	4303715836	ST THREE 34-16(G416)	3	P	OW
N5700	16	400S	240E	4303715837	ST THREE 43-16(H316)	3	P	OW
N5700	16	400S	240E	4303716285	ST THREE 21-16 (ANETH F-116)	3	A	WI
N5700	16	400S	240E	4303716297	ST THREE 23-16 (ANETH F-316)	3	A	WI
N5700	16	400S	240E	4303716312	STATE THREE 42-16 (ANETH H-216)	3	A	WI
N5700	16	400S	240E	4303720230	ANETH H-416	3	A	WI
N5700	16	400S	240E	4303730094	ANETH E-316	3	A	WI

Chevron U.S.A. Inc.
 Permian Business Unit
 Aneth Operations
 San Juan County, Utah

Name / Operatorship Change
 Texaco Exploration and Production Inc.
 to
 Chevron U.S.A. Inc.

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	16	400S	240E	4303730107	ANETH G-316	3	A	WI
N5700	16	400S	240E	4303730212	ANETH U F216	3	P	OW
N5700	16	400S	240E	4303730333	ANETH F-416	3	A	WI
N5700	16	400S	240E	4303730344	ANETH G-116	3	A	WI
N5700	16	400S	240E	4303731409	ANETH UNIT H116	3	P	OW
N5700	17	400S	240E	4303716049	ANETH UNIT E-117	2	A	WI
N5700	17	400S	240E	4303716062	NAVAJO TRIBAL G-7 (ANETH E317)	2	A	WI
N5700	17	400S	240E	4303716089	NAVAJO TRIBAL G-3 (ANETH G-117)	2	A	WI
N5700	17	400S	240E	4303716103	NAVAJO TRIBAL 1-X-G (ANETH G-317)	2	A	WI
N5700	17	400S	240E	4303716286	NAVAJO TRIBAL G-8 (ANETH F-217)	2	A	WI
N5700	17	400S	240E	4303716299	NAVAJO TRIBAL G-6 (ANETH F-417)	2	A	WI
N5700	17	400S	240E	4303716313	NAV TRIBAL L-4 (ANETH H-217)	2	A	WI
N5700	17	400S	240E	4303716326	NAVAJO TRIBAL L-1 (ANETH H-417)	2	A	WI
N5700	17	400S	240E	4303730134	ANETH U E417	2	P	OW
N5700	17	400S	240E	4303730139	ANETH U F317	2	P	OW
N5700	17	400S	240E	4303730142	ANETH U E217	2	P	OW
N5700	17	400S	240E	4303730144	ANETH U G417	2	P	OW
N5700	17	400S	240E	4303730153	ANETH U H117	2	P	OW
N5700	17	400S	240E	4303730160	ANETH U F117	2	P	OW
N5700	17	400S	240E	4303730166	ANETH U G217	2	P	OW
N5700	17	400S	240E	4303730196	ANETH U H317	2	P	OW
N5700	18	400S	240E	4303715083	NAVAJO TRIBAL FED U 3	2	A	WI
N5700	18	400S	240E	4303715413	ANETH U E-118 (W ISMY FED 1)	1	A	WI
N5700	18	400S	240E	4303716063	NAVAJO TRIBAL 4 (ANETH E-318)	1	A	WI
N5700	18	400S	240E	4303716090	NAVAJO TRIBE 2 (ANETH G-118)	2	A	WI
N5700	18	400S	240E	4303716104	NAVAJO TRIBE G-4 (ANETH G-318)	2	A	WI
N5700	18	400S	240E	4303716120	NAVAJO TRIBAL G-5 (ANETH H-218)	2	A	WI
N5700	18	400S	240E	4303716287	NAVAJO FED U 1 (ANETH F-218)	2	A	WI
N5700	18	400S	240E	4303716327	NAVAJO TRIBAL G-2 (ANETH H-418)	2	A	WI
N5700	18	400S	240E	4303730131	ANETH U G218	2	P	OW
N5700	18	400S	240E	4303730132	ANETH U G418	2	P	OW
N5700	18	400S	240E	4303730136	ANETH U H318	2	P	OW

Chevron U.S.A. Inc.
 Permian Business Unit
 Aneth Operations
 San Juan County, Utah

Name / Operatorship Change
 Texaco Exploration and Production Inc.
 to
 Chevron U.S.A. Inc.

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	18	400S	240E	4303730137	ANETH U E218	1	A	WI
N5700	18	400S	240E	4303730155	ANETH U F118	1	A	WI
N5700	18	400S	240E	4303730157	ANETH U H118	2	P	OW
N5700	18	400S	240E	4303730165	ANETH U E418	1	P	OW
N5700	18	400S	240E	4303730169	ANETH U F318	2	P	OW
N5700	18	400S	240E	4303731077	ANETH UNIT E118SE	1	P	OW
N5700	18	400S	240E	4303731385	ANETH UNIT E218SE	1	P	OW
N5700	18	400S	240E	4303731534	ANETH E407SE	1	P	OW
N5700	19	400S	240E	4303716077	NAVAJO TRIBE D-26 (ANETH F-219)	2	A	WI
N5700	19	400S	240E	4303716081	NAV TRB D-29(F319)	2	P	OW
N5700	19	400S	240E	4303716091	NAVAJO TRIBE D-16 (ANETH G-119)	2	A	WI
N5700	19	400S	240E	4303716121	NAVAJO TRIBE D-3 (ANETH H-219)	2	A	WI
N5700	19	400S	240E	4303716280	NAVAJO FED U B-1 (ANETH E-119)	2	A	WI
N5700	19	400S	240E	4303716309	NAVAJO TRIBE D-25 (ANETH G-319)	2	A	WI
N5700	19	400S	240E	4303716328	NAVAJO TRIBE D-27 (ANETH H-419)	2	A	WI
N5700	19	400S	240E	4303730133	ANETH U H119	2	P	OW
N5700	19	400S	240E	4303730167	ANETH U G219	2	P	OW
N5700	19	400S	240E	4303730168	ANETH U H319	2	P	OW
N5700	19	400S	240E	4303730197	ANETH U F119	2	P	OW
N5700	20	400S	240E	4303716050	NAVAJO TRIBE D-10 (ANETH E-120)	2	A	WI
N5700	20	400S	240E	4303716065	NAVAJO TRIBE D-17 (ANETH E-320)	2	A	WI
N5700	20	400S	240E	4303716092	NAVAJO TRIBE L-5 (ANETH G-120)	2	A	WI
N5700	20	400S	240E	4303716105	NAVAJO TRIBE D-12 (ANETH G-320)	2	A	WI
N5700	20	400S	240E	4303716288	NAVAJO TRIBE D-8 (ANETH F-220)	2	A	WI
N5700	20	400S	240E	4303716300	NAVAJO TRIBE D-20 (ANETH F-420)	2	A	WI
N5700	20	400S	240E	4303716314	NAVAJO TRIBE L-2 (ANETH H-220)	2	A	WI
N5700	20	400S	240E	4303716329	NAVAJO TRIBE D-13 (ANETH H-420)	2	A	WI
N5700	20	400S	240E	4303730135	ANETH U F120	2	P	OW
N5700	20	400S	240E	4303730150	ANETH U E220	2	P	OW
N5700	20	400S	240E	4303730154	ANETH U H320	2	P	OW
N5700	20	400S	240E	4303730156	ANETH U G220	2	P	OW
N5700	20	400S	240E	4303730164	ANETH U F320	2	P	OW

Chevron U.S.A. Inc.
 Permian Business Unit
 Aneth Operations
 San Juan County, Utah

Name / Operatorship Change
 Texaco Exploration and Production Inc.
 to
 Chevron U.S.A. Inc.

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	20	400S	240E	4303730228	ANETH U G420	2	P	OW
N5700	20	400S	240E	4303730404	ANETH U H120X	2	P	OW
N5700	21	400S	240E	4303716051	NAVAJO TRIBE D-4 (ANETH E-121)	2	A	WI
N5700	21	400S	240E	4303716066	NAVAJO TRIBE D-14 (ANETH E-321)	2	A	WI
N5700	21	400S	240E	4303716078	NAVAJO TRIBE D-6 (ANETH F-221)	2	A	WI
N5700	21	400S	240E	4303716084	NAVAJO TRIBE D-21 (ANETH F-421)	2	A	WI
N5700	21	400S	240E	4303716122	NAVAJO TRIBE D-7 (ANETH H-221)	2	A	WI
N5700	21	400S	240E	4303716330	NAVAJO TRIBE D-24 (ANETH H-421)	2	A	WI
N5700	21	400S	240E	4303730095	ANETH G-321X	2	A	WI
N5700	21	400S	240E	4303730117	ANETH U F121	2	P	OW
N5700	21	400S	240E	4303730181	ANETH U E221	2	P	OW
N5700	21	400S	240E	4303730183	ANETH U H121	2	P	OW
N5700	21	400S	240E	4303730185	ANETH U F321	2	P	OW
N5700	21	400S	240E	4303730188	ANETH U E421	2	P	OW
N5700	21	400S	240E	4303730214	ANETH U G421	2	P	OW
N5700	21	400S	240E	4303730216	ANETH U H321	2	P	OW
N5700	21	400S	240E	4303730335	ANETH G-121X	2	A	WI
N5700	21	400S	240E	4303730516	ANETH U G221X	2	P	OW
N5700	21	400S	240E	4303731078	ANETH UNIT E121SE	2	P	OW
N5700	22	400S	240E	4303716059	NAV TRB D-9 (E222)	2	P	OW
N5700	22	400S	240E	4303716067	NAVAJO TRIBE D-19 (ANETH E-322)	2	A	WI
N5700	22	400S	240E	4303716075	NAV TRB D-11 (F122)	2	P	OW
N5700	22	400S	240E	4303716085	NAVAJO TRIBE D-23 (ANETH F-422)	2	A	WI
N5700	22	400S	240E	4303716099	NAV TRB D-1 (G222)	2	P	OW
N5700	22	400S	240E	4303716117	NAVAJO TRIBE D-2 (ANETH H-122)	2	A	WI
N5700	22	400S	240E	4303716127	NAVAJO TRIBE D-22 (ANETH H-422)	2	I	WI
N5700	22	400S	240E	4303720231	ANETH G-322X	2	A	WI
N5700	22	400S	240E	4303730215	ANETH E-122	2	A	WI
N5700	22	400S	240E	4303730242	ANETH H-222	2	A	WI
N5700	22	400S	240E	4303730345	ANETH U F322	2	P	OW
N5700	22	400S	240E	4303730346	ANETH U E422	2	P	OW
N5700	22	400S	240E	4303730373	ANETH F-222	2	A	WI

Chevron U.S.A. Inc.
 Permian Business Unit
 Aneth Operations
 San Juan County, Utah

Name / Operatorship Change
 Texaco Exploration and Production Inc.
 to
 Chevron U.S.A. Inc.

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	22	400S	240E	4303730375	ANETH U G422	2	P	OW
N5700	22	400S	240E	4303730407	ANETH U H322	2	P	OW
N5700	22	400S	240E	4303730425	ANETH G-122	2	A	WI
N5700	23	400S	240E	4303716052	NAV TRB C-2 (E123)	2	P	OW
N5700	23	400S	240E	4303716068	NAVAJO TRIBE C-12 (ANETH E-323)	2	A	WI
N5700	23	400S	240E	4303716079	NAVAJO TRIBE C-7 (ANETH F-223)	2	A	WI
N5700	23	400S	240E	4303716086	NAVAJO TRIBE C-17 (ANETH F-423)	2	A	WI
N5700	23	400S	240E	4303716123	NAVAJO TRIBE C-8 (ANETH H-223)	2	A	WI
N5700	23	400S	240E	4303716128	NAVAJO TRIBE C-3 (ANETH H-423)	2	A	WI
N5700	23	400S	240E	4303716306	NAVAJO TRIBE C-1 (ANETH G-123)	2	A	WI
N5700	23	400S	240E	4303730219	ANETH U E223	2	P	OW
N5700	23	400S	240E	4303730223	ANETH U H123	2	P	OW
N5700	23	400S	240E	4303730226	ANETH U G223	2	P	OW
N5700	23	400S	240E	4303730234	ANETH U F323	2	P	OW
N5700	23	400S	240E	4303730235	ANETH F-123	2	A	WI
N5700	23	400S	240E	4303730311	ANETH UNIT G423 (MULTI-LEG)	2	P	OW
N5700	23	400S	240E	4303730316	ANETH U H323	2	P	OW
N5700	23	400S	240E	4303730370	ANETH U E423	2	P	OW
N5700	24	400S	240E	4303716069	NAVAJO TRIBE C-10 (ANETH E-324)	2	A	WI
N5700	24	400S	240E	4303716087	NAVAJO TRIBE C-13 (ANETH F-424)	2	A	WI
N5700	24	400S	240E	4303716111	NAVAJO TRIBE C-15 (ANETH G-324)	2	A	WI
N5700	24	400S	240E	4303716289	NAVAJO TRIBE C-16 (ANETH F-224)	2	A	WI
N5700	24	400S	240E	4303716331	NAVAJO TRIBE C-28 (ANETH H-424)	2	A	WI
N5700	24	400S	240E	4303730231	ANETH U E224	2	P	OW
N5700	24	400S	240E	4303730334	ANETH U G424	2	P	OW
N5700	24	400S	240E	4303730349	ANETH U F324	2	P	OW
N5700	24	400S	240E	4303730350	ANETH U E424	2	P	OW
N5700	25	400S	240E	4303716070	NAVAJO TRIBE C-21 (ANETH E-325)	2	A	WI
N5700	25	400S	240E	4303716080	NAVAJO TRIBE C-20 (F225)	2	A	WI
N5700	25	400S	240E	4303716095	ANETH UNIT G125	2	A	WI
N5700	25	400S	240E	4303716124	NAVAJO TRIBE C-11 (ANETH H-225)	2	A	WI
N5700	25	400S	240E	4303716129	NAVAJO TRIBE C-24 (ANETH H-425)	2	A	WI

Chevron U.S.A. Inc.
 Permian Business Unit
 Aneth Operations
 San Juan County, Utah

Name / Operatorship Change
 Texaco Exploration and Production Inc.
 to
 Chevron U.S.A. Inc.

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	25	400S	240E	4303716301	NAVAJO TRIBE C-32 (ANETH F-425)	2	A	WI
N5700	25	400S	240E	4303730221	ANETH U F125	2	P	OW
N5700	25	400S	240E	4303730222	ANETH U G225	2	P	OW
N5700	25	400S	240E	4303730233	ANETH U E225	2	P	OW
N5700	25	400S	240E	4303730237	ANETH UNIT F325	2	P	OW
N5700	25	400S	240E	4303730238	ANETH U G425	2	P	OW
N5700	25	400S	240E	4303730239	ANETH UNIT H325	2	P	OW
N5700	25	400S	240E	4303730308	ANETH U H125	2	P	OW
N5700	25	400S	240E	4303730343	ANETH UNIT E425	2	P	OW
N5700	25	400S	240E	4303730374	ANETH U G325X	2	P	OW
N5700	26	400S	240E	4303716054	NAVAJO TRIBE C-29 (ANETH E-126)	2	A	WI
N5700	26	400S	240E	4303716071	NAVAJO TRIBE C-30 (ANETH E-326)	2	A	WI
N5700	26	400S	240E	4303716113	NAVAJO TRIBE C-27 (ANETH G-326)	2	A	WI
N5700	26	400S	240E	4303716290	NAVAJO TRIBE C-23 (ANETH F-226)	2	A	WI
N5700	26	400S	240E	4303716302	NAVAJO TRIBE C-4 (ANETH F-426)	2	A	WI
N5700	26	400S	240E	4303716316	NAVAJO TRIBE C-19 (ANETH H-226)	2	A	WI
N5700	26	400S	240E	4303716332	NAVAJO TRIBE C-31 (ANETH H-426)	2	A	WI
N5700	26	400S	240E	4303730220	ANETH U E426	2	P	OW
N5700	26	400S	240E	4303730232	ANETH U F326	2	P	OW
N5700	26	400S	240E	4303730236	ANETH U G426	2	P	OW
N5700	26	400S	240E	4303730310	ANETH UNIT F126	2	P	OW
N5700	26	400S	240E	4303730348	ANETH U H126	2	P	OW
N5700	26	400S	240E	4303730368	ANETH U H326	2	P	OW
N5700	26	400S	240E	4303730369	ANETH U G226	2	P	OW
N5700	26	400S	240E	4303730371	ANETH U E226	2	P	OW
N5700	26	400S	240E	4303730372	ANETH G-126X	2	A	WI
N5700	27	400S	240E	4303716223	ANETH 27-B2 (ANETH F-227)	2	I	WI
N5700	27	400S	240E	4303716226	ANETH A 27-03 (G327)	2	P	OW
N5700	27	400S	240E	4303716307	ANETH 27-C-1 (ANETH G-127)	2	A	WI
N5700	27	400S	240E	4303716317	ANETH 27-D2 (ANETH H-227)	2	A	WI
N5700	27	400S	240E	4303716333	ANETH 27-D-4 (ANETH H-427)	2	A	WI
N5700	27	400S	240E	4303716782	ANETH 27-A-1 (ANETH E-127)	2	A	WI

Chevron U.S.A. Inc.
 Permian Business Unit
 Aneth Operations
 San Juan County, Utah

Name / Operatorship Change
 Texaco Exploration and Production Inc.
 to
 Chevron U.S.A. Inc.

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	27	400S	240E	4303730643	ANETH U H127	2	P	OW
N5700	27	400S	240E	4303730718	ANETH U F127	2	P	OW
N5700	28	400S	240E	4303716222	ANETH 28-A-1 (ANETH E-128)	2	A	WI
N5700	28	400S	240E	4303716224	ANETH 28-C-1 (ANETH G-128)	2	A	WI
N5700	28	400S	240E	4303716228	ANETH H-228	2	A	WI
N5700	28	400S	240E	4303730644	ANETH U H128	2	S	OW
N5700	28	400S	240E	4303730728	ANETH U F128	2	P	OW
N5700	29	400S	240E	4303716055	NAVAJO TRIBE S-2 (ANETH E-129)	2	A	WI
N5700	29	400S	240E	4303716097	NAVAJO TRIBE S-1 (ANETH G-129)	2	A	WI
N5700	29	400S	240E	4303716114	NAV TRB AB-1 (G329)	2	P	OW
N5700	29	400S	240E	4303716292	NAVAJO TRIBE S-4 (ANETH F-229)	2	I	WI
N5700	29	400S	240E	4303716318	NAVAJO TRIBE S-3 (ANETH H-229)	2	A	WI
N5700	29	400S	240E	4303730187	ANETH U F129	2	P	OW
N5700	29	400S	240E	4303731529	ANETH H129	2	P	OW
N5700	33	400S	240E	4303716229	ANETH 33-D4 (H433)	2	P	OW
N5700	34	400S	240E	4303716225	ANETH 34-C1 (G134)	2	P	OW
N5700	34	400S	240E	4303716227	ANETH 34-C3 (G334)	2	P	OW
N5700	34	400S	240E	4303716230	ANETH 34-D4 (H434)	2	S	OW
N5700	34	400S	240E	4303716303	ANETH 34-B-4 (ANETH F-434)	2	A	WI
N5700	34	400S	240E	4303716319	ANETH 34-D2 (ANETH H-234)	2	I	WI
N5700	35	400S	240E	4303716056	NAVAJO TRIBE Q-3 (E135)	2	P	OW
N5700	35	400S	240E	4303716072	NAVAJO TRIBE Q-2 (E335)	2	P	OW
N5700	35	400S	240E	4303716115	NAV TRB Q-6 (G335)	2	P	OW
N5700	35	400S	240E	4303716130	NAVAJO TRIBE Q-7 (H435)	2	P	OW
N5700	35	400S	240E	4303716293	NAVAJO TRIBE Q-5 (ANETH F-235)	2	A	WI
N5700	35	400S	240E	4303716304	NAVAJO TRIBE Q-8 (ANETH F-435)	2	A	WI
N5700	35	400S	240E	4303716320	NAVAJO TRIBE Q-4 (ANETH H-235)	2	A	WI
N5700	35	400S	240E	4303730412	ANETH U H335	2	P	OW
N5700	35	400S	240E	4303731531	ANETH H135	2	P	OW
N5700	36	400S	240E	4303715485	NAVAJO 4 (ANETH E-136)	2	A	WI
N5700	36	400S	240E	4303715486	NAV TRB 2-A (G136)	2	A	WI
N5700	36	400S	240E	4303715487	NAVAJO 1 (ANETH H-236)	2	A	WI

Chevron U.S.A. Inc.
 Permian Business Unit
 Aneth Operations
 San Juan County, Utah

Name / Operatorship Change
 Texaco Exploration and Production Inc.
 to
 Chevron U.S.A. Inc.

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	36	400S	240E	4303716294	NAVAJO 3 (ANETH F-236)	2	A	WI
N5700	36	400S	240E	4303730227	ANETH U H136	2	P	OW
N5700	36	400S	240E	4303730409	ANETH U F136	2	P	OW
N5700	36	400S	240E	4303730410	ANETH U G236	2	P	OW
N5700	36	400S	240E	4303730716	ANETH U E236	2	P	OW
N5700	19	400S	250E	4303716140	ANETH UNIT L-419	2	A	WI
N5700	29	400S	250E	4303716131	NAVAJO TRIBE F-8 (ANETH J-129)	2	A	WI
N5700	29	400S	250E	4303730645	ANETH U J229	2	S	OW
N5700	30	400S	250E	4303716132	NAVAJO TRIBE F-9 (ANETH J-130)	2	A	WI
N5700	30	400S	250E	4303716134	NAVAJO TRIBE F-5 (ANETH J-330)	2	A	WI
N5700	30	400S	250E	4303716135	NAVAJO TRIBE F-2 (ANETH K-230)	2	A	WI
N5700	30	400S	250E	4303716137	NAVAJO TRIBE F-7 (ANETH K-430)	2	A	WI
N5700	30	400S	250E	4303716138	NAV TRB F-12 (L130)	2	P	OW
N5700	30	400S	250E	4303716139	NAVAJO TRIBE F-6 (ANETH L-330)	2	A	WI
N5700	30	400S	250E	4303716141	NAVAJO TRIBE F-10 (ANETH M-230)	2	A	WI
N5700	30	400S	250E	4303716337	NAVAJO TRIBE F-11 (ANETH M-430)	2	A	WI
N5700	30	400S	250E	4303730224	ANETH U K330	2	P	OW
N5700	30	400S	250E	4303730225	ANETH U M330	2	P	OW
N5700	30	400S	250E	4303730240	ANETH UNIT J230	2	P	OW
N5700	30	400S	250E	4303730241	ANETH U L230	2	P	OW
N5700	30	400S	250E	4303730243	ANETH U J430	2	P	OW
N5700	30	400S	250E	4303730646	ANETH U K130	2	P	OW
N5700	30	400S	250E	4303730648	ANETH U L430	2	P	OW
N5700	30	400S	250E	4303730649	ANETH U M130	2	P	OW
N5700	31	400S	250E	4303715946	NAVAJO TRIBE C11-31 (J131)	2	A	WI
N5700	31	400S	250E	4303716335	NAVAJO TRIBE C-22-31 (ANETH K-231)	2	A	WI
N5700	31	400S	250E	4303730413	ANETH U J231	2	P	OW
N5700	31	400S	250E	4303730647	ANETH U K131	2	P	OW



**THE
NAVAJO
NATION**

MINERALS DEPARTMENT

Post Office Box 1910

Window Rock, Arizona 86515

Phone: (928) 871-6587 • Fax: (928) 871-7095

KELSEY A. BEGAYE
PRESIDENT

TAYLOR MCKENZIE, M.D.
VICE PRESIDENT

October 11, 2002

Mr. Don Sellars
Regulatory Specialist
ChevronTexaco
11111 S. Wilcrest
Houston, Texas 77099

Subject: Navajo Nation Assignment of Oil & Gas Lease

Dear Mr. Sellars:

Attached are fourteen (14) approved Navajo Nation Assignment of Oil and Gas Lease applications for assignment of interest from Texaco Exploration & Production, Inc. to Chevron U.S.A., Inc. (Chevron) for the following leases:

- | | | |
|---------------------|---------------------|----------------------|
| 1) I-149-IND-8834 | 6) I-149-IND-8839 | 11) 14-20-603-4035 |
| 2) I-149-IND-8835 | 7) 14-20-603-2057 | 12) 14-20-603-4037 |
| 3) I-149-IND-8836 | 8) 14-20-603-2059 | 13) 14-20-603-5043-A |
| 4) I-149-IND-8838 | 9) 14-20-603-4030-A | 14) 14-20-603-5446 |
| 5) I-149-IND-8839-A | 10) 14-20-603-4032 | |

If you have any questions, please call me or Mr. Brad Nesemeier at (928) 871-6587.

Sincerely,

Akhtar Zaman
Akhtar Zaman, Director
Minerals Department

Attachments
AZ/GLB/eab

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW ✓
3. FILE

Change of Operator (Well Sold)

Designation of Agent

Operator Name Change

X Merger

The operator of the well(s) listed below has changed, effective: **05-01-2002**

FROM: (Old Operator):	TO: (New Operator):
TEXACO EXPLORATION & PRODUCTION INC	CHEVRON USA INC
Address: 3300 NORTH BUTLER, STE 100	Address: P O BOX 36366
FARMINGTON, NM 87401	HOUSTON, TX 79702
Phone: 1-(505)-325-4397	Phone: 1-(915)-687-2000
Account No. N5700	Account No. N0210

CA No. **Unit:** **ANETH**

WELL(S)						
NAME	SEC TWN RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
ANETH U F323	26-40S-24E	43-037-30232	7000	INDIAN	OW	P
ANETH U G426	26-40S-24E	43-037-30236	7000	INDIAN	OW	P
ANETH UNIT F126	26-40S-24E	43-037-30310	7000	INDIAN	OW	P
ANETH U H126	26-40S-24E	43-037-30348	7000	INDIAN	OW	P
ANETH U H326	26-40S-24E	43-037-30368	7000	INDIAN	OW	P
ANETH U G226	26-40S-24E	43-037-30369	7000	INDIAN	OW	P
ANETH U E226	26-40S-24E	43-037-30371	7000	INDIAN	OW	P
ANETH A 27-03 (G327)	27-40S-24E	43-037-16226	7000	INDIAN	OW	P
ANETH U H127	27-40S-24E	43-037-30643	7000	INDIAN	OW	P
ANETH U F127	27-40S-24E	43-037-30718	7000	INDIAN	OW	P
ANETH U H128	28-40S-24E	43-037-30644	7000	INDIAN	OW	S
ANETH U F128	28-40S-24E	43-037-30728	7000	INDIAN	OW	P
NAV TRB AB-1 (G329)	29-40S-24E	43-037-16114	7000	INDIAN	OW	P
ANETH U F129	29-40S-24E	43-037-30187	7000	INDIAN	OW	P
ANETH U H129	29-40S-24E	43-037-31529	7000	INDIAN	OW	P
ANETH 33-D-4 (H433)	33-40S-24E	43-037-16229	7000	INDIAN	OW	P
ANETH 34-C1 (G134)	34-40S-24E	43-037-16225	7000	INDIAN	OW	P
ANETH 34-C3 (G334)	34-40S-24E	43-037-16227	7000	INDIAN	OW	P
ANETH 34-D4 (H434)	34-40S-24E	43-037-16230	7000	INDIAN	OW	S
NAVAJO TRIBE Q-3 (E135)	35-40S-24E	43-037-16056	7000	INDIAN	OW	S

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-2-10) Sundry or legal documentation was received from the **FORMER** operator on: 05/06/2002
2. (R649-2-10) Sundry or legal documentation was received from the **NEW** operator on: 04/12/2002
3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 10/16/2002
4. Is the new operator registered in the State of Utah: YES Business Number: 564408-0143
5. If **NO**, the operator was contacted on: N/A

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 10/11/2002

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 10/11/2002

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: N/A

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 10/22/2002

2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 10/22/2002

3. Bond information entered in RBDMS on: N/A

4. Fee wells attached to bond in RBDMS on: N/A

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: N/A

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: N/A

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: U8975810026

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number N/A

2. The **FORMER** operator has requested a release of liability from their bond on: N/A

The Division sent response by letter on: N/A

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS: Chevron USA Inc merged with Texaco Exploration & Production Inc to form ChevronTexaco Inc although all the Utah operations will be operated by Chevron USA Inc.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>Injection wells</u>		5. LEASE DESIGNATION AND SERIAL NUMBER: <u>See Attachment</u>
2. NAME OF OPERATOR: <u>Resolute Natural Resources Company</u> <u>N2700</u>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: <u>Navajo</u>
3. ADDRESS OF OPERATOR: <u>1675 Broadway, Suite 1950</u> CITY <u>Denver</u> STATE <u>CO</u> ZIP <u>80202</u>		7. UNIT or CA AGREEMENT NAME: <u>Aneth Unit</u>
4. LOCATION OF WELL FOOTAGES AT SURFACE: <u>See Attachment</u>		8. WELL NAME and NUMBER: <u>See Attachment</u>
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		9. API NUMBER: <u>See Attach</u>
		10. FIELD AND POOL, OR WILDCAT: <u>Desert Creek</u>
		COUNTY: <u>San Juan</u>
		STATE: <u>UTAH</u>

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Change of Operator</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.
As of December 1, 2004, Chevron U.S.A. Inc. resigned as Operator of the Aneth Unit. The successor operator is Resolute Natural Resources Company.

NAME (PLEASE PRINT) <u>Jane Pasque</u>	TITLE <u>Vice President</u>
SIGNATURE <u>Jane Pasque</u>	DATE <u>11/30/04</u>

(This space for state use only)

APPROVED 12/29/2004
ER
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>See attached exhibit.</u>		5. LEASE DESIGNATION AND SERIAL NUMBER: <u>See attached exhibit.</u>
2. NAME OF OPERATOR: <u>Resolute Natural Resources Company</u>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: <u>Navajo</u>
3. ADDRESS OF OPERATOR: <u>1675 Broadway, Suite 1950</u> CITY <u>Denver</u> STATE <u>CO</u> ZIP <u>80202</u>		7. UNIT or CA AGREEMENT NAME: <u>Aneth Unit</u>
4. LOCATION OF WELL FOOTAGES AT SURFACE: _____ COUNTY: <u>San Juan</u> QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____ STATE: <u>UTAH</u>		8. WELL NAME and NUMBER: <u>See attached exhibit.</u>
		9. API NUMBER: <u>See attached exhibit.</u>
		10. FIELD AND POOL, OR WILDCAT: <u>Aneth</u>

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Change of operator</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.
As of December 1, 2004, Chevron U.S.A. Inc. resigned as operator of the Aneth Unit. Resolute Natural Resources Company has been elected the successor operator.

RECEIVED
DEC 22 2004
DIV. OF OIL, GAS & MINING

NAME (PLEASE PRINT) <u>Chevron U.S.A. Inc.</u> <u>NO210</u>	TITLE <u>A. E. Wacker, Attorney-in-Fact</u>
SIGNATURE <u>A. E. Wacker</u>	DATE <u>12/20/2004</u>

(This space for State use only)

APPROVED 12/29/2004
ER
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

Chevron USA to Resolute Natural Resources

D124	4303715701	SI Producer	NE	NE	24	T40S	R23E	520' FNL / 660' FEL	SL-0701010-C	See Attached SI and TA Well Status Spreadsheet
A213	4303715821	Producer	SW	NW	13	T40S	R23E	3287' FSL / 4631' FEL	SL-070968-A	
A412	4303715822	SI Producer	SW	SW	12	T40S	R23E	659' FSL / 4474' FEL	SL-070968-A	See Attached SI and TA Well Status Spreadsheet
A413	4303715823	Producer	SW	SW	13	T40S	R23E	657' FSL / 4631' FEL	SL-070968-A	
B113	4303715824	Producer	NE	NW	13	T40S	R23E	4602' FSL / 3311' FEL	SL-070968-A	
B313	4303715826	Producer	NE	SW	13	T40S	R23E	1972' FSL / 3302' FEL	SL-070968-A	
C412	4303715829	Producer	SW	SE	12	T40S	R23E	4606' FNL / 1980' FEL	SL-070968-A	
D312	4303715831	Producer	NE	SE	12	T40S	R23E	3290' FNL / 660' FEL	SL-070968-A	
E216	4303715833	Producer	SW	NW	16	T40S	R24E	2128' FNL / 662' FWL	NOG 99041323	
E416	4303715834	Producer	SW	SW	16	T40S	R24E	442' FSL / 721' FWL	NOG 99041323	
G216	4303715835	Producer	SW	NE	16	T40S	R24E	1975' FNL / 3304' FWL	NOG 99041323	
G416	4303715836	Producer	SW	SE	16	T40S	R24E	660' FSL / 1980' FEL	NOG 99041323	
H316	4303715837	Producer	NE	SE	16	T40S	R24E	1980' FSL / 662' FEL	NOG 99041323	
A214	4303716030	TA Producer	SW	NW	14	T40S	R23E	1980' FNL / 740' FWL	SL-070968	See Attached SI and TA Well Status Spreadsheet
A414	4303716031	SI Producer	SW	SW	14	40S	23E	820' FSL / 740' FWL	UTSL 070968	
D123	4303716036	Producer	NE	NE	23	T40S	R23E	660' FNL / 660' FEL	SL-0701010	
D311	4303716037	SI Producer	NE	SE	11	40S	23E	1980' FSL / 660' FEL	UTSL 070968B	
E123	4303716052	Producer	NW	NW	23	T40S	R24E	660' FNL / 660' FWL	I-149-IND-8838	
E135	4303716056	SI Producer	NW	NW	35	T40S	R24E	760' FNL / 703' FWL	14-20-603-2059	See Attached SI and TA Well Status Spreadsheet
E209	4303716057	Producer	SW	NW	9	T40S	R24E	2105' FNL / 670' FWL	I-149-IND-8834	
E215	4303716058	Producer	SW	NW	15	T40S	R24E	2109' FNL / 505' FWL	I-149-IND-8834	
E222	4303716059	Producer	SW	NW	22	T40S	R24E	1960' FNL / 770' FWL	I-149-IND-8836	
E335	4303716072	SI Producer	NW	SW	35	T40S	R24E	1900' FSL / 820' FWL	14-20-603-2059	See Attached SI and TA Well Status Spreadsheet
E415	4303716073	Producer	SW	SW	15	T40S	R24E	660' FSL / 660' FWL	I-149-IND-8834	
F122	4303716075	Producer	NE	NW	22	T40S	R24E	660' FNL / 1980' FWL	I-149-IND-8836	
F319	4303716081	Producer	NE	SW	19	T40S	R24E	1940' FSL / 2055' FWL	I-149-IND-8836	
G115	4303716088	Producer	NW	NE	15	T40S	R24E	660' FNL / 1980' FEL	I-149-IND-8834	
G222	4303716099	Producer	SW	NE	22	T40S	R24E	1890' FNL / 2140' FEL	I-149-IND-8836	
G309	4303716102	Producer	NW	SE	9	T40S	R24E	2080' FSL / 1990' FEL	I-149-IND-8834	
G329	4303716114	Producer	NW	SE	29	T40S	R24E	2045' FSL / 2125' FEL	14-20-603-5043	
G335	4303716115	Producer	NW	SE	35	T40S	R24E	1830' FSL / 1820' FEL	14-20-603-2059	
H415	4303716126	Producer	SE	SE	15	T40S	R24E	815' FSL / 812' FEL	I-149-IND-8834	
H435	4303716130	Producer	SE	SE	35	T40S	R24E	510' FSL / 725' FEL	14-20-603-2059	
L130	4303716138	Producer	NW	NE	30	T40S	R25E	745' FNL / 1900' FEL	I-149-IND-8839	
G134	4303716225	Producer	NW	NE	34	T40S	R24E	540' FNL / 2000' FEL	14-20-603-2056	S
G327	4303716226	Producer	NW	SE	27	T40S	R24E	2075' FSL / 1800' FEL	14-20-603-2056	
G334	4303716227	SI Producer	NW	SE	34	T40S	R24E	1980' FSL / 2130' FEL	14-20-603-2056	See Attached SI and TA Well Status Spreadsheet
H433	4303716229	SI Producer	SE	SE	33	T40S	R24E	745' FSL / 605' FEL	14-20-603-2056	See Attached SI and TA Well Status Spreadsheet
H434	4303716230	SI Producer	SE	SE	34	T40S	R24E	700' FSL / 500' FEL	14-20-603-2056	See Attached SI and TA Well Status Spreadsheet
H114	4303716310	Producer	NE	NE	14	T40S	R24E	730' FNL / 690' FEL	I-149-IND-8839	
H409	4303716324	Producer	SE	SE	9	T40S	R24E	660' FSL / 660' FEL	I-149-IND-8834	
G215	4303730066	SI Producer	SW	NE	15	T40S	R24E	2415' FNL / 1850' FEL	I-149-IND-8834	See Attached SI and TA Well Status Spreadsheet
E114	4303730093	Producer	NW	NW	14	T40S	R24E	500' FNL / 100' FWL	I-149-IND-8837	
F307	4303730115	SI Producer	NE	SW	7	T40S	R24E	2290' FSL / 1860' FWL	SL-067807	See Attached SI and TA Well Status Spreadsheet
F121	4303730117	Producer	NE	NW	21	T40S	R24E	50' FNL / 2150' FWL	I-149-IND-8836	
H307	4303730122	TA Producer	NE	SE	7	T40S	R24E	2120' FSL / 980' FEL	I-149-IND-8835	See Attached SI and TA Well Status Spreadsheet

Chevron USA to Resolute Natural Resources

H414	4303730123	Producer	SE	SE	14	40S	24E	300' FSL / 500' FEL	I-149-IND-8839	
G218	4303730131	Producer	SW	NE	18	T40S	R24E	1870' FNL / 2050' FEL	I-149-IND-8835	
G418	4303730132	Producer	SW	SE	18	T40S	R24E	760' FSL / 1950' FEL	I-149-IND-8835	
H119	4303730133	Producer	NE	NE	19	T40S	R24E	695' FNL / 570' FEL	I-149-IND-8836	
E417	4303730134	Producer	SW	SW	17	T40S	R24E	710' FSL / 630' FWL	I-149-IND-8835	
F120	4303730135	Producer	NE	NW	20	T40S	R24E	710' FNL / 1980' FWL	I-149-IND-8836	
H318	4303730136	Producer	NE	SE	18	T40S	R24E	1980' FSL / 610' FEL	I-149-IND-8835	
F317	4303730139	Producer	NE	SW	17	T40S	R24E	1980' FSL / 2140' FWL	I-149-IND-8835	
E217	4303730142	Producer	SW	NW	17	T40S	R24E	1980' FNL / 550' FWL	I-149-IND-8835	
G417	4303730144	Producer	SW	SE	17	T40S	R24E	660' FSL / 1980' FEL	I-149-IND-8835	
E220	4303730150	Producer	SW	NW	20	T40S	R24E	1956' FNL / 584' FWL	I-149-IND-8836	
G407	4303730151	Producer	SW	SE	7	T40S	R24E	650' FSL / 1960' FEL	SL-067807	
G408	4303730152	Producer	SW	SE	8	T40S	R24E	774' FSL / 1991' FEL	I-149-IND-8834	
H117	4303730153	Producer	NE	NE	17	T40S	R24E	866' FNL / 785' FEL	I-149-IND-8833	
H320	4303730154	Producer	NE	SE	20	T40S	R24E	2036 FSL / 650' FEL	I-149-IND-8836	
G220	4303730156	Producer	SW	NE	20	T40S	R24E	1860' FNL / 2086' FEL	I-149-IND-8833	
H118	4303730157	Producer	NE	NE	18	T40S	R24E	626' FNL / 650' FEL	I-149-IND-8835	
E408	4303730159	TA Producer	SW	SW	8	T40S	R24E	650' FSL / 626' FWL	I-149-IND-8833	See Attached SI and TA Well Status Spreadsheet
F117	4303730160	SI Producer	NE	NW	17	T40S	R24E	522' FNL / 1956' FWL	I-149-IND-8835	See Attached SI and TA Well Status Spreadsheet
D313	4303730162	TA Producer	NE	SE	13	T40S	R23E	1987' FSL / 782' FEL	SL-070968-A	See Attached SI and TA Well Status Spreadsheet
F320	4303730164	Producer	NE	SW	20	T40S	R24E	2130' FSL / 1950' FWL	I-149-IND-8836	
E418	4303730165	Producer	SW	SW	18	T40S	R24E	978' FSL / 216' FWL	SL-067807	
G217	4303730166	TA Producer	SW	NE	17	T40S	R24E	2170' FNL / 1860' FEL	I-149-IND-8835	See Attached SI and TA Well Status Spreadsheet
G219	4303730167	Producer	SW	NE	19	T40S	R24E	1989' FNL / 1923' FEL	I-149-IND-8836	
H319	4303730168	Producer	NE	SE	19	T40S	R24E	2086' FSL / 593' FEL	I-149-IND-8836	
F318	4303730169	Producer	NE	SW	18	T40S	R24E	1578' FSL / 1773' FWL	I-149-IND-8835	
C213	4303730173	Producer	SW	NE	13	T40S	R23E	1898' FNL / 1815' FEL	SL-070968-A	
F308	4303730176	Producer	NE	SW	8	T40S	R24E	1880' FSL / 1980' FWL	I-149-IND-8833	
H308	4303730177	TA Producer	NE	SE	8	T40S	R24E	1890' FSL / 660' FEL	I-149-IND-8834	See Attached SI and TA Well Status Spreadsheet
G208	4303730178	TA Producer	SW	NE	8	T40S	R24E	1939' FNL / 1939' FEL	I-149-IND-8833	See Attached SI and TA Well Status Spreadsheet
E221	4303730181	Producer	SW	NW	21	T40S	R24E	1898' FNL / 619' FWL	I-149-IND-8836	
H121	4303730183	Producer	NE	NE	21	T40S	R24E	520' FNL / 760' FEL	I-149-IND-8836	
F321	4303730185	Producer	NE	SW	21	T40S	R24E	1980' FSL / 1720' FWL	I-149-IND-8836	
F129	4303730187	Producer	NE	NW	29	T40S	R24E	550' FNL / 1690' FWL	14-20-603-4030-A	
E421	4303730188	Producer	SW	SW	21	T40S	R24E	660' FSL / 660' FWL	I-149-IND-8836	
E409	4303730189	Producer	SW	SW	9	T40S	R24E	910' FSL / 330' FWL	I-149-IND-8834	
H317	4303730196	Producer	NE	SE	17	T40S	R24E	2230' FSL / 930' FEL	I-149-IND-8833	
F119	4303730197	TA Producer	NE	NW	19	T40S	R24E	350' FNL / 1960' FWL	I-149-IND-8836	See Attached SI and TA Well Status Spreadsheet
E313	4303730200	Producer	NW	SW	13	T40S	R24E	1815' FSL / 785' FWL	I-149-IND-8837	
F216	4303730212	TA Producer	SE	NW	16	T40S	R24E	1848 FNL / 2043' FWL	NOG 99041323	See Attached SI and TA Well Status Spreadsheet
G421	4303730214	Producer	SW	SE	21	T40S	R24E	380' FSL / 1980' FEL	I-149-IND-8836	
H321	4303730216	Producer	NE	SE	21	T40S	R24E	2043' FSL / 591' FEL	I-149-IND-8836	
F411	4303730217	Producer	SE	SW	11	T40S	R24E	561' FSL / 1798' FWL	I-149-IND-8837	
G114	4303730218	Producer	NW	NE	14	T40S	R24E	660' FNL / 2220' FEL	I-149-IND-8837	
E223	4303730219	Producer	SW	NW	23	T40S	R24E	2106' FNL / 660' FWL	I-149-IND-8838	
E426	4303730220	Producer	SW	SW	26	T40S	R24E	660' FSL / 660' FWL	I-149-IND-8838	

Chevron USA to Resolute Natural Resources

F125	4303730221	Producer	NE	NW	25	T40S	R24E	627' FNL / 1980' FWL	I-149-IND-8838	
G225	4303730222	Producer	SW	NE	25	T40S	R24E	1760' FNL / 2170' FEL	I-149-IND-8838	
H123	4303730223	Producer	NE	NE	23	T40S	R24E	660' FNL / 660' FEL	I-149-IND-8838	
K330	4303730224	Producer	NE	SW	30	T40S	R25E	2020' FSL / 2010' FWL	I-149-IND-8839	
M330	4303730225	Producer	NE	SE	30	T40S	R25E	2046' FSL / 726' FEL	I-149-IND-8839	
G223	4303730226	Producer	SW	NE	23	T40S	R24E	2012' FNL / 1914' FEL	I-149-IND-8838	
H136	4303730227	Producer	NE	NE	36	T40S	R24E	660' FNL / 620' FEL	14-20-603-5443	
G420	4303730228	Producer	SW	SE	20	T40S	R24E	770' FSL / 1900' FEL	I-149-IND-8836	
G314	4303730230	Producer	NW	SE	14	T40S	R24E	1940' FSL / 2020' FEL	I-149-IND-8837	
E224	4303730231	Producer	SW	NW	24	T40S	R24E	1850' FNL / 660' FWL	I-149-IND-8838	
F326	4303730232	Producer	NE	SW	26	T40S	R24E	1914' FSL / 1914' FWL	I-149-IND-8838	
E225	4303730233	SI Producer	SW	NW	25	T40S	R24E	2079' FNL / 790' FWL	I-149-IND-8838	See Attached SI and TA Well Status Spreadsheet
F323	4303730234	Producer	NE	SW	23	T40S	R24E	1914' FSL / 1980' FWL	I-149-IND-8838	
G426	4303730236	Producer	SW	SE	26	T40S	R24E	610' FSL / 1980' FEL	I-149-IND-8838	
F325	4303730237	Producer	NE	SW	25	T40S	R24E	1850' FSL / 1840' FWL	I-149-IND-8838	
G425	4303730238	Producer	SW	SE	25	T40S	R24E	480' FSL / 1840' FEL	I-149-IND-8838	
H325	4303730239	Producer	NE	SE	25	T40S	R24E	1914' FSL / 660' FEL	I-149-IND-8838	
J230	4303730240	Producer	SW	NW	30	T40S	R25E	1980' FNL / 660' FWL	I-149-IND-8839 A	
L230	4303730241	Producer	SW	NE	30	T40S	R25E	1930' FNL / 1898' FEL	I-149-IND-8839	
J430	4303730243	Producer	SW	SW	30	T40S	R25E	660' FSL / 660' FWL	I-149-IND-8839	
F214	4303730250	Producer	SE	NW	14	T40S	R24E	2030' FNL / 1881' FWL	I-149-IND-8837	
E314	4303730266	Producer	NW	SW	14	T40S	R24E	1930' FSL / 660' FWL	I-149-IND-8837	
F414	4303730274	Producer	SE	SW	14	T40S	R24E	593' FSL / 1771' FWL	I-149-IND-8837	
C413	4303730298	TA Producer	SW	SE	13	T40S	R23E	810' FSL / 1980' FEL	SL-070968-A	See Attached SI and TA Well Status Spreadsheet
H125	4303730308	Producer	NE	NE	25	T40S	R24E	660' FNL / 560' FEL	I-149-IND-8838	
F126	4303730310	Producer	NE	NW	26	T40S	R24E	560' FNL / 1940' FWL	I-149-IND-8838	
G423	4303730311	Producer	SW	SE	23	T40S	R24E	660' FSL / 1980' FEL	I-149-IND-8838	
H323	4303730316	Producer	NE	SE	23	T40S	R24E	1845' FSL / 507' FEL	I-149-IND-8838	
G424	4303730334	TA Producer	SW	SE	24	T40S	R24E	660' FSL / 1980' FEL	I-149-IND-8838	See Attached SI and TA Well Status Spreadsheet
E425	4303730343	Producer	SW	SW	25	T40S	R24E	760' FSL / 840' FWL	I-149-IND-8838	
F322	4303730345	Producer	NE	SW	22	T40S	R24E	2130' FSL / 1980' FWL	I-149-IND-8836	
E422	4303730346	Producer	SW	SW	22	T40S	R24E	890' FSL / 600' FWL	I-149-IND-8836	
H126	4303730348	Producer	NE	NE	26	T40S	R24E	660' FNL / 830' FEL	I-149-IND-8838	
F324	4303730349	SI Producer	NE	SW	24	T40S	R24E	1980' FSL / 2080' FWL	I-149-IND-8838	See Attached SI and TA Well Status Spreadsheet
E424	4303730350	TA Producer	SW	SW	24	T40S	R24E	540' FSL / 450' FWL	I-149-IND-8838	See Attached SI and TA Well Status Spreadsheet
H326	4303730368	Producer	NE	SE	26	T40S	R24E	1850' FSL / 520' FEL	I-149-IND-8838	
G226	4303730369	Producer	SW	NE	26	T40S	R24E	2080' FNL / 1950' FEL	I-149-IND-8838	
E423	4303730370	Producer	SW	SW	23	T40S	R24E	550' FSL / 580' FWL	I-149-IND-8838	
E226	4303730371	Producer	SW	NW	26	T40S	R24E	1980' FNL 660' FWL		
G325X	4303730374	Producer	NW	SE	25	T40S	R24E	1850' FSL / 1710' FEL	I-149-IND-8838	
G422	4303730375	Producer	SW	SE	22	T40S	R24E	500' FSL / 1950' FEL	I-149-IND-8836	
H120X	4303730404	Producer	NE	NE	20	T40S	R24E	280' FNL / 840' FEL	I-149-IND-8833	
H322	4303730407	Producer	NE	SE	22	T40S	R24E	2070' FSL / 770' FEL	I-149-IND-8836	
F136	4303730409	Producer	NE	NW	36	T40S	R24E	760' FNL / 2020' FWL	14-20-603-5444	
G236	4303730410	Producer	SW	NE	36	T40S	R24E	1950' FNL / 1980' FEL	14-20-603-5443	
H335	4303730412	Producer	NE	SE	35	T40S	R24E	1980' FSL / 700' FEL	14-20-603-2059	

Chevron USA to Resolute Natural Resources

J231	4303730413	SI Producer	SW	NW	31	T40S	R25E	1850' FNL / 660' FWL	14-20-603-5443	See Attached SI and TA Well Status Spreadsheet
G221X	4303730516	Producer	SW	NE	21	T40S	R24E	1940' FNL / 1930' FEL	I-149-IND-8836	
A114	4303730634	SI Producer	NW	NW	14	40S	23E	735' FNL / 718' FWL	UTSL 070968	
B214	4303730635	Producer	SE	NW	14	T40S	R23E	1910' FNL / 1950' FWL	SL-070968	
C114	4303730636	SI Producer	NW	NE	14	T40S	R23E	820' FNL / 1920' FEL	SL-070968	See Attached SI and TA Well Status Spreadsheet
C314	4303730637	Producer	NW	SE	14	T40S	R23E	2140' FSL / 1870' FEL	SL-070968	
D214	4303730638	Producer	SE	NE	14	T40S	R23E	2090' FNL / 790' FEL	SL-070968	
D414	4303730639	Producer	SE	SE	14	T40S	R23E	570' FSL / 810' FEL	SL-070968	
H127	4303730643	Producer	NE	NE	27	T40S	R24E	660' FNL / 510' FEL	14-20-603-2056	
H128	4303716224	Injector	NE	NE	28	40S	24E	810' FNL / 510' FEL	14-20-603-2056	
J229	4303730645	SI Producer	SW	NW	29	40S	25E	1980' FNL / 510' FWL	I-149-IND-8839A	
K130	4303730646	Producer	NE	NW	30	T40S	R25E	660' FNL / 2010' FWL	I-149-IND-8839	
K131	4303730647	Producer	NE	NW	31	T40S	R25E	660' FNL / 1980' FWL	14-20-603-372-A	
L430	4303730648	Producer	SW	SE	30	T40S	R25E	660' FSL / 1980' FEL	I-149-IND-8839	
M130	4303730649	Producer	NE	NE	30	T40S	R25E	510' FNL / 780' FEL	I-149-IND-8839	
E236	4303730716	Producer	SW	NW	36	T40S	R24E	1930' FNL / 630' FWL	14-20-603-5444	
F127	4303730718	Producer	NE	NW	27	T40S	R24E	620' FNL / 1910' FWL	14-20-603-2056	
F128	4303730728	Producer	NE	NW	28	T40S	R24E	660' FNL / 1910' FWL	14-20-603-2056	
C313SE	4303731076	SI Producer	C	SE	13	40S	23E	1320' FSL / 1320' FEL	UTSL 070968A	
E118SE	4303731077	TA Producer	SW	NW	18	T40S	R24E	1340' FNL / 1140' FWL	SL-067807	See Attached SI and TA Well Status Spreadsheet
E121SE	4303731078	SI Producer	SW	NW	21	T40S	R24E	1400' FNL / 1320' FWL	I-149-IND-8836	See Attached SI and TA Well Status Spreadsheet
D113SE	4303731382	TA Producer	SE	NE	13	T40S	R23E	1330' FNL / 100' FEL	SL-070968-A	See Attached SI and TA Well Status Spreadsheet
D213SE	4303731383	TA Producer	NE	SE	13	T40S	R23E	2700' FNL / 150' FEL	SL-070968-A	See Attached SI and TA Well Status Spreadsheet
E218SE	4303731385	TA Producer	NW	SW	18	T40S	R24E	2660' FNL / 1220' FWL	SL-067807	See Attached SI and TA Well Status Spreadsheet
E407SW	4303731386	TA Producer	SW	SW	7	T40S	R24E	0' FSL / 70' FWL	SL-067807	See Attached SI and TA Well Status Spreadsheet
E115	4303731396	Producer	NW	NW	15	T40S	R24E	630' FNL / 660' FWL	I-149-IND-8834	
F215	4303731397	Producer	SE	NW	15	T40S	R24E	1900' FNL / 1990' FWL	I-149-IND-8834	
F415	4303731398	Producer	SE	SW	15	T40S	R24E	680' FSL / 1880' FWL	I-149-IND-8834	
G315X	4303731408	Producer	NW	SE	15	T40S	R24E	1880' FSL / 1980' FEL	I-149-IND-8834	
H116	4303731409	TA Producer	NE	NE	16	T40S	R24E	660' FNL / 900' FEL	NOG 99041323	
H129	4303731529	Producer	NE	NE	29	T40S	R24E	730' FNL / 730' FEL	14-20-603-4030	
H135	4303731531	Producer	NE	NE	35	T40S	R24E	503' FNL / 813' FEL	14-20-603-2059	
E407SE	4303731534	Producer	NE	NW	18	40S	24E	199' FNL / 1602' FWL	UTSL 067807	
B412	4303731537	TA Producer	SE	SW	12	T40S	R23E	901' FSL / 1600' FWL	SL-070968-A	
F214SE	4303731684	Producer	SE	NW	14	T40S	R24E	2580' FNL / 2350' FWL	I-149-IND-8837	

OPERATOR CHANGE WORKSHEET

ROUTING	
1. GLH	
2. CDW	
3. FILE	

X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:		FORMER CA No.:	12/1/2004
FROM: (Old Operator): N0210-Chevron USA, Inc. PO Box 4791 Houston, TX 77210-4791 Phone: 1-(713) 752-7431		TO: (New Operator): N2700-Resolute Natural Resources Company 1675 Broadway, Suite 1950 Denver, CO 80202 Phone: 1-(303) 534-4600	

CA No.

Unit:

ANETH

WELL(S)

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
ANETH UNIT D-113SE	13	400S	230E	4303731382	7000	Indian	OW	TA
ANETH UNIT F214SE	14	400S	240E	4303731684	7000	Indian	OW	P
ANETH UNIT E115	15	400S	240E	4303731396	7000	Indian	OW	P
ANETH UNIT F215	15	400S	240E	4303731397	7000	Indian	OW	P
ANETH UNIT F415	15	400S	240E	4303731398	7000	Indian	OW	P
ANETH UNIT G315X	15	400S	240E	4303731408	7000	Indian	OW	P
ST THREE 12-16(E216)	16	400S	240E	4303715833	7000	State	OW	P
ST THREE 14-16(E416)	16	400S	240E	4303715834	7000	State	OW	P
ST THREE 32-16(G216)	16	400S	240E	4303715835	7000	State	OW	P
ST THREE 34-16(G416)	16	400S	240E	4303715836	7000	State	OW	P
ST THREE 43-16(H316)	16	400S	240E	4303715837	7000	State	OW	P
ANETH U F216	16	400S	240E	4303730212	7000	State	OW	S
ANETH UNIT H116	16	400S	240E	4303731409	7000	State	OW	P
ANETH UNIT E121SE	21	400S	240E	4303731078	7000	Indian	OW	S
ANETH U F127	27	400S	240E	4303730718	7000	Indian	OW	P
ANETH U F128	28	400S	240E	4303730728	7000	Indian	OW	P
ANETH H129	29	400S	240E	4303731529	7000	Indian	OW	P
ANETH H135	35	400S	240E	4303731531	7000	Indian	OW	P
ANETH U E236	36	400S	240E	4303730716	7000	Indian	OW	P

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 12/22/2004
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 12/13/2004
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 11/22/2004
- Is the new operator registered in the State of Utah: YES Business Number: 5733505-0143
- If **NO**, the operator was contacted on:
- (R649-9-2) Waste Management Plan has been received on: _____ requested
- Inspections of LA PA state/fee well sites complete on: 12/20/2004

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM not yet BIA not yet

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: not yet

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: _____

DATA ENTRY:

1. Changes entered in the Oil and Gas Database on: 12/29/2004
2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 12/29/2004
3. Bond information entered in RBDMS on: n/a
4. Fee/State wells attached to bond in RBDMS on: n/a
5. Injection Projects to new operator in RBDMS on: separate list
6. Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: B001263

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: B001264

FEE & STATE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The NEW operator of any fee well(s) listed covered by Bond Number B001262

2. The FORMER operator has requested a release of liability from their bond on: not yet
The Division sent response by letter on: _____

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The FORMER operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: _____

COMMENTS:

