

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL OR DEEPEN

1a. TYPE OF WORK  
 DRILL  DEEPEN

b. TYPE OF WELL  
 OIL WELL  GAS WELL  OTHER   
 SINGLE ZONE  MULTIPLE ZONE

2. NAME OF OPERATOR  
 Wesgra Corporation

3. ADDRESS AND TELEPHONE NO.  
 P.O. Box 310-367, Mexican Hat, Utah 84531  
 Phone 801 683-1298

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)\*  
 At surface 2570' from the north line  
 At proposed prod. zone 2321' from the east line

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE\*  
 one quarter mile

10. DISTANCE FROM PROPOSED\* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drilg. unit line, if any)  
 300'

18. DISTANCE FROM PROPOSED LOCATION\* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.  
 770'

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

5. LEASE DESIGNATION AND SERIAL NO.  
 U-7303

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME, WELL NO.  
 Gebauer-Groom

9. API WELL NO.  
 74

10. FIELD AND POOL, OR WILDCAT  
 Mexican Hat

11. SEC., T., R., M., OR BLM. AND SURVEY OR AREA  
 Sec 7, 4-5, 19E

12. COUNTY OR PARISH 13. STATE  
 San Juan Utah

16. NO. OF ACRES IN LEASE  
 320

17. NO. OF ACRES ASSIGNED TO THIS WELL  
 3

20. ROTARY OR CABLE TOOLS  
 rotary

22. APPROX. DATE WORK WILL START\*  
 after approval

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	GRADE SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12 1/4"	10"	20 pd	30'	five sacks
7 7/8"	5 1/2"	15 pd	320'	32 sacks

**RECEIVED**

MAY 10 1993

DIVISION OF OIL, GAS & MINING

- 1, 2, 4, 5, 8, 9
- 3. surface formation Supi
- 6. estimated top of first formation Goodridge at around 240' oil
- 7. estimated depth of water, oil or gas Goodridge around 240' oil
- 10. pressure equipment not required
- 11. circulating medium air & foam
- 12. testing, logging samples only
- 13. abnormal pressures of temperatures none expected, no hydrogen sulfite
- 14. estimated starting time, reasonable time after approval

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED McSkreen TITLE President DATE 5-4-93

(This space for Federal or State office use)

PERMIT NO. \_\_\_\_\_ APPROVAL DATE \_\_\_\_\_

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.  
 CONDITIONS OF APPROVAL, IF ANY:

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

\*See Instructions On Reverse Side


Company WESGRO OIL CORPORATION

Well Name & No. GREBAUER-GROOM #74

Location 2570 F/NL and 2320 F/EL

Sec. 7 T 42S R 19E S.L.M. County San Juan Utah

Ground Elevation 4202



Scale: 1" = 1000'

Surveyed April 21 19 93


This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.



Cecil B. Tullis

Cecil B. Tullis  
Registered Land Surveyor  
New Mexico Reg. No. 9672  
Non-Resident Certification as  
Authorized by Utah State Law  
58 - 22 - 21 (b)

Seal:



WESGRO OIL CORP.  
 GREBAUER-GROOM #74  
 2570 F/NL & 2320 F/EL  
 SAN JUAN CO., UTAH  
 SEC. 7 T42S R19E S.L.M.

WORKSHEET  
APPLICATION FOR PERMIT TO DRILL

DATE RECEIVED: 05/10/93

OPERATOR: WESGRA CORPORATION  
WELL NAME: GEBAUER-GROOM 74

OPERATOR ACCT NO: N- 1060

API NO. ASSIGNED: 43 - 037-31707

LEASE TYPE: FED LEASE NO: UTU-7303  
LOCATION: SWNE 07 - T42S - R19E SAN JUAN COUNTY  
FIELD: MEXICAN HAT (410) FIELD CODE: 410

RECEIVED AND/OR REVIEWED:

- Plat
- Bond  
(Number federal)
- Potash (Y/N)
- Oil shale (Y/N)
- Water permit  
(Number no permit #)
- RDCC Review (Y/N)  
(Date: \_\_\_\_\_)

LOCATION AND SITING:

- R649-2-3. Unit: \_\_\_\_\_
- R649-3-2. General.
- R649-3-3. Exception.
- Drilling Unit.  
Board Cause no: 150-3  
Date: 4-15-80

COMMENTS: Unrestricted spacing per cause no.

STIPULATIONS: Water Permit  
cc: San Juan auditor

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL OR DEEPEN

1a. TYPE OF WORK  
 DRILL  DEEPEN

b. TYPE OF WELL  
 OIL WELL  GAS WELL  OTHER  SINGLE ZONE  MULTIPLE ZONE

2. NAME OF OPERATOR  
 Wesgra Corporation

3. ADDRESS AND TELEPHONE NO.  
 P.O. Box 210-367, Mexican Hat, Utah 84531 Phone 801 683-1208

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)  
 At surface 2570' FNL 2320' FEL  
 At proposed prod. zone

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE\*  
 one quarter mile

15. DISTANCE FROM PROPOSED LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig. unit line, if any)  
 300'

16. NO. OF ACRES IN LEASE  
 320

17. NO. OF ACRES ASSIGNED TO THIS WELL  
 3

18. DISTANCE FROM PROPOSED LOCATION TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.  
 770'

19. PROPOSED DEPTH  
 770'

20. ROTARY OR CABLE TOOLS  
 rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

22. APPROX. DATE WORK WILL START\*  
 after approval

5. LEASE DESIGNATION AND SERIAL NO.  
 Federal

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME, WELL NO.  
 GEBBAUER GROOM

9. WELL NO.  
 # 74

10. FIELD AND POOL, OR WILDCAT  
 Mexican Hat

11. SEC., T., R., N., OR S.E. AND SURVEY OR AREA  
 3007 42S, 19E

12. COUNTY OR PARISH  
 San Juan

13. STATE  
 Utah

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	GRADE SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CASING
12 1/2"	10"	20 pd	30'	Five Socks
7 7/8"	5 1/2"	15 pd	320'	32 Socks

RECEIVED  
JUN 01 1993

DIVISION OF  
OIL, GAS & MINING

- 1, 2, 4, 5, 8, 9
- 3. surface formation Supi
- 6. estimated top of first formation Goodridge at around 240'
- 7. estimated depth of water, oil or gas Goodridge around 240' oil
- 10. pressure equipment not required
- 11. circulating medium air & foam
- 12. testing, logging samples only
- 13. abnormal pressures or temperatures none expected, no hydrogen sulfite
- 14. estimated starting time, reasonable time after approval

ML-36335

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED H E Sheen TITLE President DATE 5-4-93

(This space for Federal or State office use)

PERMIT NO. 43-037-31707 APPROVAL DATE \_\_\_\_\_

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

CONDITIONS OF APPROVAL, IF ANY:

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE: 7/13/93  
 BY: JAY Adkins  
 WELL SPACING: 156-3

\*See Instructions On Reverse Side


Company WESGRO OIL CORPORATION

Well Name & No. GREBAUER-GROOM #74

Location 2570 F/NL and 2320 F/EL

Sec. 7 T 42S R 19E S.L.M. County San Juan Utah

Ground Elevation 4202



Scale: 1" = 1000'

Surveyed April 21 19 93

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.



Seal:

Cecil B. Tullis

Cecil B. Tullis  
Registered Land Surveyor  
New Mexico Reg. No. 9672  
Non-Resident Certification as  
Authorized by Utah State Law  
58 - 22 - 21 (b)



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL OR DEEPEN

1a. TYPE OF WORK  
 DRILL  DEEPEN   
 b. TYPE OF WELL  
 OIL WELL  GAS WELL  OTHER  MULTIPLE ZONE

2. NAME OF OPERATOR  
 Wesgro Corporation

3. ADDRESS AND TELEPHONE  
 P.O. Box 119-367, Tropic, Utah, 84501

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)  
 At surface  
 At proposed prod. zone

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE  
 one quarter mile

16. NO. OF ACRES IN LEASE  
 300'

18. DISTANCE FROM PROPOSED LOCATION TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.  
 770'

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

5. LEASE DESIGNATION AND SERIAL NO.  
 UTU7303  
 6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
 7. UNIT AGREEMENT NAME  
 8. FARM OR LEASE NAME, WELL NO.  
 Gebauer-Groom 74  
 9. AN WELL NO.  
 10. FIELD AND POOL, OR WILDCAT  
 Tropic  
 11. SEC., T., R., M., OR B.M. AND SURVEY OR AREA  
 3007, 4-3, 19E  
 12. COUNTY OR PARISH  
 Tropic  
 13. STATE  
 Utah

22. APPROX. DATE WORK WILL START  
 after approval

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	GRADE, SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT

**RECEIVED**  
 JUL 12 1993  
 DIVISION OF  
 OIL GAS & MINING

FLARING OR VENTING OF  
 GAS IS SUBJECT TO NTL 4-A  
 Dated 1/1/80

CONDITIONS OF APPROVAL ATTACHED

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED W.C. Stringer TITLE President DATE 7-1-93

(This space for Federal or State office use)  
 PERMIT NO. \_\_\_\_\_ APPROVAL DATE \_\_\_\_\_

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.  
 CONDITIONS OF APPROVAL, IF ANY:

APPROVED BY /S/ WILLIAM C. STRINGER TITLE Associate District Manager DATE JUL 9 1993

\*See Instructions On Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Docm


Company WESGRO OIL CORPORATION

Well Name & No. GREBAUER-GROOM #74

Location 2570 F/NL and 2320 F/EL

Sec. 7 T 42S R 19E S.L.M. County San Juan Utah

Ground Elevation 4202



**RECEIVED**

APR 12 1993

DIVISION OF  
OIL GAS & MINING

Scale: 1" = 1000'

Surveyed April 21 19 93

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.



Seal:

Cecil B. Tullis  
Cecil B. Tullis  
Registered Land Surveyor  
New Mexico Reg. No. 9672  
Non-Resident Certification as  
Authorized by Utah State Law  
58 - 22 - 21 (b)

SELF-CERTIFICATION STATEMENT

Be advised that Wesgra Corporation is considered to be the operator of Well No. 74, (11), Sec. 7, T. 42 S., R. 10 E., Lease U-7503, San Juan County, Utah, and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.


Bond Coverage for this well is provided by Bond No. 25,999.00 letter of credit (Principal 25,000.00) via surety consent as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable until the provisions of 43 CFR 3106.7-2 continuing responsibility are met.

**RECEIVED**

JUL 12 1993

DIVISION OF  
OIL GAS & MINING



Wesgra Corporation  
Gebauer-Groom No. 74  
U-7303  
Mexican Hat Field  
SWNE Section 7, T.42S., R.19E.  
San Juan County, Utah

**RECEIVED**

1983

DIVISION OF  
OIL, GAS & MINING

CONDITIONS OF APPROVAL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Wesgra Corporation is considered to be the operator of the above well and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for this well is provided by UT0251 (Principal - Wesgra Corporation) via surety consent as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable until the provisions of 43 CFR 3106.7-2 continuing responsibility are met.

This permit will be valid for a period of one year from the date of approval. After permit termination, a new application must be filed for approval.

All lease operations will be conducted in full compliance with applicable regulations (43 CFR 3100), Onshore Oil and Gas Orders, lease terms, notices to lessees, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions and the approved plan will be made available to field representatives to insure compliance.

A. DRILLING PROGRAM

1. Both casing strings shall be cemented back to surface. The volumes of cement proposed do not appear to be adequate, and must be increased to insure that cement circulates to the surface.

**RECEIVED**

11 12 1993

DIVISION OF  
OIL GAS & MINING

B. STIPULATIONS:

1. All electrical lines and flow lines will be buried.
2. During rehabilitation of the area, six pounds per acre of either fourwing saltbush or shadscale will be planted.
3. All facilities will be painted a Sand Beige color.

**RECEIVED**

1 12 1993

DIVISION OF  
OIL GAS & MINING

C. REQUIRED APPROVALS, REPORTS AND NOTIFICATIONS

Required verbal notifications are summarized in Table 1, attached.

Building Location- Contact the Resource Area, Natural Resource Protection Specialist at least 48 hours prior to commencing construction of location.

Spud- The spud date will be reported to the Resource Area Office 24 hours prior to spudding. Written notification in the form of a Sundry Notice (Form 3160-5) will be submitted to the District Office within 24 hours after spudding, regardless of whether spud was made with a dry hole digger or big rig.

Daily Drilling Reports- Daily drilling reports shall detail the progress and status of the well and shall be submitted to the District Office on a weekly basis.

Monthly Reports of Operations- In accordance with Onshore Oil and Gas Order No. 1, this well shall be reported on Minerals Management Service (MMS) Form 3160, "Monthly Report of Operations," starting the month in which operations commence and continuing each month until the well is physically plugged and abandoned. This report will be filed directly with MMS.

Sundry Notices- There will be no deviation from the proposed drilling and/or workover program without prior approval. "Sundry Notices and Reports on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3162.3-2. Safe drilling and operating practices must be observed.

Drilling Suspensions- Operations authorized by this permit shall not be suspended for more than 30 days without prior approval of the Authorized Officer. All conditions of this approval shall be applicable during any operations conducted with a replacement rig.

Undesirable Events- Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be immediately reported to the Resource Area in accordance with requirements of NTL-3A.

Cultural Resources- If cultural resources are discovered during construction, work that might disturb the resources is to stop, and the Area Manager is to be notified.

**RECEIVED**

JUL 12 1993

DIVISION OF  
OIL, GAS & MINING

First Production- Should the well be successfully completed for production, the District Office will be notified when the well is placed in producing status. Such notification may be made by phone, but must be followed by a sundry notice or letter not later than five (5) business days following the date on which the well is placed on production.

A first production conference will be scheduled as soon as production testing begins and hydrocarbons reach the surface. This conference should be coordinated through the Resource Area Office.

Well Completion Report- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted to the District Office not later than thirty (30) days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs, core descriptions, core analyses, well test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. Samples (cuttings and/or samples) will be submitted when requested by the District Office.

Venting/Flaring of Gas- Gas produced from this well may not be vented/flared beyond an initial, authorized test period of 30 days or 50 MMcf, whichever first occurs, without the prior written approval of the District Office. Should gas be vented or flared without approval beyond the authorized test period, the well may be ordered shut-in until the gas can be captured or approval to continue venting/flaring as uneconomical is granted. In such cases, compensation to the lessor shall be required for that portion of the gas that is vented/flared without approval which is determined to have been avoidably lost.

Produced Water- Produced waste water may be confined to an unlined pit for a period not to exceed 90 days after initial production. During the 90 day period, an application for approval of a permanent disposal method and location, along with a water analysis, if required, will be submitted to the District Officer for approval pursuant to NTL-2B.

Off-Lease Measurement, Storage, Commingling- Prior approval must be obtained from the District Office for off-lease measurement, off-lease storage or commingling (either down-hole or at the surface).

**RECEIVED**

JUL 12 1993

DIVISION OF  
OIL GAS & MINING

Plugging and Abandonment- If the well is completed as a dry hole, plugging instructions must be obtained from the District Office prior to initiating plugging operations. Table 1 of this document provides the after-hours phone numbers of personnel who are authorized to give plugging instructions.

A "Subsequent Report of Abandonment" (Form 3160-5) will be filed with the District Office within thirty (30) days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the Area Manager or his representative, or the appropriate surface managing agency.

**RECEIVED**

JUL 12 1993

DIVISION OF  
OIL, GAS & MINING

TABLE 1

NOTIFICATIONS

Notify Jeff Brown, Robert Larsen or Bob Turri of the San Juan Resource Area, at (801) 587-2141 for the following:

2 days prior to commencement of dirt work, construction or reclamation;

1 day prior to spudding;

50 feet prior to reaching the production casing (5-1/2") setting depth;

If the person at the above number cannot be reached, notify the Moab District Office at (801) 259-6111. If unsuccessful, notify the person listed below.

Well abandonment operations require 24 hour advance notice and prior approval. In the case of newly drilled dry holes, verbal approval can be obtained by calling the Moab District Office, Branch of Fluid Minerals at (801) 259-6111. If approval is needed after work hours, you may contact the following:

Eric Jones, Petroleum Engineer

Office: (801) 259-6111  
Home: (801) 259-2214

**RECEIVED**

APR 14 1993

DIVISION OF  
OIL GAS & MINING



State of Utah  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt  
Governor  
Ted Stewart  
Executive Director  
James W. Carter  
Division Director

355 West North Temple  
3 Triad Center, Suite 350  
Salt Lake City, Utah 84180-1203  
801-538-5340  
801-359-3940 (Fax)  
801-538-5319 (TDD)

July 13, 1993

Wesgra Corporation  
P.O. Box 310-367  
Mexican Hat, Utah 84531

Gentlemen:

Re: Gebauer Groom #74 Well, 2570' FNL, 2320' FEL, SW NE, Sec. 7, T. 42 S.,  
R. 19 E., San Juan County, Utah

Pursuant to Utah Code Ann. § 40-6-6, (1953, as amended) and the order issued by the Board of Oil, Gas and Mining in Cause No. 156-3 dated April 15, 1980, approval to drill the referenced well is hereby granted.

In addition, the following specific actions are necessary to fully comply with this approval:

1. Submittal to the division of evidence providing assurance of an adequate and approved supply of water as required by Utah Code Ann. § 73-3, Appropriations, prior to commencing drilling operations.
2. Compliance with the requirements of Utah Admin. R. 649-1 et seq., Oil and Gas Conservation General Rules.
3. Notification within 24 hours after drilling operations commence.
4. Submittal of Entity Action Form, Form 6, within five working days following commencement of drilling operations and whenever a change in operations or interests necessitates an entity status change.
5. Submittal of the Report of Water Encountered During Drilling, Form 7.
6. Prompt notification prior to commencing operations, if necessary, to plug and abandon the well. Notify Frank R. Matthews, Petroleum Engineer, (Office) (801)538-5340, (Home) (801)476-8613, or R.J. Firth, Associate Director, (Home) (801)571-6068.



Page 2  
Wesgra Corporation  
Gebauer Groom #74 Well  
July 13, 1993

7. Compliance with the requirements of Utah Admin. R. 649-3-20, Gas Flaring or Venting, if the well is completed for production.

Trash and sanitary waste should be properly contained and transported to approved disposal locations, not retained in or disposed of in pits on location or downhole. Prior to the commencement of drilling operations, the operator should consult the local/county sanitarian and/or the Department of Environmental Quality, Division of Drinking Water/Sanitation, regarding appropriate disposal of sanitary waste.

This approval shall expire one year after date of issuance unless substantial and continuous operation is underway or a request for an extension is made prior to the approval expiration date. The API number assigned to this well is 43-037-31707.

Sincerely,

  
for R.J. Firth  
Associate Director, Oil and Gas

ldc  
Enclosures  
cc: Bureau of Land Management  
San Juan County Assessor  
J.L. Thompson  
WO11

DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

NAME OF COMPANY: WESGRA CORP.

WELL NAME: GEBAUER-GROOM # 74

API NO. 43-037-31707

Section 7 Township 42S Range 19E County SAN JUAN

Drilling Contractor QUALITY

Rig # 1

SPUDDED: Date 11/10/93

Time

How ROTARY

Drilling will commence

Reported by BILL SKEEN

Telephone # 1-683-2298

Date 11/9/93 SIGNED JLT

ENTITY ACTION FORM - DOGM FORM 6

OPERATOR Wesgra Corporation  
ADDRESS P.O. Box 310-367  
Mexican Hat, Utah 84531

OPERATOR CODE N-1060  
PHONE NO. 801 683-2298  
405 521-8960

OPERATORS MUST COMPLETE FORM UPON SPUDDING NEW WELL OR WHEN CHANGE IN OPERATIONS OR INTERESTS NECESSITATES CHANGE IN EXISTING ENTITY NUMBER ASSIGNMENT.

ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WELL NAME	WELL LOCATION					SPUD DATE	EFFECTIVE DATE
					QQ	SC	TP	RG	COUNTY		
B	11004	11004	43-037-31707	Gebauer-Groom 74	S,W	7	42S	19E	San Juan	11-9-93	11-15-93
COMMENTS: Entity added 11-23-93. <i>lee</i>											
COMMENTS:											
COMMENTS:											
COMMENTS:											
COMMENTS:											

- ACTION CODES: A - ESTABLISH NEW ENTITY FOR NEW WELL  
 B - ADD NEW WELL TO EXISTING ENTITY  
 C - RE-ASSIGN WELL FROM ONE EXISTING ENTITY TO ANOTHER EXISTING ENTITY  
 D - RE-ASSIGN WELL FROM ONE EXISTING ENTITY TO A NEW ENTITY  
 E - OTHER (EXPLAIN IN COMMENTS SECTION)

(SEE INSTRUCTIONS ON BACK OF FORM)

NOV 22 1993  
DIVISION OF OIL, GAS & MINING

*W E Steen*  
SIGNATURE  
President 11-15-93  
TITLE DATE

STATE OF UTAH  
DIVISION OF OIL, GAS AND MINING

RECEIVED

WELL COMPLETION OR RECOMPLETION REPORT LOG

1a. TYPE OF WELL: OIL WELL  GAS WELL  DRY  Other \_\_\_\_\_  
 1. TYPE OF COMPLETION: NEW WELL  WORK OVER  DEEP-EN  PLUG BACK  DIFF. RESVR.  Other \_\_\_\_\_  
 DIVISION OF OIL, GAS & MINING

2. NAME OF OPERATOR  
Wesgra Corporation

3. ADDRESS OF OPERATOR  
P.O. Box 310-367, Mexican Hat, Utah 84531

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)  
 At surface 2570' from the north line  
 At top prod. interval reported below 2320' from the east line  
 At total depth \_\_\_\_\_

5. LEASE DESIGNATION AND SERIAL NO.  
UT 7303  
 6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
 7. UNIT AGREEMENT NAME  
 8. FARM OR LEASE NAME  
Gebauer-Groom  
 9. WELL NO.  
74  
 10. FIELD AND POOL, OR WILDCAT  
Mexican Hat  
 11. SEC. T., R., M., OR BLOCK AND SURVEY OR AREA  
Sec 7, 42S, 19E

14. API NO. 4303731707 DATE ISSUED 7-13-93  
 12. COUNTY San Juan 13. STATE Utah

15. DATE SPUNDED 11-9-93 16. DATE T.D. REACHED 12-12-93 17. DATE COMPL. (Ready to prod.) 12-18-93 (Plug & Abd.)  
 18. ELEVATIONS (DF, RR, RT, CR, ETC.) 4202'

20. TOTAL DEPTH, MD & TVD 7101 21. PLUG BACK T.D., MD & TVD \_\_\_\_\_ 22. IF MULTIPLE COMPL. HOW MANY \_\_\_\_\_  
 23. INTERVALS DRILLED BY rotary 24. ROTARY TOOLS \_\_\_\_\_ 25. CABLE TOOLS \_\_\_\_\_

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)  
open hole completion (L+LLP)  
 25. WAS DIRECTIONAL SURVEY MADE no

26. TYPE ELECTRIC AND OTHER LOGS samples only 27. WAS WELL CORED YES  NO  (Submit analysis)  
 DRILL STEM TEST YES  NO  (See reverse side)

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT POLLED
10"	12 1/4"	30pd 30ft	12 1/4"	5 sa cks	
4 1/2"	12 1/2pd	320'	6 1/4"	35 sacks	

29. LINER RECORD 30. TUBING RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)

31. PERFORATION RECORD (Interval, size and number) 32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED

33. PRODUCTION  
 DATE FIRST PRODUCTION 12-18-93 PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) pumping WELL STATUS (Producing or shut-in) POW

DATE OF TEST	HOURS TESTED	CHOKER SIZE	PROD'N. FOR TEST PERIOD	OIL—BSL.	GAS—MCF.	WATER—BSL.	GAS-OIL RATIO
12-18-93	24			7	0	0	

FLOW, TUBING PRMS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BSL.	GAS—MCF.	WATER—BSL.	OIL GRAVITY-API (CORR.)

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) TEST WITNESSED BY Clint Howell

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records  
 SIGNED W.E. Keen TITLE President DATE 12-20-93

See Spaces for Additional Data on Reverse Side

**STATE OF UTAH**  
**DIVISION OF OIL, GAS AND MINING**  
 355 West North Temple, 3 Triad, Suite 350, Salt Lake City, UT 84180-1203

## MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS:

BILL SKEEN  
 WESGRA CORPORATION  
 PO BOX 367  
 MEXICAN HAT UT 84531

UTAH ACCOUNT NUMBER: N1060

REPORT PERIOD (MONTH/YEAR): 8 / 95

AMENDED REPORT  (Highlight Changes)

Well Name	API Number	Entity	Location	Producing Zone	Well Status	Days Oper	Production Volumes			
							OIL(BBL)	GAS(MCF)	WATER(BBL)	
GEBAUER-GROOM 33	4303731090	11004	42S 19E 7	GDRSD						
GEBAUER-GROOM 12-A	4303731212	11004	42S 19E 7	HNKRT						
GEBAUER-GROOM 30	4303731390	11004	42S 19E 7	HNKRT						
GEBAUER-GROOM 29	4303731420	11004	42S 19E 7	HNKRT						
GEBAUER-GROOM 52	4303731579	11004	42S 19E 7	HNKRT						
GEBAUER-GROOM 58	4303731583	11004	42S 19E 7	LTLLP						
GEBAUER-GROOM 60	4303731585	11004	42S 19E 7	LTLLP						
GEBAUER-GROOM 54	4303731678	11004	42S 19E 7	LTLLP						
GEBAUER-GROOM 70	4303731683	11004	42S 19E 7	LTLLP						
GEBAUER-GROOM 71	4303731685	11004	42S 19E 7	LTLLP						
GEBAUER-GROOM 3	4303731694	11004	42S 19E 7	LTLLP						
GEBAUER-GROOM 72	4303731704	11004	42S 19E 7	GDRSD						
GEBAUER-GROOM 74	4303731707	11004	42S 19E 7	LTLLP						
<b>TOTALS</b>										

COMMENTS: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

I hereby certify that this report is true and complete to the best of my knowledge.

Date: \_\_\_\_\_

Name and Signature: \_\_\_\_\_

Telephone Number: \_\_\_\_\_

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

RECEIVED  
SEP 20 1995  
DIV. OF OIL, GAS & MINING

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reenter a well in a Federal reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.

5. Lease Designation and Serial No. \_\_\_\_\_

6. Indian, Allottee or Tribe Name \_\_\_\_\_

7. If Unit or CA, Agreement Designation \_\_\_\_\_

8. Well Name and No. \_\_\_\_\_

9. API Well No. \_\_\_\_\_

10. Field and Pool, or Exploratory Area \_\_\_\_\_

11. County or Parish, State \_\_\_\_\_

**SUBMIT IN TRIPLICATE**

1. Type of Well  
 Oil Well     Gas Well     Other

2. Name of Operator  
 Wesgra Corporation

3. Address and Telephone No.  
 P.O. Box 310367, Mexican Hat Utah 84531

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
 1/7 small producing oil wells in Sec 8, and 7  
 lease- Goodridge Trust

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent  <input type="checkbox"/> Subsequent Report  <input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Abandonment <input type="checkbox"/> Recompletion <input type="checkbox"/> Plugging Back <input type="checkbox"/> Casing Repair <input type="checkbox"/> Altering Casing <input type="checkbox"/> Other _____
	<input type="checkbox"/> Change of Plans <input type="checkbox"/> New Construction <input type="checkbox"/> Non-Routine Fracturing <input type="checkbox"/> Water Shut-Off <input type="checkbox"/> Conversion to Injection <input type="checkbox"/> Dispose Water <small>(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)</small>

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Gentlemen Men:

As of Sept 1, 1995, Wesgra Corporation becomes the property of Mr. Clint Howell long time partner in the firm.

The operation will continue to operate under the same name and the address will remain the same.

It has always been a pleasure dealing with you folks, you have always helpful and corrporative.

Thanks *W.E. Skeen*  
 W. E. (Bill) Skeen

President, Wesgra Corporation

*Clint Howell*  
 Clint Howell Ph. No. 801-683-2298  
 new president

all corrispondance will be address to the address listed above

14. I hereby certify that the foregoing is true and correct

Signed \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_

(This space for Federal or State office use)

Approved by \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_  
 Conditions of approval, if any: \_\_\_\_\_

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Division of Oil, Gas and Mining  
**OPERATOR CHANGE WORKSHEET**

**\*NEW OWNER ONLY!**

Routing:

1	LEC 7-LWP
2	DT 8-PL
3	VLD 9-SJ
4	FILE 10-FILE
5	FRM
6	FILE

Attach all documentation received by the division regarding this change.  
 Initial each listed item when completed. Write N/A if item is not applicable.

- Change of Operator (well sold)       Designation of Agent  
 Designation of Operator       Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 9-1-95)

TO (new operator) WESGRA CORPORATION  
 (address) PO BOX 367  
MEXICAN HAT UT 84531  
CLINT HOWELL (NEW OWNER)  
 phone (801) 683-2298  
 account no. N1060

FROM (former operator) WESGRA CORPORATION  
 (address) PO BOX 367  
MEXICAN HAT UT 84531  
BILL SKEEN  
 phone (405) 521-8960  
 account no. N1060

Well(s) (attach additional page if needed):

Name: <b>**SEE ATTACHED**</b>	API: <u>037-31707</u>	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____

**OPERATOR CHANGE DOCUMENTATION**

- See 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). *(Rec'd 9-20-95)*
- See 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form). *(Rec'd 9-20-95)*
- N/A 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes/no) \_\_\_\_\_ If yes, show company file number: \_\_\_\_\_.
- N/A 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of **Federal and Indian** well operator changes should take place prior to completion of steps 5 through 9 below.
- N/A 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above.
- N/A 6. Cardex file has been updated for each well listed above.
- N/A 7. Well file labels have been updated for each well listed above.
- N/A 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission.
- See 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

**ENTITY REVIEW**

- lec 1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
- N/A 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

**BOND VERIFICATION (Fee wells only)** INDOC #007230 / \$10,000 "Zions First Nat'l Bank"

- lec 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
2. A copy of this form has been placed in the new and former operators' bond files. *\* Upon compl. of routing.*
- lec 3. The former operator has requested a release of liability from their bond (yes/no) \_\_\_\_\_. Today's date Sept. 21, 1995. If yes, division response was made by letter dated Sept. 25, 1995.

**LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY**

- N/A 1. (Rule R615-2-10) The former operator/lessee of any **fee lease** well listed above has been notified by letter dated \_\_\_\_\_ 19\_\_\_\_, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested. *OT S 9/26/95*
- N/A 2. Copies of documents have been sent to State Lands for changes involving State leases.

**FILMING**

- ✓ 1. All attachments to this form have been microfilmed. Date: October 20 1995.

**FILING**

1. Copies of all attachments to this form have been filed in each well file.
2. The original of this form and the original attachments have been filed in the Operator Change file.

**COMMENTS**