

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL OR DEEPEN

1a. TYPE OF WORK

DRILL DEEPEN

b. TYPE OF WELL

OIL WELL GAS WELL OTHER SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR

Chuska Energy Company

3. ADDRESS AND TELEPHONE NO.

3315 Bloomfield Highway, Farmington, NM 87401 505-326-5525

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*

At surface 580' FSL 1090' FWL *SWSW*

At proposed prod. zone
Same

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

6.5 miles from Montezuma Creek, Utah

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any)

appx 1400'

16. NO. OF ACRES IN LEASE

49,997

17. NO. OF ACRES ASSIGNED TO THIS WELL

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.

660'

19. PROPOSED DEPTH

5898'

20. ROTARY OR CABLE TOOLS

Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

4,885' GR/ 4,898 KB *This action is subject to technical and procedural review pursuant to 43 CFR 3125.3 and appeal pursuant to 43 CFR 3126.2*

22. APPROX. DATE WORK WILL START*

January '92

23. PROPOSED CASING AND CEMENTING PROGRAM

DRILLING OPERATIONS AUTHORIZED ARE SUBJECT TO COMPLIANCE WITH ATTACHED

SIZE OF HOLE	GRADE SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	GENERAL QUANTITY OF CEMENT
12 1/4"	K-55, 8 5/8"	24ppf	600'	371 sx 'G' + 2% CaCl2
7 7/8"	K-55, 5 1/2"	18.5ppf	5940'	320 sx 'G', 65:35 Poz & 6% Gel

REFER TO ATTACHED 10-POINT DRILLING PLAN ETC

"Approval of this action does not warrant that the applicant holds legal or equitable rights or title to this lease."

CONFIDENTIAL

SEP 10 1993

RECEIVED
BLM
SEP 17 PM 3:31
BUREAU OF LAND MGMT., N.M.

24. IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

SIGNED

[Signature]

TITLE

[Signature]

DATE

12-17-91

(This space for Federal or State office use)

AS AMENDED

PERMIT NO.

APPROVAL DATE

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would be necessary to conduct operations thereon.

CONDITIONS OF APPROVAL, IF ANY:

OPERATOR

[Signature]
AREA MANAGER
R649-33

APPROVED BY

TITLE

DATE

*See Instructions On Reverse Side

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. Type of Work
 DRILL DEEPEN PLUG BACK

b. Type of Well
 Oil Well Gas Well Other Single Zone Multiple Zone

2. Name of Operator
 Chuska Energy Company

3. Address of Operator
 3315 Bloomfield Hwy. Farmington, NM 87401 505-326-5525

4. Location of Well (Report location clearly and in accordance with any State requirements.)
 At surface 580' FSL, 1090' FWL
 At proposed prod. zone Same *SWSW 43-037-31710*

14. Distance in miles and direction from nearest town or post office*
 6.5 miles from Montezuma Creek, Utah

15. Distance from proposed location to nearest property or lease line, ft. (Also to nearest dte. line, if any)
 appx. 1400'

16. No. of acres in lease
 49,997

17. No. of acres assigned to this well

18. Distance from proposed location* to nearest well, drilling, completed, or applied for, on this lease, ft.
 660'

19. Proposed depth
 5898'

20. Rotary or cable tools
 Rotary

21. Elevations (Show whether DF, RT, GR, etc.)
 4,885' GR/ 4,898 KB

22. Approx. date work will start*
 January 92'

PROPOSED CASING AND CEMENTING PROGRAM

Size of Hole	Size of Casing	Weight per Foot	Setting Depth	Quantity of Cement
12 1/4"	K-55 8 5/8"	24ppf	500'	371 sx 'G' + 2% CaCl ₂
7 7/8"	K-55 5 1/2"	18.5ppf	5940'	320 sx 'G' 65/35 Poz & 6% gel

Refer to attached 10-point drilling plan etc.

CONFIDENTIAL

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. I hereby certify that this report is true and complete to the best of my knowledge.

Signature: *[Signature]*

Title: Operations Manager

Date: 5-26-93

(This space for Federal or State office use)

APP NO. 43-037-31710

Approval Date

Approved by: _____

Title: _____ Date: _____

Conditions of approval, if any:


(3/89)

SEP 10 1993

*See Instructions On Reverse Side

BLM Approved
 2-4-92
 R649-3-3

WELL LOCATION PLAT



North
1" = 1000'
◆ brass cap
● stone

5282

No. 6
12 7

2560'
West

WELL LOCATION DESCRIPTION:

CHUSKA ENERGY CO., Mule 31 - M
580' PSL & 1090' FWL
Section 31, T.41 S., R.24 E., SLM
San Juan County, UT
4885' ground elevation
State plane coordinates from seismic control:
X = 2,632,847 Y = 192,379
SP 510+10' line 900-2

019 FARMINGTON, N.M.


91 DEC 17 PM 3:31

RECEIVED
BLH

The above is true and correct to my knowledge and belief.

21 October 1991

Gerald G. Huddleston
Gerald G. Huddleston,



CROSS SECTION

Mule 31 - M


Cut **//////**
Fill **○○○○**

1"=50' vert. & hors.



c

c'



b

b'



a

a'

Mule 31-M
Section 31-T41S-R24E
580' FSL 1090' FWL
San Juan County, Utah






Figure 2. Vicinity map showing location of the proposed Mule 31-M well and surface flow pipeline. White Mesa Village, Utah, 1989, 7.5' series USGS map; T.41S, R.24E (NNAD 91-357).

CHUSKA ENERGY COMPANY

10 POINT DRILLING PLAN

Mule 31-M

Section 31, Township 41 South, Range 24 East

580' FSL 1090 FWL

San Juan County, Utah

SURFACE FORMATION:

Geological name of surface formation: Morrison

ELEVATION:

Surface elevation is 4,885' GR/ 4,898 KB

ESTIMATED FORMATION TOPS

DEPTH	FORMATION	SUB-SEA ELEV.
666'	Navajo	+4232'
1506'	Chinle	+3392'
2594'	DeChelly	+2304'
2839'	Organ Rock	+2059'
3541'	Cedar Mesa	+1357'
5252'	Hermosa	+354'
5420'	Upper Ismay	-522'
5534'	Lower Ismay	-636' Secondary
5588'	Desert Crk	-690' Primary
5761'	Akah	-863'
5898'	Total Depth	-1000'

4. PROPOSED CASING/CEMENTING PROGRAM

	DEPTH	SIZE	WEIGHT	GRADE	COUPLING
SURFACE	500'	8 5/8"	24.0 ppf	K-55	STC
PROD.	5650'	5 1/2"	15.5 ppf	K-55	STC

SURFACE CEMENTING:

371 sx Class 'G' Cement with 2% CaCl and 1/4 lb/sk Celloflake. Weight = 15.8 ppg, yield = 1.15 ft³/sk. Slurry volume will be calculated at 100% excess over annular volume.

PRODUCTION CEMENTING:

First Stage

7. AUXILIARY EQUIPMENT

- A. A kelly cock will be installed during drilling operations, with handle available on rig floor.
- B. Floor (stabbing) valves will be available, on the rig floor at all times, with necessary subs to fit all of the drilling assemblies.
- C. Mud will be the circulating fluid. No abnormal formation pressures are expected.

8. WELL EVALUATION

Open hole electric logging program will consist of a minimum program of DLL-MSFL-SP-GR-Cal, FDC-CNL-GR-Lithodensity from TD - 4000'

Drill stem testing will be as per the wellsite geologists' recommendations, based on shows. A mud logging unit will be utilized during drilling operations from 4000' to TD.

9. ABNORMAL PRESSURES/GAS

Abnormal pressures are not anticipated. Monitoring of gas and hydrocarbon shows will be by wellsite mud logging unit. H₂S gas is not anticipated, however, regular checks will be made while drilling the well.

10. TIMING

The drilling and evaluation of this well is estimated be 18 days. Anticipated drilling will be January '92.

TD to 3500' (stage collar @ +3500'). Lead with 168 sx Class 'G' cement, 65:35 Pozmix with 6% gel and 1/4 lb/sk Celloflake. Weight = 12.7 ppg, yield = 1.85 ft³/sk. Tail with 100 sx Class 'G' cement with 2% CaCl₂. Weight = 15.8 ppg, yield = 1.15 ft³/sk. Total of 426 ft³.

SECOND STAGE

3500' to surface. Lead with 271 sx Class 'G' cement, 65:35 Pozmix with 6% gel and 1/4 lb/sk Celloflake. Weight = 12.7 ppg, yield = 1.85 ft³/sk. Tail with 100 sx Class 'G' cement with 2% CaCl₂. Weight = 15.8 ppg, yield = 1.15 ft³/sk. Total of 616 ft³.

NOTE: Exact slurry volumes for the production string will be adjusted according to the caliper log which will be run prior to cementing. Special adjustments may be necessary if significant amounts of salt are drilled.

5. BLOWOUT PREVENTER (SEE ATTACHED SCHEMATICS)

As abnormal pressure is not anticipated, a 2000 psi BOP system would be sufficient for the drilling of this well. However, due to availability constraints, a 3000 psi system will be used, as per attached Exhibits "A" and "B". This will be a 10" x 900 series double ram preventer, equipped with a set of pipe and blind rams.

An accumulator system, with a pressure capacity sufficient to operate the rams three complete cycles without rig power, will be required as part of the rig equipment.

6. PROPOSED MUD PROGRAM

Surface to 3500'

Fresh water, gel, lime and native solids. Weight 8.3 - 8.7 ppg. Gel/lime sweeps are necessary for hole cleaning.

3500' to TD

Low solids, non-dispersed polymer system. Weight 8.6 - 8.8 ppg. Gel/lime sweeps as hole conditions dictate for hole cleaning. Fluid loss to be maintained at 15 cc or less. Fluid loss to be further reduced to 10 cc or less prior to coring, logging or DSTs.

DETAILED DRILLING PROGRAM

DATE: December 11, 1991

WELL NAME: Mule WELL NO.: 31M

LOCATION: Section 31, T41S, R24E
580' FSL, 1090 FWL
San Juan County, Utah

ELEVATION: 4,885'GR/4,898'KB

TOTAL DEPTH: 5898'KB

PROJECTED HORIZON: Primary Target is Desert Crk @ 5588'
Secondary Target is lower Ismay @ 5534'

DRILLING, CASING AND CEMENTING PROGRAM

1. Move in and rig up rotary tools. Notify BLM of time of spud.
2. Drill mouse hole and rat hole. Mix mud prior to spudding well.
3. Drill 12 1/4" hole to +/- 515'. Use fresh water gel/lime spud mud for drilling surface hole. Well bore inclination is not to exceed 1 degree at 500'. Deviation surveys will be run at least at 250' and at casing point.
4. Run 8 5/8", 24 lb/ft, K-55, ST&C casing to TD. Cement with 371 sx (427 ft³) of Class 'G' cement with 2% CaCl₂ and 1/4 #/sk Celloflake (sufficient slurry volume to circulate cement to surface.)
5. W.O.C. a minimum of 4 hours prior to nipping up for BOP stack and related equipment. See BOP schematics for details.
6. Ensure that plug has been down at least 8 hours prior to commencing pressure testing procedures. Pressure test BOP to 2,000 psig for 30 minutes. Pressure test manifold and all related equipment to 2000 psig. Pressure test casing to 1500 psig for 30 min.
7. Drill out surface casing with 7/8" bit. Drill 7/8" hole to TD. Deviation surveys are to be taken every 500' or on a bit trip, whichever occurs first. Maximum allowable deviation will be 5 degree @ TD, with maximum allowable rate of change to be 1 degree per 100'.

8. Run open hole logs and evaluate. Coring and/or drill stem testing will be as per well site geologist's recommendation.
9. If the well is determined to be productive run 5 1/2" casing to TD., as per casing program in 10 Point Drilling Plan. Set stage cementing collar at +/- 3,500 ft. In addition to placing centralizers over potential production zones, they will also be run to cover the aquifer sands of the Navajo and DeChelly formations, as per BLM stipulations. Cement production casing in two stages as per cementing program in 10-Point Drilling Plan.
10. Nipple down BOPE. Set 5 1/2" casing slips and cut off casing. Install well head. Release drilling rig and move rig off location.
11. If well is non-productive it will be plugged and abandoned as per State, BLM, and Navajo Tribal stipulations.

EXHIBIT "A" BLOWOUT PREVENTER





EXHIBIT "B"
CHOKE MANIFOLD



Mule 31 M
Section 31, T41S, R24E
580' FSL, 1090 FWL
San Juan County, Utah

GENERAL COMPLETION PROCEDURE:

If the well is determined to be productive, move in completion rig. Perforate, acidize, and test each productive porosity zone. Completion work will commence after Sundry Notice approval is received. Detailed procedures will follow.

PLUGGING AND ABANDONMENT:

If the well is determined not to be productive, the well bore will be plugged as per BLM, State and BIA requirements.

Mule 31 M
Section 31, T41S, R24E
580' FSL, 1090 FWL
San Juan County, Utah

1. EXISTING ROADS

Shown on the attached topographic map are the existing roads in the immediate area. Outlined is the route to be followed to Montezuma Creek. Existing roads will be maintained, as needed, while operations are in progress.

2. PLANNED ACCESS ROAD

The access road will be as shown on the attached topographic map. The road will be maintained as necessary to prevent excessive damage to the existing terrain. The road will be upgraded if commercial production is established. Owing to the well's proximity to an existing road, no new road will be constructed to the location pad.

3. LOCATION OF EXISTING WELLS & TANK BATTERIES

There are no other producing wells or facilities in the immediate area.

4. LOCATION OF EXISTING AND PROPOSED FACILITIES

No production facilities are presently in place. Should the well prove to be productive, facilities (tank battery etc) will be sited on the drilling location pad.

5. LOCATION AND TYPE OF WATER SUPPLY

Water will be acquired from the San Juan River or McElmo Creek and will be hauled using Chuska Energy Company water trucks, under State of Utah Division of Water Rights Permit Numbers 09-1724, (T64796) or 09-1723 (T64795).

6. SOURCE OF CONSTRUCTION MATERIAL

The need for additional construction materials is not anticipated. In the event that additional materials are required, they will be acquired either from private sources or with the approval of the Navajo Nation.

7. METHODS OF HANDLING WASTE MATERIAL

Trash will be contained on location in an enclosed bin. It will be hauled to an approved disposal site or burned on location if a burning permit is granted. The reserve pit will be lined as required, with an approved 7 mil liner, for containing drilling fluids. The pit will also be fenced. All drilling fluids, cuttings and chemical waste will be stored in the reserve pit. Liquid hydrocarbons will be stored in temporary storage tanks and hauled from location to approved sales facilities. The reserve pit will be emptied, back filled and restored to natural terrain status upon completion of drilling operations.

8. ANCILLARY FACILITIES

Chemical portable toilet facilities will be provided on location during drilling and completion operations. No camps or air strips are planned for this well.

9. WELL SITE LAYOUT

Attached is a surveyor's staking plat, cut and fill diagram and a schematic of the proposed rig layout.

10. PLANS FOR RESTORATION OF THE SURFACE


After drilling operations are completed, the location and surrounding area will be cleared of all remaining debris and materials not required for production. Compacted areas will be plowed or ripped to a depth of 12 to 16 inches before reseeding. The existing reserve pit will be used. After drilling operations are complete, drilling fluid in the reserve pit will be allowed to evaporate. All remaining fluid in the pit will be disposed into an approved disposal site. The reserve pit will remain fenced during the evaporation and disposal process. The pit will then be covered and topsoil will be returned to the disturbed area. The terrain will be returned as near to its original condition as possible. Following operations, rehabilitation seeding will be in accordance with APD/BLM/BIA stipulations. There are no residents in the immediate area of the site.

11. OPERATORS REPRESENTATIVE

CHUSKA ENERGY COMPANY
3315 BLOOMFIELD HIGHWAY
FARMINGTON, NM 87401
LARRY G. SESSIONS

12. CERTIFICATION

I hereby certify that either I, or persons under my direct supervision have inspected the proposed drill site and access route: that I am familiar with the conditions which presently exist: that the statements made in this plan are, to the best of my knowledge, true and correct and that the work planned will be performed by Chuska Energy, or its sub-contractors, in conformity with the terms and conditions under which it is approved.


LARRY G. SESSIONS
OPERATIONS MANAGER



United States Department of the Interior

BUREAU OF LAND MANAGEMENT
FARMINGTON RESOURCE AREA
1235 LAPLATA HIGHWAY
FARMINGTON, NEW MEXICO 87401



IN REPLY REFER TO:
3162.3-1 (019)

Chuska Energy Company
#31-M Mule
NOG-8702-1116
SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 31, T. 41 S., R. 24 E.
San Juan County, Utah

Above Data Required on Well Sign

GENERAL REQUIREMENTS
FOR
OIL AND GAS OPERATIONS ON FEDERAL AND INDIAN LEASES

In addition to those requirements set forth in the laws, regulations and Onshore Orders, these requirements apply generally to all oil and gas operations on Federal and Indian leases. They apply specifically to the above-described well. Special requirements that apply and are effective for this well, if any, are check-marked in Section VII of these General Requirements. The failure of the operator to comply with these requirements and the filing of required reports will result in strict enforcement of 43 CFR 3163.1 or 3163.2.

I. GENERAL

A. Full compliance with all applicable laws, regulations, and Onshore Orders, with the approved Permit to Drill, and with the approved Surface Use and Operations Plan is required. Lessees and/or operators are fully accountable for the actions of their contractors and subcontractors.

B. Each well shall have a well sign in legible condition from spud date to final abandonment. The sign should show the operator's name, lease serial number, or unit name, well number, location of the well, and whether lease is Tribal or allotted, (see 43 CFR 3162.6(b)).

C. A complete copy of the approved Application for Permit to Drill, along with any conditions of approval, shall be available to authorized personnel at the drill site whenever active drilling operations are under way.

D. For Wildcat wells only, a drilling operations progress report is to be submitted weekly from spud date until the well is completed and the Well Completion Report (Form 3160-4) is filed. The report should be on 8 1/2 x 11 inch paper, and each page should identify the well by; operator's name, well number, location and lease number.

E. As soon as practical, notice is required of all blowouts, fires and accidents involving life-threatening injuries or loss of life. (See NTL-3A).

2. Well Completion Report (Form 3160-4) will be submitted within 30 days after well has been completed.

3. Two copies of all electrical and open-hole logs run (two copies of the mud log are required if no open hole electric logs are run).

4. A cement evaluation log if cement is not circulated to surface.

III. DRILLER'S LOG

A. The following shall be entered in the daily driller's log:

1. Blowout preventer pressure tests, including test pressures and results.

2. Blowout preventer tests for proper functioning.

3. Blowout prevention drills conducted.

4. Casing run, including size, grade, weight, and depth set.

5. How pipe was cemented, including amount of cement, type, whether cement circulated to surface, location of cementing tools, etc..

6. Waiting on cement time for each casing string.

7. Casing pressure tests after cementing, including test pressure and results.

8. Estimated amounts of oil and gas recovered and/or produced during drillstem tests.

IV. GAS FLARING

A. Gas produced from this well may not be vented or flared beyond an initial, authorized test period of * days or 50 MMcf following its (completion) (recompletion), whichever first occurs, without the prior, written approval of the authorized officer. Should gas be vented or flared without approval beyond the test period authorized above, you may be directed to shut-in the well until the gas can be captured or approval to continue venting or flaring as uneconomic is granted, and you shall be required to compensate the lessor for that portion of the gas vented or flared without approval which is determined to have been avoidably lost.

* 30 days, unless a longer test period specifically is approved by the authorized officer. The 30-day period begins when the casing is first perforated for cased holes, and when Total Depth (TD) is reached for open hole completion.

BLM CONDITIONS OF APPROVAL

Operator Chuska Energy Company Well Name 31-M Mule
 Legal Location 580'FSL/1090'FWL Sec. 31 T. 41 S. R. 24 E.
 Lease Number NOG-8702-1116 Field Inspection Date 11/14/91

The following stipulations will apply to this well unless a particular Surface Managing Agency (SMA) or private surface owner has supplied to BLM and the operator a contradictory environmental stipulation. The failure of the operator to comply with these requirements may result in the assessments or penalties pursuant to 43 CFR 3163.1 or 3163.2. A copy of these conditions of approval shall be present on the location during construction, drilling and reclamation activity.

An agreement between the operator and fee land owner will take precedence over BLM surface stipulations unless (In reference to 43 CFR Part 3160) 1) BLM determines that the operator's actions will affect adjacent Federal or Indian surface, or 2) the operator does not maintain well area and lease premises in a workmanlike manner with due regard for safety, conservation and appearance, or 3) no such agreement exists, or 4) in the event of well abandonment, minimal Federal restoration requirements will be required.

I. LOCATION AND ACCESS ROAD

A. Well area and lease premises will be maintained in a workmanlike manner with due regard to safety, conservation and appearance. All liquid waste, completion fluids and drilling products associated with oil and gas operations will be contained and then buried in place, or removed and deposited in an approved disposal site. Trash cages will be used for all solid waste and removed from location to an approved solid waste disposal site. No solid waste shall be put in reserve pit before, during or after drilling operations.

B. Piñon-juniper trees and brush will be uprooted from road ROW and well pad locations and distributed along ROWs and stockpiled beside well pads for fuelwood salvage. Care will be taken to keep trees as undamaged as practically possible. Large vegetation such as sagebrush, juniper and piñon will not be incorporated into pit walls. All uprooted vegetation will be scattered on the reclaimed portion of location so it does not detract from the natural appearance of the area.

C. Surface disturbance and vehicular traffic will be limited to the approved location and approved access road.

D. Mud pits and blow pits will be constructed so as not to leak, break or allow discharge of liquids or produced solids. At least half of the capacity of reserve pit must be in cut. The top of the outside wall of reserve pit should be smoothed-off with a minimum of one blade width. The pit should have adequate capacity to maintain 2 feet of free board. Pits are not to be located in natural drainages. Pit walls are to be "walked down" by a crawlertype tractor following construction and prior to usage. Any plastic material used to line pits must be removed to below-ground level before pits are covered. The final grade of reserve pit (after reclamation) shall allow for drainage away from pit area.

E. All unguarded pits (reserve/production/blow pits) containing liquids will be fenced with woven wire. Drilling pits will be fenced on three sides and once the rig leaves location, the fourth side will be fenced. All fencing must be a legal fence in accordance with N.M. State Law. Liquids in pits will be allowed to evaporate, or be properly disposed of, before pits are filled and recontoured. (This office will be notified 24 hours prior to fluid hauling). Under no circumstances will pits be cut and drained. Aeration of pit fluids must be confined within pit area.

F. No gravel or other related minerals from new or existing pits on Federal land will be used in construction of roads, well sites, etc., without prior approval from the Surface Managing Agency.

G. Prior to crossing, using or paralleling any improvement on public land, operator shall contact the owner of the improvement to obtain mitigating measures to prevent damage to improvements.

H. All cut fences are to be tied to braces prior to cutting. The opening will be protected during construction to prevent the escape of livestock. A temporary closure will be installed on all cut fences the same day the fence is cut. A permanent cattleguard will be installed and maintained in any cut fence unless otherwise stipulated in writing. A twelve-foot gate will be installed adjacent to all new cattleguards.

I. Berms or firewalls will be constructed around all storage facilities sufficient in size to contain the storage capacity of tanks, or the combined capacity of tanks if a rupture could drain more than one tank.

J. All roads on public land must be maintained in good passable condition.

K. A proposed use of pesticide, herbicide or other possible hazardous chemical on BLM land shall be cleared for use prior to application.

CULTURAL RESOURCES (ARCHAEOLOGY)

A. EMERGENCY DISCOVERY IN THE ABSENCE OF MONITORING: This stipulation applies in emergency discovery situations where monitoring for cultural resources was not being performed because the presence of cultural resources could not have been anticipated. If, in its operations, operator discovers any historic or prehistoric ruin, monument, or site, or any object of antiquity subject to the Antiquities Act of 1979, and 43 CFR Part 3, then work will be suspended and discovery promptly reported to BLM Area Manager. BLM will then specify what action is to be taken. BLM will evaluate the discovery, evaluate its significance, and consult with the State Historic Preservation Officer. Minor recordation, stabilization, or data recovery may be performed by BLM. However, more significant mitigation shall be carried out by a qualified, permitted archeologist. It is BLM's responsibility to ensure that such mitigation is carried out in accordance with 36 CFR Part 800.11. Given the timeframes involved in BLM's budgeting process, operators are strongly encouraged to fund such required mitigation. Further damage to significant cultural resources and operations in its vicinity will not be allowed until any required mitigation is successfully completed.

B. DISCOVERY OF CULTURAL RESOURCES DURING MONITORING: This stipulation applies to situations where archeological monitoring was taking place because local geologic conditions favored the presence of subsurface archeological sites in the project area. If monitoring confirms the

presence of subsurface sites, all work will cease in the site area. The monitor will immediately report this find to BLM Area Manager. BLM will specify what further steps must be taken to assess the damage to the site and to mitigate any adverse effects to it. Monitoring in these circumstances is considered to be a form of inventory and the operator will be responsible for obtaining at his/her expense a qualified permitted archeologist to complete a damage assessment report and to carry out any mitigation required by the BLM.

C. **DAMAGE TO PREVIOUSLY IDENTIFIED SITE:** This stipulation applies to situations where operations have damaged a previously identified archeological site that was visible on the surface. If, in its operations, operator damages, or is found to have damaged, any historic or prehistoric ruin/monument/or site/or any object of antiquity subject to the Antiquities Act of 1906, the Archeological Resource Protection Act of 1979, and 32 CFR Part 3, the grantee will prepare and implement a data recovery plan at his/her expense. The grantee will obtain at his/her expense, a qualified permitted archeologist to carry out the specific instruction of BLM.

RESEEDING AND ABANDONMENT

A. All surface areas disturbed during drilling activities and not in use for production activities, will be reseeded the first July-September period after reserve pit has been filled in and/or location abandoned. For producing locations, this should occur in the first 12 months after drilling is completed.

B. After top soil has been placed on location, compacted areas of well pad will be plowed or ripped to a depth of 12" before reseeded. The surface should be left rough to help retain rain fall. All seeding is recommended to be done between July 1 and September 15. Seeding will be done with a disc-type drill with two boxes for various seed sizes. The drill rows will be eight to ten inches apart. The seed will be planted between one-half inch deep and three quarter inch deep. The seeder will be followed with a drag, packer or roller to insure uniform coverage of seed, and adequate compaction. Drilling of the seed will be done on the contour where possible. Where slopes are too steep for contour drilling a "cyclone" hand-seeder or similar broadcast seeder will be used, after preparation of an adequate seed-bed. Seed will then be covered to a depth described above by whatever means is practical. Mulching, excelsior netting and/or netting may be required on steep slopes.

C. After seeding, remaining rocks and vegetation (trees, brush, etc.) should be placed on the seeded areas using back hoes or rubber tired front-end loaders.

D. If, in the opinion of the SMA, the seeding is unsuccessful, the lessee/operator may be required to make subsequent seedings.

E. If, upon abandonment of wells, the retention of access road is not considered necessary for the management and multiple use of the natural resources, it will be ripped a minimum of 12" in depth. After ripping, water bars will be installed. All ripped surfaces are to be protected from vehicular travel by construction of a deadend ditch and earthen barricade at the entrance to these ripped areas. (Reseeding of affected areas may be required).

**BUREAU OF INDIAN AFFAIRS
SURFACE MANAGEMENT STIPULATIONS
TO BE INCLUDED IN APD**

COMPANY.....: Chuska Energy
 WELL NO.....: Mule 31-M
 DATE OF INSPECTION: 11-14-91
 PROVIDED BY.....: R Cornett

STIPULATIONS
 CHECKED
APPLY

✓ 1. ALL ABOVE GROUND STRUCTURES AND EQUIPMENT WILL BE PAINTED WITH THE FOLLOWING NON-GLARE COLOR.

<u> </u> BROWN	<u> </u> FED. STANDARD	<u> </u> 595A - 30318
<u> </u> GREEN	<u> </u> FED. STANDARD	<u> </u> 595A - 34127
<u> </u> GRAY	<u> </u> FED. STANDARD	<u> </u> 595A - 36357
<u>✓</u> SAND	<u> </u> FED. STANDARD	<u> </u> 595A - 30277
<u> </u> MOBIL BEIGE 12-F-38		

✓ 2. COMPACTED AREAS WILL BE PLOWED OR RIPPED TO A DEPTH OF 12 TO 16 INCHES BEFORE RESEEDING. SEED WILL BE DRILLED TO A DEPTH OF .5 TO .75 INCH OR BROADCAST AND FOLLOWED BY A DRAG OR PACKER. IF BROADCAST, THE RECOMMENDED SEED MIX WILL BE APPLIED AT 150% OF THE RECOMMENDED RATE. THE FOLLOWING SEED MIX WILL BE USED.

<u>SPECIES</u>	<u>LBS./ACRE/PLS</u>
CRESTED WHEATGRASS.....	_____
SLENDER WHEATGRASS.....	_____
SMOOTH BROME.....	_____
ORCHARDGRASS.....	_____
YELLOW SWEETCLOVER.....	_____
SAINFOIN.....	_____
WESTERN WHEATGRASS.....	_____
* ✓ SAND DROPSEED.....	<u>1</u>
ALKALI SACATON.....	_____
✓ INDIAN RICEGRASS.....	<u>3</u>
✓ GALLETA.....	<u>2</u>
NEEDLE-N-THREAD.....	_____
SQUIRREL TAIL.....	_____
SIDE OATS GRAMA.....	_____
✓ FOUR-WING SALTBUUSH.....	<u>3</u>
SHADSCALE.....	_____
WINTER-FAT.....	_____

(PURITY X GERMINATION = PLS) * *Broadcast Only*

3. ✓ THE TOP 10 INCHES OF SOIL WILL BE SALVAGED, STOCKPILED, AND STABILIZED ON THE E SIDE/CORNER OF THE WELL PAD AND/OR IN THE "L" CORNER OF THE WELL PAD AND RESERVE PIT FOR USE IN REVEGETATING THE SITE.

4. NA UPON ABANDONMENT, THE WELL PAD WILL BE FENCED WITH A STANDARD FIVE-STRAND BARB WIRE FENCE, OR EQUIVALENT AND WILL HAVE NO GATES. THE FENCE WILL BE MAINTAINED FOR TWO YEARS TO ALLOW FOR SEEDING ESTABLISHMENT AND WILL THEN BE REMOVED.

5. NA ACCESS ROADS NOT NEEDED FOR THROUGH TRAFFIC WILL BE BARRICADED AND RESEDED IN ACCORDANCE WITH #2. WATER BARS WILL BE CONSTRUCTED TO THE FOLLOWING SPECIFICATIONS.

<u>% SLOPE</u>	<u>SLOPE DISTANCE</u>
1 - 5%	200 FEET
5% - 15%	100 FEET
GREATER THAN 15%	50 FEET

6. AN EARTHEN BERM (24 INCHES/~~FEET~~ HIGH) WILL BE CONSTRUCTED AROUND THE PERIMETER OF THE WELL PAD, EXCEPT ON THE HIGH/CUT SIDE OF THE WELL PAD.
7. THE RESERVE PIT WILL BE LINED TO PREVENT SEEPAGE FROM OCCURRING.
8. NA THE RESERVE PIT WILL BE CONSTRUCTED LONG AND NARROW (___ X ___ FEET) SO THAT THE PIT CAN BE ACCOMODATED AND ANY POTENTIAL HAZARDS REDUCED OR ELIMINATED.
9. NA IMMEDIATELY FOLLOWING DRILLING, THE FLUIDS OF THE RESERVE PIT WILL BE PUMPED AND DISPOSED OF PER BLM INSTRUCTIONS. A SUNDRY NOTICE FOR THIS ACTION IS REQUIRED BY BLM.
10. NA DIVERSION DITCH (ES) WILL BE CONSTRUCTED ON THE ___ SIDE OF THE WELL PAD ABOVE/BELOW (CIRCLE ONE) THE CUT SLOPE DIVERTING ANY RUNOFF TO THE _____.
11. THE WASH (ES) WILL BE DIVERTED AROUND THE W SIDE OF THE WELL PAD.
12. NA CULVERT(S) OF SUFFICIENT SIZE WILL BE PLACED ON ALL DRAINAGE CROSSINGS OF THE ACCESS ROAD DETERMINED NECESSARY DURING THE ON-SITE INSPECTION.
-
13. NO PRODUCTION FLOWLINES NOR GAS SALES LINES WILL BE CONSTRUCTED UNTIL THEIR RIGHT-OF-WAYS/EASEMENTS ARE INSPECTED AND APPROVED BY THE SURFACE MANAGEMENT AGENCY.
14. ANY FLOWLINE(S) (SURFACE/SUBSURFACE) WILL BE CONSTRUCTED PARALLELING NEW AND EXISTING ROAD RIGHT-OF-WAYS, EXCEPT _____.
-
15. NA THE TOP ___ INCHES OF SOIL OF ANY SUBSURFACE FLOWLINE CONSTRUCTED WILL BE ROLLED/SCRAPED TO ONE SIDE OF THE BLADED LINE AND WILL BE DISTURBED AS LITTLE AS POSSIBLE DURING THE ACTUAL CONSTRUCTION. IMMEDIATELY FOLLOWING INSTALLATION, THE ROLL OF TOPSOIL SALVAGED WILL BE REDISTRIBUTED OVER THE BLADED LINE AND WILL BE RESEDED IN ACCORDANCE WITH ITEM #2. IN ADDITION TO THIS, ALL AREAS DISTURBED (INCLUDING THE REPLACED TOPSOIL) WILL BE IMPRINTED WITH A LAND IMPRINTER OR SHEEP'S FOOT TYPE ROLLER TO CREATE A PATTERN OF SMALL DEPRESSIONS TO ENHANCE VEGETATIVE REGROWTH. ALL DRAINAGES CROSSED BY THESE LINE(S) WILL BE RESTORED, AS NEAR AS POSSIBLE, TO THEIR ORIGINAL FORM. WATER BARS WILL BE CONSTRUCTED IN ACCORDANCE WITH ITEM #5.

16. NA FENCE (S) CROSSED BY THE ACCESS ROAD WILL BE BRACED AND TIED OFF BEFORE CUTTING OF THE WIRES TO PREVENT SLACKENING OF THE FENCE LINES. BOTH A GATE AND CATTLE GUARD WHICH MUST BE BIA APPROVED WILL BE INSTALLED.
17. STORAGE TANK(S) INSTALLED ON THE LOCATION WILL BE SURROUNDED BY A DIKE OF SUFFICIENT CAPACITY TO CONTAIN 1-1/2 TIMES THE STORAGE CAPACITY OF THE TANK(S).
18. THE STIPULATIONS SET FORTH IN THE ARCHEOLOGICAL CLEARANCE LETTER DATED 01/28/92 WILL BE STRICTLY ADHERED TO. CLEARANCE NO. HPD 91-617
19. UPON ABANDONMENT, ALL MATERIAL BROUGHT IN TO FLAT THE SURFACE OF THE WELL PAD AND/OR THE ACCESS ROAD WILL BE CLEANED UP AND DISPOSED OF PRIOR TO RESEEDING.
20. THE CONSTRUCTION WORK CONDUCTED AT THIS LOCATION WILL NEED TO BE INSPECTED BEFORE THE DRILL RIG IS MOVED ON THE LOCATION.

ALL CHANGES/DEVIATIONS MADE FROM THE APPROVED APD MUST BE CLEARED AND APPROVED BY THE SURFACE MANAGEMENT AGENCY. THE SURFACE MANAGEMENT AGENCY CAN BE CONTACTED AT (505) 368-4427.

OTHER:

ENTITY ACTION FORM - FORM 6

OPERATOR CHUSKA ENERGY COMPANY

OPERATOR ACCT. NO. N 9290

ADDRESS _____

ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WELL NAME	WELL LOCATION					SPUD DATE	EFFECTIVE DATE
					QQ	SC	TP	RG	COUNTY		
A	99999	11496	43-037-31708	BURRO 31I		31	41S	24E	SAN JUAN		7-22-93
WELL 1 COMMENTS: *AWAITING ADD'L INFO. (APD'S & WCR'S)											
A	99999	11497	43-037-31709	JACK 31G	SWNE	31	41S	24E	SAN JUAN		7-22-93
WELL 2 COMMENTS:											
A	99999	11498	43-037-31710	MULE 31M	SWSW	31	41S	24E	SAN JUAN		7-22-93
WELL 3 COMMENTS:											
A	99999	11499	43-037-31711	HERON 35H-A	SENE	35	41S	25E	SAN JUAN		7-22-93
WELL 4 COMMENTS:											
WELL 5 COMMENTS:											

ACTION CODES (See instructions on back of form)

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected.

(3/89)

L. CORDOVA (DOGM)
Signature
ADMIN. ANALYST 7-22-93
Title Date
Phone No. ()



CHUSKA ENERGY COMPANY

3315 BLOOMFIELD HIGHWAY • FARMINGTON, NEW MEXICO 87401 • PHONE: (505) 326-5525

September 7, 1993

State of Utah
Department of Natural Resources
Division of Oil, Gas and Mining
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

RECEIVED

SEP 10 1993

DIVISION OF
OIL, GAS & MINING

Attn: Mr. R.J. Firth
Associate Director

RE: Utah Division of Oil, Gas and Mining's
Reporting Requirements

Dear Mr. Firth:

Enclosed please find the following reports and well logs run on wells drilled by Chuska Energy Company during the period January 1, 1992 forward. The Production Reports were filed in June under a separate cover letter by our home office, Harken Energy Company, out of Dallas. We have received conflicting statements as to whether or not the data was received. Therefore, a second set of Production reports from January 1992 forward are also forwarded to your office under this cover letter.

APD(S), SUNDRY NOTICES AND ENTITY ACTION FORMS

Barnes 18M
Barnes 18M(N)
Brown Hogan 1A-2
Burro 33I
Clay Hill 33-0
Crane 35H
Copperhead 15E
D.C. Anticline 35K
Heron 35H
Heron 35H(A)
Jack 31G
Kokopelli 29I
Lark 19B
Lark 19B(G)
Lighting Rock 2E
Lizard 4M
Lone Mountain Creek 12F-1

RECEIVED

SEP 10 1993

DIVISION OF
OIL, GAS & MINING


Monument 17E-2
Mule 31K
Mule 31K(N)
Mule 31M
NW Cajon 1I-1
North Heron 35C
Northwest Cajon 6E
North Cajon Mesa 5E-1
North Ruins 16K
Red Lake 25B
Tower 1F
Box Canyon 5F
Shalene 11K
South Triangle 7I
West Clay Hill 5B(A)

LOGS

Barnes 18M(N)
Brown Hogan 1A-2
Burro 33I
Clay Hill 33-0
Copperhead 15E
D.C. Anticline 35K
Heron 35H
Jack 31G
Kokopelli 29I
Lark 19B(G)
Lighting Rock 2E
Lone Mountain Creek 12F-1
Mule 31K(N)
Mule 31M
North Cajon Mesa 5E-1
North Heron 35C
N.W. Cajon 1I-1
N.W. Cajon 6E
Red Lake 25B
West Clay Hill 5B(A)

If you should have any further questions, please don't
hesitate to contact me, or Nell Lindenmeyer, at 505-326-
5525.

Sincerely,



Barry A. Wieland
Operations Manager

Enclosures
cc: Well File

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

5. Lease Designation and Serial Number:

NOG 8702-1116

SUNDRY NOTICES AND REPORTS ON WELLS

6. If Indian, Allottee or Tribe Name:

Navajo Tribal

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

7. Unit Agreement Name:

1. Type of Well: OIL GAS OTHER:

8. Well Name and Number:

Mule 31 M

2. Name of Operator:

Chuska Energy Company

9. API Well Number:

43-037-~~20066~~ 37710

3. Address and Telephone Number:

3315 Bloomfield Hwy. Farmington, NM 87401 505-326-5525

10. Field and Pool, or Wildcat:

Wildcat

4. Location of Well

Footages: 580' FSL, 1090' FWL

County: San Juan

QQ, Sec., T., R., M.:

S31-T41S-R24E

State:

Utah

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT

(Submit in Duplicate)

- | | |
|---|---|
| <input type="checkbox"/> Abandonment | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Casing Repair | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Recompletion |
| <input type="checkbox"/> Conversion to Injection | <input type="checkbox"/> Shoot or Acidize |
| <input type="checkbox"/> Fracture Treat | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Multiple Completion | <input type="checkbox"/> Water Shut-Off |
| <input checked="" type="checkbox"/> Other <u>Spud/surface</u> | |

Approximate date work will start _____

SUBSEQUENT REPORT

(Submit Original Form Only)

- | | |
|--|---|
| <input type="checkbox"/> Abandonment | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Casing Repair | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Shoot or Acidize |
| <input type="checkbox"/> Conversion to Injection | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Fracture Treat | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Other _____ | |

Date of work completion _____

Report results of **Multiple Completions and Recompletions** to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.

* Must be accompanied by a cement verification report.


12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Notification of intent to spud with Aztec Well Service rig #222 @ 8:50 AM on 3-02-92, to Mark Kelley, BLM, by Larry Chambers, Chuska Energy Company, to being during evening hours, 3-3-92

SEP 10 1993

13.

Name & Signature: Barry A. Wieland



Title: Operations Manager

Date: 5-26-93

(This space for State use only)

Form 3165-5
(June 1985)



UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

5. Lease Designation and Serial No.

NOG 8702-1116

6. If Indian, Allottee or Tribe Name

Navajo Tribal

7. If Unit or CA, Agreement Designation

N/A

8. Well Name and No.

Mule 31M

9. API Well No.

10. Field and Pool, or Exploratory Area

Wildcat

11. County or Parish, State

San Juan County, Utah

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

Chuska Energy Company

3. Address and Telephone No.

3315 Bloomfield Highway, Farmington, NM 87401

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

580' FSL & 1210'FWL
Section 41-41S-24E

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

- Notice of Intent
- Subsequent Report
- Final Abandonment Notice

- Abandonment
- Recompletion
- Plugging Back
- Casing Repair
- Altering Casing
- Other Spud/Surface

- Change of Plans
- New Construction
- Non-Routine Fracturing
- Water Shut-Off
- Conversion to Injection
- Dispose Water

Note: Report results of multiple completion on "Well Completion or Recompletion Report and Log form."

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Notification of intent to spud w/Aztec Well Service Rig #222 @ 8:50AM on 3-2-92, to Mark Kelley, BLM, by Larry A. Chambers, Chuska Energy Company, to being during evening hours, 3-3-92.

ACCEPTED FOR RECORD

MAR 11 1992

FARMINGTON RESOURCE AREA

BY [Signature]

SEP 10 1993

RECEIVED
BLM
92 MAR -6 PM 1:26
019 FARMINGTON, N.M.

14. I hereby certify that the foregoing is true and correct.

Signed

[Signature]

Title

Operations Manager

Date

3-2-92

(This space for Federal or State office use)

Approved by

Title

Date

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

OPERATOR

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

5. Lease Designation and Serial Number:

NOG 8702-1116

SUNDRY NOTICES AND REPORTS ON WELLS

6. If Indian, Allottee or Tribe Name:

Navajo Tribal

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

7. Unit Agreement Name:

1. Type of Well: OIL GAS OTHER:

8. Well Name and Number:

Mule 31 M

2. Name of Operator:

Chuska Energy Company

9. API Well Number:

43-037-70066 31710

3. Address and Telephone Number:

3315 Bloomfield Hwy. Farmington, NM 87401

10. Field and Pool, or Wildcat:

Wildcat

4. Location of Well

Footages: 580' FSL, 1090' FWL

OQ, Sec., T., R., M.: S31-T41S-R24E

County: San Juan

State: Utah

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT

(Submit in Duplicate)

- | | |
|--|---|
| <input type="checkbox"/> Abandonment | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Casing Repair | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Recompletion |
| <input type="checkbox"/> Conversion to Injection | <input type="checkbox"/> Shoot or Acidize |
| <input type="checkbox"/> Fracture Treat | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Multiple Completion | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Other _____ | |

Approximate date work will start _____

SUBSEQUENT REPORT

(Submit Original Form Only)

- | | |
|--|---|
| <input type="checkbox"/> Abandonment | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Casing Repair | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Shoot or Acidize |
| <input type="checkbox"/> Conversion to Injection | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Fracture Treat | <input type="checkbox"/> Water Shut-Off |
| <input checked="" type="checkbox"/> Other <u>Spud. surface csg</u> | |

Date of work completion _____

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.

* Must be accompanied by a cement verification report.


12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

MIRU Aztec Well Service rig #222. Spudded 2000 hrs, 3-3-92. Drilled to 510'. Ran 11 joints 8 5/8", 24 ppf, K-55, STC csg. Cemented with 360 sx class 'B' cement with 2% CaCl₂, 1/4# sx celloflake. Circulated to surface.

SEP 10 1993

13.


Name & Signature: Barry A. Wieland



Title: Operations Manager

Date: 5-26-93

(This space for State use only)



UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use APPLICATION FOR PERMIT—" for such proposals

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

5. Lease Designation and Serial No.

NOG 8702-1116

6. If Indian, Allottee or Tribe Name

Navajo Tribal

7. If Unit or CA, Agreement Designation

N/A

8. Well Name and No.

Mule 31M

9. API Well No.

10. Field and Pool, or Exploratory Area

Wildcat

11. County or Parish, State

San Juan County, Utah

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

Chuska Energy Company

3. Address and Telephone No.

3315 Bloomfield Highway, Farmington, NM 87401

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

580' FSL & 1210' FWL
Section 31-41S-24E

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- Notice of Intent
- Subsequent Report
- Final Abandonment Notice

TYPE OF ACTION

- Abandonment
- Recompletion
- Plugging Back
- Casing Report
- Changing Casing
- Other spud/surface csg

- Change of Plans
- New Construction
- Non-Routine Fracturing
- Water Shut-Off
- Conversion to Injection
- Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

MIRU Aztec Well Service Rig #222. Spudded 2000 hrs, 3-3-92. Drilled to 510'. Ran 11 joints 8 5/8", 24 ppf, K-55, STC csg. Cemented with 360 sx Class 'B' cement with 2% CaCl2, 1/4# sx Celloflake. Circulated to surface.

SEP 10 1993

ACCEPTED FOR RECORD

MAR 11 1992

FARMINGTON RESOURCE AREA

BY [Signature]

019 FARMINGTON, N.M.

92 MAR -6 PM 1:25

RECEIVED
BLM

14. I hereby certify that the foregoing is true and correct

Signed

[Signature]

Title

Operations Manager

Date

3-5-92

(This space for Federal or State office use)

Approved by

Conditions of approval, if any:


Title

Date

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See instruction on Reverse Side

OPERATOR



UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

5. Lease Designation and Serial No.
NOG 8702-1116

6. If Indian, Allottee or Tribe Name
Navajo Tribal

7. If Unit or CA, Agreement Designation

8. Well Name and No.
Mule 31M

9. API Well No.

10. Field and Pool, or Exploratory Area
Wildcat

11. County or Parish, State
San Juan County, Utah

SUBMIT IN TRIPLICATE

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
Chuska Energy Company

3. Address and Telephone No.
3315 Bloomfield Highway, Farmington, New Mexico 87401 505-326-5525

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
580' FSL & 1090' FWL
Section 31-T41S-R24E

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other Production Csg
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent data including estimated date of starting any proposed work. If well is directionally drilled give subsurface locations and measured and true vertical depths for all major angles and zones pertinent to this work.)

Drilled to 5853'. Logged and ran log to 5 1/2, 15.50, K-55 LTC Csg. Landed at 5848' KB, FC @ 5820', DV tool @ 5496'. Cemented as follows:

Stage #1: Lead w/ 20 BBL MF & 640 sx 65/35 Poz & 1/4#Sx Flocele & 6% gel. Tail in w/ 100 sx Class 'G'. Displace w/water and circulate 50 sx to surface.

Stage #2: Lead w/ 20 BBL MF & 925 sx 65/35 Poz & 1/4#/ Sx Flocele & 6% gel. Tail-in w/ 50 sx Class 'G'. Displace w/ water and circulate 125 sx to surface. Plug down @ 0810 hrs, 3-18-92.

Release Aztec Rig #222 @ 1200 hrs, 3-18-92.

SEP 10 1993

RECEIVED
DLN
22 APR -3 PM 1:55
DJS FARMINGTON, NM

14. I hereby certify that the foregoing is true and correct

Signed Boj A. Wickline Title Operations Manager Date 4-2-92

(This space for Federal or State office use)

Approved by _____ Title _____ Date _____
Conditions of approval, if any:

ACCEPTED FOR RECORD

*See Instruction on Reverse Side

OPERATOR

FARMINGTON RESOURCE AREA
BY 6213

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

5. Lease Designation and Serial Number:

NOG 8702-1116

6. If Indian, Allottee or Tribe Name:

Navajo Tribal

7. Unit Agreement Name:

8. Well Name and Number:

Mule 31 M

9. API Well Number:

43-037-70066 31710

10. Field and Pool, or Wildcat:

Wildcat

1. Type of Well: OIL GAS OTHER:

2. Name of Operator:
Chuska Energy Company

3. Address and Telephone Number:
3315 Bloomfield Hwy. Farmington, NM 87401 505-326-5525

4. Location of Well
Footages: 580' FSL, 1090' FWL
CG, Sec., T., R., M.: S31-T41S-R24E

County: San Juan
State: Utah

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
(Submit in Duplicate)

- Abandonment
- Casing Repair
- Change of Plans
- Conversion to Injection
- Fracture Treat
- Multiple Completion
- Other _____
- New Construction
- Pull or Alter Casing
- Recompletion
- Shoot or Acidize
- Vent or Flare
- Water Shut-Off

Approximate date work will start _____

SUBSEQUENT REPORT
(Submit Original Form Only)

- Abandonment
- Casing Repair
- Change of Plans
- Conversion to Injection
- Fracture Treat
- Other Production casing
- New Construction
- Pull or Alter Casing
- Shoot or Acidize
- Vent or Flare
- Water Shut-Off

Date of work completion _____

Report results of **Multiple Completions and Recompletions** to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.

* Must be accompanied by a cement verification report.

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)


Drilled to 5853'. Logged and ran 140 joints 5 1/2", 15.5, K-55 LTC csg. Landed at 5848' KB, FC @ 5820', DV tool @ 3496'. Cemented as follows:

Stage #1: Lead w/ 20 bbl MF & 640 sx 65/35 Poz & 1/4#sx Flocele & 6% gel. Tail in w/ 100 sx Class 'G'. Displace with water and circulate 50 sx to surface.

Stage #2: Lead w/ 20 bbl MF & 925 sx 65/35 Poz & 1/4#sx Flocele & 6% gel. Tail in w/ 50 sx Class 'G'. Displace with water and circulate 125 sx to surface. Plug down @ 0810 hrs, 3-18-92.


Release Aztec rig #222 @ 1200 hrs, 3-18-92.

13.

Name & Signature: Barry A. Wieland  Title: Operations Manager Date: 5-26-93

(This space for State use only)

SEP 10 1993



UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

5. Lease Designation and Serial No.
NOG 8702-1116

6. If Indian, Allottee or Tribe Name
Navajo Tribal

7. If Unit or CA, Agreement Designation

8. Well Name and No.
Mule 31M

9. API Well No.

10. Field and Pool, or Exploratory Area
Wildcat

11. County or Parish, State

San Juan County, Utah

SUBMIT IN TRIPLICATE

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
Chuska Energy Company

3. Address and Telephone No.
3315 Bloomfield Highway, Farmington, NM 87401 505-326-5525

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
580' FSL & 1090' FWL
Section 31-T41S-R24E

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>Sale</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion or re-completion or Recompletion Report and Log form)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled give subsurface locations and measured and true vertical depths for all marked horizons pertinent to this work.)

First sale of oil from this well Wednesday, 3-25-92.

First sale of gas from this well on Monday, 3-30-92.

CONFIDENTIAL

ACCEPTED FOR RECORD

APR 01 1992

FARMINGTON RESOURCE AREA

BY [Signature]

RECEIVED
BLM
92 APR -3 PM 1:55
BLM FARMINGTON, N.M.

SEP 10 1993

14. I hereby certify that the foregoing is true and correct

Signed [Signature]

Title Operations Manager

Date 4-2-92

(This space for Federal or State office use)

Approved by _____
Conditions of approval, if any:

Title _____

Date _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

OPERATOR

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

5. Lease Designation and Serial Number:

NOG 8702-1116

6. If Indian, Allottee or Tribe Name:

Navajo Tribal

7. Unit Agreement Name:

8. Well Name and Number:

Mule 31M

9. API Well Number:

43-037-~~70066~~ 31710

10. Field and Pool, or Wildcat:

Wildcat

1. Type of Well: OIL GAS OTHER:

2. Name of Operator:
Chuska Energy Company

3. Address and Telephone Number:
3315 Bloomfield Hwy, Farmington, NM 87401

4. Location of Well
Footages: 580' FSL, 1090' FWL
QQ, Sec.,T.,R.,M.: S31-T41S-R24E

County: San Juan
State: Utah

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
(Submit in Duplicate)

- | | |
|--|---|
| <input type="checkbox"/> Abandonment | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Casing Repair | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Recompletion |
| <input type="checkbox"/> Conversion to Injection | <input type="checkbox"/> Shoot or Acidize |
| <input type="checkbox"/> Fracture Treat | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Multiple Completion | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Other _____ | |

Approximate date work will start _____

SUBSEQUENT REPORT
(Submit Original Form Only)

- | | |
|---|---|
| <input type="checkbox"/> Abandonment * | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Casing Repair | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Shoot or Acidize |
| <input type="checkbox"/> Conversion to Injection | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Fracture Treat | <input type="checkbox"/> Water Shut-Off |
| <input checked="" type="checkbox"/> Other <u>sale</u> | |

Date of work completion _____

Report results of **Multiple Completions and Recompletions** to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.

* Must be accompanied by a cement verification report.

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

First sale of oil from this well, Wednesday, 3-25-92.

First sale of gas from this well, Monday, 3-30-92.

SEP 10 1993

13.

Name & Signature: Barry A. Wieland  Title: Operations Manager Date: 5-26-93

(This space for State use only)



UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE

(See other instructions on reverse side)

FOR APPROVED OMB NO. 1004-0137 Expires: December 31, 1991

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. TYPE OF WELL: OIL WELL [X] GAS WELL [] DRY [] Other []
b. TYPE OF COMPLETION: NEW WELL [X] DEEPEN [] PLUG BACK [] DIFF. ENVYR. [] Other []

2. NAME OF OPERATOR: Chuska Energy Company

3. ADDRESS AND TELEPHONE NO.: 3315 Bloomfield Highway, Farmington, NM 87401 505-326-5525

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements): At surface 580' FSL & 1210' FWL. At top prod. interval reported below SAME. At total depth SAME.

SEP 10 1993

14. PERMIT NO. 43-037-31710 DATE ISSUED

5. LEASE DESIGNATION AND SERIAL NO. NOG 8702-1116
6. IF INDIAN, ALLOTTEE OR TRIBE NAME Navajo Tribal
7. UNIT AGREEMENT NAME N/A
8. FARM OR LEASE NAME, WELL NO. Mule 31M
9. API WELL NO.
10. FIELD AND POOL, OR WILDCAT Wildcat
11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA Section 31-41S-24E
12. COUNTY OR PARISH San Juan
13. STATE Utah

15. DATE SPUNDED 3-3-92 16. DATE T.D. REACHED 3-16-92 17. DATE COMPLETION (Ready to prod.) 3-31-92 18. ELEVATIONS (DF, RKB, RT, GE, ETC.)* 4897' GR / 4910' KB 19. ELEV. CASINGHEAD 4897' GR
20. TOTAL DEPTH, MD & TVD 5853' MD 21. PLUG, BACK T.D., MD & TVD 5820' MD 22. IF MULTIPLE COMPLET., HOW MANY* None 23. INTERVALS DRILLED BY ROTARY TOOLS [] CABLE TOOLS [X] Yes
24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* 5655-80', 5701-21', 5729-53' 25. WAS DIRECTIONAL SURVEY MADE Yes

26. TYPE ELECTRIC AND OTHER LOGS RUN DLL-Micro SFC, CNL-FDC Litho Density, Sonic 27. WAS WELL CORED Yes

28. CASING RECORD (Report all strings set in well) Table with columns: CASING SIZE/GRADE, WEIGHT, LB./FT., DEPTH SET (MD), HOLE SIZE, TOP OF CEMENT, CEMENTING RECORD, AMOUNT PULLED. Includes entries for 8 5/8, K-55 and 5 1/2, K-55.

29. LINER RECORD Table with columns: SIZE, TOP (MD), BOTTOM (MD), SACKS CEMENT*, SCREEN (MD), SIZE, DEPTH SET (MD), PACKER SET (MD). Includes entry for 2 7/8 size.

31. PERFORATION RECORD (Interval, size and number) 5655'-80' @ 4 SPF, 5701' - 21' @ 4 SPF, 5729' - 53' @ 4 SPF. 32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC. Table with columns: DEPTH INTERVAL (MD), AMOUNT AND KIND OF MATERIAL USED. Includes entries for 5729-53, 5701-21, 5729-53.

33. PRODUCTION Table with columns: DATE FIRST PRODUCTION, PRODUCTION METHOD, WELL STATUS, DATE OF TEST, HOURS TESTED, CHOKER SIZE, PROD'N. FOR TEST PERIOD, OIL-BBL., GAS-MCF., WATER-BBL., GAS-OIL RATIO. Includes entries for 3-31-92 and 3-25-92.

34. DISPOSITION OF GAS (Solid, used for fuel, vented, etc.) Vented TEST WITNESSED BY Mike Dwinell

35. LIST OF ATTACHMENTS APR 0 1992

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records. SIGNED: [Signature] TITLE: Operations Manager DATE: 4-2-92

*(See Instructions and Spaces for Additional Data on Reverse Side)

OPERATOR

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, flowing and shut-in pressures, and recoveries);

38. GEOLOGIC MARKERS

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	TOP	
					MEAS. DEPTH	TRUE VERT. DEPTH
Core #1	5658'	5718'	100% recovery, Desert Creek	Hermosa	4595'	
Core #2	5718'	5778'	100% recovery, Desert Creek	U. Ismay	5469'	
				Hovenweep	5572'	
				L. Ismay	5584'	
				Gothic Shale	5612'	
				Desert Creek	5630'	
				Chimney Rock	5802'	
				Akah	5818'	

SEP 10 1993

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. TYPE OF WELL: OIL WELL GAS WELL DRY Other _____

b. TYPE OF COMPLETION: NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF. RESVR. Other _____

2. NAME OF OPERATOR
Chuska Energy Company

3. ADDRESS OF OPERATOR
3315 Bloomfield Hwy. Farmington, NM 87401 505-326-5525

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)
At surface 580' FSL, 1210' FWL
At top prod. interval reported below
At total depth Same

SEP 10 1993

5. LEASE DESIGNATION AND SERIAL NO.
NOG 8702-1116
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
Navajo Tribal
7. UNIT AGREEMENT NAME
8. FARM OR LEASE NAME
MULE
9. WELL NO.
31M
10. FIELD AND POOL, OR WILDCAT
Wildcat
11. SEC. T., R., M., OR BLOCK AND SURVEY OR AREA
S31-T41S-R24E

14. API NO. 31710 DATE ISSUED 43-037-70066
12. COUNTY San Juan 13. STATE Utah

15. DATE SPUNDED 3-3-92 16. DATE T.D. REACHED 3-16-92 17. DATE COMPL. (Ready to prod.) 3-31-92 (Plug & Abd.)
18. ELEVATIONS (DP, RES. ST, GR, ETC.) 4897' GR/ 4910' KB 19. ELEV. CASINGHEAD 4897' GR

20. TOTAL DEPTH, MD & TVD 5853' MD 21. PLUG BACK T.D., MD & TVD 5820' MD 22. IF MULTIPLE COMPL. HOW MANY NONE 23. INTERVALS DRILLED BY ROTARY TOOLS Yes CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD) 5655' - 80', 5701' - 21', 5729' - 53' 25. WAS DIRECTIONAL SURVEY MADE Yes

26. TYPE ELECTRIC AND OTHER LOGS RUN DLL/MICRO/SFC, CNL/FDC/LITHO Density, Sonic 27. WAS WELL CORED YES NO (Submit analysis) DRILL STEM TEST YES NO (See reverse side) Yes

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT POLLED
8 5/8" K-55	24.0	504	12 1/2	360 sx Class 'B' & 2% CaCl ₂ 1/4#	100 sx 'G'
5 1/2" K-55	15.5	5848	7 7/8	St1: 640 sx 65/35 Poz, 100 sx 'G'	50 sx 'G'
DVT @ 3496' Circulate cement to surface				St2: 925 sx 65/35 Poz, 50	

29. LINER RECORD 30. TUBING RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2 7/8	5634.67	Same

31. PERFORATION RECORD (Interval, size and number) 32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

INTERVAL	SIZE	AMOUNT AND KIND OF MATERIAL USED
5655' - 80'	@ 4SPF	200 gal 28% HCL, 6000 g1 15% HCL
5701' - 21'	@ 4SPF	100 gal 28% HCL, 5750 15% HCL
5729' - 53'	@ 4SPF	300 gal 28% HCL, 5750 15% HCL

33. PRODUCTION

DATE FIRST PRODUCTION	PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)	WELL STATUS (Producing or Shut-in)					
3-31-92	Flowing	Producing					
DATE OF TEST	HOURS TESTED	CHOKED SIZE	PROD'N FOR TEST PERIOD	OIL—BSL.	GAS—MCF.	WATER—BSL.	GAS-OIL RATIO
3-25-92	8	24/64	→	245.1	32.3	0	132
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BSL.	GAS—MCF.	WATER—BSL.	OIL GRAVITY-API (CORR.)	
340	10	→	735	97	0	44	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Vented TEST WITNESSED BY Mike Dwinell Consultant

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records
SIGNED [Signature] TITLE Operations Manager DATE 5-26-93

See Spaces for Additional Data on Reverse Side

INSTRUCTIONS

This form should be completed in compliance with the Utah Oil and Gas Conservation General Rules. If not filed prior to this time, all logs, tests, and directional surveys as required by Utah Rules should be attached and submitted with this report.

ITEM 18: Indicate which elevation is used as reference for depth measurements given in other spaces on this form and on any attachments.
 ITEMS 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

ITEM 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

ITEM 33: Submit a separate completion report on this form for each interval to be separately produced (see instruction for items 22 and 24 above)

37. SUMMARY OF POROUS ZONES:		38. GEOLOGIC MARKERS	
Formation	Top	Bottom	Description, contents, etc.
Core #1	5658'	5718'	100% recovery, Desert Creek
Core #2	5718'	5778'	100% recovery, Desert Creek

Name	Meas. Depth	True Vert. Depth
Hermosa	4595'	4595'
U. Ismay	5469'	5469'
Hovenweep	5572'	5572'
L. Ismay	5584'	5584'
Gothic Shale	5612'	5612'
Desert Creek	5630'	5630'
Chimney Rock	5802'	5802'
Akah	5818'	5818'

10/22/93
api num: 43-037-31710
entity:
well name: Mule 31M
operator:
field:

D T A I L W E L L D A T A
prod zone:

sec twnshp range gr-gr
31 415 24E 5WSW
menu: opt 00

: CHUSKA ENERGY COMPANY
: Wildcat

meridian:

confidential flag: confidential expires: alt addr flag:

*** application to drill, deepen, or plug back ***

lease number: NDG 8702-1116
surface loc: 580 FSL 1090 FWL
prod zone loc: " "
elevation: 4885 GR

lease type: 2
unit name:
depth: 5898
apd date: 2-4-92

well type: OW
proposed zone: IS-DC
auth code: 649-3-3

*** completion information ***

spud date:
producing intervals:
bottom hole:
24hr oil: 24hr gas:
** well comments:

date recd:
compl date:
first prod:
24hr water:

la/pa date:
total depth:
well status:
gas/oil ratio:
api gravity:

BLM APD Approval Date Used

opt: 21 api: zone: date(yymm): enty acct:

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS:

LARRY G SESSIONS
 CHUSKA ENERGY COMPANY
 3315 BLOOMFIELD HWY
 FARMINGTON NM 87401

UTAH ACCOUNT NUMBER: N9290

REPORT PERIOD (MONTH/YEAR): 12 / 93

AMENDED REPORT (Highlight Changes)

Well Name			Producing Zone	Well Status	Days Oper	Production Volumes		
API Number	Entity	Location				OIL(BBL)	GAS(MCF)	WATER(BBL)
JACK 31G								
✓ 4303731709	11497	41S 24E 31	DSCR	NO RECORD / DTS NO FILE		done / DTS		
MULE 31M								
✓ 4303731710	11498	41S 24E 31	DSCR					
HERON 35H-A (RIG SKID)								
✓ 4303731711	11499	41S 25E 35	PRDX					
LIZARD 4m								
✓ 4303731619	11555	41S 23E 4	DSCR					
HILLSIDE 6C-1								
✓ 4303731721	11570	42S 25E 6	IS-DC	DRL (Cont.)				
CLAY HILL 330								
✓ 4303731723	11612	41S 25E 33	DSCR					
TOTALS								

COMMENTS: _____

I hereby certify that this report is true and complete to the best of my knowledge.

Date: _____

Name and Signature: _____

Telephone Number: _____



HARKEN SOUTHWEST CORPORATION

(formerly Chuska Energy Company)

We are pleased to announce that effective January 18, 1994, Chuska Energy Company, has changed its name to Harken Southwest Corporation. This is in line with the February 1993 merger with Harken Exploration Company.

Harken Southwest Corporation is still located at 3315 Bloomfield Highway, Farmington, New Mexico, 87401. You may still contact us at (505) 326-5525.

Please reflect this name change as necessary on all future correspondence.

Thank you for your assistance in this matter and we look forward to working with you as Harken Southwest Corporation.

Sincerely,

Barry A. Wieland
Operations Manager

RECEIVED

FEB 07 1994

DIVISION OF
OIL, GAS & MINING

Division of Oil, Gas and Mining
PHONE CONVERSATION DOCUMENTATION FORM

Route original/copy to:

Well File _____

Suspense
(Return Date) _____
(To - Initials) _____

Other
Oper. Nm. Change

(Location) Sec _____ Twp _____ Rng _____
(API No.) _____

1. Date of Phone Call: 2-9-94 Time: 12:29

2. DOGM Employee (name) J. Cordova (Initiated Call)
Talked to:

Name Wayne Townsend (Initiated Call) - Phone No. (505) 599-8900
(or Ken Townsend)
of (Company/Organization) Btm / Farmington N.M.

3. Topic of Conversation: Chuska Energy Co. to Harkin Southwest Corp.

4. Highlights of Conversation: _____

They have not rec'd doc. of name change. When they do receive doc. they will most likely keep "Chuska" as operator yet mail any correspondence % Harkin, until BIA approval. (BIA approval may take a while!)

* 940210 Per Admin. OK to change.

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

Routing:

1-LEC	7-SJ
2-DTS	8-FILE
3-VLC	
4-RJF	
5-LEC	
6-PL	

Attach all documentation received by the division regarding this change.
 Initial each listed item when completed. Write N/A if item is not applicable.

- Change of Operator (well sold) Designation of Agent
 Designation of Operator Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 1-18-94)

TO (new operator) HARKEN SOUTHWEST CORPORATION FROM (former operator) CHUSKA ENERGY COMPANY
 (address) 3315 BLOOMFIELD HWY (address) 3315 BLOOMFIELD HWY
FARMINGTON NM 87401 FARMINGTON NM 87401
 phone (505) 326-5525 phone (505) 326-5525
 account no. N 9290 account no. N9290

Well(s) (attach additional page if needed):

Name: **SEE ATTACHED**	API: <u>037 31710</u>	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

- 1 (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). (Rec'd 2-7-94)
- N/A 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form).
- 1 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes/no) yes If yes, show company file number: #096704.
- 1 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of **Federal and Indian** well operator changes should take place prior to completion of steps 5 through 9 below.
- 1 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. (2-10-94)
- 1 6. Cardex file has been updated for each well listed above. (2-10-94)
- 1 7. Well file labels have been updated for each well listed above. (2-10-94)
- 1 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission.
- 1 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

- See 1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) no (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
- N/A 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only)

- N/A See 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
2. A copy of this form has been placed in the new and former operators' bond files.
3. The former operator has requested a release of liability from their bond (yes/no) . Today's date 19 . If yes, division response was made by letter dated 19 .

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

- N/A 1. (Rule R615-2-10) The former operator/lessee of any **fee lease** well listed above has been notified by letter dated 19 , of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
- N/A 2. Copies of documents have been sent to State Lands for changes involving **State leases**.

FILMING

1. All attachments to this form have been microfilmed. Date: March 7 1994.

FILING

- See 1. Copies of all attachments to this form have been filed in each well file.
- See 2. The original of this form and the original attachments have been filed in the Operator Change file.

COMMENTS

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

RECEIVED
SEP 07 1995
OIL, GAS & MIN

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

Harken Southwest Corporation

3. Address and Telephone No.

P.O. Box 612007 Dallas, Texas 75261-2007 (214) 753-6900

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

See Attached List

5. Lease Designation and Serial No.

6. If Indian, Allottee or Tribe Name

NAVAJO

7. If Unit or CA, Agreement Designation

8. Well Name and No.

See Attached List

9. API Well No. 43037-31710

See Attached List

10. Field and Pool, or Exploratory Area

11. County or Parish, State

San Juan, Utah

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- Notice of Intent
- Subsequent Report
- Final Abandonment Notice

TYPE OF ACTION

- Abandonment
- Recompletion
- Plugging Back
- Casing Repair
- Altering Casing
- Other Flaring during plant shut-down
- Change of Plans
- New Construction
- Non-Routine Fracturing
- Water Shut-Off
- Conversion to Injection
- Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Pursuant to the attached notice from Elkhorn Operating, Harken Southwest request permission to vent/flare all non-lease use gas from September 18, 1995 thru September 22, 1995 or until the Aneth Plant resumes operation.

Attached is a list of wells which will be affected by the plant shut down. The list is compiled in API number order.

Should any questions arise, please contact Mr. Richard Cottle, Farmington, New Mexico @ (505) 327-5531 or the undersigned.

cc: Navajo Nation
State of Utah

14. I hereby certify that the foregoing is true and correct

Signed Richard Montgomery

Title Production Administrator Date Sept 6, 1995

(This space for Federal or State office use)

Approved by _____
Conditions of approval, if any:

Title _____


Date _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

HARKEN SOUTHWEST CORPORATION

Request permission to flare/vent gas production on the following wells during the shut-down of the Aneth Plant Monday, September 18 thru Friday, September 22, 1995.

<u>Well Name</u>	<u>Sec-Twnshp-Rng</u>	<u>API Number</u>
Navajo Tribal 23-13	13-40S-24E	43-037-30971
Navajo Tribal 41-2	02-42S-24E	43-037-31041
Sahgzie #1	05-42S-24E	43-037-31472
Anasazi #1	05-42S-24E	43-037-31478
Cajon Mesa 8D-1	08-40S-25E	43-037-31497
Monument 8N-2	08-40S-25E	43-037-31509
Runway 10G-1	10-40S-25E	43-037-31515
Monument 17E	17-40S-25E	43-037-31547
Runway 10E-2	10-40S-25E	43-037-31550
Blue Hogan 1J-1	01-42S-23E	43-037-31562
Anasazi 5L-3	05-42S-24E	43-037-31572
Brown Hogan 1A-2	01-42S-23E	43-037-31573
Runway 10C-5A	10-40S-25E	43-037-31597
North Heron 35C	35-41S-25E	43-037-31616
Burro 31-I	31-41S-24E	43-037-31708
Jack 31G	31-41S-24E	43-037-31709
Jack 31M	31-41S-24E	43-037-31710
Big Sky 6E (6L)	06-42S-25E	43-037-31714
Hillside 6C-1	06-42S-25E	43-037-31721



ELKHORN OPERATING COMPANY
ANETH PLANT
P.O. BOX 70
MONTEZUMA CREEK, UTAH 84534
Memorandum

To: See Distribution List
From: Gene Gruetta
Date: August 18, 1995
Subject: ANETH PLANT SHUTDOWN

Aneth Plant will be shut down on September 18, 1995 to make necessary repairs to the cooling tower, inspect and clean gas coolers, and repair other equipment which requires a plant shutdown.

We plan to have the plant started back up the afternoon of Friday, September 22, 1995.

Each operator will need to make whatever contacts with regulatory agencies and gas marketers, etc. they deem necessary.

Should you have questions, call the writer at (801)631-3254.

BEFORE THE BOARD OF OIL, GAS AND MINING

DEPARTMENT OF NATURAL RESOURCES

STATE OF UTAH

IN THE MATTER OF THE REQUEST)
FOR AGENCY ACTION OF HARKEN)
SOUTHWEST CORPORATION FOR)
THE DESIGNATION OF THE)
MONUMENT 8-N-2, BLUE HOGAN)
1-J-1, BROWN HOGAN 1-A-2, LONE)
MOUNTAIN CREEK 12-F-1, NORTH)
HERON 35-C, AND MULE 31M WELLS)
AS WILDCAT WELLS FOR)
PURPOSES OF SECTION 59-5-102(2)(d))
OF THE UTAH CODE ANNOTATED,)
SAN JUAN COUNTY, UTAH.)

ORDER DESIGNATING BLUE
HOGAN 1-J-1, BROWN HOGAN
1-A-2, MULE 31M, AND LONE
MOUNTAIN CREEK 12-F-1 WELLS
AS WILDCAT WELLS

Docket No. 94-023
Cause No. 232-2(a)

On July 16, 1996, the Utah Supreme Court filed its decision in the appeal entitled *Harken Southwest Corporation v. Board of Oil, Gas and Mining, et. al.*, Case No. 950121, wherein Harken Southwest Corporation ("Harken") appealed the Board of Oil, Gas and Mining's (the "Board") prior Order in this matter dated October 5, 1995. That Order denied Harken's Request for Agency Action seeking to designate the wells subject to this matter as wildcat wells for the limited purpose of qualifying for a severance tax exemption under Section 59-5-102(2)(d) of the Utah Code Annotated. The Supreme Court affirmed the Board's decision not to confer wildcat status on the North Heron and Monument Wells, and reversed the Board's refusal to confer wildcat status for the Lone Mountain Creek 12-F-1 Well. The Supreme Court also vacated the Board's decision as to the Blue Hogan, Brown Hogan, and Mule Wells, and remanded the matter to the Board to reconsider

the evidence regarding those wells. The parties, Harken and the Division of Oil, Gas and Mining, have since filed a stipulation designating the Blue Hogan, Brown Hogan, and Mule Wells as wildcat wells for the purpose of the severance tax exemption statute.

Based on the Utah Supreme Court's decision, the remittitur of the record in this matter, the stipulation of the parties, and good cause appearing, therefore, it is hereby:

ORDERED, ADJUDGED, AND DECREED that the Blue Hogan 1-J-1 Well, situated in the NW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 1, Township 42 South, Range 23 East, S.L.M.; the Brown Hogan 1-A-2 Well, situated in the NE $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 1, Township 42 South, Range 23 East, S.L.M.; the Mule 31M Well, situated in the SW $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 31, Township 41 South, Range 24 East, S.L.M., and the Lone Mountain Creek 12-F-1 Well, situated in the SE $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 12, Township 42 South, Range 24 East, S.L.M., are approved and designated as wildcat wells for the limited purpose of qualifying for a severance tax exemption under Section 59-5-102(2)(d) of the Utah Code Annotated.

DATED this 23rd day of October, 1996.

STATE OF UTAH
BOARD OF OIL, GAS AND MINING




Dave D. Lauriski, Chairman

Approved as to form:



Thomas W. Clawson
Attorney for Harken Southwest Corporation



Thomas A. Mitchell
Attorney for Division of Oil, Gas and Mining

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

43-037-31710

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
Harken Southwest Corporation

3. Address and Telephone No.
P.O. Box 612007 Dallas, Texas 75261-2007 (972) 753-6900

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
**40, 41 & 42S - 23, 24 & 25S
 Various Sections**

5. Lease Designation and Serial No.

6. If Indian, Allottee or Tribe Name
Navajo Nation

7. If Unit or CA, Agreement Designation

8. Well Name and No.
See attached

9. API Well No.
See attached

10. Field and Pool, or Exploratory Area

11. County or Parish, State
San Juan County, UT

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>Gas venting</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water


(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Attached please find the summary sheet for the gas vented by Harken Southwest during December, 1997 and January, 1998 due to the explosion and subsequent problems at the Aneth Gas Plant.

If additional information is required, please contact the undersigned at (972) 753-6900.

CC: State of Utah
 Navajo Nation - Minerals Dept
 BIA - Gallup, NM



14. I hereby certify that the foregoing is true and correct

Signed *Sachelle Montgomery* Title Production Administrator Date 01/29/98

(This space for Federal or State office use)

Approved by _____ Title _____ Date _____

Conditions of approval, if any:

MARKEN SOUTHWEST CORPORATION

Gas Vented during Aneth Plant Shut-Down (12/97 & 1/98)

Page 1 of 3

Anasazi #1 43-037-31478 SW/NW Sec 5-42S-24E	Anasazi 5L-3 43-037-31572 NW/SW Sec 5-42S-24E	Sahgzie 1 43-037-31472 SW/NW Sec 5-42S-24E	Anasazi 6H-1 43-037-31744 SE/NE Sec 6-42S-24E	Navajo Tribal 41-2 43-037-31041 NE/NE Sec 2-42S-24E	Navajo Tribal 23-13 43-037-30971 NE/SW Sec 13-40S-24E	Runway 10C-5A 43-037-31597 NE/NW Sec 10-40S-25E	Runway 10G-1 43-037-31515 SW/NE Sec 10-40S-25E
---	---	--	---	--	--	---	--

Vented Gas (MCF) December 1997

25-Dec	88	58	29	14		12	84	158
26-Dec	88	58	28	15		12	84	157
27-Dec	82	61	24	15		12	84	157
28-Dec	85	61	30	14		12	84	157
29-Dec	90	58	25	16	8	12	84	157
30-Dec	88	57	30	16		12	84	162
31-Dec	79	52	26	16		12	84	157
Dec Total	600	405	192	106	8	84	588	1105

Vented Gas (MCF) January 1998

1-Jan	79	57	29	16	7	12	84	162
2-Jan	89	57	30	15		12	84	162
3-Jan	87	52	30	16		12	84	162
4-Jan	86	50	29	16		12	84	162
5-Jan	107	47	29	16	7	12	84	162
6-Jan	76	75	28	21		10	84	162
7-Jan	84	72	29	22		11	84	157
8-Jan	79	75	30	22		9	84	157
9-Jan	77	70	29	21	11	12	84	147
10-Jan	0	0	0	0	0	2	0	136
11-Jan	0	0	0	0	0	0	0	0
12-Jan	0	0	0	0	0	0	0	0
13-Jan	0	0	0	0	0	0	0	0
14-Jan	0	0	0	0	0	0	0	0
15-Jan	0	0	0	0	0	0	0	0
16-Jan	0	0	0	0	0	0	0	0
17-Jan	0	0	0	0	0	0	0	0
18-Jan	81	67	28	22	0	0	0	0
19-Jan	81	67	28	22	0	5	99	0
20-Jan	80	64	30	21	0	2	12	0
Jan Total	1006	753	349	230	25	111	867	1569
Grand Total	1606	1158	541	336	33	195	1455	2674

HARKEN SOUTHWEST CORPORATION

Gas Vented during Aneth Plant Shut-Down (12/97 & 1/98)

Page 2 of 3

Runway 10E-2 43-037-31550 SW/NW Sec 10-40S-25E	Momentum 8N-2 43-037-31509 SE/SW Sec 8-40S-25E	Momentum 17E-2 43-037-31547 SW/NW Sec 17-40S-25E	Cajon Mesa 8D-1 43-037-31497 NW/NW Sec 8-40S-25E	Blue Hogan 1J-1 43-037-31562 NW/SE Sec 1-42S-23E	Brown Hogan 1A-2 43-037-31573 NE/NE Sec 1-42S-23E
---	---	---	---	---	--

Vented Gas (MCF) December 1997

25-Dec	64	22		22	32	20
26-Dec	64	22	23	22	32	20
27-Dec	64	22		22	32	20
28-Dec	64	22		22	32	22
29-Dec	64	22	22	22	32	22
30-Dec	64	22		25	22	20
31-Dec	64	19		25	22	20
Dec Total	448	151	45	160	204	144

Vented Gas (MCF) January 1998

1-Jan	64	20	22	25	22	21
2-Jan	64	22		25	20	20
3-Jan	64	22		25	20	20
4-Jan	64	22		25	22	20
5-Jan	64	21	15	25	22	20
6-Jan	64	21		25	22	20
7-Jan	64	21		25	22	22
8-Jan	64	21		25	22	22
9-Jan	64	22	22	25	22	22
10-Jan	8	0	0	22	40	4
11-Jan	0	0	0	0	0	0
12-Jan	0	0	0	0	0	0
13-Jan	0	0	0	0	0	0
14-Jan	0	0	0	0	0	0
15-Jan	0	0	0	0	0	0
16-Jan	0	0	0	0	0	0
17-Jan	0	0	0	0	0	0
18-Jan	0	0	0	0	44	21
19-Jan	69	23	14	21	44	21
20-Jan	13	4		5	10	23
Jan Total	666	219	73	273	332	256
Grand Total	1114	370	118	433	536	400

HARKEN SOUTHWEST CORPORATION
Gas Vented during Aneth Plant Shut-Down (12/97 & 1/98)

Page 3 of 3

	Mule 31M 43-037-31710 SW/SW Sec31-41-24E	Big Sky 6E(6L) 43-037-31714 NW/SW Sec 6-42S-25E	Mule 31-K(N) 43-037-31617 NE/SW Sec 31-41S-24E	DAILY TOTALS
Vented Gas (MCF) December 1997				
25-Dec	25	62	25	715
26-Dec	25	94		744
27-Dec	20	94	21	730
28-Dec	19	90	21	735
29-Dec	28	62	29	753
30-Dec	22	62		686
31-Dec	23	62		661
Dec Total	162	526	96	5024
Vented Gas (MCF) January 1998				
1-Jan	22	62		704
2-Jan	23	63		686
3-Jan	23	63		680
4-Jan	23	63		678
5-Jan	23	63		717
6-Jan	22	63		693
7-Jan	23	63	21	720
8-Jan	23	63	21	717
9-Jan	23	64	21	736
10-Jan	0	64	0	276
11-Jan	0	0	0	0
12-Jan	0	0	0	0
13-Jan	0	0	0	0
14-Jan	0	0	0	0
15-Jan	0	0	0	0
16-Jan	0	0	0	0
17-Jan	0	0	0	0
18-Jan	23	73	0	359
19-Jan	25	73	21	613
20-Jan	23	2	23	312
Jan Total	276	779	107	7891
Grand Total	438	1305	203	12915

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING
 1594 West North Temple, Suite 1210, PO Box 145801, Salt Lake City, UT 84114-5801

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS

HARKEN Susan Herrera
 RIM SOUTHWEST CORPORATION
 C/O HOLCOMB OIL AND GAS, INC.
 PO BOX 2058
 FARMINGTON, NM 87499-2058

UTAH ACCOUNT NUMBER: N9290

REPORT PERIOD (MONTH/YEAR): 02/2001

AMENDED REPORT (Highlight Changes)

WELL NAME			Producing Zone	Well Status	Well Type	Days Oper	Production Volumes		
API Number	Entity	Location					OIL (BBL)	GAS (MCF)	WATER (BBL)
NAVAJO TRIBAL 23-13			DSCR	P	OW	28	1,071	551	2,296
4303730971	09420	40S 24E 13							
NAVAJO TRIBAL 41-2			DSCR	P	OW	19	174	23	0
4303731041	09437	42S 24E 02							
NAVAJO TRIBAL 32-26			DSCR	P	OW	8	104	291	0
4303731060	09990	40S 22E 26							
NAVAJO TRIBAL 14-10			DSCR	P	OW	28	93	0	0
4303730977	10130	40S 24E 05							
SAHGZIE 1			DSCR	P	OW	28	1,025	476	0
4303731472	11032	42S 24E 05							
ANASAZI 1			DSCR	P	OW	28	1,308	1,349	0
4303731478	11042	42S 24E 05							
CAJON MESA 8D-1			DSCR	P	OW	27	245	355	61
4303731497	11074	40S 25E 08							
MONUMENT 8N-2			DSCR	P	OW	28	239	496	0
4303731509	11087	40S 25E 08							
RUNWAY 10G-1			DSCR	S	OW	28	1,412	1,613	432
4303731515	11105	40S 25E 10							
RUNWAY 10E-2			DSCR	S	GW	27	279	917	0
4303731550	11128	40S 25E 10							
MONUMENT 17E-2			DSCR	S	OW	26	157	548	0
4303731547	11139	40S 25E 17							
LONE MOUNTAIN CREEK 12F-1			DSCR	P	OW	22	149	533	12
4303731545	11148	42S 24E 12							
RUNWAY 10C-5A			DSCR	P	OW	24	221	899	40
4303731597	11152	40S 25E 10							
TOTALS							6477	8051	2841

COMMENTS: _____

I hereby certify that this report is true and complete to the best of my knowledge. Date: April 13, 2001

Signature Susan M. Herrera
 Susan M. Herrera

RECEIVED Telephone Number

(505) 326-0550

APR 17 2001

DIVISION OF
 OIL, GAS AND MINING

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING
 1594 West North Temple, Suite 1210, PO Box 145801, Salt Lake City, UT 84114-5801

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS

Susan Herrera
 RIM SOUTHWEST CORPORATION
 C/O HOLCOMB OIL AND GAS, INC.
 PO BOX 2058
 FARMINGTON, NM 87499-2058

UTAH ACCOUNT NUMBER: N9290

REPORT PERIOD (MONTH/YEAR): 02/2001

AMENDED REPORT (Highlight Changes)

WELL NAME			Producing Zone	Well Status	Well Type	Days Oper	Production Volumes			
API Number	Entity	Location					OIL (BBL)	GAS (MCF)	WATER (BBL)	
✓	4303731562	11161	42S 23E 01	DSCR	P	OW	27	800	778	36
✓	4303731572	11207	42S 24E 05	DSCR	P	OW	28	1,187	1,284	0
✓	4303731573	11215	42S 23E 01	DSCR	P	OW	28	297	504	0
✓	4303731595	11224	41S 23E 36	DSCR	S	OW	0	0	0	0
✓	4303731617	11326	41S 24E 31	DSCR	P	OW	28	308	348	73
✓	4303731616	11479	41S 25E 35	DSCR	S	OW	0	0	0	0
✓	4303731708	11496	41S 24E 31	DSCR	P	OW	28	489	0	0
✓	4303731709	11497	41S 24E 31	DSCR	S	OW	0	0	0	0
✓	4303731710	11498	41S 24E 31	DSCR	P	OW	28	1,074	333	120
✓	4303731714	11722	42S 25E 06	DSCR	P	OW	26	262	551	0
✓	4303731741	11734	41S 25E 32	DSCR	TA	NA	0	0	0	0
✓	4303731744	11773	42S 24E 06	DSCR	P	OW	28	205	303	0
TOTALS								4622	4101	229

COMMENTS: _____

I hereby certify that this report is true and complete to the best of my knowledge.

Date: April 13, 2001

Signature


 Susan M. Herrera

RECEIVED Telephone Number (505) 326-0550

APR 17 2001

DIVISION OF
 OIL, GAS AND MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL		5. LEASE DESIGNATION AND SERIAL NUMBER:
OIL WELL <input checked="" type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER <u>SEE ATTACHED</u>		SEE ATTACHED
2. NAME OF OPERATOR:		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
RIM Southwest Corporation		Navajo
3. ADDRESS OF OPERATOR:		7. UNIT or CA AGREEMENT NAME:
P.O. Box 145 CITY Farmington STATE NM ZIP 87499		SEE ATTACHED
4. LOCATION OF WELL		8. WELL NAME and NUMBER:
FOOTAGES AT SURFACE: <u>SEE ATTACHED</u>		SEE ATTACHED
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____		9. API NUMBER:
COUNTY: <u>San Juan</u>		SEE ATTACH
STATE: <u>UTAH</u>		10. FIELD AND POOL, OR WILDCAT:
		Greater Aneth

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Corporate Name Change</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Corporate Name Change from Harken Southwest Corporation to RIM Southwest Corporation, effective December 1, 2000 for reporting requirements.

RECEIVED
APR 27 2001
DIVISION OF
OIL, GAS AND MINING

NAME (PLEASE PRINT) <u>W. J. Holcomb</u>	TITLE <u>Vice-President</u>
SIGNATURE <u><i>W. J. Holcomb</i></u>	DATE <u>4/23/2001</u>

(This space for State use only)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

5. Lease Designation and Serial No.
See Attached

6. If Indian, Allottee or Tribe Name
Navajo Nation

7. If Unit or CA, Agreement Designation

8. Well Name and No.

9. API Well No.

10. Field and Pool, or Exploratory Area

11. County or Parish, State

**San Juan County
Utah**

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

RIM SOUTHWEST CORPORATION

3. Address and Telephone No.

P. O. Box 145, Farmington, NM 87499 (505)327-5531

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

Notice of Intent
 Subsequent Report
 Final Abandonment Notice

Abandonment
 Recompletion
 Plugging Back
 Casing Repair
 Altering Casing
 Other Vent/Flare Gas

Change of Plans
 New Construction
 Non-Routine Fracturing
 Water Shut-Off
 Conversion to Injection
 Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Please be advised that RIM Southwest Corporation is requesting approval to vent gas until September 14, 2001. After September 14, we request permission to flare the gas until the Aneth Plant is back on line.

Attachment

cc: State of Utah
Navajo Nation-Minerals
Navajo Nation EPA - Air Quality
BIA - Gallup, NM

Accepted by the
Utah Division of
Oil, Gas and Mining

Date: 9/17/01
By: [Signature]
Ext. Oct 15, 2001

Federal Approval Of This
Action Is Necessary

COPY SENT TO OPERATOR
Date: 9-17-01
Initials: [Signature]

RECEIVED

AUG 21 2001

DIVISION OF
OIL, GAS AND MINING

14. I hereby certify that the foregoing is true and correct

Signed [Signature]

Title W. J. Holcomb, Vice President Date 8/29/01

(This space for Federal or State office use)

Approved by _____
Conditions of approval, if any:

Title _____ Date _____

RIM SOUTHWEST CORPORATION

LEASE NUMBER	WELL NAME	SEC-TWN-RNG	ESTIMATED GAS VENTED MCF/DAY
1420603373	Big Sky 6E (6L)	06-42S-25E	19
NOC 14205297			
(NMNM 5756)	Monument 8N-2	08-40S-25E	18
(NMNM 5757)	Cajon Mesa 8D-1	08-40S-25E	0
NOG 8308-1033	Navajo Tribal 23-13	13-40S-24E	23
	Navajo Tribal 14-10	10-40S-24E	1
	Navajo Tribal 41-2	02-42S-24E	8
	Navajo Tribal 32-26	26-40S-22E	8
NOG 8707-1162	Sahgzie #1	05-42S-24E	16
	Anasazi #1	05-42S-24E	67
NOG 8707-1170	Runway 10G-1	10-40S-25E	SI
	Runway 10C-5A	10-40S-25E	SI
NOG 8707-1190	Runway 10E-2	10-40S-25E	17
NOG 8707-1191	Monument 17E-2	17-40S-25e	0
NOG 8707-1206	Blue Hogan 1J-1	01-42S-23E	27
	Brown Hogan 1A-2	01-42S-23E	18
NOG 8707-12321	Burro 31-1	31-41S-24E	1
	Jack 31G	31-41S-24E	SI
	Mule 31K (N)	31-41S-24E	7
	Mule 31M	31-41S-24E	24
TOTAL AVERAGE			254

- 43-037-31714

- 43-037-31509

- 43-037-31497

- 43-037-30971

- 43-037-30977

- 43-037-31041

- 43-037-31060

- 43-037-31472

- 43-037-31478

- 43-037-31515

- 43-037-31597

- 43-037-31550

- 43-037-31547

- 43-037-31562

- 43-037-31573

- 43-037-31708

- 43-037-31709

- 43-037-31617

- 43-037-31710



2030 AFTON PLACE
 FARMINGTON, N.M. 87401
 (505) 325-6622

ANALYSIS NO. HSC80013
 CUST. NO. 33500- 10095

WELL/LEASE INFORMATION

CUSTOMER NAME	HARKEN SOUTHWEST CORP.	SOURCE	N/A
WELL NAME	MULE 31M	PRESSURE	25 PSIG
COUNTY/ STATE	SAN JUAN UT	SAMPLE TEMP	76 DEG.F
LOCATION	ANETH	WELL FLOWING	Y
FIELD		DATE SAMPLED	6/30/98
FORMATION		SAMPLED BY	FGM
CUST.STN.NO.	202E412018	FOREMAN/ENGR.	STEVEN J. MANSUR

REMARKS

ANALYSIS

COMPONENT	MOLE %	GPM**	B.T.U.*	SP.GR *
NITROGEN	1.332	0.0000	0.00	0.0129
CO2	0.112	0.0000	0.00	0.0017
METHANE	57.114	0.0000	578.17	0.3164
ETHANE	19.739	5.2802	350.11	0.2049
PROPANE	11.863	3.2694	299.17	0.1806
I-BUTANE	1.498	0.4900	48.83	0.0301
N-BUTANE	4.080	1.2864	133.41	0.0819
I-PENTANE	1.011	0.3699	40.54	0.0252
N-PENTANE	1.215	0.4401	48.82	0.0303
HEXANE PLUS	2.036	0.8883	104.67	0.0655
TOTAL	100.000	12.0243	1,603.72	0.9494

* @ 14.730 PSIA DRY & UNCORRECTED FOR COMPRESSIBILITY

** @ 14.730 PSIA & 60 DEG. F.

COMPRESSIBILITY FACTOR	(1/Z)	1.0067
BTU/CU.FT (DRY) CORRECTED FOR	(1/Z)	1,614.5
BTU/CU.FT (WET) CORRECTED FOR	(1/Z)	1,586.4
REAL SPECIFIC GRAVITY		0.9559

ANALYSIS RUN AT 14.730 PSIA & 60 DEGREES F

DRY BTU @ 14.650	1,605.7
DRY BTU @ 14.696	1,610.7
DRY BTU @ 14.730	1,614.5
DRY BTU @ 15.025	1,646.8

CYLINDER #	SJ99
CYLINDER PRESSURE	10 PSIG
DATE RUN	7/1/98
ANALYSIS RUN BY	DAVE MARTIN



2030 AFTON PLACE
 FARMINGTON, N.M. 87401
 (505) 325-6622

ANALYSIS NO. HSC80012
 CUST. NO. 33500- 10015

WELL/LEASE INFORMATION

CUSTOMER NAME	HARKEN SOUTHWEST CORP.	SOURCE	N/A
WELL NAME	MULE 31K	PRESSURE	24 PSIG
COUNTY/ STATE	SAN JUAN UT	SAMPLE TEMP	84 DEG.F
LOCATION	ANETH	WELL FLOWING	Y
FIELD		DATE SAMPLED	6/30/98
FORMATION	DESERT CREEK	SAMPLED BY	FGM
CUST.STN.NO.	202E340052	FOREMAN/ENGR.	STEVEN J. MANSUR

REMARKS

ANALYSIS

COMPONENT	MOLE %	GPM**	B.T.U.*	SP.GR *
NITROGEN	1.925	0.0000	0.00	0.0186
CO2	0.133	0.0000	0.00	0.0020
METHANE	63.617	0.0000	643.99	0.3524
ETHANE	16.771	4.4862	297.47	0.1741
PROPANE	9.543	2.6301	240.66	0.1453
I-BUTANE	1.205	0.3942	39.28	0.0242
N-BUTANE	3.315	1.0452	108.39	0.0665
I-PENTANE	0.794	0.2905	31.84	0.0198
N-PENTANE	0.944	0.3419	37.93	0.0235
HEXANE PLUS	1.753	0.7648	90.12	0.0564
TOTAL	100.000	9.9529	1,489.68	0.8829

* @ 14.730 PSIA DRY & UNCORRECTED FOR COMPRESSIBILITY

** @ 14.730 PSIA & 60 DEG. F.

COMPRESSIBILITY FACTOR (1/Z) 1.0056
 BTU/CU.FT (DRY) CORRECTED FOR (1/Z) 1,498.0
 BTU/CU.FT (WET) CORRECTED FOR (1/Z) 1,472.0
 REAL SPECIFIC GRAVITY 0.8877

ANALYSIS RUN AT 14.730 PSIA & 60 DEGREES F

DRY BTU @ 14.650 1,489.9
 DRY BTU @ 14.696 1,494.6
 DRY BTU @ 14.730 1,498.0
 DRY BTU @ 15.025 1,528.0

CYLINDER # 048A
 CYLINDER PRESSURE 24 PSIG
 DATE RUN 7/1/98
 ANALYSIS RUN BY CHELLE DURBIN



2030 AFTON PLACE
 FARMINGTON, N.M. 87401
 (505) 325-6622

ANALYSIS NO. HSC80009
 CUST. NO. 33500- 10080

WELL/LEASE INFORMATION

CUSTOMER NAME	HARKEN SOUTHWEST CORP.	SOURCE	N/A
WELL NAME	JACK 31G	PRESSURE	28 PSIG
COUNTY/ STATE	SAN JUAN UT	SAMPLE TEMP	76 DEG.F
LOCATION	ANETH	WELL FLOWING	Y
FIELD		DATE SAMPLED	6/30/98
FORMATION		SAMPLED BY	FGM
CUST.STN.NO.	202E410005	FOREMAN/ENGR.	STEVEN J. MANSUR

REMARKS

ANALYSIS

COMPONENT	MOLE %	GPM**	B.T.U.*	SP.GR *
NITROGEN	1.975	0.0000	0.00	0.0191
CO2	0.062	0.0000	0.00	0.0009
METHANE	70.488	0.0000	713.55	0.3904
ETHANE	13.388	3.5813	237.46	0.1390
PROPANE	7.057	1.9449	177.97	0.1075
I-BUTANE	1.012	0.3310	32.99	0.0203
N-BUTANE	2.613	0.8239	85.44	0.0524
I-PENTANE	0.750	0.2744	30.08	0.0187
N-PENTANE	0.920	0.3332	36.97	0.0229
HEXANE PLUS	1.735	0.7570	89.20	0.0558
TOTAL	100.000	8.0458	1,403.66	0.8271

* @ 14.730 PSIA DRY & UNCORRECTED FOR COMPRESSIBILITY

** @ 14.730 PSIA & 60 DEG. F.

COMPRESSIBILITY FACTOR (1/Z) 1.0049
 BTU/CU.FT (DRY) CORRECTED FOR (1/Z) 1,410.5
 BTU/CU.FT (WET) CORRECTED FOR (1/Z) 1,386.0
 REAL SPECIFIC GRAVITY 0.8311

ANALYSIS RUN AT 14.730 PSIA & 60 DEGREES F

DRY BTU @ 14.650 1,402.9
 DRY BTU @ 14.696 1,407.3
 DRY BTU @ 14.730 1,410.5
 DRY BTU @ 15.025 1,438.8

CYLINDER # 004
 CYLINDER PRESSURE 12 PSIG
 DATE RUN 7/1/98
 ANALYSIS RUN BY DAVE MARTIN



2030 AFTON PLACE
 FARMINGTON, N.M. 87401
 (505) 325-6622

ANALYSIS NO. HSC00018
 CUST. NO. 33500-10035

WELL/LEASE INFORMATION

CUSTOMER NAME	HARKEN SOUTHWEST CORP.	SOURCE	N/A
WELL NAME	BIG SKY 6E	PRESSURE	17 PSIG
COUNTY/ STATE	SAN JUAN UT	SAMPLE TEMP	21 DEG.F
LOCATION	ANETH	WELL FLOWING	Y
FIELD		DATE SAMPLED	12/23/00
FORMATION		SAMPLED BY	FGM
CUST.STN.NO.	202E430640	FOREMAN/ENGR.	STEVEN J. MANSUR

REMARKS

ANALYSIS

COMPONENT	MOLE %	GPM**	B.T.U.*	SP.GR *
NITROGEN	1.658	0.0000	0.00	0.0160
CO2	0.037	0.0000	0.00	0.0006
METHANE	66.226	0.0000	670.41	0.3668
ETHANE	17.222	4.6069	305.47	0.1788
PROPANE	9.526	2.6254	240.24	0.1450
I-BUTANE	1.012	0.3310	32.99	0.0203
N-BUTANE	2.724	0.8589	89.07	0.0547
I-PENTANE	0.496	0.1815	19.89	0.0124
N-PENTANE	0.553	0.2003	22.22	0.0138
HEXANE PLUS	0.546	0.2382	28.07	0.0176
TOTAL	100.000	9.0422	1,408.36	0.8260

* @ 14.730 PSIA DRY & UNCORRECTED FOR COMPRESSIBILITY

** @ 14.730 PSIA & 60 DEG. F.

COMPRESSIBILITY FACTOR (1/Z) 1.0048
 BTU/CU.FT (DRY) CORRECTED FOR (1/Z) 1,415.4
 BTU/CU.FT (WET) CORRECTED FOR (1/Z) 1,390.8
 REAL SPECIFIC GRAVITY 0.8302

ANALYSIS RUN AT 14.730 PSIA & 60 DEGREES F

DRY BTU @ 14.650 1,407.7
 DRY BTU @ 14.696 1,412.2
 DRY BTU @ 14.730 1,415.4
 DRY BTU @ 15.025 1,443.8

CYLINDER # 007
 CYLINDER PRESSURE 17 PSIG
 DATE RUN 12/28/00
 ANALYSIS RUN BY GINA HANON

CQM, INC. ON-SITE GAS ANALYSIS UNIT 2
 1427 W. AZTEC BLVD. #3
 AZTEC, NM 87410 505-333-2003

Source: ELKHORN FIELD SERVICES Report Date: 06/19/2001 13:48:14
 Station #: 78-153 Sample Date: 06/13/2001
 Station Name: BLUE/BROWN HOGAN Flowing Pressure: 0 psig
 Field: RIM SOUTHWEST Flowing Temp.: 0 F

Method: c:\mti\ezchrom\200\methods\H2S 1.MET
 File: c:\mti\ezchrom\200\chrom\78_15306.2

Gas Analysis by Chromatograph

Name	Mole %	BTU	RD	GPM
Nitrogen	3.577	0.000	0.035	
Methane	55.640	563.264	0.308	
CO2	0.033	0.000	0.001	
Ethane	17.739	314.636	0.184	4.744
H2S (APPROX)	0.000	0.000	0.000	
Propane	11.983	302.202	0.182	3.302
i-Butane	1.627	53.031	0.033	0.532
n-Butane	4.370	142.892	0.088	1.378
i-Pentane	1.194	47.881	0.030	0.437
n-Pentane	1.465	58.866	0.036	0.531
Hexanes	1.955	93.193	0.058	0.804
Heptanes	0.373	20.572	0.013	0.172
Octanes	0.044	2.756	0.002	0.023
Nonanes	0.000	0.000	0.000	

Ideal Total 100.000 1599.293 0.969 11.922
 Unnormalized Total 111.244

Gross BTU/Real Cu. Ft.
 (@ 60 deg F, 14.730)
 Dry = 1610.156
 Sat. = 1583.743
 Actual = 1610.156
 (0.000 lbs. water/MMCF)

Gasoline Content
 Propane GPM = 3.302
 Butane GPM = 1.910
 Gasoline GPM = 1.966
 26# Gasoline GPM = 3.344
 Total GPM = 11.922

Real Relative Density Calculated = 0.9755
 On-Site Relative Density = 0.0000

Gas Compressibility = 0.9933



2030 AFTON PLACE
 FARMINGTON, N.M. 87401
 (505) 325-6622

ANALYSIS NO. HSC00010
 CUST. NO. 33500- 10090

WELL/LEASE INFORMATION

CUSTOMER NAME	HARKEN SOUTHWEST CORP.	SOURCE	N/A
WELL NAME	MONUMENT 17-E-2	PRESSURE	20 PSIG
COUNTY/ STATE	SAN JUAN UT	SAMPLE TEMP	47 DEG.F
LOCATION	ANETH	WELL FLOWING	Y
FIELD		DATE SAMPLED	12/21/00
FORMATION		SAMPLED BY	FGM
CUST.STN.NO.	202E311659	FOREMAN/ENGR.	STEVEN J. MANSUR

REMARKS

ANALYSIS

COMPONENT	MOLE %	GPM**	B.T.U.*	SP.GR *
NITROGEN	0.958	0.0000	0.00	0.0093
CO2	0.071	0.0000	0.00	0.0011
METHANE	67.968	0.0000	688.04	0.3765
ETHANE	14.933	3.9946	264.87	0.1550
PROPANE	8.159	2.2486	205.76	0.1242
I-BUTANE	0.965	0.3157	31.45	0.0194
N-BUTANE	2.976	0.9383	97.31	0.0597
I-PENTANE	0.754	0.2759	30.24	0.0188
N-PENTANE	1.118	0.4049	44.92	0.0279
HEXANE PLUS	2.098	0.9154	107.86	0.0675
TOTAL	100.000	9.0934	1,470.45	0.8593

* @ 14.730 PSIA DRY & UNCORRECTED FOR COMPRESSIBILITY
 ** @ 14.730 PSIA & 60 DEG. F.

COMPRESSIBILITY FACTOR (1/Z) 1.0054
 BTU/CU.FT (DRY) CORRECTED FOR (1/Z) 1,479.5
 BTU/CU.FT (WET) CORRECTED FOR (1/Z) 1,453.8
 REAL SPECIFIC GRAVITY 0.8647

ANALYSIS RUN AT 14.730 PSIA & 60 DEGREES F

DRY BTU @ 14.650	1,471.5	CYLINDER #	005
DRY BTU @ 14.696	1,476.1	CYLINDER PRESSURE	22 PSIG
DRY BTU @ 14.730	1,479.5	DATE RUN	12/22/00
DRY BTU @ 15.025	1,509.2	ANALYSIS RUN BY	AMY JUSTICE



2030 AFTON PLACE
 FARMINGTON, N.M. 87401
 (505) 325-6622

ANALYSIS NO. HSC00014
 CUST. NO. 33500- 10120

WELL/LEASE INFORMATION

CUSTOMER NAME	HARKEN SOUTHWEST CORP.	SOURCE	N/A
WELL NAME	RUNAWAY 10E2	PRESSURE	21 PSIG
COUNTY/ STATE	SAN JUAN UT	SAMPLE TEMP	60 DEG.F
LOCATION	ANETH	WELL FLOWING	Y
FIELD		DATE SAMPLED	12/21/00
FORMATION		SAMPLED BY	FGM
CUST.STN.NO.	202E311617	FOREMAN/ENGR.	STEVEN J. MANSUR

REMARKS

ANALYSIS

COMPONENT	MOLE %	GPM**	B.T.U.*	SP.GR *
NITROGEN	0.534	0.0000	0.00	0.0052
CO2	0.053	0.0000	0.00	0.0008
METHANE	50.326	0.0000	509.45	0.2788
ETHANE	23.092	6.1771	409.58	0.2397
PROPANE	14.269	3.9325	359.85	0.2173
I-BUTANE	1.588	0.5194	51.76	0.0319
N-BUTANE	4.428	1.3961	144.79	0.0889
I-PENTANE	0.988	0.3615	39.62	0.0246
N-PENTANE	1.348	0.4882	54.17	0.0336
HEXANE PLUS	3.374	1.4721	173.46	0.1086
TOTAL	100.000	14.3471	1,742.68	1.0292

* @ 14.730 PSIA DRY & UNCORRECTED FOR COMPRESSIBILITY

** @ 14.730 PSIA & 60 DEG. F.

COMPRESSIBILITY FACTOR (1/Z) 1.0082
 BTU/CU.FT (DRY) CORRECTED FOR (1/Z) 1,758.8
 BTU/CU.FT (WET) CORRECTED FOR (1/Z) 1,728.2
 REAL SPECIFIC GRAVITY 1.0390

ANALYSIS RUN AT 14.730 PSIA & 60 DEGREES F

DRY BTU @ 14.650 1,749.3
 DRY BTU @ 14.696 1,754.8
 DRY BTU @ 14.730 1,758.8
 DRY BTU @ 15.025 1,794.1

CYLINDER # AZT035
 CYLINDER PRESSURE 26 PSIG
 DATE RUN 12/22/00
 ANALYSIS RUN BY AMY JUSTICE



2030 AFTON PLACE
 FARMINGTON, N.M. 87401
 (505) 325-6622

ANALYSIS NO. HSC00013
 CUST. NO. 33500- 10115

WELL/LEASE INFORMATION

CUSTOMER NAME	HARKEN SOUTHWEST CORP.	SOURCE	N/A
WELL NAME	RUNAWAY 10C 5-A	PRESSURE	9 PSIG
COUNTY/ STATE	SAN JUAN UT	SAMPLE TEMP	69 DEG.F
LOCATION	ANETH	WELL FLOWING	Y
FIELD		DATE SAMPLED	12/21/00
FORMATION		SAMPLED BY	FGM
CUST.STN.NO.	202E308719	FOREMAN/ENGR.	STEVEN J. MANSUR

REMARKS

ANALYSIS

COMPONENT	MOLE %	GPM**	B.T.U.*	SP.GR *
NITROGEN	0.794	0.0000	0.00	0.0077
CO2	0.109	0.0000	0.00	0.0017
METHANE	56.637	0.0000	573.34	0.3137
ETHANE	18.737	5.0121	332.34	0.1945
PROPANE	11.185	3.0826	282.07	0.1703
I-BUTANE	1.296	0.4239	42.24	0.0260
N-BUTANE	3.814	1.2026	124.71	0.0765
I-PENTANE	1.035	0.3787	41.51	0.0258
N-PENTANE	1.558	0.5643	62.60	0.0388
HEXANE PLUS	4.835	2.1095	248.57	0.1556
TOTAL	100.000	12.7737	1,707.38	1.0106

* @ 14.730 PSIA DRY & UNCORRECTED FOR COMPRESSIBILITY

** @ 14.730 PSIA & 60 DEG. F.

COMPRESSIBILITY FACTOR	(1/Z)	1.0080
BTU/CU.FT (DRY) CORRECTED FOR	(1/Z)	1,723.7
BTU/CU.FT (WET) CORRECTED FOR	(1/Z)	1,693.7
REAL SPECIFIC GRAVITY		1.0203

ANALYSIS RUN AT 14.730 PSIA & 60 DEGREES F

DRY BTU @ 14.650	1,714.3
DRY BTU @ 14.696	1,719.7
DRY BTU @ 14.730	1,723.7
DRY BTU @ 15.025	1,758.2

CYLINDER #	A002
CYLINDER PRESSURE	14 PSIG
DATE RUN	12/22/00
ANALYSIS RUN BY	AMY JUSTICE

CQM, INC.
1427 W.AZTEC, BLVD. #3 AZTEC, NM 87410
505-333-2003

Source: ELKHORN FIELD SERVICE Report Date: 06/19/2001 12:58:11
Station #: 78-138 Sample Date: 06/13/2001
Station Name: RUNWAY 10-G-1 Flowing Pressure: 0 psig
Field: RIM SOUTHWEST Flowing Temp.: 0 F

Method: c:\mti\ezchrom\200\methods\sour2.met
File: c:\mti\ezchrom\200\chrom\78_13806.1

Gas Analysis by Chromatograph

Name	Mole %	BTU	RD	GPM
Nitrogen	1.082	0.000	0.010	
Methane	59.728	604.648	0.331	
CO2	0.074	0.000	0.001	
Ethane	18.511	328.328	0.192	4.951
H2S (approx)	0.000	0.000	0.000	
Propane	12.402	312.769	0.189	3.417
i-Butane	1.191	38.820	0.024	0.390
n-Butane	3.539	115.720	0.071	1.116
i-Pentane	0.926	37.134	0.023	0.335
n-Pentane	1.239	49.785	0.031	0.453
Hexanes	0.834	39.756	0.025	0.343
Heptanes	0.424	23.385	0.015	0.196
Octanes	0.050	3.132	0.002	0.026
Ideal Total	100.000	1553.477	0.914	11.227
Unnormalized Total	92.627			

Gross BTU/Real Cu. Ft.
(@ 60 deg F, 14.730)
Dry = 1563.024
Sat. = 1537.392
Actual = 1563.024
(0.000 lbs. water/MMCF)

Gasoline Content
Propane GPM = 3.417
Butane GPM = 1.505
Gasoline GPM = 1.353
26# Gasoline GPM = 2.469
Total GPM = 11.227

Real Relative Density Calculated = 0.9190
On-Site Relative Density = 0.0000

Gas Compressibility = 0.9939

CQM, I ON-SITE GAS ANALYSIS
 1427 W. AZTEC BLVD. #3
 AZTEC, NM 87410 505-333-2003

Source: ELKHORN FIELD SERVICES Report Date: 06/19/2001 13:53:04
 Station #: 78-148 Sample Date: 06/13/2001
 Station Name: SAGEEZIE/ANASAZI Flowing Pressure: 0 psig
 Field: RIM SOUTHWEST Flowing Temp.: 0 F

Method: c:\mti\ezchrom\200\methods\H2S_1.MET
 File: c:\mti\ezchrom\200\chrom\78_14806.1

Gas Analysis by Chromatograph

Name	Mole %	BTU	RD	GPM
Nitrogen	0.664	0.000	0.006	
Methane	44.440	449.882	0.246	
CO2	0.068	0.000	0.001	
Ethane	23.771	421.625	0.247	6.358
H2S (APPROX)	0.000	0.000	0.000	
Propane	17.469	440.554	0.266	4.814
i-Butane	2.367	77.151	0.048	0.774
n-Butane	5.635	184.256	0.113	1.777
i-Pentane	1.485	59.551	0.037	0.543
n-Pentane	1.729	69.474	0.043	0.626
Hexanes	1.947	92.812	0.058	0.801
Heptanes	0.378	20.848	0.013	0.174
Octanes	0.047	2.944	0.002	0.024
Nonanes	0.000	0.000	0.000	

Ideal Total 100.000 1819.096 1.080 15.891
 Unnormalized Total 113.650

Gross BTU/Real Cu. Ft.
 (@ 60 deg F, 14.730)

Dry = 1835.446

Sat. = 1805.263

Actual = 1835.446

(0.000 lbs. water/MMCF)

Gasoline Content

Propane GPM = 4.814

Butane GPM = 2.551

Gasoline GPM = 2.169

26# Gasoline GPM = 3.945

Total GPM = 15.891

Real Relative Density Calculated = 1.0892

On-Site Relative Density = 0.0000

Gas Compressibility = 0.9911



2030 AFTON PLACE
 FARMINGTON, N.M. 87401
 (505) 325-6622

ANALYSIS NO. HSC00012
 CUST. NO. 33500- 10105

WELL/LEASE INFORMATION

CUSTOMER NAME	HARKEN SOUTHWEST CORP.	SOURCE	N/A
WELL NAME	NAVAJO TRIBAL 32-26	PRESSURE	17 PSIG
COUNTY/ STATE	SAN JUAN UT	SAMPLE TEMP	30 DEG.F
LOCATION	ANETH	WELL FLOWING	Y
FIELD		DATE SAMPLED	12/21/00
FORMATION		SAMPLED BY	FGM
CUST.STN.NO.	202A-52531	FOREMAN/ENGR.	STEVEN J. MANSUR

REMARKS

ANALYSIS

COMPONENT	MOLE %	GPM**	B.T.U.*	SP.GR *
NITROGEN	0.934	0.0000	0.00	0.0090
CO2	0.050	0.0000	0.00	0.0008
METHANE	71.878	0.0000	727.62	0.3981
ETHANE	15.057	4.0277	267.07	0.1563
PROPANE	6.531	1.7999	164.71	0.0994
I-BUTANE	0.770	0.2519	25.10	0.0155
N-BUTANE	1.958	0.6174	64.02	0.0393
I-PENTANE	0.510	0.1866	20.45	0.0127
N-PENTANE	0.663	0.2401	26.64	0.0165
HEXANE PLUS	1.649	0.7195	84.78	0.0531
TOTAL	100.000	7.8431	1,380.39	0.8007

* @ 14.730 PSIA DRY & UNCORRECTED FOR COMPRESSIBILITY

** @ 14.730 PSIA & 60 DEG. F.

COMPRESSIBILITY FACTOR (1/Z) 1.0046
 BTU/CU.FT (DRY) CORRECTED FOR (1/Z) 1,387.6
 BTU/CU.FT (WET) CORRECTED FOR (1/Z) 1,363.5
 REAL SPECIFIC GRAVITY 0.8049

ANALYSIS RUN AT 14.730 PSIA & 60 DEGREES F

DRY BTU @ 14.650 1,380.1
 DRY BTU @ 14.696 1,384.4
 DRY BTU @ 14.730 1,387.6
 DRY BTU @ 15.025 1,415.4

CYLINDER # KFL148
 CYLINDER PRESSURE 23 PSIG
 DATE RUN 12/22/00
 ANALYSIS RUN BY AMY JUSTICE

CQM, INC. ON-SITE GAS ANALYSIS UNIT 2
 1427 W. AZTEC BLVD. #3
 AZTEC, NM 87410 505-333-2003

Source: ELKHORN FIELD SERVICES Report Date: 06/19/2001 13:59:32
 Station #: 78-145 Sample Date: 06/13/2001
 Station Name: NT41-2 Flowing Pressure: 0 psig
 Field: RIM SOUTHWEST Flowing Temp.: 0 F

Method: c:\mti\ezchrom\200\methods\H2S_1.MET
 File: c:\mti\ezchrom\200\chrom\78_14506.1

Gas Analysis by Chromatograph

Name	Mole %	BTU	RD	GPM
Nitrogen	1.152	0.000	0.011	
Methane	56.788	574.886	0.315	
CO2	0.085	0.000	0.001	
Ethane	19.719	349.755	0.205	5.274
H2S (APPROX)	0.000	0.000	0.000	
Propane	12.656	319.174	0.193	3.487
i-Butane	1.519	49.511	0.030	0.497
n-Butane	4.167	136.255	0.084	1.314
i-Pentane	1.029	41.265	0.026	0.377
n-Pentane	1.297	52.116	0.032	0.470
Hexanes	1.366	65.116	0.041	0.562
Heptanes	0.196	10.810	0.007	0.090
Octanes	0.026	1.628	0.001	0.013
Nonanes	0.000	0.000	0.000	

Ideal Total 100.000 1600.514 0.945 12.084
 Unnormalized Total 110.907

Gross BTU/Real Cu. Ft.
 (@ 60 deg F, 14.730)

Dry = 1611.115

Sat. = 1584.681

Actual = 1611.115

(0.000 lbs. water/MMCF)

Gasoline Content

Propane GPM = 3.487

Butane GPM = 1.811

Gasoline GPM = 1.512

26# Gasoline GPM = 2.826

Total GPM = 12.084

Real Relative Density Calculated = 0.9508

On-Site Relative Density = 0.0000

Gas Compressibility = 0.9934

CQM, INC. ON-SITE GAS ANALYSIS
 1427 W. AZTEC BLVD. #3
 AZTEC, NM 87410 505-333-2003

Source: ELKHORN FIELD SERVICE Report Date: 06/19/2001 14:32:41
 Station #: 78-146 Sample Date: 06/14/2001
 Station Name: NT #23-13 Flowing Pressure: 0 psig
 Field: RIM SOUTHWEST Flowing Temp.: 0 F

Method: c:\mti\ezchrom\200\methods\H2S_1.MET
 File: c:\mti\ezchrom\200\chrom\78_14606.1

Gas Analysis by Chromatograph

Name	Mole %	BTU	RD	GPM
Nitrogen	1.159	0.000	0.011	
Methane	56.655	573.539	0.314	
CO2	0.136	0.000	0.002	
Ethane	19.548	346.722	0.203	5.228
H2S (APPROX)	0.000	0.000	0.000	
Propane	12.674	319.628	0.193	3.492
i-Butane	1.537	50.097	0.031	0.503
n-Butane	4.064	132.887	0.082	1.281
i-Pentane	0.965	38.698	0.024	0.353
n-Pentane	1.172	47.093	0.029	0.424
Hexanes	1.532	73.029	0.046	0.630
Heptanes	0.424	23.385	0.015	0.196
Octanes	0.134	8.393	0.005	0.069
Nonanes	0.000	0.000	0.000	

Ideal Total 100.000 1613.471 0.954 12.177
 Unnormalized Total 107.575

Gross BTU/Real Cu. Ft. (@ 60 deg F, 14.730)	Gasoline Content
Dry = 1624.438	Propane GPM = 3.492
Sat. = 1597.782	Butane GPM = 1.784
Actual = 1624.438	Gasoline GPM = 1.672
(0.000 lbs. water/MMCF)	26# Gasoline GPM = 2.953
	Total GPM = 12.177

Real Relative Density Calculated = 0.9603
 On-Site Relative Density = 0.0000

Gas Compressibility = 0.9932



2030 AFTON PLACE
 FARMINGTON, N.M. 87401
 (505) 325-6622

ANALYSIS NO. HSC00009
 CUST. NO. 33500- 10085

WELL/LEASE INFORMATION

CUSTOMER NAME	HARKEN SOUTHWEST CORP.	SOURCE	N/A
WELL NAME	MONUMENT 8N2	PRESSURE	12 PSIG
COUNTY/STATE	SAN JUAN UT	SAMPLE TEMP	55 DEG.F
LOCATION	ANETH	WELL FLOWING	Y
FIELD		DATE SAMPLED	12/21/00
FORMATION		SAMPLED BY	FGM
CUST.STN.NO.	202E311589	FOREMAN/ENGR.	STEVEN J. MANSUR

REMARKS

ANALYSIS

COMPONENT	MOLE %	GPM**	B.T.U.*	SP.GR *
NITROGEN	1.139	0.0000	0.00	0.0110
CO2	0.064	0.0000	0.00	0.0010
METHANE	60.307	0.0000	610.49	0.3341
ETHANE	15.875	4.2466	281.57	0.1648
PROPANE	11.057	3.0473	278.85	0.1684
I-BUTANE	1.628	0.5325	53.06	0.0327
N-BUTANE	5.194	1.6377	169.83	0.1042
I-PENTANE	1.202	0.4398	48.20	0.0299
N-PENTANE	1.620	0.5868	65.09	0.0404
HEXANE PLUS	1.914	0.8351	98.40	0.0616
TOTAL	100.000	11.3257	1,605.49	0.9480

* @ 14.730 PSIA DRY & UNCORRECTED FOR COMPRESSIBILITY

** @ 14.730 PSIA & 60 DEG. F.

COMPRESSIBILITY FACTOR (1/Z) 1.0067
 BTU/CU.FT (DRY) CORRECTED FOR (1/Z) 1,617.3
 BTU/CU.FT (WET) CORRECTED FOR (1/Z) 1,589.2
 REAL SPECIFIC GRAVITY 0.9551

ANALYSIS RUN AT 14.730 PSIA & 60 DEGREES F

DRY BTU @ 14.650 1,608.5
 DRY BTU @ 14.696 1,613.6
 DRY BTU @ 14.730 1,617.3
 DRY BTU @ 15.025 1,649.7

CYLINDER # 050
 CYLINDER PRESSURE 15 PSIG
 DATE RUN 12/22/00
 ANALYSIS RUN BY AMY JUSTICE



2030 AFTON PLACE
 FARMINGTON, N.M. 87401
 (505) 325-6622

ANALYSIS NO. HSC00010
 CUST. NO. 33500- 10090

WELL/LEASE INFORMATION

CUSTOMER NAME	HARKEN SOUTHWEST CORP.	SOURCE	N/A
WELL NAME	MONUMENT 17-E-2	PRESSURE	20 PSIG
COUNTY/ STATE	SAN JUAN UT	SAMPLE TEMP	47 DEG.F
LOCATION	ANETH	WELL FLOWING	Y
FIELD		DATE SAMPLED	12/21/00
FORMATION		SAMPLED BY	FGM
CUST.STN.NO.	202E311659	FOREMAN/ENGR.	STEVEN J. MANSUR

REMARKS

ANALYSIS

COMPONENT	MOLE %	GPM**	B.T.U.*	SP.GR *
NITROGEN	0.958	0.0000	0.00	0.0093
CO2	0.071	0.0000	0.00	0.0011
METHANE	67.968	0.0000	688.04	0.3765
ETHANE	14.933	3.9946	264.87	0.1550
PROPANE	8.159	2.2486	205.76	0.1242
I-BUTANE	0.965	0.3157	31.45	0.0194
N-BUTANE	2.976	0.9383	97.31	0.0597
I-PENTANE	0.754	0.2759	30.24	0.0188
N-PENTANE	1.118	0.4049	44.92	0.0279
HEXANE PLUS	2.098	0.9154	107.86	0.0675
TOTAL	100.000	9.0934	1,470.45	0.8593

* @ 14.730 PSIA DRY & UNCORRECTED FOR COMPRESSIBILITY

** @ 14.730 PSIA & 60 DEG. F.

COMPRESSIBILITY FACTOR	(1/Z)	1.0054
BTU/CU.FT (DRY) CORRECTED FOR	(1/Z)	1,479.5
BTU/CU.FT (WET) CORRECTED FOR	(1/Z)	1,453.8
REAL SPECIFIC GRAVITY		0.8647

ANALYSIS RUN AT 14.730 PSIA & 60 DEGREES F

DRY BTU @ 14.650	1,471.5
DRY BTU @ 14.696	1,476.1
DRY BTU @ 14.730	1,479.5
DRY BTU @ 15.025	1,509.2

CYLINDER #	005
CYLINDER PRESSURE	22 PSIG
DATE RUN	12/22/00
ANALYSIS RUN BY	AMY JUSTICE



2030 AFTON PLACE
 FARMINGTON, N.M. 87401
 (505) 325-6622

ANALYSIS NO. HSC00008
 CUST. NO. 33500- 10000

WELL/LEASE INFORMATION

CUSTOMER NAME	HARKEN SOUTHWEST CORP.	SOURCE	N/A
WELL NAME	CAJON 8D1	PRESSURE	12 PSIG
COUNTY/ STATE	SAN JUAN UT	SAMPLE TEMP	42 DEG.F
LOCATION	ANETH	WELL FLOWING	Y
FIELD		DATE SAMPLED	12/21/00
FORMATION	ISMAY	SAMPLED BY	FGM
CUST.STN.NO.	202E311625	FOREMAN/ENGR.	STEVEN J. MANSUR

REMARKS

ANALYSIS

COMPONENT	MOLE %	GPM**	B.T.U.*	SP.GR *
NITROGEN	0.802	0.0000	0.00	0.0078
CO2	0.070	0.0000	0.00	0.0011
METHANE	58.781	0.0000	595.04	0.3256
ETHANE	18.008	4.8171	319.41	0.1870
PROPANE	12.630	3.4808	318.52	0.1923
I-BUTANE	1.567	0.5126	51.07	0.0314
N-BUTANE	4.747	1.4967	155.22	0.0953
I-PENTANE	0.925	0.3385	37.09	0.0230
N-PENTANE	1.207	0.4372	48.50	0.0301
HEXANE PLUS	1.263	0.5510	64.93	0.0406
TOTAL	100.000	11.6339	1,589.78	0.9341

* @ 14.730 PSIA DRY & UNCORRECTED FOR COMPRESSIBILITY

** @ 14.730 PSIA & 60 DEG. F.

COMPRESSIBILITY FACTOR	(1/Z)	1.0065
BTU/CU.FT (DRY) CORRECTED FOR	(1/Z)	1,600.8
BTU/CU.FT (WET) CORRECTED FOR	(1/Z)	1,573.0
REAL SPECIFIC GRAVITY		0.9408

ANALYSIS RUN AT 14.730 PSIA & 60 DEGREES F

DRY BTU @ 14.650	1,592.1
DRY BTU @ 14.696	1,597.1
DRY BTU @ 14.730	1,600.8
DRY BTU @ 15.025	1,632.9

CYLINDER #	AZT047
CYLINDER PRESSURE	15 PSIG
DATE RUN	12/26/00
ANALYSIS RUN BY	AMY JUSTICE

CQM, INC. ON-SITE GAS ANALYSIS
 1427 W. AZTEC BLVD. #3
 AZTEC, NM 87410 505-333-2003

Source: ELKHORN FIELD SERVICE Report Date: 06/19/2001 14:36:40
 Station #: 78-144 Sample Date: 06/14/2001
 Station Name: MON/CAJON MESA Flowing Pressure: 0 psig
 Field: RIM SOUTHWEST Flowing Temp.: 0 F

Method: c:\mti\ezchrom\200\methods\H2S_1.MET
 File: c:\mti\ezchrom\200\chrom\78_14406.1

Gas Analysis by Chromatograph

Name	Mole %	BTU	RD	GPM
Nitrogen	0.989	0.000	0.010	
Methane	63.867	646.549	0.354	
CO2	0.044	0.000	0.001	
Ethane	15.724	278.896	0.163	4.205
H2S (APPROX)	0.000	0.000	0.000	
Propane	9.810	247.400	0.149	2.703
i-Butane	1.181	38.494	0.024	0.386
n-Butane	3.638	118.957	0.073	1.147
i-Pentane	0.900	36.091	0.022	0.329
n-Pentane	1.247	50.107	0.031	0.452
Hexanes	1.943	92.621	0.058	0.799
Heptanes	0.514	28.348	0.018	0.237
Octanes	0.143	8.957	0.006	0.073
Nonanes	0.000	0.000	0.000	
Ideal Total	100.000	1546.420	0.908	10.332
Unnormalized Total	108.337			

Gross BTU/Real Cu. Ft.
 (@ 60 deg F, 14.730)
 Dry = 1555.948
 Sat. = 1530.436
 Actual = 1555.948
 (0.000 lbs. water/MMCF)

Gasoline Content
 Propane GPM = 2.703
 Butane GPM = 1.533
 Gasoline GPM = 1.890
 26# Gasoline GPM = 3.037
 Total GPM = 10.332

Real Relative Density Calculated = 0.9133
 On-Site Relative Density = 0.0000

Gas Compressibility = 0.9939



2030 AFTON PLACE
 FARMINGTON, N.M. 87401
 (505) 325-6622

ANALYSIS NO. HSC00018
 CUST. NO. 33500- 10035

WELL/LEASE INFORMATION

CUSTOMER NAME	HARKEN SOUTHWEST CORP.	SOURCE	N/A
WELL NAME	BIG SKY 6E	PRESSURE	17 PSIG
COUNTY/ STATE	SAN JUAN UT	SAMPLE TEMP	21 DEG.F
LOCATION	ANETH	WELL FLOWING	Y
FIELD		DATE SAMPLED	12/23/00
FORMATION		SAMPLED BY	FGM
CUST.STN.NO.	202E430640	FOREMAN/ENGR.	STEVEN J. MANSUR

REMARKS

ANALYSIS

COMPONENT	MOLE %	GPM**	B.T.U.*	SP.GR *
NITROGEN	1.658	0.0000	0.00	0.0160
CO2	0.037	0.0000	0.00	0.0006
METHANE	66.226	0.0000	670.41	0.3668
ETHANE	17.222	4.6069	305.47	0.1788
PROPANE	9.526	2.6254	240.24	0.1450
I-BUTANE	1.012	0.3310	32.99	0.0203
N-BUTANE	2.724	0.8589	89.07	0.0547
I-PENTANE	0.496	0.1815	19.89	0.0124
N-PENTANE	0.553	0.2003	22.22	0.0138
HEXANE PLUS	0.546	0.2382	28.07	0.0176
TOTAL	100.000	9.0422	1,408.36	0.8260

* @ 14.730 PSIA DRY & UNCORRECTED FOR COMPRESSIBILITY

** @ 14.730 PSIA & 60 DEG. F.

COMPRESSIBILITY FACTOR	(1/Z)	1.0048
BTU/CU.FT (DRY) CORRECTED FOR	(1/Z)	1,415.4
BTU/CU.FT (WET) CORRECTED FOR	(1/Z)	1,390.8
REAL SPECIFIC GRAVITY		0.8302

ANALYSIS RUN AT 14.730 PSIA & 60 DEGREES F

DRY BTU @ 14.650	1,407.7
DRY BTU @ 14.696	1,412.2
DRY BTU @ 14.730	1,415.4
DRY BTU @ 15.025	1,443.8

CYLINDER #	007
CYLINDER PRESSURE	17 PSIG
DATE RUN	12/28/00
ANALYSIS RUN BY	GINA HANON

CQM, INC.
1427 W. AZTEC, BLVD. #3 AZTEC, NM 87410
505-333-2003

Source: ELKHORN FIELD SERVICE Report Date: 06/19/2001 12:14:41
Station #: 78-132 Sample Date: 06/13/2001
Station Name: HILLSIDE 6-C *Big Sky* Flowing Pressure: 0 psig
Field: RIM SOUTHWEST Flowing Temp.: 0 F

Method: c:\mti\ezchrom\200\methods\sour2.met
File: c:\mti\ezchrom\200\chrom\78_13206.1

Gas Analysis by Chromatograph

Name	Mole %	BTU	RD	GPM
Nitrogen	1.876	0.000	0.018	
Methane	65.826	666.381	0.365	
CO2	0.039	0.000	0.001	
Ethane	16.765	297.360	0.174	4.484
H2S (approx)	0.000	0.000	0.000	
Propane	9.827	247.829	0.150	2.708
i-Butane	0.865	28.194	0.017	0.283
n-Butane	2.514	82.204	0.050	0.793
i-Pentane	0.633	25.384	0.016	0.229
n-Pentane	0.787	31.623	0.020	0.288
Hexanes	0.689	32.844	0.021	0.283
Heptanes	0.166	9.155	0.006	0.077
Octanes	0.013	0.814	0.001	0.007
Ideal Total	100.000	1421.788	0.837	9.151
Unnormalized Total	94.894			

Gross BTU/Real Cu. Ft. (@ 60 deg F, 14.730)	Gasoline Content
Dry = 1428.837	Propane GPM = 2.708
Sat. = 1405.444	Butane GPM = 1.076
Actual = 1428.837	Gasoline GPM = 0.884
(0.000 lbs. water/MMCF)	26# Gasoline GPM = 1.676
	Total GPM = 9.151

Real Relative Density Calculated = 0.8408
On-Site Relative Density = 0.0000

Gas Compressibility = 0.9951

Division of Oil, Gas and Mining
PHONE CONVERSATION DOCUMENTATION FORM

Route original/copy to:

Well File _____ Suspense _____ Other _____

(Return Date) _____
(Loc.) Sec _____ Twp _____ Rng. _____ (To-Initials) _____
(API No.) _____

1. Date of Phone Call: 9/12/01 Time: 9:50

2. DOGM Employee (name) Dustin Doucet (Initiated Call)
Talked to:
Name Wayne Townsend (Initiated Call) - Phone No. (505) 599 6359
of (Company/Organization) BLM

3. Topic of Conversation: Gas Flaring in Aneth area - bad western
Gas Resources Pipeline ^{deto}

4. Highlights of Conversation: Wayne has had several meetings with
Navajo Nation, Navajo EPA, Navajo minerals, Navajo Health and Human Services,
the Department of Justice, US EPA, Texaco, Exxon-Mobil, western Gas & the
Red Mesa & Aneth chapters. 12.5 miles of pipeline (downstream from
Aneth Plant) no good. Options: a) rebuild 12.5 miles of pipeline - Row expires
2005 western's renegotiate with Navajo to extend Row was denied [man choice] 1 month
to rebuild once ok given from Navajo etc. b) Use 20" Questar oil pipeline [1950's - no go]
c) Use 6" Conoco Line - convert to gas and truck liquids from plant - talks broke down 9/10/01.
Everyone in agreement to keep wells producing - some verbal complaints from public, nothing
in writing yet. Red Mesa & Aneth chapters wanted full shut-in. Current plan: EPA sending
letter today to flare gas thru plant (gas will be metered). The gas will be counted as
cost gas - no royalty due - because out of control of companies (producers). H2S and other
safety monitors will be set up around plant and monitor health risks, etc - BLM
has approved all flaring until Oct. 15, 2001 associated w/ this matter. Probably
won't be back into operation before then though.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well <input type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. See Attached
2. Name of Operator RIM SOUTHWEST CORPORATION		6. If Indian, Allottee or Tribe Name Navajo Nation
3a. Address 87499 P.O. Box 145, Farmington, NM	3b. Phone No. (include area code) (505) 327-5531	7. If Unit or CA/Agreement, Name and/or No.
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)		8. Well Name and No.
		9. API Well No.
		10. Field and Pool, or Exploratory Area
		11. County or Parish, State San Juan county Utah

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other <u>Vent/Flare</u>
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	<u>Gas</u>
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Please be advised that RIM Southwest Corporation is requesting additional approval to continue to vent/flare gas from the attached wells until December 1, 2001 or until the Aneth plant is put back on line, whichever occurs first. Please reference our previous sundry notice dated 8/29/01 which gave approval for this action through October 15, 2001.

Attachment
**Accepted by the
Utah Division of
Oil, Gas and Mining**

COPY SENT TO OPERATOR
Date: 11/19/01
Initials: PHO

cc: State of Utah
Navajo Nation-Minerals
Navajo Nation EPA-Air
Quality
BIA - Gallup, NM

Date: 11/19/01
By: [Signature]
Dec 1, 2001

Federal Approval of This
Action Is Necessary

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

W. J. Holcomb

Title **Vice President**

RECEIVED

Signature

[Signature]

Date **11/01/01**

NOV 09 2001

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

**DIVISION OF
OIL GAS AND MINING**

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

RIM SOUTHWEST CORPORATION

			ESTIMATED GAS	
			VENTED	
LEASE NUMBER	WELL NAME	SEC-TWN-RNG	MCF/DAY	
1420603373	Big Sky 6E (6L)	06-42S-25E	19	43-037-31714
NOC 14205297				
(NMNM 5756)	Monument 8N-2	08-40S-25E	18	43-037-31509
(NMNM 5757)	Cajon Mesa 8D-1	08-40S-25E	0	43-037-31497
NOG 8308-1033	Navajo Tribal 23-13	13-40S-24E	23	43-037-30971
	Navajo Tribal 14-10	10-40S-24E	1	43-037-30977
	Navajo Tribal 41-2	02-42S-24E	8	43-037-31041
	Navajo Tribal 32-26	26-40S-22E	8	43-037-31060
NOG 8707-1162	Sahgzie #1	05-42S-24E	16	43-037-31472
	Anasazi #1	05-42S-24E	67	43-037-31478
NOG 8707-1170	Runway 10G-1	10-40S-25E	SI	43-037-31515
	Runway 10C-5A	10-40S-25E	SI	43-037-31597
NOG 8707-1190	Runway 10E-2	10-40S-25E	17	43-037-31550
NOG 8707-1191	Monument 17E-2	17-40S-25e	0	43-037-31547
NOG 8707-1206	Blue Hogan 1J-1	01-42S-23E	27	43-037-31562
	Brown Hogan 1A-2	01-42S-23E	18	43-037-31573
NOG 8707-12321	Burro 31-1	31-41S-24E	1	43-037-31708
	Jack 31G	31-41S-24E	SI	43-037-31709
	Mule 31K (N)	31-41S-24E	7	43-037-31617
	Mule 31M	31-41S-24E	24	43-037-31710
		TOTAL AVERAGE	254	

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FILE

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

RIM SOUTHWEST CORPORATION

3a. Address

87499

3b. Phone No. (include area code)

P.O. Box 145, Farmington, NM

(505)327-5531

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

5. Lease Serial No.

See Attached

6. If Indian, Allottee or Tribe Name

Navajo Nation

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

9. API Well No.

10. Field and Pool, or Exploratory Area

11. County or Parish, State

**San Juan County
Utah**

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other <u>Flare Gas</u>
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Please be advised that as of approximately 3:00 p.m. Thursday, November 15, 2001 the attached wells were put back on line for gas sales through the Aneth pipeline/plant.

CC: State of Utah

Navajo Nation-Minerals
Navajo Nation EPA - Air Quality
BIA - Gallup, NM

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

W. J. Holcomb

Title **Vice President**

Signature

W. J. Holcomb

Date **11/19/01**

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

RECEIVED

Approved by

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title

Office

NOV 23 2001

**DIVISION OF
OIL, GAS AND MINING**

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

RIM SOUTHWEST CORPORATION

LEASE NUMBER	WELL NAME	SEC-TWN-RNG	ESTIMATED GAS	
			VENTED	MCF/DAY
1420603373	Big Sky 6E (6L)	06-42S-25E	19	43-037-31714
NOC 14205297				
(NMNM 5756)	Monument 8N-2	08-40S-25E	18	43-037-31509
(NMNM 5757)	Cajon Mesa 8D-1	08-40S-25E	0	43-037-31497
NOG 8308-1033	Navajo Tribal 23-13	13-40S-24E	23	43-037-30971
	Navajo Tribal 14-10	10-40S-24E	1	43-037-30977
	Navajo Tribal 41-2	02-42S-24E	8	43-037-31041
	Navajo Tribal 32-26	26-40S-22E	8	43-037-31060
NOG 8707-1162	Sahgzie #1	05-42S-24E	16	43-037-31472
	Anasazi #1	05-42S-24E	67	43-037-31478
NOG 8707-1170	Runway 10G-1	10-40S-25E	SI	43-037-31515
	Runway 10C-5A	10-40S-25E	SI	43-037-31597
NOG 8707-1190	Runway 10E-2	10-40S-25E	17	43-037-31550
NOG 8707-1191	Monument 17E-2	17-40S-25e	0	43-037-31547
NOG 8707-1206	Blue Hogan 1J-1	01-42S-23E	27	43-037-31562
	Brown Hogan 1A-2	01-42S-23E	18	43-037-31573
NOG 8707-12321	Burro 31-1	31-41S-24E	1	43-037-31708
	Jack 31G	31-41S-24E	SI	43-037-31709
	Mule 31K (N)	31-41S-24E	7	43-037-31617
	Mule 31M	31-41S-24E	24	43-037-31710
TOTAL AVERAGE:			254	

OPERATOR CHANGE WORKSHEET

ROUTING

- | |
|---------|
| 1. GLH |
| 2. CDW |
| 3. FILE |

Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:

12/1/2000

FROM: (Old Operator):
 N9290-Harken Southwest Corporation
 5 Inverness Drive, East
 Denver, CO 80112
 Phone: (303) 799-9828

TO: (New Operator):
 N1715-Rim Southwest Corporation
 PO Box 145
 Farmington, NM 87499
 Phone: (505) 327-5531

CA No.

Unit:

WELL(S)

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
NAVAJO TRIBAL 32-26	26	400S	220E	4303731060	9990	Indian	OW	S
NAVAJO TRIBAL 14-10	10	400S	240E	4303730977	10130	Indian	OW	P
NAVAJO TRIBAL 23-13	13	400S	240E	4303730971	9420	Indian	OW	P
CAJON MESA 8D-1	08	400S	250E	4303731497	11074	Indian	OW	P
MONUMENT 8N-2	08	400S	250E	4303731509	11087	Indian	OW	P
RUNWAY 10G-1	10	400S	250E	4303731515	11105	Indian	OW	P
RUNWAY 10E-2	10	400S	250E	4303731550	11128	Indian	GW	P
RUNWAY 10C-5A	10	400S	250E	4303731597	11152	Indian	OW	P
MONUMENT 17E-2	17	400S	250E	4303731547	11139	Indian	OW	P
STERLING 36L-1	36	410S	230E	4303731595	11224	Indian	OW	S
MULE 31K (N)	31	410S	240E	4303731617	11326	Indian	OW	P
BURRO 31I	31	410S	240E	4303731708	11496	Indian	OW	P
MULE 31M	31	410S	240E	4303731710	11498	Indian	OW	P
JACK 31G	31	410S	240E	4303731709	11497	Indian	OW	S
CLAY HILL CANYON 32D	32	410S	250E	4303731741	11734	Indian	OW	TA
NORTH HERON 35C	35	410S	250E	4303731616	11479	Indian	OW	S
BLUE HOGAN 1J-1	01	420S	230E	4303731562	11161	Indian	OW	P
BROWN HOGAN 1A-2	01	420S	230E	4303731573	11215	Indian	OW	P
NAVAJO TRIBAL 41-2	02	420S	240E	4303731041	9437	Indian	OW	P
SAHGZIE 1	05	420S	240E	4303731472	11032	Indian	OW	P
ANASAZI 1	05	420S	240E	4303731478	11042	Indian	OW	P
ANASAZI 5L-3	05	420S	240E	4303731572	11207	Indian	OW	P
ANASAZI 6H-1	06	420S	240E	4303731744	11773	Indian	OW	P
LONE MOUNTAIN CREEK 12F-1	12	420S	240E	4303731545	11148	Indian	OW	P
BIG SKY 6E (6L) 1	06	420S	250E	4303731714	11722	Indian	OW	P

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 4/27/2001
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 4/27/2001
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/30/2003

4. Is the new operator registered in the State of Utah: YES Business Number: 794466-0143

5. If **NO**, the operator was contacted on: _____

6. (R649-9-2)Waste Management Plan has been received on: 8/13/2003

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: not given

8. **Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: n/a

9. **Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: n/a

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 8/26/2003

2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 8/26/2003

3. Bond information entered in RBDMS on: n/a

4. Fee wells attached to bond in RBDMS on: n/a

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: n/a

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: n/a

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: RLB0001937

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number n/a

2. The **FORMER** operator has requested a release of liability from their bond on: n/a
The Division sent response by letter on: n/a

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

Because this was a merger, all LA and PA wells belong to Rim Southwest also. However, they are still on our computer as Harken Southwest because no list was provided to move them.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135

SEP 0 9 2008

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other Instructions on reverse side

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. NOG 8707-1231
2. Name of Operator RIM Southwest Corporation		6. If Indian, Allottee, or Tribe Name The Navajo Nation
3a. Address 5 Inverness Drive East, Englewood CO 80112	3b. Phone No. (include area code) 303-799-9828	7. If Unit or CA. Agreement Designation
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) SW SW sec 31 T 41S R 24E		8. Well Name and No. Mule 31-M
		9. API Well No. 43-037-31710
		10. Field and Pool, or Exploratory Area Desert Creek
		11. County or Parish, State San Juan Co., Utah

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/ Resume)	<input type="checkbox"/> Water Shut-off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and abandon	<input type="checkbox"/> Temporarily Abandon	Return to production.
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths or pertinent markers and sands. Attach the Bond under which the work will performed or provide the Bond No. on file with the BLM/ BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notice shall be filed only after all requirements, including reclamantion, have been completed, and the operator has determined that the site is ready for final inspection.)

Returned to sales on Friday, August 29, 2008.

14. I hereby certify that the foregoing is true and correct.

Name (Printed/ Typed) Kenneth J Kundrik Title Operations Engineer

Signature *Melma J De Jaur* Date 9/2/2008

ACCEPTED FOR RECORD
SEP 0 9 2008

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by _____ Title _____ Date FARMINGTON FIELD OFFICE

Conditions of approval, if any are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office _____ BY *[Signature]*

Title 18 U.S.C. Section 1001 AND Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

Utah-ODD

FARMINGTON

RECEIVED
SEP 25 2008
DIV. OF OIL, GAS & MINING

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

RECEIVED

FORM APPROVED
OMB No. 1004-0135
Expires: July 31, 2010

SUNDRY NOTICES AND REPORTS ON WELLS
Bureau of Land Management
Farmington Field Office

Do not use this form for proposals to drill or to abandon a well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other Instructions on reverse side

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. NOG 8707-1231
2. Name of Operator RIM Southwest Corp.		6. If Indian, Allottee, or Tribe Name The Navajo Nation
3a. Address 5 Inverness Drive East, Englewood CO 80112	3b. Phone No. (include area code) 303-799-9828	7. If Unit or CA. Agreement Designation
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) SW SW Sec 31 T 41S R 24E		8. Well Name and No. Mule 31-M
		9. API Well No. 43-037-31710
		10. Field and Pool, or Exploratory Area Desert Creek
		11. County or Parish, State San Juan Co., Utah

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/ Resume)	<input type="checkbox"/> Water Shut-off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and abandon	<input type="checkbox"/> Temporarily Abandon	Returned to sales
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths or pertinent markers and sands. Attach the Bond under which the work will be performed or provide the Bond No. on file with the BLM/ BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notice shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Returned to sales on Friday, February 27, 2009.

RECEIVED

MAR 12 2009

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct.

Name (Printed/ Typed) Kenneth J Kundrik	Title Operations Engineer
Signature <i>Kenneth J Kundrik</i>	Date 3/2/2009

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by	Title	Date
Conditions of approval, if any are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

ACCEPTED FOR RECORD

Title 18 U.S.C. Section 1001 AND Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

MAR 09 2009

(Instructions on reverse)

FARMINGTON FIELD OFFICE
BY *CM*

WTAN ****OCD

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET (for state use only)

ROUTING
 CDW

X - Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

8/1/2012

FROM: (Old Operator): N1715- RIM Southwest Corp P.O. Box 2058 Farmington, NM 87499 Phone: 1 (505) 327-5531	TO: (New Operator): N2550- Navajo Nation Oil & Gas Company 1675 Broadway, Suite 1000 Denver, CO 80202 Phone: 1 (303) 534-8300
---	---

CA No. **Unit:** **N/A**

WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
See Attached List								

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 9/19/2012
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 9/19/2012
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 12/11/2012
- 4a. Is the new operator registered in the State of Utah: Business Number: 7407010-0147
- 5a. (R649-9-2)Waste Management Plan has been received on: Requested
- 5b. Inspections of LA PA state/fee well sites complete on: N/A
- 5c. Reports current for Production/Disposition & Sundries on: 12/11/2012
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM BIA
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: N/A
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: N/A
- Underground Injection Control ("UIC")** Division has approved UIC Form 5 Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 12/11/2012
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 12/11/2012
- Bond information entered in RBDMS on: 12/11/2102
- Fee/State wells attached to bond in RBDMS on: N/A
- Injection Projects to new operator in RBDMS on: 12/11/2012
- Receipt of Acceptance of Drilling Procedures for APD/New on: N/A

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: N/A
- Indian well(s) covered by Bond Number: RLB0006712
- 3a. (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number N/A
- 3b. The **FORMER** operator has requested a release of liability from their bond on: N/A

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS:

RIM Southwest Corp (N1715) to Navajo Nation Oil Gas Company (N2550)
Effective 8/1/2012

Well Name	Sec	TWP	RNG	API Number	Entity	Lease	Well Type	Well Status
SAHGZIE 1	05	420S	240E	4303731472	11032	Indian	OW	P
ANASAZI 1	05	420S	240E	4303731478	11042	Indian	OW	P
CAJON MESA 8D-1	08	400S	250E	4303731497	11074	Indian	OW	P
MONUMENT 8N-2	08	400S	250E	4303731509	11087	Indian	OW	P
RUNWAY 10G-1	10	400S	250E	4303731515	11105	Indian	OW	P
LONE MOUNTAIN CREEK 12F-1	12	420S	240E	4303731545	11148	Indian	OW	P
RUNWAY 10E-2	10	400S	250E	4303731550	11128	Indian	GW	P
BLUE HOGAN 1J-1	01	420S	230E	4303731562	11161	Indian	OW	P
ANASAZI 5L-3	05	420S	240E	4303731572	11207	Indian	OW	P
BROWN HOGAN 1A-2	01	420S	230E	4303731573	11215	Indian	OW	P
MULE 31K (N)	31	410S	240E	4303731617	11326	Indian	OW	P
BURRO 31I	31	410S	240E	4303731708	11496	Indian	OW	P
MULE 31M	31	410S	240E	4303731710	11498	Indian	OW	P
ANASAZI 6H-1	06	420S	240E	4303731744	11773	Indian	OW	P
MONUMENT 17E-2	17	400S	250E	4303731547	11139	Indian	OW	S
RUNWAY 10C-5A	10	400S	250E	4303731597	11152	Indian	OW	S

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		6. LEASE DESIGNATION AND SERIAL NUMBER: 11498
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Navajo
		7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____	8. WELL NAME and NUMBER: Mule 31M	
2. NAME OF OPERATOR: Navajo Nation Oil and Gas Company		9. API NUMBER: 43-037-31710
3. ADDRESS OF OPERATOR: P. O. Box 5069 Window Rock STATE AZ OF 86515	PHONE NUMBER: 303-534-8300	10. FIELD AND POOL, OR WILDCAT: Greater Aneth
4. LOCATION OF WELL FOOTAGES AT SURFACE: 580 FSL & 1210 FWL		COUNTY: San Juan
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SW SW sec. 31 T41S R24E		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Navajo Nation Oil and Gas Company certifies that it is authorized by the proper lease interest owners to conduct operations associated with this application. Bond coverage pursuant to 43CFR3104 for lease activities is being provided by Navajo Nation Oil and Gas Company with their BIA Bond RLB0014524.

RIM Southwest Corporation the previous operator, hereby names Navajo Nation Oil and Gas Company as successor operator effective August 1, 2012

RIM SOUTHWEST CORPORATION

RENE' MORIN, VICE-PRESIDENT

Bond No. RLB 000 6712

NAME (PLEASE PRINT) <u>Lauren Germinario</u>	TITLE <u>Land Manager</u>
SIGNATURE <u>Lauren Germinario</u>	DATE <u>8/1/12</u>

(This space for State use only)

APPROVED

DEC 11 2012

DIV. OIL GAS & MINING
BY: Rachel Medina

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9
SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER: NOG-8707-1231
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: NAVAJO
		7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Oil Well		8. WELL NAME and NUMBER: MULE 31M
2. NAME OF OPERATOR: NAVAJO NATION OIL & GAS CO		9. API NUMBER: 43037317100000
3. ADDRESS OF OPERATOR: P.O. Box 4439 , Window Rock, AZ, 86515	PHONE NUMBER: 303 534-8300 Ext	9. FIELD and POOL or WILDCAT: DESERT CREEK
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0580 FSL 1210 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SWSW Section: 31 Township: 41.0S Range: 24.0E Meridian: S		COUNTY: SAN JUAN
		STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA		
TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start: <input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 12/24/2012 <input type="checkbox"/> SPUD REPORT Date of Spud: <input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> ALTER CASING <input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> DEEPEN <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> PLUG BACK <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> TUBING REPAIR <input checked="" type="checkbox"/> VENT OR FLARE <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> WILDCAT WELL DETERMINATION <input type="checkbox"/> OTHER	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.		
<p style="text-align: center;">On vent as of December 24, 2012 due to operational issues to sales line.</p> <div style="text-align: right; margin-top: 20px;"> <p>Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY December 31, 2012</p> </div>		
NAME (PLEASE PRINT) Lauren Germinario	PHONE NUMBER 303 534-8300	TITLE Land Manager
SIGNATURE N/A	DATE 12/28/2012	

Navajo Nations Oil Gas Co. (N2550) to NNOGC Exploration Production, LLC (N3930)
Effective 8/1/2012

Well Name	Sec	TWP	RNG	API	Entity	Lease	Well Type	Well Status
TOHONADLA 26-OSCAR	26	410S	210E	4303750022		Indian	OW	APD
TOHONADLA 35-F	35	410S	210E	4303750024		Indian	OW	APD
TOHONADLA 2-G	02	420S	210E	4303750027		Indian	OW	APD
TOHONADLA 2-B	02	420S	210E	4303750028		Indian	OW	APD
TOHONADLA 1-C	01	420S	210E	4303750029		Indian	OW	APD
TOHONADLA 2-BRAVO	02	420S	210E	4303750030		Indian	OW	APD
TOHONADLA 1-F	01	420S	210E	4303750031		Indian	OW	APD
TOHONADLA 2-H	02	420S	210E	4303750032		Indian	OW	APD
TOHONADLA 1-Delta	01	420S	210E	4303750033		Indian	OW	APD
TOHONADLA 35-INDIGO	35	410S	210E	4303750034		Indian	OW	APD
TOHONADLA 35-J	35	410S	210E	4303750035		Indian	OW	APD
UTE CANYON 25G-O	25	410S	210E	4303731913	18823	Indian	OW	DRL
TOHONADLA 35-B	35	410S	210E	4303750023	18824	Indian	OW	DRL
UTE CYN 23-INDIGO	23	410S	210E	4303731880		Indian	OW	LA
TOHONADLA 35-P	35	410S	210E	4303731886		Indian	OW	LA
TOHONADLA 1-E	01	420S	210E	4303731887		Indian	OW	LA
TOHONADLA 1-D	01	420S	210E	4303731888		Indian	OW	LA
TOHONADLA 26-O	26	410S	210E	4303731896		Indian	OW	LA
UTE CYN 23-INDIGO	23	410S	210E	4303731911		Indian	OW	LA
NAVAJO TR 23-1	02	420S	210E	4303715540	6230	Indian	OW	P
DESERT CREEK 2	35	410S	230E	4303715868	6270	Indian	OW	P
TOHONADLA 1	35	410S	210E	4303715872	11202	Indian	OW	P
TOHONADLA 23-35	35	410S	210E	4303715874	11202	Indian	OW	P
NAVAJO TRIBAL 23-13	13	400S	240E	4303730971	9420	Indian	OW	P
NAVAJO TRIBAL 14-10	10	400S	240E	4303730977	10130	Indian	OW	P
SAHGZIE 1	05	420S	240E	4303731472	11032	Indian	OW	P
ANASAZI 1	05	420S	240E	4303731478	11042	Indian	OW	P
CAJON MESA 8D-1	08	400S	250E	4303731497	11074	Indian	OW	P
MONUMENT 8N-2	08	400S	250E	4303731509	11087	Indian	OW	P
RUNWAY 10G-1	10	400S	250E	4303731515	11105	Indian	OW	P
LONE MOUNTAIN CREEK 12F-1	12	420S	240E	4303731545	11148	Indian	OW	P
RUNWAY 10E-2	10	400S	250E	4303731550	11128	Indian	GW	P
BLUE HOGAN 1J-1	01	420S	230E	4303731562	11161	Indian	OW	P
TOHONADLA 2-35	35	410S	210E	4303731568	11202	Indian	OW	P
ANASAZI 5L-3	05	420S	240E	4303731572	11207	Indian	OW	P
BROWN HOGAN 1A-2	01	420S	230E	4303731573	11215	Indian	OW	P
MULE 31K (N)	31	410S	240E	4303731617	11326	Indian	OW	P
BURRO 31I	31	410S	240E	4303731708	11496	Indian	OW	P
MULE 31M	31	410S	240E	4303731710	11498	Indian	OW	P
ANASAZI 6H-1	06	420S	240E	4303731744	11773	Indian	OW	P
TOHONADLA 35-P	35	410S	210E	4303750005	11202	Indian	OW	P
TOHONADLA 1-E	01	420S	210E	4303750006	6230	Indian	OW	P
NAVAJO TRIBAL 41-2	02	420S	240E	4303731041	9437	Indian	OW	PA
MONUMENT 17E-2	17	400S	250E	4303731547	11139	Indian	OW	S
RUNWAY 10C-5A	10	400S	250E	4303731597	11152	Indian	OW	S
UTE CYN 23-P	23	410S	210E	4303731881	17282	Indian	OW	S

NAVAJO NATION OIL & GAS COMPANY

EXPLORATION & PRODUCTION LLC

1675 Broadway, Suite 1100 • Denver, Colorado • 80202

Telephone (303) 534-8300 • FAX (303) 534-1405



September 18, 2012

Utah Division of Oil, Gas and Mining
c/o Rachel Medina
1594 West North Temple, Suite 1210
Salt Lake City, Utah 84114-5801

RE: Change of Operator Name and Address for Wells

Dear Rachel,

I am including with this letter several original FORM 9 to change the operator on wells. This probably will be done in two steps.

1. (16 wells) Change of Operator from RIM Southwest Corporation to Navajo Nation Oil & Gas Co.
2. (Same 16 wells) Change of Operator from Navajo Nation Oil & Gas Co. to NNOGC Exploration and Production, LLC.

We have recently registered our LLC with the State of Utah. The Utah Entity Number for NNOGC Exploration and Production, LLC is: 8399948-0165. Also, a new DOGM No. has been applied for for the LLC.

The name and address change is as follows:

OLD: Navajo Nation Oil & Gas Co.
1675 Broadway, Suite 1100
Denver, CO 80202
(DOGM Operator No. N2550)

NEW: NNOGC Exploration and Production, LLC
1625 Broadway, Suite 1000
Denver, CO 80202

Should you require any additional information please contact me at 303-534-8300.

Sincerely,

A handwritten signature in black ink that reads "Katie Hynes". The signature is written in a cursive, flowing style.

Katie Hynes
Associate Landman

RECEIVED
SEP 19 2012
DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

		5. LEASE DESIGNATION AND SERIAL NUMBER: See Attached
		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Navajo Nation
		7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		8. WELL NAME and NUMBER: See Attached
2. NAME OF OPERATOR: Navajo Nation Oil & Gas Co.		9. API NUMBER: Various
3. ADDRESS OF OPERATOR: 1675 Broadway, Suite 1100 CITY Denver STATE CO ZIP 80202		10. FIELD AND POOL, OR WILDCAT: Various
PHONE NUMBER: (303) 534-8300		
4. LOCATION OF WELL FOOTAGES AT SURFACE: See Attached List		COUNTY: San Juan
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

The Navajo Nation Oil and Gas Co. has registered its new entity with the State of Utah. The Operator Name and Address change applies to all wells currently operated by DOGM No. N2550 (see attachment).

The Utah Entity Number for the LLC is: 8399948-0165.

The new Entity is:

NNOGC Exploration and Production, LLC
1625 Broadway, Suite 1000
Denver, CO 80202

NEW DOGM No. : 3930

Bond No. RLB0006712

Effective: July 10, 2010

NAME (PLEASE PRINT) Lauren Germinario TITLE Land Manager
SIGNATURE *Lauren Germinario* DATE 9/14/12
APPROVED

(This space for State use only)

DEC 3 1 2012

RECEIVED

DIV. OIL GAS & MINING
BY: Rachel Medina

SEP 17 2012

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: See Attached
2. NAME OF OPERATOR: Navajo Nation Oil & Gas Co		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Navajo Nation
3. ADDRESS OF OPERATOR: P.O. Box 5069 CITY Window Rock STATE AZ ZIP 86515		7. UNIT or CA AGREEMENT NAME:
4. LOCATION OF WELL FOOTAGES AT SURFACE: _____		8. WELL NAME and NUMBER: See Attached
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____		9. API NUMBER: Various
COUNTY: San Juan		10. FIELD AND POOL, OR WILDCAT: Various
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

The Navajo Nation Oil & Gas Co. has registered its new entity with the State of Utah. The name and address change applies to all the wells that have recently changed from RIM Southwest Corporation to Navajo Nation Oil & Gas Co. (DOGM No. N2550)

The Utah Entity Number for the LLC is: 8399948-0165

Note: A new DOGM No. has been applied for NNOGC Exploration and Production, LLC

Please see the attached list of wells that will now be operated by:

NNOGC Exploration and Production, LLC
1625 Broadway, Suite 1000
Denver, CO 80202

All of these work wells are covered by Bond No. RLB0006712

Effective: Aug 1, 2012

NAME (PLEASE PRINT) <u>Lauren Germinario</u>	TITLE <u>Land Manager</u>
SIGNATURE <u><i>Lauren Germinario</i></u>	DATE <u>9/18/2012</u>

This space for State use only) **APPROVED**

DEC 31 2012

DIV. OIL GAS & MINING

BY: Rachel Medina (See Instructions on Reverse Side)

RECEIVED
SEP 19 2012
DIV. OF OIL, GAS & MINING