

FILE NOTATIONS

Entered In NID File

Entered On 5 R Sheet

Location Map Pinned

Card Indexed

IWR for State or Fee Land

Checked by Chief

Copy NID to Field Office

Approved Letter

Approved Letter

COMPLETION DATA

Date Well Completed 11-30-56

Location Incorported

OW WW TA

Bond released

GW OS PA

State or Fee Land

LOGS FILED

Driller's Log 1-2-57

Electric Logs (No.) 3

E

I

E-I

GR

GR-N

Micro

Lat.

Mi-L

Sonic

Others

Scout Report sent out

Noted in the NID File

Location map pinned

Approval or Disapproval Letter

Date Completed, P. & A, or
operations suspended

Pin changed on location map

Affidavit and Record of A & P

Water Shut-Off Test

Gas-Oil Ratio Test

Well Log Filed

(Water well)
11-30-56

-
-
-
-
-
-
-
-
-
-

*No Oil **



FRED A. MORETON COMPANY, General Agents

Insurance — Surety Bonds
CONTINENTAL BANK BUILDING

Telephone: 4-4357
SALT LAKE CITY, UTAH

June 19, 1956

Fairland

State of Utah
Oil and Gas Conservation Commission,
Capitol Building,
Salt Lake City, Utah

Re: Bond No. 534887—Colorado Interstate Gas Company,
For plugging oil or gas well - to State of Utah
\$5000.00 - Eff. June 13, 1956

Gentlemen:

We are enclosing for filing the above captioned bond,
which we have countersigned as Resident Agent.

Very truly yours,

FRED A. MORETON & COMPANY,

AN

By

Al. G. Emmons

CC—Seaboard Surety Company,
A 1847 - 175 West Jackson Bldg.,
Chicago, Illinois

Invoice 24561

COLORADO INTERSTATE GAS COMPANY

COLORADO SPRINGS

COLORADO

June 18, 1956

Oil & Gas Conservation Commission
Room 105, Capitol Building
Salt Lake City, Utah

Attention: Cleon B. Feight

Gentlemen:


We are enclosing Form OGCC-1, Notice of Intention to Drill our Jensen No. 1 well, located in Section 16, Township 14 South, Range 5E 51M, Sanpete County, Utah.

You will note that no location plat is enclosed, no elevation shown and that no Surety bond has been filed.

The location was staked over a week ago by Carl Nyman of Price, Utah, but plat has not been received. The elevation was deferred until roads are completed into the well site. The Surety bond has been ordered.

The above information will be forwarded to you as soon as received.

Yours very truly,



Bernie B. Morgan
Production Superintendent

BBM:st

Encl.

STATE OF UTAH
OIL AND GAS CONSERVATION COMMISSION
NOTICE OF INTENTION TO DRILL

OIL AND GAS CONSERVATION COMMISSION June 18 19 56

In compliance with Rule C-4, notice is hereby given that it is our intention to commence the work of drilling Well No. 1, which is located 2640 ft from ^(N) () line and 3179 ft from ^(E) () line of Sec 16, Twp 14S, R 5E, SL (Meridian), ^(S) (Field or Unit) None

Sampete on or about 25 day of June, 1956
(County)

LAND: Fee and Patented (x) Name of Owner of patent or lease Frances Jensen Gill
State () Address 217 Emerald Bay
Lease No _____ Laguna Beach, Calif.
Public Domain ()
Lease No _____

Is location a regular or exception to spacing rule? Regular Has a surety bond been filed? No With whom? * See Remarks Area in drilling unit 640 Acres
(State of Federal)

Elevation of ground above sea level is * See Remarks ft. All depth measurements taken from top of Kelly Bushing which is 12 ft above ground
(Derrick Floor, Rotary Table or Kelley Bushing)

Type of tools to be used Rotary. Proposed drilling depth 10,500 ft. Objective formation is Dakota

PROPOSED CASING PROGRAM

Size of Casing Inches A.P.I.	Weight Per Foot	Grade and Type	Amount Ft. In.	Top	Bottom	Cementing Depths
13-3/8	48#	H 40 ST&C	500'	0	- 500	0 - 500
9-5/8	36#	J 55 ST&C	4700'	0	- 4700)	5500 - 6000
9-5/8	36#	N 80 IT&C	1300'	4700	- 6000)	
5-1/2	17#	J 55 & N 80 IT&C	10,500'	0	- 10,500'	8500 - 10,500

AFFIDAVIT

I hereby certify under the penalty of perjury, that the information contained and statements herein made are to the best of my knowledge and belief, true, correct and complete.

Approved _____ By Bernie B. Tragan
Date 19 _____ Production Superintendent
By [Signature] _____ (Title or Position)
Title _____ Colorado Interstate Gas Company
(Company or Operator)
Address P. O. Box 1087
Colorado Springs, Colorado

INSTRUCTIONS:

1. Complete this form in duplicate and mail both copies to the Oil and Gas Conservation Commission, Rm 105, Capitol Bldg, Salt Lake City 14, Utah.
2. A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.
3. Any information required by this form that cannot be furnished at the time said form is submitted must be forwarded to the commission as soon as available.
4. Use back of form for remarks.

Remarks:

1. Elevation will be determined as soon as roads are completed to well site.
2. Surety bond has been ordered and will be filed upon receipt.
3. Plat will be forwarded when received from Carl Nyman, Registered Engineer, Price, Utah.

JUN 20 1956

OIL WELL LOCATION CERTIFICATE

COMPANY Colorado Interstate Gas Company


Well Name and No. Jensen No. 1 Lease No. _____

Location 2640' from the North line & 3180' from the East line

Being in the $SE\frac{1}{4}$ of the $SE\frac{1}{4}$ of the $NW\frac{1}{4}$

Section 16, T 14 S, R 5 E, SLM San Pete County, Utah

Ground Elevation approximately 7381'



Scale—4 inches equals 1 mile

Surveyed June 7-11, 22, 1956

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.



Paul Tynan
Registered Professional
Engineer and Land Surveyor

OIL WELL LOCATION CERTIFICATE

COMPANY Colorado Interstate Gas Company


Well Name and No. Jensen No. 1 Lease No. _____

Location 2640' from the North line & 3180' from the East line

Being in the SE $\frac{1}{4}$ of the SE $\frac{1}{4}$ of the NW $\frac{1}{4}$

Section 16, T 14 S, R 5 E, SLM San Pete County, Utah

Ground Elevation 7381' approximately



Scale—4 inches equals 1 mile

Surveyed June 7 - 11, 22, 19 56

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Paul Tymon
Registered Professional
Engineer and Land Surveyor

June 20, 1956

Colorado Interstate Gas Co.
P. O. Box 1087
Colorado Springs, Colorado

Attention: Bernie B. Morgan

Gentlemen:

This is to acknowledge receipt of your Notice of Intention to drill Well No. Jensen 1, which is to be located 2640 feet from the North line and 3179 feet from the East line of Sec. 16, Twp. 14 S., Range 5 E, Salt Lake Meridian, Sanpete County.

On examination of said notice, it appears that the proposed location of the well does not comply with Rule C-3, (General Rules and Regulations of the Oil and Gas Conservation Commission of the State of Utah, nor has information been furnished for an unorthodox location as required by Rule C-3 (c) of said rules and regulations.

Before approval can be given for the drilling of this well, it will be necessary for you to file a new Notice of Intention to Drill in compliance with Rule C-3 or if unorthodox spacing is necessary, a request for such spacing must be made as required by Rule C-3 (c).

For your convenience we are enclosing some more forms.

Incidentally, your bond has been received.

Yours very truly,

CLEON B. FEIGHT
SECRETARY

CBF:co

Encls.

COLORADO INTERSTATE GAS COMPANY

P. O. Box 951

AMARILLO, TEXAS

June 22, 1956


Oil and Gas Conservation Commission
Room 140
State Capital Building
Salt Lake City, Utah

Attention: Mr. Cleon B. Feight

Dear Sir:

We request exception on spacing of proposed Colorado Interstate Gas Company - #1 Jensen wildcat well in SanPete County, Utah. The following location; 2640' FNL, 3179' FEL, Sec. 16, Twp. 14S, Rge. 5E, SanPete County, Utah, is requested as an exception to normal spacing for the following geological reasons: A northeast-southwest trending high-angle fault lies immediately east within the confines of section 16. The location was projected westward a sufficient distance believed to lie outside of the mapped dip and strike of this surface fault. Although the fault is apparent on surface, the exact dip may vary with depth, and the projected 10,500' test is located in order that the fault plane at depth will lie east of this location. Immediately south and along the south side of section 16, a known thrust fault intrudes the surface North Horn formation, striking in a slightly north of east-west direction. This fault is of unknown depth proportion; however, the recommended location is believed to lie sufficiently north so that projected tests will not encounter thrust conditions. Surfacewise, the location lies in a stream valley of the North Horn formation; whereas location moved north would encounter lower members of the Flagstaff formation, with excellent chance of losing surface hole due to cavernous lost circulation zones. This location, geologically, is strategically located with relationship to known surface faults and lost circulation members in the lower Flagstaff. It is recommended that an exception be granted in order that the most favorable geological location can be utilized for the drilling of our proposed Dakota test.

Sincerely yours,


Hershel S. Carver, Jr.
Senior Geologist

HSC/les

cc: B. B. Morgan
R. G. Rogers
file

Oil & Gas Cons. Comm: -

The above, in my opinion,
constitutes adequate justification
for the Commission to grant an
exception to the spacing stipulation
of the Op. Regulations.
June 25, '56. C. Hauptman

SERVICE

is a full-rate
am or Cable-
unless its de-
red character is in-
dicated by a suitable
symbol above or pre-
ceding the address.

WESTERN UNION

W. P. MARSHALL, PRESIDENT

24)

SYMBOLS
DL=Day Letter
NL=Night Letter
LT=Int'l Letter Telegram
VLT=Int'l Victory Ltr.

The filing time shown in the date line on telegrams and day letters is STANDARD TIME at point of origin. Time of receipt is STANDARD TIME at point of destination

LB 147 KA211 .

1956 JUN 22 AM 10 40

K CGA083 PD AR=WUX COLORADO SPRINGS COLO 22 1015AMM=

STATE OF UTAH= 140 *State Capitol*

OIL AND GAS CONSERVATION COMMISSION ROOM 140

STATE CAPITOL BLDG SALT LAKE CITY UTAH=

ATTENTION: MR CLEON B FEIGHT REFERENCE OUR JENSEN NO. 1

WELL SECTION 16 TOWNSHIP 14 SOUTH RANGE 5 EAST SANPETE

COUNTY. REQUEST EXCEPTION TO RULE C-3 (A) AND (B) TO

LOCATE WELL 3, 179 FEET FROM EAST LINE AND 2,640 FEET

FROM NORTH LINE OF SECTION IN ORDER TO #1. HAVE SUITABLE

SURFACE LOCATION IN EXTREMELY ROUGH TOPOGRAPHY AND NO. 2

FOLLOW GEOLOGICAL RECOMMENDATION WITH RESPECT TO

DISTANCE FROM MAJOR FAULT CUTTING OBLIQUELY ACROSS

SECTION AND CONVERGING WITH VALLEY. ALL SECTION 16 HAS

COMMON LEASE OWNERSHIP. PLANNED SCHEDULE IS TO SPUD

MONDAY, JUNE 25. PLEASE WIRE DECISION COLLECT=

=BERNIE B MORGAN COLORADO INTERSTATE GAS CO=

COLORADO INTERSTATE GAS COMPANY

COLORADO SPRINGS

COLORADO

June 25, 1956

State of Utah
Oil & Gas Conservation Commission
Room 105, Capitol Building
Salt Lake City, Utah

Attention: Cleon B. Feight

Gentlemen:


Please refer to our Form OGCC-1, Notice of Intention to Drill, on the Jensen No. 1 well, located in Section 16, Township 14 South, Range 5E, SIM, Sanpete County, Utah.

Since filing this application, we have received Surety Bond No. 534887 with Seaboard Surety, who were requested to furnish you with notice. Also, we have received the location certificate from the engineer who staked the location. This certificate includes the elevation which was not available at the time of filing.

The entire section is held under one lease and has a single landowner. We are enclosing two copies of this plat and certificate to attach to our Form OGCC-1.

The geological recommendation requesting an exception to Rule 3 (b) was mailed under separate cover.

Yours very truly,



Bernie B. Morgan
Production Superintendent

BBM:st

Encls.

June 25, 1956

Colorado Interstate Gas Company
P. O. Box 1087
Colorado Springs, Colorado

Dear Sir:

This is to acknowledge receipt of your notice of intention to drill Well No. Jensen 1, which is to be located 2,640 feet from the north line and 3,179 feet from the east line of Section 16, Township 14 South, Range 5 East, East Sanpete County.

Please be advised that approval to drill said well is hereby granted under Rule G-3 (c), General Rules and Regulations, Utah Oil and Gas Conservation Commission.

Yours very truly,

CLEON B. FEIGHT
SECRETARY

CBF:co

cc: Don Russell, Dist. Eng.
USGS, Federal Bldg.
Salt Lake City, Utah

June 27, 1956

Colorado Interstate Gas Company
P. O. Box 1087
Colorado Springs, Colorado

Gentlemen:

Please take note that before plugging and abandoning Well No. Jensen 1, which you are drilling on Section 16, Township 14 South, Range 5 East, Sanpete County, you are hereby requested to give advance notice of the date and time said plugging will take place to one of the following named individuals by phone or otherwise, in order that our Petroleum Engineer may be present to inspect the manner in which the well is being plugged.

C. A. HAUPTMAN, Petroleum Engineer. Office phone: DA 2-4721
Ex 438

C. E. FREIGHT, Office phone: DA 2-4721, Ex 438
Home phone: OR 7-3263

Address all other forms of communication to the Oil & Gas Conservation Commission, Rm 105, State Capitol Bldg, Salt Lake City, Utah.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

H. F. SMART
COMMISSIONER

CARL NYMAN
Civil Engineer
Price, Utah

COPY

June 30, 1956

*Noted
C.N.
7-9-56*

Production Department
Colorado Interstate Gas Co.,
P. O. Box 1087
Colorado Springs, Colorado

Gentlemen:

On the Oil Well Location Certificates for the Jensen #1 well in San Pete County, Utah, I showed the approximate elevation of the ground as being 7381. This was determined by altimeter readings.

After calculating the elevation from notes of survey made yesterday I find that the true elevation is 7364. Please make corrections accordingly in your records.

Very truly yours,

/s/ Carl Nyman

COPY

COLORADO INTERSTATE GAS COMPANY

COLORADO SPRINGS

COLORADO

July 5, 1956

*Noted
Case
7/9/56*

The State of Utah
Oil & Gas Conservation Commission
Salt Lake City 14, Utah

Attention Mr. Cleon B. Feight, Secretary

Gentlemen:

Attached is copy of letter from Mr. Carl Nyman giving the correct elevation of our Jensen #1 well located 2640' from the north line and 3180' from the east line, Section 16, Township 14 South, Range 5 East SIM, Sanpete County, Utah.

Yours very truly,

Bernie B. Morgan

Bernie B. Morgan
Production Superintendent

BBM:st

Attach.-1

STATE OF UTAH
OIL AND GAS CONSERVATION COMMISSION
AFFIDAVIT AND RECORD OF ABANDONMENT AND PLUGGING

- PLUGGING METHODS AND PROCEDURE: - The methods and procedure for plugging a well shall be as follows:
- (a) The bottom of the hole shall be filled to, or a bridge shall be placed at, the top of each producing formation open to the well bore, and in either event a cement plug not less than fifty (50) feet in length shall be placed immediately above each producing formation open to the well bore whenever possible.
 - (b) A cement plug not less than fifty (50) feet in length shall be placed at approximately fifty (50) feet above and below all fresh water bearing strata.
 - (c) A plug shall be placed at or near the surface of the ground in each hole.
 - (d) The interval between plugs shall be filled with heavy mud laden fluid.
 - (e) The hole shall be plugged with heavy mud up to the base of the surface string at which point a plug of not less than fifty (50) feet of cement shall be placed.

Field or Pool Wildcat County Sanpete
 Lease Name Jensen Well No. 1 Sec 16 Twp 14 S Range 5 E
 Date well was plugged November 30, 19 56.

Was the well plugged according to regulation of the Commission? Yes

Set out method used in plugging the well, the nature and quantities of materials used in plugging, size of plugs, location and extent (by depths) of the plugs of different materials, and the amount of casing left in hole. (giving size, top and bottom elevations of each section of abandoned casing)

Well was plugged back to 5788 G.L. by spotting cement plugs at 8738 G.L. to 8788 G.L. and at 5788 G.L. to 5888 G.L. with 75 sacks common cement. Casing left in the hole was 480' 13-3/8" set from 2' to 482' G.L. and 5589' 9-5/8" set from surface to 5588' G.L. The Fairview-Birch Creek and Mt. Pleasant-Birch Creek Irrigation Companies took over operation of the well.

Operator By: *Bernie B. Morgan*
 Address Box 1087
Colorado Springs, Colorado

AFFIDAVIT

STATE OF ~~UTAH~~ COLORADO

COUNTY OF El Paso

Before me, the undersigned authority, on this day personally appeared Bernie B. Morgan, known to me to be the person whose name is subscribed to the above instrument who being by me duly sworn on oath states that he is authorized to make this report and has knowledge of the facts stated herein and that said report is true and correct.

Subscribed and sworn to before me this 27 day of December 19 56.

My Commission Expires: May 18, 1957

Sarah L. Treichel
(Notary Public)

INSTRUCTIONS: Complete this form in duplicate and mail both copies to the Oil and Gas Conservation Commission, Room 105, Capitol Bldg, Salt Lake City 14, Utah.

STATE OF UTAH
OIL AND GAS CONSERVATION COMMISSION
LOG OF OIL OR GAS WELL

Well No. Jensen #1, which is located 2640 ft from (N/S) line and 3179 ft from (E/W) line of Sec 16 Twp 14S, R 5E, Salt Lake, Wildcat, Sanpete (Meridian) (Field or Unit) (County)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records as of December 15, 19 56 and is to be kept confidential until January 1, 19 57 (See Rule C-5).
Drilling operations were (completed)(suspended)(abandoned) on November 30, 19 56

Date: December 31, 19 56 Signed: Bernie B. Morgan Title: Production Supt.
B. B. Morgan
OIL OR GAS SANDS OR ZONES

No. 1, from _____ to _____ No. 3, from _____ to _____
No. 2, from _____ to _____ No. 4, from _____ to 1-7-57

IMPORTANT WATER SANDS OR ZONES

No. 1, from 2199 to 2303 No. 3, from 3130 to 3171
No. 2, from 2920 to 2950 No. 4, from 5600 to 5800 (Flowing)

CASING RECORD

Size of Hole	Size Casing	Weight per ft	Threads per Inch	Make	Amount	Kind of shoe	Cut & Pulled from	Perforated from to	Purpose
17-1/2"	13-3/8"	48#	8	H-40	480	Howco Guide			
12-1/4"	9-5/8"	40 & 36#	8	N-80 & J-55	5589	Rector Full up			

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number of sacks of cement	Method used	Mud gravity	Amount of mud used
13-3/8"	482 GL	550	Pump & Plug		
9-5/8"	5588 GL	200	Pump & plug		

TOOLS USED

Cable tools were used from _____ to _____ and from _____ to _____
Rotary tools were used from Surface to 9112 GL and from _____ to _____

PRODUCTION

Put to producing November 30, 19 56
WELL: The production during the first 24 hours was 14,000 barrels of liquid of which
Water 0 % was oil; 0 % was emulsion; 100 % was water; and 0 % was sediment
Gravity: _____

WELL: The production during the first 24 hours was - MCP plus - barrels of liquid hydrocarbon. Shut in pressure 150 lbs. Length of time shut in -

FORMATION RECORD

From	To	Thickness in feet	Formation	From	To	Thickness in feet	Formation
Surf.	1140	1140	North Horn	3880	4110	230	Star Point Sand
1140	1835	695	Upper Price River	4110	5818	1708	Upper Manco & Emery
1835	2140	305	Castle Gate Sand	5818	7796	1978	Bluegate Shale
2140	3880	1740	Blackhawk	7796	8430	634	Ferron Sand

HISTORY OF WELL Additional Formation Record on Back of Page.

An artesian water flow was encountered while drilling from 5588 GL to 5788 GL. Cement plugs were spotted from 8738 GL to 8788 GL and from 5788 GL to 5888 GL. The Fairview-Birch Creek and the Mt. Pleasant-Birch Creek Irrigation Co. took over operation of the well.

(If additional space is needed use back of page or attach separate sheet)

FORMATION RECORD

From	To	Thickness	Formation
8432	8832	400	Lower Mancos Shale
8832	8956	124	Dakota Sand
8956	9112	156	Morrison Formation

JAN 2 1957

COLORADO INTERSTATE GAS COMPANY

COLORADO SPRINGS

COLORADO

December 27, 1956

*Noted
CASH
1-7-57*

The State of Utah
Oil and Gas Conservation Commission
Room 105, Capitol Building
Salt Lake City 14, Utah

Attention: C. B. Feight, Secretary

Gentlemen:

We are enclosing in duplicate Forms OGCC-3 (Log of Oil or Gas Well) and OGCC-2 (Affidavit and Record of Abandonment and Plugging) on the Jensen No. 1 well located in Section 16, Township 14 South, Range 5 East, Sanpete County, Utah.

Also enclosed is an executed copy of a Bill of Sale for salvage material left on this well, which was plugged back to an artesian water sand and turned over to the Mt. Pleasant-Birch Creek and Fairview-Birch Creek Irrigation Companies.

Very truly yours,

Bernie B. Morgan

Bernie B. Morgan
Production Superintendent

BBM:st

3-Encls.

SEABOARD SURETY COMPANY

A 1847-175 WEST JACKSON BOULEVARD

CHICAGO 4, ILLINOIS

JOHN F. SCHMIDT
RESIDENT VICE PRESIDENT

ROY J. HYDE
MANAGER

WABASH 2-2486

January 16, 1957

ASSOCIATES

B. J. DORSCH
P. LOVES, JR.
R. A. PETERSON

Oil and Gas Conservation of Utah
Capitol Building
Salt Lake City, Utah

Re: Bond No. 534887 - COLORADO INTERSTATE GAS COMPANY
\$5,000 Bond for Plugging Oil or Gas Well -to-
State of Utah - Sec. 16, Township 14 South,
Range 5 East, Salt Lake Meridian, San Pete County

Gentlemen:

We have been advised that the well covered by our bond has been properly plugged and our bond is no longer required. Verification of this fact would be greatly appreciated so that we may properly terminate our file.

Thank you very much for your kind assistance.

Yours very truly,

SEABOARD SURETY COMPANY

B. J. Dorsch
J.B.R.

B. J. Dorsch

hk

BILL OF SALE AND INDEMNITY AGREEMENT

KNOW ALL MEN BY THESE PRESENTS:

That Colorado Interstate Gas Company, a corporation, of Colorado Springs, Colorado, and Exploration Drilling and Oil Company, a corporation, of Tulsa, Oklahoma, hereinafter referred to as Sellers, in consideration of Twelve Thousand Five Hundred Dollars (\$12,500.00) paid by Mt. Pleasant-Birch Creek Irrigation Co. and Fairview-Birch Creek Irrigation Co., the receipt of which is hereby acknowledged, do hereby sell and assign to the said Mt. Pleasant-Birch Creek Irrigation Co. and Fairview-Birch Creek Irrigation Co., hereinafter referred to as Buyers the following goods and chattels, to-wit:

Casing in hole:

485 feet of 13-5/8 inch casing
5,642 feet of 9-5/8 inch casing
with 13-3/8 inch x 9-5/8 inch casinghead

which said goods and chattels are located in the well hole known as the Jensen Well No. 1 in Section 16, Township 14 South, Range 5 East, Sanpete County, Utah. Sellers' Jensen Well No. 1 is based upon a Gas & Oil Lease dated July 3rd, 1952, between parties, Frances H. Jensen, known as Frances J. Gill of Mt. Pleasant, Utah, as lessor, and Joseph A. Minton of Salt Lake City, Utah, as lessee. This lease has been heretofore assigned to Sellers and said lease provides for and allows the Sellers to remove all improvements, and right to remove and pull casing from the Jensen Well No. 1 heretofore described, at any time.

As further consideration for said sale, Buyers hereby agree to indemnify and hold Sellers harmless on account of any loss which Sellers might suffer in any lawsuit or legal action concerning the water rights of any water taken from said Jensen Well No. 1.

And as further consideration for said sale, Buyers hereby assume the responsibility for plugging said well as required by the regulations of the Oil and Gas Commission of the State of Utah and agree to hold Sellers harmless from any liability which Sellers might have on account of Buyer's failure to plug said well as required in said regulations.

It is further understood and agreed by the parties hereto that Sellers do not in any manner warrant the condition of the personal property conveyed herein and do not claim any right, title or interest in or to the water that may be taken from said well, except that Sellers do warrant title to said casing and casinghead against any person claiming by, through or under Sellers and warrant that said casing and casinghead are free and clear of any liens or encumbrances whatsoever.

In witness whereof the parties hereto have set their hands and seals this 29th day of November, 1956.

ATTEST:

Leuson. J. J.

COLORADO INTERSTATE GAS COMPANY

By A. R. R. R.
Seller

Approved
As To Form:
R. C. H. H.
Legal Dept.

ATTEST:

Anna LaRue

EXPLORATION DRILLING AND OIL COMPANY

By B. H. Hoenevold
Seller

ATTEST:

Samuel Rasmussen

MT. PLEASANT-BIRCH CREEK IRRIGATION CO.

By William L. Shelley
Buyer

ATTEST:

Hugh C. Anderson

FAIRVIEW-BIRCH CREEK IRRIGATION CO.

By Arthur N. N.
Buyer

STATE OF UTAH

COUNTY OF Sanpete

} ss.

Before me, the undersigned, a Notary Public in and for said County and State, on this day personally appeared Otis Nielsen, known to me to be the person whose name is subscribed to the foregoing instrument as President of Fairview-Birch Creek Irrigation Co., a corporation, and acknowledged to me that he executed the same for the purposes and considerations therein expressed and as the act and deed of said Fairview-Birch Creek Irrigation Co.

Given under my hand and seal this 29 day of November 1956.

My Commission expires:

2-1-58

Wesley C. Larson
Notary Public

January 21, 1957

Seaboard Surety Company
A 1847-175 West Jackson Boulevard
Chicago 4, Illinois

Attention: B. J. Dorach

Re: Bond No. 534887

Gentlemen:

This is to acknowledge receipt of your letter of January 16, 1957.

Please be advised that Well No. Jensen 1, which was drilled by the Colorado Interstate Gas Company in the SE $\frac{1}{4}$ SE $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 16, Township 14 South, Range 5 East, Sanpete County, has been properly plugged.

It was our understanding that Bond No. 534887 was to cover all wells drilled in the above mentioned section. If the Colorado Interstate Gas Company does not contemplate drilling another well in this section in the near future, and they will so notify us, then this bond will be returned to you.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

GLENN B. FREIGHT
SECRETARY

GRF:cn

cc: Colorado Interstate Gas Co.
P. O. Box 1087
Colorado Springs, Colorado

Fred A. Moreton Company
Continental Bank Building
Salt Lake City, Utah

April 3, 1957

Re: Bond No. 534887

Colorado Interstate Gas Company
P. O. Box 1087
Colorado Springs, Colorado

Gentlemen:

On January 21, 1957, the following letter was sent to Seaboard Surety Company, with copies to Fred A. Moreton Company and to you, by this office:

"This is to acknowledge receipt of your letter of January 16, 1957.

Please be advised that Well No. Jensen 1, which was drilled by the Colorado Interstate Gas Company in the SW $\frac{1}{4}$ SW $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 16, Township 14 South, Range 5 East, Sanpete County, has been properly plugged.

It was our understanding that Bond No. 534887 was to cover all wells drilled in the above mentioned section. If the Colorado Interstate Gas Company does not contemplate drilling another well in this section in the near future, and they will so notify us, then this bond will be returned to you."

Please advise us relative to this matter.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

GLENN B. FEIGHT
SECRETARY

GBF:en

cc: Seaboard Surety Company
A 1847-175 West Jackson Boulevard
Chicago 4, Illinois

Fred A. Moreton Company
Continental Bank Bldg.
Salt Lake City, Utah

COLORADO INTERSTATE GAS COMPANY

COLORADO SPRINGS

GAYLORD F. FRENZEL
Supervisor of Insurance

COLORADO

April 12, 1957

Mr. Cleon B. Feight
The State of Utah
Oil & Gas Conservation Commission
Salt Lake City 14, Utah


Re: Bond No. 534887

Dear Mr. Feight:

Thank you very much for your letters of January 21 and April 3, 1957. This is to inform you that our Jensen #1 Well, located in Utah was plugged and abandoned as a dry hole on November 30, 1956. It is not the Company's intention to do further drilling in this location and Bond No. 534887 issued by the Seaboard Surety Company should be cancelled accordingly.

We had previously notified our agents of this action and it was our understanding that they would notify you accordingly.

Very truly yours,



GFF:clk

cc: Mr. Warren E. Campbell
Marsh & McLennan, Inc.,
231 South LaSalle Street
Chicago 4, Illinois

April 16, 1957

Seaboard Surety Company
A 1847-175 West Jackson Boulevard
Chicago 4, Illinois

Attention: B. J. Dorsch

Gentlemen:

This letter is to advise you that liability under Bond No. 534387, which was issued in the amount of \$5,000.00 to cover the plugging of all wells drilled in Section 16, Township 14 South, Range 5 East, Sanpete County, Utah, is hereby terminated.

Said bond is returned herewith.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

GILSON B. FREIGHT
SECRETARY

GBF:en

cc: Colorado Interstate Gas Co.
P. O. Box 1087
Colorado Springs, Colorado

Fred A. Moreton Company
Continental Bank Bldg.
Salt Lake City, Utah