

UTAH OIL AND GAS CONSERVATION COMMISSION

REMARKS: 8-57 Location Abandoned  
 \* Delhi-Taylor bought out Three States as of 6-1-61

*Location abandoned*

DATE FILED 8-7-56

LAND: FEE & PATENTED STATE LEASE NO.

PUBLIC LEASE NO. U-01279

INDIAN

DRILLING APPROVED: 8-7-56

SPOUDED IN:

COMPLETED:

INITIAL PRODUCTION:

GRAVITY A. P. I.

GOR:

PRODUCING ZONES:

TOTAL DEPTH:

WELL ELEVATION: 9522' ~~130'~~

*2 5/8" pipe*

DATE ABANDONED: 8-7-57 *TA'd*

FIELD OR DISTRICT: 3/86 Joe's Valley Unit (Field)

COUNTY: Sanpete

WELL NO.: Joe's Valley Unit 4

*API 43-039-10312*

LOCATION: 1351 FT. FROM (N) ~~W~~ LINE, 2314

FT. FROM ~~W~~ (W) LINE NE SE NW QUARTER - QUARTER SEC. 29

TWP.	RGE.	SEC.	OPERATOR	TWP.	RGE.	SEC.	OPERATOR
				15 S	6 E	29	*DELHI-TAYLOR OIL CORP.

Location abandoned  
well was never drilled

2-3-92  
JH

STATE OF UTAH  
OIL AND GAS CONSERVATION COMMISSION  
NOTICE OF INTENTION TO DRILL

OIL AND GAS CONSERVATION COMMISSION

August 7, 19 56

In compliance with Rule C-4, notice is hereby given that it is our intention to commence the work of drilling Well No. 4, which is located 1351 ft from (N) line and 231 1/2 ft. from (W) line of Sec. 29, Twp. 15-S, R. 6-E, Salt Lake Base (Meridian), Joe's Valley Unit (Field or Unit)

Sanpete (County) on or about 1st. day of September 19 56.

LAND: Fee and Patented ( )  
State ( )  
Lease No. \_\_\_\_\_  
Public Domain (X)  
Lease No. U-01279

Name of Owner of patent or lease \_\_\_\_\_  
Address \_\_\_\_\_

Is location a regular or exception to spacing rule? Exception to spacing Has a surety bond been filed? Yes With whom? Federal Area in drilling unit Joe's Valley (State or Federal)

Elevation of ground above sea level is 9522 ft. All depth measurements taken from top of Kelly Bushing which is \_\_\_\_\_ ft. above ground. (Derrick Floor, Rotary Table or Kelley Bushing)

Type of tools to be used Rotary. Proposed drilling depth 7650 ft. Objective formation is Ferron Sand.

PROPOSED CASING PROGRAM

Size of Casing Inches A.P.I.	Weight Per Foot	Grade and Type	Amount Ft.	Top In.	Bottom	Cementing Depths
13-3/8" OD 8rd.	48#	H-40 W/ST&C	550'	Surface	- 550'	Surface
7" OD 8rd.	23#	J-55 W/LT&C	680'	Surface	- 680'	7" OD casing to be cemented with 150 Sks. cement by Halliburton.
7" OD 8rd.	23#	J-55 W/ST&C	4860'	680'	- 5540'	
7" OD 8rd.	23#	N-80 W/LT&C	1960'	5540'	- 7500'	
7" OD 8rd.	23#	Casing to be set @ approximately 7500' - Top of Ferron Formation.				

AFFIDAVIT

I hereby certify under the penalty of perjury, that the information contained and statements herein made are to the best of my knowledge and believe, true, correct and complete.

Approved \_\_\_\_\_

By W. K. Riley  
W. K. Riley  
District Superintendent  
(Title or Position)

Date \_\_\_\_\_ 19 \_\_\_\_\_

By \_\_\_\_\_

Three States Natural Gas Company  
(Company or Operator)

Title \_\_\_\_\_

Address Post Office Box 730  
Price, Utah

INSTRUCTIONS

1. Complete this form in duplicate and mail both copies to the Oil and Gas Conservation Commission, Room 105, Capitol Building, Salt Lake City 14, Utah.
2. A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.
3. Any information required by this form that cannot be furnished at the time said form is submitted must be forwarded to the Commission as soon as available.
4. Use back of form for remarks.

REMARKS:

We propose to drill this well with Rotary Drilling Tools to the approximate total depth of 7650', to test specifically the Ferron Sand formation for commercial oil and gas production. Expected formation tops as follows: Star Point 2500', Emery 3950', Middle Mancos Shale 5500', Ferron Sand 7500'. Upon setting the 7"OD 23# J-55 and N-80 Casing to the top of the Ferron Sand formation, we propose to drill-in the Ferron Sand with Natural Gas or Air.

The attached Location Plat was surveyed by Mr. Carl Nyman, Price, Utah, and after completing the location survey Mr. Nyman completed the survey with a corrected Ground Elevation of 9522'.

The subject well location is under exception to spacing rule C-3 "GENERAL WELL SPACING REQUIREMENTS", this location was so picked because of the unorthodox location based on topographical and geological conditions.

**THREE STATES NATURAL GAS CO.**

Lease U-01279 Well No. Joe's Valley #4


Sec. 29, T 15 S, R 6 E, SLM

Location 1351' from the North line & 2314' from the West line

being in the NE $\frac{1}{4}$  of the SE $\frac{1}{4}$  of the NW $\frac{1}{4}$

Elevation of ground approximately 9495

*9522 - collected By MR. NYMAN*



Scale—4 inches equal 1 mile.

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

*Paul Nyman*  
Registered Professional  
Engineer and Land Surveyor.

Seal:

Surveyed June 13, 20, 19 56