

FILE NOTATIONS

Entered in NID File
Entered On S R Sheet
Location Map Pinned
Card Indexed
IWR for State or Fee Land

Checked by Chief
Copy NID to Field Office
Approval Letter
Disapproval Letter

COMPLETION DATA:

Date Well Completed 8-28-60
OW _____ WW _____ TA ✓
GW _____ OS _____ PA _____

Location Inspected _____
Bond released _____
State of Fee Land _____

LOGS FILED

Driller's Log 3-12-62
Electric Logs (No. 1) Houston
E _____ I _____ E-I _____
Lat _____ Mi-L _____ GR _____ GR-N _____ Micro _____
Sonic _____ Others _____

FILE NOTATIONS

Entered in NID File

Entered On S R Sheet

Location Map Pinned

Card Indexed

IWR for State or Fee Land

COMPLETION DATA:

Date Well Completed

OW _____ WW _____ TA _____

GW _____ OS _____ PA _____

LOGS FILED

Driller's Log _____

Electric Logs (No.) _____

E-I _____ GR _____ GR-N _____ Micro _____

Lat _____ Mi-L _____ Sonic _____ Others _____

Checked by Chief
Copy NID to Field Office
Approval Letter
Disapproval Letter

July 26, 1960

Mr. Earl N. Ramey
160 South Second West
Richfield, Utah

Dear Mr. Ramey:

This is to acknowledge receipt of your notice of intention to drill Well No. Fee - R-1, which is to be located 1825 feet from the south line and 505 feet from the west line of Section 27, Township 23 South, Range 2 West, SLEM, Sevier County, Utah.

Please be advised that approval to drill said well is hereby granted. However, said approval is conditional upon a plat being submitted in accordance with Rule C-4 of our General Rules and Regulations and Rules of Practice and Procedure.

Approval terminates within 90 days if the above mentioned well is not spudded in within said period.

Please take note that should it be necessary to plug and abandon said well you are hereby requested to give advance notice of the date and time said plugging will take place to one of the following named individuals, by phone or otherwise, in order that our petroleum engineer may be present to inspect the manner in which the well is being plugged:

ROBERT L. SCHMIDT, CHIEF PETROLEUM ENGINEER:

Office Phone: DA 2-4721, Extn. 438 or DA 8-0701

Home Phone: AM 6-8616

CLEON B. FEIGHT, EXECUTIVE SECRETARY:

Office Phone: DA 2-4721, Extn. 438 or DA 8-0701

Home Phone: HU 5-2721

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT
EXECUTIVE SECRETARY

CBF:co

November 14, 1960

Mr. Earl N. Ramey
160 South Second West
Richfield, Utah

Re: Well No. Fee R-1, Sec. 27,
T. 23 S., R. 2 W., Sevier
County, Utah

Dear Mr. Ramey:

This letter is to advise you that the well log for the above mentioned well is due and has not as yet been filed with this office as required by our rules and regulations.

Please complete the enclosed Form OGCC-3, "Log of Oil or Gas Well", in duplicate and forward it to this office as soon as possible.

Copies of all electric and radioactivity logs that may have been run should also be filed with this office.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

ANN W. GLINES,
RECORDS CLERK

AWG
Enclosures - 3

November 9, 1961

Mr. Earl N. Ramey
160 South 2nd West
Richfield, Utah

Re: Well No. Fee R-1
Sec. 27, T. 23 S., R. 2 W.
Sevier County, Utah

Dear Mr. Ramey:

We have written previous letters requesting reports needed for the above mentioned well and to date, we have received no reply from you.

We again request that you please complete and return the enclosed Form OGCC-3 and copies of any Electric and/or Radioactivity Logs that might have been run. You may use legible copies of the USGS Form 9-330 in lieu of our Form OGCC-3.

If we do not receive these reports within the next three weeks, we will deem it necessary to request the Attorney General's office take the necessary legal action to see that they are forwarded to us as required by our Rules and Regulations.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

ANN W. GLINES
RECORDS CLERK

AWG:kp
Enclosure

January 26, 1962

Hon. Pratt Keysler, Attorney General
Room 236
State Capitol Building
Salt Lake City, Utah

Attn: Ronald N. Boyce, Assistant Attorney General

Re: Earl N. Ramey
Well No. Fee R-1
Sec. 27, T. 23 S., R. 2 W.,
Sevier County, Utah

Dear Mr. Boyce:

We have written numerous letters since November, 1960 to Mr. Earl N. Ramey, 160 South 2nd West, Richfield, Utah on the above mentioned well, requesting he file a well log, abandonment reports and copies of any electric and/or radioactivity logs that might have been run on this well as required by Rules C-5, and D-2 of our Rules and Regulations.

We are sorry to bother you with this problem but we feel sufficient requests have been written to him for the respective reports. Any help or assistance you may be able to render will be appreciated.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT,
EXECUTIVE DIRECTOR

CBF:kpb

OFFICE OF THE ATTORNEY GENERAL
STATE CAPITOL
SALT LAKE CITY 14, UTAH

January 29, 1962

Earl N. Ramey
160 South 2nd West
Richfield, Utah

Dear Sir:

The Oil and Gas Conservation Commission of the State of Utah indicates that they have repeatedly requested you to file well logs, abandonment reports, and other material required by Rules C-5 and D-2 of the Rules and Regulations of the State Oil and Gas Conservation Commission, concerning your Well No. Fee R-1, Sec. 27, T. 23 S., R. 2 W., Sevier County, Utah.

We are, therefore, making demand that you file the appropriate reports not later than 15 February 1961. If you fail to so comply, we will have no other alternative but to bring legal action against you to compel you to so act.

Very truly yours,

A. PRATT KESLER
Attorney General

RONALD N. BOYCE
Assistant Attorney General

RNB/jrg

cc: Oil and Gas Conservation Comm.


C

O

P

Y

12 23



STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION

Salt Lake City, Utah

To be kept Confidential until _____
(Not to exceed 4 months after filing date)

LOG OF OIL OR GAS WELL

LOCATE WELL CORRECTLY

Operating Company Earl N. Ramey Address 160 South 2nd West
Lease or Tract Ford Ranch Field Richfield State Utah
Well No. R 1 Sec. 27 T. 23s R. 2W Meridian S.L.M. County Sevier
Location 1825 ft. N of S Line and 505 ft. E of W Line of Sec. 27 T. 23 S Elevation 5303
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed Earl N. Ramey

Date _____ Title Operator

The summary on this page is for the condition of the well at above date.

Commenced drilling Aug. 1, 1960 Finished drilling Aug. 28, 1960

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from None to _____ No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from 12 ft to 60 ft. No. 3, from _____ to _____
No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From-	To-	

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used

PLUGS AND ADAPTERS

OLD MARK

PLUGS AND ADAPTERS

Heaving plug—Material Length Depth set

Adapters—Material Size

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from 0 feet to 460 feet, and from feet to feet

Cable tools were used from feet to feet, and from feet to feet

DATES

Date ~~P & A~~ J.H. 8-28-60, 19..... Put to producing, 19.....

The production for the first 24 hours was barrels of fluid of which% was oil;% emulsion;% water; and% sediment. Gravity, °Bé.

If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas

Rock pressure, lbs. per sq. in.

EMPLOYEES

....., Driller , Driller

....., Driller , Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
			At the end of complete Driller's Log add Geologic Tops. State whether from Electric Logs or samples.
0 ft	12 ft	12ft	Volcanics
12 ft	60 ft	48 ft	Swamp Sand very fine
60 ft	460 ft	400 ft	Solid Volcanics

[OVER]

N

--	--	--	--

HISTORY OF OIL OR GAS WELL

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidetracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or bailing.


State whether electric logs were run.

SURFACE CASING WAS SET AND CEMENTED IN. WELL WAS DRILLED TO 460 FT. IN SOLID VOLCANICS, NO GAS OR OIL WAS ENCOUNTERED. WE HAD TO CAP WELL AND MOVE OFF TO TAKE ON WATER WELL CONTRACTS. WE INTEND TO MOVE BACK IN THIS SUMMER AND PROCEED TO ABOUT 1000 FT. IF TIME PERMITS.

MAR 12 1962

STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION

Salt Lake City, Utah



LOCATE WELL CORRECTLY

To be kept Confidential until _____
(Not to exceed 4 months after filing date)

LOG OF OIL OR GAS WELL

Operating Company Earl R. Barry Address 160 So. and West
 Lease or Tract Ford Ranch Field Rickfield State Utah
 Well No. R 1 Sec 27 T 23 S. R. 24 Meridian S. L. M. County Sevier
 Location _____ ft. $\begin{matrix} N \\ S \end{matrix}$ of _____ Line and _____ ft. $\begin{matrix} E \\ W \end{matrix}$ of _____ Line of _____ Elevation _____
(Denote floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed Earl R. Barry
 Title Operator

Date _____

The summary on this page is for the condition of the well at above date.

Commenced drilling _____, 19____ Finished drilling _____, 19____

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from 7' to _____ No. 4, from _____ to _____
 No. 2, from 6' 2" to _____ No. 5, from _____ to _____
 No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from 12" to 60 1/2' No. 3, from _____ to _____
 No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From	To	

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used

PLUGS AND ADAPTERS

OLD MARK

Heaving plug - Material Length Depth set

Adapters - Material Size

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from 0 feet to 460 feet, and from feet to feet

Cable tools were used from feet to feet, and from feet to feet

DATES

Date P & A , 19 Put to producing , 19

Production for the first 24 hours was barrels, of third of which % was oil; %

..... water and Gravity: B6

If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas

.....

EMPLOYEES

..... Driller , Driller

..... Driller , Driller

FORMATION RECORD

FROM	TO	TOTAL FEET	FORMATION
0	12	12 ft	At the end of complete Driller's Log add Geologic Tops. State whether from Electric Logs or samples. <i>Volcanics</i> <i>Swamp sand very fine</i> <i>Solid Volcanics</i>
12	60 ft	48	
18	460	442	

[OVER]

JE

FORMATION RECORD—Continued

FROM	TO	TOTAL FEET	FORMATION
0	460	460	Solid volcanic

--	--	--	--

HISTORY OF OIL OR GAS WELL

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidetracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or bailing.

State whether electric logs were run.

Surface casing was set and cemented in, well was drilled to 466 ft in solid volcanics - no oil was encountered we had to plug well and move off to take on water well contracts we intend to move back on this summer and proceed to about 1000 ft. if time permit.

January 31, 1962

Mr. Earl N. Ramey
160 South 2nd West
Richfield, Utah

Re: Well No. Fee R-1
Sec. 27, T. 23 S., R. 2 W.,
Sevier County, Utah

Dear Mr. Ramey:

We would like to thank you for submitting the well log on the above mentioned well; however, we are returning the log for you to complete. Would you please send us the above report with the specific spudding and completion date included.

We also note that the plat requested for in our approval letter of July 26, 1960 has not as yet been submitted. This plat is required by Rule C-4 of our General Rules and Regulations and Rules of Practice and Procedure.

Your immediate attention to the above mentioned requests will be very much appreciated.

. Very truly yours,

OIL & GAS CONSERVATION COMMISSION

ANN W. GLINES,
RECORDS CLERK

AWG: kpb
Enclosure

March 12, 1962

Mr. Earl N. Ramey
160 South 2nd West
Richfield, Utah

Re: Well No. Fee R-1,
Sec. 27, T. 23 S., R. 2 W.,
Sevier County, Utah

Dear Mr. Ramey:

We would like to thank you for submitting the corrected well log on the above mentioned well; however, we note that you did not enclose a plat for said well as requested in our letter of January 31, 1962.

Therefore, at such time you may decide to re-enter and rework this well, a plat will be required along with the notice of intention to rework.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

KAREN BERGMAN,
RECORDS CLERK

KB