

- Scout Report sent out
- Noted in the NID File
- Location map pinned
- Approval or Disapproval Letter
- Date Completed, P. & A. or operations suspended 7-14-56
- Pin changed on location map
- Affidavit and Record of A & P
- Water Shut-Off Test
- Gas-Oil Ratio Test
- Well Log Filed

RECEIVED BY FIELD OFFICE  
 DATE 7-14-56  
 TIME 11:30 AM

**FILE NOTATIONS**

- Entered in NID File
- Entered On S.R. Sheet
- Location Map Pinned
- Card Indexed
- IWR for State or Fee Land

- Checked by Chief
- Copy NID to Field Office
- Approval Letter
- Disapproval Letter

**COMPLETION DATA:**

Date Well Completed 11-22-54  
 OW \_\_\_\_\_ WW \_\_\_\_\_ TA \_\_\_\_\_  
 GW \_\_\_\_\_ OS \_\_\_\_\_ PA X

Location Inspected \_\_\_\_\_  
 Bond returned \_\_\_\_\_  
 State of Fee Land \_\_\_\_\_

Driller's Log 2-14-56 **LOGS FILED**  
 Electric Logs (No. 1) 7  
 P. 2 E1 \_\_\_\_\_ GR \_\_\_\_\_ GRN \_\_\_\_\_ MWS \_\_\_\_\_  
 Lat \_\_\_\_\_ Mi-L \_\_\_\_\_ Sonic \_\_\_\_\_ Others \_\_\_\_\_

SEE BACK SIDE ↓

9 mi. So 2 } SLC  
27 mi W }

On So. Lake Shore

4-4-57 No Op. at location

2 abd wells

So. one open-water

No. one 18" - 2" valve cracked  
making water

See Woodward. Em 8-6494

STATE OF UTAH  
OIL AND GAS CONSERVATION COMMISSION  
NOTICE OF INTENTION TO DRILL

OIL AND GAS CONSERVATION COMMISSION

19

In compliance with Rule C-4, notice is hereby given that it is our intention to commence the work of drilling Well No. WOODLAY-CARSON WELL NO. 1 - Cassity Lease (N) which is located 502.8 ft from (N) line and 502.3 ft. from (E) NE 1/4 SW 1/4 (S) from (W) line of/Sec. 14, Twp. 2 S, R. 5 W, SL (Meridian), Tooele Valley (Field or Unit)

Tooele (County), on or about 25th day of May, 19 56.

LAND: Fee and Patented (x) State ( ) Lease No. \_\_\_\_\_ Name of Owner of patent or lease Ed Cassity  
Public Domain ( ) Lease No. \_\_\_\_\_ Address Grantsville, Utah

Is location a regular or exception to spacing rule? regular Has a surety bond been filed? Yes With whom? State Area in drilling unit \_\_\_\_\_ (State or Federal)

Elevation of ground above sea level is 4,219.2 ft. All depth measurements taken from top of derrick floor which is 10 ft above ground (Derrick Floor, Rotary Table or Kelley Bushing)

Type of tools to be used rotary. Proposed drilling depth 5,700 ft. Objective formation is test hole.

PROPOSED CASING PROGRAM

Size of Casing Inches A.P.I.	Weight Per Foot	Grade and Type	Amount Ft. In.	Top	Bottom	Cementing Depths
10-3/4	32"	H-40	900'			
5 1/2	15 1/2"	J-55	5700'			

AFFIDAVIT

I hereby certify under the penalty of perjury, that the information contained and statements herein made are to the best of my knowledge and belief, true, correct and complete.

Approved for regular location  
Date June 4 19 56  
By W. J. Smart  
Title Commissioner

By Walker  
President  
(Title or Position)  
WALKER AND WILSON DRILLING COMPANY  
(Company or Operator)  
Address 509 Mile High Center, Denver, Colo

INSTRUCTIONS:

- Complete this form in duplicate and mail both copies to the Oil and Gas Conservation Commission, Room 105, Capitol Building, Salt Lake City 14, Utah.
- A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.
- Any information required by this form that cannot be furnished at the time said form is submitted must be forwarded to the commission as soon as available.
- Use back of form for remarks.

WOODLEY-GARSON-CASSITY # 1  
43-045-11428  
WATER PERMIT-56-864

74

15-874

10" well No.  
15-2803

oil Test Well  
15-2804

well  
15-866

Well 15-865

22.5 acs

28.9

614 acs


33.0 acs

37.6 acs

36.7

40.0 acs

25.6 acs



June 4, 1956

Walker and Wilson Drilling Co.  
509 Mile High Center,  
Denver, Colorado

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Woodlay-Carson 1, which is to be located 3142.8 feet from the north line and 1822.3 feet from the west line of Section 14, Township 2 South, Range 5 West, SLBM, Tooele County.

Before approval can be given for the drilling of this well, it will be necessary for you to furnish a bond as required by Rule C-1, General Rules and Regulations of the Oil and Gas Conservation Commission.

For your convenience we are enclosing some forms.

Very truly yours,

Gleon B. Feight  
Secretary

CBF:olo

cc: D. Russell, Geological Survey, Federal Building, Salt Lake City,  
Utah

THE

# Employers' Group



## INSURANCE COMPANIES

THE EMPLOYERS' LIABILITY ASSURANCE CORPORATION, LTD.  
THE EMPLOYERS' FIRE INSURANCE COMPANY,  
AMERICAN EMPLOYERS' INSURANCE COMPANY,  
THE HALIFAX INSURANCE COMPANY OF MASSACHUSETTS.

**SELBACH INSURANCE AGENCY, Gen. Agts.**

10 WEST BROADWAY, SALT LAKE CITY 1, UTAH

THE EMPLOYERS' GROUP MAN IS THE MAN WITH THE PLAN

Oil and Gas Conservation Commission  
Room 136  
State Capitol Building  
Salt Lake City, Utah

Attention: Mr. Smart

June 13, 1956

Gentlemen:


Re: Walker & Wilson Drilling Company  
Bond for Plugging Oil & Gas Well

In accordance with our telephone conversation with Mr. Smart on June 13 we are enclosing a bond for plugging oil and gas well which has been issued by the Employers' Liability Assurance Corporation, Limited on behalf of Walker & Wilson Drilling Company.

This bond has been duly countersigned by a Utah resident agent and we trust it will be found in order.

Sincerely yours,

SELBACH INSURANCE AGENCY

  
Jos. F. Ringholz

JFR:lm

Enclosure

0A2444

June 18, 1956

Walker and Wilson Drilling Co.  
509 Mile High Center  
Denver, Colorado

Gentlemen:

This is to acknowledge receipt of bond No. SY-159992 issued by the Employer's Liability Assurance Corporation, Ltd., Boston, Massachusetts on your behalf to the benefit of the Oil and Gas Conservation Commission of the State of Utah covering all wells to be drilled on the NE $\frac{1}{4}$ SW $\frac{1}{4}$  of Section 14, Township 2 South, Range 5 West, S1M, Tooele County, Utah.

Please be advised that approval to drill Well No. Woodlay-Garson, which is to be located 3142.8 feet from the north line and 1822.3 feet from the west line of Section 14, Township 2 South, Range 5 West, S1EM, Tooele County is hereby granted.

Before plugging and abandoning this well, you are hereby requested to give advance notice of the date and time said plugging will take place to one of the following named individuals by phone or otherwise, in order that our Petroleum Engineer may be present to inspect the manner in which the well is being plugged.

- C. A. Hauptman, Petroleum Engineer, Office phone: DA 2-4721, Ex 438  
Home phone: EM 4-6790
- C. B. Feight, Secretary, Office phone: DA 2-4721, Ex 438  
Home phone: GR 7-3263

Address all other forms of communication to the Oil & Gas Conservation Commission, Rm 140, State Capitol Bldg, Salt Lake City, Utah.

Yours very truly,

OIL AND GAS CONSERVATION COMMISSION

CLEON B. FEIGHT  
SECRETARY

November 9, 1956

Walker and Wilson Drilling Company  
509 Mile High Center  
Denver, Colorado

Gentlemen:

Unofficially, it has come to the attention of this office that the Woodlay-Garson Well No. 1, located in Section 14, Township 2 South, Range 5 West, SEEM, Tooele County, Utah, is being deepened by another operator.

To date, said operator, whose name is unknown to us, has failed to file either a notice of intention to re-work or a plugging bond.

Therefore, we are writing this letter to advise you of the fact that you are still liable, under Bond No. SY159992, issued by the Employer's Liability Assurance Corporation, Ltd., for the plugging of said well.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FRIGHT  
SECRETARY

CBF:en

*Handwritten notes:*  
C. B. Fright  
655  
Bussell  
C. B. Fright

STATE OF UTAH  
OIL AND GAS CONSERVATION COMMISSION

AFFIDAVIT AND RECORD OF ABANDONMENT AND PLUGGING

PLUGGING METHODS AND PROCEDURE: -- The method and procedure for plugging a well shall be as follows:

- (a) The bottom of the hole shall be filled to, or a bridge shall be placed at the top of each producing formation open to the well bore, and in either event, a cement plug not less than fifty (50) feet in length shall be placed immediately above each producing formation open to the well bore whenever possible.
- (b) A cement plug not less than fifty (50) feet in length shall be placed at approximately fifty (50) feet above and below all fresh water bearing strata.
- (c) A plug shall be placed at or near the surface of the ground in each hole.
- (d) The interval between plugs shall be filled with heavy mud laden fluid.
- (e) The hole shall be plugged with heavy mud up to the base of the surface string at which point a plug of not less than fifty (50) feet of cement shall be placed.

**TOOELE**

Woodlay-Garson, Inc.  
CASSITY LEASE # 1

Field or Pool \_\_\_\_\_ County 14 25 SW  
Lease Name \_\_\_\_\_ Well No. 56 Sec. \_\_\_\_\_ Twp. YES R. \_\_\_\_\_  
Date Well was plugged: \_\_\_\_\_, 19\_\_\_\_.

Was the well plugged according to regulation of the Commission: \_\_\_\_\_

Set out method used in plugging the well, the nature and quantities of materials used in plugging, size of plugs, location and extent (by depths) of the plugs of different materials, and the amount of casing left in the hole (casing size, top and bottom elevations of each section of abandoned casing.)

~~different materials, and the amount of casing left in the hole (casing size, top and bottom elevations of each section of abandoned casing.)~~

hole was filled with heavy mud and a bull plug was screwed in top of the surface pipe. A steel marker, 4' in height, showing the name of the well, name of the drilling company, section, township, and range of location will be cemented or welded to the surface pipe. There was 906' of 9-5/8 casing left in the hole from 0 to 906'.

L. E. WHITLOCK  
L. E. Whitlock  
325 Petroleum Club Bldg.  
Operator Denver 2, Colorado  
Address \_\_\_\_\_

AFFIDAVIT

STATE OF ~~UTAH~~ Colorado  
COUNTY OF Denver

Before me, the undersigned authority, on this day personally appeared L. E. Whitlock, known to me to be the person whose name is subscribed to the above instrument, who being by me duly sworn on oath states that he is authorized to make this report and has knowledge of the facts stated herein and that said report is true and correct.

Subscribed and sworn to before me this 10<sup>th</sup> day of February, 1958.

My Commission Expires: March 30, 1961

Alie Lowland  
NOTARY PUBLIC

STATE OF UTAH  
OIL AND GAS CONSERVATION COMMISSION

AFFIDAVIT AND RECORD OF ABANDONMENT AND PLUGGING

PLUGGING METHODS AND PROCEDURE: -- The method and procedure for plugging a well shall be as follows:

- (a) The bottom of the hole shall be filled to, or a bridge shall be placed at the top of each producing formation open to the well bore, and in either event, a cement plug not less than fifty (50) feet in length shall be placed immediately above each producing formation open to the well bore whenever possible.
- (b) A cement plug not less than fifty (50) feet in length shall be placed at approximately fifty (50) feet above and below all fresh water bearing strata.
- (c) A plug shall be placed at or near the surface of the ground in each hole.
- (d) The interval between plugs shall be filled with heavy mud laden fluid.
- (e) The hole shall be plugged with heavy mud up to the base of the surface string at which point a plug of not less than fifty (50) feet of cement shall be placed.

Field or Pool NONE County TOOELE  
 Lease Name Woodlay-Garson, INC. CASSITY LEASE Well No. 1 Sec. 14 Twp 2S R. 5W

Date Well was plugged: November 22, 19 56

Was the well plugged according to regulation of the Commission: YES

Set out method used in plugging the well, the nature and quantities of materials used in plugging, size of plugs, location and extent (by depths) of the plugs of different materials, and the amount of casing left in hole, (giving size, top and bottom elevations of each section of abandoned casing.)

Since there were no formations nor important water sands encountered in this hole, a cement plug was set from 7943' to 7993'; then the hole was filled with heavy mud and a bull plug was screwed in top of the surface pipe. A steel marker, 4' in height, showing the name of the well, name of the drilling company, section, township, and range of location will be cemented or welded to the surface pipe. There was 906' of 9-5/8 casing left in the hole from 0 to 906'.

Operator L. E. Whitlock  
 Address 325 Petroleum Club Bldg. Denver 2, Colorado

Colorado  
 STATE OF ~~UTAH~~  
 COUNTY OF Denver

AFFIDAVIT

Before me, the undersigned authority, on this day personally appeared L. E. Whitlock, known to me to be the person whose name is subscribed to the above instrument, who being by me duly sworn on oath states that he is authorized to make this report and has knowledge of the facts stated herein and that said report is true and correct.

Subscribed and sworn to before me this 10<sup>th</sup> day of February, 1958.

My Commission Expires: March 20, 1961

Rice Lowland  
 NOTARY PUBLIC

INSTRUCTIONS: Complete this form in duplicate and mail both copies to the Oil & Gas Conservation Commission, Room 140, State Capitol Building, Salt Lake City, Utah.

April 9, 1957

The Employer's Liability Assurance  
Corporation, Ltd.  
655 Broadway Building  
Denver, Colorado

Gentlemen:

On November 9, 1956, the following letter was sent to Walker  
and Wilson Drilling Company by this office:

"Unofficially, it has come to the attention of this  
office that the Woodley-Garson Well No. 1, located  
in Section 14, Township 2 South, Range 5 West, SE1/4,  
Tooele County, Utah, is being deepened by another  
operator.

To date, said operator, whose name is unknown to us,  
has failed to file either a notice of intention to  
rework or a plugging bond.

Therefore, we are writing this letter to advise you  
of the fact that you are still liable, under Bond No.  
SY 159992, issued by the Employer's Liability Assur-  
ance Corporation, Ltd., for the plugging of said well."

To date we have received no reply to this letter, nor, to our  
knowledge, has the well been plugged.

If you have any information relative to this matter, will you  
so notify us, as it may be necessary for the Commission to take  
the necessary action under the bond to have said well plugged.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

GLENN B. FREIGHT  
SECRETARY

GBF:en

cc: Walker & Wilson Drilling Co.  
509 Mile High Center  
Denver, Colorado

April 10, 1957

Walker & Wilson Drilling Company  
509 Mile High Center  
Denver, Colorado

Gentlemen:

Operations have been suspended on Well No. Woodlay-Garson 1, which was drilled by you on Section 14, Township 2 South, Range 5 West, SEEM, Tooele County, Utah as of July 14, 1956.

Rule C-5(a), General Rules and Regulations and Rules of Practice and Procedure, Utah Oil and Gas Conservation Commission, provides that within 90 days after the suspension of operations, abandonment of, or the completion of any well drilled for the production of oil or gas and within 90 days after the completion of any further operations on it, if such operations involved drilling deeper or drilling or re-drilling any formation, the well log shall be filed with the Commission, as well as a copy of the electric and radioactivity logs, if run.

Will you please forward the well log or logs to this office as required by the above mentioned rule.

For your convenience, we are enclosing the necessary forms.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

GLENN B. FREIGHT  
SECRETARY

GBF:en

Encl.

THE

# Employers' Group



## INSURANCE COMPANIES

THE EMPLOYERS' LIABILITY ASSURANCE CORPORATION, LTD.  
THE EMPLOYERS' FIRE INSURANCE COMPANY.  
AMERICAN EMPLOYERS' INSURANCE COMPANY.  
THE HALIFAX INSURANCE COMPANY OF MASSACHUSETTS.

## COLORADO DEPARTMENT

RICHARD W. ROOT, RESIDENT MANAGER  
655 BROADWAY BUILDING, DENVER 3, COLORADO

THE EMPLOYERS' GROUP MAN IS THE MAN WITH THE PLAN

Cleon B. Feight, Sec'y  
Oil & Gas Conservation Commission  
State of Utah  
Capitol Building  
Salt Lake City 4, Utah

April 17, 1957

Dear Mr. Feight:

We have made some inquiry, following receipt of your letter of April 9, 1957, and have been informed by a representative of Walker & Wilson Drilling Co. that that firm has had nothing to do with the well described, and it has been suggested that your Commission contact a Leonard Whitlock of the L. E. Whitlock Truck Service, Inc., Colorado Bldg., Denver, Colorado.

May we sincerely request that such contact be made as it is our understanding that this firm presently has the responsibility for this property.

If we can be of any further assistance, we will be very happy to co-operate.

Very truly yours,

DON L. PORTER, SUPT.  
COLORADO CLAIM DEPT.

DLP:hes

April 19, 1957

Leonard Whitlock  
Whitlock Truck Service Inc.  
Colorado Building  
Denver, Colorado

Dear Sir:

Operations have been suspended on Well No. Woodlay-Garson 1, which was drilled by you on Section 14, Township 2 South, Range 5 West, SLHM, Toccole County, Utah as of July 14, 1956.

Rule C-5 (a), General Rules and Regulations and Rules of Practice and Procedure, Utah Oil and Gas Conservation Commission, provides that within 90 days after the suspension of operations, abandonment of, or the completion of any well drilled for the production of oil or gas and within 90 days after the completion of any further operations on it, if such operations involved drilling deeper or drilling or re-drilling any formation, the well log shall be filed with the Commission, as well as a copy of the electric and radioactivity logs, if run.

Will you please forward the well log or logs to this office as required by the above mentioned rule, as soon as possible.

For your convenience, we are enclosing the necessary forms.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHE  
SECRETARY

CBF:en

April 19, 1957

The Employer's Group Insurance Company  
655 Broadway Building  
Denver 3, Colorado

Attention: Don L. Porter, Superintendent

Gentlemen:

Receipt is acknowledged of your letter of April 17, 1957.

Be assured that every effort will be made to contact Mr. Whitlock relative to the plugging of this well.

Incidentally, I am unable to understand the attitude of the Walker & Wilson Drilling Company. Not only did they file the notice of intention to drill, but they are liable as the principal under the bond.

We will furnish you with any information we may receive with regards to this matter.

With best good wishes, I remain,

Yours very truly,


OIL & GAS CONSERVATION COMMISSION

CLEON B. FERRELL  
SECRETARY

CBF:en

**STATE OF UTAH  
OIL & GAS CONSERVATION COMMISSION**

State Capitol Building  
Salt Lake City 14, Utah



LOCATE WELL CORRECTLY

To be kept Confidential until \_\_\_\_\_  
(Not to exceed 4 months after filing date)

**LOG OF OIL OR GAS WELL**

Operating Company L. E. WHITLOCK Address 519 MILE HIGH CENTER, DENVER, COLO  
 Lease or Tract: CASSITY Field XXXXXX State UTAH  
 Well No. 1 Sec. 14 T. 2S R. 5W Meridian SALT LAKE County TOOELE  
 Location 502.8 ft. <sup>Nx</sup><sub>S.</sub> of N Line and 502.3 ft. <sup>E.</sup><sub>Wx</sub> of W Line of NE $\frac{1}{4}$ SW $\frac{1}{4}$  Sec. 14 Elevation 4219.2  
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon  
so far as can be determined from all available records.

Signed L. E. Whitlock  
 OPERATOR, Successor to WALKER-WILSON DRILLING  
 Title \_\_\_\_\_ Co.

Date April 29, 1957

The summary on this page is for the condition of the well at above date.

Commenced drilling June 8, 1956. Finished drilling November 22, 1956.

**OIL OR GAS SANDS OR ZONES**

*(Denote gas by G)*

No. 1, from None to \_\_\_\_\_ No. 4, from \_\_\_\_\_ to \_\_\_\_\_  
 No. 2, from \_\_\_\_\_ to \_\_\_\_\_ No. 5, from \_\_\_\_\_ to \_\_\_\_\_  
 No. 3, from \_\_\_\_\_ to \_\_\_\_\_ No. 6, from \_\_\_\_\_ to \_\_\_\_\_

**IMPORTANT WATER SANDS**

No. 1, from None to \_\_\_\_\_ No. 3, from \_\_\_\_\_ to \_\_\_\_\_  
 No. 2, from \_\_\_\_\_ to \_\_\_\_\_ No. 4, from \_\_\_\_\_ to \_\_\_\_\_

**CASING RECORD**

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From-	To-	
9-5/8	32	8		906'	xxx	xxxxx	xxx	xxx	xxxx

**MUDDING AND CEMENTING RECORD**

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
9-5/8	906	500 sks		9#	150 sks

**PLUGS AND ADAPTERS**

Heaving plug—Material None Length None Depth set None  
 Adapters—Material None Size None

**SHOOTING RECORD**

FOLD MARK

FOLD MARK

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
9-5/8	906	500 sks		9#	150 sks

**PLUGS AND ADAPTERS**

Heaving plug—Material None Length None Depth set None  
 Adapters—Material None Size None

**SHOOTING RECORD**

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out
		NONE				

**TOOLS USED**

Rotary tools were used from 0 feet to 7,993 feet, and from xxx feet to xxx feet  
 Cable tools were used from None feet to xxx feet, and from xx feet to xx feet

**DATES**

....., 19..... Put to producing None....., 19.....

The production for the first 24 hours was ..... barrels of fluid of which .....% was oil; .....% emulsion; .....% water; and .....% sediment. Gravity, °Bé. ....

If gas well, cu. ft. per 24 hours ..... Gallons gasoline per 1,000 cu. ft. of gas .....

Rock pressure, lbs. per sq. in. ....

**EMPLOYEES**

BERRY....., Driller SALTSGAVER....., Driller  
KINCAID....., Driller ....., Driller

**FORMATION RECORD**

FROM—	TO—	TOTAL FEET	FORMATION
VALLEY FILL TO TOTAL DEPTH			<p>Recommend -            Hole should be mudded,            if not left as such, from            bottom to Top <sup>place</sup> cut plug at            surface w/ marker.</p>

May 13, 1957

L. E. Whittleck  
519 Mile High Center  
Denver, Colorado

Dear Sir:

This is to acknowledge receipt of the well logs and the electric logs for Well No. Woodlay-Garsonall, Section 14, Township 2 South, Range 5 West, S12E, Tooele County, and Well No. Whittleck-Morton Salt Company 1, Section 24, Township 1 North, Range 3 West, S12E, Salt Lake County, Utah.

Thank you very much for your cooperation in this matter.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

GLENN B. FREIGHT  
SECRETARY

CBF:en

cc: Mr. Charles E. Woodward  
118 North Main Street  
Salt Lake City, Utah

*Out of Town  
- Not back in SLK  
until latter part of  
next week - (about May 25<sup>th</sup>)*

*Per his wife  
Em 36494 5/14/57  
C.A.H.*

*6-17-57*

June 24, 1957

L. E. Whitlock  
519 Mile High Center  
Denver, Colorado

Re: Wells No. Whitlock-Morton Salt  
Company 1, Sec. 24, T. 1 N,  
R. 3 W, Salt Lake County and  
Woodlay-Carson 1, Sec. 14,  
T. 2 S, R. 3 W, Tooele County

Dear Mr. Whitlock:

This letter is to advise you that liability under the bonds covering the above mentioned wells cannot be released until said wells are plugged and the plugging approved by this Commission.

Will you please advise this office of your intentions relative to this matter.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FREIGHT  
SECRETARY

CBF:en

cc: The Travelers Indemnity Co.  
c/o Brown-Gansel and Co.  
Schweiter Building  
Wichita, Kansas

The Employer's Group Insurance Co.  
655 Broadway Building  
Denver 3, Colorado

LEONARD E. WHITLOCK

829 WEST BROADWAY

STAFFORD, KANSAS

519 Mile High Center Bldg.  
Denver, Colorado  
July 16, 1957

Oil & Gas Conservation Commission  
The State of Utah  
Salt Lake City 14, Utah

Attention: Mr. Cleon B. Feight, Sect.

Dear Sir:

References made to your letter of June 24 regarding plugging of Woodlay-Garson Cassity No. 1 and Morton Salt No. 1. These wells were only temporarily abandoned since it is our intentions to drill the third well in the vicinity of the Jess Hickey Cassity No. 1. If this should make a well, then we no doubt will want to go back into the other two wells and deepen them for the purpose of further testing.

Will keep you advised as to our progress.

Sincerely,



L. E. WHITLOCK

lew:dcn

July 17, 1957

The Employer's Group Insurance Company  
655 Broadway Building  
Denver 3, Colorado

Attention: Don L. Porter, Superintendent

Gentlemen:

The following letter was received by this office from  
Leonard E. Whitlock:

"References made to your letter of June 24 regarding plugging of Woodlay-Garson Cassity No. 1 and Morton Salt No. 1. These wells were only temporarily abandoned since it is our intentions to drill the third well in the vicinity of the Jesse Hickey Cassity No. 1. If this should make a well, then we no doubt will want to go back into the other two wells and deepen them for the purpose of further testing.

Will keep you advised as to our progress."

We would like to suggest that you renew the bond with Leonard E. Whitlock, 519 Mile High Center, Denver, Colorado.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

OLEON B. FEIGHT  
SECRETARY

CBF:en

July 23, 1957

Leonard E. Whitlock  
629 West Broadway  
Stafford, Kansas

Dear Mr. Whitlock:

This is to acknowledge receipt of your letter in which you state that you do not intend to plug Wells No. Woodlay-Garson Cassity 1, and Morton Salt 1.

Please be advised that it will be necessary for you to obtain a bond to cover the plugging of Well No. Woodlay-Garson Cassity 1, in order that we may release the bond furnished by the Walker & Wilson Drilling Company.

Some bond forms are enclosed for your convenience.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLYDE B. FEIGHT  
SECRETARY

CBF:en

cc: Employer's Group Insurance Co.  
655 Broadway Building  
Denver 3, Colorado

THE

# Employers' Group

INSURANCE COMPANIES

THE EMPLOYERS' LIABILITY ASSURANCE CORPORATION, LTD.  
THE EMPLOYERS' FIRE INSURANCE COMPANY.  
AMERICAN EMPLOYERS' INSURANCE COMPANY.  
THE HALIFAX INSURANCE COMPANY OF MASSACHUSETTS.



COLORADO DEPARTMENT

RICHARD W. ROOT, RESIDENT MANAGER  
655 BROADWAY BUILDING, DENVER 3, COLORADO

THE EMPLOYERS' GROUP MAN IS THE MAN WITH THE PLAN

The State of Utah  
Oil & Gas Conservation Commission  
Salt Lake City 14, Utah

Attn: Mr. Feight

July 23, 1957

Dear Mr. Feight:

Re: Walker & Wilson Drilling Company

With regard to your letter of July 17, 1957 concerning Leonard Whitlock, and the Woodley-Garson Cassity No. 1. and Morton Salt No. 1 wells. We are attempting at this end to clarify the situation that exists between the Walker Wilson Drilling Company and Leonard E. Whitlock.

At this time, we would like to advise you that we do not bond the Leonard E. Whitlock Company, our bond is issued to the Walker Wilson Drilling Company, and as yet, we have been unable to establish the mixup between these two companies.

As soon as we can get this straightened out, we will immediately notify you as to who is the principal under our bond for these wells.

Yours very truly,

*R. E. Thoning*  
R. E. THONING  
COLORADO CLAIM DEPT.

RET:hes

# BROWN-GINZEL & COMPANY

SCHWEITER BUILDING \* WICHITA, KANSAS

## Insurance

August 1, 1957

The State of Utah  
Oil and Gas Conservation Commission  
Salt Lake City 14, Utah

Attention: Mr. Cleon B. Feight  
Secretary

Re: Leonard E. Whitlock  
Woodley-Garson Cassity # 1  
Oil Well Plugging Bond  
Effective July 31, 1957

Dear Mr. Feight:

Our pleasure is that of assisting and providing the various coverages pertinent to both personal and business requirements of Mr. Leonard E. Whitlock. Therefore, your letter of June 23, 1957 has been referred to our attention and in turn, we are enclosing the above captioned bond, as underwritten by the Travelers Indemnity Company of Hartford, Connecticut.

May I suggest that if other insurance and/or bond service should be desired in behalf of Mr. Whitlock's Utah interests that we be informed accordingly.

Very truly yours,

Brown-Ginzel & Co.

*M. L. Staley*  
M. L. Staley

mls/dd

cc: Mr. Leonard E. Whitlock  
519 Mile High Center Building  
Denver, Colorado

August 14, 1957

Mr. Leonard E. Whitlock  
519 Mile High Center Building  
Denver, Colorado

Dear Sir:

This is to acknowledge receipt of your bond from the Brown-Ginzel & Company covering the Woodlay-Garson Cassity No. 1 well.

Thank you very much for your prompt action in this matter.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT  
SECRETARY

CBF:en

cc: Brown-Ginzel & Company  
Schweiter Building  
Wichita, Kansas

August 14, 1957

Employer's Group Insurance Company  
655 Broadway Building  
Denver 3, Colorado

Attention: Mr. R. E. Thoning, Colorado Claim Department

Re: Walker & Wilson Drilling Company

Gentlemen:

This letter is to advise you that liability under Bond No. Sy-159992, which was issued by you to the above named company is hereby released.

To avoid any confusion in the future, said bond is returned herewith.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CIRCE B. FEIGER  
SECRETARY

CBF:en

*Marcellus Palmer & Associates*

*351 South State Street - Suite 5*

*Salt Lake City 11, Utah*

October 14, 1958

*Marcellus Palmer*

*Harry D. Moulton*

*Miles A. Williams*

*Licensed Real Estate Broker  
Oil & Gas • Mineral Services  
Appraisals*

Oil and Gas Conservation Commission  
State Capitol Building  
Salt Lake City, Utah

Attn: Cleon B. Fight

Dear Mr. Fight:

Reference is made to our telephone conversation recently in connection with the Woodlay-Garson No. 1 well in Tooele County and the Whitlock-Morton Salt well in Salt Lake County, which have now been plugged and are ready for abandonment.

Some time ago Mr. Leonard E. Whitlock of Suite 300, Petroleum Club Building, Denver 2, Colorado, asked me to take care of having the proper identification markers permanently placed at the above two wells. This is to advise that an expert assistant was secured and that permanent markers which were 1/4 inch steel posts have been placed at the above two wells bearing the name of the well, the location of same by a survey tie point, and the dealers name, and if you find it necessary to check on these locations you may now do so. I trust that the information included therein will meet with your requirements and if further question arises in connection with same you will so advise.

Thanking you for your assistance with this matter, I am

Very truly yours,

*Marcellus Palmer*  
Marcellus Palmer

MP:st

L. E. WHITLOCK COMPANY  
SUITE ~~300~~ 325  
PETROLEUM CLUB BUILDING  
DENVER 2, COLORADO  
AComa 2-3725

February 4th, 1959

The State of Utah  
Oil and Gas Conservation Commission  
Salt Lake City 14, Utah

Attn: Mr. Cleon B. Feight

Dear Sir:

We would like to have confirmation of release on the Woodlay-Garson Cassity #1 well, location, NE $\frac{1}{4}$  SW, Sec. 14, Twp. 2S, Range 5W, Toole County, Utah, Bond #656348, which was issued July 31, 1957, with L. E. Whitlock as principal and Travelers Indemity Company as the insurers for the sum of \$5,000.00.

The above-mentioned well was properly posted and proper identification placed thereon, October, 1958, and the Oil and Gas Conservation Commission was advised, but this office failed to receive your letter of approval.

Thanking you in advance for your attention to the above matter, we remain

Sincerely,

L. E. WHITLOCK COMPANY

  
Charlene Newell,  
Mr. Whitlock's Secretary

cn



FOLD MARK

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
9-5/8	906'	500 sacks	circulated	9 lb	150 sacks

**PLUGS AND ADAPTERS**

Heaving plug—Material None Length None Depth set None  
 Adapters—Material None Size None

**SHOOTING RECORD**

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out
			NONE			

**TOOLS USED**

Rotary tools were used from 0 feet to 7993' feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 Cable tools were used from 0 feet to 0 feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet

**DATES**

\_\_\_\_\_, 19\_\_\_\_ Put to producing NONE, 19\_\_\_\_

The production for the first 24 hours was 0 barrels of fluid of which \_\_\_\_\_% was oil; \_\_\_\_\_% emulsion; \_\_\_\_\_% water; and \_\_\_\_\_% sediment. Gravity, °Bé. \_\_\_\_\_

If gas well, cu. ft. per 24 hours 0 Gallons gasoline per 1,000 cu. ft. of gas 0

Rock pressure, lbs. per sq. in. 0

**EMPLOYEES**

BERRY, Driller SALTSGAVER, Driller  
KINCAID, Driller \_\_\_\_\_, Driller

**FORMATION RECORD**

FROM—	TO—	TOTAL FEET	FORMATION
<p>Since there were no formations nor important water sands encountered in this hole, a cement plug was set from 7943' to 7993'; then the hole was filled with heavy mud and a bull plug screwed in the top of surface pipe. A steel marker, 4' in height, showing the name of the well, name of drilling company, section, township, and range of location, will be cemented or welded to the surface pipe.</p>			

[OVER]

FEB 14 1950

February 6, 1959

L. E. Whitlock Company  
Suite 325, Petroleum Club Building  
Denver 2, Colorado

Attention: Charlene Newell,  
Mr. Whitlock's Secretary

Gentlemen:

With reference to your letter of February 4, 1959, please be advised that on August 14, 1957 this office sent a letter to the Employer's Group Insurance Company releasing liability under Bond No. SY 159992. This bond was intended to cover the drilling and plugging of Well No. Woodlay-Garson-Cassidy 1, located on Section 14, Township 2 South, Range 5 West, SLEM, Tooele County, Utah.

On September 3, 1958 a letter was sent to the Travelers Insurance and Indemnity Company releasing Bond No. 594493 covering Well No. Morton Salt Company 1, which was drilled on Lot 2, Section 24, Township 1 North, Range 3 West, SLEM, Salt Lake County, Utah.

This office has no record of the bond referred to in your letter.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT  
EXECUTIVE SECRETARY

CBF:co

cc