

7-11-10-10-15

Filed in NID File
 Entered On S.P. Sheet
 Location Map Pinned
 Card Indexed
 IWR for State or Fee Land

Checked by Chief
 Copy NID to Field Office
 Approval Letter
 Disapproval Letter

COMPLETION DATA:

Date Well Completed 5-26-56
 OW _____ WVV 4A
 GW _____ OS PA

Location Inspected _____
 Bond released _____
 State of Fee Land _____


LOGS FILED

Driller's Log 12-5-56
 Electric Logs (No.) 2

E I _____ E-I _____ GR _____ GR-N _____ Micro
 Lat _____ Mi-L _____ Sonic _____ Others _____

Subsequent Reports Abandoned

Scout Report sent out
 Noted in the NID File
 Location map pinned
 Approval or Disapproval Letter
 Date Completed, P. & A. or operations suspended 5-29-56
 Pin changed on location map
 Affidavit and Record of A & P
 Water Shut-Off Test
 Gas-Oil Ratio Test
 Well Log Filed



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake City
Lease No. U-0886
Unit Red Wash

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Utah, State April 6, 1955

Well No. U-0886 is located 568.2 ft. from N line and 669.7 ft. from E line of sec. 9

14 24 9 T 2 S R 24 E SLM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Red Wash Wasatch Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5200 ft. alt.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We propose to drill a test for oil or gas to be completed in the lower Green River formation.

**Our proposed casing program is:
1) 1 1/2" O.D. 10-5/8, 3-5/8 surface set at approximately 100' and cemented to surface.
2) 7" O.D. 2 1/2", 3-5/8 production casing set through Green River at approximately 5200' with sufficient cement to exclude all potential oil or gas losses.**

Estimated top of Green River 5200
Estimated top of Wasatch 5200


I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The California Company

Address P. O. Box 155

Utah, State

By James M. [Signature]
Title Area Dept.



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake City
Lease No. 11-0226
Unit Salt Wash

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	<u>Subsequent Report of DST #1</u>	<u>1</u>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Vernal, Utah May 1, 1954

Well No. (117) 11-97 is located 562.2 ft. from N 1/2 line and 669.7 ft. from E 1/2 line of sec. 9

R 3 E 9 T 0 S 2 S 1 E 11 W
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Salt Wash Utah Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5122.5 ft. a.s.l.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

DST #1 - Interval 1818 - 1836 standard test. No DHC. No WC. Tool opened @ 3000 A.M. with weak blow increasing to fair blow in 3 minutes and closed in 1 hour. No gas to surface. Tool open 1 hour, closed 30 minutes. Recovered 362' muddy water. Salinity 100 CL.

Press: 1818 1836 180 160 185
895 85 100 160 895


*Noted 5/24/56
RAH*

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The California Company

Address P. O. Box 155
Vernal, Utah

By [Signature]
Title Area Sup't.



(SUBMIT IN TRIPLICATES)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake City

Lease No. 2-2224

Unit Red Wash

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	Subsequent Report of NST #2	1

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Vernal, Utah May 7, 1956

Well No. (147) 12-92 is located 568.2 ft. from 112 ^[N] line and 669.7 ft. from 104 ^[E] line of sec. 9

24 ^[SE] 9 ^[E] 24 ^[E] 112 ^[E] 104 ^[E]
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Red Wash Utah Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5,221.5 ft. a.s.l.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

NST #2 - Set Johnston plug at 152h, 154h & 156h to straddle test the interval 154h - 156h. No mud, no RC. Tool opened w/very faint blow and was dead in 4 minutes. Tool open 1 hour, 31 30 minutes. No gas to surface. Recovered 30' gas cut mud.

Press: **IN 1750** **IF 0** **FF 0** **SI 140** **JH 1750**


Handwritten signature and initials

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The California Company

Address P. O. Box 155
Vernal, Utah

By May Mary
Title Area Sup't.



(SUBMIT IN TRIPLICATE)
**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

Land Office Fort Laramie City
Lease No. 1-4088
Unit Red Wash

*Washed
Co. H
6-11-56*

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Well No. (247) is located 300.2 ft. from N line and 649.7 ft. from E line of sec. 9
12-20 (1/4 Sec. and Sec. No.) 12N (Twp.) 11E (Range) 11W (Meridian)
Red Wash (Field) Blaine (County or Subdivision) Wash (State or Territory)

The elevation of the derrick floor above sea level is 3285 ft. a.l.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)


Procedure followed for abandonment of subject well:

Flow	Amount	Depth	Location
1	100 cu cement	1700 - 1800	Top of Quartz
2	100 cu cement	1650 - 1800	Top of Green River
3	100 cu cement	100 - 125	Bottom Surface
4	20 cu cement	20 - 40	Top Surface

Well marked with a monument consisting of a pipe 1/2" x 20". Top being orange-painted, and embedded in concrete with 1/2" above ground.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The California Company
 Address P. O. Box 157
Fort Laramie, Wash
 By F. L. [Signature]
 Title Area Eng'g.



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Noted
CMT
12/12/56

LOG OF OIL OR GAS WELL

LOCATE WELL CORRECTLY

Company THE CALIFORNIA COMPANY Address P. O. Box 455, Vernal, Utah
Lessor or Tract Red Wash Unit Field Red Wash State Utah
Well No. 11-97 Sec. 9 T. 8S R. 24E Meridian SLBM County Uintah

Location 568.2 ft. S. of Line and 669.7 ft. E. of Line of Sec. 9 (Elevation 5459.31)
(Datum: floor relative)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records. **level.**

Signed J. T. CROOKER Original signed

Date 11/30/56 Title District Superintendent
J. T. CROOKER

The summary on this page is for the condition of the well at above date.

Commenced drilling April 27, 1956 Finished drilling May 26 (Abandoned), 1956

OIL OR GAS SANDS OR ZONES
(Denote gas by G)

No. 1, from _____ to _____ No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from _____ to _____ No. 3, from _____ to _____
No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	
<u>4 1/2</u>	<u>136.51</u>	<u>8</u>	<u>WALSH</u>	<u>136.51</u>	<u>None</u>				<u>Surface pipe</u>

MUDDING AND CEMENTING RECORD

Casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
<u>4 1/2</u>	<u>136.51</u>	<u>205</u>	<u>HWCO</u>		

PLUGS AND ADAPTERS

Leaving plug—Material _____ Length _____ Depth set _____
Adapters—Material _____ Size _____

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from 0 feet to 595 feet, and from _____ feet to _____ feet
 Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

DATES

_____ 19____ Put to producing _____ 19____
 The production for the first 24 hours was _____ barrels of fluid of which _____ % was oil; _____ %
 emulsion; _____ % water; and _____ % sediment. Gravity, °Bé. _____
 If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
 Rock pressure, lbs. per sq. in. _____

EMPLOYEES

C. E. Sweetfield _____, Driller
 J. C. McCarty _____, Driller
 A. Y. Wochmann _____, Driller
 A. Pierce _____, Driller

FORMATION RECORD

FROM-	TO-	TOTAL FEET	FORMATION
417'	1746'	1329'	Sh, minor sand stone (top Green River 1746')
1746'	4620'	2874'	Sh, sand stone and limestone
4620'	4710'	90'	Core #1 - 59' Shale 3' Coq., OST, tite, patchy show 16' Coq., ls, dol, tite to low perm., no stain. 3' SS, tite, patchy lt. stn, blue flour sh out, pet. odor 6' SS, argil, tite pred, NSOF 3' No recovery Core top Wasatch 4695'
4710'	4800'	90'	Core #2 - 13' SS, low to good perm., NSOF 14' SS, argil, tite, NSOF, except for sp- otty min flour 61' Sh, red-brown purple and siltstn. 2' No recovery Dry shale and sand
4800'	5495'	695'	

FORMATION RECORD - CONTINUED

HISTORY OF OIL OR GAS WELL

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "tracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or hauling.

CASING RECORD

Procedure followed for abandonment of subject well:

Depth	Place	Amount	Depth	Location
70' 3" from top	1	100 sq cement	4700 - 4800	Top of Kasatch
70' 1" from top	2	100 sq cement	1650 - 1850	Top of Green River
70' 5" from top	3	100 sq cement	300 - 475	Bottom Surface
140' 1" from top	4	10 sq cement	20 - 40	Top Surface

(Do not use pl G)

OIL OR GAS SANDS OR ZONES

Commenced drilling _____ Discontinued drilling _____

The information on this page is for the condition of the well at above date

Date _____ Signed _____ J. I. CROOKER

The information on this page is for the condition of the well at above date

LOG OF OIL OR GAS WELL