

FILE NOTATIONS

Entered in NID File

Entered On S R Sheet

Location Map Pinned

Card Indexed

I W R for State or Fee Land

Checked by Chief

Copy NID to Field Office

Approval Letter

Disapproval Letter

COMPLETION DATA:

Date Well Completed

6-20-57

Location Inspected

GW..... WV..... TA.....

Bond released

GW..... OS..... PA.

State of Fee Land

LOGS FILED

Driller's Log

6-25-57

Electric Logs (No.)

1

E

I

E-I

GR

GR-N

Micro

Lat.

Mi-L

Sonic

Others

STATE OF UTAH
OIL AND GAS CONSERVATION COMMISSION
NOTICE OF INTENTION TO DRILL

OIL AND GAS CONSERVATION COMMISSION

July 27, 1956

In compliance with Rule C-4, notice is hereby given that it is our intention to commence the work of drilling Well No. 1 Gov., which is located 4520 ft from (N) line and 660 ft. from (W) line of Sec. 24, Twp. 4-S, R. 22 E, SLM, Brush Creek
(Meridian) (Field or Unit)

Uintah (County) on or about 30th day of July 1956.

LAND: Fee and Patented ()
State ()
Lease No. _____

Name of Owner of patent or lease Gulf Oil

Address First Security Bldg.

Public Domain ()
Lease No. U-065418

Salt Lake City, Utah

Is location a regular or exception to spacing rule? ves Has a surety bond been filed? Yes With whom? Federal Area in drilling unit 2320 Acres
(State or Federal)

Elevation of ground above sea level is 5058.6 ft. All depth measurements taken from top of Kelly Bushing which is 5068.6 ft. above ground.
(Derrick Floor, Rotary Table or Kelley Bushing)

Type of tools to be used Rotary. Proposed drilling depth 3800 ft. Objective formation is Weber S S.

PROPOSED CASING PROGRAM

Size of Casing Inches A.P.I.	Weight Per Foot	Grade and Type	Amount Ft.	Top In.	Bottom	Cementing Depths
10 3/4	32 Pds H-40	8th thread round New Pipe				470 ft.
		Range 2-30 ft.				

AFFIDAVIT

I hereby certify under the penalty of perjury, that the information contained and statements herein made are to the best of my knowledge and believe, true, correct and complete.

Approved for regular Spacing

By [Signature]

Date July 30 19 56

Geologist (Title or Position)

By Dean B. Feight

D. D. Dunlap (Company or Operator)

Title Secretary

Address Caldwell & Covington


Box 473 Vernal, Utah

INSTRUCTIONS

- Complete this form in duplicate and mail both copies to the Oil and Gas Conservation Commission, Room 105, Capitol Building, Salt Lake City 14, Utah.
- A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.
- Any information required by this form that cannot be furnished at the time said form is submitted must be forwarded to the Commission as soon as available.
- Use back of form for remarks.

T 4 S

T 4 S



location

Gulf

1

065419-A

065454

65937

65936

066049

3
39.88

015219

4
39.94

014396

65768
(065418)

23

71215
(014140)

1
40.00

2
40.03

3
40.07

4
40.10

71215
(014140)

065418-A

2.
34.99 34.99

7
40.15 40.03

65937

1.
40.16

2.
40.24

014396

016089

26

014385

25

30

29

35

36

31

32

July 25, 1956

AIR MAIL

**D. D. Dunlap
P. O. Box 7067
Long Beach 7, Calif.**

Gentlemen:

It has come to the attention of this office that you intend drilling a well in the SW SW of Section 24, Township 4 South, Range 22 East, S44E, Brush Creek Area.

Under the General Rules and Regulations adopted by the Utah Oil and Gas Conservation Commission any individual or corporation intending to drill for oil and/or gas in the State of Utah must file a notice of intention to drill with this office and have said notice approved by the Commission before commencement of drilling operations except for those cases which fall under Rule A-3 of these rules and regulations.

It would appear that this well does not fall within the exception provided for under Rule A-3.

Therefore, prior to commencement of drilling operations on this well, you are requested to file a notice of intention to drill with this office and have the same approved.

There is enclosed herewith a copy of our rules and regulations and some of our form OGC-1, Notice of Intention to Drill, for your information and use.

Yours very truly,

**GILSON H. FREIGHT
SUPERVISOR**

GBF:cc

**cc: Don Russell, Dist. Eng.
USGS, Federal Bldg.
Salt Lake City, Utah**

D. D. DUNLAP

OIL OPERATOR

P O BOX 7067 - 3591 LONG BEACH BLVD.

LONG BEACH 7, CALIFORNIA

GARFIELD 4-8191

D. D. DUNLAP OIL COMPANY
WESTPORT OIL COMPANY

BAY SHORE OIL COMPANY
HOLLYWOOD OIL COMPANY

July 27, 1956

Oil & Gas Conservation Commission
The State of Utah
Salt Lake City, 14, Utah

Attention: Cleon B. Feight


Gentlemen:

We are in receipt of your letter dated July 25, 1956, regarding our well to be drilled in the SW SW of Section 24, Township 4 South, Range 22 East, SIM, Brush Creek Area.

Our Engineer, Mr. R. E. Covington, of Vernal, Utah has been instructed to file the necessary forms in connection with this well. If the Notice of Intention To Drill has not been filed I am sure it will be immediately. We are mailing him your letter together with the forms and instructions to take care of them. Drilling Bond was mailed to him several days ago, to be filed with your office.

Thank you very much for your consideration.

Very truly yours,



D. D. Dunlap

July 30, 1956

Galdwell & Covington
Box 473
Vernal, Utah

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Gov't 1, which is to be located 4620 feet from the north line and 660 feet from the west line of Section 24, Township 4 South, Range 22 East, S1M, Uintah County, Utah.

Please be advised that insofar as this office is concerned, approval to drill said well is hereby granted.

Yours very truly,

OLESON B. FREIGHT
SECRETARY

OLF:eo

cc: Don Russell, Dist. Eng, USGS, Federal Bldg, Salt Lake City, Utah

D. D. Dunlap, P. O. Box 7067, Long Beach 7, Calif.

THE STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION
Salt Lake City 14, Utah

February 5, 1957

D. D. Dunlap
c/o Caldwell & Covington
Box 473
Vernal, Utah

Gentlemen:

It has come to the attention of this office that Well No. Gov't 1, which was drilled by you on Section 24, Twp. A 5, Range 22 E, Wintah County, has been completed, plugged and abandoned, or shut down as of about 8-15-56, 1956.

Rule C-5 (a), General Rules and Regulations and Rules of Practice and Procedure, Utah Oil and Gas Conservation Commission, provides that within 90 days after the suspension of operations, abandonment of, or the completion of any well drilled for the production of oil or gas and within 90 days after the completion of any further operations on it, if such operations involved drilling deeper or drilling or re-drilling any formation, the well log shall be filed with the Commission, as well as a copy of the electric and radioactivity logs, if run.

If our information is correct, will you please forward the well log or logs to this office as required by the above mentioned rule. If our information is not correct, will you so notify us.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT

CBF:ro

April 24, 1957

D. D. Dunlap
c/o Caldwell & Covington
Box 473
Vernal, Utah

Gentlemen:

This is the second letter we have written to you requesting a copy of the well log for Well No. Government 1, Section 24, Township 4 South, Range 22 East, Uintah County, Utah.

Please complete the enclosed Forms OGCC-3, Log of Oil or Gas Well, as soon as possible, and forward them to this office.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

GLENN B. FRIEHT
SECRETARY

CBF:en

CALDWELL AND COVINGTON
OIL AND URANIUM PROPERTIES
VERNAL, UTAH

ROBERT E. COVINGTON
GRAIG CALDWELL

June 20, 1957

re: Dunlap well
Uintah Co., Utah

State of Utah
Oil & Gas Commission
State Capitol Building
Salt Lake City, 4, Utah

Gentlemen:

Enclosed please find one copy of the electric log of the Dunlap, Lytle et al well which was drilled last fall in the Brush Creek area. Also, enclosed is a copy of Form OGCC-3 on the above well.

We are sorry that this information was delayed, because we had filled out one form last Fall and we thought that it had been mailed in. Evidently it failed to reach you. We have been absent from our Vernal office since that time and returned here to find your letters regarding this lease.

Very truly yours,

CALDWELL & COVINGTON


Robert E. Covington

rec/cc.

Encl

June 25, 1957

Caldwell and Covington
Oil and Uranium Properties
Vernal, Utah

Attention: Robert E. Covington

Gentlemen:

This is to acknowledge receipt of your Form OOOO-3, Log
of Oil or Gas Well, for Well No. Government 1, drilled by
D. D. Dunlap on Section 24, Township 4 South, Range 22
East, SEEM, Uintah County, and the attached electric log.

Thank you very much.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

GLEON B. FEIGER
SECRETARY

GBF:cn

W

STATE OF UTAH
OIL AND GAS CONSERVATION COMMISSION

FORM OGCC-3

LOG OF OIL OR GAS WELL
4620

Well No. 1, which is located ~~660X~~ North ft. from (3/5) line and 660 ft. from (E/W) line of Section 24, Twp. 4South, R. 22 E, SLM Wildcat Uintah
(Meridian) (Field or Unit) (County)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records as of August 18, 1956 and is to be kept confidential until ok to release, 19 . (See Rule G-5).

Drilling operations were (completed) -- (suspended) (abandoned) on August 14, 1956.

Date: May 27, 1957. Signed: Robert E. Covington Title: Gwologist
Company: for D.D. Dunlap

OIL OR GAS SANDS OR ZONES

No. 1, from None to No. 3, from to
No. 2, from to No. 4, from to

IMPORTANT WATER SANDS OR ZONES

No. 1, from 380 to 410 No. 3, from to
No. 2, from 310 to 380 No. 4, from to

CASING RECORD

Size of Hole	Size Casing	Weight per ft.	Threads per Inch	Make	Amount	Kind of Shoe	Set & Pelled from	Perforated from to	Purpose
13-3/4	10-3/4	32#		H-40	480'				

MUDDING AND CEMENTING RECORD

Size Casing	Where Set	Number of Sacks of Cement	Method Used	Mud Gravity	Amount of Mud Used
10-3/4	480'	220 sacks	Halliburton	9.5#/gal.	

TOOLS USED

Cable Tools were used from to and from to
Rotary Tools were used from Surface to Total Depth and from to

PRODUCTION

Put to producing: P & A, 19 .
OIL WELLS: The production during the first 24 hours was barrels of liquid of which was oil; was emulsion; was water; and was sediment. Gravity:

GAS WELLS: The production during the first 24 hours was MCF plus lbs. length of time shut in hrs.

FORMATION RECORD

From	To	Thickness in feet	Formation	From	To	Thickness in feet	Formation
Surface	380	380	Mowry shale	1385	1810	Entrada 525	Entrada
380	410	30	Dakota ss	1810	2600	790	Navajo
410	1235	825	Morrison	2600	2795	195	Chinle
1235	1385	150	Curtis	2795	2888	93	Shinarump
				2888	3636	748	Moencopie
				3636	3748	112	Phosphoria

HISTORY OF WELL

STATE OF UTAH
OIL AND GAS CONSERVATION COMMISSION
AFFIDAVIT AND RECORD OF ABANDONMENT AND PLUGGING

- PLUGGING METHODS AND PROCEDURE: - The methods and procedure for plugging a well shall be as follows:
- (a) The bottom of the hole shall be filled to, or a bridge shall be placed at, the top of each producing formation open to the well bore, and in either event a cement plug not less than fifty (50) feet in length shall be placed immediately above each producing formation open to the well bore whenever possible.
 - (b) A cement plug not less than fifty (50) feet in length shall be placed at approximately fifty (50) feet above and below all fresh water bearing strata.
 - (c) A plug shall be placed at or near the surface of the ground in each hole.
 - (d) The interval between plugs shall be filled with heavy mud laden fluid.
 - (e) The hole shall be plugged with heavy mud up to the base of the surface string at which point a plug of not less than fifty (50) feet of cement shall be placed.

Field or Pool _____ County Uintah

Lease Name U-065418 Well No. 1 Govt. Sec 24 Twp 4 S Range 22 E

Date well was plugged August 15, 19 56

Was the well plugged according to regulation of the Commission? Yes

*Noted
CR #
8-20-56*

Set out method used in plugging the well, the nature and quantities of materials used in plugging, size of plugs, location and extent (by depths) of the plugs of different materials, and the amount of casing left in hole. (giving size, top and bottom elevations of each section of abandoned casing)

Lytle, Dunlap, & Woods as operators propose to plug and abandon the No. 1 Govt. Well as follows:

- To plug with cement from 3769 - 3690; 2925 - 2825; 1760 - 1940 feet.
- To spot 50 feet of cement in bottom of casing, 480 - 430 feet.
- To plug top of well with cement, to erect sign on pipe 4 feet above ground, to place sign on pipe as required by law, to fill pits and clean location.

Casing left in hole is 469 feet of 8 3/4 inch. Elevation of bottom of casing is 74561 ft., elevation of top of casing is 5030 feet.

Operator Robert E. Covington, Geologist
D. D. Dunlap

Address Caldwell & Covington

P. O. Box 473

Vernal, Utah

AFFIDAVIT

STATE OF UTAH

COUNTY OF Uintah

Before me, the undersigned authority, on this day personally appeared Robert E. Covington, known to me to be the person whose name is subscribed to the above instrument who being by me duly sworn on oath states that he is authorized to make this report and has knowledge of the facts stated herein and that said report is true and correct.

Subscribed and sworn to before me this 16 day of aug 19 56

My Commission Expires: Nov-2-1958

Robert E. Covington
(Notary Public)

INSTRUCTIONS: Complete this form in duplicate and mail both copies to the Oil and Gas Conservation Commission, Room 105, Capitol Bldg, Salt Lake City 14, Utah.

PLUGS AND ADAPTERS Location was cleaned and pits filled.

Heaving plug—Material Length Depth set

Adapters—Material Size

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out
		None				

TOOLS USED

Rotary tools were used from Surface feet to TD feet, and from feet to feet
 Cable tools were used from feet to feet, and from feet to feet

DATES

....., 19..... Put to producing, 19.....

The production for the first 24 hours was barrels of fluid of which% was oil;% emulsion;% water; and% sediment. Gravity, °Bé.

If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas

Rock pressure, lbs. per sq. in.

EMPLOYEES

....., Driller Driller
 Driller Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
Surface	410	410	Frontier ss.
410	1235	835	Morrison fm.
1235	1408	173	Curtis fm.
1408	1620	212	Entrada fm.
1620	1825	205	Carmel
1825	2600	775	Navajo fm.
2600	2795	195	Chinle fm/
2795	2888	93	Shinarump
2888	3636	748	Moenkopi fm.
3636	3748	112	Phosphoria fm.
3748	3769		Weber fm. Well borted in Weber ss.

September 16, 1957

D. D. Dunlap
P. O. Box 7067
Long Beach 7, California

Attention: Sydney F. Davis

Gentlemen:

With reference to your letter of September 11, 1957, please be advised that the drilling bond covering Well No. Gov't 1, located 4400 feet from the south line and 660 feet from the west line of Section 24, Township 4-South, Range 22 East, N12E1, Utah County, as far as we can determine, was filed with the U. S. Geological Survey.

We are forwarding your letter to Mr. Don Russell, District Engineer, U.S.G.S., Federal Building, Salt Lake City, Utah, for the necessary action.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLARENCE B. FRICHT
SECRETARY

CC: Don Russell

Dist. Eng.
U.S.G.S. Federal Bldg.
Salt Lake City, Utah