

Scout Report sent out
 Noted in the NID File
 Location map pinned
 Approval or Disapproval Letter
 Date Completed, P. & A. or
 operations suspended 6-28-56
 Pin changed on location map
 Affidavit and Record of A & P
 Water Shut-Off Test
 Gas-Oil Ratio Test
 Well Log Filed

-
-
-
-
-
-
-
-
-

FILE NOTATIONS

Entered in NID File	<u>✓</u>	Checked by Chief	_____
Entered On S R Sheet	<u>✓</u>	Copy NID to Field Office	_____
Location Map Pinned	<u>✓</u>	Approval Letter	<u>✓</u>
Card Indexed	<u>✓</u>	Disapproval Letter	_____
I.W.R. for State or Fee Land	_____		

COMPLETION DATA:

Date Well Completed	<u>6-28-56</u>	Location Inspected	_____
OW _____	WW _____	TA _____	Bond released
GW _____	OS _____	PA <u>✓</u>	State of Fee Land


LOGS FILED

Driller's Log July 9, '56
 Electric Logs (No. 1)
 E ✓ A ✓ I ✓ FI _____ GR _____ GRN _____ Micro ✓
 Lat _____ Mi-L _____ Sonic _____ Others _____

Sub Report of Akash

(SUBMIT IN TRIPLICATE)

Indian Agency



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee

Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

February 29, 1956, 19.....

White Rocks Unit

Well No. 2 is located 1590 ft. from N line and 1650 ft. from E line of sec. 6

NESW Sec 6

(¼ Sec. and Sec. No.)

1N

(Twp.)

1E

(Range)

Un

(Meridian)

Whiterocks LC

(Field)

Uintah

(County or Subdivision)

Utah

(State or Territory)

The elevation of the derrick floor above sea level is ft. **Not run yet**

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is expected to drill an 9000' test of the Mesa Verde Formation. Surface formation - Duchesne River-Uinta(Undivided). Surface casing - approximately 800' of 10-3/4" ON 40.5# J55 ss csg cemented to the surface. Oil string - approximately 9000' of 7" ON 23 & 26# smls casing cemented with sufficient cement to cover any over lying water sands. Gel-base mud will be used to the top of the Green River Formation(Approximately 5800') and then converted to lime-base mud. All oil and gas shows will be tested. Two 10' cores, one above and one below the Cretaceous-Tertiary unconformity, will be taken for dip determination. Electric logs etc will be run before setting 7" casing or abandonment. Stimulating treatments such as acid and or hydraulic fracturing may be employed for completion.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company THE CARTER OIL COMPANY

Address Box 591

Vernal, Utah

COPY ORIGINAL SIGNED F. M. BEAL

By F. M. Beal

Title District Engineer

March 1, 1956

The Carter Oil Company
P. O. Box 591
Vernal, Utah

ATTENTION: F. M. Beal, District Engineer

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. White Rocks Unit No. 2, which is to be located 1590 feet from the north line and 1650 feet from the east line of Section 6, Township 1 North, Range 1 East, Uintah Special Meridian, Uintah County.

As you know, under the General Rules and Regulations adopted by the Utah Oil and Gas Conservation Commission, any individual or corporation intending to drill for oil and/or gas in the State of Utah must file a notice of intention to drill and have said notice approved by this office before commencement of drilling operations except for those cases which come under Rule A-3, of these rules and regulations.

In view of the fact, that you failed to submit a plat containing the information required under Rule C-4 (a) and that the location of the well does not comply with Rule C-3, this office must assume that you intended the above exception to apply. If this assumption is correct would you please notify this office to that effect and send a copy of the White Rocks Unit Agreement as required by Rule A-3.

If this assumption is not correct, it will be necessary for you to comply with Rule C-3 (c) before this notice of intention to drill can be approved by the Utah Oil & Gas Conservation Commission.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT

CBF:ro

cc; D. Russell, Geological Survey, Federal Building, Salt Lake City, Utah.



THE CARTER OIL COMPANY

Box 591
Vernal, Utah
March 2, 1956

File 771.13

Mr. Cleon B. Feight
Utah Oil and Gas Conservation Commission
Salt Lake City, Utah

Dear Sir:

In compliance with Rule A-3 of the Utah Oil and Gas Commission's Rules and Regulations and your letter of March 1, 1956, we forward herewith a copy of the Whiterocks Unit Agreement, Uintah County, Utah. We trust we now are in compliance with State rules and can proceed with the drilling of the Whiterocks Unit No. 2 as recently filed.

Yours very truly,

B. M. BRADLEY

By *F. M. Beal*
F. M. Beal

BMB:FMB:djr

Enclosure



March 5, 1956

The Carter Oil Company
P. O. Box 591
Vernal, Utah

ATTENTION: F. M. Beal

Gentlemen:

This is to acknowledge receipt of your letter of March 2, 1956, and the copy of the White Rocks Unit Agreement which was attached thereto.

Please be advised that no other action is necessary on your part with regards to drilling of wells within this Unit, except that of filing a copy of all reports filed with and required by the U. S. Geological Survey.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

By _____
Cleon B. Feight


CBF:ro

cc: D. Russell, Geological Survey, Federal Building, Salt Lake City,
Utah

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Indian Agency
 Uintah & Ouray
Allottee Ute Tribal
Lease No. 14-20-462-237



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	Report of Running Surface Casing	x

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 30, 1956

White Rocks Unit

Well No. 2 is located 1590 ft. from N line and 1650 ft. from E line of sec. 6
(S)
(W)

NESWNE Sec 6 1N 1E Un
(¼ Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Whiterocks WC Uintah Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6530 ft. Est. (G.L. 6522' Measured)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Ran 24 jts, 770' threads off, 10-3/4" OD 40.5# 8rd thd J-55 smls casing.
Set at 788', guide shoe at 788', float collar at 756', scratchers 783-768' and 739-729', centralizers 768' and 656'. Cemented with 650 sacks regular cement, did not have cement returns. Ran McCullough temperature survey, found cement 50' down from Kelly bushing, ran 1 1/4" pipe down outside of casing to top of cement, cemented with 2 1/4 sacks cement to bring cement to bottom of cellar. Tested blank rams with 1000# 30 minutes OK. Tested pipe rams with 1000# 30 minutes OK. Drilled out plug, tested with 500# OK.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


Company THE CARTER OIL COMPANY

Address Box 591
Vernal, Utah

COPY (ORIGINAL SIGNED) B. M. BRADLEY

By B M Bradley

Title District Superintendent



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Indian Agency _____
Utah & Curry
Allottee **Ute Tribal**
Lease No. **24-20-162-237**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	Report of Well Stem Test	X

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

May 21, 1956

19

White Sulphur Well

Well No. **2** is located **1490** ft. from **[N]** line and **1490** ft. from **[E]** line of sec. **6**

NEVADA Sec 6
(1/4 Sec. and Sec. No.)

24 **15**
(Twp.) (Range)

10
(Meridian)

White Sulphur WU
(Field)

Utah
(County or Subdivision)

Utah
(State or Territory)

The elevation of the derrick floor above sea level is **6500** ft. **Net (G.L. 6522' Measured)**

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

WELL #1 - TD 1690' packer at 1690', Tool open 2 hours, recovered 310' fluid (40' of drilling fluid and 270' of fresh water.) IFF 220', IFF 1300', 30 minute SIP 1700', Hydrostatic 2400'.

WELL #2 - TD 1676' packer at 1676' Tool open 2 hours, good initial blow, decreased to fair at end of test. Recovered 320' of fluid (90' of gas cut and end 230' of gas cut fresh water.) IFF 210', IFF 1300', 30 minute SIP 1800', Hydrostatic 2400'.

*Noted 5/24/56
CAF*

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **THE CARTER OIL COMPANY**

Address **Box 591**

Vernal, Utah

COPY ORIGINAL SIGNED **Z. L. GRIMME**


By **Z. L. Grimme**

Title **District Foreman**

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Indian Agency _____
Uintah & Ouray
Allottee Ute Tribal
Lease No. 14-20-462-237



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	Report of Drill Stem Test	X

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

May 25, 1956, 19

White Rocks Unit
Well No. 2 is located 1590 ft. from ^[N]~~[S]~~ line and 1650 ft. from ^[E]~~[W]~~ line of sec. 6
NESWNE Sec 6 1N 1E Un
(¼ Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Whiterocks WC Uintah Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6530 ft. Est. (G.L. 6522' measured)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

DST #3 - TD 4995' packer at 4973' - Tool opened packer failed in 1½ minutes.

DST #3A - TD 4995' packer at 4981'. Weak initial blow head in 18 minutes. Bypassed tool after 1½ hours, no blow. Recovered 5' of drilling fluid. IFP 0#, FFP 0#, 30 minutes SIP 0#, Hydrostatic 2480#.

*Noted
CART
5/28/56*

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Carter Oil Company

Address Box 591
Vernal, Utah


COPY ORIGINAL SIGNED Z. L. GRIMME
By Z L Grimme
Title District Foreman

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Indian Agency Utah & Curry
Allottee Ute Tribal
Lease No. 14-20-462-237

*Noted
copy
6/21/56*



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	Report of Drill Stem Test	X

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 20, 1956

19

Whiterocks Unit

Well No. **2** is located **1590** ft. from **[N]** line and **1490** ft. from **[E]** line of sec. **6**

SENECA Sec 6

(¼ Sec. and Sec. No.)

1N

(Twp.)

1E

(Range)

14

(Meridian)

Whiterocks W3

(Field)

Utah

(County or Subdivision)

Utah

(State or Territory)

The elevation of the derrick floor above sea level is **6000** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

ENT #1 - TD 604', packer at 6011', tool open 2 hrs, good initial blow, decrease to fair in 20 minutes and remained fair through test. Recovered 20' of drilling fluid, all pressure 0, hydrostatic 3600'.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **THE GARTER OIL COMPANY**

Address **Box 991**

Vernal, Utah

COPY (ORIGINAL SIGNED) B. M. BRADLEY

By **B M Bradley**
Title **District Superintendent**

Form 9-331 b
(April 1952)

(SUBMIT IN TRIPLICATE)

Indian Agency _____


UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Clintch & Curry

Allottee **Ute Tribal**

Lease No. **11-80-462-837**

*Noted
copy
7-2-56*



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	<input checked="" type="checkbox"/>		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 27, 1956

19__

Waterbury Well
Well No. **2** is located **1000** ft. from **N** line and **240** ft. from **E** line of sec. **6**
SE 1/4 Sec 6 **11** **13** **13**
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Waterbury WU **Utah** **Utah**
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **6520** ft. **Net. (6922' G.L.S.)**

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is intended to plug and abandon as follows: TD 7,250' -

- Place 30 sack cement plug 1900-1905'**
- 30 sack cement plug 1720-1725'**
- 30 sack cement plug 1700-1705'**
- 30 sack cement plug 1600-1605'**
- 30 sack cement plug 1500-1505'**

Intervals between plugs to be filled with mud. A 5' tall water spacer ahead of and behind each plug.

To create a 1/2" dry hole surface extending 1' above ground level.

Verbal approval for above - Mr. H C Scoville, U.S.G.S. - B M Bradley 6-27-56.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **THE CARTER OIL COMPANY**


Address **Box 991**
Vernal, Utah

COPY (ORIGINAL SIGNED) B. M. BRADLEY

By **B M Bradley**

Title **District Superintendent**

Form 9-330



LOCATE WELL CORRECTLY

U. S. LAND OFFICE
 SERIAL NUMBER
 LEASE OR PERMIT TO PROSPECT

14-20-162-237

UNITED STATES
 DEPARTMENT OF THE INTERIOR
 GEOLOGICAL SURVEY

7-9-56

LOG OF OIL OR GAS WELL

Company The Carter Oil Company Address Box 472, Vernal, Utah
 Lessor or Tract Whiterocks Unit Field Whiterocks NO State Utah
 Well No. 2 ^{OMP} Sec. 6 T. 1N R. 1E Meridian 10a County Uintah
 Location 1590 ft. ^[N] of N Line and 1690 ft. ^[E] of E Line of Sec 6 Elevation 6530
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed **COPY (ORIGINAL SIGNED) B. M. BRADLEY**

Date July 6, 1956 Title District Superintendent

The summary on this page is for the condition of the well at above date.

Commenced drilling 4-3-56, 19... Finished drilling 6-28-56, 19...

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from None to _____ No. 4, from _____ to _____
 No. 2, from _____ to _____ No. 5, from _____ to _____
 No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from 1658 to 1690 No. 3, from _____ to _____
 No. 2, from 1657 to 1676 No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From-	To-	
<u>10-3/4"</u>	<u>40.5</u>	<u>8rd</u>	<u>J55</u>	<u>770'</u>	<u>HWC0</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>Surface</u>
				<u>770' - 812'</u>					

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
<u>10-3/4"</u>	<u>788'</u>	<u>650 sacks plus 200 sacks around top of casing</u>	<u>Halliburton</u>		

MARK

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from 0 feet to 7250' feet, and from _____ feet to _____ feet
 Cable tools were used from None feet to _____ feet, and from _____ feet to _____ feet

DATES

~~DA~~ June 28, 1956 Put to producing ~~DA~~ _____, 19____
 The production for the first 24 hours was _____ barrels of fluid of which _____% was oil; _____% emulsion; _____% water; and _____% sediment. Gravity, °Bé. _____
 If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
 Rock pressure, lbs. per sq. in. _____

EMPLOYEES

_____, Driller _____, Driller
 _____, Driller _____, Driller

FORMATION RECORD

FROM--	TO--	TOTAL FEET	FORMATION
0	1000'	1000'	Duchegne River-Uintah Undifferentiated: Sandstone & siltstone, red to light gray, bentonitic, calcareous, medium to xxxx coarse & variegated bentonitic shales.
1000	1700'	700'	Uinta-Green River Transition Zone: Sandstone & shale as above with interbedded light to red gray lacustrine limestones.
1700'	4360'	2660'	Green River: Limestone, lacustrine, red to light gray, cherty, with some shales & sandstone as above.
4360	5980'	1620'	Wasatch: Shale, variegated, silty, bentonitic; sandstone & siltstone, fine to coarse grained calcareous, with trace of cherty limestone
5980	6360'	380'	Mesaverde: Sandstone, salt & pepper, carbonaceous med to coarse grained calcareous, trace of coal
6360	6912	552'	Mesaverde-Mancoes Transition Zone: Sandstone & siltstone as above becoming finer grained with increasing amounts of dark gray, silty, carbonaceous shale.
6912	7250'	338'	Mancoes: Shale as above with some thin siltstone stringers as above.

STORM _____ DATE _____ DEPTH _____ [OVER] _____ 16-48094-8

LOGGING RECORDS - CONTINUED

--	--	--	--	--	--

FORM 8-58

DATE OF RECORD _____
 SHEET NUMBER _____
 NO. OF PAGES _____
 TOTAL LOGS _____

(SUBMIT IN TRIPLICATE)

Indian Agency _____


UNITED STATES

Uintah-Curry

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee Ute Tribal

Lease No. U-20-162-237



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT..... <input checked="" type="checkbox"/>
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Whiterocks Unit

November 20, 1956

Well No. 2 is located 1590 ft. from [N] line and 1650 ft. from [E] line of sec. 6

NE SW NE Sec. 6

1N

1E

Tn

(¼ Sec. and Sec. No.)

(Twp.)

(Range)

(Meridian)

Whiterocks FC

Uintah

Utah

(Field)

(County or Subdivision)

(State or Territory)

The elevation of the derrick floor above sea level is 6530 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Plugged and abandoned in the following manner:

- 4980-4905 30 sacks cement
- 4710-4635 30 sacks cement
- 2700-2625 30 sacks cement
- 820- 760 30 sacks cement
- 40- 0 20 sacks cement

Intervals not cemented were filled with heavy mud. A 4" dry hole marker was cemented in the cellar and extending 4' above ground level. Job completed at 12:00 Noon June 21, 1956

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Carter Oil Company

Box 472

Address _____

Vernal, Utah

By _____

EDWIN (GUYTON) R. BRADLEY

Title _____

District Superintendent