

I put 'dest -23-62, Mr Deight called  
Mr Lane of Wash Dulling Co. to  
send in a new notice on 10-30-62

11-16-62, called Ronald Boyce  
& he will see what he can  
do to get reports from these  
people.

FILE NOTATIONS

Entered in NID File

Entered On S R Sheet

Location Map Pinned

Card Indexed

I W R for State or Fee Land

Checked by Chief RCS

Copy NID to Field Office

Approval Letter

Disapproval Letter

COMPLETION DATA:

Date Well Completed Location Abandoned Location Inspected \_\_\_\_\_

OW \_\_\_\_\_ WW \_\_\_\_\_ TA \_\_\_\_\_ Bond released \_\_\_\_\_

GW \_\_\_\_\_ OS \_\_\_\_\_ PA \_\_\_\_\_ State of Fee Land \_\_\_\_\_

LOGS FILED

Driller's Log \_\_\_\_\_

Electric Logs (No. ) \_\_\_\_\_

E \_\_\_\_\_ I \_\_\_\_\_ E-I \_\_\_\_\_ GR \_\_\_\_\_ GR-N \_\_\_\_\_ Micro \_\_\_\_\_

Lat \_\_\_\_\_ Mi-L \_\_\_\_\_ Sonic \_\_\_\_\_ Others \_\_\_\_\_

FILE NOTATIONS

Entered in NID File \_\_\_\_\_

Entered On S R Sheet \_\_\_\_\_

Location Map Pinned

Card Indexed \_\_\_\_\_

I W R for State or Fee Land \_\_\_\_\_

Checked by Chief PMB

Copy NID to Field Office \_\_\_\_\_

Approval Letter \_\_\_\_\_

Disapproval Letter \_\_\_\_\_

COMPLETION DATA:

Date Well Completed 12-14-22 Location Inspected \_\_\_\_\_

OW \_\_\_\_\_ WW \_\_\_\_\_ TA \_\_\_\_\_ Bond released \_\_\_\_\_

GW \_\_\_\_\_ OS \_\_\_\_\_ PA  State of Fee Land \_\_\_\_\_

LOGS FILED

Driller's Log 12-63


Electric Logs (No. ) 2

E \_\_\_\_\_ I \_\_\_\_\_ E-I  GR \_\_\_\_\_ GR-N \_\_\_\_\_ Micro \_\_\_\_\_

Lat \_\_\_\_\_ Mi-L \_\_\_\_\_ Sonic  Others \_\_\_\_\_

Sub Report filed

T10S, R25E, SLB & M



X = Corners Located (stone)

Scale: 1" = 1000'

*D. J. Ross*

By: ROSS CONSTRUCTION CO.  
Vernal, Utah

PARTY  
G. Stewart  
R. Stewart  
WEATHER Fair, Warm

**SURVEY**  
MOAB DRILLING CO. INC.  
WELL LOC. GEM NO. 2, LOCATED AS SHOWN IN  
NW 1/4, SE 1/4, SEC. 18, T10S, R25E, SLB & M.  
JINTAH COUNTY, UTAH.


DATE 5/23/62  
REFERENCES  
GLO Township Plat  
Approved 5/27/05  
FILE MOAB

(SUBMIT IN TRIPLICATE)

Land Office Salt Lake City

Lease No. U-014177

Unit \_\_\_\_\_



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

May 24, 1962

Well No. GEY #2 is located 1580 ft. from N line and 1980 ft. from E line of sec. 18  
SE/4 Sec. 18 10 S 25E  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Wildcat Uintah Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is \_\_\_\_\_ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Drill - 13 3/4" hole - 200 ft.  
           9 5/8" " - 200 ft. to 2,400 ft.  
           6 3/4" " - 2,400 ft. to T.D.

Casing - 0 ft. to 200 ft. 10 3/4" - H 40 - 32.75#  
           Cement full length  
           200 ft. to T.D. 4 1/2" - J 55 - 11.60#  
           Production string

Intention is to drill from the surface to 2,400 ft. with water and from 2,400 ft. to T.D. with a low solid mud.  
Primary Objective - 6,500 ft. or test Castlegate.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Keob Drilling Company, Inc.  
 Address 1790 E. Plumb Lane  
Reno, Nevada  
 By [Signature]  
Max D. Pierson  
 Title General Manager

# Gulf Oil Corporation

J. Hanson  
AREA EXPLORATION MANAGER

P. O. Box 1346  
Salt Lake City, Utah

May 28, 1962

State of Utah Oil & Gas  
Conservation Commission  
Newhouse Building  
Salt Lake City 11, Utah

Attention: Mr. Jack Feight

Re: Notice of Intent to Drill - Gem #2  
Sec. 18, Twp. 10 South, Rge. 25 East  
Uintah County, Utah

Gentlemen:

Enclosed is an executed copy of a Notice of Intent to Drill the captioned well, which was filed with the U. S. Geological Survey today on behalf of Moab Drilling Company, Inc. As you will note, the Notice calls for the well to be located 1580' from the S/L and 1980' from the E/2 in Section 18, Township 10 South, Range 25 East.

While this proposed location is less than 300' from a quarter-quarter boundary, it is necessary that the well be at this location due to topographic reasons. Since El Paso and Gulf own all of Federal Lse. Utah-014177 and the lease covers all of Section 18, as well as other lands, this location shall have no effect on other operators. We request that you waive Rule C(3) in this instance.

We request that you approve the enclosed Notice of Intent to Drill and notify Moab Drilling Company, Inc., 1790 East Plum Lane, Reno, Nevada, of your approval at your earliest convenience.

Very truly yours,

Loren E. Anderson  
Area Landman

LEA:BB

Enclosure

cc: Mr. Max D. Pierson ✓  
Moab Drilling Company, Inc.  
1790 East Plum Lane  
Reno Nevada



# Gulf Oil Corporation

J. Hanson  
AREA EXPLORATION MANAGER

P. O. Box 1346  
Salt Lake City, Utah

May 28, 1962

State of Utah Oil & Gas  
Conservation Commission  
Newhouse Building  
Salt Lake City 11, Utah

Attention: Mr. Jack Feight

Re: Notice of Intent to Drill - Gem #2  
Sec. 18, Twp. 10 South, Rge. 25 East  
Uintah County, Utah


Gentlemen:

Enclosed is an executed copy of a Notice of Intent to Drill the captioned well, which was filed with the U. S. Geological Survey today on behalf of Moab Drilling Company, Inc. As you will note, the Notice calls for the well to be located 1580' from the S/L and 1980' from the E/2 in Section 18, Township 10 South, Range 25 East.

While this proposed location is less than 300' from a quarter-quarter boundary, it is necessary that the well be at this location due to topographic reasons. Since El Paso and Gulf own all of Federal Lse. Utah-014177 and the lease covers all of Section 18, as well as other lands, this location shall have no effect on other operators. We request that you waive Rule C(3) in this instance.

We request that you approve the enclosed Notice of Intent to Drill and notify Moab Drilling Company, Inc., 1790 East Plum Lane, Reno, Nevada, of your approval at your earliest convenience.

Very truly yours,

  
Loren E. Anderson  
Area Landman

LEA:BB

Enclosure

cc: Mr. Max D. Pierson  
Moab Drilling Company, Inc.  
1790 East Plum Lane  
Reno, Nevada



May 29, 1962

Moab Drilling Company, Inc.  
1790 E. Plumb Lane  
Reno, Nevada

Attn: Max Pierson, General Manager

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Gem #2, which is to be located 1580 feet from the south line and 1980 feet from the east line of Section 18, Township 10 South, Range 25 East, SLBM, Uintah County, Utah.

Please be advised that insofar as this office is concerned approval to drill the above mentioned well on said unorthodox location is hereby granted in accordance with Rule C-3(c), General Rules and Regulations and Rules of Practice and Procedure, Utah State Oil and Gas Conservation Commission. However, this approval is conditional upon a plat being furnished this office in accordance with Rule C-4 (a) of the above mentioned Rules and Regulations.

This approval terminates within 90 days if the above mentioned well has not been spudded in within said period.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FREIGHT  
EXECUTIVE DIRECTOR

CBF:cn

cc D.F. Russell, Dist. Eng.  
USGS - Salt Lake City, Utah

September 11, 1962

Moab Drilling Company, Inc.  
1790 East Plumb Lane  
Reno, Nevada

Attention: Max Pierson, General Manager

Re: Well No. Gem #2  
Sec. 18, T. 10 S, R. 25 E.,  
Uintah County, Utah

Gentlemen:

Reference is made to our letter of May 29, 1962, with regard to a plat being filed with this office for the above mentioned well in accordance to Rule C-4 (a), General Rules and Regulations and Rules of Practice and Procedure, State of Utah Oil and Gas Conservation Commission.

As of this date, we are still not in receipt of this plat. Your prompt attention to this matter will be very much appreciated.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CONNIE F. PALOUKOS  
RECORDS CLERK

CFP:cnp

MOAB DRILLING COMPANY, INCORPORATED



1790 EAST PLUMB LANE  
RENO, NEVADA

TELEPHONES:  
OFFICE: ALPINE 3-4181  
SHOP: ALPINE 3-4836

CHARLES A. STEEN  
PRESIDENT

September 19, 1962

The State of Utah  
Oil & Gas Conservation Commission  
310 Newhouse Building  
10 Exchange Place  
Salt Lake City 11, Utah  
Attn: Connie F. Paloukos-Records Clerk


RE: Well No. Gem #2  
Sec. 18, T.10 S, R. 25 E.,  
Uintah County, Utah

Gentlemen:

Enclosed please find plat requested in your letter of  
September 11, 1962.

Encl.

Very truly yours,

  
Leif O. Dahl  
Office Mgr.

September 21, 1962

Moab Drilling Company, Inc.  
1790 E. Piumb Lane  
Reno, Nevada

Attention: Max Pierson,  
General Manager

Re: Well No. Gem #2,  
Sec. 18, T. 10 S, R. 25  
E., Uintah County, Utah

Gentlemen:

According to our records, the above mentioned well has not yet spudded in. Therefore, as indicated in our letter of May 29, 1962, approval to drill said location is hereby terminated.

If and when you should decide to drill this location, it will be necessary for you to again file a notice of intention to drill and obtain this Commission's approval.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT  
EXECUTIVE DIRECTOR

CBF:cp

cc: D. F. Russell, Disc. Eng.  
USGS - Salt Lake City, Utah

H. G. Coonts, Pet. Eng.  
OGCC - Moab, Utah


Copy H. L. C.

(SUBMIT IN TRIPLICATE)

Land Office Salt Lake City

Lease No. U-014177

Unit \_\_\_\_\_



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL <u>Orig. 5/29/62</u> <input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Sept. 29, 1962

Well No. GEN#2 is located 1580 ft. from WN line and 1980 ft. from EW line of sec. 18  
NW/4SE/4 10S 25E  
(¼ Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Wildcat Uintah Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is \_\_\_\_\_ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Drill - 13 3/4" hole - 200 ft.  
 9 5/8" " - 200 ft. to 2,400 ft.  
 6 3/4" " - 2,400 ft. to T.D.

Case - 0 ft. to 200 ft. 10 3/4" - H 40 - 32.75 #  
 200ft. to T.D. 4 1/2" - J 55 - 11.60 #  
 (Production String)

Intention is to drill from 0 to 2,400 ft. with water; from 2,400 ft. to T.D. with a low solid mud.

Primary Objective - 6,500 ft. or test the Castlesat


I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Moab Drilling Company, Inc.

Address 1790 E. Plumb Lane

Reno, Nevada

By Max D. Pierson  
 Title General Manager



CONDITIONS OF APPROVAL ATTACHED

Dear Jack: ✓

Since this is located on federal lands, and since 40-6-11 excludes these lands from the jurisdiction of the Commission without authority being received from the Federal Government, I have withheld filing an <sup>in</sup>injunctive suit. The District Supervisor must give his approval first.

R.N.B.

OFFICE OF THE ATTORNEY GENERAL  
STATE CAPITOL  
SALT LAKE CITY 14, UTAH

*PMB*

November 20, 1962

Moab Drilling Company, Inc.  
Box 823  
Moab, Utah

Attention: Mr. E. E. Loman

Gentlemen:

The Utah Oil and Gas Conservation Commission informs this office that you have drilled at a point 1,580 feet from the south line and 1,980 feet from the east line of Section 18, T. 10 S., R. 25 E., being your Gem No. 2, apparently located in Uintah County, Utah. The Commission informs us that they have made demands upon you to complete and file your drilling reports, as required by Rule C-22 of the Rules and Regulations of the Oil and Gas Conservation Commission and as further required by the Utah Oil and Gas Conservation Act.

Unless these reports are filed by November 30, 1962, we will file court action to enjoin your drilling operations until compliance with the regulations is had. We suggest that you comply with the Rules and Regulations of the Commission and avoid any difficulties.

Sincerely,

A. PRATT KESLER  
Attorney General

RNB/ej

cc: Moab Drilling Co., Inc.  
1790 E. Plumblane  
Reno, Nevada  
Attn: Max Pearson

Oil & Gas Cons. Comm. ✓

RONALD N. BOYCE  
Assistant Attorney General

C  
O  
P  
Y

November 29, 1962

Moab, Drilling Company, Inc.  
1790 E. Plumb Land  
Reno, Nevada

Attn: Max D. Pierson, General Manager

Re: Well No. Gam #2,  
Sec. 18, T. 10 S, R. 25 E.,  
Uintah County, Utah

Gentlemen:

We are in receipt of your second notice of intention to drill for the above mentioned well.

Please be advised that insofar as this office is concerned approval to drill said well is hereby granted. However, should this problem again arise in the future would you please notify us of your intentions to drill prior to spudding in.

As soon as you have determined that it will be necessary to plug and abandon the above well, you are hereby requested to immediately notify the following:

PAUL W. BURCHELL, Chief Petroleum Engineer  
Office: DA 8-5771 or DA 8-5772  
Home: CR 7-2890  
Salt Lake City, Utah

This approval terminates within 90 days if the well has not been spudded in within said period.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT  
EXECUTIVE DIRECTOR

CBF:cp

cc: Ronald H. Boyce  
Asst. Attorney General

D. F. Russell, Dist. Eng.

MOAB DRILLING COMPANY, INCORPORATED

~~XXXXXXXXXX~~

~~XXXXXXXXXX~~

TELEPHONES:  
OFFICE: ALPINE 3-4181  
SHOP: ALPINE 3-4836

1790 E. Plumb Lane  
Reno, Nevada

CHARLES A. STEEN  
PRESIDENT

PMB

December 6, 1962

The State of Utah  
Oil & Gas Conservation Commission  
310 Newhouse Building  
10 Exchange Place  
Salt Lake City 11, Utah

ATTENTION: Mr. Paul W. Burchell  
Chief Petroleum Engineer

Dear Sirs:

In answer to your letter of November 26, 1962, Moab Drilling will soon complete Gem # 2, and we will clean up both locations and place signs as directed and send you forms to this effect. On November 29, you were at Gem # 2 and found only one man near the rig.

There seems to be a conflict as to just where the men were. Their statements are that the driller was in the trailer.

As of this date, we have discharged the toolpusher, and the crew in question have all been replaced.

If we can get this one hole completed, we will get squared away with all agencies once and forever.

Thank Mr. Geight for us for the forms he sent at our request.

Sincerely,

*Max D. Pierson*

MAX D. PIERSON  
General Manager

Send  
NID  
file  
to 10


10  
P  
W  
A

Form OGCC-3 NW SE

STATE OF UTAH

OIL & GAS CONSERVATION COMMISSION

Salt Lake City, Utah



LOCATE WELL CORRECTLY

To be kept Confidential until \_\_\_\_\_  
(Not to exceed 4 months after filing date)

LOG OF OIL OR GAS WELL

Operating Company Moab Drilling Co., Inc Address 1790 E. Plumb Lane, Reno, Nevada  
Lease or Tract Gulf Oil Corp. EPNG Field Wildcat State Utah  
Well No. Gen #2 Sec. 18 T. 10S R. 25E Meridian SLB & M County Uintah  
Location 1580 ft. N of S Line and 1980 ft. W of E Line of Sec 18 Elevation 5410' G.L.  
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed Max H. [Signature] Title Gen. Mgr.

Date \_\_\_\_\_

The summary on this page is for the condition of the well at above date.

Commenced drilling 10-26-62, 19\_\_\_\_ Finished drilling 12-13-62, 19\_\_\_\_

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from 410 to 416 No. 4, from \_\_\_\_\_ to \_\_\_\_\_  
No. 2, from 885 to 890 No. 5, from \_\_\_\_\_ to \_\_\_\_\_  
No. 3, from 4580 to 4586 No. 6, from \_\_\_\_\_ to \_\_\_\_\_

IMPORTANT WATER SANDS

No. 1, from 1160 to 1200 No. 3, from \_\_\_\_\_ to \_\_\_\_\_  
No. 2, from \_\_\_\_\_ to \_\_\_\_\_ No. 4, from \_\_\_\_\_ to \_\_\_\_\_

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From-	To-	
<u>10 3/4</u>	<u>40.5</u>	<u>8</u>	<u>CF&amp;I</u>	<u>217.74</u>	<u>HOWCO</u>	<u>NONE</u>	<u>NONE</u>		<u>SURFACE</u>

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
<u>10 3/4</u>	<u>227.60 KB</u>	<u>165 Sks Reg.</u> <u>3% CaCl</u>	<u>HOWCO</u>	<u>10.5</u>	

Adapters—Material \_\_\_\_\_ Size \_\_\_\_\_

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

MARK

FOLD MARK

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
10 3/4	227.60 KB	165 Sks Reg. 3% CaCl	HOWCO	10.5	

**PLUGS AND ADAPTERS**

Heaving plug—Material ..... Length ..... Depth set .....

Adapters—Material ..... Size .....

**SHOOTING RECORD**

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

**TOOLS USED**

Rotary tools were used from Surface... feet to T.D. .... feet, and from ..... feet to ..... feet

Cable tools were used from ..... feet to ..... feet, and from ..... feet to ..... feet

**DATES**

Date P & A ..... Dec. 15, 1962, ..... Put to producing ....., 19.....

The production for the first 24 hours was ..... barrels of fluid of which .....% was oil; .....% emulsion; .....% water; and .....% sediment. Gravity, °Bé. ....

If gas well, cu. ft. per 24 hours ..... Gallons gasoline per 1,000 cu. ft. of gas .....

Rock pressure, lbs. per sq. in. ....

**EMPLOYEES**

Buck Rich, Tool Pusher, Driller ..... Driller

..... Driller ..... Driller

**FORMATION RECORD**

FROM—	TO—	TOTAL FEET	FORMATION
			At the end of complete Driller's Log add Geologic Tops. State whether from Electric Logs or samples.
240	410	170	L.S.
410	416	6	S.S.
416	530	114	L.S.
530	1160	630	S.H./ S.S. Stringers
1160	1200	40	S.S.
1200	1380	180	S.H./S.S. Stringers
1380	1560	180	S.H./S.S. Stringers
1560	1640	80	S.H.
1640	1670	30	S.S.
1670	1990	320	S.H./S.S. Stringers
1990	2020	30	S.S.
2020	2040	20	L.S. & S.S.
2040	2060	20	S.H.
2060	2090	30	S.S. & S.H.
2090	2150	60	S.H.
2150	2190	40	L.S.
2190	2310	120	S.H./L.S. Stringers
2310	2400	90	S.S. & S.H.
2400	3350	950	S.H./S.S. Stringers
3350	3390	40	S.S.
3390	3420	30	S.H. & S.S.
3420	3470	50	S.S./S.H. Stringers



CM  
NID  
Form OGCC-1  
F

Copy H.L.C.

(SUBMIT IN DUPLICATE)

PMB

LAND:

Fee and Patented.....

State.....

Lease No. ....


Public Domain.....

Lease No. U-014177.....

Indian.....

Lease No. ....

J



STATE OF UTAH  
OIL & GAS CONSERVATION COMMISSION  
SALT LAKE CITY, UTAH

SUNDRY NOTICES AND REPORTS ON WELLS

Notice of Intention to Drill.....	<input type="checkbox"/>	Subsequent Report of Water Shut-off.....	<input type="checkbox"/>
Notice of Intention to Change Plans.....	<input type="checkbox"/>	Subsequent Report of Altering Casing.....	<input type="checkbox"/>
Notice of Intention to Redrill or Repair.....	<input type="checkbox"/>	Subsequent Report of Redrilling or Repair.....	<input type="checkbox"/>
Notice of Intention to Pull or Alter Casing.....	<input type="checkbox"/>	Supplementary Well History.....	<input type="checkbox"/>
Notice of Intention to Abandon Well.....	<input checked="" type="checkbox"/>		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

December 13, 1962, 19.....

Well No. Gem # 2 is located 1580 ft. from ~~N~~S line and 1980 ft. from ~~E~~W line of Sec. 18.....

NW 1/4 SE 1/4 SEC 18 10 S 25E SL  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Wildcat Uintah Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is ..... feet.

A drilling and plugging bond has been filed with .....

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important work, surface formation, and date anticipate spudding-in.)

To be plugged as verbally agreed by phone December 13, 1962 when permission was given by U.S.G.S. to Plug and Abandon

I understand that this plan of work must receive approval in writing by the Commission before operations may be commenced.


Company MOAB DRILLING CO., INC.

Address 1790 E. Plumb Lane Reno, Nevada  
By Max D. Pierson  
Title General Manager

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.

H

PMB  
F



STATE OF UTAH  
OIL & GAS CONSERVATION COMMISSION  
SALT LAKE CITY, UTAH

Fee and Patented.....  
State.....  
Lease No. ....  
Public Domain.....  
Lease No. U-014177  
Indian.....  
Lease No. ....

SUNDRY NOTICES AND REPORTS ON WELLS

Notice of Intention to Drill.....		Subsequent Report of Water Shut-off.....	
Notice of Intention to Change Plans.....		Subsequent Report of Altering Casing.....	
Notice of Intention to Redrill or Repair.....		Subsequent Report of Redrilling or Repair.....	
Notice of Intention to Pull or Alter Casing.....		Supplementary Well History.....	
Notice of Intention to Abandon Well.....		<u>Subsequent Report of Abandonment</u> .....	<b>X</b>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

.....December 14, 1962....., 19.....

Well No. Gem # 2 is located 1580 ft. from {M}/{S} line and 1980 ft. from {E}/{W} line of Sec. 18

NW 1/4 SE 1/4 Sec 18 10 S 25E S. I.  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Wildcat Uintah Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is ..... feet.

A drilling and plugging bond has been filed with .....

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important work, surface formation, and date anticipate spudding-in.)

- Placed 20 sacks neat cement in 6-3/4" hole @ 4000'
- Placed 30 sacks neat cement in 9-5/8" hole @ 1950'
- Placed 20 sacks neat cement in 10-3/4" pipe @ 226'
- Placed 10 sacks @ Top for Marker

Location cleaned and marker affixed

I understand that this plan of work must receive approval in writing by the Commission before operations may be commenced.

Company MOAB DRILLING CO., INC.  
Address 1790 E. Plumb Lane  
Reno, Nevada  
By Maxwell Pierson  
Title General Manager

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.

Branch of Oil and Gas Operations  
416 Empire Building  
Salt Lake City 11, Utah

January 10, 1963

Subject: Well No. Gem #2,  
Sec., 18, T 10S,  
R 25 E, Uintah Co.,  
Utah (U-014177)

Moab Drilling Company, Inc.  
1790 E. Plumb Lane  
Reno, Nevada

Attention: Mr. Max D. Pierson

Gentlemen:

The subject well was abandoned on or about December 14, 1962. On January 4, I visited the well site and was quite perturbed to find it in such a neglected condition.

Unfortunately, the drilling rig is still on the location, but that does not excuse you from having the rat hole filled, all junk material either hauled away or placed in the reserve pit and that pit filled and leveled.

Please have this work done without further delay.

Very truly yours,

(Orig. Sgd.) D. F. RUSSELL

D. F. Russell,  
District Engineer

DFR/id

cc: State Oil & Gas Commission, Salt Lake City ✓  
BLM District Manager, Vernal, Utah

April 4, 1963

Moab Drilling Company  
1790 East Plumb Lane  
Reno, Nevada

Re: Well No. Gem #2  
Sec. 18, T. 10 S, R. 25 E.,  
Uintah County, Utah

Gentlemen:

This letter is to advise you that the well log for the above mentioned well is due and has not been filed with this office as required by our rules and regulations.

Please complete the enclosed Form OGCC-3, 'Log of Oil or Gas Well', in duplicate and forward them to this office as soon as possible. Legible copies of the U. S. Geological Survey Form 9-330 may be used in lieu of our forms.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLARELLA N. PECK  
RECORDS CLERK

cnp

Encl. (Forms)

April 23, 1963

Moab Drilling Company, Inc.  
1790 East Plumb Lane  
Reno, Nevada

Re: Well No. Gem #2  
Sec. 18, T. 10 S, R. 25 E.,  
Uintah County, Utah

Gentlemen:

This is to acknowledge receipt of your "Log of Oil or Gas Well", Form OGCC-3, for the above mentioned well. However in checking the data we note that geologic formation tops were omitted from said log.

Would you please furnish us with this information as soon as possible in order that we may complete our file on this well. Thank you for your cooperation in this request.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLARELLA W. PEGG  
RECORDS CLERK

cnp

May 20, 1963

Moab Drilling Company, Inc.  
1790 East Plumb Lane  
Reno, Nevada

Attention: Max D. Pierson, General Manager

Re: Well No. Gem #2  
Sec. 18, T. 10 S, R. 25 E.,  
Uintah County, Utah

Gentlemen:

We are in receipt of a carbon copy of the "Log of Oil or Gas Well", Form OGCC-3, for the above mentioned well. However, said log still does not contain the information we requested in our letter of April 23, 1963.

We are requesting the geologic formation tops rather than the sample tops that you show on said log. I hope that this letter does not inconvenience you, however, your cooperation with respect to the contents of this letter will be greatly appreciated.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLARELLA N. PECK  
RECORDS CLERK

cnp



Charles A. Steen Company • 1790 E. FLUMB LANE • RENO, NEVADA • 32 94216

CHARLES A. STEEN, PRESIDENT, CHIEF GEOLOGIST

MAX D. PIERSON, GENERAL MANAGER

MINERAL EXPLORATION AND DEVELOPMENT

• DRILLING CONTRACTORS

May 21, 1963

The State of Utah  
Oil & Gas Commission  
310 Newhouse Building  
10 Exchange Place  
Salt Lake City 11, Utah

ATTN: C. N. PECK  
Records Clerk

RE: Well # Gem 2  
Sec 18;10S;25E  
Uintah Co, Utah

Dear Sirs:

The tops that were omitted on the Form OGCC-3  
are as follows:

Wasatch	2160
Mesaverde	3790
Sego	5150
Buck Tongue	5490
Castlegate	5690
Mancos	5830

This should complete your files.

Sincerely

*Max D. Pierson*  
Max D. Pierson  
General Manager

cc: U.S.G.S.