

# FILE NOTATIONS

Entered in NID File

Entered On S R Sheet

Location Map Filled

Card Indexed

IWR for State or Fee Land

Checked by Chief PHB

Copy NID to Field Office

Approval Letter

Disapproval Letter

## COMPLETION DATA:

Date Well Completed 11-16-62 Location Inspected \_\_\_\_\_

OW \_\_\_\_\_ WW \_\_\_\_\_ TA \_\_\_\_\_

Bond released \_\_\_\_\_

GW \_\_\_\_\_ OS \_\_\_\_\_ PA

State of Fee Land \_\_\_\_\_

## LOGS FILED

Driller's Log 1-15-63

Electric Logs (No.) 2

E. \_\_\_\_\_ I. \_\_\_\_\_ E-I  OR \_\_\_\_\_ OR-N \_\_\_\_\_ Micro \_\_\_\_\_


Lat. \_\_\_\_\_ MI-L \_\_\_\_\_ Sonic  Others \_\_\_\_\_

~~Subsequent Report of Abandonment~~

1830  
1320  
570

CHD  
08/11/92

*Copy H. L. C.*



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Salt Lake City

Lease No. 016783

Unit \_\_\_\_\_

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

FEDERAL 181 UINTAH

October 10, 19 62

Well No. 1 is located 1980 ft. from N line and 1490 ft. from E line of sec. 7

*SW* NE 1/4 Sec. 7 12E 22E Salt Lake  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
W. Damaged Uintah Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is \_\_\_\_\_ ft. Unknown at this time.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

The above location has been selected to test the Stone Cabin Zone-Wasatch Group at 4750' and the Farrer-Tuscher Int. Mesaverde Group at 5900'. All depths are anticipated tops.

We will run and cement (from top to bottom) 13-3/8" OD casing at approximately 300 feet as surface pipe; we will run and cement 5-1/2" or 7" OD casing as the oil string.


We will drill this well with rotary tools.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Simclair Oil & Gas Company  
601 Denver Club Building  
Address Denver 2, Colorado

By Morris E. Brown  
Title M. E. Brown  
Division Chief Clerk  
Production Department

# T12S, R22E, SLB & M



X CORNERS LOCATED (brass caps)

Scale 1" = 1000'

*Nelson J Marshall*

BY: ROSS CONSTRUCTION CO.  
Vernal, Utah

PARTY NELSON J MARSHALL  
LANNY D. TAYLOR  
BILL LEWIS  
WEATHER

**SURVEY**  
SINCLAIR OIL & GAS COMPANY  
NO. 1 FEDERAL 181 UINTAH, LOCATED AS SHOWN  
IN SW 1/4, OF NE 1/4, SEC 7, T12S, R22E, SLB & M  
UINTAH COUNTY, UTAH

DATE 17 SEPT, 1962  
REFERENCES GLO PLAT  
9 JUNE 1923  
FILE SINCLAIR

October 11, 1962

Sinclair Oil & Gas Company  
601 Denver Club Building  
Denver 2, Colorado

Attn: M. E. Brown,  
Chief Clerk Prod. Dept.

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Federal 181 Uintah #1, which is to be located 1980 feet from the north line and 1830 feet from the east line of Section 7, Township 12 South, Range 22 East, S18M, Uintah County, Utah.

Please be advised that insofar as this office is concerned approval to drill said well is hereby granted.

As soon as you have determined that it will be necessary to plug and abandon the above mentioned well, you are hereby requested to immediately notify the following:

PAUL W. BURCHELL, Chief Petroleum Engineer  
Office: DA 8-5771 or DA 8-5772  
Home: IN 6-3168  
Salt Lake City, Utah

This approval terminates within 90 days if the above well has not been spudded in within said period.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION


CLEON B. FEIGHT  
EXECUTIVE DIRECTOR

GBF:cp

cc: D. F. Russell, Dist. Eng.  
USGS - Salt Lake City, Utah

H. L. Coonts, Pet. Eng.  
OGCC - Moab, Utah

*Copy H. L. C*



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Salt Lake City  
Lease No. 016703  
Unit \_\_\_\_\_

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	<b>XX</b>
NOTICE OF INTENTION TO ABANDON WELL.....	<b>NOTICE OF CEMENTING CASING</b> .....	<b>XX</b>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

FEDERAL 161 UINTAN

October 30, 19 62

Well No. 1 is located 1980 ft. from N line and 1630 ft. from E line of sec. 7

NE/4 Sec. 7      12S      22E      Salt Lake  
(1/4 Sec. and Sec. No.)      (Twp.)      (Range)      (Meridian)  
Wasatch      Uintah      Utah  
(Field)      (County or Subdivision)      (State or Territory)

The elevation of the ~~Surface~~ <sup>Surface</sup> above sea level is \_\_\_\_\_ ft. Unknown at this time.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

- 10-21-62 Spudded at 7:00 P.M.
- 10-26-62 Run & cemented 13-3/8" OD casing at 306 ft. with 350 sacks cement. Plug down at 30 A.M. Cement circulated.
- 10-27-62 Pressure tested casing to 850' for 30 minutes. Tested OK.
- 10-30-62 Drilling ahead at 1980 ft.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Sinclair Oil & Gas Company  
641 Denver Club Building  
Address Denver 2, Colorado

By Morris E. Brown  
M. E. Brown  
Title Division Chief Clerk  
Production Department





Copy H.L.C.

Form approved.  
Budget Bureau No. 42-R356.5.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

LAND OFFICE Salt Lake City  
LEASE NUMBER 016783  
UNIT \_\_\_\_\_

**LESSEE'S MONTHLY REPORT OF OPERATIONS**

State UTAH County UINTAH Field Unknown

The following is a correct report of operations and production (including drilling and producing wells) for the month of OCTOBER, 19 62, Federal 181 Uintah

Agent's address 601 Denver Club Building Company Sinclair Oil & Gas Co.  
Denver 2, Colorado Signed Morris E. ...

Phone AM 6-2461 Agent's title Division Chief Clerk

SEC. AND 1/4 OF 1/4	TWP.	RANGE	WELL NO.	DAYS PRODUCED	BARRELS OF OIL	GRAVITY	CU. FT. OF GAS (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
<b>SW/4 NE/4 Sec. 7</b>	<b>12S</b>	<b>22E</b>	<b>1</b>							<b>Spudded 10-24-62 Drilling at 2713 ft.</b>

NOTE.—There were NO runs or sales of oil; NO M cu. ft. of gas sold; NO runs or sales of gasoline during the month. (Write "no" where applicable.)

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

see  
N/D  
9

Copy H. L. C.

Budget Bureau No. 42-R358.4.  
Form Approved.

P 418

Form 9-331a  
(Feb. 1961)


(SUBMIT IN TRIPPLICATE)

Land Office Salt Lake City

Lease No. 01678

Unit \_\_\_\_\_

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

FEDERAL 101 UTAH LEASE

November 16, 1962

Well No. 1 is located 1900 ft. from N line and 1800 ft. from E line of sec. 7

NE/4 Sec. 7 12 S 22 E Salt Lake  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Unsummed Utah Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the Surface above sea level is 6025 ft. (Graded)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded 7:00 p.m. - 10/21/62. Cemented 13-3/8" OD casing at 306' w/ 350 sacks.  
Drilled to T.D. 570' - No shows. Ran logs. Top Mesquitah 3217. Top Mesverde 5575.

Proposed to set 15 sack cement plugs approx. 5575-5400, 3217-3125, 25 sack plug in bottom of surface casing, 10 sacks in top of casing, set marker and clean location.

Verbal approval obtained from Mr. Joe Harutomi, 1:10 p.m. 11/16/62.

Notified Mr. P. W. Burchell of Utah Oil & Gas Comm 11/16/62. <sup>mab</sup>

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Sinclair Oil & Gas Company

Address 601 Denver Club Building

Denver 2, Colorado

By M. E. Brown  
M. E. Brown  
Title Div. Chief Clerk

d  
M  
N 107  
P

PWB

November 19, 1962

MEMO FOR FILING

Re: Sinclair Oil & Gas Company  
Federal 181 Uintah #1  
Sec. 7, T. 12 S, R. 22 E.,  
Uintah County, Utah

I talked with Mr. M. E. Brown, Sinclair Oil and Gas Company, November 16, 1962, and gave verbal approval for the following plugging program:

- 3217' top of Wasatch
- 5575' top of Mesaverde
- T.D. 5783' Tusher

- Cement with 35 sacks at top of Mesaverde @ 5575'-5483'
- Cement with 35 sacks at top of Wasatch @ 3217'-3125'

25 sacks half in and half out at 306' surface casing, "heavy laden mud between all plugs"

They had no shows. 306'-3125' dry all the way, no water. Also, ran logs. This well will be plugged the evening of November 16, 1962.

PAUL W. BURCHELL  
CHIEF PETROLEUM ENGINEER

PWB:cnp

H.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

LAND OFFICE Salt Lake City  
LEASE NUMBER 016783  
UNIT \_\_\_\_\_

**LESSEE'S MONTHLY REPORT OF OPERATIONS**

State UTAH County UINTAH Field WILDCAT

The following is a correct report of operations and production (including drilling and producing wells) for the month of NOVEMBER, 1962, Federal 181 Uintah

Agent's address 601 Denver Club Building Company Sinclair Oil & Gas Company  
Denver 2, Colorado Signed Morris E. Brown

Phone AM 6-2460 Agent's title Division Chief Clerk

SEC. AND ¼ OF ¼	TWP.	RANGE	WELL NO.	DAYS PRODUCED	BARRELS OF OIL	GRAVITY	CU. FT. OF GAS (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
<b>SW/4 NE/4 Sec. 7</b>			<u>1</u>							<u>Completed dry hole at total depth 5783'. Plugged and abandoned 11-17-62. Final report.</u>


NOTE.—There were NO runs or sales of oil; NO M cu. ft. of gas sold;

NO runs or sales of gasoline during the month. (Write "no" where applicable.)

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

*Copy H.L.C.*  
(SUBMIT IN TRIPPLICATE)

Land Office Salt Lake City  
Lease No. 016783  
Unit \_\_\_\_\_



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

FEDERAL LAND UINTAH

January 7, 19 63

Well No. 1 is located 1980 ft. from N line and 1830 ft. from E line of sec. 7  
NE/4 Sec. 7 12S 22E Salt Lake  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Wildcat Uintah Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the ~~derrick floor~~ <sup>Surface</sup> above sea level is 6025 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Pursuant to notice submitted November 16, 1962, have plugged and abandoned well as follows:

- Set 35 sack cement plugs 5575-5483'  
3217-3125'
- Set 25 sack cement plugs in bottom of surface casing.
- Set 10 sacks cement in top of surface casing and installed regulation pipe marker.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Sinclair Oil & Gas Company  
601 Denver Club Building  
Address Denver 2, Colorado

By M. E. Brown

Title Division Chief Clerk  
Production Department