

FILE NOTATIONS

Network

Entered in NID File _____
 Entered On S R Sheet _____
 Location Map Pinned _____
 Card Indexed _____
 I W R for State or Fee Land _____

Checked by Chief RLS
 Copy NID to Field Office _____
 Approval Letter _____
 Disapproval Letter _____

COMPLETION DATA:

Date Well Completed _____ Location Inspected _____
 CW _____ NW _____ EA _____ Bond returned _____
 GW _____ OS _____ PA _____ State of Fee Land _____
Location abandoned

LOGS FILED

Driller's Log _____
 Electric Logs (No.) 1
 E- I-_____ E-I-_____ GR-_____ GR-N-_____ Micro-_____
 Lat-_____ Mi-L-_____ Sonic-_____ Others-_____

	12	
0		

STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION
 SALT LAKE CITY, UTAH

Fee and Patented
 State
 Lease No.
 Public Domain
 Lease No.
 Indian
 Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

Notice of Intention to Drill.....		Subsequent Report of Water Shut-off.....	
Notice of Intention to Change Plans.....		Subsequent Report of Altering Casing.....	
Notice of Intention to Redrill or Repair.....	X	Subsequent Report of Redrilling or Repair.....	
Notice of Intention to Pull or Alter Casing.....		Supplementary Well History.....	
Notice of Intention to Abandon Well.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

January 11, 1961

Well No. 4 Byllesby* is located ft. from {N} line and ft. from {E} line of Sec. 12

NW 1/4 - SW 1/4-12 T13S R 20E SLM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Wildcat Uintah Utah
(Field) (County or Subdivision) (State or Territory)

(old well, work over)

The elevation of the derrick floor above sea level is 5769 feet.

A drilling and plugging bond has been filed with State of Utah

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important work, surface formation, and date anticipate spudding-in.)

Old T.D. was 7314. Original operator was Sunray Oil Corp. Original well name was No. 1 Utah Corporation. Operator proposes to re-enter old hole, drill out plugs, clean out well to approximately 7000 feet, set 7" casing, cement, perforate, sand-oil fracture and test zones in the Wasatch from 4100' to 4600' and zones in the Mesa Verde from 4690 to 7000'. There is 454' of 13 3/8" casing in hole. Operator had drilled 9" hole. Rotary tools will be used.

*Formerly Sunray No. 1 Utah Corporation

I understand that this plan of work must receive approval in writing by the Commission before operations may be commenced.

Company H. M. Byllesby & Company

Address 135 South LaSalle Street, Chicago, Ill. By Robert E. Covington

% Caldwell & Covington Title Caldwell & Covington Representative

P. O. Box 473, Vernal, Utah

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.

January 16, 1961

Caldwell & Covington
Petroleum Consultants
P. O. Box 473
Vernal, Utah

Attention: Robert E. Covington, Representative

Gentlemen:

This is to acknowledge receipt of your notice of intention to redrill or repair Well No. #4, Byllesby, which is located in the NW $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 12, Township 13 South, Range 20 East, SLEM, Uintah County, Utah.

Please be advised that approval to rework said well is hereby granted. However, this approval is conditional upon you sending us copies of the drillers log and any electric logs run that you might have on said well as it was originally drilled prior to the establishment of this Commission and we do not have any information on it.

Please take note that should it be necessary to plug and abandon said well you are hereby requested to give advance notice of the date and time said plugging will take place to one of the following named individuals, by phone or otherwise, in order that our petroleum engineer may be present to inspect the manner in which the well is being plugged:

C. B. FEIGHT, Executive Secretary
Office Phone: DA 8-5771 or DA 8-5772
Home Phone: HU 5-2721

Caldwell & Covington
Attn: Robert E. Covington

January 16, 1961
Page -2-

ROBERT L. SCHMIDT, Chief Petroleum Engineer
Office Phone: DA 8-5771 or DA 8-5772
Home Phone: AM 6-8616

Address all other forms of communication to the Utah Oil
and Gas Conservation Commission, 310 Newhouse Building, Salt
Lake City, Utah.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT,
EXECUTIVE SECRETARY

CBF:awg

July 2, 1962

Caldwell & Covington
Petroleum Consultants
P. O. Box 473
Vernal, Utah

Attention: Robert E. Covington, Representative

Re: Well No. Byllesby #4, (Utah
Corporation #1) NW SW Sec. 12,
T. 41 S, R. 20 E., SLBM, Uintah
County, Utah.

Gentlemen:

Since our approval to rework the above mentioned well of January 16, 1961, we have not received any reports as to the commencing of work. Therefore, we are hereby cancelling our approval of said date.

Should you decide at some future time to re-enter this well, you will again be required to submit a "Notice of Intention to Rework", and receive our approval prior to starting any work on said well.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT
EXECUTIVE DIRECTOR

CBF:cp