

Scout Report sent out

Noted in the NID File

Location map pinned

Approval or Disapproval Letter

Date Completed, P. & A. or  
operations suspended

Pin changed on location map

Affidavit and Record of A & P

Water Shut-Off Test

Gas-Oil Ratio Test

Well Log Filed



*In unit*

5-2-74 Well Plugged & Abandoned

Electric Logs (No. ) \_\_\_\_\_

E \_\_\_\_\_ I \_\_\_\_\_ E-I \_\_\_\_\_ GR \_\_\_\_\_ GR-N \_\_\_\_\_ Micro \_\_\_\_\_

Lat. \_\_\_\_\_ Mi-L \_\_\_\_\_ Sonic \_\_\_\_\_ Others \_\_\_\_\_

**FILE NOTATIONS**

Entered in NID File \_\_\_\_\_

Entered On S R Sheet \_\_\_\_\_

Location Map Pinned \_\_\_\_\_

Card Indexed \_\_\_\_\_

IWR for State or Fee Land \_\_\_\_\_

✓  
✓  
✓  
✓

Checked by Chief \_\_\_\_\_

Copy NID to Field Office \_\_\_\_\_

Approval Letter \_\_\_\_\_

Disapproval Letter \_\_\_\_\_

✓

**COMPLETION DATA:**

Oil Well Completed 2/27/58

OW \_\_\_\_\_ WY \_\_\_\_\_ TA \_\_\_\_\_

GW  OS \_\_\_\_\_ PA \_\_\_\_\_

Location Inspected \_\_\_\_\_

Bond released \_\_\_\_\_

State of Fee Land \_\_\_\_\_

**LOGS FILED**

Driller's Log 4/28/58

Electric Logs (No. ) 2

E \_\_\_\_\_ I \_\_\_\_\_ E-I  GR \_\_\_\_\_ GR-N \_\_\_\_\_ Micro

Lat. \_\_\_\_\_ Mi-L \_\_\_\_\_ Sonic \_\_\_\_\_ Others \_\_\_\_\_

**BRACK DRILLING COMPANY, INC.**  
**OIL WELL DRILLING CONTRACTOR**

BOX 575

FORT COLLINS, COLORADO

February 7, 1958

Re: Well #5  
Walker Hollow Unit  
Uintah County, Utah

Oil & Gas Conservation Commission  
The State of Utah  
Salt Lake City 14, Utah

Attention: Cleon B. Feight, Secretary

Gentlemen:

We are enclosing your Form OGCC-1 in duplicate, Notice of Intention to Drill on our fifth location in Walker Hollow. We do not have a surveyor's plat yet for this location, same will be forwarded to you as soon as possible.

Since you no doubt have on file a plat or map showing the operations in this area, we are omitting such a map at this time.

As subsequent reports are filed with U.S.G.S. your office will be furnished a copy.

Yours very truly,

BRACK DRILLING COMPANY, INC.

*Leland E. Brack*

Leland E. Brack

LEB:rr

Enc (2)



February 14, 1958

W-H  
2-17

Re: Walker Hollow Well #5  
NE/4 Section 6-7S-23E  
Uintah County, Utah

Mr. D. F. Russell, District Engineer  
457 Federal Building  
Salt Lake City, Utah

Dear Mr. Russell:

We are enclosing Form 9-331a in triplicate which is a slight revision of our Notice of Intention to Drill. Perhaps this should be "Report on setting Surface Casing."

The principal reason for filing this report at this time is to give the exact location of the well, just a few feet in each direction different from our Notice filed with you and approved by your office February 10, and the Derrick Floor Elevation which we did not have at that time.

Yours very truly,

BRACK DRILLING COMPANY, INC.

LEB:rr

Leland E. Brack


Enc (3)



2

Form 4-288

U. S. LAND OFFICE ~~Salit Lake City~~  
SERIAL NUMBER ~~2671~~  
LEASE OR PERMIT TO PROSPECT \_\_\_\_\_



LOCATE WELL CORRECTLY

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Walker Hollow

7-H  
4-28

LOG OF OIL OR GAS WELL

Company Frank Drilling Company, Inc. Address P.O. Box 975, Fort Collins, Colorado  
Lessor or Tract \_\_\_\_\_ Field Walker Hollow State Utah  
Well No. 5 Sec. 11 T12 R. 73 Meridian Salit Lake Base County Wintah  
Location 300 ft. (N. of \_\_\_\_\_) Lane and 100 ft. (E. of \_\_\_\_\_) Line of Section 6 Elevation 3000

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed \_\_\_\_\_

Date April 23, 1928 Title Island E. Frank, Sec. Tract  
The summary on this page is for the condition of the well at above date.

Commenced drilling 2-11, 1928 Finished drilling 2-27, 1928

OIL OR GAS SANDS OR ZONES  
(Denote gas by G)

No. 1, from 2972 to 2972 No. 4, from \_\_\_\_\_ to \_\_\_\_\_  
No. 2, from \_\_\_\_\_ to \_\_\_\_\_ No. 5, from \_\_\_\_\_ to \_\_\_\_\_  
No. 3, from \_\_\_\_\_ to \_\_\_\_\_ No. 6, from \_\_\_\_\_ to \_\_\_\_\_

IMPORTANT WATER SANDS

No. 1, from \_\_\_\_\_ to \_\_\_\_\_ No. 3, from \_\_\_\_\_ to \_\_\_\_\_  
No. 2, from \_\_\_\_\_ to \_\_\_\_\_ No. 4, from \_\_\_\_\_ to \_\_\_\_\_

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From-	To-	

MUDDING AND CEMENTING RECORD


Size casing	Water cut	Number sacks of cement	Method used	Mud gravity	Amount of mud used
<u>5 7/8"</u>	<u>2400</u>	<u>3</u>	<u>Ball-Pump</u>		
<u>5 1/2"</u>	<u>2400</u>	<u>12</u>	<u>Ball-Pump</u>		

PLUGS AND ADAPTERS

MARK 8




BRACK DRILLING COMPANY  
WALKER HOLLOW UNIT #5



SEC 6, T 7 S, R 23 E, S. L. B. & MERIDIAN  
UINTAH COUNTY, UTAH

By ROSS CONSTRUCTION CO.  
VERNAL, UTAH



PARTY <u>N. J. Marshall</u> <u>Lewis Shiflett</u>  WEATHER _____	SURVEY Brack Drilling Co.'s Walker Hollow Unit #5 Well, located 2492' from north line & 1634' from the east line, SEC 6, T 7 S, R 23 E, S. L. B. & M Uintah County, Utah	DATE <u>21 Feb 1957</u> REFERENCES <u>GLO Plat</u> FILE <u>Brack</u>
---	--	---

March 3, 1958

Re: Utah Lease 0671  
Walker Hollow Well #5  
Sec. 6-7S-23E  
Uintah County, Utah

Mr. D. F. Russell, District Engineer  
Oil & Gas Leasing Branch, USGS  
457 Federal Building  
Salt Lake City 1, Utah

Dear Mr. Russell:

Enclosed is survey plat showing location of subject well and Notice of Intention to Change Plans in triplicate, showing the location as indicated on survey plat.

Form 9-331a dated February 7, 1958 showed the location as follows: 4950' from S line and 1650' from E. Line, and the one dated February 14, 1958 showed the location as follows: 4604' from S line and 1634' from E. Line.

The principal difference in the two previous Notices and the one enclosed is that the distance is given from the "North" line rather than from the "South" line, to conform with the location as noted on the survey plat.

We trust this is the information you require.

Yours truly,

BRACK DRILLING COMPANY, INC.

rr

Ruth Rittenhouse  
Office Secretary

Enc. (4)


0 & GCC - 1 copy Form 9-331-a  
1. " Survey Plat

MAR 4 1958

7/18  
3-10



Form G-281a  
(Feb. 1955)



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office **Salt Lake City**  
Lease No. **Utah #0671**  
Unit **Walker Hollow**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	<b>XX</b>	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 3

1958

Well No. **Brack** **35** is located **2402** ft. from ~~XXX~~ <sup>(N)</sup> line and **1684** ft. from ~~XXX~~ <sup>(E)</sup> line of sec. **6**

**NE 1/4 Sec. 6** **7 S** **23 E** **Salt Lake**  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

**Walker Hollow** **Uintah** **Utah**  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **5009** ft.

DETAILS OF WORK


(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

**160° 8-5/8" casing was set and cemented with 60 sack cement, plug down at 1:30 A.M. 2-14-58. A 7-7/8" hole is being drilled to accommodate 5 1/2" esp. if production is encountered. Total Depth will be 2950' + or -, or top of Green River formation. Well will be completed thru casing perforations.**

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Brack Drilling Company, Inc.**  
**P. O. Box 575**  
Address **Fort Collins, Colorado**

By **Henry B. Brack**  
Title **President**



(SUBMIT IN TRIPLICATE)  
**UNITED STATES**  
**DEPARTMENT OF THE INTERIOR**  
**GEOLOGICAL SURVEY**

Land Office **Salt Lake City**  
 Lease No. **Utah 0671**  
 Unit **Walker Hollow**

7-K  
 4-28

**SUNDRY NOTICES AND REPORTS ON WELLS**

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 23, 1958

Well No. **5** is located **2482** ft. from **{N}** line and **1634** ft. from **{E}** line of sec. **6**  
**7 S** **23 E** **Salt Lake Base**  
(Twp.) (Range) (Meridian)  
**Walker Hollow** **Utah** **Utah**  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **5009** ft. **D.F.**

**DETAILS OF WORK**

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Well #5 has evidently sealed off perf. in esp. with heavy tar. After perforating and blowing well 24 hours, well started to make tar. We will rig up, clean out to T.D. @ 2997, perforate 2980 to 2990' - (Rest of zone which is productive) Samples of tar are en route to Dowell Research Lab in Tulsa Oklahoma. A solvent will be circulated to clean this well up, as soon as we know what to use in the way of chemical treatment.


I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Brack Drilling Company, Inc.**

Address **P. O. Box 575**

**Fort Collins, Colorado**

By \_\_\_\_\_  
 Title **Leland E. Brack, Sec.-Treas.**



(SUBMIT IN TRIPPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office **Salt Lake City**  
Lease No. **Utah 0671**  
Unit **Walker Hollow**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	Subsequent report on surface	XX
	Subsequent report of D.S.T.	XX
	Subsequent report of Prod. Con.	XX

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 23, 1958

Well No. **5** is located **2482** ft. from **[N]** line and **1634** ft. from **[E]** line of sec. **6**  
**Lot 10 NE/4 Sec. 6** **7 S** **23 E** **Salt Lake Base**  
(Of Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
**Walker Hollow** **Utah** **Utah**  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **5009** ft. D.F.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Landed 156' 8 5/8" CF&I 8 Rd. Thrd. 24# cas. cemented w/60 cas cement circulated. Plug down 1:30 A.M., 2-14-58.  
 Ran 91 Jts. 146 5/8" 8 Rd. Thrd. Rge. 2, CF&I Sals. cas. set at 3027' R.O.B. w/125 cas Reg. cement. Plug down 4:25 P.M., 3-1-58.  
 DST #1, 2972 - 92' open 2 hours. Gas to surface 2 minutes - Spray mud 30 min. Light spray H2O in 24 minutes. Caused 2.687 MMCF thru Pitot Tube in 20 minutes. Pipe Rec. 236' H2O. IFF 310#, FFP 465#, SIP 1020# in 30 minutes, still increasing.


I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Brack Drilling Company, Inc.**

Address **P. O. Box 575**

**Fort Collins, Colorado**

By **Leland E. Brack, SGE.-Treas.**  
 Title \_\_\_\_\_



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office **Salt Lake City**  
Lease No. **Wash 0671**  
Unit **Walker Hollow**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	<b>Subsequent report of perforations</b> <b>XX</b>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 23, 1958

Well No. **5** is located **2482** ft. from **N** line and **1634** ft. from **E** line of sec. **6**  
**Lot 10, NE/4 Sec. 6** **7 S** **23 E** **Salt Lake B, 00**  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
**Walker Hollow** **Uintah** **Utah**  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **5009** ft. D.F.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Perf. 2971 - 80' - 4 shots per foot - 3-6-58. Gas to surface immediately gauged 1.71 MMCF Pitot Tube. Perf. off Gamma Ray Log. Had light spray H<sub>2</sub>O in 30 minutes. Shut down till 3-7-58. Ran 2,930' 2 7/8" 8 Rd. Thrd. CFB1 Sals. E.U.E. Tbg. Well started making bar.

3-7-58	Gas. Press.	1020#
3-8-58	"	500#
3-9-58	"	400#
3-10-58	"	200#

Open flow thru 2 7/8" Tbg. 125,000 Cu. Ft. per day.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Brook Drilling Company, Inc.**

Address **P. O. Box 575**

**Fort Collins, Colorado**

By \_\_\_\_\_  
Title **Leland E. Brook, Sec.-Treas.**

April 12, 1963

Brack Drilling Company, Inc.  
P. O. Box 575  
Port Collins, Colorado

Re: Well No. Walker Hollow #3  
Sec. 31, T. 6 S, R. 23 E.,  
Uintah County, Utah

Well No. Walker Hollow #4  
Sec. 6, T. 7 S, R. 23 E.,  
Uintah County, Utah

Well No. Walker Hollow #5  
Sec. 6, T. 7 S, R. 23 E.,  
Uintah County, Utah

Gentlemen:

After checking our files for the above mentioned wells, we note that they are incomplete. According to our records, electric logs have not been filed in accordance with Rule C-5 (a), General Rules and Regulations and Rules of Practice and Procedure, Utah State Oil & Gas Conservation Commission.

Would you please forward us any copies of electric and/or radioactivity logs that might have been run on these wells. If no logs were run, we would appreciate it very much if you would advise us of this in order that we may complete our files on said wells.

Thank you for your cooperation in this request.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLARELLA N. PECK  
RECORDS CLERK

cnp

ALLEN STOVER AND MITCHELL

ATTORNEYS AT LAW

FOURTH FLOOR STATE BANK BUILDING

FORT COLLINS COLORADO

WILLIAM H. STOVER  
WILLIAM H. MITCHELL  
EUGENE E. MITCHELL

April 29, 1963

Oil & Gas Conservation Commission  
The State of Utah  
310 Newhouse Building  
10 Exchange Place  
Salt Lake City 11, Utah

Attention: Clarella N. Peck,  
Records Clerk

Re: Well No. Walker Hollow #3  
Sec. 31, T. 6 S, R. 23 E.,  
Uintah County, Utah

Well No. Walker Hollow #4  
Sec. 6, T. 7 S. R. 23 E.,  
Uintah County, Utah

Well No. Walker Hollow #5  
Sec. 6, T. 7 S, R. 23 E.,  
Uintah County, Utah

Gentlemen:

The above properties are now owned of record by W. H. Management Co., Inc., of which I am one of the principal officers.

Brack Drilling Company, Inc., to whom you addressed a letter of April 12, 1963, is defunct and inoperative. The former office manager for Brack Drilling Company advises me that the materials you request by your letter of April 12, 1963, have been sent to you long ago. In any event, so far as known to the writer, there are no copies of any of the pertinent data or logs existing or available to W. H. Management.

Oil & Gas Conservation Commission

Page 2

April 29, 1963

If there is anything further you wish us to do under the circumstances, please feel free to get in touch with us.

Yours very truly,

*Eugene Mitchell*  
Eugene E. Mitchell

*President of*  
*W.H. Meyer Co.*

EBM:gs

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUBMIT IN TRIP DATE\*  
(Other instructions on re-  
verse side)

Form approved.  
Budget Bureau No. 42-R1424.

**SUNDRY NOTICES AND REPORTS ON WELLS**

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER		5. LEASE DESIGNATION AND SERIAL NO.
2. NAME OF OPERATOR Exxon Corporation		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR P. O. Box 1600, Midland, Texas 79701		7. UNIT AGREEMENT NAME Walker Hollow
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 2,482' FNL & 1,634' FEL Sec. 6, 7S, 23E		8. FARM OR LEASE NAME Brack (0671 SLC)
14. PERMIT NO.		9. WELL NO. 5
15. ELEVATIONS (Show whether DF, RT, CR, etc.) DF 5,006' GL 5,004'		10. FIELD AND POOL, OR WILDCAT Walker Hollow
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA SW NE Sec. 6 - 7S-23E
		12. COUNTY OR PARISH Uintah
		13. STATE Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input checked="" type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) _____	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

ABANDONMENT PROCEDURE - Kill well and load hole w/9# mud cap. 73 bbl.; run tubing; spot bottomhole plug; 16 sx 15-1/2 #/gal. Slurry Class H Cement from 2,997' - 2,871'. Spot top plug 12-1/2 sx 15-1/2 #/gal. Slurry Class H Cement from 206' to 106'. Pump 36 sx cement in Annulus to fill 50' below 8-5/8" csg. Remove wellhead and install D&A marker. Rehabitate location to EPA spec.

APPROVED BY DIVISION OF  
OIL & GAS CONSERVATION

DATE 11-9-73

BY *es feight*

18. I hereby certify that the foregoing is true and correct  
SIGNED *[Signature]* TITLE Unit Head DATE 6-28-73

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE\*  
(Other instructions on reverse side)

Form approved.  
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER		5. LEASE DESIGNATION AND SERIAL NO. U 0671
2. NAME OF OPERATOR Exxon Corporation		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR Box 1600, Midland, Texas 79701		7. UNIT AGREEMENT NAME Walker Hollow
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See space 17 below.) At surface 2,482' FNL & 1,634' FEL Sec. 6-7S-23E		8. FARM OR LEASE NAME Brack (0671 Utah)
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT, OR, etc.) DF 5,006' GL 5,004	9. WELL NO. 5
		10. FIELD AND POOL, OR WILDCAT Walker Hollow
		11. SEC., T., E., M., OR BLK. AND SURVEY OR AREA SW-NE, Sec. 6-7S-23E
		12. COUNTY OR PARISH Uintah
		13. STATE Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input checked="" type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input checked="" type="checkbox"/>	(Other) <input type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

ABANDONMENT PROCEDURE - Move in casing pullers. Pump bottom plug of 15 sx. 15-1/2#/Gal Slurry Class "A" cement from 2,971' to 2,871'. Displace with heavy drlg. mud. Tag top of plug.

Work and stretch csg. to find free pt. Shoot off or cut off csg. Pick up and spot a 100' cement plug from cut off pt. to 100' above cut off. (Est. 35 sx.) Tag top of plug.

Pull csg. to 220'. Spot a 45 sx. 15-1/2#/gal. Slurry Class "A" cement from 220' to 100'. Pull csg. Tag top of Plug.

Cap well with 10 sx cement, 30' to surface. Place D&A Marker. Rehabilitate location to EPA Specs.

APPROVED BY DIVISION OF  
OIL & GAS CONSERVATION  
DATE FEB 19 1974  
BY C.S. [Signature]

18. I hereby certify that the foregoing is true and correct

SIGNED A. L. Clemmer TITLE Unit Head DATE 2-13-74

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

