

**FILE NOTATIONS**

Entered in WPD File \_\_\_\_\_

Entered on \_\_\_\_\_ Sheet \_\_\_\_\_

Location \_\_\_\_\_

Case No. \_\_\_\_\_

W.D. State or Fee Law: \_\_\_\_\_

*Amundson*

Checked by: Chief \_\_\_\_\_

Copy: Nil D. to: Field: Office \_\_\_\_\_

Approval Letter \_\_\_\_\_

Disapproval Letter \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**COMPLETION DATA:**

Date Well Completed *6-19-53*

OW  WW \_\_\_\_\_ TA \_\_\_\_\_

GW \_\_\_\_\_ OS \_\_\_\_\_ RA \_\_\_\_\_

Location Inspected: \_\_\_\_\_

State of Fee Law: \_\_\_\_\_

\_\_\_\_\_

**LOGS FILED**

Driller's Log  \_\_\_\_\_

Electric Logs (No. *4*) \_\_\_\_\_

E \_\_\_\_\_ G-E \_\_\_\_\_ Micro \_\_\_\_\_


Lat \_\_\_\_\_ ME-L \_\_\_\_\_ Sonic \_\_\_\_\_

OR-NI \_\_\_\_\_  
Others *Core Log*

*Refracting Depth Control* (S)

*Converted To Water Injection*

*12-14-72*




(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office **Salt Lake City**  
Lease No. **7-082**  
Unit **Red Wash**

ORIGINAL FORWARDED TO CASPER



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Vernal, Utah, April 9, 1953

Well No. **23** is located **695** ft. from **N** line and **2015** ft. from **W** line of sec. **23**

**NE 1/4 Sec. 23** (1/4 Sec. and Sec. No.)      **T 7 S** (Twp.)      **R 23 E** (Range)      **S15M** (Meridian)  
**Red Wash** (Field)      **Uintah** (County or Subdivision)      **Utah** (State or Territory)

The elevation ~~5774~~ above sea level is **5774** ft. Ground Level (Est.)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is proposed to drill a test for oil for completion in the Green River Formation.

Proposed casing program is:

- One joint of 16" OD Conductor casing cemented to surface.
- 10-3/8" OD Surface casing at approximately 500 feet, cemented to surface.
- 7" OD oil string through Green River zone, at 5800 feet estimated depth, with sufficient cement to exclude all potential oil or gas zones.

Estimated top Green River = 2950  
Estimated top Wasatch = 5774

(APPROVAL IS CONDITIONAL UPON COMPLIANCE WITH THE TERMS ATTACHED HERETO)

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **The California Company**

Address **P. O. Box 455**

**Vernal, Utah**

By **R. L. Green**


Title **Engr. In Charge**

(SUBMIT IN TRIPLICATE)

Land Office Salt Lake City

Lease No. U-092

Unit Red Wash



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

ORIGINAL FORWARDED TO CASPER

SUNDRY NOTICES AND REPORTS ON WELLS



NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	<b>Subsequent Report of 10-3/4" Casing X</b>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Vernal, Utah, April 27, 1953

Well No. 23 is located 695 ft. from N line and 2015 ft. from W line of sec. 23

NE 1/4 Sec. 23  
(1/4 Sec. and Sec. No.)

T 7 S  
(Twp.)

R 23 E  
(Range)

SLEM  
(Meridian)

Red Wash  
(Field)

Utah  
(County or Subdivision)

Utah  
(State or Territory)

The elevation ~~BY THE SURFACE~~ above sea level is 5755.7. (KB)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Ran 1 1/2 jts. of 10-3/4", 40.5#, J-55 ST&C Casing to 476.03'. Baker FS and FC 2 joints 66.71' apart. Ran 4 Baker centralizers at 471', 382', 292', and 240'. Cemented with 275 sacks Ideal common cement, using top and bottom plugs.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The California Company

Address P. O. Box 455

Vernal, Utah

By F. L. Merry *F. L. Merry/ep*


Title Field Supt.

Approved APR 30 1953


(Orig. Sgd.) H. O. Scoville

Director

U. S. LAND OFFICE  
 SERIAL NUMBER U-002 ✓  
 LEASE OR PERMIT TO PROSPECT \_\_\_\_\_



UNITED STATES  
 DEPARTMENT OF THE INTERIOR  
 GEOLOGICAL SURVEY



ORIGINAL COPY OF THIS REPORT IS IN THE OFFICE OF THE ASSISTANT DIRECTOR

LOG OF OIL OR GAS WELL

LOCATE WELL CORRECTLY

Company The California Company Address P.O. Box 455, Vernal, Utah  
 Lessor or Tract Red Wash Unit Field Red Wash State Utah  
 Well No. 23 Sec 23 T. 7S R. 23E Meridian SLBM County Uintah  
 Location 695 ft. N of N Line and 2015 ft. E of W Line of Sec 23, T7S, R23E Elevation 5755.7 ft.  
(Derive Elev. relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed F. L. MERRY *F. L. Merry*  
 Title Field Supt.

Date 7-7-53

Title Field Supt.

The summary on this page is for the condition of the well at above date

Commenced drilling April 15 1953 Finished drilling May 30 1953

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from 5505 to 5508 G No. 4, from \_\_\_\_\_ to \_\_\_\_\_  
 No. 2, from \_\_\_\_\_ to \_\_\_\_\_ No. 5, from \_\_\_\_\_ to \_\_\_\_\_  
 No. 3, from \_\_\_\_\_ to \_\_\_\_\_ No. 6, from \_\_\_\_\_ to \_\_\_\_\_

IMPORTANT WATER SANDS

No. 1, from \_\_\_\_\_ to \_\_\_\_\_ No. 3, from \_\_\_\_\_ to \_\_\_\_\_  
 No. 2, from \_\_\_\_\_ to \_\_\_\_\_ No. 4, from \_\_\_\_\_ to \_\_\_\_\_

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Perforated		Purpose
						From—	To—	
10 3/4 7"	40.5 23	8 8	Natl Jap. Natl	476.03 5852	Baker Baker	5639 5657 5697 5700	5611 5652 5710 5766	

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
10 3/4 7"	476.03 5852	275 Ideal Common 250 Bridget Strata Grate 75 Ideal Common	Howee Howee		

PLUGS AND ADAPTERS

Heaving plug—Material \_\_\_\_\_ Length \_\_\_\_\_ Depth set \_\_\_\_\_  
 Adapters—Material \_\_\_\_\_ Size \_\_\_\_\_

SHOOTING RECORD

Shot	Shell used	Explosive used	Quantity	Date	Depth shot	Depth

FOLD MARK

**TOOLS USED**

Rotary tools were used from Surface feet to 5852 feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 Cable tools were used from \_\_\_\_\_ feet to \_\_\_\_\_ feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet

**DATES**

June 21, 19 53 Put to producing June 19, 19 53

The production for the first 24 hours was 268 barrels of fluid of which 99.4 % was oil; \_\_\_\_\_ % emulsion; \_\_\_\_\_ % water; and .6 % sediment. Gravity, °Bé. 290 @ 600 F.

If gas well, cu. ft. per 24 hours \_\_\_\_\_ Gallons gasoline per 1,000 cu. ft. of gas \_\_\_\_\_

Rock pressure, lbs. per sq. in. \_\_\_\_\_


**EMPLOYEES**

Jesse R. York, Driller F. L. Michl, Driller  
R. K. Reigan, Driller \_\_\_\_\_, Driller

**FORMATION RECORD**

FROM-	TO-	TOTAL FEET	FORMATION
0	1012	1012	Sand and Shale
1012	3176	2164	Shale
3176	4700	1531	Sand and Shale
4707	4748	41	Sand
4748	5330	582	Sand and Shale
5330	5351	21	Shale
5351	5436	85	Sand and Shale
5436	5484	48	Shale
5484	5852	368	Sand and Shale


(OVER)



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Salt Lake City  
Lease No. U-082  
Unit Red Wash



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	<b>DST #1</b> <span style="float: right;"><b>X</b></span>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Vernal, Utah, June 1, 1953

Well No. 23 is located 695 ft. from N/NE line and 2015 ft. from NE/W line of sec. 23

NE 1/4 NW 1/4, Sec. 23 T 7 S R 23 E S12M  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Red Wash Uintah Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation ~~5755.7~~ above sea level is 5755.7 ft. KB (Zero)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Test Interval 5737-51' - No BHC, no WC, TO 1 hr., SI 30 min., 1/2" surf. choke, surf. press 4 psi. Good blow thruout test, gas to surf. in 40 min., burned with dark orange flame. Gas vol. too small to measure. Rec. 240' of oil; 90' of mud, 20% oil cut and 5% gas cut; and 250' of water.

	IP	FP	SI	EN
Upper BT	82	205	2040	2880
Middle BT	120	245	2075	2875
Bottom BT	2800	2400	2550	2800

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The California Company


Address P. O. Box 455

Vernal, Utah

By F. L. Merry *F. L. Merry*

Approved 6-4-53  
*H. Sewille*

Title Field Supt.



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY  
ORIGINAL FORWARDED TO CASPER

Land Office **Salt Lake City**  
Lease No. **U-082**  
Unit **Red Wash**

**JUN 3 - 1953**

**SUNDRY NOTICES AND REPORTS ON WELLS**

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			
<b>Notice of Intent to Complete</b>	<b>X</b>		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

**Vernal, Utah, June 4, 1953**

Well No. **23** is located **695** ft. from **N** line and **2015** ft. from **W** line of sec. **23**

**NE 1/4 Sec. 23**  
(1/4 Sec. and Sec. No.)

**T 7 S**  
(Twp.)

**R 23 E**  
(Range)

**SLEM**  
(Meridian)

**Red Wash**  
(Field)

**Uintah**

(County or Subdivision)

**Utah**

(State or Territory)

The elevation ~~XXXXXXXXXX~~ above sea level is **5755.7** ft. **KB (Zero)**

**DETAILS OF WORK**

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

After well is drilled to 5852', Schlumberger Electric Survey and Micro Log will be run. Straddle DST of interval 5737-51' will then be run. Intend to run 7" OD, 23#, N-80 and 7" OD, 23#, J-55 casing and cement with 250 sx. strata crete mix, followed by 75 sx. common cement. After WOC 72 hrs. cement will be drilled out to 5830' and tested with 1500 psi. for 30 min. Gamma Ray log will then be run and the following intervals perforated with 3 bullets and 3 jets per foot: 5639-44', 5648-59', 5664-76', 5697-5710', 5741-46', 5768-72', 5781-86', 5791-99', 5805-09', 5814-98'. Tubing will be run and well swabbed before releasing rig.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **The California Company**

Address **P. O. Box 455**

**Vernal, Utah**

Approved **JUN 17 1953**

(Print Name)

*[Handwritten Signature]*  
Field Sup't.

# THE CALIFORNIA COMPANY

P. O. Box 455  
Vernal, Utah  
June 9, 1953

WEEKLY REPORT OF DRILLING  
WELLS IN THE RED WASH AREA  
June 1 Thru June 7, 1953

U. S. G. S. (Oil & Gas Branch)  
306 Federal Building  
Salt Lake City, Utah

Attention: Mr. H. C. Scoville

Gentlemen:

At Unit #23, 7" OD casing was landed at 5852' and cemented with 250 sacks of Bridget cement and 45 sacks of neat cement. WOC at 11:15 p.m., 6-1-53. A Baker fillup FC was used with good success. No lost circulation was encountered while running pipe. After 72 hours WOC, the casing and BOP's were tested to 1500 psi. No leaks were observed. Cement was drilled out to a PBTD of 5830' and OBM substitute was pumped in the hole. McCullough gamma ray log was run from 4000' to 5830'; and the intervals 5639-44', 5648-59', 5667-76', 5697-5710', 5740-46', 5768-72', 5781-86', 5791-99', 5805-09', and 5814-18' were perforated with 3 bullets and 3 jets per foot. A string of 2½" Hydril tubing was run and landed at 5747'; and the Gray Xmas tree was installed. Swabbing operations are now in progress.

The road and location of Red Wash Unit #24 are complete; presently waiting on rig which will be moved from Unit #23 location.


Yours very truly,

*F. L. Merry*

SP

(SUBMIT IN TRIPLICATE)

Land Office Salt Lake City  
Lease No. U-082  
Unit Red Wash



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY  
GENERAL INVESTIGATIVE DIVISION

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	<b>Subsequent Report of Completion</b> <input checked="" type="checkbox"/>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Yernal, Utah, June 16 1953

Well No. 23 is located 695 ft. from N line and 2015 ft. from W line of sec. 23

NE 1/4, Sec. 23 7E 23E SLEM  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Red Wash Mintah Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation ~~XXXXXXXXXX~~ above sea level is 5755.7 ft. KB (Zero)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Ran 118 jts. of 7" OD, 23#, J-55, ST&C, new Japanese csg. plus 72 jts. of 7" OD, 23#, H-80, L&C, new National csg. to 5852', and cemented with 250 sacks Bridget strata crite mix, followed by 75 sacks Ideal common cement. HOWCO process top and bottom plugs. Ran Baker guide shoe with Baker fillup FC 2 jts. apart. Ran 5 Baker type G Centralisers at 5847', 5758', 5668', 5578', and 5488'. Drilled out FC and cement to the PBYD of 5830', and perforated the following intervals with 3 jets and 3 bullets per foot: 5639-44', 5648-59', 5667-76', 5697-5710', 5740-46', 5768-72', 5781-86', 5791-99', 5805-09', and 5814-18'.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced

Company The California Company

Address P. O. Box 455

Yernal, Utah

By F. L. Merry


Field. Surt.

Approved JUN 21 1953

(Orig. Copy)

*[Handwritten Signature]*

Form G-221a  
(Feb. 1951)




(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Salt Lake City  
Lease No. F-002  
Unit Red Wash

SUNDRY NOTICES AND REPORTS ON WELLS



NOTICE OF INTENTION TO DRILL	.....	SUBSEQUENT REPORT OF WATER SHUT-OFF	.....
NOTICE OF INTENTION TO CHANGE PLANS	.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	.....	SUBSEQUENT REPORT OF ALTERING CASING	.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	.....	SUBSEQUENT REPORT OF ABANDONMENT	.....
NOTICE OF INTENTION TO PULL OR ALTER CASING	.....	SUPPLEMENTARY WELL HISTORY	.....
NOTICE OF INTENTION TO ABANDON WELL	.....		
<b>Notice of Intention to Sand Oil</b>	<b>X</b>		

**Squeeze**

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Vernal, Utah                      October 17, 1955

Well No. 23 is located 695 ft. from N line and 2015 ft. from W line of sec. 23

23  
(1/4 Sec. and Sec. No.)

7 S  
(Twp.)

23 E  
(Range)

SLBM  
(Meridian)

Red Wash  
(Field)

Uintah  
(County or Subdivision)

Utah  
(State or Territory)

The elevation ~~of the well~~ above sea level is 5755.7 ft. **K.B. (Zero)**

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is proposed to Bradenhead Sand Oil Squeeze the perforations 5639 - 5818 with two 10,000 gallon batches of sand oil spaced by 500 gal Howce TLC-15 temporary plugging agent. A total of 20,000 lbs. of 20/40 mesh Ottawa sand will be squeezed into the zone.

There will be no change in the tubing string.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


Company The California Company

Address P. O. Box 455

Vernal, Utah

Orally Approved [Signature]  
District Engineer

By F. L. Merr  
Title Area Sup't.



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Salt Lake City  
Lease No. 9-002  
Unit Red Wash

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	<u>Subsequent Report of Sand Oil</u>
	<u>Spreading</u>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Verona, Utah ..... November 16, 1955

Well No. 23 is located 675 ft. from N line and 2025 ft. from E line of sec. 23

23 (Sec. and Sec. No.) 7-8 (Twp.) 23 N (Range) 11W (Meridian)

Red Wash (County or Subdivision) Utah (State or Territory)

The elevation of the derrick floor above sea level is 5755.7 ft. K.S. (zero)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

The perforated zone 5639-5618 was sand oil saturated with two 10,000 gallon stages of sand oil (1/2 20/40 mesh Ottawa sand per gallon free fluid) spaced by 500 gal. temporary plugging agent. The well was cleaned out to 5625 and there was no change in the tubing string.

A test before the workover showed a potential of 104 MCFD with a GOR of 317 pumping.

After completion of the workover the well tested 172 MCFD and 827 GOR flowing on a 1/8" thg. ch., and 158 MCFD with a GOR of 413 pumping.


I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The California Company

Address P. O. Box 155

Verona, Utah

By [Signature]  
Title Area Sup't.



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Salt Lake City

Lease No. U-082

Unit Red Wash

71/E  
3/11

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Vernal, Utah May 4, 1959

Well No. (23) 21-212 is located 693 ft. from SE corner of Sec. 23 and 2015 ft. from E line of sec. 23

NE 1/4 NE 1/4 23 73 23E 37.5M  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Red Wash Utah Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the Kelly bushing ~~perforations~~ above sea level is 5756 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

1. Move in workover rig & circulate well w/Rangeley crude.
2. Sand oil squeeze perf'd interval 5639-5818' w/500 tbi burner fuel mixed with 20-40 Ottawa sand and Adomite.
3. Clean out sand & set magnesium Bridge Plug @ 5633'.
4. Perf 7" csg with 4 - 1/2" bullet holes/ft thru following intervals: 5531-5541; 5543-5551; 5553-5560; 5565-5569; 5587-5607; 5612-5618; 5620-5630'.
5. Sand oil squeeze perf'd interval 5631-5630 w/burner fuel mixed w/sand and Adomite.
6. Clean out sand & bridge plug and drill out bridge plug and clean out to effective depth.
7. Run tubing and rods and pump.
8. Place well on production.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Standard Oil Company of California, Western Operations, Inc.

Address P. O. Box 435

Vernal, Utah

By C. V. Gatterton 5/11/59

Title District Superintendent

4443-3; 04800-1; Gulf-1; Conkline-1;  
CWS-1; File-1.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUBMIT IN TR  
(Other instruct  
verse side)

CATE\*  
on re-

Form approved.  
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

**U-082**

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

**SUNDRY NOTICES AND REPORTS ON WELLS**

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

7. UNIT AGREEMENT NAME

**Red Wash**

8. FARM OR LEASE NAME

1.

OIL WELL  GAS WELL  OTHER

2. NAME OF OPERATOR

**California Oil Company, Western Division**

3. ADDRESS OF OPERATOR

**P. O. Box 455, Vernal, Utah**

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\*  
See also space 17 below.)  
At surface

**693' FWL & 2015' FWL Sec 23, T7S, R23E, S13M**

9. WELL NO.

**Unit # 23 (21-23B)**

10. FIELD AND POOL, OR WILDCAT

**Red Wash**

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

**Sec. 23, T7S, R23E**

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

**KB 5756**

12. COUNTY OR PARISH

**Utah**

13. STATE

**Utah**

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON\*

REPAIR WELL

CHANGE PLANS

(Other)

**Expose additional sand**

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT\*

(Other)

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

**It is proposed to expose additional sand and stimulate production at the subject well as follows:**

1. Run a Gamma Collar and Cement Bond log. Recement when and as warranted.
2. Set a Halco Retrievable Fracturing Liner from 5634-84 to exclude  $L_p$  perfs 5639-76. Bradenhead frac remaining perfs. Retrieve liner.
3. Perforate the  $L_p$  sand at 5208' and 5197' with 5 way jets. Perforate the basal "T" sand at 4610' and 4590' with 5 way jets.
4. Selectively ED each set of perfs and Bradenhead frac. Run a RA tracer log. The frac any zone not treated.
5. Clean out to FHPD and return well to production.

**Present production: 117 BOPD, 9 BOPD, 1018 MCF/D.**

18. I hereby certify that the foregoing is true and correct by

SIGNED **R. W. PATTERSON** R. W. PATTERSON TITLE **Unit Superintendent**

DATE **4-5-65**

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

**UNGS, SLC-3; OMBCC, SLC-2; Gulf, Okla. City-1; Gulf, Casper-1; Caulkins-1; Humble, Denver-1; File-1**

\*See Instructions on Reverse Side

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUBMIT IN TR.  
(Other instruction  
verse side)

Form approved.  
Budget Bureau No. 42-R1424.

**SUNDRY NOTICES AND REPORTS ON WELLS**

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

<p>1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/></p> <p>2. NAME OF OPERATOR <b>California Oil Company, Western Division</b></p> <p>3. ADDRESS OF OPERATOR <b>P. O. Box 455, Vernal, Utah</b></p> <p>4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface <b>693' FNL 2015' FWL Sec 23, T7S, R23E, S18M</b></p> <p>14. PERMIT NO.</p>	<p>5. LEASE DESIGNATION AND SERIAL NO. <b>U-082</b></p> <p>6. IF INDIAN, ALLOTTEE OR TRIBE NAME</p> <p>7. UNIT AGREEMENT NAME <b>Red Wash</b></p> <p>8. FARM OR LEASE NAME</p> <p>9. WELL NO. <b>Unit #23 (21-23E)</b></p> <p>10. FIELD AND POOL, OR WILDCAT <b>Red Wash</b></p> <p>11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA</p> <p>12. COUNTY OR PARISH <b>Uintah</b></p> <p>13. STATE <b>Utah</b></p> <p>15. ELEVATIONS (Show whether DF, RT, GR, etc.) <b>KB 5756</b></p>
--	--

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input checked="" type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <b>Expose additional sand</b> <input checked="" type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

**The following work was completed on the subject well:**

1. Ran a Gamma Collar - Cement Bond Log. No recementing necessary.
2. Set Halco Retrievable Fracture Liner from 5634'-84' to exclude K<sub>p</sub> perms 5639-76. Bradenhead fraced remaining intervals.
3. Perforated I<sub>p</sub> sand at 5208' and 5197' with Tandem jets. Perforated Basal "F" sand at 4610 and 4590 with Tandem jets. Selectively ED each perf and Bradenhead fraced. Ran RA Tracer log, all zones treated.
4. Cleaned out to FHTD and returned well to production.

Production before: 117 BOPD, 9 BWPD, 1018 MCF/D.

Production after : 224 BOPD, 3 BWPD, 1089 MCF/D.

18. I hereby certify that the foregoing is true and correct.

SIGNED R. W. PATTERSON R. W. PATTERSON Unit Superintendent DATE 5-26-65

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY:

\*See Instructions on Reverse Side

**UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY**

SUBMIT IN TRIPlicate  
(Other instructions on reverse side)

Form approved.  
Budget Bureau No. 42-R1424.

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b>		5. LEASE DESIGNATION AND SERIAL NO. <b>U-032</b>	
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)		6. IF INDIAN, ALLOTTED OR TRIBE NAME	
1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input checked="" type="checkbox"/>		7. UNIT AGREEMENT NAME <b>Red Wash</b>	
2. NAME OF OPERATOR <b>Chevron Oil Company - Western Division</b>		8. FARM OR LEASE NAME <b>Red Wash Unit</b>	
3. ADDRESS OF OPERATOR <b>P. O. Box 599 Denver, Colorado 80201</b>		9. WELL NO. <b>23 (21-23B)</b>	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface <b>693' FWL and 2015' FWL (NE 1/4 NW 1/4)</b>		10. FIELD AND POOL, OR WILDCAT <b>Red Wash - Green River</b>	
14. PERMIT NO.		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA <b>Sec. 23, T7S, R23E, SLBM</b>	
15. ELEVATIONS (Show whether DF, RT, GR, etc.) <b>KB 5756</b>		12. COUNTY OR PARISH <b>Uintah</b>	13. STATE <b>Utah</b>

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	
(Other) <b>Convert to water injection</b> <input checked="" type="checkbox"/>		(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

The following well work is planned:

1. Perforate selective intervals between 5726-5760 w/2 jets/ft.
2. Test selective zones between 5531-5781 for injectivity.
3. Cement squeeze perforations 5197 and 5208 w/100 sx. Class G cement to 2600 psi.
4. Cement squeeze perforations 4590 and 4610 w/100 sx. Class G cement to 2400 psi.
5. Drill out and test squeezed perforations to 3000 psi.
6. Run injection string and land at 5825 ±.
7. Establish maximum injection rate down tubing.

Attached: Diagram of section where work will be performed.

**RECEIVED**  
**MAY 5 1972**  
**PRODUCTION-DENVER**

18. I hereby certify that the foregoing is true and correct

Original Signed by **J. W. Greer** TITLE **Division Dir. Supt.** DATE **4-12-72**

SIGNED **J. W. GREER**


---

(This space for Federal or State office use)

APPROVED BY **J. R. Davis** TITLE **DISTRICT ENGINEER** DATE **MAY 1 1972**

CONDITIONS OF APPROVAL, IF ANY:

APR 1 1958



RWU #23 (21-23B)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUBMIT IN TRIPlicate  
(Other Instructions on reverse side)

Form approved.  
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

U-082

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

RECEIVED  
NOV 9 1972  
U. S. GEOLOGICAL SURVEY  
SALT LAKE CITY UTAH

7. UNIT AGREEMENT NAME

Red Wash

8. FARM OR LEASE NAME

Red Wash Unit

9. WELL NO.

23 (21-23B)

10. FIELD AND POOL, OR WILDCAT

Red Wash - Green River

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 23, T7S,

R23E SLBM

12. COUNTY OR PARISH 13. STATE

Uintah

Utah

1. OIL WELL  GAS WELL  OTHER

2. NAME OF OPERATOR  
Chevron Oil Company - Western Division

3. ADDRESS OF OPERATOR  
P. O. Box 599, Denver, Colorado 80202

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\* See also space 17 below.)  
At surface

693' FNL & 2015' FWL (NE-1/4 NW-1/4)

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

KB 5756'

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data:

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREAT

MULTIPLE COMPLETE

FRACTURE TREATMENT

ALTERING CASING

SHOOT OR ACIDIZE

ABANDON\*

SHOOTING OR ACIDIZING

ABANDONMENT\*

REPAIR WELL

CHANGE PLANS

(Other) Converted to Injection

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

(See attached sheet)

18. I hereby certify that the foregoing is true and correct

SIGNED

Original Signed by  
J. W. GREER

TITLE

J. W. Greer  
Drilling Superintendent

DATE

11-7-72

(This space for Federal or State office use)

ACCEPTED

APPROVED BY

*[Signature]*

TITLE

DISTRICT ENGINEER

DATE

NOV 8 1972

CONDITIONS OF APPROVAL, IF ANY:

**RECEIVED**  
 BR. OF OIL & GAS OPERATIONS  
 NOV 9 1972  
 U. S. GEOLOGICAL SURVEY  
 SALT LAKE CITY, UTAH

The following well work has been performed:

1. Perforated 5751-5760 & 5726-5734 w/2 jets/ft.
2. Tested perfs for injectivity as follows:

<u>Perfs</u>	<u>Rate</u>	<u>Pressure</u>	<u>ISI</u>	<u>Remarks</u>
5531-69	6 BPM	600	0	
5587-5630	6 BPM	1050	0	
5639-59	6 BPM	1000	0	
5667-76	6 BPM	1050	0	Communicated Up
5697-5710	5 BPM	1400	0	
5726-34	6 BPM	1250	0	
5740-46	6 BPM	400	0	
5751-60	6 BPM	950	0	Communicated Up
5768-72	6 BPM	1100	0	
5781-5818	7 BPM	500	0	Communicated Up

3. Squeezed perfs 5197 & 5208 w/750 sx Class G cement in 5 stages. Pressure tested to 2500 psi. Held ok.
4. Squeezed perfs 4590 & 4610 w/200 sx Class G cement in 2 stages. Pressure tested to 2500 psi. Held ok.
5. Ran injection string landing tubing @ 5818.37' w/pkrs. as follows:
 

Top of Tandem Tension Pkr.	@ 5573.81'
Top of Tandem Tension Pkr.	@ 5633.66'
Top of Lok-Set Pkr.	@ 5686.97'

Present Status: Ready for injection.

**UNITED STATES DEPARTMENT OF THE INTERIOR**  
**GEOLOGICAL SURVEY**

SUBMIT IN TRIPLICATE\*  
(Other instructions on reverse side)

Form approved.  
Budget Bureau No. 42-R1424.

**SUNDRY NOTICES AND REPORTS ON WELLS**

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. <input type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <b>Water Injection</b>		5. LEASE DESIGNATION AND SERIAL NO. <b>U-082</b>
2. NAME OF OPERATOR <b>Chevron Oil Company - Western Division</b>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR <b>P. O. Box 599, Denver, Colorado 80201</b>		7. UNIT AGREEMENT NAME <b>Red Wash</b>
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) <b>At surface</b>  <b>693' FNL &amp; 2015' FWL (NE-1/4 NW-1/4)</b>		8. FARM OR LEASE NAME <b>Red Wash Unit</b>
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT, GR, etc.) <b>KB 5756'</b>	9. WELL NO. <b>23 (21-23B)</b>
		10. FIELD AND POOL, OR WILDCAT <b>Red Wash - Green River</b>
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA <b>Sec. 23, T7S, R23E, SLBM</b>
		12. COUNTY OR PARISH <b>Uintah</b>
		13. STATE <b>Utah</b>

**RECEIVED**  
**MR. OF OIL & GAS OPERATIONS**  
**JAN 9 1973**  
**U. S. GEOLOGICAL SURVEY**  
**SALT LAKE CITY, UTAH**

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <u>Converted to Water Injection</u> <input checked="" type="checkbox"/>	
(Other) <input type="checkbox"/>		(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

The above well started injection on 12-14-72 at the rate of 1910 BWPD with a tubing pressure of 0.

ORIGINAL  
 NOT CONCERNING  
 THIS INFORMATION IS BEING FURNISHED TO YOU FOR INFORMATION ONLY. IT IS NOT TO BE USED FOR ANY OTHER PURPOSE. IF YOU HAVE ANY QUESTIONS CONCERNING THIS INFORMATION, PLEASE CONTACT THE SOURCE OF THE INFORMATION.

18. I hereby certify that the Original Signed by and correct

SIGNED J. W. GREER TITLE Drilling Superintendent DATE 1/10/73

(This space for Federal or State office use)

ACCEPTED (ORIG. SGD.) G. R. DANIELS TITLE DISTRICT ENGINEER DATE JAN 9 1973

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE\*  
(Other instructions on reverse side)

Form approved.  
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL  GAS WELL  OTHER Water Injection

2. NAME OF OPERATOR  
Chevron U.S.A. Inc

3. ADDRESS OF OPERATOR  
P. O. Box 599, Denver, Colorado 80202

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\*  
See also space 17 below.)  
At surface  
693' FNL and 2015' FWL (NE 1/4 NW 1/4)

14. PERMIT NO. KB 5756

15. ELEVATIONS (Show whether DF, RT, GR, etc.)



5. LEASE DESIGNATION AND SERIAL NO.  
U-082

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME  
Red Wash

8. FARM OR LEASE NAME

9. WELL NO.  
RWU 23 (21-23B)

10. FIELD AND POOL, OR WILDCAT  
Red Wash

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec 23, T7S, R23E SLBM

12. COUNTY OR PARISH  
Uintah

13. STATE  
Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input checked="" type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	(Other) <input type="checkbox"/>

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

It is proposed to acidize well, eliminate casing-tubing annulus injection with a dual string injection as follows:

- MIR & RU. ND Tree. NU BOPE. Cir w/injection water. POOH w/tbg and packer.
- RIH w/bit, casing scraper and workstring. Clean out to 5830'. POOH.
- RIH w/RBP, packer and workstring. Acidize. See attached.
- RIH w/dual tubing, 2-3/8" plastic coated, and packer. Set dual packer at 5480, set single packer at 5690.
- Place well on injection.

- 3- USGS
- 2- State
- 3- Partners
- 1- JCB
- 1- DLD
- 1- Sec 723
- 1- File

No additional surface disturbances required for this activity.

APPROVED BY THE DIVISION OF OIL, GAS, AND MINING  
DATE: 6-19-79  
BY: M.S. Minder

18. I hereby certify that the foregoing is true and correct

SIGNED J.J. Johnson TITLE Engineering Assistant DATE May 15, 1979

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:



**UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY**

**SUNDRY NOTICES AND REPORTS ON WELLS**

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well  gas well  other Water Injection

2. NAME OF OPERATOR  
Chevron U.S.A. Inc.

3. ADDRESS OF OPERATOR  
P. O. Box 599, Denver, CO 80201

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
AT SURFACE: 693' FNL & 2015' FWL (NE 1/4 NW 1/4)  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH:

5. LEASE  
U-082

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME  
Red Wash

8. FARM OR LEASE NAME

9. WELL NO.  
RWU 23 (21-23B)

10. FIELD OR WILDCAT NAME  
Red Wash

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec. 23, T7S, R23E, SLBM

12. COUNTY OR PARISH  
Uintah

13. STATE  
Utah

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)  
KB 5756

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	<input type="checkbox"/>		<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>		<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>		<input checked="" type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>		<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>		<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>		<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>		<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>		<input type="checkbox"/>
(other)			

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Well was acidized, eliminated casing-tubing annulus injection with a dual string injection as follows:

1. MIR & RU. ND Tree. NU BOPE. Cir w/injection water. POOH w/tbg and packers.
2. RIH w/bit, casing scraper and workstring. Clean out to 5830'. POOH.
3. RIH w/RBP, packer and workstring. Acidize. See attached.
4. RIH w/dual tubing, 2-3/8" plastic coated and packer. Set dual packer at 5480, set single packer at 5690.
5. Place well on injection.

No additional surface disturbances required for this activity.

- |              |             |
|--------------|-------------|
| 3 - USGS     | 1 - DLD     |
| 2 - State    | 1 - Sec 723 |
| 3 - Partners | 1 - File    |
| 1 - JCB      |             |


Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Wanda Namac TITLE Engineering Asst. DATE Jan. 21, 1980

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:



WELL NAME RWU 23 (21-23B)

FIELD NAME Red Wash

COMPLETED TREATMENT PROCEDURE

1. Size and type of treatment: 5726-5818 2000 gal. 15% HCL  
5587-5676 3500 gal. 15% HCL  
5531-5569 1500 gal. 15% HCL
2. Intervals treated: See above.
3. Treatment down casing or tubing: Tubing.
4. Methods used to localize effects: Retrievable bridge plug and packer and 200 ball sealers used as diverting agents.
5. Disposal of treating fluid: Spent acid was swabbed back to flat tank.
6. Depth to which well was cleaned out: 5830'
7. Date of work: 8/20-9/18/79
8. Company who performed work: Dowell.
9. Production interval: 5531-5818
10. Status and production before treatment:

<u>Date</u>	<u>BOPD</u>	<u>MCFD</u>	<u>BWPD</u>
3/79	-	-	2000 down tubing
3/79	-	-	816 down tubing-casing annulus

11. Status and production after treatment:

<u>Date</u>	<u>BOPD</u>	<u>MCFD</u>	<u>BWPD</u>
11/79			2750 down tubing 1065 down tubing-casing annulus

CHECKLIST FOR INJECTION WELL APPLICATION AND FILE REVIEW

\* \* \* \* \*

Operator: Chevron Well No. 21-238(23)  
 County: Ventura T 75 R 23E Sec. 23 API# 43-047-05467  
 New Well  Conversion  Disposal Well  Enhanced Recovery Well

	<u>YES</u>	<u>NO</u>
UIC Forms Completed	<u>✓</u>	_____
Plat including Surface Owners, Leaseholders, and wells of available record	<u>✓</u>	_____
Schematic Diagram	<u>✓</u>	_____
Fracture Information	<u>✓</u>	_____
Pressure and Rate Control	<u>✓</u>	_____
Adequate Geologic Information	<u>✓</u>	_____

Fluid Source Greenwell/Ventura

Analysis of Injection Fluid Yes  No  TDS 5460

Analysis of Water in Formation to be injected into Yes  No  TDS 2,667

Known USDW in area Ventura Depth 2700'

Number of wells in area of review 9 Prod. 9 P&A 0  
 Water 0 Inj. 0

Aquifer Exemption Yes  NA \_\_\_\_\_

Mechanical Integrity Test Yes  No \_\_\_\_\_

Date 5-11-83 Type 1000 PSI-10 min CTR - Full

Comments: Jap of Cement 4260. Bottom 5852

Reviewed by: [Signature]

STATE OF UTAH  
DIVISION OF OIL, GAS AND MINING  
4241 State Office Building  
Salt Lake City, Utah 84114

WELL INTEGRITY REPORT  
\*\*\*\*\*

DATE: 5-11-83

COMPANY/OPERATOR Chevron

Water Disposal Well  Enhanced Recovery Well  Other

API Well Number 43-047-15151 Lease Name/Number Red Wash Field

SEC. 23 TOWNSHIP 7S RANGE 23E WELL NAME/NUMBER #23 (21-23B)

Lease Name/Number U-082 Location NE 1/4 of NW 1/4 COUNTY: Uintah

\*\*\*\*

INITIAL CONDITIONS:

Long string Rate/Pressure: 792 bw/d 1800 psi

Short String Rate/Pressure: 1682 bw/d 1275 psi

Csg-tbg Annulus Pressure: 0 psi

CONDITIONS DURING TEST:

Long string Pressure: 1800 psi 10 Minutes Time: 10:50 to 11:00

Short string Pressure 1275 psi 10 Minutes

Csg-tbg Annulus Pressure 1,000 psi

Amount of water added to annulus: 20 bbls

AFTER ANNULUS BLEED OFF:

Long string Pressure: 1800 psi

Short string Pressure: 1275 psi

Csg-tbg Annulus Pressure: 0 psi

REMARKS: Annulus pressure held @ 1,000 psi -  
Test good.

Tom Terkin  
Operator Representative (Name)

[Signature]  
UIC FIELD INSPECTOR (Witness)

[Signature]  
UIC FIELD INSPECTOR (Witness)

STATE OF UTAH  
 DIVISION OF OIL, GAS, AND MINING  
 ROOM 4241 STATE OFFICE BUILDING  
 SALT LAKE CITY, UTAH 84114  
 (801) 533-5771  
 (RULE 1-5)

FORM NO. DOGM-UIC-1

**RECEIVED**  
 JUL 20 1983

IN THE MATTER OF THE APPLICATION OF  
Chevron U.S.A. Inc.  
 ADDRESS P. O. Box 599  
Denver, CO ZIP 80201  
 INDIVIDUAL  PARTNERSHIP  CORPORATION   
 FOR ADMINISTRATIVE APPROVAL TO DISPOSE OR  
 INJECT FLUID INTO THE ...RWU No. ....23..... WELL  
 SEC. 23 TWP. 7S RANGE 23E  
Uintah COUNTY, UTAH

CAUSE NO. \_\_\_\_\_

ENHANCED RECOVERY INJ. WELL   
 DISPOSAL WELL  DIVISION OF OIL, GAS & MINING

APPLICATION

Comes now the applicant and shows the Division the following:

1. That Rule 1-5 (b) 6 authorizes administrative approval of enhanced recovery injections or disposal operations.
2. That the applicant submits the following information.

Lease Name <u>U-082</u>	Well No. <u>23 (21-23B)</u>	Field <u>Red Wash</u>	County <u>Uintah</u>
Location of Enhanced Recovery Injection or Disposal Well <u>NE 1/4 NW 1/4</u> Sec. <u>23</u> Twp. <u>7S</u> Rge. <u>23E</u>			
New Well To Be Drilled Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Old Well To Be Converted Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Casing Test Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date <u>9/4/79</u>	
Depth-Base Lowest Known Fresh Water Within 1/2 Mile <u>2700</u>	Does Injection Zone Contain Oil-Gas-Fresh Water Within 1/2 Mile YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	State What oil & gas	
Location of Injection Source(s) <u>produced water</u>	Geologic Name(s) and Depth of Source(s) <u>Green River 4500-5900</u>		
Geologic Name of Injection Zone <u>Green River</u>		Depth of Injection Interval <u>5531</u> to <u>5818</u>	
a. Top of the Perforated Interval: <u>5531</u>	b. Base of Fresh Water: <u>2700</u>	c. Intervening Thickness (a minus b) <u>2831</u>	
Is the intervening thickness sufficient to show fresh water will be protected without additional data? <input checked="" type="radio"/> YES <input type="radio"/> NO			
Lithology of Intervening Zones <u>sand-shale</u>			
Injection Rates and Pressures Maximum = <u>2500 B/D</u> , Working = <u>800</u> B/D Maximum = <u>3000 psi</u> , Working = <u>2000</u> PSI			
The Names and Addresses of Those To Whom Copies of This Application and Attachments Have Been Sent			
<u>Bureau of Land Management, State of Utah</u>			JUL 20 1983
<u>1400 University Club Building</u>			
<u>136 East South Temple</u>			
<u>Salt Lake City, Utah 84111</u>			DIVISION OF OIL, GAS & MINING

State of Colorado)

*R. H. Elliott*

Applicant

County of Denver)

*R. H. Elliott*

Before me, the undersigned authority, on this day personally appeared R. H. Elliott known to me to be the person whose name is subscribed to the above instrument, who being by me duly sworn on oath states, that he is duly authorized to make the above report and that he has knowledge of the facts stated therein, and that said report is true and correct.

Suscribed and sworn to before me this 19 day of July, 19 83

SEAL My commission expires July 5, 1987

Notary Public in and for Colorado


(OVER)

1. Attach qualitative and quantitative analysis of fresh water from 2 or more producing wells within 1 mile of injection well showing location of wells and date samples were taken, or statement as to why samples were not submitted.
2. Attach qualitative and quantitative analysis of representative sample of water to be injected.
3. Attach plat showing subject well and all known oil and gas wells, abandoned, drilling and dry holes within 1/2 mile, together and with name of operator.
4. Attach Drillers Log (Form DOGM-UIC-2). (Appropriate Surety must be on file with Conservation Division.)
5. Attach Electric or Radioactivity Log of Subject well (if released).
6. Attach schematic drawing of subsurface facilities including; Size, setting depth, amount of cement used measured or calculated tops of cement surface, intermediate (if any) and production casings; size and setting depth of tubing; type and setting depth of packer; geologic name of injection zone showing top and bottom of injection interval.
7. The original and 6 copies of application, and one complete set of attachments shall be mailed to the Division.
8. Deliver 1 copy of application to landowner on whose land injection well is located and to each operator of a producing leasehold within 1/2 mile of injection well.
9. Affidavit of mailing or delivery shall be filed not later than five days after the application is filed.
10. Notice that an application has been filed shall be published by the Division in a newspaper of general circulation in the county in which the well is located. The Division shall file proof of publication before the application is approved. The notice shall include name and address of applicant, location of proposed injection or disposal well, injection zone, injection pressure and volume. If no written objection is received within 15 days from date of publication the application will be approved administratively.
11. A well shall not be used for injection or disposal unless completed machine accounting Form DOGM-UIC-3b is filed September 1st, each year.
12. Approval of this application, if granted, is valid only as long as there is no substantial change in the operations set forth in the application. A substantial operation change requires the approval of a new application.
13. If there is less intervening thickness required by Rule I-5 (b) 4 attach sworn evidence and data.

**CASING AND TUBING DATA**

NAME OF STRING	SIZE	SETTING DEPTH	SACKS CEMENT	TOP OF CEMENT	TOP DETERMINED BY
Surface	10-3/4"	476	275	surface	returns
Intermediate					
Production	7"	5852	325	4260	CBL
Tubing	2-3/8"	5485, 5703	Name - Type - Depth of Tubing Packer Baker A-5 dual packer at 5459, Baker FH packer at 5690		
<b>Total Depth</b> 5852	<b>Geologic Name - Inj. Zone</b> Green River	<b>Depth - Top of Inj. Interval</b> 5531	<b>Depth - Base of Inj. Interval</b> 5818		

SKETCH - SUBSURFACE FACILITY




FORM UIC-2

(To be filed within 30 days after drilling is completed)

DEPARTMENT OF NATURAL RESOURCES AND ENERGY

DIVISION OF OIL, GAS, AND MINING  
Room 4241 State Office Building  
Salt Lake City, Utah 84114

API NO 43-047-05467



Locate Well Correctly and Outline Lease

COUNTY Uintah SEC. 23 TWP. 7S RGE. 23E  
 COUNTY LEASE NO. \_\_\_\_\_  
 COMPANY OPERATING Chevron U.S.A. Inc.  
 OFFICE ADDRESS P. O. Box 599  
 TOWN Denver STATE ZIP CO 80201  
 FARM NAME Red Wash WELL NO. 23  
 DRILLING STARTED 4/15 19 53 DRILLING FINISHED 5/30 19 53  
 DATE OF FIRST PRODUCTION 6/19/53 COMPLETED 6/9/53  
 WELL LOCATED NE 1/4 NW 1/4  
1945 FT. FROM SE OF 1/4 SEC. & 2015 FT. FROM WL OF 1/4 SEC.  
 ELEVATION DERRICK FLOOR KB 5755.5 GROUND 5741.7

TYPE COMPLETION

Single Zone X Order No. \_\_\_\_\_  
 Multiple Zone \_\_\_\_\_ Order No. \_\_\_\_\_  
 Comingled \_\_\_\_\_ Order No. \_\_\_\_\_

LOCATION EXCEPTION

OIL OR GAS ZONES

Name	From	To	Name	From	To
Green River	4500	5900			

CASING & CEMENT

Casing Set				Csg. Test	Cement		
Size	Wgt	Grade	Feet	Psi	Sox	Fillup	Top
10-3/4"	40.5#	J-55	476	1200	275	-	surface
7"	23#	J-55 &N-80	5852	1000	325	-	4260

Packers set depth 5459, 5690

TOTAL DEPTH 5852

COMPLETION & TEST DATA BY PRODUCING FORMATION

	1	2	3
FORMATION	Green River		
SPACING & SPACING ORDER NO.	40-acre spacing		
CLASSIFICATION (Oil; Gas; Dry; Inj. Well)	Enhanced recovery		
PERFORATED	See attached list		
INTERVALS			
ACIDIZED?	All perforated intervals		
FRACTURE TREATED?	All perforated intervals		

INITIAL TEST DATA

Date	6-53		
Oil. bbl./day	153		
Oil Gravity	28		
Gas. Cu. Ft./day	57	M CF	CF
Gas-Oil Ratio Cu. Ft./Bbl.	373		
Water-Bbl./day	0		
Pumping or Flowing	pumping		
CHOKE SIZE			
FLOW TUBING PRESSURE			

A record of the formations drilled through, and pertinent remarks are presented on the reverse. (use reverse side)

*R.H. Elliott*

I, the undersigned, being first duly sworn upon oath, state that this well record is true, correct and complete according to the records of this office and to the best of my knowledge and belief.

Telephone (303) 691-7437 R.H. Elliott - Area Prod. Supt.  
 My commission expires July 3, 1967 Name and title of representative of company

My business address is: \_\_\_\_\_  
 Subscribed and sworn to before me this 19 day of July, 19 63.  
Louis J. Thompson  
 Denver, CO 80222


PERFORATED INTERVALS (RWU #23)

5531-41  
5545-51  
5553-60  
5565-69  
5587-5607  
5612-18  
5620-30  
5639-44  
5648-59  
5667-76  
5697-5710  
5726-34  
5740-46  
5751-60  
5768-72  
5781-86  
5791-99  
5805-09  
5814-18

Denver


PLAT SHOWING  
PROPOSED LOCATION OF THE CALIFORNIA  
COMPANY WELL IN THE NE<sup>1</sup>/<sub>4</sub> OF THE NW<sup>1</sup>/<sub>4</sub>  
SECTION 23 TOWNSHIP 7 SOUTH, RANGE  
23 EAST, SALT LAKE BASE & MERIDIAN

Scale of plat 1" = 400 ft



I, Leon P. Christensen, of Vernal, Utah, do hereby certify that this plat correctly shows the proposed location of the well shown hereon as staked by me on April 4, 1953; that said location is at a point 695.3 feet South and 624.7 feet West of the North quarter corner Section 23, Township 7 South, Range 23 East, Salt Lake Base and Meridian.

Leon P. Christensen  
Prof. Engineer & Land Surveyor



Bottom of Lower Green River  
±5900'

Red Wash Unit 23(21-23B)  
Wellbore Schematic

## CBL DESCRIPTIONS

### Injection Well

#### **RWU No. 23 (21-23B)**

The CBL indicates the cement top is at + 4260'. Generally fair to poor bond exists from 4260' to 4790'. Good to fair bonding is shown from 4790' to 5830'. The gross injection interval is from 5531' to 5818'.

### Offset Producers

#### **RWU No. 10 (12-23B)**

Good bond quality exists from TD (5711') to the top of the logged interval at 4900'. The cement top was calculated at 3428'. The top perforation is at 5436'.

#### **RWU No. 24 (34-14B)**

A cement bond log is not available for No. 24 (34-14B). The cement top is calculated to be at + 3870'. The production interval is from 5181'-5873'.

#### **RWU No. 29 (32-23B)**

A cement bond log is not available for No. 29 (32-23B). The cement top is calculated to be at + 3200'. The production interval is 5404'-5663'.

#### **RWU No. 33 (14-14B)**

The cement bond log shows a bond of fair to poor overall quality. Bonding is fair from 5210' to total depth, with intervals of poor bonding at 5440' to 5480' and at 5520' to 5640'. Bonding is poor from the top of the logged interval, at 3880', to 5210', except for fair bonding at 4740' to 4830' and at 5050' to 5090'. Cement top is above 3880' and is calculated to be + 2230'. The gross perforated interval is 5042' to 5762'.

#### **RWU No. 92 (11-23B)**

A cement bond log is not available for No. 92 (11-23B). The cement top is calculated to be at + 3390'. The production interval is 5546'-5854'.

#### **RWU No. 122 (24-14B)**

The CBL indicates good bond quality from TD (5640') to the cement top of 3970' with poor sections 5590'-5628', 5478'-5530', and 5415'-30'. The producing interval is 4392'-5629'.

**RWU No. 180 (31-23B)**

No. 180 has a cement top at 5205' with good bonding down to 5720'. Poor bonding exists from 5720' to 5800'. The gross perforated interval is 5173'-5710'.

**RWU No. 220 (22-23B)**

Fair to good bond is indicated by the CBL for No. 220. Poor bonding is shown at 3860'-3870'. The cement top is at 3375' and the gross perforated interval is 5555'-5721'.



UTAH DIVISION OF OIL, GAS AND MINING  
CASING-BRADENHEAD TEST

OPERATOR: CHEVRON U.S.A., INC.

FIELD: RED WASH LEASE: U-082

WELL # 21-23B(23) SEC. 23 TOWNSHIP 7S RANGE 23E

STATE FED. FEE        DEPTH 5852 TYPE WELL injection MAX. INJ. PRESS. 3500 psi

TEST DATE 8/23/84

CASING STRING	SIZE	SET AT	CMT	PRESSURE READINGS	REMARKS	FUTURE
<u>SURFACE</u>	<u>10 3/4"</u>	<u>476</u>	<u>275</u>	<u>      </u>	<u>      </u>	<u>      </u>
<u>INTERMEDIATE</u>	<u>      </u>	<u>      </u>	<u>      </u>	<u>      </u>	<u>      </u>	<u>      </u>
<u>PRODUCTION</u>	<u>7"</u>	<u>5852</u>	<u>325</u>	<u>10 psi</u>	<u>CTAP*</u>	<u>      </u>
<u>TUBING SS</u>	<u>2 3/8"</u>	<u>5459</u>	<u>Pack</u>	<u>1710 psi</u>	<u>      </u>	<u>      </u>
<u>TUBING LS</u>	<u>2 3/8"</u>	<u>5690</u>	<u>Pack</u>	<u>1800 psi</u>	<u>      </u>	<u>      </u>

REMARKS: \*Operator reported a casing tubing annulus pressure of 1440 psi in June. On 7/12/84 CTAP = 20 psi. Well OK.

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

# Mechanical Integrity Test Casing or Annulus Pressure Test

U.S. Environmental Protection Agency  
Underground Injection Control Program, UIC Implementation Section, 8WM-DW  
999 18th Street, Suite 500, Denver, CO 80202-2466


EPA Witness: \_\_\_\_\_ Date 6/21/95 Time 7:00 am/pm  am  
Test conducted by: M JOHNSON  
Others present: \_\_\_\_\_

Well: <u>21-23B (#23)</u> Field: <u>REDWASH</u> <u>43-047-15151</u> Well Location: <u>NE NW 23-75-23E</u>	Well ID: <u>UTO 2397</u> Company: <u>CHEVRON USA INC</u> Address: <u>11002 E 17500 S</u> <u>VERNAL UTAH 84478 8526</u>
---	---

Time	Test #1	Test #2	Test #3
0 min	<u>1040</u> psig	_____ psig	_____ psig
5	_____	_____	_____
10	_____	_____	_____
15	_____	_____	_____
20	_____	_____	_____
25	_____	_____	_____
30 min	<u>1040</u>	_____	_____
35	_____	_____	_____
40	_____	_____	_____
45	_____	_____	_____
50	_____	_____	_____
55	_____	_____	_____
60 min	<u>1040</u>	_____	_____
Tubing press	_____ psig	_____ psig	_____ psig

Result (circle) Pass Fail      Pass Fail      Pass Fail

Signature of EPA Witness: \_\_\_\_\_  
See back of page for any additional comments & compliance followup.



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir  
Use "APPLICATION FOR PERMIT--" for such proposals

***SUBMIT IN TRIPLICATE***

1. Type of Well  
Oil Gas  
 Well  Well  Other MULTIPLE WELLS SEE ATTACHED LIST

2. Name of Operator  
CHEVRON U.S.A. INC.

3. Address and Telephone No  
11002 E. 17500 S. VERNAL, UT 84078-8526 (801) 781-4300

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

5. Lease Designation and Serial No.

6. If Indian, Allottee or Tribe Name  
N/A

7. If Unit or C.A. Agreement Designation  
RED WASH UNIT  
I-SEC NO 761

8. Well Name and No.

9. API Well No.

10. Field and Pool, or Exploratory Area  
RED WASH - GREEN RIVER

11. County or Parish, State  
UINTAH, UTAH

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>CHANGE OF OPERATOR</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

As of January 1, 2000 Chevron U.S.A. INC. resigns as Operator of the Red Wash Unit.  
The Unit Number is I-SEC NO 761 effective October 31, 1950.

The successor operator under the Unit Agreement will be  
Shenandoah Energy Inc.  
475 17th Street, Suite 1000  
Denver, CO 80202

Agreed and accepted to this 29th day of December, 1999

Shenandoah Energy Inc.  
By: Mitchell L. Solich  
Mitchell L. Solich  
President

RECEIVED

DEC 30 1999

DIVISION OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct.  
Signed A. E. Wacker A. E. Wacker Title Assistant Secretary Date 12/29/99

(This space for Federal or State office use)

Approved by: \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_  
Conditions of approval, if any \_\_\_\_\_

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**OPERATOR CHANGE WORKSHEET**

**ROUTING**

1. GLH	4-KAS ✓
2. CDW	5-PTJ ✓
3. JLT	6-FILE

Enter date after each listed item is completed

**X Change of Operator (Well Sold)**

Designation of Agent

Operator Name Change (Only)

Merger

The operator of the well(s) listed below has changed, effective:

01/01/2000

**FROM:** (Old Operator):

CHEVRON USA INC  
 Address: 11002 E. 17500 S.  
 VERNAL, UT 84078-8526  
 Phone: 1-(435)-781-4300  
 Account No. N0210

**TO:** ( New Operator):

SHENANDOAH ENERGY INC  
 Address: 11002 E. 17500 S.  
 VERNAL, UT 84078  
 Phone: 1-(435)-781-4300  
 Account No. N4235

**CA No.**

**Unit: RED WASH**

**WELL(S)**

NAME	API	ENTITY	SECTION	TOWNSHIP	RANGE	LEASE
RWU 14 (14-13B) (wiw)	43-047-15144	99996	13	07S	23E	FEDERAL
RWU 183 (33-13B) (wiw)	43-047-15289	5670	13	07S	23E	FEDERAL
RWU 185 (41-14B) (wiw)	43-047-16498	99996	14	07S	23E	FEDERAL
RWU 34 (23-14B) (wiw)	43-047-15161	99996	14	07S	23E	FEDERAL
RWU 156 (23-15B) (wiw)	43-047-15267	99990	15	07S	23E	FEDERAL
RWU 268 (43-17B) (wiw)	43-047-32980	5670	17	07S	23E	FEDERAL
RWU 174 (21-20B) (wiw)	43-047-15281	5670	20	07S	23E	FEDERAL
RWU 173 (21-21B) (wiw)	43-047-16496	99996	21	07S	23E	FEDERAL
RWU 182 (14-21B) (wiw)	43-047-16497	99996	21	07S	23E	FEDERAL
RWU 6 (41-21B) (wiw)	43-047-16482	99996	21	07S	23E	FEDERAL
RWU 148 (13-22B) (wiw)	43-047-15261	99996	22	07S	23E	FEDERAL
RWU 91 (33-22B) (wiw)	43-047-16479	99996	22	07S	23E	FEDERAL
RWU 23 (21-23B) (wiw)	43-047-15151	99996	23	07S	23E	FEDERAL
RWU 25 (23-23B) (wiw)	43-047-16476	99996	23	07S	23E	FEDERAL
RWU 2 (14-24B) (wiw)	43-047-16472	99996	24	07S	23E	FEDERAL
RWU 59 (12-24B) (wiw)	43-047-16477	99996	24	07S	23E	FEDERAL
RWU 275 (31-26B) (wiw)	43-047-31077	99996	26	07S	23E	FEDERAL
RWU 11 (34-27B) (wiw)	43-047-15142	99996	27	07S	23E	FEDERAL
RWU 56 (41-28B) (wiw)	43-047-15182	99996	28	07S	23E	FEDERAL
RWU 264 (31-35B) (wiw)	43-047-30519	99996	35	07S	23E	FEDERAL
RWU 279 (11-36B) (wiw)	43-047-31052	99996	36	07S	23E	FEDERAL

**OPERATOR CHANGES DOCUMENTATION**

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 12/30/1999
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 08/09/2000
3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 08/23/2000

4. Is the new operator registered in the State of Utah: YES Business Number: 224885

5. If **NO**, the operator was contacted on: \_\_\_\_\_

6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the (merger, name change, or operator change for all wells listed on Federal or Indian leases on: 02/04/2000

7. **Federal and Indian Units:** The BLM or BIA has approved the successor of unit operator for wells listed on: 02/04/2000

8. **Federal and Indian Communization Agreements ("CA"):** The BLM or the BIA has approved the operator change for all wells listed involved in a CA on: N/A

9. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 08/24/2000

**DATA ENTRY:**

1. Changes entered in the **Oil and Gas Database** on: 08/23/2000

2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 08/23/2000

3. Bond information entered in RBDMS on: N/A

4. Fee wells attached to bond in RBDMS on: N/A

**STATE BOND VERIFICATION:**

1. State well(s) covered by Bond No.: N/A

**FEE WELLS - BOND VERIFICATION/LEASE INTEREST OWNER NOTIFICATION:**

1. (R649-3-1) The **NEW** operator of any fee well(s) listed has furnished a bond: N/A

2. The **FORMER** operator has requested a release of liability from their bond on: N/A  
The Division sent response by letter on: N/A

3. (R649-2-10) The **FORMER** operator of the Fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: \_\_\_\_\_

**FILMING:**

1. All attachments to this form have been **MICROFILMED** on: 3.5.01

**FILING:**

1. **ORIGINALS/COPIES** of all attachments pertaining to each individual well have been filed in each well file on: \_\_\_\_\_

**COMMENTS:**

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_



# United States Department of the Interior

## BUREAU OF LAND MANAGEMENT

Utah State Office  
P.O. Box 45155  
Salt Lake City, UT 84145-0155

# RECEIVED

FEB 07 2000

DIVISION OF  
OIL, GAS AND MINING

IN REPLY REFER TO  
UT-931

February 4, 2000

Shenandoah Energy Inc.  
Attn: Rae Cusimano  
475 17<sup>th</sup> Street, Suite 1000  
Denver, Colorado 80202

Re: Red Wash Unit  
Uintah County, Utah

Gentlemen:

On December 30, 1999, we received an indenture whereby Chevron U.S.A. Inc. resigned as Unit Operator and Shenandoah Energy Inc. was designated as Successor Unit Operator for the Red Wash Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective February 4, 2000. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Red Wash Unit Agreement.

Your statewide (Utah) oil and gas bond No. 0969 will be used to cover all operations within the Red Wash Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks  
Chief, Branch of Fluid Minerals

Enclosure

cc: Chevron U.S.A. Inc.

bcc: Field Manager - Vernal (w/enclosure)

Minerals Adjudication Group U-932  
File - Red Wash Unit (w/enclosure)  
MMS - Data Management Division  
Agr. Sec. Chron  
Fluid Chron

UT931:TAThompson:tt:2/4/00

# SHENANDOAH ENERGY INC.

11002 E. 17500 S.  
VERNAL, UT 84078  
PHONE: (435) 781-4300  
FAX: (435) 781-4329

## RED WASH UNIT

RW #11 (34-27B)	SWSE-27-7S-23E	43-047-15142
RW #14 (14-13B)	SWSW-13-7S-23E	43-047-15144
RW #148 (13-22B)	NWSW-22-7S-23E	43-047-15261
RW #156 (23-15B)	NESW-15-7S-23E	43-047-15267
RW #17 (41-20B)	NENE-20-7S-23E	43-047-15146
RW #173 (21-21B)	NENW-21-7S-23E	43-047-16496
RW #174 (21-20B)	NENW-20-7S-23E	43-047-15281
RW #182 (14-21B)	SWSW-21-7S-23E	43-047-16497
RW #183 (33-13B)	NWSE-13-7S-23E	43-047-15289
RW #185 (41-14B)	NENE-14-7S-23E	43-047-16498
RW #2 (14-24B)	SWSW-24-7S-23E	43-047-16472
RW #23 (21-23B)	NENW-23-7S-23E	43-047-15151
RW #25 (23-23B)	NESW-23-7S-23E	43-047-16476
RW #261 (23-17B)	NESW-17-7S-23E	43-047-32739
RW #264 (31-35B)	NWNE-35-7S-23E	43-047-30519
RW #268 (43-17B)	NESE-17-7S-23E	43-047-32980
RW #275 (31-26B)	NWNE-26-7S-23E	43-047-31077
RW #279 (11-36B)	NWNW-36-7S-23E	43-047-31052
RW #34 (-23-14B)	NESW-14-7S-23E	43-047-15161
RW #56 (41-28B)	NENE-28-7S-23E	43-047-15182
RW #59 (12-24B)	SWNW-24-7S-23E	43-047-16477
RW #6 (41-21B)	NENE-21-7S-23E	43-047-16482
RW #91 (33-22B)	NWSE-22-7S-23E	43-047-16479
RW #93 (43-27B)	NESE-27-7S-23E	43-047-16480
RW #134 (14-28B)	SWSW-28-7S-23E	43-047-16489
RW #139 (43-29B)	NESE-29-7S-23E	43-047-16490
RW #150 (31-22B)	NWSE-22-7S-23E	43-047-15263
RW #16 (43-28B)	NESE-28-7S-23E	43-047-16475
RW #170 (41-15B)	NENE-15-7S-23E	43-047-16495
RW #263 (24-26B)	SESW-26-7S-23E	43-047-30518
RW #265 (44-26B)	SESE-26-7S-23E	43-047-30520
RW #266 (33-26B)	NWSE-26-7S-23E	43-047-30521
RW #269 (13-26B)	NWSW-26-7S-23E	43-047-30522
RW #271 (42-35B)	SENE-35-7S-23E	43-047-31081
RW #68 (41-13B)	NENE-13-7S-23E	43-047-16485
RW #97 (23-18C)	NESW-18-7S-24E	43-047-15216
RW #7 (41-27B)	NENE-27-7S-23E	43-047-15205
RW #324 (23-16B)	NESW-16-7S-23E	
RW #301 (43-15B)	NESE-15-7S-23E	43-047-31682
RW #100A (43-21A)	NESE-21-7S-22E	43-047-15219
RW #199 (43-22A)	NESE-22-7S-22E	43-047-15301
RW #216 (21-27A)	NENW-21-7S-22E	43-047-30103
RW #258 (34-22A)	SWSE-22-7S-22E	43-047-30458
RW #202 (21-34A)	NENW-34-7S-22E	43-047-15303
RW 3215 (43-28A)	NESE-28-7S-22E	43-047-30058
RW #61 (12-27A)	SWNW-27-7S-22E	43-047-16478
RW #102 (41-24A)	NENE-24-7S-23E	43-047-15221
RW #88 (23-18B)	NESW-18-7S-23E	43-047-15210
RW #283 (43-18B)	NESE-18-7S-23E	43-047-32982
RW #52 (14-18B)	SWSW-18-7S-23E	43-047-15178
RW #161 (14-20B)	SWSW-20-7S-23E	43-047-15271

# Mechanical Integrity Test Casing or Annulus Pressure Test

U.S. Environmental Protection Agency  
Underground Injection Control Program, UIC Implementation Section, 8WM-DW  
999 18th Street, Suite 500, Denver, CO 80202-2466

EPA Witness: \_\_\_\_\_ Date 6/8/2004 Time 2:00 am/pm pm  
 Test conducted by: MIKE JOHNSON  
 Others present: N/A

Well: RWU #23(21-23B) Well ID: API 43-047-13151  
 Field: Red Wash EPA# UT01397  
 Well Location: NE NW-23-75-23E Shenandoah Energy, Inc.  
 11002 East 17500 South  
 Vernal, Utah 84078

Well Status: Active

Tubing

Time	Test #1	Test #2	Tubing pressure
2:00 min	<u>1050</u> psig	_____ psig	<u>1650</u> psig
2:05 PM	<u>1040</u>	_____	<u>1650</u>
2:10 PM	<u>1030</u>	_____	<u>1650</u>
2:15 PM	<u>1020</u>	_____	<u>1650</u>
2:20 PM	<u>1020</u>	_____	<u>1650</u>
2:25 PM	<u>1020</u>	_____	<u>1650</u>
2:30 min	<u>1020</u>	_____	<u>1650</u>
35	_____	_____	_____
40	_____	_____	_____
45	_____	_____	_____
50	_____	_____	_____
55	_____	_____	_____
60 min	_____	_____	_____
<u>Start</u>			
Tubing press	<u>1650</u> psig	_____ psig	_____ psig
<u>End TBG.</u>	<u>PSI - 1650</u>		
Result (circle)	<u>Pass</u> Fail	Pass Fail	Pass Fail

Signature of EPA Witness: \_\_\_\_\_  
 See back of page for any additional comments & compliance followup.

MIDNIGHT

NOON

6 PM

7

8

9

10

11

METER  
CHART PUT ON

START  
TAKEN OFF

CHART NO. MC MP-1500

GRAPHIC CONTROLS CORPORATION  
BUFFALO, NEW YORK

RULL-21-238

DATE: 6/8/2000 TIME: 2:00P. 2:30P.

WELL ID: #22-43-041-1515

PERSON CONDUCTING TEST: [Signature]

# Mechanical Integrity Test Casing or Annulus Pressure Test

U.S. Environmental Protection Agency  
Underground Injection Control Program, UIC Implementation Section, 8WM-DW  
999 18th Street, Suite 500, Denver, CO 80202-2466


EPA Witness: \_\_\_\_\_ Date 6/8/2008 Time 2:00 am/pm pm  
 Test conducted by: MIKE JOHNSON  
 Others present: N/A

Well: RWU #23(21-23B) Well ID: API 43-047-13151  
 Field: Red Wash EPA# UT01397  
 Well Location: NE NW-23-75-23E Shenandoah Energy, Inc.  
 11002 East 17500 South  
 Vernal, Utah 84078

*Well Status: Active*

Time	Test #1	Test #2	Tubing Pressure
2:00 min	<u>1050</u> psig	_____ psig	<u>1650</u> psig
2:05 PM	<u>1040</u>	_____	<u>1650</u>
2:10 PM	<u>1030</u>	_____	<u>1650</u>
2:15 PM	<u>1020</u>	_____	<u>1650</u>
2:20 PM	<u>1020</u>	_____	<u>1650</u>
2:25 PM	<u>1020</u>	_____	<u>1650</u>
2:30 min	<u>1020</u>	_____	<u>1650</u>
35	_____	_____	_____
40	_____	_____	_____
45	_____	_____	_____
50	_____	_____	_____
55	_____	_____	_____
60 min	_____	_____	_____
<i>Start</i>			
Tubing press	<u>1650</u> psig	_____ psig	_____ psig
<i>End TBG.</i>	<u>PSI - 1650</u>		
Result (circle)	<u>Pass</u> Fail	Pass Fail	Pass Fail

Signature of EPA Witness: \_\_\_\_\_  
 See back of page for any additional comments & compliance followup.



GRAPHIC CONTROLS CORPORATION  
BUFFALO, N. Y. 14203

CHART NO. MG MP-1500

TAKEN OFF  
START

METER

CHART PUT ON

RUW-21-23B 2:00P. 2:30P. 162202397

DATE: 6/8/2008 TIME: 2:00P. 2:30P. 162202397

WELL ID: 417-43-047-K51

PERSON CONDUCTING TEST: [Signature]

MIDNIGHT

6 PM

TRANSFER OF AUTHORITY TO INJECT - UIC FORM 5

Well name and number: See Attachment  
Field or Unit name: \_\_\_\_\_ API no. \_\_\_\_\_  
Well location: QQ \_\_\_\_\_ section \_\_\_\_\_ township \_\_\_\_\_ range \_\_\_\_\_ county \_\_\_\_\_  
Effective Date of Transfer: \_\_\_\_\_

CURRENT OPERATOR

Transfer approved by:

Name R.K. Wackowski Company Chevron Production Co.  
Signature [Signature] Address 100 Chevron Rd.  
Title Unit Manager Rangely, Colo. 81648  
Date 7/28/00 Phone (970) 675-3714

Comments:

NEW OPERATOR

Transfer approved by:

Name John Conley Company Shenandoah Energy Inc.  
Signature [Signature] Address 11002 E. 17500 S.  
Title District Manager Vernal, UT 84078  
Date 7-21-00 Phone (435) 781-4300

Comments:

(State use only)

Transfer approved by [Signature] Title Tech. Services Manager  
Approval Date 8-24-00

RECEIVED

AUG 9 2000

DIVISION OF

**OPERATOR CHANGE WORKSHEET**

**ROUTING**

1. GLH
2. CDW
3. FILE

Change of Operator (Well Sold)

Designation of Agent/Operator

**X Operator Name Change**

Merger

The operator of the well(s) listed below has changed, effective:		<b>2/1/2003</b>
<b>FROM: (Old Operator):</b>	<b>TO: ( New Operator):</b>	
N4235-Shenandoah Energy Inc 11002 E 17500 S Vernal, UT 84078-8526 Phone: (435) 781-4341	N2460-QEP Uinta Basin Inc 11002 E 17500 S Vernal, UT 84078-8526 Phone: (435) 781-4341	

**CA No. Unit: RED WASH UNIT**

**WELL(S)**

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS	Confid
RWU 199 (43-22A)	22	070S	220E	4304715301	5670	Federal	WI	A	
RWU 258 (34-22A)	22	070S	220E	4304730458	5670	Federal	WI	A	
RWU 216 (21-27A)	27	070S	220E	4304730103	5670	Federal	WI	A	
RWU 215 (43-28A)	28	070S	220E	4304730058	5670	Federal	WI	A	
RWU 202 (21-34A)	34	070S	220E	4304715303	5670	Federal	WI	I	
RWU 183 (33-13B)	13	070S	230E	4304715289	5670	Federal	WI	A	
RWU 185 (41-1B)	14	070S	230E	4304716498	5670	Federal	WI	A	
RWU 170 (41-15B)	15	070S	230E	4304716495	5670	Federal	WI	I	
RWU 268 (43-17B)	17	070S	230E	4304732980	5670	Federal	WI	A	
RWU 174 (21-20B)	20	070S	230E	4304715281	5670	Federal	WI	A	
RWU 173 (21-21B)	21	070S	230E	4304716496	5670	Federal	WI	A	
RWU 182 (14-21B)	21	070S	230E	4304716497	5670	Federal	WI	A	
RWU 23 (21-23B)	23	070S	230E	4304715151	5670	Federal	WI	A	
RWU 25 (23-23B)	23	070S	230E	4304716476	5670	Federal	WI	A	
RWU 2 (14-24B)	24	070S	230E	4304716472	5670	Federal	WI	A	
RWU 263 (24-26B)	26	070S	230E	4304730518	5670	Federal	WI	I	
RWU 266 (33-26B)	26	070S	230E	4304730521	5670	Federal	WI	I	
RWU 213 (41-33B)	33	070S	230E	4304720060	5670	Federal	WD	A	
RWU 264 (31-35B)	35	070S	230E	4304730519	5670	Federal	WI	A	
RWU 23-18C (97)	18	070S	240E	4304715216	5670	Federal	WI	I	

**OPERATOR CHANGES DOCUMENTATION**

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/2/2003
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/2/2003
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/19/2003
- Is the new operator registered in the State of Utah: YES Business Number: 5292864-0151
- If NO, the operator was contacted on: \_\_\_\_\_

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 7/21/2003

8. **Federal and Indian Units:**  
The BLM or BIA has approved the successor of unit operator for wells listed on: 7/21/2003

9. **Federal and Indian Communization Agreements ("CA"):**  
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 9/10/2003

**DATA ENTRY:**

1. Changes entered in the Oil and Gas Database on: 9/16/2003

2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 9/16/2003

3. Bond information entered in RBDMS on: n/a

4. Fee wells attached to bond in RBDMS on: n/a

**STATE WELL(S) BOND VERIFICATION:**

1. State well(s) covered by Bond Number: 965-003-032

**FEDERAL WELL(S) BOND VERIFICATION:**

1. Federal well(s) covered by Bond Number: ESB000024

**INDIAN WELL(S) BOND VERIFICATION:**

1. Indian well(s) covered by Bond Number: 799446

**FEE WELL(S) BOND VERIFICATION:**

1. (R649-3-1) The NEW operator of any fee well(s) listed covered by Bond Number 965-003-033

2. The FORMER operator has requested a release of liability from their bond on: n/a  
The Division sent response by letter on: n/a

**LEASE INTEREST OWNER NOTIFICATION:**

3. (R649-2-10) The FORMER operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

**COMMENTS:**

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_



Denver Division

May 28, 2003

Division of Oil, Gas, & Mining  
1594 West North Temple, Suite 1210  
P. O. Box 145801  
Salt Lake City, Utah 84114-5801

**Attention: John Baza/Jim Thompson**

Gentlemen:

This will serve as notice that through the internal corporate changes described below, activities formerly conducted in the name of either Shenandoah Operating Company, LLC (SOC) and/or Shenandoah Energy, Inc. (SEI) will hereafter be conducted in the name of QEP Uinta Basin, Inc.: i) the Shenandoah entities were purchased in July, 2001 by Questar Market Resources, Inc., which is a mid-level holding company for the non-utility businesses of Questar Corporation, ii) Shenandoah Operating Company, LLC has now been merged into Shenandoah Energy, Inc. (SEI), iii) Shenandoah Energy, Inc. has now been re-named **QEP Uinta Basin, Inc.** pursuant to a State of Delaware Amended and Restated Certificate of Incorporation, iv) the same employees will continue to be responsible for operations of the former SOC and SEI properties, both in the field and in the office. Accordingly, the change involves only an internal corporate name change and no third party change of operator is involved. Please alter your records to reflect the entity name change. Attached is a spreadsheet listing all wells affected by this change.

Should you have any questions, please call me at 303 - 308-3056.

Yours truly,

Frank Nielsen  
Division Landman

Enclosure

RECEIVED

JUN 02 2003

DIV. OF OIL, GAS & MINING



# United States Department of the Interior

## BUREAU OF LAND MANAGEMENT

Utah State Office  
P.O. Box 45155  
Salt Lake City, UT 84145-0155

IN REPLY REFER TO  
UT-922

June 9, 2003

QEP Uinta Basin, Inc.  
1050 17<sup>th</sup> Street, Suite 500  
Denver, Colorado 80265

Re: Red Wash Unit  
Uintah County, Utah

Gentlemen:

On May 30, 2003, we received an indenture dated February 1, 2003, whereby Shenandoah Energy, Inc. changed its name and QEP Uinta Basin, Inc. was designated as Successor Unit Operator for the Red Wash Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective June 9, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under Red Wash Unit Agreement.

Your nationwide (Eastern States) oil and gas bond No. B000024 will be used to cover all operations within the Red Wash Unit.

It is requested that you notify all interested parties of the name change of unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks  
Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)  
SITLA  
Division of Oil, Gas & Mining  
Minerals Adjudication Group  
File – Red Wash Unit (w/enclosure)  
Agr. Sec. Chron  
Fluid Chron

UT922:TAThompson:tt:6/9/03

**JUL 07 2003**

3104 (932.34)WF  
Nationwide Bond ESB000024

**NOTICE**

QEP Uinta Basin, Inc.  
1050 17<sup>th</sup> Street Suite 500  
Denver, Colorado 80265

:  
: Oil and Gas  
: lease  
:

Name Change Recognized

Acceptable evidence has been filed in this office concerning the name change of Shenandoah Energy Incorporated into QEP Uinta Basin, Incorporated. QEP Uinta Basin, Incorporated is the surviving entity. This name change is recognized effective April 17, 2003.

Eastern States will notify the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice.

If you identify other leases in which the merging entity maintain an interest, please contact this office and we will appropriately document those files with a copy of this notice.

If you have any questions, please contact Bill Forbes at 703-440-1536.

*S/ Wilbert B. Forbes*

Wilbert B. Forbes  
Land Law Examiner  
Branch of Use Authorization  
Division of Resources Planning,  
Use and Protection

bc: JFO, MMS, ES RF, 930 RF, 932.34 RF, E-932: wbf:07 /07/03:440-1536/ QEP Uinta Basin  
MFU

TRANSFER OF AUTHORITY TO INJECT

Well Name and Number <u>See Attached List</u>		API Number
Location of Well		Field or Unit Name <u>Red Wash</u>
Footage :	County : <u>Uintah</u>	Lease Designation and Number
QQ, Section, Township, Range:	State : <u>UTAH</u>	

EFFECTIVE DATE OF TRANSFER: \_\_\_\_\_

**CURRENT OPERATOR**

Company: <u>Shenandoah Energy Inc</u>	Name: <u>John Busch</u>
Address: <u>11002 East 17500 South</u>	Signature: <u>John Busch</u>
<u>city Vernal state UT zip 84078</u>	Title: <u>District Foreman</u>
Phone: <u>(435) 781-4300</u>	Date: <u>9-02-03</u>
Comments:	

**NEW OPERATOR**

Company: <u>QEP Uinta Basin, Inc.</u>	Name: <u>John Busch</u>
Address: <u>11002 East 17500 South</u>	Signature: <u>John Busch</u>
<u>city Vernal state UT zip 84078</u>	Title: <u>District Foreman</u>
Phone: _____	Date: <u>9-02-03</u>
Comments:	

(This space for State use only)

Transfer approved by: [Signature]  
Title: Public Services Manager

Approval Date: 9-10-03

Comments: Case # 105-01 located in Indian Country, EPA is primary well agency.

RECEIVED  
SEP 04 2003  
DIV. OF OIL, GAS & MINING

well_name	Sec	T	R	api	Entity	Lease Type	type	stat	Field	Footages
RED WASH UNIT 261	17	070S	230E	4304732739	5670	Federal	WI	A	Red Wash	1785 FSL, 1843 FWL
RWU 100-A (43-21A)	21	070S	220E	4304715219	5670	Federal	WI	A	Red Wash	1787 FSL, 534 FEL
RWU 102 (41-24A)	24	070S	220E	4304715221	5670	Federal	WI	A	Red Wash	1360 FNL, 660 FEL
RWU 11	27	070S	230E	4304715142	5670	Federal	WI	A	Red Wash	660 FSL, 2030 FEL
RWU 11-19B	19	070S	230E	4304733552	5670	Federal	WI	A	Red Wash	618 FNL, 477 FWL
RWU 11-20B	20	070S	230E	4304733553	5670	Federal	WI	A	Red Wash	761 FNL, 677 FWL
RWU 11-25A	25	070S	220E	4304733574	5670	Federal	WI	A	Red Wash	1206 FNL, 491 FWL
RWU 11-29B	29	070S	230E	4304733590	5670	Federal	WI	A	Red Wash	786 FNL, 819 FWL
RWU 11-30B	30	070S	230E	4304733785	5670	Federal	WI	A	Red Wash	590 FNL, 787 FWL
RWU 12-24A	24	070S	220E	4304733591	5670	Federal	WI	A	Red Wash	1528 FNL, 930 FWL
RWU 13-19B	19	070S	230E	4304733497	5670	Federal	WI	A	Red Wash	1802 FSL, 374 FWL
RWU 13-20B	20	070S	230E	4304733498	5670	Federal	WI	A	Red Wash	2143' FSL, 704' FWL
RWU 13-25A	25	070S	220E	4304733575	5670	Federal	WI	A	Red Wash	1446 FSL, 664 FWL
RWU 14 (14-13B)	13	070S	230E	4304715144	5670	Federal	WI	A	Red Wash	660 FSL, 660 FWL
RWU 148 (13-22B)	22	070S	230E	4304715261	5670	Federal	WI	A	Red Wash	2073 FSL, 660 FWL
RWU 150 (31-22B)	22	070S	230E	4304715263	5670	Federal	WI	I	Red Wash	595 FNL, 1935 FEL
RWU 156 (23-15B)	15	070S	230E	4304715267	5670	Federal	WI	A	Red Wash	2115 FSL, 1982 FWL
RWU 16 (43-28B)	28	070S	230E	4304716475	5670	Federal	WI	I	Red Wash	1980 FSL, 660 FEL
RWU 161 (14-20B)	20	070S	230E	4304715271	5670	Federal	WI	I	Red Wash	660 FSL, 678 FWL
RWU 17 (41-20B)	20	070S	230E	4304715146	5670	Federal	WI	A	Red Wash	660 FNL, 660 FEL
RWU 170 (41-15B)	15	070S	230E	4304716495	5670	Federal	WI	I	Red Wash	660 FNL, 660 FEL
RWU 173 (21-21B)	21	070S	230E	4304716496	5670	Federal	WI	A	Red Wash	660 FNL, 1980 FWL
RWU 174 (21-20B)	20	070S	230E	4304715281	5670	Federal	WI	A	Red Wash	660 FNL, 1980 FWL
RWU 182 (14-21B)	21	070S	230E	4304716497	5670	Federal	WI	A	Red Wash	629 FSL, 652 FWL
RWU 183 (33-13B)	13	070S	230E	4304715289	5670	Federal	WI	A	Red Wash	1833 FSL, 2027 FEL
RWU 185 (41-1B)	14	070S	230E	4304716498	5670	Federal	WI	A	Red Wash	747 FNL, 660 FEL
RWU 199 (43-22A)	22	070S	220E	4304715301	5670	Federal	WI	A	Red Wash	1980 FSL, 658 FEL
RWU 2 (14-24B)	24	070S	230E	4304716472	5670	Federal	WI	A	Red Wash	735 FSL, 790 FWL
RWU 202 (21-34A)	34	070S	220E	4304715303	5670	Federal	WI	I	Red Wash	660 FNL, 1980 FWL
RWU 213 (41-33B)	33	070S	230E	4304720060	5670	Federal	WD	A	Red Wash	660 FNL, 580 FEL
RWU 215 (43-28A)	28	070S	220E	4304730058	5670	Federal	WI	A	Red Wash	1980' FSL, 661 FEL
RWU 216 (21-27A)	27	070S	220E	4304730103	5670	Federal	WI	A	Red Wash	660 FNL, 1976 FWL
RWU 23 (21-23B)	23	070S	230E	4304715151	5670	Federal	WI	A	Red Wash	695 FNL, 2015 FWL
RWU 23-18C (97)	18	070S	240E	4304715216	5670	Federal	WI	I	Red Wash	1956 FSL, 1699 FWL
RWU 25 (23-23B)	23	070S	230E	4304716476	5670	Federal	WI	A	Red Wash	1980 FSL, 1980 FWL
RWU 258 (34-22A)	22	070S	220E	4304730458	5670	Federal	WI	A	Red Wash	885 FSL, 2025 FEL

RWU 263 (24-26B)	26	070S	230E	4304730518	5670	Federal	WI	I	Red Wash	591 FSL, 2007 FWL
RWU 264 (31-35B)	35	070S	230E	4304730519	5670	Federal	WI	A	Red Wash	687 FNL, 2025 FEL
RWU 266 (33-26B)	26	070S	230E	4304730521	5670	Federal	WI	I	Red Wash	1980 FSL, 1980 FEL
RWU 268 (43-17B)	17	070S	230E	4304732980	5670	Federal	WI	A	Red Wash	1924 FSL, 981 FEL
RWU 269 (13-26B)	26	070S	230E	4304730522	5670	Federal	WI	I	Red Wash	2170' FSL, 670' FWL
RWU 271 (42-35B)	35	070S	230E	4304731081	5670	Federal	WI	I	Red Wash	1979 FNL, 660 FEL
RWU 274 (13-25B)	25	070S	230E	4304731083	5670	Federal	WI		Red Wash	2129 FSL, 659 FWL
RWU 275 (31-26B)	26	070S	230E	4304731077	5670	Federal	WI	A	Red Wash	675 FNL, 1869 FEL
RWU 279 (11-36B)	36	070S	230E	4304731052	5670	Federal	WI	A	Red Wash	659 FNL, 660 FWL
RWU 283 (43-18B)	18	070S	230E	4304732982	5670	Federal	WI	A	Red Wash	1899 FSL, 708 FEL
RWU 31-19B	19	070S	230E	4304733555	5670	Federal	WI	A	Red Wash	601 FNL, 1770 FEL
RWU 31-25A	25	070S	220E	4304733577	5670	Federal	WI	A	Red Wash	1248 FNL, 2159 FEL
RWU 31-30B	30	070S	230E	4304733788	5670	Federal	WI	A	Red Wash	950 FNL, 1943 FEL
RWU 33-19B	19	070S	230E	4304733499	5670	Federal	WI	A	Red Wash	2606 FSL, 1851 FEL
RWU 33-20B	20	070S	230E	4304733500	5670	Federal	WI	A	Red Wash	2210 FSL, 2295 FEL
RWU 33-25A	25	070S	220E	4304733578	5670	Federal	WI	A	Red Wash	1413 FSL, 1809 FEL
RWU 33-30B	30	070S	230E	4304733790	5670	Federal	WI	A	Red Wash	1775 FSL, 1937 FEL
RWU 34 (23-14B)	14	070S	230E	4304715161	5670	Federal	WI	A	Red Wash	1980 FSL, 1980 FWL
RWU 34-13A	13	070S	220E	4304733593	5670	Federal	WI	A	Red Wash	1302 FSL, 1725 FEL
RWU 34-24A	24	070S	220E	4304733568	5670	Federal	WI	A	Red Wash	1295 FSL, 2125 FEL
RWU 48 (32-19B)	19	070S	230E	4304715174	5670	Federal	WI	I	Red Wash	1830 FNL, 1980 FEL
RWU 56 (41-28B)	28	070S	230E	4304715182	5670	Federal	WI	A	Red Wash	660 FNL, 660 FEL
RWU 59 (12-24B)	24	070S	230E	4304716477	5670	Federal	WI	A	Red Wash	1980 FNL, 660 FWL
RWU 6 (41-21B)	21	070S	230E	4304716482	5670	Federal	WI	A	Red Wash	660' FNL, 660 FEL
RWU 61 (12-27A)	27	070S	220E	4304716478	5670	Federal	WI	I	Red Wash	2034 FNL, 689 FWL
RWU 68 (41-13B)	13	070S	230E	4304716485	5670	Federal	WI	I	Red Wash	660 FNL, 660 FEL
RWU 7 (41-27B)	27	070S	230E	4304716473	5670	Federal	WI	I	Red Wash	567 FNL, 621 FEL
RWU 88 (23-18B)	18	070S	230E	4304715210	5670	Federal	WI	A	Red Wash	1980 FSL, 1980 FWL
RWU 91 (33-22B)	22	070S	230E	4304716479	5670	Federal	WI	A	Red Wash	1980 FSL, 3300 FWL
RWU 93 (43-27B)	27	070S	230E	4304716480	5670	Federal	WI	I	Red Wash	660 FSL, 660 FEL
RWU 324 (23-16B)	16	070S	230E	4304733084	5670	State	WI	I	Red Wash	1274 FSL, 1838 FWL

**Division of Oil, Gas and Mining**  
**OPERATOR CHANGE WORKSHEET**

<b>ROUTING</b>
1. DJJ
2. CDW

Change of Operator (Well Sold)

**X - Operator Name Change/Merger**

The operator of the well(s) listed below has changed, effective:

**1/1/2007**

<b>FROM:</b> (Old Operator): N2460-QEP Uinta Basin, Inc. 1050 17th St, Suite 500 Denver, CO 80265  Phone: 1 (303) 672-6900	<b>TO:</b> ( New Operator): N5085-Questar E&P Company 1050 17th St, Suite 500 Denver, CO 80265  Phone: 1 (303) 672-6900
---	--

WELL NAME	CA No.	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LISTS					*				

**OPERATOR CHANGES DOCUMENTATION**

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 4/19/2007
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 4/16/2007
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 1/31/2005
- Is the new operator registered in the State of Utah:                      Business Number: 764611-0143
- (R649-9-2) Waste Management Plan has been received on:                      IN PLACE
- Inspections of LA PA state/fee well sites complete on:                      n/a
- Reports current for Production/Disposition & Sundries on:                      n/a
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on:                      BLM 4/23/2007 BIA
- Federal and Indian Units:**  
The BLM or BIA has approved the successor of unit operator for wells listed on:                      4/23/2007
- Federal and Indian Communization Agreements ("CA"):**  
The BLM or BIA has approved the operator for all wells listed within a CA on:
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on:

**DATA ENTRY:**

- Changes entered in the **Oil and Gas Database** on: 4/30/2007 and 5/15/2007
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 4/30/2007 and 5/15/2007
- Bond information entered in RBDMS on: 4/30/2007 and 5/15/2007
- Fee/State wells attached to bond in RBDMS on: 4/30/2007 and 5/15/2007
- Injection Projects to new operator in RBDMS on: 4/30/2007 and 5/15/2007
- Receipt of Acceptance of Drilling Procedures for APD/New on:                      n/a

**BOND VERIFICATION:**

- Federal well(s) covered by Bond Number:                      ESB000024
- Indian well(s) covered by Bond Number:                      799446
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number                      965003033
- The **FORMER** operator has requested a release of liability from their bond on:                      n/a

**LEASE INTEREST OWNER NOTIFICATION:**

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on:                      n/a

**COMMENTS: THIS IS A COMPANY NAME CHANGE.**

**SOME WELL NAMES HAVE BEEN CHANGED AS REQUESTED**

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 1 (41-26B)	RW 41-26B	NENE	26	070S	230E	4304715135	5670	Federal	OW	TA
RWU 3 (34-23B)	RW 34-23B	SWSE	23	070S	230E	4304715136	5670	Federal	OW	P
RWU 4 (41-22B)	RW 41-22B	NENE	22	070S	230E	4304715137	5670	Federal	OW	TA
RWU 5 (41-23B)	RW 41-23B	NENE	23	070S	230E	4304715138	5670	Federal	OW	P
RWU 8 (32-22B)	RW 32-22B	SWNE	22	070S	230E	4304715139	5670	Federal	OW	P
RWU 9 (43-23B)	RW 43-23B	NESE	23	070S	230E	4304715140	5670	Federal	OW	P
RWU 10 (12-23B)	RW 12-23B	SWNW	23	070S	230E	4304715141	5670	Federal	OW	TA
RWU 11	RW 34-27B	SWSE	27	070S	230E	4304715142	99996	Federal	WI	A
RWU 13 (14-22B)	RW 14-22B	SWSW	22	070S	230E	4304715143	5670	Federal	OW	TA
RW 14-13B	RW 14-13B	SWSW	13	070S	230E	4304715144	99996	Federal	WI	A
RWU 15 (32-17C)	RW 32-17C	SWNE	17	070S	240E	4304715145	5670	Federal	OW	P
RWU 17 (41-20B)	RW 41-20B	NENE	20	070S	230E	4304715146	5670	Federal	WI	A
RWU 19 (34-26B)	RW 34-26B	SWSE	26	070S	230E	4304715148	5670	Federal	GW	S
RWU 21 (32-14B)	RW 32-14B	SWNE	14	070S	230E	4304715150	5670	Federal	OW	P
RWU 23 (21-23B)	RW 21-23B	SENE	23	070S	230E	4304715151	99996	Federal	WI	A
RWU 24 (34-14B)	RW 34-14B	SWSE	14	070S	230E	4304715152	5670	Federal	OW	S
RWU 26 (23-22B)	RW 23-22B	NESW	22	070S	230E	4304715153	5670	Federal	OW	TA
RWU 27 (43-14B)	RW 43-14B	NESE	14	070S	230E	4304715154	5670	Federal	OW	TA
RWU 28 (43-22B)	RW 43-22B	NESE	22	070S	230E	4304715155	5670	Federal	OW	P
RWU 29 (32-23B)	RW 32-23B	SWNE	23	070S	230E	4304715156	5670	Federal	OW	P
RW 23-13B	RW 23-13B	NESW	13	070S	230E	4304715157	5670	Federal	GW	TA
RWU 31 (34-22B)	RW 34-22B	SWSE	22	070S	230E	4304715158	5670	Federal	OW	P
RWU 33 (14-14B)	RW 14-14B	SWSW	14	070S	230E	4304715160	5670	Federal	GW	TA
RWU 34 (23-14B)	RW 23-14B	NESW	14	070S	230E	4304715161	99996	Federal	WI	A
RW 43-13B	RW 43-13B	NESE	13	070S	230E	4304715162	5670	Federal	OW	TA
RWU 36 (32-13B)	RW 32-13B	SWNE	13	070S	230E	4304715163	5670	Federal	GW	P
RWU 38 (14-23B)	RW 14-23B	SWSW	23	070S	230E	4304715165	5670	Federal	OW	P
RWU 39 (14-24A)	RW 14-24A	SWSW	24	070S	220E	4304715166	5670	Federal	OW	TA
RWU 40 (21-24B)	RW 21-24B	NENW	24	070S	230E	4304715167	5670	Federal	OW	TA
RWU 41 (34-13B)	RW 34-13B	SWSE	13	070S	230E	4304715168	5670	Federal	OW	P
RWU 42 (21-29C)	RW 21-29C	NENW	29	070S	240E	4304715169	5670	Federal	GW	P
RWU 43 (12-17B)	RW 12-17B	SWNW	17	070S	230E	4304715170	5670	Federal	OW	P
RWU 44 (32-33C)	RW 32-33C	SWNE	33	070S	240E	4304715171	5670	Federal	GW	P
RWU 45 (23-30B)	RW 23-30B	NESW	30	070S	230E	4304715172	5670	Federal	OW	TA
RWU 46 (41-21C)	RW 41-21C	NENE	21	070S	240E	4304715173	5670	Federal	GW	TA
RWU 48 (32-19B)	RW 32-19B	SWNE	19	070S	230E	4304715174	99996	Federal	WI	I
RWU 49 (12-29B)	RW 12-29B	SWNW	29	070S	230E	4304715175	5670	Federal	OW	TA
RWU 50 (14-23A)	RW 14-23A	SWSW	23	070S	220E	4304715176	5670	Federal	OW	P
RWU 52 (14-18B)	RW 14-18B	SWSW	18	070S	230E	4304715178	5670	Federal	OW	TA
RWU 53 (41-25A)	RW 41-25A	NENE	25	070S	220E	4304715179	5670	Federal	OW	TA
RWU 56 (41-28B)	RW 41-28B	NENE	28	070S	230E	4304715182	99996	Federal	WI	A

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 57 (12-18C)	RW 12-18C	SWNW	18	070S	240E	4304715183	5670	Federal	OW	P
RWU 63 (21-22B)	RW 21-22B	NENW	22	070S	230E	4304715186	5670	Federal	GW	TA
RWU 64 (32-27B)	RW 32-27B	SWNE	27	070S	230E	4304715187	5670	Federal	OW	TA
RWU 66 (34-18B)	RW 34-18B	SWSE	18	070S	230E	4304715189	5670	Federal	OW	P
RWU 67 (42-22B)	RW 42-22B	SENE	22	070S	230E	4304715190	5670	Federal	OW	TA
RWU 69 (21-27B)	RW 21-27B	NENW	27	070S	230E	4304715191	5670	Federal	OW	TA
RWU 70 (23-22A)	RW 23-22A	NESW	22	070S	220E	4304715192	5670	Federal	OW	P
RWU 71 (21-18C)	RW 21-18C	NENW	18	070S	240E	4304715193	5670	Federal	OW	P
RWU 72 (23-27B)	RW 23-27B	NESW	27	070S	230E	4304715194	5670	Federal	OW	TA
RWU 74 (12-13B)	RW 12-13B	SWNW	13	070S	230E	4304715196	5670	Federal	GW	S
RWU 75 (21-26B)	RW 21-26B	NENW	26	070S	230E	4304715197	5670	Federal	OW	TA
RWU 76 (32-18C)	RW 32-18C	SWNE	18	070S	240E	4304715198	5670	Federal	GW	P
RWU 77 (21-13B)	RWU 77 (21-13B)	NENW	13	070S	230E	4304715199	5670	Federal	OW	P
RWU 78 (32-28B)	RW 32-28B	SWNE	28	070S	230E	4304715200	5670	Federal	OW	P
RWU 79 (12-27B)	RW 12-27B	SWNW	27	070S	230E	4304715201	5670	Federal	OW	TA
RWU 80 (14-27B)	RW 14-27B	SWSW	27	070S	230E	4304715202	5670	Federal	OW	S
RWU 81 (41-31B)	RW 41-31B	NENE	31	070S	230E	4304715203	5670	Federal	OW	P
RWU 83 (41-27A)	RW 41-27A	NENE	27	070S	220E	4304715205	5670	Federal	OW	P
RWU 84 (44-14B)	RW 44-14B	SESE	14	070S	230E	4304715206	5670	Federal	GW	P
RWU 88 (23-18B)	RW 23-18B	NESW	18	070S	230E	4304715210	5670	Federal	WI	A
RWU 90 (43-21B)	RW 43-21B	NESE	21	070S	230E	4304715211	5670	Federal	OW	P
RWU 92 (11-23B)	RW 11-23B	NWNW	23	070S	230E	4304715212	5670	Federal	OW	TA
RWU 94 (12-22A)	RW 12-22A	SWNW	22	070S	220E	4304715213	5670	Federal	OW	P
RWU 23-18C (97)	RW 23-18C	NESW	18	070S	240E	4304715216	99996	Federal	WI	I
RWU 99 (12-22B)	RW 12-22B	SWNW	22	070S	230E	4304715218	5670	Federal	OW	P
RWU 100-A (43-21A)	RW 43-21A	NESE	21	070S	220E	4304715219	5670	Federal	WI	A
RWU 101 (34-21B)	RW 34-21B	SWSE	21	070S	230E	4304715220	5670	Federal	OW	P
RWU 102 (41-24A)	RW 41-24A	SENE	24	070S	220E	4304715221	5670	Federal	WI	A
RWU 103 (34-15B)	RW 34-15B	SWSE	15	070S	230E	4304715222	5670	Federal	OW	P
RWU 108 (32-21B)	RW 32-21B	SWNE	21	070S	230E	4304715226	5670	Federal	OW	P
RWU 109 (21-28B)	RW 21-28B	NENW	28	070S	230E	4304715227	5670	Federal	OW	P
RWU 110 (23-23A)	RW 23-23A	NESW	23	070S	220E	4304715228	5670	Federal	OW	P
RWU 111 (32-24A)	RW 32-24A	SWNE	24	070S	220E	4304715229	5670	Federal	OW	S
RWU 112 (32-28A)	RW 32-28A	SWNE	28	070S	220E	4304715230	5670	Federal	OW	S
RWU 115 (21-19B)	RW 21-19B	NENW	19	070S	230E	4304715233	5670	Federal	OW	P
RWU 119 (43-29A)	RW 43-29A	NESE	29	070S	220E	4304715236	5670	Federal	OW	P
RWU 120 (23-28B)	RW 23-28B	NESW	28	070S	230E	4304715237	5670	Federal	OW	TA
RW 13-13B	RW 13-13B	NWSW	13	070S	230E	4304715238	5670	Federal	GW	P
RWU 122 (24-14B)	RW 24-14B	SESW	14	070S	230E	4304715239	5670	Federal	OW	P
RWU 125 (34-19B)	RW 34-19B	SWSE	19	070S	230E	4304715242	5670	Federal	OW	TA
RWU 126 (41-29A)	RW 41-29A	NENE	29	070S	220E	4304715243	5670	Federal	OW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 127 (12-19B)	RW 12-19B	SWNW	19	070S	230E	4304715244	5670	Federal	OW	S
RWU 129 (14-15B)	RW 14-15B	SWSW	15	070S	230E	4304715246	5670	Federal	OW	P
RWU 133 (41-34B)	RW 41-34B	NENE	34	070S	230E	4304715250	5670	Federal	OW	P
RWU 136 (43-19B)	RW 43-19B	NESE	19	070S	230E	4304715252	5670	Federal	OW	TA
RWU 137 (34-28B)	RW 34-28B	SWSE	28	070S	230E	4304715253	5670	Federal	GW	TA
RWU 138 (41-30B)	RW 41-30B	NENE	30	070S	230E	4304715254	5670	Federal	OW	P
RWU 140 (24-22B)	RW 24-22B	SESW	22	070S	230E	4304715255	5670	Federal	OW	P
RWU 141 (11-27B)	RW 11-27B	NWNW	27	070S	230E	4304715256	5670	Federal	OW	TA
RWU 143 (33-14B)	RW 33-14B	NWSE	14	070S	230E	4304715257	5670	Federal	OW	P
RWU 144 (21-18B)	RW 21-18B	NENW	18	070S	230E	4304715258	5670	Federal	OW	TA
RW 24-13B	RW 24-13B	SESW	13	070S	230E	4304715259	5670	Federal	OW	TA
RWU 147 (22-22B)	RW 22-22B	SESW	22	070S	230E	4304715260	5670	Federal	OW	TA
RWU 148 (13-22B)	RW 13-22B	NWSW	22	070S	230E	4304715261	99996	Federal	WI	A
RWU 150 (31-22B)	RW 31-22B	NWNE	22	070S	230E	4304715263	99996	Federal	WI	I
RWU 151 (42-14B)	RW 42-14B	SENE	14	070S	230E	4304715264	5670	Federal	OW	P
RWU 153 (14-29B)	RW 14-29B	SWSW	29	070S	230E	4304715265	5670	Federal	OW	P
RWU 156 (23-15B)	RW 23-15B	NESW	15	070S	230E	4304715267	99990	Federal	WI	A
RWU 158 (32-30B)	RW 32-30B	SWNE	30	070S	230E	4304715268	5670	Federal	OW	P
RWU 160 (32-15B)	RW 32-15B	SWNE	15	070S	230E	4304715270	5670	Federal	OW	P
RWU 161 (14-20B)	RW 14-20B	SWSW	20	070S	230E	4304715271	99996	Federal	WI	I
RWU 162 (12-20B)	RW 12-20B	SWNW	20	070S	230E	4304715272	5670	Federal	OW	P
RWU 164 (12-28B)	RW 12-28B	SWNW	28	070S	230E	4304715274	5670	Federal	OW	P
RWU 165 (32-26B)	RW 32-26B	SWNE	26	070S	230E	4304715275	5670	Federal	GW	TA
RWU 167 (23-21B)	RW 23-21B	NESW	21	070S	230E	4304715277	5670	Federal	OW	S
RWU 168 (23-24B)	RW 23-24B	NESW	24	070S	230E	4304715278	5670	Federal	OW	TA
RWU 172 (21-30B)	RW 21-30B	NENW	30	070S	230E	4304715280	5670	Federal	OW	TA
RWU 174 (21-20B)	RW 21-20B	NENW	20	070S	230E	4304715281	5670	Federal	WI	A
RWU 176 (31-28B)	RW 31-28B	NWNE	28	070S	230E	4304715283	5670	Federal	OW	TA
RWU 177 (42-28B)	RW 42-28B	SENE	28	070S	230E	4304715284	5670	Federal	OW	TA
RW 22-13B	RW 22-13B	SESW	13	070S	230E	4304715285	5670	Federal	OW	TA
RWU 180 (31-23B)	RW 31-23B	NWNE	23	070S	230E	4304715287	5670	Federal	OW	TA
RWU 181 (34-30B)	RW 34-30B	SWSE	30	070S	230E	4304715288	5670	Federal	OW	P
RW 33-13B	RW 33-13B	NWSE	13	070S	230E	4304715289	5670	Federal	WI	A
RWU 184 (23-26B)	RW 23-26B	NESW	26	070S	230E	4304715290	5670	Federal	GW	S
RWU 188 (23-20B)	RW 23-20B	NESW	20	070S	230E	4304715291	5670	Federal	OW	TA
RWU 192 (41-33A)	RW 41-33A	NENE	33	070S	220E	4304715294	5670	Federal	OW	P
RWU 193 (43-24B)	RW 43-24B	NESE	24	070S	230E	4304715295	5670	Federal	GW	TA
RWU 194 (12-14B)	RW 12-14B	SWNW	14	070S	230E	4304715296	5670	Federal	OW	S
RWU 196 (23-17C)	RW 23-17C	NESW	17	070S	240E	4304715298	5670	Federal	GW	TA
RWU 199 (43-22A)	RW 43-22A	NESE	22	070S	220E	4304715301	99996	Federal	WI	A
RWU 201 (32-28C)	RW 32-28C	SWNE	28	070S	240E	4304715302	5670	Federal	GW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 202 (21-34A)	RW 21-34A	NENW	34	070S	220E	4304715303	99996	Federal	WI	I
RWU 204 (23-25A)	RW 23-25A	NESW	25	070S	220E	4304715305	5670	Federal	OW	P
RWU 205 (23-21C)	RW 23-21C	NESW	21	070S	240E	4304715306	5670	Federal	GW	TA
RWU 2 (14-24B)	RW 14-24B	SWSW	24	070S	230E	4304716472	99996	Federal	WI	A
RWU 7 (41-27B)	RW 41-27B	NENE	27	070S	230E	4304716473	99996	Federal	WI	I
RWU 16 (43-28B)	RW 43-28B	NESE	28	070S	230E	4304716475	99996	Federal	WI	I
RWU 25 (23-23B)	RW 23-23B	NESW	23	070S	230E	4304716476	99996	Federal	WI	A
RWU 59 (12-24B)	RW 12-24B	SWNW	24	070S	230E	4304716477	99996	Federal	WI	A
RWU 61 (12-27A)	RW 12-27A	SWNW	27	070S	220E	4304716478	99996	Federal	WI	I
RWU 91 (33-22B)	RW 33-22B	NWSE	22	070S	230E	4304716479	99996	Federal	WI	A
RWU 93 (43-27B)	RW 43-27B	NESE	27	070S	230E	4304716480	99996	Federal	WI	I
RWU 6 (41-21B)	RW 41-21B	NENE	21	070S	230E	4304716482	99996	Federal	WI	A
RWU 68 (41-13B)	RW 41-13B	NENE	13	070S	230E	4304716485	99996	Federal	WI	I
RWU 170 (41-15B)	RW 41-15B	NENE	15	070S	230E	4304716495	99996	Federal	WI	I
RWU 173 (21-21B)	RW 21-21B	NENW	21	070S	230E	4304716496	99996	Federal	WI	A
RWU 182 (14-21B)	RW 14-21B	SWSW	21	070S	230E	4304716497	99996	Federal	WI	A
RWU 185 (41-1B)	RW 41-14B	NENE	14	070S	230E	4304716498	99996	Federal	WI	A
RWU 212 (41-8F)	RW 41-8F	NENE	08	080S	240E	4304720014	5670	Federal	GW	P
RWU 213 (41-33B)	RW 41-33B	NENE	33	070S	230E	4304720060	99996	Federal	WD	A
RWU 215 (43-28A)	RW 43-28A	NESE	28	070S	220E	4304730058	99996	Federal	WD	A
RWU 216 (21-27A)	RW 21-27A	NENW	27	070S	220E	4304730103	99996	Federal	WI	A
RWU 219 (44-21C)	RW 44-21C	SESE	21	070S	240E	4304730149	5670	Federal	GW	S
RWU 220 (22-23B)	RW 22-23B	SENW	23	070S	230E	4304730192	5670	Federal	OW	TA
RWU 221 (13-27B)	RW 13-27B	NWSW	27	070S	230E	4304730199	5670	Federal	OW	TA
RWU 222 (31-27B)	RW 31-27B	NWNE	27	070S	230E	4304730200	5670	Federal	GW	TA
RWU 224 (44-22B)	RW 44-22B	SESE	22	070S	230E	4304730202	5670	Federal	GW	TA
RWU 225 (13-23B)	RW 13-23B	NWSW	23	070S	230E	4304730212	5670	Federal	GW	TA
RWU 226 (24-23B)	RW 24-23B	SESW	23	070S	230E	4304730249	5670	Federal	GW	S
RWU 227 (14-26B)	RW 14-26B	SWSW	26	070S	230E	4304730257	5670	Federal	OW	TA
RWU 228 (21-34B)	RW 21-34B	NENW	34	070S	230E	4304730258	5670	Federal	OW	P
RWU 229 (43-26B)	RW 43-26B	NESE	26	070S	230E	4304730259	5670	Federal	OW	TA
RWU 230 (14-18C)	RW 14-18C	SWSW	18	070S	240E	4304730309	5670	Federal	OW	P
RWU 231 (21-35B)	RW 21-35B	NENW	35	070S	230E	4304730310	5670	Federal	OW	TA
RWU 232 (12-26B)	RW 12-26B	SWNW	26	070S	230E	4304730311	5670	Federal	OW	TA
RWU 233 (12-25B)	RW 12-25B	SWNW	25	070S	230E	4304730312	5670	Federal	OW	TA
RWU 234 (32-24B)	RW 32-24B	SWNE	24	070S	230E	4304730313	5670	Federal	OW	P
RWU 235 (34-18C)	RW 34-18C	SWSE	18	070S	240E	4304730314	5670	Federal	OW	S
RWU 236 (21-19C)	RW 21-19C	NENW	19	070S	240E	4304730340	5670	Federal	GW	P
RWU 237 (14-25B)	RW 14-25B	SWSW	25	070S	230E	4304730341	5670	Federal	OW	P
RWU 238 (32-35B)	RW 32-35B	SWNE	35	070S	230E	4304730342	5670	Federal	OW	TA
RWU 239 (41-35B)	RW 41-35B	NENE	35	070S	230E	4304730343	5670	Federal	OW	TA

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 240 (12-36B)	RW 12-36B	SWNW	36	070S	230E	4304730344	5670	Federal	OW	S
RWU 241 (22-14B)	RW 22-14B	SENE	14	070S	230E	4304730345	5670	Federal	OW	P
RW 42-13B	RW 42-13B	SENE	13	070S	230E	4304730346	5670	Federal	OW	P
RWU 243 (42-18C)	RW 42-18C	SENE	18	070S	240E	4304730347	5670	Federal	OW	TA
RWU 244 (23-19C)	RW 23-19C	NESW	19	070S	240E	4304730348	5670	Federal	GW	P
RWU 246 (22-18C)	RW 22-18C	SENE	18	070S	240E	4304730387	5670	Federal	OW	P
RWU 247 (22-17C)	RW 22-17C	SENE	17	070S	240E	4304730388	5670	Federal	GW	P
RWU 258 (34-22A)	RW 34-22A	SWSE	22	070S	220E	4304730458	5670	Federal	WI	A
RWU 262 (22-26B)	RW 22-26B	SENE	26	070S	230E	4304730517	5670	Federal	GW	TA
RWU 263 (24-26B)	RW 24-26B	SESW	26	070S	230E	4304730518	99996	Federal	WI	I
RWU 264 (31-35B)	RW 31-35B	NWNE	35	070S	230E	4304730519	99996	Federal	WI	A
RWU 265 (44-26B)	RW 44-26B	SESE	26	070S	230E	4304730520	5670	Federal	GW	P
RWU 266 (33-26B)	RW 33-26B	NWSE	26	070S	230E	4304730521	99996	Federal	WI	I
RWU 269 (13-26B)	RW 13-26B	NWSW	26	070S	230E	4304730522	99996	Federal	WI	A
RWU 273 (42-27B)	RW 42-27B	SENE	27	070S	230E	4304731051	5670	Federal	OW	TA
RWU 279 (11-36B)	RW 11-36B	NWNW	36	070S	230E	4304731052	99996	Federal	WI	A
RWU 276 (44-27B)	RW 44-27B	SESE	27	070S	230E	4304731053	5670	Federal	OW	TA
RWU 272 (44-23B)	RW 44-23B	SESE	23	070S	230E	4304731054	5670	Federal	GW	P
RWU 278 (11-26)	RW 11-26	NWNW	26	070S	230E	4304731076	5670	Federal	GW	TA
RWU 275 (31-26B)	RW 31-26B	NWNE	26	070S	230E	4304731077	99996	Federal	WI	A
RWU 280 (11-35B)	RW 11-35B	NWNW	35	070S	230E	4304731079	5670	Federal	OW	P
RWU 282 (42-26B)	RW 42-26B	SENE	26	070S	230E	4304731080	5670	Federal	GW	TA
RWU 271 (42-35B)	RW 42-35B	SENE	35	070S	230E	4304731081	5670	Federal	WI	I
RWU 270 (22-35B)	RW 22-35B	SENE	35	070S	230E	4304731082	5670	Federal	OW	P
RWU 284 (33-23B)	RW 33-23B	NWSE	23	070S	230E	4304731476	5670	Federal	GW	TA
RWU 285 (11-24B)	RW 11-24B	NWNW	24	070S	230E	4304731477	5670	Federal	OW	P
RWU 286 (42-21B)	RW 42-21B	SENE	21	070S	230E	4304731478	5670	Federal	OW	P
RW 44-13B	RW 44-13B	SESE	13	070S	230E	4304731512	5670	Federal	OW	TA
RWU 288 (24-27)	RW 24-27	SESW	27	070S	230E	4304731513	5670	Federal	OW	TA
RWU 289 (13-24B)	RW 13-24B	NWSW	24	070S	230E	4304731517	5670	Federal	OW	P
RWU 292 (42-23B)	RW 42-23B	SENE	23	070S	230E	4304731576	5670	Federal	GW	TA
RWU 295 (11-22B)	RW 11-22B	NWNW	22	070S	230E	4304731577	5670	Federal	GW	TA
RWU 296 (12-35B)	RW 12-35B	SWNW	35	070S	230E	4304731578	5670	Federal	OW	S
RWU 297 (24-15B)	RW 24-15B	SESW	15	070S	230E	4304731579	5670	Federal	OW	P
RWU 293 (22-22A)	RW 22-22A	SENE	22	070S	220E	4304731581	5670	Federal	OW	TA
RWU 294 (24-18C)	RW 24-18C	SESW	18	070S	240E	4304731582	5670	Federal	GW	P
RWU 298 (22-27B)	RW 22-27B	SENE	27	070S	230E	4304731679	5670	Federal	OW	TA
RWU 301 (43-15B)	RW 43-15B	NESE	15	070S	230E	4304731682	5670	Federal	GW	TA
RWU 302 (22-24B)	RW 22-24B	SENE	24	070S	230E	4304731683	5670	Federal	GW	TA
RWU 303 (34-17B)	RW 34-17B	SWSE	17	070S	230E	4304731819	5670	Federal	OW	P
RED WASH 305 (41-4F)	RW 41-4F	C-NE	04	080S	240E	4304732538	5670	Federal	GW	TA

## RED WASH UNIT

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RED WASH 306	RW 23-23C	NESW	23	070S	240E	4304732629	5670	Federal	GW	P
RWU 207	RW 14-17B	SWSW	17	070S	230E	4304732738	5670	Federal	OW	P
RED WASH UNIT 261	RW 23-17B	NESW	17	070S	230E	4304732739	5670	Federal	WI	A
RWU 268 (43-17B)	RW 43-17B	NESE	17	070S	230E	4304732980	5670	Federal	WI	A
RWU 267 (32-17B)	RW 32-17B	SWNE	17	070S	230E	4304732981	5670	Federal	OW	P
RWU 283 (43-18B)	RW 43-18B	NESE	18	070S	230E	4304732982	5670	Federal	WI	A
RWU 299 (32-18B)	RW 32-18B	SWNE	18	070S	230E	4304733018	5670	Federal	OW	P
RWU 42-20B	RW 42-20B	SENE	20	070S	230E	4304733490	5670	Federal	OW	P
RWU 22-20B	RW 22-20B	SENE	20	070S	230E	4304733491	5670	Federal	OW	S
RWU 24-19B	RW 24-19B	SESW	19	070S	230E	4304733492	5670	Federal	OW	P
RWU 13-19B	RW 13-19B	NWSW	19	070S	230E	4304733497	5670	Federal	WI	A
RWU 13-20B	RW 13-20B	NWSW	20	070S	230E	4304733498	5670	Federal	WI	A
RWU 33-19B	RW 33-19B	NWSE	19	070S	230E	4304733499	5670	Federal	WI	A
RWU 33-20B	RW 33-20B	NWSE	20	070S	230E	4304733500	5670	Federal	WI	A
RED WASH 22-21B	RW 22-21B	SENE	21	070S	230E	4304733522	5670	Federal	OW	S
RED WASH 24-20B	RW 24-20B	SESW	20	070S	230E	4304733523	5670	Federal	OW	P
RED WASH 44-19B	RW 44-19B	SESE	19	070S	230E	4304733524	5670	Federal	OW	P
RED WASH 44-20B	RW 44-20B	SESE	20	070S	230E	4304733525	5670	Federal	OW	P
RWU 11-19B	RW 11-19B	NWNW	19	070S	230E	4304733552	5670	Federal	WI	A
RWU 11-20B	RW 11-20B	NWNW	20	070S	230E	4304733553	5670	Federal	WI	A
RWU 24-18B	RW 24-18B	SESW	18	070S	230E	4304733554	5670	Federal	OW	P
RWU 31-19B	RW 31-19B	NWNE	19	070S	230E	4304733555	5670	Federal	WI	A
RWU 42-19B	RW 42-19B	SENE	19	070S	230E	4304733556	5670	Federal	OW	P
RWU 22-19B	RW 22-19B	SENE	19	070S	230E	4304733559	5670	Federal	OW	P
RWU 23-24A	RW 23-24A	NESW	24	070S	220E	4304733567	5670	Federal	OW	P
RWU 34-24A	RW 34-24A	SWSE	24	070S	220E	4304733568	5670	Federal	WI	A
RWU 42-24A	RW 42-24A	SENE	24	070S	220E	4304733569	5670	Federal	OW	S
RWU 11-25A	RW 11-25A	NWNW	25	070S	220E	4304733574	5670	Federal	WI	A
RWU 13-25A	RW 13-25A	NWSW	25	070S	220E	4304733575	5670	Federal	WI	A
RWU 21-25A	RW 21-25A	NENW	25	070S	220E	4304733576	5670	Federal	OW	P
RWU 31-25A	RW 31-25A	NWNE	25	070S	220E	4304733577	5670	Federal	WI	A
RWU 33-25A	RW 33-25A	NWSE	25	070S	220E	4304733578	5670	Federal	WI	A
RW 41-25AX	RW 41-25A	NENE	25	070S	220E	4304733579	5670	Federal	OW	P
RWU 42-25A	RWU 42-25A	SENE	25	070S	220E	4304733580	5670	Federal	OW	TA
RWU 11-29B	RW 11-29B	NWNW	29	070S	230E	4304733590	5670	Federal	WI	A
RWU 12-24A	RW 12-24A	SWNW	24	070S	220E	4304733591	5670	Federal	WI	A
RWU 21-24A	RW 21-24A	NENW	24	070S	220E	4304733592	5670	Federal	OW	P
RWU 34-13A	RW 34-13A	SWSE	13	070S	220E	4304733593	5670	Federal	WI	A
RWU 44-18B	RW 44-18B	SESE	18	070S	230E	4304733594	5670	Federal	OW	P
RW 22-13A	RW 22-13A	SENE	13	070S	220E	4304733765	13296	Federal	OW	S
RWU 22-29B	RW 22-29B	SENE	29	070S	230E	4304733766	5670	Federal	OW	S

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 41-24A	RW 41-24A	NENE	24	070S	220E	4304733769	5670	Federal	OW	P
RWU 42-30B	RW 42-30B	SENE	30	070S	230E	4304733771	5670	Federal	OW	P
RWU 44-30B	RWU 44-30B	SESE	30	070S	230E	4304733772	5670	Federal	OW	P
RWU 11-30B	RW 11-30B	NWNW	30	070S	230E	4304733785	5670	Federal	WI	A
RWU 22-25A	RW 22-25A	SENE	25	070S	220E	4304733786	5670	Federal	OW	P
RWU 31-30B	RW 31-30B	NWNE	30	070S	230E	4304733788	5670	Federal	WI	A
RWU 33-30B	RW 33-30B	NWSE	30	070S	230E	4304733790	5670	Federal	WI	A
RED WASH U 34-27C	RW 34-27C	SWSE	27	070S	240E	4304735045	5670	Federal	GW	P
RWU 34-22C	RW 34-22C	SWSE	22	070S	240E	4304735098	5670	Federal	GW	P
RW 12G-20C	RW 12G-20C	SWNW	20	070S	240E	4304735239	14011	Federal	GW	S
RW 43G-08F	RW 43G-08F	NESE	08	080S	240E	4304735655		Federal	GW	APD
RW 22G-09F	RW 22G-09F	SENE	09	080S	240E	4304735656	15636	Federal	GW	OPS
RWU 34-23AG	RW 34-23AG	SWSE	23	070S	220E	4304735668	5670	Federal	OW	P
RWU 34-27AG	RWU 34-27AD	SWSE	27	070S	220E	4304735669	5670	Federal	OW	DRL
RWU 32-27AG	RWU 32-27AG	SWNE	27	070S	220E	4304735670	5670	Federal	OW	S
RW 14-34AMU	RW 14-34AMU	SWSW	34	070S	220E	4304735671	14277	Federal	GW	P
RW 12-08FG	RW 12-08FG	SWNW	08	080S	240E	4304736348		Federal	GW	APD
RW 44-08FG	RW 44-08FG	SESE	08	080S	240E	4304736349	15261	Federal	GW	P
RW 12-17FG	RW 12-17FG	SWNW	17	080S	240E	4304736350		Federal	GW	APD
RW 34-34 AMU	RW 34-34 AD	SWSE	34	070S	220E	4304736351		Federal	GW	APD
RW 44-35 AMU	RW 44-35 AMU	SESE	35	070S	220E	4304736352		Federal	GW	APD
RW 14-35 AMU	RW 14-35 AMU	SWSW	35	070S	220E	4304736354		Federal	GW	APD
RW 33-31 BMU	RW 33-31 BD	NWSE	31	070S	230E	4304736357		Federal	GW	APD
RW 13-31 BMU	RW 13-31 BD	NWSW	31	070S	230E	4304736358		Federal	GW	APD
RW 32-15FG	RW 32-15FG	SWNE	15	080S	240E	4304736443		Federal	GW	APD
RW 21-26AG	RW 21-26AD	NENW	26	070S	220E	4304736768		Federal	OW	APD
RW 43-26AG	RW 43-26AG	NESE	26	070S	220E	4304736769		Federal	OW	APD
RW 43-23AG	RW 43-23AG	NESE	23	070S	220E	4304736770		Federal	OW	APD
RW 41-26AG	RW 41-26AG	NENE	26	070S	220E	4304736818		Federal	OW	APD
RW 04-25BG	RW 04-25B	NWSW	25	070S	230E	4304736982		Federal	OW	APD
RW 01-25BG	RW 01-25BG	NWNW	25	070S	230E	4304736983		Federal	OW	APD
RW 04-26BG	RW 04-26BG	SESW	26	070S	230E	4304736984		Federal	OW	APD
RW 01-26BG	RW 01-26BG	SWNW	26	070S	230E	4304736985		Federal	OW	APD
RW 01-35BG	RW 01-35BG	SWNW	35	070S	230E	4304736986		Federal	OW	APD

## RED WASH UNIT

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 51 (12-16B)	RW 12-16B	SWNW	16	070S	230E	4304715177	5670	State	OW	P
RWU ST 189 (41-16B)	RW 41-16B	NENE	16	070S	230E	4304715292	5670	State	OW	S
RED WASH UNIT 259	RW 14-16B	SWSW	16	070S	230E	4304732785	5670	State	OW	P
RED WASH UNIT 260	RW 34-16B	SWSE	16	070S	230E	4304732786	5670	State	OW	P
RWU 324 (23-16B)	RW 23-16B	SESW	16	070S	230E	4304733084	5670	State	WI	OPS
RWU 21W-36A	RWU 21W-36A	NENW	36	070S	220E	4304733730		State	GW	LA
RWU 21G-36A	RWU 21G-36A	NENW	36	070S	220E	4304733731		State	OW	LA
RWU 41-36A	RWU 41-36A	NENE	36	070S	220E	4304733732		State	OW	LA
RWU 43-16B	RWU 43-16B	NESE	16	070S	230E	4304733733		State	OW	LA
RWU 21-16B	RWU 21-16B	NENW	16	070S	230E	4304733734		State	OW	LA
RWU 11-36A	RWU 11-36A	NWNW	36	070S	220E	4304733736		State	OW	LA
RWU 13-36A	RWU 13-36A	NWSW	36	070S	220E	4304733737		State	OW	LA
RW 32G-16C	RW 32G-16C	SWNE	16	070S	240E	4304735238	5670	State	GW	P
RW 14-36AMU	RW 14-36AMU	SWSW	36	070S	220E	4304736721		State	GW	APD
RW 01-36BG	RW 01-36BG	NWNW	36	070S	230E	4304736887	5670	State	OW	S
RW 24-16BG	RW 24-16BG	SESW	16	070S	230E	4304737746	5670	State	OW	DRL
RW 12-32BG	RW 12-32BG	SWNW	32	070S	230E	4304737946	15841	State	GW	DRL

**STATE OF UTAH**  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: see attached
2. NAME OF OPERATOR: QUESTAR EXPLORATION AND PRODUCTION COMPANY		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: see attached
3. ADDRESS OF OPERATOR: 1050 17th Street Suite 500 <small>CITY</small> Denver STATE CO ZIP 80265		7. UNIT or CA AGREEMENT NAME: see attached
4. LOCATION OF WELL FOOTAGES AT SURFACE: attached		8. WELL NAME and NUMBER: see attached
QTR/GTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		9. API NUMBER: attached
COUNTY: Uintah		10. FIELD AND POOL, OR WILDCAT:
STATE: UTAH		

**11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>1/1/2007</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Operator Name Change</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.


Effective January 1, 2007 operator of record, QEP Uinta Basin, Inc., will hereafter be known as QUESTAR EXPLORATION AND PRODUCTION COMPANY. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:

Federal Bond Number: 965002976 (BLM Reference No. ESB000024)

Utah State Bond Number: 965003033


Fee Land Bond Number: 965003033

Current operator of record, QEP UINTA BASIN, INC., hereby resigns as operator of the properties as described on the attached list.

  
Jay B. Neese, Executive Vice President, QEP Uinta Basin, Inc.

Successor operator of record, QUESTAR EXPLORATION AND PRODUCTION COMPANY, hereby assumes all rights, duties and obligations as operator of the properties as described on the attached list

  
Jay B. Neese, Executive Vice President  
Questar Exploration and Production Company

NAME (PLEASE PRINT) <u>Debra K. Stanberry</u>	TITLE <u>Supervisor, Regulatory Affairs</u>
SIGNATURE 	DATE <u>3/16/2007</u>

(This space for State use only)

**RECEIVED**  
**APR 19 2007**

**STATE OF UTAH**  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

<b>1. TYPE OF WELL</b> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		<b>5. LEASE DESIGNATION AND SERIAL NUMBER:</b> see attached
<b>2. NAME OF OPERATOR:</b> QUESTAR EXPLORATION AND PRODUCTION COMPANY		<b>6. IF INDIAN, ALLOTTEE OR TRIBE NAME:</b> see attached
<b>3. ADDRESS OF OPERATOR:</b> 1050 17th Street Suite 500 City Denver STATE CO ZIP 80265		<b>7. UNIT or CA AGREEMENT NAME:</b> see attached
<b>4. LOCATION OF WELL</b> FOOTAGES AT SURFACE: attached		<b>8. WELL NAME and NUMBER:</b> see attached
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		<b>9. API NUMBER:</b> attached
COUNTY: Uintah		<b>10. FIELD AND POOL, OR WILDCAT:</b>
STATE: UTAH		

**11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> <b>NOTICE OF INTENT</b> (Submit in Duplicate) Approximate date work will start: <u>1/1/2007</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Well Name Changes</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	
	<input type="checkbox"/> <b>SUBSEQUENT REPORT</b> (Submit Original Form Only) Date of work completion: _____		

**12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.**

PER THE ATTACHED LIST OF WELLS, QUESTAR EXPLORATION AND PRODUCTION COMPANY REQUESTS THAT THE INDIVIDUAL WELL NAMES BE UPDATED IN YOUR RECORDS.

NAME (PLEASE PRINT) <u>Debra K. Stanberry</u>	TITLE <u>Supervisor, Regulatory Affairs</u>
SIGNATURE	DATE <u>4/17/2007</u>

(This space for State use only)

**RECEIVED**  
**APR 19 2007**  
DIV. OF OIL, GAS & MINING



# United States Department of the Interior

## BUREAU OF LAND MANAGEMENT

Utah State Office  
P.O. Box 45155  
Salt Lake City, UT 84145-0155



IN REPLY REFER TO  
3180  
UT-922

April 23, 2007

Questar Exploration and Production Company  
1050 17th Street, Suite 500  
Denver, Colorado 80265

Re: Red Wash Unit  
Uintah County, Utah

Gentlemen:

On April 12, 2007, we received an indenture dated April 6, 2007, whereby QEP Uinta Basin, Inc. resigned as Unit Operator and Questar Exploration and Production Company was designated as Successor Unit Operator for the Red Wash Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective April 23, 2007. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Red Wash Unit Agreement.

Your nationwide oil and gas bond No. ESB000024 will be used to cover all federal operations within the Red Wash Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Greg J. Noble

Greg J. Noble  
Acting Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)  
SITLA  
Division of Oil, Gas & Mining  
File - Red Wash Unit (w/enclosure)  
Agr. Sec. Chron  
Reading File  
Central Files

UT922:TAThompson:tt:4/23/07

RECEIVED  
APR 30 2007  
DIV. OF OIL, GAS & MINING

Division of Oil, Gas and Mining  
**OPERATOR CHANGE WORKSHEET** (for state use only)

**ROUTING**  
 CDW

Change of Operator (Well Sold)

**X - Operator Name Change**

The operator of the well(s) listed below has changed, effective:

**6/14/2010**

<b>FROM: (Old Operator):</b> N5085-Questar Exploration and Production Company 1050 17th St, Suite 500 Denver, CO 80265  Phone: 1 (303) 308-3048	<b>TO: ( New Operator):</b> N3700-QEP Energy Company 1050 17th St, Suite 500 Denver, CO 80265  Phone: 1 (303) 308-3048
--	---

CA No. Unit: RED WASH

WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED								

**OPERATOR CHANGES DOCUMENTATION**

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/28/2010
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/28/2010
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/24/2010
- Is the new operator registered in the State of Utah: Business Number: 764611-0143
- (R649-9-2) Waste Management Plan has been received on: Requested
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 8/16/2010 BIA not yet
- Federal and Indian Units:**  
The BLM or BIA has approved the successor of unit operator for wells listed on: 8/16/2010
- Federal and Indian Communization Agreements ("CA"):**  
The BLM or BIA has approved the operator for all wells listed within a CA on: N/A
- Underground Injection Control ("UIC")** Division has approved UIC Form 5 Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 6/29/2010

**DATA ENTRY:**

- Changes entered in the **Oil and Gas Database** on: 6/30/2010
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 6/30/2010
- Bond information entered in RBDMS on: 6/30/2010
- Fee/State wells attached to bond in RBDMS on: 6/30/2010
- Injection Projects to new operator in RBDMS on: 6/30/2010
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

**BOND VERIFICATION:**

- Federal well(s) covered by Bond Number: ESB000024
- Indian well(s) covered by Bond Number: 965010693
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965010695
- The **FORMER** operator has requested a release of liability from their bond on: n/a

**LEASE INTEREST OWNER NOTIFICATION:**

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

**COMMENTS:**

**STATE OF UTAH**  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b>		5. LEASE DESIGNATION AND SERIAL NUMBER: See attached
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: See attached
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		7. UNIT or CA AGREEMENT NAME: See attached
2. NAME OF OPERATOR: Questar Exploration and Production Company <i>N5085</i>		8. WELL NAME and NUMBER: See attached
3. ADDRESS OF OPERATOR: 1050 17th Street, Suite 500 <small>CITY</small> Denver <small>STATE</small> CO <small>ZIP</small> 80265		9. API NUMBER: Attached
PHONE NUMBER: (303) 672-6900		10. FIELD AND POOL, OR WILDCAT: See attached
4. LOCATION OF WELL FOOTAGES AT SURFACE: See attached		COUNTY: Attached
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		STATE: UTAH

**11 CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate)  Approximate date work will start: <u>6/14/2010</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only)  Date of work completion:	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Operator Name Change</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12 DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective June 14, 2010 Questar Exploration and Production Company changed its name to QEP Energy Company. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:  
 Federal Bond Number: 965002976 (BLM Reference No. ESB000024) *N3700*  
 Utah State Bond Number: ~~965003033~~  
 Fee Land Bond Number: ~~965003033~~ } *965010695*  
 BIA Bond Number: ~~799446~~ } *965010693*

The attached document is an all inclusive list of the wells operated by Questar Exploration and Production Company. As of June 14, 2010 QEP Energy Company assumes all rights, duties and obligations as operator of the properties as described on the list

NAME (PLEASE PRINT) <u>Morgan Anderson</u>	TITLE <u>Regulatory Affairs Analyst</u>
SIGNATURE <i>Morgan Anderson</i>	DATE <u>6/23/2010</u>

(This space for State use only)

**RECEIVED**  
**JUN 28 2010**  
DIV. OF OIL, GAS & MINING

(See Instructions on Reverse Side)

**APPROVED** *613012009*  
*Earlene Russell*  
Division of Oil, Gas and Mining  
Earlene Russell, Engineering Technician

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)  
RED WASH  
effective June 14, 2010

well_name	sec	twp	rng	api	entity	mineral lease	type	stat	C
RW 41-33B	33	070S	230E	4304720060	5670	Federal	WD	A	
RW 43-28A	28	070S	220E	4304730058	5670	Federal	WD	A	
RW 34-27B	27	070S	230E	4304715142	5670	Federal	WI	A	
RW 14-13B	13	070S	230E	4304715144	5670	Federal	WI	A	
RW 41-20B	20	070S	230E	4304715146	5670	Federal	WI	A	
RW 21-23B	23	070S	230E	4304715151	5670	Federal	WI	A	
RW 23-14B	14	070S	230E	4304715161	5670	Federal	WI	A	
RW 41-28B	28	070S	230E	4304715182	5670	Federal	WI	A	
RW 23-18B	18	070S	230E	4304715210	5670	Federal	WI	A	
RW 43-21A	21	070S	220E	4304715219	5670	Federal	WI	A	
RW 41-24A	24	070S	220E	4304715221	5670	Federal	WI	A	
RW 13-22B	22	070S	230E	4304715261	5670	Federal	WI	A	
RW 23-15B	15	070S	230E	4304715267	5670	Federal	WI	A	
RW 21-20B	20	070S	230E	4304715281	5670	Federal	WI	A	
RW 33-13B	13	070S	230E	4304715289	5670	Federal	WI	A	
RW 21-34A	34	070S	220E	4304715303	5670	Federal	WI	I	
RW 14-24B	24	070S	230E	4304716472	5670	Federal	WI	A	
RW 41-27B	27	070S	230E	4304716473	5670	Federal	WI	I	
RW 43-28B	28	070S	230E	4304716475	5670	Federal	WI	S	
RW 23-23B	23	070S	230E	4304716476	5670	Federal	WI	A	
RW 12-24B	24	070S	230E	4304716477	5670	Federal	WI	A	
RW 33-22B	22	070S	230E	4304716479	5670	Federal	WI	A	
RW 41-21B	21	070S	230E	4304716482	5670	Federal	WI	A	
RW 41-15B	15	070S	230E	4304716495	5670	Federal	WI	I	
RW 21-21B	21	070S	230E	4304716496	5670	Federal	WI	A	
RW 14-21B	21	070S	230E	4304716497	5670	Federal	WI	A	
RW 41-14B	14	070S	230E	4304716498	5670	Federal	WI	A	
RW 21-27A	27	070S	220E	4304730103	5670	Federal	WI	A	
RW 34-22A	22	070S	220E	4304730458	5670	Federal	WI	A	
RW 24-26B	26	070S	230E	4304730518	5670	Federal	WI	I	
RW 31-35B	35	070S	230E	4304730519	5670	Federal	WI	A	
RW 33-26B	26	070S	230E	4304730521	5670	Federal	WI	I	
RW 13-26B	26	070S	230E	4304730522	5670	Federal	WI	A	
RW 11-36B	36	070S	230E	4304731052	5670	Federal	WI	A	
RW 31-26B	26	070S	230E	4304731077	5670	Federal	WI	A	
RW 42-35B	35	070S	230E	4304731081	5670	Federal	WI	I	
RW 23-17B	17	070S	230E	4304732739	5670	Federal	WI	A	
RW 43-17B	17	070S	230E	4304732980	5670	Federal	WI	A	
RW 43-18B	18	070S	230E	4304732982	5670	Federal	WI	A	
RW 13-19B	19	070S	230E	4304733497	5670	Federal	WI	A	
RW 13-20B	20	070S	230E	4304733498	5670	Federal	WI	A	
RW 33-19B	19	070S	230E	4304733499	5670	Federal	WI	A	
RW 33-20B	20	070S	230E	4304733500	5670	Federal	WI	A	
RW 11-19B	19	070S	230E	4304733552	5670	Federal	WI	A	

Bonds: BLM = ESB000024

BIA = 956010693

State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)  
**RED WASH**  
effective June 14, 2010

well_name	sec	twp	rng	api	entity	mineral lease	type	stat	C
RW 11-20B	20	070S	230E	4304733553	5670	Federal	WI	A	
RW 31-19B	19	070S	230E	4304733555	5670	Federal	WI	A	
RW 34-24A	24	070S	220E	4304733568	5670	Federal	WI	A	
RW 11-25A	25	070S	220E	4304733574	5670	Federal	WI	A	
RW 13-25A	25	070S	220E	4304733575	5670	Federal	WI	A	
RW 31-25A	25	070S	220E	4304733577	5670	Federal	WI	A	
RW 33-25A	25	070S	220E	4304733578	5670	Federal	WI	TA	
RW 11-29B	29	070S	230E	4304733590	5670	Federal	WI	A	
RW 12-24A	24	070S	220E	4304733591	5670	Federal	WI	A	
RW 34-13A	13	070S	220E	4304733593	5670	Federal	WI	A	
RW 11-30B	30	070S	230E	4304733785	5670	Federal	WI	A	
RW 31-30B	30	070S	230E	4304733788	5670	Federal	WI	A	
RW 33-30B	30	070S	230E	4304733790	5670	Federal	WI	A	

Bonds: BLM = ESB000024  
BIA = 956010693  
State = 965010695



# United States Department of the Interior



## BUREAU OF LAND MANAGEMENT

Utah State Office  
P.O. Box 45155  
Salt Lake City, UT 84145-0155  
<http://www.blm.gov/ut/st/en.html>

IN REPLY REFER TO:  
3100  
(UT-922)

JUL 28 2010

### Memorandum

To: Vernal Field Office, Price Field Office, Moab Field Office

From: Chief, Branch of Minerals

*Ray L. Bankart*

Subject: Name Change Recognized

Attached is a copy of the Certificate of Name Change issued by the Texas Secretary of State and a decision letter recognizing the name change from the Eastern States Office. We have updated our records to reflect the name change in the attached list of leases.

The name change from **Questar Exploration and Production Company** into **QEP Energy Company** is effective June 8, 2010.

cc: MMS  
UDOGM

RECEIVED

AUG 16 2010

DIV. OF OIL, GAS & MINERALS

**STATE OF UTAH**  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING


UIC FORM 5

**TRANSFER OF AUTHORITY TO INJECT**


Well Name and Number See Attached List	API Number Attached
Location of Well	Field or Unit Name Attached
Footage : Attached	County :
QQ, Section, Township, Range:	State : UTAH
	Lease Designation and Number Attached

EFFECTIVE DATE OF TRANSFER: 6/14/2010

**CURRENT OPERATOR**

Company: <u>Questar Exploration and Production Company</u>	Name: <u>Ann Petrik</u>
Address: <u>1050 17th Street, Suite 500</u>	Signature: 
city <u>Denver</u> state <u>CO</u> zip <u>80265</u>	Title: <u>Engineering Analyst</u>
Phone: <u>(303) 672-6900</u>	Date: <u>6/28/2010</u>
Comments:	

**NEW OPERATOR**

Company: <u>QEP Energy Company</u>	Name: <u>Ann Petrik</u>
Address: <u>1050 17th Street, Suite 500</u>	Signature: 
city <u>Denver</u> state <u>CO</u> zip <u>80265</u>	Title: <u>Engineering Analyst</u>
Phone: <u>(303) 672-6900</u>	Date: <u>6/28/2010</u>
Comments:	

(This space for State use only)

Transfer approved by: \_\_\_\_\_

Approval Date: \_\_\_\_\_

Title: \_\_\_\_\_

Comments:

**Accepted by the  
Utah Division of  
Oil, Gas and Mining**

EPA approved well

Date: 6/29/10

By: D. Jones

**RECEIVED**

JUN 28 2010

DIV. OF OIL, GAS & MINING