

UTAH OIL AND GAS CONSERVATION COMMISSION

REMARKS:

*(Have File) Driller Log & 3 Electric Logs*

DATE FILED **1-25-55**  
 LAND: FEE & PATENTED STATE LEASE NO. PUBLIC LEASE NO. **U-02030** INDIAN  
 DRILLING APPROVED: **In Unit**  
 SPUDDED IN: **2-1-56**  
 COMPLETED: **4-25-56**  
 INITIAL PRODUCTION: **185 BOPD & 47 BWPD**  
 GRAVITY A. P. I. **27**

GOR:  
 PRODUCING ZONES: **4930-46; 5018-26; 5034-50; 4963-69; 5523-37; 5802-06; 5062-82'**  
 TOTAL DEPTH: **6051'**  
 WELL ELEVATION: **5462.4 DF**

DATE ABANDONED:  
 FIELD OR DISTRICT: **Red Wash Unit Field - Greater Red Wash Area**  
 COUNTY: **Uintah**  
 WELL NO. **RED WASH UNIT 45 (03-30B)** *ADT 43-047-15172*  
 LOCATION: **1879.3** FT. FROM (E) (S) LINE, **1787.5** FT. FROM (E) (W) LINE. **NE SW** QUARTER - QUARTER SEC. **30**

TWP.	RGE.	SEC.	OPERATOR	TWP.	RGE.	SEC.	OPERATOR
------	------	------	----------	------	------	------	----------

**7 S 23 E 30 CHEVRON OIL COMPANY**

## GEOLOGIC TOPS:

QUATERNARY	Star Point	Sinbad	Brazer
Recent	Wahweap	PERMIAN	Pilot shale
Alluvium	Masuk	Kaibab	Madison
Lake beds	Colorado	Coconino	Leadville
Pleistocene	Mancos	Cutler	Redwall
Lake beds	Upper	Hoskinnini	DEVONIAN
TERTIARY	Middle	DeChelly	Upper
Pliocene	Lower	White Rim	Middle
Humboldt	Emery	Organ Rock	Lower
Salt Lake	Blue Gate	Cedar Mesa	Ouray
Miocene	Ferron	Halgate tongue	Elbert
Bishop conglomerate	Frontier	Phosphoris	Guilmette
Oligocene	Dakota	Park City	Simonson dolomite
Norwood	Burro Canyon	Rico (Goodridge)	Sevy dolomite
Eocene	Cedar Mountain	Supai	North Point
Duchesne River	Buckhorn	Bird Springs	SILURIAN
Uinta	JURASSIC	CARBONIFEROUS	Laketown dolomite
Bridger	Morrison	Pennsylvanian	ORDOVICIAN
Green River	Salt Wash	Oquirrh	Eureka quartzite
Upper T. S 2947'	San Rafael Gr.	Weber	Pogonip limestone
Middle	Summerville	Morgan	CAMBRIAN
Lower	Bluff sandstone	Hermosa	Lynch
Wasatch	Curtis	Upper	Bowman
Colton	Entrade	Lower	Tapeats
Flagstaff	Moab tongue	Molas	Ophir
Almy	Carmel	Paradox	Tintic
Paleocene	Glen Canyon Gr.	A	PRE-CAMBRIAN
Current Creek	Navajo	B	
North Horn	Kayento	C	
CRETACEOUS	Wingate	Manning Canyon	
Montana	TRIASSIC	Mississippian	
Mesaverde	Chinle	Chainman shale	
Price River	Shinarump	Humbug	
Blackhawk	Moenkops	Joana limestone	

- Scout Report sent out
- Noted in the NID File
- Location map pinned
- Approval or Disapproval Letter
- Date Completed, P. & A, or operations suspended
- Pin changed on location map
- Affidavit and Record of A & P
- Water Shut-Off Test
- Gas-Oil Ratio Test
- Well Log Filed

- 
- 
- 
- 
- 
- 
- 
- 
- 
- 
- 

4-25-56

**FILE NOTATIONS**

Entered in NID File

Entered On S R Sheet

Location Map Pinned

Card Indexed

IWR for State or County

Checked by Chief \_\_\_\_\_

Copy NID to Field Office \_\_\_\_\_

Approval Letter

Disapproval Letter \_\_\_\_\_

COMPLETION DATE: 4/2/56

Date Well Completed

DW  VV \_\_\_\_\_ TC \_\_\_\_\_

QV \_\_\_\_\_ CB \_\_\_\_\_ PA \_\_\_\_\_

Location Inspected \_\_\_\_\_

and returned \_\_\_\_\_

State of Approval \_\_\_\_\_

Driller's Log: 5/7/56

Electric Logs (No.) 3

2  Ep  M  GR  GR-N  Micro

Lat. \_\_\_\_\_ M-L \_\_\_\_\_ Secs \_\_\_\_\_

*Redaction*


(SUBMIT IN TRIPLICATE)

Land Office Salt Lake City

Lease No. 10270

Unit Oil and Gas

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Formal, Utah January 20, 1954

Well No. 16 is located 100 ft. from S line and 100 ft. from W line of sec. 30  
30 (1/4 Sec. and Sec. No.) 7N (Twp.) 12E (Range) 112N (Meridian)  
Utah (Field) Utah (County or Subdivision) Utah (State or Territory)

The elevation of the derrick floor above sea level is 5445 ft. Est.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is proposed to drill a well for oil or gas to be completed in the Green River formation.

Proposed casing program set approximately 100', 10-3/4" O.D., 10.5#, J-25 casing and cement to surface.  
 Set approximately 4,100', 7" O.D., 23#, J-25 casing with sufficient cement to exclude all potential oil or gas zones.

Estimated top of Green River 3,200  
 Estimated top of Utah 4,700

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


Company THE CALIFORNIA COMPANY

Address P. O. Box 455  
Formal, Utah

By Ray H. Murray  
 Title Area Rep.

(SUBMIT IN TRIPLICATE)

Land Office Salt Lake City  
Lease No. U-02030  
Unit Red Wash



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

COLLECTED

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Vernal, Utah January 20, 1956

Well No. 45 is located 1879.3 ft. from N line and 1787.5 ft. from W line of sec. 30

NE 30 30 75 23E 31M  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Red Wash Utah Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5462 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is proposed to drill a well for oil or gas to be completed in the basal Green River Formation.

Proposed casing program: Set approximately 400', 10-3/4" O.D., 40.5#, J-55 casing and cement to surface.  
Set approximately 6,100', 7" O.D., 23#, J-55 casing with sufficient cement to exclude all potential oil or gas zones.

Estimated top of Green River 3,120  
Estimated top of Wasatch 6,050

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company THE CALIFORNIA COMPANY  
Address P. O. BOX 155  
Vernal, Utah

By Ray H. Mery  
Title Area Supt.


E

R 24 E

2078	2081	2085	2088	2089	2086	2082	2080	2079	2082	2082	2081	1807	2061	2078	2097	2108	2111	2118	2118	2122	2122	2130	2134	2136	2136	2138	2140	2134	2118	2102	2088	2067	2040	204	2187	
5 40	6 40	7 40	8 40	5 40	6 40	7 40	8 40	5 40	6 40	7 40	8 40	5 40	6 40	7 40	8 40	5 40	6 40	7 40	8 40	5 40	6 40	7 40	8 40	5 40	6 40	7 40	8 40	5 40	6 40	7 40	8 40	5 40	6 40	7 40	8 40	
1	1	1		1	1	1		1	1	1		3544	13	1	1		1	1	1		1	1	1		1	1	1	1	1	1	1	1	1	1	1	
3					2				1			3546	14	6			5				4				3				2					1		
10												3549	15																							
												3551	16																							
												3552	17																							
												3554	18																							
												3555	19																							
												3556	20																							
												3558	21																							
												3560	22																							
												3562	23																							
												3566	24																							
												3570	25																							
												3574	26																							
												3578	27																							
												3581	28																							
												3585	29																							
												3589	30																							
												3592	31																							
												3593	32																							
												3594	33																							
												3595	34																							
												3596	35																							
												3597	36																							

T  
7  
S

Mid-Cont. 23 State Land  
2 Miles E. of this point  
(MENE Sec 32, 75, 25E)



3 E

NOTE-All Calco. leases assigned to Socal.

R 24 E

T  
8  
S

REVISIONS			
<b>THE CALIFORNIA COMPANY</b>			
<b>RED WASH FIELD</b>			
<b>UINTAH COUNTY</b>			
<b>UTAH</b>			
<b>LEASE MAP</b>			
Revised 6-12-59			
SCALE	DATE	MAP NO.	FILE NO.
1"=4000'	12-7-49	D-6310-B1	B-2978





# THE CALIFORNIA COMPANY

Rangely, Colorado  
February 3, 1956

U. S. Geological Survey  
306 Federal Building  
Salt Lake City, Utah

Gentlemen:

Attached please find a corrected notice of Intention to Drill for our Red Wash Unit #45 well, showing a slight change in the location.

The corrected footage description of the well location is necessary because of an error in our original calculation which was based on a regular section, whereas in reality section 30, T 7S, R 23E is an irregular section.

We are sorry for any inconvenience which may result from our error.

Very truly yours,

*J. L. Merry* By *J. L. Merry*


KRH:mr

(SUBMIT IN TRIPLICATE)

Land Office Salt Lake City

Lease No. U-22030

Unit \_\_\_\_\_



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	<u>Subsequent Report of EST #1</u>	<u>1</u>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Vernal, Utah February 19, 1956

Well No. 15 is located 1879.3 ft. from N line and 1787.5 ft. from W line of sec. 30

NE SW 30 T 6 R 23 E SLM  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Red Wash Utah Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 951.8 ft. or.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

EST #1 - Set 8" MONCO pipe @ 2947, 2953 and 2971. Did not run tail pipe - run new MONCO formation hookwall packer. Tested interval 2963 - 2971. Tool opened with good blow increasing to strong in 15 min. Gas to surface in 5 min. - Rate 325,000 cu. ft./day. No H2C or H2S. Tool open 1 1/2 hours, SI 1/2 hour. Blow remained strong for 75 min. Recovered 90' gas out rat hole and.

From	IF	FF	SI	HI
WT	25	55	1070	1495
FRD	Held ok at 900			

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The California Company

Address P. O. Box 455

Vernal, Utah

By Ray M. King  
Title Area Supt.


(SUBMIT IN TRIPLICATE)

Land Office Salt Lake City

Lease No. U-02030

Unit \_\_\_\_\_

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	<u>Subsequent Report of DET #2</u>	<u>X</u>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Vernal, Utah February 20, 1956

Well No. 45 is located 1879.3 ft. from N line and 1787.5 ft. from W line of sec. 30

35 54 30 7 S 23 E SLM  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Red Wash Utah Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5451.8 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

**DET #2 - Straddle test zone 4778-4793 - no tail pipe - Used HXCO hookball tester. No HNC or WC. Tool open with faint blow increasing to work in 5 min. and remained steady. Tool open 1 1/2 hrs. 21 1/2 hr. No gas to surface. Recovered 300' sand and gas cut water. Top 20' speckled with hi pour point oil. Gas 10 unit CH<sub>4</sub>. Salinity 4100 ppm.**

Press	IF	IF	BI	HE
BT	30	55	1555	2400
MD	Hold ok at 2400			

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The California Company

Address P. O. Box 455

Vernal, Utah

By Ray M. King

Title Area Supv.


(SUBMIT IN TRIPLICATE)

Land Office **Salt Lake City**

Lease No. **8-28230**

Unit \_\_\_\_\_

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	<b>Subsequent Report of IST #3</b>	<b>X</b>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

\_\_\_\_\_ **Yernal, Utah** \_\_\_\_\_ **February 23,** 19**56**

Well No. **45** is located **1879.3** ft. from **LINE** [S] line and **1787.5** ft. from **LINE** [W] line of sec. **30**

**24 S** **30** **T 8** **R 2** **SLW**  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

**Red Wash** **Utah** **Utah**  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **951.4** ft. **or.**

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

**IST #3 - Straddle test interval 1930-1955. No DHC or WC. Tool open with good blow remaining steady. Tool open 1 1/2 hours, SI 1/2 hour. Gas to surface in 15 min., too low to measure. Recovered 812' fluid - 722' hd pour point heavily gas out oil and 90' mud out water. Salinity 2500 ppm. Gas SI units total 2 1/2 units CH<sub>4</sub>.**

From	17	17	81	81
To	0	210	1600	2150
Bottom	Held out at 2500-2100			


I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **The California Company**

Address **P. O. Box 455**

**Yernal, Utah**

By *Ray M. King*  
Title **Area Sup't.**



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Salt Lake City

Lease No. 8-2030

Unit \_\_\_\_\_

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	<u>Subsequent Report of IST #1</u>	<u>X</u>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Vernal, Utah February 27, 1956

Well No. 15 is located 1879 ft. from 1/4 line and 1787 ft. from W line of sec. 30

NE 1/4 30 T 8 R 3 E SLM  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Red Wash Utah Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5451.8 ft. Gr.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

**IST #1 - Straddle test 5061-82. 80000 pps at 5056, 5061 and 5082. No H<sub>2</sub>C or H<sub>2</sub>S. Tool open with weak blow remaining steady. Tool open 1 1/2 hours, 51 1/2 hr. No gas to surface. Recovered 30' of pour point oil. 90' oil (15%) and all gas out mud, 90' all gas and mud out water. Total gas 100 units, 360 units CH<sub>4</sub>. Salinity 350 ppm. Gravity of oil 25.9 @ 60°F. Cat 2%.**

Press BT IP FP SI FEI  
180 30 85 1200 2570  
RED Hold at between 2250 - 2050


I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The California Company

Address P. O. Box 155

Vernal, Utah

By [Signature]  
Title Area Sup't.



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Salt Lake City

Lease No. U-02030

Unit \_\_\_\_\_

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	<u>Subsequent Report of IBT #5</u>	<u>1</u>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Vernal, Utah February 27, 1956

Well No. 15 is located 1079.3 ft. from 10N line and 1707.5 ft. from 10W line of sec. 30

10 N 30 7 S 23 E 10N  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Red Wash Utah Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5151.8 ft. or.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

**IBT #5 - Straddle test 5025 - Sh. H2CO pipe at 5020, 5025 and 5050. No H2O or H2. Tool open with faint blow remaining steady. Tool open 3 hours, SI 1/2 hour. No gas to surface. Recovered 110' fluid - 10' hi pour point oil and 110' mud and all oil out (55) water. Total gas 20 units all CH4. Salinity 700 ppm.**

Press	IF	FF	SI	WH
BT	0	55	285	2575
FRD	Hold ok at 2000			

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


Company The California Company

Address P. O. Box 155

Vernal, Utah

By [Signature]  
Title Area Sup't.

(SUBMIT IN TRIPLICATE)



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Salt Lake City

Lease No. U-2803

Unit Salt Wash

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	<u>Subsequent Report of DWT #6</u>	<u>X</u>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Verona, Utah March 13, 1956

Well No. 15 is located 1077.3 ft. from N line and 1707.6 ft. from E line of sec. 30

30  
(1/4 Sec. and Sec. No.)

T. 8  
(Twp.)

R. 23 E  
(Range)

51N  
(Meridian)

Salt Wash  
(Field)

Utah  
(County or Subdivision)

Utah  
(State or Territory)

The elevation of the derrick floor above sea level is 951.3 ft. or.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

DWT #6 - Set #1 Johnston packers @ 5724, 5732 & 5751 to straddle interval 5731 - 5751. Tool opened with fair blow increasing to good in 3 min. & then decreased to fair in one hour and remained steady. No BSF. No VC. Tool open 2 1/2 hrs. SI 30 min. Recovered 100' of oil & gas cut and (cut 25% oil), 160' of oil & gas cut water and 177' of gas & slightly oil cut water. Top 56 units total gas, 54 parts CH<sub>4</sub>, middle 64 units total gas, 48 parts CH<sub>4</sub>, salinity 2000 ppm, bottom 20 units total gas, 18 parts CH<sub>4</sub>, salinity 3000 ppm.

Pressure	17	77	51	58
	60	750	1940	2800
Bottom ykr hold ok @ 2540				

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The California Company

Address P. O. Box 155

Verona, Utah

By [Signature]

Title Area Sup't.


(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Salt Lake City

Lease No. 1-02030

Unit Red Wash



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	<u>Subsequent Report of ISY #7</u>	<u>X</u>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Yarnall, Utah March 15, 1956

Well No. 45 is located 1079.3 ft. from 151N line and 1707.5 ft. from 151W line of sec. 30

NE 38 30 7 7 E R 23 E S12N  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Red Wash Utah Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5451.8 ft. or.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

**ISY #7** - Set down 8" pipe @ 5796, 5801 and 5813 using down side wall anchor to stabilize some 5801 - 5813. Tool opened with good blow. Gas to surface in 8 min. and increased to approximately 140 SCF in 1 hr. & then decreased slowly through out remainder of test. No H<sub>2</sub>S. No HC. Tool open 2 hrs. 31 30 min. Recovered (692') fluid) 472' oil, 220 ft. mud & gas cut water. 500 units total gas (100% CH<sub>4</sub>) 900 ppm Salinity.

Pressure	IP	FP	SI	SH
DE	85	230	1700	2905
END	Hold ok at 2900			


I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The California Company

Address P. O. Box 155

Yarnall, Utah

By [Signature]  
Title Area Sup.



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Salt Lake City

Lease No. 1-2125

Unit Red Wash

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	<u>Subsequent Report of DST #8</u> <b>2</b>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Verona, Utah March 18, 1956

Well No. 15 is located 1879.3 ft. from N line and 1767.5 ft. from W line of sec. 30

33 SE 30 T 7 N R 23 E SLM  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Red Wash Utah Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 2851.8 ft. Gr.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

**DST #8 - Set down 8" pipe at 5377, 5382 & 5394 to straddle the zone 5382-5394. No WC, no BEC. Tool opened with fair blow & increased to good blow in 3 min., & then decreased to very weak blow in two hours. Tool open 2 hrs., SZ 30 min. No gas to surface. Recovered 100' of gas & slightly oil & mud cut water.**

Pressure	17	17	21	21
FE	25	175	150	290
HD	Held at 0 290			

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The California Company

Address P. O. Box 155

Verona, Utah

By [Signature]  
Title Area Sup't.


(SUBMIT IN TRIPLICATE)

Land Office Salt Lake City

Lease No. L-07030

Unit Red Wash

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	<u>Subsequent Report of Running Casing</u> <b>X</b>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Vernal, Utah April 2, 1956

Well No. 45 is located 1079.3 ft. from N line and 1707.5 ft. from W line of sec. 30

22 S 30  
( $\frac{1}{4}$  Sec. and Sec. No.)

7 S  
(Twp.)

R 23 E  
(Range)

SLM  
(Meridian)

Red Wash  
(Field)

Utah  
(County or Subdivision)

Utah  
(State or Territory)

The elevation of the derrick floor above sea level is 521.8 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Run 150 jts 7" OD 2 3/4, J-55 & H-80 casing landed @ 5971.18. Used Baker Guide Shoe & differential float collar 2 jts (87.90') apart & tack welded. Run 5 Baker centralizers over bottom 500' casing. Baker stage collar @ 5175. Cemented 1st stage with 150 slm control-air followed by 50 slm reg. cement. Cemented 2nd stage with 350 slm control-air followed by 50 slm reg. cement. (Reverse process). Cleaned out to top of float collar @ 5898.32 & perforated from 4930-4946, 5062-5082, 5529-5530, 5802-5806, 5921-5929, 5930-5937, 5988-5989, 5991-5992, 6050-6051, 6052-6053, 6054-6055 with 3 bullets & 3 jets per foot. Sand oil squeezed the perforated intervals 5062-5082, 5930-4946 each with 30 bbls Rangely crude containing 0.1% admite per gal., 3500 gal Rangely crude with vice-free containing 5300' sand & 350' admite, 30 bbls Rangely crude. Sand oil squeezed the perforated interval 5529-5530 as above except used 2500 gal Rangely crude with vice-free containing 250' admite and 3500' sand. Run production string 2 1/2" NUP tubing landed @ 4901.59 with ISM @ 4838.77.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The California Company

Address P. O. Box 155

Vernal, Utah


By [Signature]

Title Area Supt.

U. S. LAND OFFICE .....

SERIAL NUMBER .....

LEASE OR PERMIT TO PROSPECT .....



LOCATE WELL CORRECTLY

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

Company ..... Address .....

Lessor or Tract ..... Field ..... State .....

Well No. .... Sec. .... T. .... R. .... Meridian ..... County .....

Location ..... ft.  $\left\{ \begin{matrix} N. \\ S. \end{matrix} \right\}$  of ..... Line and ..... ft.  $\left\{ \begin{matrix} E. \\ W. \end{matrix} \right\}$  of ..... Line of ..... Elevation .....  
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed *Ray M. ...* .....

Date ..... Title .....

The summary on this page is for the condition of the well at above date.

Commenced drilling ....., 19..... Finished drilling ....., 19.....

OIL OR GAS SANDS OR ZONES  
*(Denote gas by G)*

No. 1, from ..... to ..... No. 4, from ..... to .....

No. 2, from ..... to ..... No. 5, from ..... to .....

No. 3, from ..... to ..... No. 6, from ..... to .....

IMPORTANT WATER SANDS

No. 1, from ..... to ..... No. 3, from ..... to .....

No. 2, from ..... to ..... No. 4, from ..... to .....

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used

PLUGS AND ADAPTERS

Heaving plug—Material ..... Length ..... Depth set .....

Adapters—Material ..... Size .....

SHOOTING RECORD



FOLD MARK

**PLUGS AND ADAPTERS**

Heaving plug—Material \_\_\_\_\_ Length \_\_\_\_\_ Depth set \_\_\_\_\_  
 Adapters—Material \_\_\_\_\_ Size \_\_\_\_\_

**SHOOTING RECORD**

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

**TOOLS USED**

Rotary tools were used from \_\_\_\_\_ feet to \_\_\_\_\_ feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 Cable tools were used from \_\_\_\_\_ feet to \_\_\_\_\_ feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet

**DATES**

\_\_\_\_\_, 19\_\_\_\_ Put to producing \_\_\_\_\_, 19\_\_\_\_  
 The production for the first 24 hours was \_\_\_\_\_ barrels of fluid of which \_\_\_\_\_% was oil; \_\_\_\_\_%  
 emulsion; \_\_\_\_\_% water; and \_\_\_\_\_% sediment. Gravity, °Bé. \_\_\_\_\_  
 If gas well, cu. ft. per 24 hours \_\_\_\_\_ Gallons gasoline per 1,000 cu. ft. of gas \_\_\_\_\_  
 Rock pressure, lbs. per sq. in. \_\_\_\_\_

**EMPLOYEES**

\_\_\_\_\_, Driller \_\_\_\_\_, Driller  
 \_\_\_\_\_, Driller \_\_\_\_\_, Driller

**FORMATION RECORD**


FROM—	TO—	TOTAL FEET	FORMATION
5717	5796	79	Core #15 - Cut & rec 79' 5' ss, fair to good perm, fairly even lt to med brn stn, yel fluor, pet odor, intbd w/ 5' ss, fair to good perm, NSOF to v patchy show, stained and non stn interval intbd in 2-3' beds with thinner, tite streaks 2' ss, fair perm, patchy brn stn, yel fluor, pet odor 10' ss, low perm, NSOF 19' ss, tite, NSOF 9' seq-est & dal-ool, pred tite to low perm, no stn or odor 29' sh, grn & brn & siltst
5796	5847	51	Core #16 - Cut & rec 51' 6' ss, fair to good perm, lt brn stn, yel fluor, rusty to pet odor 13' ss, low to good perm, NSOF 32' ss, argil, tite, NSOF & sh, grn & siltst in thin intbds
5847	5886	39	Core #17 - Cut & rec 39' 5' ss, tite, NSOF 6' seq-est, tite, pred NS 28' sh, grn, brn & siltst
5886	5976	90	Core #18 - Cut & rec 90' 4' ss, fair perm, even brn stn, yel fluor, pet odor

**FORMATION RECORD—Continued**

FROM—	TO—	TOTAL FEET	FORMATION
5976	6051	75	<p><b>Core #18 - (Cont'd)</b>            12' ss, low to good para, NSOF to rare patchy stn &amp; fluor            22' ss, tite, no to very patchy show            20' coq-ool, dal-ool, tite to low para, no show to patchy yel fluor w pat odor in part            32' sh, grn, brn &amp; siltst  <b>Core #19 - Cut &amp; rec 75'</b>            32' ss, tite, no to v patchy show            19' ls, dal, ool to non fragatl, argil, tite, NS            24' sh, grn, red-brn</p>

MAY 27 1956

U. S. LAND OFFICE Salt Lake City  
SERIAL NUMBER U-02030  
LEASE OR PERMIT TO PROSPECT \_\_\_\_\_



LOCATE WELL CORRECTLY

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

Company The California Company Address Vernal, Utah  
Lessor or Tract Red Wash Unit Field Red Wash State Utah  
Well No. 45 Sec. 30 T 7 S R 23 E Meridian SLRM County Uintah  
Location 1879.3 ft. <sup>[N.]</sup> of S Line and 1787.5 <sup>[E.]</sup> of W Line of Sec. 30 Elevation 5162.4  
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed Jay M. [Signature] Title Area Sup't.  
Date April 27, 1956

The summary on this page is for the condition of the well at above date.

Commenced drilling February 1, 1956 Finished drilling April 2, 1956

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from 4930 to 4946 No. 4, from 4963 to 4969  
No. 2, from 5018 to 5026 No. 5, from 5523 to 5537  
No. 3, from 5034 to 5050 No. 6, from 5802 to 5806  
5062 5082

IMPORTANT WATER SANDS

No. 1, from \_\_\_\_\_ to \_\_\_\_\_ No. 3, from \_\_\_\_\_ to \_\_\_\_\_  
No. 2, from \_\_\_\_\_ to \_\_\_\_\_ No. 4, from \_\_\_\_\_ to \_\_\_\_\_

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	
<u>10-3/4</u> <u>7"</u>	<u>40.5</u> <u>23 1/2</u>	<u>8</u> <u>8</u>	<u>Nat'l</u> <u>Nat'l</u>	<u>108.12</u> <u>5991.18</u>	<u>Baker</u> <u>Baker</u>		<u>4930</u> <u>5018</u> <u>5034</u> <u>4963</u> <u>5523</u> <u>5802</u> <u>5062</u>	<u>4946</u> <u>5026</u> <u>5050</u> <u>4969</u> <u>5537</u> <u>5806</u> <u>5082</u>	<u>Surface Pipe</u> <u>Oil String</u>

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
<u>10-3/4</u> <u>7"</u>	<u>108.12</u> <u>5991.18</u>	<u>250</u> <u>600</u>	<u>HONCO</u> <u>HONCO</u>		

PLUGS AND ADAPTERS

Heaving plug—Material \_\_\_\_\_ Length \_\_\_\_\_ Depth set \_\_\_\_\_  
Adapters—Material \_\_\_\_\_ Size \_\_\_\_\_

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

FOLD MARK

FOLD MARK

10-3/4	400.12	750	HONCO		
7"	5991.18	600	HONCO		

**PLUGS AND ADAPTERS**

Heaving plug—Material \_\_\_\_\_ Length \_\_\_\_\_ Depth set \_\_\_\_\_  
 Adapters—Material \_\_\_\_\_ Size \_\_\_\_\_

**SHOOTING RECORD**

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

**TOOLS USED**

Rotary tools were used from 0 feet to 6051 feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 Cable tools were used from \_\_\_\_\_ feet to \_\_\_\_\_ feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet

**DATES**

April 25, 1956 Put to producing April 25, 1956  
 The production for the first 24 hours was 232 barrels of fluid of which 80% was oil; \_\_\_\_\_% emulsion; 20% water; and \_\_\_\_\_% sediment. Gravity, 71.1 27° API  
 If gas well, cu. ft. per 24 hours \_\_\_\_\_ Gallons gasoline per 1,000 cu. ft. of gas \_\_\_\_\_  
 Rock pressure, lbs. per sq. in. \_\_\_\_\_

**EMPLOYEES**

J. Woodrel \_\_\_\_\_, Driller  
 C. M. Johnson \_\_\_\_\_, Driller  
 S. Marustky \_\_\_\_\_, Driller

**FORMATION RECORD**

FROM—	TO—	TOTAL FEET	FORMATION
0	990	990	Shale
990	1720	730	Sand & Shale
1720	2000	280	Shale
2000	4000	2000	Shale & sand
4000	4650	650	Shale, lls, & sand
4650	5650	1000	Shale & sand
5650	5900	250	Sand & shale
5900	6050	150	Sand, lls, Dolomite, & shale
Top Green River @ 2947			Top Wasatch @ 6027
4660	4748	88	Core #1 - Cut & rec 88' 19 ft. ss, low to fair perm, NS 69 ft. sh, brn, grn, siltst & dol
4748	4806	58	Core #2 - Cut & rec 58' 5 ft. ss, low to fair perm, no stn, pp yel fluor, no to all musty odor, 3 ft. ss, tite, no to patchy show 46 ft. sh, grn & brn, siltst, dol-ls, tite
4806	4892	86	Core #3 - Cut & rec 86' 1' ss-silt, low perm, lt oil sh, good odor 4' dol-ls, tite to low perm, spotty stn & fluor, pet odor 81' sh, grn, brn, siltst
4892	4951	59	Core #4 - Cut & rec 59' 13' ss, fair to good perm, brn stn, in part flaky, semi calc, dull yel fluor,

FORMATION RECORD—Continued

FROM—	TO—	TOTAL FEET	FORMATION
4951	5030	79	Core #4 - (Cont'd) all pet - all musty odor 2' ss-silt, tite, no to patchy show 7' siltst, sh & ss, tite, in thin intbds 37' sh, grn & brn Core #5 - Cut & rec 79' 8' ss, low to fair perm, lt to dk brn stn, even fluor, two sands 4' ss, low to fair perm, no stn, yel fluor 3' ss, low perm, NSOF 12' ss, tite, NS 2' cong, tite to low perm, no to patchy show 50' sh, grn, brn & siltstn
5030	5120	90	Core #6 - Cut & rec 90' 27' ss, low to good perm, fairly even lt to med brn stn, yel fluor, pet odor-2 sands- 26' ss, tite, no to patchy show 4' ss, low perm, no to patchy show 20' ss, tite, sh, grn & siltst in thin intbds 1' dol, tite 10' sh, grn 2' no rec
5120	5203	83	Core #7 - Cut & rec 83' 4 1/2' ss, low perm, little laminae lt brn stn 7 1/2' ss, low perm, water wet, NS 15' ss, tite, NS 43' siltstn & sh 13' est, coq & oolitic dol
5203	5292	89	Core #8 - Cut & rec 89' 28' ss, low to good perm, water, wet, NS 14' ss, tite, NS 15' dol & coq, incl oolitic dol 12' siltst & sh, incl 14' oil sh
5381	5467	86	Core
5292	5381	89	Core #9 - Cut & rec 89' 6' ss, tite, NS 26' ss, low to fair perm, water wet 12' siltstn 45' sh, incl 20' oil-sh
5381	5467	88	Core #10 - Cut & rec 88' 8' ss, tite, NS 5' ss, low-fair perm, water wet, NS 9' dol & est-coq 66' sh & lesser siltst
5469	5551	82	Core #11 - Cut & rec 82' 11' ss, low perm, even lt stn, yel fluor, pet odor - one sand - 23' ss, tite, pred NSOF 48' sh, grn, gr & siltst
5551	5640	89	Core #12 - Cut & rec 89' 13' ss, tite, low perm, NSOF 76' sh, grn, brn, siltst, dol
5640	5705	62	Core #13 - Cut 65' rec 62' 3' ss, fair perm, med brn stn, yel fluor, pet odor 16' ss, low to good perm, patchy to pred no stn or fluor, water wet 21' ss, argil and lam w/sh, tite, no to patchy show 22' sh, grn & brn, siltst & lam ss, tite
5705	5735	10	Core #14 - Cut & rec 10'

5551	5640	89	23' ss, low perm, even lit sh, yel fluor, pet odor - one sand - 23' ss, tite, pred NSOP 48' sh, grn, gr & siltst Core #12 - Out & rec 89' 13' ss, tite, low perm, NSOP 76' sh, grn, brn, siltst, dal Core #13 - Out 65' rec 62' 3' ss, fair perm, med brn stn, yel fluor, pet odor 16' ss, low to good perm, patchy to pred no stn or fluor, water wet 21' ss, argil and lam w/sh, tite, no to patchy show 22' sh, grn & brn, siltst & lam ss, tite Core #14 - Out & rec 10' 10' ss, argil, tite, NSOP, intbd w sh, grn & siltst
5640	5705	62	
5705	5715	10	

HISTORY OF OIL OR GAS WELL

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidetracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or balling.

Red Wash Unit #45 was spudded February 1, 1956. A 9" hole was drilled to 4660. 19 cores were cut from 4660 to 6051. Eight IBT's were run before running seven inch casing and cementing. The PWD is 5903. The well was perforated from 4930-4946, 5062-5082, 5529-5530, 5802-5806, 5523-5529, 5530-5537, 5018-5026, 5034-5050, 4963-4969. Sand oil squeezed the perforated intervals 5018-5050, 5062-5082, 4930-4946 & 5529-5530. Ran production string 2 1/2" EUE tubing landed at 4901.59 with PSH at 4838.77.

LOG OF OIL OR GAS WELL

GEOLOGICAL SERVICE

DEPARTMENT OF THE INTERIOR


WELL LOG

DATE OF LOGGING

BY

WELL NO.

WELL LOCATION



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT--" for such proposals

5. Lease Designation and Serial No.  
U - 02030

6. If Indian, Allottee or Tribe Name

**SUBMIT IN TRIPLICATE**

7. If Unit or CA, Agreement Designation  
RED WASH

1. Type of Well  
Oil  Gas   
 Well  Well  Other

8. Well Name and No.  
45 (23-20B)

2. Name of Operator  
CHEVRON U.S.A. PRODUCTION CO.

9. API Well No.  
43-047-15172

3. Address and Telephone No.  
P.O. BOX 599, DENVER, CO. 80201 303 930-3691

10. Field and Pool, or Exploratory Area  
RED WASH - GRN. RIVER

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
~~1879 FSL~~  
~~761 FNL~~, 1788 FWL, SEC. 30, T7S, R23E

11. County or Parish, State  
UINTAH, UTAH

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other STATUS _____
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

THIS WELL IS SHUT IN WHILE UPGRADING WELL TEST FACILITIES. WE WILL RE-EVALUATE STATUS AFTER WELL TEST FACILITIES UPGRADES HAVE BEEN COMPLETED.

- 3 - BLM
- 3 - STATE
- 1 - JTC
- 1 - WELL FILE
- 1 - JLW

RECEIVED

APR 15 1992

DIVISION OF  
OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct  
Signed *J. L. Johnson* Title PERMIT SPECIALIST Date 4/6/92

(This space for Federal or State office use)

Approved by: \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_  
Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



**Chevron U.S.A. Inc.**  
P.O. Box 455, Vernal, UT 84078 • Phone (801) 789-2442

**FEBRUARY 15, 1993**

**ANNUAL REPORT OF  
SHUT-IN WELLS  
WONSITS VALLEY STATE/FEDERAL UNIT  
UINTAH COUNTY, UTAH**

**BUREAU OF LAND MANAGEMENT  
170 SOUTH 500 EAST  
VERNAL, UT 84078**

**GENTLEMEN:**

Enclosed, please find the annual report of shut-in wells in Red Wash Unit. If you have any questions, please call the above address.

Sincerely,

---

**J.T. CONLEY  
AREA OPERATIONS SUPERVISOR**

sdm  
Enclosures

cc: State of Utah  
Department of Natural Resources  
Division of Oil, Gas and Mining  
355 West North Temple  
3 Triad Center, Suite 350  
Salt Lake City, UT 84180-1203

**RECEIVED**

FEB 18 1993

DIVISION OF  
OIL GAS & MINING



**Chevron U.S.A. Inc.**  
P.O. Box 455, Vernal, UT 84078 • Phone (801) 789-2442

FEBRUARY 15, 1993

ANNUAL REPORT OF  
SHUT-IN WELLS  
RED WASH UNIT  
UINTAH COUNTY, UTAH

BUREAU OF LAND MANAGEMENT  
170 SOUTH 500 EAST  
VERNAL, UT 84078

GENTLEMEN:

Enclosed, please find the annual report of shut-in wells in Red Wash Unit. If you have any questions, please call the above address.

Sincerely,

J.T. CONLEY  
AREA OPERATIONS SUPERVISOR

sdm  
Enclosures

cc: State of Utah  
Department of Natural Resources  
Division of Oil, Gas and Mining  
355 West North Temple  
3 Triad Center, Suite 350  
Salt Lake City, UT 84180-1203

Buttram Energies, Inc.  
6303 Waterford Boulevard, Suite 220  
Oklahoma City, OK 73116

RECEIVED

FEB 18 1993

DIVISION OF  
OIL GAS & MINING

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals

**SUBMIT IN TRIPLICATE**

1. Type of Well  
Oil Gas  
 Well  Well  Other

2. Name of Operator  
**Chevron U.S.A. Inc.**

3. Address and Telephone No.  
**P.O. Box 455, Vernal, Utah 84078 (801) 789-2442**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

**761' FNL, 1788' FWL, S30-T7S-R23E  
1879' FSL**

5. Lease Designation and Serial No.  
**U-02030**

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation  
**Red Wash Unit**

8. Well Name and No.  
**RWU #45 (23-30B)**

9. API Well No.  
**43-047-15172**

10. Field and Pool, or Exploratory Area  
**Red Wash-Grn. River**

11. County or Parish, State  
**Uintah, Utah**

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other _____
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Well test facility upgrades were completed during 1992. We plan to re-evaluate this shut-in producing well during 1993.

**RECEIVED**

FEB 18 1993

DIVISION OF  
OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct

Signed *Stuart Thurson* Title *Production Engineer* Date 2/15/93

(This space for Federal or State office use)

Approved by: \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\*See instruction on Reverse Side

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

RECEIVED  
SEP - 1

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir  
Use "APPLICATION FOR PERMIT--" for such proposals

**SUBMIT IN TRIPLICATE**

1. Type of Well  
Oil Gas  
 Well  Well  Other

2. Name of Operator  
**CHEVRON U.S.A. PRODUCTION COMPANY**

3. Address and Telephone No.  
**11002 EAST 17500 SOUTH, VERNAL, UT 84078-8526 (801) 781-4302**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
**761' FNL, 1788' FWL, Sec. 30, T7S/R23E**

5. Lease Designation and Serial No.  
**U-02030**

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation  
**RED WASH UNIT**

8. Well Name and No.  
**RWU #45 (23-30B)**

9. API Well No.  
**43-047-15172**

10. Field and Pool, or Exploratory Area  
**RED WASH-GRN. RIVER**

11. County or Parish, State  
**UINTAH, UTAH**

**CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>Well Status</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

**TA approval is requested for this well, pending evaluation of continued oil production potential, gas recompletion potential or conversion to a secondary use.**

14. I hereby certify that the foregoing is true and correct.  
Signed Charna Hough Title Operations Assistant Date 08/25/94


(This space for Federal or State office use)

Approved by: \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_

Conditions of approval, if any \_\_\_\_\_

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT



FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir  
Use "APPLICATION FOR PERMIT--" for such proposals

**SUBMIT IN TRIPPLICATE**

1. Type of Well  
Oil  Gas   
 Well  Well  Other

2. Name of Operator  
**CHEVRON U.S.A. PRODUCTION COMPANY**

3. Address and Telephone No.  
**11002 EAST 17500 SOUTH, VERNAL, UT 84078-8526 (801) 781-4302**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
**761' FNL, 1788' FWL, Sec. 30, T7S/R23E**

5. Lease Designation and Serial No.  
**U-02030**

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation  
**RED WASH UNIT**

8. Well Name and No.  
**RWU #45 (23-30B)**

9. API Well No.  
**43-047-15172**

10. Field and Pool, or Exploratory Area  
**RED WASH-GRN. RIVER**

11. County or Parish, State  
**UINTAH, UTAH**

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>Well Status</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

**TA approval is requested for this well, pending evaluation of continued oil production potential, gas recompletion potential or conversion to a secondary use.**

14. I hereby certify that the foregoing is true and correct.  
Signed Chana Hough Title Operations Assistant Date 08/25/94

(This space for Federal or State office use)

Approved by: \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_

Conditions of approval, if any

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

**RECEIVED**  
SEP 27 1995  
DIV. OF OIL, GAS & MINING

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir  
Use "APPLICATION FOR PERMIT--" for proposals

3. Lease Designation and Serial No.  
**U-02030**

6. If Indian, Allottee or Tribe Name  
**N/A**

7. If Unit or CA, Agreement Designation  
**RED WASH UNIT**

8. Well Name and No.  
**RED WASH UNIT 45 (23-30B)**

9. API Well No.  
**43-047-15172**

10. Field and Pool, or Exploratory Area  
**RED WASH - GREEN RIVER**

11. County or Parish, State  
**UINTAH, UTAH**

**SUBMIT IN TRIPLICATE**

1. Type of Well  
Oil  Gas   
 Well  Well  Other

2. Name of Operator  
**CHEVRON U.S.A. PRODUCTION COMPANY**

3. Address and Telephone No. **Steve McPherson in Red Wash (801) 781-4310  
or Gary Scott in Rangely, CO. (970) 675-3791**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
**1879' ESL  
761' FNL & 1788' FWL (NE SW) SECTION 30, T7S, R23E, SLBM**

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

**WE ARE REQUESTING AN EXTENSION OF THE TEMPORARILY ABANDONED STATUS OF THIS WELL.**

**Accepted by the  
Utah Division of  
Oil, Gas and Mining  
FOR RECORD ONLY**

14. I hereby certify that the foregoing is true and correct.  
Signed G.D. SCOTT *G.D. Scott* Title DRILLING TECHNICIAN Date September 26, 1995

(This space for Federal or State office use)

Approved by: \_\_\_\_\_ Title: \_\_\_\_\_ Date: \_\_\_\_\_

Conditions of approval, if any \_\_\_\_\_

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir  
Use "APPLICATION FOR PERMIT--" for such proposals

**SUBMIT IN TRIPLICATE**

1. Type of Well  
 Oil Gas  
 Well  Well  Other WATER INJECTOR

2. Name of Operator  
**CHEVRON U.S.A. PRODUCTION COMPANY**

3. Address and Telephone No  
**11002 E. 17500 S. VERNAL, UT 84078-8526 (801) 781-4300**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
**761' FNL & 1788' FWL (NE SW) SECTION 30, T7S, R23E, SLBM**

5. Lease Designation and Serial No.  
**U-02030**

6. If Indian, Allottee or Tribe Name  
**N/A**

7. If Unit or CA, Agreement Designation  
**RED WASH UNIT**

8. Well Name and No.  
**RED WASH UNIT 45 23-30B**

9. API Well No.  
**43-047-15172**

10. Field and Pool, or Exploratory Area  
**RED WASH - GREEN RIVER**

11. County or Parish, State  
**UINTAH, UTAH**


12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>TA STATUS OF WELL</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

**CHEVRON IS REQUESTING A TA STATUS ON THE ABOVE WELL. THIS WELL HAS POTENTIAL FUTURE USE IN RECONFIGURED PATTERN WATERFLOOD.**



14. I hereby certify that the foregoing is true and correct.  
 Signed D.C. Tanner Title COMPUTER SYSTEMS OPERATOR Date 12/10/97

(This space for Federal or State office use)

Approved by: \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_  
 Conditions of approval, if any \_\_\_\_\_

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\*See instruction on Reverse Side

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir  
Use "APPLICATION FOR PERMIT--" for such proposals

**SUBMIT IN TRIPLICATE**

1. Type of Well  
 Oil Gas  
 Well  Well  Other

2. Name of Operator  
**CHEVRON U.S.A. PRODUCTION COMPANY**

3. Address and Telephone No  
**11002 E. 17500 S. VERNAL, UT 84078-8526 (801) 781-4300**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
**1879 FSL**  
~~761' FWL & 1788' FWL (NE SW) SECTION 30, T7S, R23E, SLBM~~

5. Lease Designation and Serial No.  
**U-02030**

6. If Indian, Allottee or Tribe Name  
**N/A**

7. If Unit or CA, Agreement Designation  
**RED WASH UNIT**

8. Well Name and No.  
**RED WASH UNIT 45 23-30B**

9. API Well No.  
**43-047-15172**

10. Field and Pool, or Exploratory Area  
**RED WASH - GREEN RIVER**

11. County or Parish, State  
**UINTAH, UTAH**

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>TA STATUS FOR WELL</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water


(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

WE REQUEST A TA STATUS APPROVAL FOR THIS WELL.

WE PLAN TO RE-EVALUATE THIS WELL FOR POSSIBLE FUTURE WATER INJECTION SERVICE.

**Accepted by the  
Utah Division of  
Oil, Gas and Mining  
FOR RECORD ONLY**



14. I hereby certify that the foregoing is true and correct.  
 Signed D. C. BEAMAN *D.C. Beaman* Title COMPUTER SYSTEMS OPERATOR Date 3/18/1999

(This space for Federal or State office use)

Approved by: \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_

Conditions of approval, if any \_\_\_\_\_

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

INJECTION WELL DATA  
(DATA INPUT SHEET FOR COMPUTER)

Township: 7S Range: 23E Section: 30 Qtr/Qtr: NE SW

API No: 43-047-15172

Operator Nm: CHEVRON USA PRODUCTION COMPANY Account No: NO210

Well Nm: RED WASH UNIT 45 23-30B

Field Nm: RED WASH Field No: 665

Unit Nm: RED WASH Unit No: 140

Cause No: \_\_\_\_\_

1st Inj: \_\_\_\_\_ Surf Csg: \_\_\_\_\_ Set @: \_\_\_\_\_

Avg InjP: \_\_\_\_\_ Int Csg: \_\_\_\_\_ Set @: \_\_\_\_\_

Max InjP: \_\_\_\_\_ Prod Csg: \_\_\_\_\_ Set @: \_\_\_\_\_

Max Rate: \_\_\_\_\_ Liner: \_\_\_\_\_ Set @: \_\_\_\_\_

PBTD: \_\_\_\_\_ Tbg: \_\_\_\_\_ Set @: \_\_\_\_\_

TD: \_\_\_\_\_ Dual Completion: Y N

Inj Zone: \_\_\_\_\_ Well Type: \_\_\_\_\_

Formation: GRRV Lease Type: \_\_\_\_\_

Approval: \_\_\_\_\_ Surf Owner: \_\_\_\_\_

PA Date: \_\_\_\_\_ Indian Country: Y N

\*\*\*\*\*

TEST DATE: \_\_\_\_\_

TEST TYPE: \_\_\_\_\_

WITNESSED: Y N

\_\_\_\_\_ PSI/HELD \_\_\_\_\_

COMMENTS:

PERMITTED BY EPA

INCOMPLETE DATA AVAILABLE

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No 1004-0135  
Expires: March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir  
Use "APPLICATION FOR PERMIT--" for such proposals

**SUBMIT IN TRIPLICATE**

1. Type of Well		5. Lease Designation and Serial No.
Oil	Gas	
<input type="checkbox"/> Well	<input type="checkbox"/> Well	6. If Indian, Allottee or Tribe Name
<input checked="" type="checkbox"/> Other	MULTIPLE WELLS SEE ATTACHED LIST	N/A
2. Name of Operator		7. If Unit or CA, Agreement Designation
CHEVRON U.S.A. INC.		RED WASH UNIT
3. Address and Telephone No		I-SEC NO 761
11002 E. 17500 S. VERNAL, UT 84078-8526		8. Well Name and No
(801) 781-4300		9. API Well No.
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)		10. Field and Pool, or Exploratory Area
		RED WASH - GREEN RIVER
		11. County or Parish, State
		UINTAH, UTAH

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>CHANGE OF OPERATOR</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

As of January 1, 2000 Chevron U.S.A. INC. resigns as Operator of the Red Wash Unit.  
The Unit Number is I-SEC NO 761 effective October 31, 1950.

The successor operator under the Unit Agreement will be  
Shenandoah Energy Inc.  
475 17th Street, Suite 1000  
Denver, CO 80202

Agreed and accepted to this 29th day of December, 1999

Shenandoah Energy Inc.  
By: Mitchell L. Solich  
President

RECEIVED

DEC 30 1999

DIVISION OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct.  
Signed A. E. Wacker A. E. Wacker Title Assistant Secretary Date 12/29/99

(This space for Federal or State office use)

Approved by: \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_

Conditions of approval, if any \_\_\_\_\_

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**OPERATOR CHANGE WORKSHEET**

**ROUTING**

1. GLH		4-KAS
2. CDW		5-SJ
3. JLT		6-FILE

Enter date after each listed item is completed

**X Change of Operator (Well Sold)**

Designation of Agent

Operator Name Change (Only)

Merger

The operator of the well(s) listed below has changed, effective:

1-1-2000

**FROM:** (Old Operator):

CHEVRON USA INC

Address: 11002 E. 17500 S.

VERNAL, UT 84078-8526

Phone: 1-(435)-781-4300

Account No. N0210

**TO:** ( New Operator):

SHENANDOAH ENERGY INC.

Address: 11002 E. 17500 S.

VERNAL, UT 84078

Phone: 1-(435)-781-4300

Account N4235

**CA No.**

**Unit: RED WASH**

**WELL(S)**

NAME	API NO.	ENTITY NO.	SEC. TWN RNG	LEASE TYPE	WELL TYPE	WELL STATUS
RWU 161 (14-29B)	43-047-15271	99996	20-07S-23E	FEDERAL	WI	A
RWU 7 (41-27B)	43-047-16473	99996	27-07S-23E	FEDERAL	WI	I
RWU 45 (23-30B)	43-047-15172	5670	30-07S-23E	FEDERAL	WI	I

**OPERATOR CHANGES DOCUMENTATION**

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 12-30-1999
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 08-9-2000
- The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 08-23-2000
- Is the new operator registered in the State of Utah: YES Business Number: 224885
- If **NO**, the operator was contacted on: \_\_\_\_\_
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the (merger, name change, or operator change for all wells listed on Federal or Indian leases on: 02/04/2000
- Federal and Indian Units:** The BLM or BIA has approved the successor of unit operator for wells listed on: N/A
- Federal and Indian Communization Agreements ("CA"):** The BLM or the BIA has approved the operator





# United States Department of the Interior

## BUREAU OF LAND MANAGEMENT

Utah State Office  
P.O. Box 45155  
Salt Lake City, UT 84145-0155

# RECEIVED

FEB 07 2000

DIVISION OF  
OIL, GAS AND MINING

IN REPLY REFER TO  
UT-931

February 4, 2000

Shenandoah Energy Inc.  
Attn: Rae Cusimano  
475 17<sup>th</sup> Street, Suite 1000  
Denver, Colorado 80202

Re: Red Wash Unit  
Uintah County, Utah

Gentlemen:

On December 30, 1999, we received an indenture whereby Chevron U.S.A. Inc. resigned as Unit Operator and Shenandoah Energy Inc. was designated as Successor Unit Operator for the Red Wash Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective February 4, 2000. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Red Wash Unit Agreement.

Your statewide (Utah) oil and gas bond No. 0969 will be used to cover all operations within the Red Wash Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks  
Chief, Branch of Fluid Minerals

Enclosure

cc: Chevron U.S.A. Inc.

bcc: Field Manager - Vernal (w/enclosure)  
Division of Oil, Gas & Mining  
Minerals Adjudication Group U-932  
File - Red Wash Unit (w/enclosure)  
MMS - Data Management Division  
Agr. Sec. Chron  
Fluid Chron

UT931:TAThompson:tt:2/4/00

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir  
Use "APPLICATION FOR PERMIT--" for such proposals

5. Lease Designation and Serial No.  
**U-02030**

6. If Indian, Allottee or Tribe Name  
N/A

7. If Unit or CA, Agreement Designation  
**RED WASH UNIT**

8. Well Name and No.  
**RED WASH UNIT 45 23-30B**

9. API Well No.  
**43-047-15172**

10. Field and Pool, or Exploratory Area  
**RED WASH - GREEN RIVER**

11. County or Parish, State  
**UINTAH, UTAH**

**SUBMIT IN TRIPLICATE**

1. Type of Well  
Oil Gas  
 Well  Well  Other *Directional*

2. Name of Operator  
**SHENANDOAH ENERGY, INC**

3. Address and Telephone No  
**11002 E. 17500 S. VERNAL, UT 84078-8526 (801) 781-4300**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
**761' FNL & 1788' FWL (NE SW) SECTION 30, T7S, R23E, SLBM**

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>TA STATUS FOR WELL</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

WE REQUEST A TA STATUS APPROVAL FOR THIS WELL.

WE PLAN TO RE-EVALUATE THIS WELL FOR POSSIBLE FUTURE WATER INJECTION SERVICE.

14. I hereby certify that the foregoing is true and correct.  
Signed D. C. BEAMAN *D. C. Beaman* Title OFFICE MANAGER Date 04/13/00

(This space for Federal or State office use)

Approved by: \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_

Conditions of approval, if any  
~~The Extension for Shut-in Time issued 08 March 1999 EXPIRED 08-March-2000~~ **Accepted by the**  
Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations, or knowingly and willfully to falsify, conceal or omit material information, provided that the offender has knowledge at the time of the conduct that the statements or representations are false, fictitious or fraudulent, or that the information is material.  
**Utah Division of Oil, Gas & Mining**  
in accordance with R649-36.3, provide the Division of Oil, Gas & Mining a Showing of Good Cause as to why this well should not be plugged. M. Hebertson

\*See instruction on Reverse Side

APPROVED BY OPERATOR  
*[Signature]*  
DATE: 4/13/00

TRANSFER OF AUTHORITY TO INJECT - UIC FORM 5

Well name and number: See Attachment  
Field or Unit name: \_\_\_\_\_ API no. \_\_\_\_\_  
Well location: QQ \_\_\_\_\_ section \_\_\_\_\_ township \_\_\_\_\_ range \_\_\_\_\_ county \_\_\_\_\_  
Effective Date of Transfer: \_\_\_\_\_

CURRENT OPERATOR

Transfer approved by:  
Name R.K. Wackowski Company Chevron Production Co.  
Signature [Signature] Address 100 Chevron Rd.  
Title Unit Manager Rangely, Colo. 81648  
Date 7/28/00 Phone (970) 675-3714

Comments:

NEW OPERATOR

Transfer approved by:  
Name John Conley Company Shenandoah Energy Inc.  
Signature [Signature] Address 11002 E. 17500 S.  
Title District Manager Vernal, UT 84078  
Date 7-21-00 Phone (435) 781-4300

Comments:

(state use only)  
Transfer approved by [Signature] Title Tech. Services Manager  
Approval Date 8-24-00

RECEIVED

AUG 9 2000

DIVISION OF

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir  
Use "APPLICATION FOR PERMIT--" for such proposals

***SUBMIT IN TRIPLICATE***

1. Type of Well  
Oil  Gas   
 Well  Well  Other

2. Name of Operator  
**SHENANDOAH ENERGY, INC**

3. Address and Telephone No  
**11002 E. 17500 S. VERNAL, UT 84078-8526** (801) 781-4300

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
**761' FNL & 1788' FWL (NE SW) SECTION 30, T7S, R23E, SLBM**

5. Lease Designation and Serial No.  
**U-02030**

6. If Indian, Allottee or Tribe Name  
**N/A**

7. If Unit or CA, Agreement Designation  
**RED WASH UNIT**

8. Well Name and No.  
**RED WASH UNIT 45 23-30B**

9. API Well No.  
**43-047-15172**

10. Field and Pool, or Exploratory Area  
**RED WASH - GREEN RIVER**

11. County or Parish, State  
**UINTAH, UTAH**

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>Change well typs</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

This well is a TA'd oil producer.

Production from this well has been 0 oil 0 water and 0 gas for the years of 1999 and 2000. This well has had the status of TA Oil producer since 1993.

14. I hereby certify that the foregoing is true and correct.  
Signed D. C. BEAMAN *D. C. Beaman* Title OFFICE MANAGER Date 01/29/01

(This space for Federal or State office use)

Approved by: \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_

Conditions of approval, if any \_\_\_\_\_

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



**OPERATOR CHANGE WORKSHEET**

**ROUTING**

1. GLH
2. CDW
3. FILE

Change of Operator (Well Sold)

Designation of Agent/Operator

**X Operator Name Change**

Merger

The operator of the well(s) listed below has changed, effective:

**2/1/2003**

<b>FROM: (Old Operator):</b> N4235-Shenandoah Energy Inc 11002 E 17500 S Vernal, UT 84078-8526 Phone: (435) 781-4341	<b>TO: ( New Operator):</b> N2460-QEP Uinta Basin Inc 11002 E 17500 S Vernal, UT 84078-8526 Phone: (435) 781-4341
--	---

**CA No.**

**Unit:**

**RED WASH**

**WELL(S)**

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS	Confid
RWU 39 (14-24A)	24	070S	220E	4304715166	5670	Federal	OW	TA	
RWU 41-24A	24	070S	220E	4304733769	5670	Federal	OW	P	
RWU 42-24A	24	070S	220E	4304733569	5670	Federal	OW	P	
RWU 41-25A	25	070S	220E	4304733579	5670	Federal	OW	P	
RWU 42-25A	25	070S	220E	4304733580	5670	Federal	OW	S	
RWU 41 (34-13B)	13	070S	230E	4304715168	5670	Federal	OW	P	
RWU 43 (12-17B)	17	070S	230E	4304715170	5670	Federal	OW	P	
RWU 44-18B	18	070S	230E	4304733594	5670	Federal	OW	P	
RWU 42-19B	19	070S	230E	4304733556	5670	Federal	OW	P	
RWU 42-20B	20	070S	230E	4304733490	5670	Federal	OW	P	
RWU 4 (41-22B)	22	070S	230E	4304715137	5670	Federal	OW	TA	
RWU 5 (41-23B)	23	070S	230E	4304715138	5670	Federal	OW	P	
RWU 40 (21-24B)	24	070S	230E	4304715167	5670	Federal	OW	TA	
RWU 49 (12-29B)	29	070S	230E	4304715175	5670	Federal	OW	TA	
RWU 42-30B	30	070S	230E	4304733771	5670	Federal	OW	P	
RWU 44-30B	30	070S	230E	4304733772	5670	Federal	OW	P	
RWU 45 (23-30B)	30	070S	230E	4304715172	5670	Federal	OW	TA	
RWU 46 (41-21C)	21	070S	240E	4304715173	5670	Federal	GW	TA	
RWU 42 (21-29C)	29	070S	240E	4304715169	5670	Federal	GW	P	
RWU 44 (32-33C)	33	070S	240E	4304715171	5670	Federal	GW	P	

**OPERATOR CHANGES DOCUMENTATION**

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/2/2003
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/2/2003
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/19/2003
- Is the new operator registered in the State of Utah: YES Business Number: 5292864-0151
- If **NO**, the operator was contacted on: \_\_\_\_\_

6. (R649-9-2)Waste Management Plan has been received on:

IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 7/21/2003

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 7/21/2003

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: n/a

**DATA ENTRY:**

1. Changes entered in the **Oil and Gas Database** on: 8/28/2003

2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 8/28/2003

3. Bond information entered in RBDMS on: n/a

4. Fee wells attached to bond in RBDMS on: n/a

**STATE WELL(S) BOND VERIFICATION:**

1. State well(s) covered by Bond Number: 965-003-032

**FEDERAL WELL(S) BOND VERIFICATION:**

1. Federal well(s) covered by Bond Number: ESB000024

**INDIAN WELL(S) BOND VERIFICATION:**

1. Indian well(s) covered by Bond Number: 799446

**FEE WELL(S) BOND VERIFICATION:**

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number 965-003-033

2. The **FORMER** operator has requested a release of liability from their bond on: n/a

The Division sent response by letter on: n/a

**LEASE INTEREST OWNER NOTIFICATION:**

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

**COMMENTS:**

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_



May 28, 2003

Division of Oil, Gas, & Mining  
1594 West North Temple, Suite 1210  
P. O. Box 145801  
Salt Lake City, Utah 84114-5801

Attention: John Baza/Jim Thompson

Gentlemen:

This will serve as notice that through the internal corporate changes described below, activities formerly conducted in the name of either Shenandoah Operating Company, LLC (SOC) and/or Shenandoah Energy, Inc. (SEI) will hereafter be conducted in the name of QEP Uinta Basin, Inc.: i) the Shenandoah entities were purchased in July, 2001 by Questar Market Resources, Inc., which is a mid-level holding company for the non-utility businesses of Questar Corporation, ii) Shenandoah Operating Company, LLC has now been merged into Shenandoah Energy, Inc. (SEI), iii) Shenandoah Energy, Inc. has now been re-named **QEP Uinta Basin, Inc.** pursuant to a State of Delaware Amended and Restated Certificate of Incorporation, iv) the same employees will continue to be responsible for operations of the former SOC and SEI properties, both in the field and in the office. Accordingly, the change involves only an internal corporate name change and no third party change of operator is involved. Please alter your records to reflect the entity name change. Attached is a spreadsheet listing all wells affected by this change.

Should you have any questions, please call me at 303 - 308-3056.

Yours truly,

Frank Nielsen  
Division Landman

Enclosure

RECEIVED

JUN 02 2003

DIV. OF OIL, GAS & MINING

## SEI (N4235) to QEP (N2460) RED WASH UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat
RED WASH 22-21B	21	070S	230E	4304733522	5670	Federal	OW	TA
RED WASH 24-20B	20	070S	230E	4304733523	5670	Federal	OW	P
RED WASH 305 (41-4F)	04	080S	240E	4304732538	5670	Federal	GW	TA
RED WASH 306	23	070S	240E	4304732629	5670	Federal	GW	P
RED WASH 44-19B	19	070S	230E	4304733524	5670	Federal	OW	P
RED WASH 44-20B	20	070S	230E	4304733525	5670	Federal	OW	P
RWU 1 (41-26B)	26	070S	230E	4304715135	5670	Federal	OW	TA
RWU 10 (12-23B)	23	070S	230E	4304715141	5670	Federal	OW	TA
RWU 101 (34-21B)	21	070S	230E	4304715220	5670	Federal	OW	P
RWU 103 (34-15B)	15	070S	230E	4304715222	5670	Federal	OW	P
RWU 108 (32-21B)	21	070S	230E	4304715226	5670	Federal	OW	P
RWU 109 (21-28B)	28	070S	230E	4304715227	5670	Federal	OW	P
RWU 110 (23-23A)	23	070S	220E	4304715228	5670	Federal	OW	P
RWU 111 (32-24A)	24	070S	220E	4304715229	5670	Federal	OW	TA
RWU 112 (32-28A)	28	070S	220E	4304715230	5670	Federal	OW	P
RWU 115 (21-19B)	19	070S	230E	4304715233	5670	Federal	OW	P
RWU 119 (43-29A)	29	070S	220E	4304715236	5670	Federal	OW	P
RWU 120 (23-28B)	28	070S	230E	4304715237	5670	Federal	OW	TA
RWU 121 (13-13B)	13	070S	230E	4304715238	5670	Federal	GW	P
RWU 122 (24-14B)	14	070S	230E	4304715239	5670	Federal	OW	P
RWU 125 (34-19B)	19	070S	230E	4304715242	5670	Federal	OW	TA
RWU 126 (41-29A)	29	070S	220E	4304715243	5670	Federal	OW	P
RWU 127 (12-19B)	19	070S	230E	4304715244	5670	Federal	OW	TA
RWU 129 (14-15B)	15	070S	230E	4304715246	5670	Federal	OW	P
RWU 13 (14-22B)	22	070S	230E	4304715143	5670	Federal	OW	TA
RWU 133 (41-34B)	34	070S	230E	4304715250	5670	Federal	OW	P
RWU 136 (43-19B)	19	070S	230E	4304715252	5670	Federal	OW	TA
RWU 137 (34-28B)	28	070S	230E	4304715253	5670	Federal	GW	TA
RWU 138 (41-30B)	30	070S	230E	4304715254	5670	Federal	OW	P
RWU 140 (24-22B)	22	070S	230E	4304715255	5670	Federal	OW	P
RWU 141 (11-27B)	27	070S	230E	4304715256	5670	Federal	OW	TA
RWU 143 (33-14B)	14	070S	230E	4304715257	5670	Federal	OW	P
RWU 144 (21-18B)	18	070S	230E	4304715258	5670	Federal	OW	TA
RWU 145 (24-13B)	13	070S	230E	4304715259	5670	Federal	OW	TA
RWU 147 (22-22B)	22	070S	230E	4304715260	5670	Federal	OW	TA
RWU 15 (32-17C)	17	070S	240E	4304715145	5670	Federal	OW	P
RWU 151 (42-14B)	14	070S	230E	4304715264	5670	Federal	OW	P
RWU 153 (14-29B)	29	070S	230E	4304715265	5670	Federal	OW	P
RWU 158 (32-30B)	30	070S	230E	4304715268	5670	Federal	OW	P
RWU 160 (32-15B)	15	070S	230E	4304715270	5670	Federal	OW	P
RWU 162 (12-20B)	20	070S	230E	4304715272	5670	Federal	OW	TA
RWU 164 (12-28B)	28	070S	230E	4304715274	5670	Federal	OW	P
RWU 165 (32-26B)	26	070S	230E	4304715275	5670	Federal	GW	TA
RWU 167 (23-21B)	21	070S	230E	4304715277	5670	Federal	OW	S
RWU 168 (23-24B)	24	070S	230E	4304715278	5670	Federal	OW	TA
RWU 172 (21-30B)	30	070S	230E	4304715280	5670	Federal	OW	TA
RWU 176 (31-28B)	28	070S	230E	4304715283	5670	Federal	OW	TA
RWU 177 (42-28B)	28	070S	230E	4304715284	5670	Federal	OW	TA
RWU 178 (22-13B)	13	070S	230E	4304715285	5670	Federal	OW	TA
RWU 180 (31-23B)	23	070S	230E	4304715287	5670	Federal	OW	TA
RWU 181 (34-30B)	30	070S	230E	4304715288	5670	Federal	OW	P
RWU 184 (23-26B)	26	070S	230E	4304715290	5670	Federal	OW	TA
RWU 188 (23-20B)	20	070S	230E	4304715291	5670	Federal	OW	TA
RWU 19 (34-26B)	26	070S	230E	4304715148	5670	Federal	GW	TA
RWU 192 (41-33A)	33	070S	220E	4304715294	5670	Federal	OW	P
RWU 193 (43-24B)	24	070S	230E	4304715295	5670	Federal	GW	S
RWU 194 (12-14B)	14	070S	230E	4304715296	5670	Federal	OW	S
RWU 196 (23-17C)	17	070S	240E	4304715298	5670	Federal	GW	S
RWU 201 (32-28C)	28	070S	240E	4304715302	5670	Federal	GW	P
RWU 204 (23-25A)	25	070S	220E	4304715305	5670	Federal	OW	P
RWU 205 (23-21C)	21	070S	240E	4304715306	5670	Federal	GW	TA
RWU 207	17	070S	230E	4304732738	5670	Federal	OW	P
RWU 21 (32-14B)	14	070S	230E	4304715150	5670	Federal	OW	P
RWU 212 (41-8F)	08	080S	240E	4304720014	5670	Federal	GW	P
RWU 21-24A	24	070S	220E	4304733592	5670	Federal	OW	P

## SEI (N4235) to QEP (N2460) RED WASH UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat	
RWU 21-25A	25	070S	220E	4304733576	5670	Federal	OW	P	
RWU 219 (44-21C)	21	070S	240E	4304730149	5670	Federal	GW	P	
RWU 220 (22-23B)	23	070S	230E	4304730192	5670	Federal	OW	TA	
RWU 221 (13-27B)	27	070S	230E	4304730199	5670	Federal	OW	TA	
RWU 22-13A	13	070S	220E	4304733765	5670	Federal	OW	S	
RWU 22-19B	19	070S	230E	4304733559	5670	Federal	OW	P	
RWU 222 (31-27B)	27	070S	230E	4304730200	5670	Federal	GW	TA	
RWU 22-20B	20	070S	230E	4304733491	5670	Federal	OW	P	
RWU 22-25A	25	070S	220E	4304733786	5670	Federal	OW	P	
RWU 22-29B	29	070S	230E	4304733766	5670	Federal	OW	S	
RWU 224 (44-22B)	22	070S	230E	4304730202	5670	Federal	GW	TA	
RWU 225 (13-23B)	23	070S	230E	4304730212	5670	Federal	GW	TA	
RWU 226 (24-23B)	23	070S	230E	4304730249	5670	Federal	GW	S	
RWU 227 (14-26B)	26	070S	230E	4304730257	5670	Federal	OW	TA	
RWU 228 (21-34B)	34	070S	230E	4304730258	5670	Federal	OW	P	
RWU 229 (43-26B)	26	070S	230E	4304730259	5670	Federal	OW	TA	
RWU 230 (14-18C)	18	070S	240E	4304730309	5670	Federal	OW	TA	
RWU 231 (21-35B)	35	070S	230E	4304730310	5670	Federal	OW	TA	
RWU 232 (12-26B)	26	070S	230E	4304730311	5670	Federal	OW	TA	
RWU 23-24A	24	070S	220E	4304733567	5670	Federal	OW	P	
RWU 233 (12-25B)	25	070S	230E	4304730312	5670	Federal	OW	TA	
RWU 234 (32-24B)	24	070S	230E	4304730313	5670	Federal	OW	P	
RWU 235 (34-18C)	18	070S	240E	4304730314	5670	Federal	OW	P	
RWU 236 (21-19C)	19	070S	240E	4304730340	5670	Federal	GW	P	
RWU 237 (14-25B)	25	070S	230E	4304730341	5670	Federal	OW	P	
RWU 238 (32-35B)	35	070S	230E	4304730342	5670	Federal	OW	TA	
RWU 239 (41-35B)	35	070S	230E	4304730343	5670	Federal	OW	TA	
RWU 24 (34-14B)	14	070S	230E	4304715152	5670	Federal	OW	P	
RWU 240 (12-36B)	36	070S	230E	4304730344	5670	Federal	OW	P	
RWU 241 (22-14B)	14	070S	230E	4304730345	5670	Federal	OW	P	
RWU 24-18B	18	070S	230E	4304733554	5670	Federal	OW	P	
RWU 24-19B	19	070S	230E	4304733492	5670	Federal	OW	P	
RWU 242 (42-13B)	13	070S	230E	4304730346	5670	Federal	OW	P	
RWU 243 (42-18C)	18	070S	240E	4304730347	5670	Federal	OW	TA	
RWU 244 (23-19C)	19	070S	240E	4304730348	5670	Federal	GW	P	
RWU 246 (22-18C)	18	070S	240E	4304730387	5670	Federal	OW	P	
RWU 247 (22-17C)	17	070S	240E	4304730388	5670	Federal	GW	P	
RWU 26 (23-22B)	22	070S	230E	4304715153	5670	Federal	OW	TA	
RWU 262 (22-26B)	26	070S	230E	4304730517	5670	Federal	GW	TA	
RWU 265 (44-26B)	26	070S	230E	4304730520	5670	Federal	GW	P	
RWU 267 (32-17B)	17	070S	230E	4304732981	5670	Federal	OW	P	
RWU 27 (43-14B)	14	070S	230E	4304715154	5670	Federal	OW	TA	
RWU 270 (22-35B)	35	070S	230E	4304731082	5670	Federal	OW	P	
RWU 272 (44-23B)	23	070S	230E	4304731054	5670	Federal	GW	P	
RWU 273 (42-27B)	27	070S	230E	4304731051	5670	Federal	OW	TA	
RWU 276 (44-27B)	27	070S	230E	4304731053	5670	Federal	OW	TA	
RWU 278 (11-26)	26	070S	230E	4304731076	5670	Federal	GW	TA	
RWU 28 (43-22B)	22	070S	230E	4304715155	5670	Federal	OW	P	
RWU 280 (11-35B)	35	070S	230E	4304731079	5670	Federal	OW	P	
RWU 282 (42-26B)	26	070S	230E	4304731080	5670	Federal	GW	TA	
RWU 284 (33-23B)	23	070S	230E	4304731476	5670	Federal	GW	TA	
RWU 285 (11-24B)	24	070S	230E	4304731477	5670	Federal	OW	P	
RWU 286 (42-21B)	21	070S	230E	4304731478	5670	Federal	OW	P	
RWU 287 (44-13B)	13	070S	230E	4304731512	5670	Federal	OW	TA	
RWU 288 (24-27)	27	070S	230E	4304731513	5670	Federal	OW	TA	
RWU 289 (13-24B)	24	070S	230E	4304731517	5670	Federal	OW	P	
RWU 29 (32-23B)	23	070S	230E	4304715156	5670	Federal	OW	P	
RWU 292 (42-23B)	23	070S	230E	4304731576	5670	Federal	GW	TA	
RWU 293 (22-22A)	22	070S	220E	4304731581	5670	Federal	OW	TA	
RWU 294 (24-18C)	18	070S	240E	4304731582	5670	Federal	GW	P	
RWU 295 (11-22B)	22	070S	230E	4304731577	5670	Federal	GW	TA	
RWU 296 (12-35B)	35	070S	230E	4304731578	5670	Federal	OW	P	
RWU 297 (24-15B)	15	070S	230E	4304731579	5670	Federal	OW	P	
RWU 298 (22-27B)	27	070S	230E	4304731679	5670	Federal	OW	TA	
RWU 299 (32-18B)	18	070S	230E	4304733018	5670	Federal	OW	P	

## SEI (N4235) to QEP (N2460) RED WASH UNIT

well name	Sec	T	R	api	Entity	Lease Type	type	stat	
RWU 3 (34-23B)	23	070S	230E	4304715136	5670	Federal	OW	P	
RWU 30 (23-13B)	13	070S	230E	4304715157	5670	Federal	GW	TA	
RWU 301 (43-15B)	15	070S	230E	4304731682	5670	Federal	GW	S	
RWU 302 (22-24B)	24	070S	230E	4304731683	5670	Federal	GW	TA	
RWU 303 (34-17B)	17	070S	230E	4304731819	5670	Federal	OW	P	
RWU 31 (34-22B)	22	070S	230E	4304715158	5670	Federal	OW	P	
RWU 33 (14-14B)	14	070S	230E	4304715160	5670	Federal	GW	TA	
RWU 35 (43-13B)	13	070S	230E	4304715162	5670	Federal	OW	TA	
RWU 36 (32-13B)	13	070S	230E	4304715163	5670	Federal	GW	P	
RWU 38 (14-23B)	23	070S	230E	4304715165	5670	Federal	OW	P	
RWU 39 (14-24A)	24	070S	220E	4304715166	5670	Federal	OW	TA	
RWU 4 (41-22B)	22	070S	230E	4304715137	5670	Federal	OW	TA	
RWU 40 (21-24B)	24	070S	230E	4304715167	5670	Federal	OW	TA	
RWU 41 (34-13B)	13	070S	230E	4304715168	5670	Federal	OW	P	
RWU 41-24A	24	070S	220E	4304733769	5670	Federal	OW	P	
RWU 41-25A	25	070S	220E	4304733579	5670	Federal	OW	P	
RWU 42 (21-29C)	29	070S	240E	4304715169	5670	Federal	GW	P	
RWU 42-19B	19	070S	230E	4304733556	5670	Federal	OW	P	
RWU 42-20B	20	070S	230E	4304733490	5670	Federal	OW	P	
RWU 42-24A	24	070S	220E	4304733569	5670	Federal	OW	P	
RWU 42-25A	25	070S	220E	4304733580	5670	Federal	OW	S	
RWU 42-30B	30	070S	230E	4304733771	5670	Federal	OW	P	
RWU 43 (12-17B)	17	070S	230E	4304715170	5670	Federal	OW	P	
RWU 44 (32-33C)	33	070S	240E	4304715171	5670	Federal	GW	P	
RWU 44-18B	18	070S	230E	4304733594	5670	Federal	OW	P	
RWU 44-30B	30	070S	230E	4304733772	5670	Federal	OW	P	
RWU 45 (23-30B)	30	070S	230E	4304715172	5670	Federal	OW	TA	
RWU 46 (41-21C)	21	070S	240E	4304715173	5670	Federal	GW	TA	
RWU 49 (12-29B)	29	070S	230E	4304715175	5670	Federal	OW	TA	
RWU 5 (41-23B)	23	070S	230E	4304715138	5670	Federal	OW	P	
RWU 50 (14-23A)	23	070S	220E	4304715176	5670	Federal	OW	P	
RWU 52 (14-18B)	18	070S	230E	4304715178	5670	Federal	OW	TA	
RWU 53 (41-25A)	25	070S	220E	4304715179	5670	Federal	OW	TA	
RWU 57 (12-18C)	18	070S	240E	4304715183	5670	Federal	OW	P	
RWU 63 (21-22B)	22	070S	230E	4304715186	5670	Federal	GW	TA	
RWU 64 (32-27B)	27	070S	230E	4304715187	5670	Federal	OW	TA	
RWU 66 (34-18B)	18	070S	230E	4304715189	5670	Federal	OW	P	
RWU 67 (42-22B)	22	070S	230E	4304715190	5670	Federal	OW	TA	
RWU 69 (21-27B)	27	070S	230E	4304715191	5670	Federal	OW	TA	
RWU 70 (23-22A)	22	070S	220E	4304715192	5670	Federal	OW	P	
RWU 71 (21-18C)	18	070S	240E	4304715193	5670	Federal	OW	P	
RWU 72 (23-27B)	27	070S	230E	4304715194	5670	Federal	OW	TA	
RWU 74 (12-13B)	13	070S	230E	4304715196	5670	Federal	GW	P	
RWU 75 (21-26B)	26	070S	230E	4304715197	5670	Federal	OW	TA	
RWU 76 (32-18C)	18	070S	240E	4304715198	5670	Federal	GW	S	
RWU 77 (21-13B)	13	070S	230E	4304715199	5670	Federal	OW	P	
RWU 78 (32-28B)	28	070S	230E	4304715200	5670	Federal	OW	P	
RWU 79 (12-27B)	27	070S	230E	4304715201	5670	Federal	OW	TA	
RWU 8 (32-22B)	22	070S	230E	4304715139	5670	Federal	OW	P	
RWU 80 (14-27B)	27	070S	230E	4304715202	5670	Federal	OW	P	
RWU 81 (41-31B)	31	070S	230E	4304715203	5670	Federal	OW	P	
RWU 83 (41-27A)	27	070S	220E	4304715205	5670	Federal	OW	P	
RWU 84 (44-14B)	14	070S	230E	4304715206	5670	Federal	GW	P	
RWU 9 (43-23B)	23	070S	230E	4304715140	5670	Federal	OW	P	
RWU 90 (43-21B)	21	070S	230E	4304715211	5670	Federal	OW	P	
RWU 92 (11-23B)	23	070S	230E	4304715212	5670	Federal	OW	TA	
RWU 94 (12-22A)	22	070S	220E	4304715213	5670	Federal	OW	P	
RWU 99 (12-22B)	22	070S	230E	4304715218	5670	Federal	OW	P	
RED WASH UNIT 259	16	070S	230E	4304732785	5670	State	OW	P	
RED WASH UNIT 260	16	070S	230E	4304732786	5670	State	OW	P	
RWU 51 (12-16B)	16	070S	230E	4304715177	5670	State	OW	P	
RWU ST 189 (41-16B)	16	070S	230E	4304715292	5670	State	OW	P	
RED WASH UNIT 261	17	070S	230E	4304732739	5670	Federal	WI	A	
RWU 100-A (43-21A)	21	070S	220E	4304715219	5670	Federal	WI	A	

## SEI (N4235) to QEP (N2460) RED WASH UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat
RWU 102 (41-24A)	24	070S	220E	4304715221	5670	Federal	WI	A
RWU 11	27	070S	230E	4304715142	5670	Federal	WI	A
RWU 11-19B	19	070S	230E	4304733552	5670	Federal	WI	A
RWU 11-20B	20	070S	230E	4304733553	5670	Federal	WI	A
RWU 11-25A	25	070S	220E	4304733574	5670	Federal	WI	A
RWU 11-29B	29	070S	230E	4304733590	5670	Federal	WI	A
RWU 11-30B	30	070S	230E	4304733785	5670	Federal	WI	A
RWU 12-24A	24	070S	220E	4304733591	5670	Federal	WI	A
RWU 13-19B	19	070S	230E	4304733497	5670	Federal	WI	A
RWU 13-20B	20	070S	230E	4304733498	5670	Federal	WI	A
RWU 13-25A	25	070S	220E	4304733575	5670	Federal	WI	A
RWU 14 (14-13B)	13	070S	230E	4304715144	5670	Federal	WI	A
RWU 148 (13-22B)	22	070S	230E	4304715261	5670	Federal	WI	A
RWU 150 (31-22B)	22	070S	230E	4304715263	5670	Federal	WI	I
RWU 156 (23-15B)	15	070S	230E	4304715267	5670	Federal	WI	A
RWU 16 (43-28B)	28	070S	230E	4304716475	5670	Federal	WI	I
RWU 161 (14-20B)	20	070S	230E	4304715271	5670	Federal	WI	I
RWU 17 (41-20B)	20	070S	230E	4304715146	5670	Federal	WI	A
RWU 170 (41-15B)	15	070S	230E	4304716495	5670	Federal	WI	I
RWU 173 (21-21B)	21	070S	230E	4304716496	5670	Federal	WI	A
RWU 174 (21-20B)	20	070S	230E	4304715281	5670	Federal	WI	A
RWU 182 (14-21B)	21	070S	230E	4304716497	5670	Federal	WI	A
RWU 183 (33-13B)	13	070S	230E	4304715289	5670	Federal	WI	A
RWU 185 (41-1B)	14	070S	230E	4304716498	5670	Federal	WI	A
RWU 199 (43-22A)	22	070S	220E	4304715301	5670	Federal	WI	A
RWU 2 (14-24B)	24	070S	230E	4304716472	5670	Federal	WI	A
RWU 202 (21-34A)	34	070S	220E	4304715303	5670	Federal	WI	I
RWU 213 (41-33B)	33	070S	230E	4304720060	5670	Federal	WD	A
RWU 215 (43-28A)	28	070S	220E	4304730058	5670	Federal	WI	A
RWU 216 (21-27A)	27	070S	220E	4304730103	5670	Federal	WI	A
RWU 23 (21-23B)	23	070S	230E	4304715151	5670	Federal	WI	A
RWU 23-18C (97)	18	070S	240E	4304715216	5670	Federal	WI	I
RWU 25 (23-23B)	23	070S	230E	4304716476	5670	Federal	WI	A
RWU 258 (34-22A)	22	070S	220E	4304730458	5670	Federal	WI	A
RWU 263 (24-26B)	26	070S	230E	4304730518	5670	Federal	WI	I
RWU 264 (31-35B)	35	070S	230E	4304730519	5670	Federal	WI	A
RWU 266 (33-26B)	26	070S	230E	4304730521	5670	Federal	WI	I
RWU 268 (43-17B)	17	070S	230E	4304732980	5670	Federal	WI	A
RWU 269 (13-26B)	26	070S	230E	4304730522	5670	Federal	WI	I
RWU 271 (42-35B)	35	070S	230E	4304731081	5670	Federal	WI	I
RWU 275 (31-26B)	26	070S	230E	4304731077	5670	Federal	WI	A
RWU 279 (11-36B)	36	070S	230E	4304731052	5670	Federal	WI	A
RWU 283 (43-18B)	18	070S	230E	4304732982	5670	Federal	WI	A
RWU 31-19B	19	070S	230E	4304733555	5670	Federal	WI	A
RWU 31-25A	25	070S	220E	4304733577	5670	Federal	WI	A
RWU 31-30B	30	070S	230E	4304733788	5670	Federal	WI	A
RWU 33-19B	19	070S	230E	4304733499	5670	Federal	WI	A
RWU 33-20B	20	070S	230E	4304733500	5670	Federal	WI	A
RWU 33-25A	25	070S	220E	4304733578	5670	Federal	WI	A
RWU 33-30B	30	070S	230E	4304733790	5670	Federal	WI	A
RWU 34 (23-14B)	14	070S	230E	4304715161	5670	Federal	WI	A
RWU 34-13A	13	070S	220E	4304733593	5670	Federal	WI	A
RWU 34-24A	24	070S	220E	4304733568	5670	Federal	WI	A
RWU 48 (32-19B)	19	070S	230E	4304715174	5670	Federal	WI	I
RWU 56 (41-28B)	28	070S	230E	4304715182	5670	Federal	WI	A
RWU 59 (12-24B)	24	070S	230E	4304716477	5670	Federal	WI	A
RWU 6 (41-21B)	21	070S	230E	4304716482	5670	Federal	WI	A
RWU 61 (12-27A)	27	070S	220E	4304716478	5670	Federal	WI	I
RWU 68 (41-13B)	13	070S	230E	4304716485	5670	Federal	WI	I
RWU 7 (41-27B)	27	070S	230E	4304716473	5670	Federal	WI	I
RWU 88 (23-18B)	18	070S	230E	4304715210	5670	Federal	WI	A
RWU 91 (33-22B)	22	070S	230E	4304716479	5670	Federal	WI	A
RWU 93 (43-27B)	27	070S	230E	4304716480	5670	Federal	WI	I
RWU 324 (23-16B)	16	070S	230E	4304733084	5670	State	WI	I



# United States Department of the Interior

## BUREAU OF LAND MANAGEMENT

Utah State Office  
P.O. Box 45155  
Salt Lake City, UT 84145-0155

IN REPLY REFER TO  
UT-922

June 9, 2003

QEP Uinta Basin, Inc.  
1050 17<sup>th</sup> Street, Suite 500  
Denver, Colorado 80265

Re: Red Wash Unit  
Uintah County, Utah

Gentlemen:

On May 30, 2003, we received an indenture dated February 1, 2003, whereby Shenandoah Energy, Inc. changed its name and QEP Uinta Basin, Inc. was designated as Successor Unit Operator for the Red Wash Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective June 9, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under Red Wash Unit Agreement.

Your nationwide (Eastern States) oil and gas bond No. B000024 will be used to cover all operations within the Red Wash Unit.

It is requested that you notify all interested parties of the name change of unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks  
Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)  
SITLA  
Division of Oil, Gas & Mining  
Minerals Adjudication Group  
File – Red Wash Unit (w/enclosure)  
Agr. Sec. Chron  
Fluid Chron

UT922:TAThompson:tt:6/9/03

JUL 07 2003

3104 (932.34)WF  
Nationwide Bond ESB000024

NOTICE

QEP Uinta Basin, Inc.  
1050 17<sup>th</sup> Street Suite 500  
Denver, Colorado 80265

:  
: Oil and Gas  
: lease  
:

Name Change Recognized

Acceptable evidence has been filed in this office concerning the name change of Shenandoah Energy Incorporated into QEP Uinta Basin, Incorporated. QEP Uinta Basin, Incorporated is the surviving entity. This name change is recognized effective April 17, 2003.

Eastern States will notify the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice.

If you identify other leases in which the merging entity maintain an interest, please contact this office and we will appropriately document those files with a copy of this notice.

If you have any questions, please contact Bill Forbes at 703-440-1536.

*S/Wilbert B. Forbes*

Wilbert B. Forbes  
Land Law Examiner  
Branch of Use Authorization  
Division of Resources Planning,  
Use and Protection

bc: JFO,MMS, ES RF, 930 RF, 932.34 RF, E-932: wbf:07 /07/03:440-1536/ QEP Uinta Basin  
MFO

**Division of Oil, Gas and Mining**  
**OPERATOR CHANGE WORKSHEET**

<b>ROUTING</b>
1. DJJ
2. CDW

Change of Operator (Well Sold)

**X - Operator Name Change/Merger**

The operator of the well(s) listed below has changed, effective:

**1/1/2007**

<b>FROM: (Old Operator):</b> N2460-QEP Uinta Basin, Inc. 1050 17th St, Suite 500 Denver, CO 80265  Phone: 1 (303) 672-6900	<b>TO: ( New Operator):</b> N5085-Questar E&P Company 1050 17th St, Suite 500 Denver, CO 80265  Phone: 1 (303) 672-6900
---	--

WELL NAME	CA No.	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LISTS					*				

**OPERATOR CHANGES DOCUMENTATION**

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 4/19/2007
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 4/16/2007
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 1/31/2005
- Is the new operator registered in the State of Utah:                      Business Number: 764611-0143
- (R649-9-2) Waste Management Plan has been received on:                      IN PLACE
- Inspections of LA PA state/fee well sites complete on:                      n/a
- Reports current for Production/Disposition & Sundries on:                      n/a
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on:                      BLM 4/23/2007 BIA
- Federal and Indian Units:**  
The BLM or BIA has approved the successor of unit operator for wells listed on:                      4/23/2007
- Federal and Indian Communization Agreements ("CA"):**  
The BLM or BIA has approved the operator for all wells listed within a CA on:
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on:

**DATA ENTRY:**

- Changes entered in the **Oil and Gas Database** on: 4/30/2007 and 5/15/2007
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 4/30/2007 and 5/15/2007
- Bond information entered in RBDMS on: 4/30/2007 and 5/15/2007
- Fee/State wells attached to bond in RBDMS on: 4/30/2007 and 5/15/2007
- Injection Projects to new operator in RBDMS on: 4/30/2007 and 5/15/2007
- Receipt of Acceptance of Drilling Procedures for APD/New on:                      n/a

**BOND VERIFICATION:**

- Federal well(s) covered by Bond Number:                      ESB000024
- Indian well(s) covered by Bond Number:                      799446
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number                      965003033
- The **FORMER** operator has requested a release of liability from their bond on:                      n/a

**LEASE INTEREST OWNER NOTIFICATION:**

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on:                      n/a

**COMMENTS: THIS IS A COMPANY NAME CHANGE.**

**SOME WELL NAMES HAVE BEEN CHANGED AS REQUESTED**

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 1 (41-26B)	RW 41-26B	NENE	26	070S	230E	4304715135	5670	Federal	OW	TA
RWU 3 (34-23B)	RW 34-23B	SWSE	23	070S	230E	4304715136	5670	Federal	OW	P
RWU 4 (41-22B)	RW 41-22B	NENE	22	070S	230E	4304715137	5670	Federal	OW	TA
RWU 5 (41-23B)	RW 41-23B	NENE	23	070S	230E	4304715138	5670	Federal	OW	P
RWU 8 (32-22B)	RW 32-22B	SWNE	22	070S	230E	4304715139	5670	Federal	OW	P
RWU 9 (43-23B)	RW 43-23B	NESE	23	070S	230E	4304715140	5670	Federal	OW	P
RWU 10 (12-23B)	RW 12-23B	SWNW	23	070S	230E	4304715141	5670	Federal	OW	TA
RWU 11	RW 34-27B	SWSE	27	070S	230E	4304715142	99996	Federal	WI	A
RWU 13 (14-22B)	RW 14-22B	SWSW	22	070S	230E	4304715143	5670	Federal	OW	TA
RW 14-13B	RW 14-13B	SWSW	13	070S	230E	4304715144	99996	Federal	WI	A
RWU 15 (32-17C)	RW 32-17C	SWNE	17	070S	240E	4304715145	5670	Federal	OW	P
RWU 17 (41-20B)	RW 41-20B	NENE	20	070S	230E	4304715146	5670	Federal	WI	A
RWU 19 (34-26B)	RW 34-26B	SWSE	26	070S	230E	4304715148	5670	Federal	GW	S
RWU 21 (32-14B)	RW 32-14B	SWNE	14	070S	230E	4304715150	5670	Federal	OW	P
RWU 23 (21-23B)	RW 21-23B	SENE	23	070S	230E	4304715151	99996	Federal	WI	A
RWU 24 (34-14B)	RW 34-14B	SWSE	14	070S	230E	4304715152	5670	Federal	OW	S
RWU 26 (23-22B)	RW 23-22B	NESW	22	070S	230E	4304715153	5670	Federal	OW	TA
RWU 27 (43-14B)	RW 43-14B	NESE	14	070S	230E	4304715154	5670	Federal	OW	TA
RWU 28 (43-22B)	RW 43-22B	NESE	22	070S	230E	4304715155	5670	Federal	OW	P
RWU 29 (32-23B)	RW 32-23B	SWNE	23	070S	230E	4304715156	5670	Federal	OW	P
RW 23-13B	RW 23-13B	NESW	13	070S	230E	4304715157	5670	Federal	GW	TA
RWU 31 (34-22B)	RW 34-22B	SWSE	22	070S	230E	4304715158	5670	Federal	OW	P
RWU 33 (14-14B)	RW 14-14B	SWSW	14	070S	230E	4304715160	5670	Federal	GW	TA
RWU 34 (23-14B)	RW 23-14B	NESW	14	070S	230E	4304715161	99996	Federal	WI	A
RW 43-13B	RW 43-13B	NESE	13	070S	230E	4304715162	5670	Federal	OW	TA
RWU 36 (32-13B)	RW 32-13B	SWNE	13	070S	230E	4304715163	5670	Federal	GW	P
RWU 38 (14-23B)	RW 14-23B	SWSW	23	070S	230E	4304715165	5670	Federal	OW	P
RWU 39 (14-24A)	RW 14-24A	SWSW	24	070S	220E	4304715166	5670	Federal	OW	TA
RWU 40 (21-24B)	RW 21-24B	NENW	24	070S	230E	4304715167	5670	Federal	OW	TA
RWU 41 (34-13B)	RW 34-13B	SWSE	13	070S	230E	4304715168	5670	Federal	OW	P
RWU 42 (21-29C)	RW 21-29C	NENW	29	070S	240E	4304715169	5670	Federal	GW	P
RWU 43 (12-17B)	RW 12-17B	SWNW	17	070S	230E	4304715170	5670	Federal	OW	P
RWU 44 (32-33C)	RW 32-33C	SWNE	33	070S	240E	4304715171	5670	Federal	GW	P
RWU 45 (23-30B)	RW 23-30B	NESW	30	070S	230E	4304715172	5670	Federal	OW	TA
RWU 46 (41-21C)	RW 41-21C	NENE	21	070S	240E	4304715173	5670	Federal	GW	TA
RWU 48 (32-19B)	RW 32-19B	SWNE	19	070S	230E	4304715174	99996	Federal	WI	I
RWU 49 (12-29B)	RW 12-29B	SWNW	29	070S	230E	4304715175	5670	Federal	OW	TA
RWU 50 (14-23A)	RW 14-23A	SWSW	23	070S	220E	4304715176	5670	Federal	OW	P
RWU 52 (14-18B)	RW 14-18B	SWSW	18	070S	230E	4304715178	5670	Federal	OW	TA
RWU 53 (41-25A)	RW 41-25A	NENE	25	070S	220E	4304715179	5670	Federal	OW	TA
RWU 56 (41-28B)	RW 41-28B	NENE	28	070S	230E	4304715182	99996	Federal	WI	A

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 57 (12-18C)	RW 12-18C	SWNW	18	070S	240E	4304715183	5670	Federal	OW	P
RWU 63 (21-22B)	RW 21-22B	NENW	22	070S	230E	4304715186	5670	Federal	GW	TA
RWU 64 (32-27B)	RW 32-27B	SWNE	27	070S	230E	4304715187	5670	Federal	OW	TA
RWU 66 (34-18B)	RW 34-18B	SWSE	18	070S	230E	4304715189	5670	Federal	OW	P
RWU 67 (42-22B)	RW 42-22B	SENE	22	070S	230E	4304715190	5670	Federal	OW	TA
RWU 69 (21-27B)	RW 21-27B	NENW	27	070S	230E	4304715191	5670	Federal	OW	TA
RWU 70 (23-22A)	RW 23-22A	NESW	22	070S	220E	4304715192	5670	Federal	OW	P
RWU 71 (21-18C)	RW 21-18C	NENW	18	070S	240E	4304715193	5670	Federal	OW	P
RWU 72 (23-27B)	RW 23-27B	NESW	27	070S	230E	4304715194	5670	Federal	OW	TA
RWU 74 (12-13B)	RW 12-13B	SWNW	13	070S	230E	4304715196	5670	Federal	GW	S
RWU 75 (21-26B)	RW 21-26B	NENW	26	070S	230E	4304715197	5670	Federal	OW	TA
RWU 76 (32-18C)	RW 32-18C	SWNE	18	070S	240E	4304715198	5670	Federal	GW	P
RWU 77 (21-13B)	RWU 77 (21-13B)	NENW	13	070S	230E	4304715199	5670	Federal	OW	P
RWU 78 (32-28B)	RW 32-28B	SWNE	28	070S	230E	4304715200	5670	Federal	OW	P
RWU 79 (12-27B)	RW 12-27B	SWNW	27	070S	230E	4304715201	5670	Federal	OW	TA
RWU 80 (14-27B)	RW 14-27B	SWSW	27	070S	230E	4304715202	5670	Federal	OW	S
RWU 81 (41-31B)	RW 41-31B	NENE	31	070S	230E	4304715203	5670	Federal	OW	P
RWU 83 (41-27A)	RW 41-27A	NENE	27	070S	220E	4304715205	5670	Federal	OW	P
RWU 84 (44-14B)	RW 44-14B	SESE	14	070S	230E	4304715206	5670	Federal	GW	P
RWU 88 (23-18B)	RW 23-18B	NESW	18	070S	230E	4304715210	5670	Federal	WI	A
RWU 90 (43-21B)	RW 43-21B	NESE	21	070S	230E	4304715211	5670	Federal	OW	P
RWU 92 (11-23B)	RW 11-23B	NWNW	23	070S	230E	4304715212	5670	Federal	OW	TA
RWU 94 (12-22A)	RW 12-22A	SWNW	22	070S	220E	4304715213	5670	Federal	OW	P
RWU 23-18C (97)	RW 23-18C	NESW	18	070S	240E	4304715216	99996	Federal	WI	I
RWU 99 (12-22B)	RW 12-22B	SWNW	22	070S	230E	4304715218	5670	Federal	OW	P
RWU 100-A (43-21A)	RW 43-21A	NESE	21	070S	220E	4304715219	5670	Federal	WI	A
RWU 101 (34-21B)	RW 34-21B	SWSE	21	070S	230E	4304715220	5670	Federal	OW	P
RWU 102 (41-24A)	RW 41-24A	SENE	24	070S	220E	4304715221	5670	Federal	WI	A
RWU 103 (34-15B)	RW 34-15B	SWSE	15	070S	230E	4304715222	5670	Federal	OW	P
RWU 108 (32-21B)	RW 32-21B	SWNE	21	070S	230E	4304715226	5670	Federal	OW	P
RWU 109 (21-28B)	RW 21-28B	NENW	28	070S	230E	4304715227	5670	Federal	OW	P
RWU 110 (23-23A)	RW 23-23A	NESW	23	070S	220E	4304715228	5670	Federal	OW	P
RWU 111 (32-24A)	RW 32-24A	SWNE	24	070S	220E	4304715229	5670	Federal	OW	S
RWU 112 (32-28A)	RW 32-28A	SWNE	28	070S	220E	4304715230	5670	Federal	OW	S
RWU 115 (21-19B)	RW 21-19B	NENW	19	070S	230E	4304715233	5670	Federal	OW	P
RWU 119 (43-29A)	RW 43-29A	NESE	29	070S	220E	4304715236	5670	Federal	OW	P
RWU 120 (23-28B)	RW 23-28B	NESW	28	070S	230E	4304715237	5670	Federal	OW	TA
RW 13-13B	RW 13-13B	NWSW	13	070S	230E	4304715238	5670	Federal	GW	P
RWU 122 (24-14B)	RW 24-14B	SESW	14	070S	230E	4304715239	5670	Federal	OW	P
RWU 125 (34-19B)	RW 34-19B	SWSE	19	070S	230E	4304715242	5670	Federal	OW	TA
RWU 126 (41-29A)	RW 41-29A	NENE	29	070S	220E	4304715243	5670	Federal	OW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 127 (12-19B)	RW 12-19B	SWNW	19	070S	230E	4304715244	5670	Federal	OW	S
RWU 129 (14-15B)	RW 14-15B	SWSW	15	070S	230E	4304715246	5670	Federal	OW	P
RWU 133 (41-34B)	RW 41-34B	NENE	34	070S	230E	4304715250	5670	Federal	OW	P
RWU 136 (43-19B)	RW 43-19B	NESE	19	070S	230E	4304715252	5670	Federal	OW	TA
RWU 137 (34-28B)	RW 34-28B	SWSE	28	070S	230E	4304715253	5670	Federal	GW	TA
RWU 138 (41-30B)	RW 41-30B	NENE	30	070S	230E	4304715254	5670	Federal	OW	P
RWU 140 (24-22B)	RW 24-22B	SESW	22	070S	230E	4304715255	5670	Federal	OW	P
RWU 141 (11-27B)	RW 11-27B	NWNW	27	070S	230E	4304715256	5670	Federal	OW	TA
RWU 143 (33-14B)	RW 33-14B	NWSE	14	070S	230E	4304715257	5670	Federal	OW	P
RWU 144 (21-18B)	RW 21-18B	NENW	18	070S	230E	4304715258	5670	Federal	OW	TA
RW 24-13B	RW 24-13B	SESW	13	070S	230E	4304715259	5670	Federal	OW	TA
RWU 147 (22-22B)	RW 22-22B	SESW	22	070S	230E	4304715260	5670	Federal	OW	TA
RWU 148 (13-22B)	RW 13-22B	NWSW	22	070S	230E	4304715261	99996	Federal	WI	A
RWU 150 (31-22B)	RW 31-22B	NWNE	22	070S	230E	4304715263	99996	Federal	WI	I
RWU 151 (42-14B)	RW 42-14B	SENE	14	070S	230E	4304715264	5670	Federal	OW	P
RWU 153 (14-29B)	RW 14-29B	SWSW	29	070S	230E	4304715265	5670	Federal	OW	P
RWU 156 (23-15B)	RW 23-15B	NESW	15	070S	230E	4304715267	99990	Federal	WI	A
RWU 158 (32-30B)	RW 32-30B	SWNE	30	070S	230E	4304715268	5670	Federal	OW	P
RWU 160 (32-15B)	RW 32-15B	SWNE	15	070S	230E	4304715270	5670	Federal	OW	P
RWU 161 (14-20B)	RW 14-20B	SWSW	20	070S	230E	4304715271	99996	Federal	WI	I
RWU 162 (12-20B)	RW 12-20B	SWNW	20	070S	230E	4304715272	5670	Federal	OW	P
RWU 164 (12-28B)	RW 12-28B	SWNW	28	070S	230E	4304715274	5670	Federal	OW	P
RWU 165 (32-26B)	RW 32-26B	SWNE	26	070S	230E	4304715275	5670	Federal	GW	TA
RWU 167 (23-21B)	RW 23-21B	NESW	21	070S	230E	4304715277	5670	Federal	OW	S
RWU 168 (23-24B)	RW 23-24B	NESW	24	070S	230E	4304715278	5670	Federal	OW	TA
RWU 172 (21-30B)	RW 21-30B	NENW	30	070S	230E	4304715280	5670	Federal	OW	TA
RWU 174 (21-20B)	RW 21-20B	NENW	20	070S	230E	4304715281	5670	Federal	WI	A
RWU 176 (31-28B)	RW 31-28B	NWNE	28	070S	230E	4304715283	5670	Federal	OW	TA
RWU 177 (42-28B)	RW 42-28B	SENE	28	070S	230E	4304715284	5670	Federal	OW	TA
RW 22-13B	RW 22-13B	SESW	13	070S	230E	4304715285	5670	Federal	OW	TA
RWU 180 (31-23B)	RW 31-23B	NWNE	23	070S	230E	4304715287	5670	Federal	OW	TA
RWU 181 (34-30B)	RW 34-30B	SWSE	30	070S	230E	4304715288	5670	Federal	OW	P
RW 33-13B	RW 33-13B	NWSE	13	070S	230E	4304715289	5670	Federal	WI	A
RWU 184 (23-26B)	RW 23-26B	NESW	26	070S	230E	4304715290	5670	Federal	GW	S
RWU 188 (23-20B)	RW 23-20B	NESW	20	070S	230E	4304715291	5670	Federal	OW	TA
RWU 192 (41-33A)	RW 41-33A	NENE	33	070S	220E	4304715294	5670	Federal	OW	P
RWU 193 (43-24B)	RW 43-24B	NESE	24	070S	230E	4304715295	5670	Federal	GW	TA
RWU 194 (12-14B)	RW 12-14B	SWNW	14	070S	230E	4304715296	5670	Federal	OW	S
RWU 196 (23-17C)	RW 23-17C	NESW	17	070S	240E	4304715298	5670	Federal	GW	TA
RWU 199 (43-22A)	RW 43-22A	NESE	22	070S	220E	4304715301	99996	Federal	WI	A
RWU 201 (32-28C)	RW 32-28C	SWNE	28	070S	240E	4304715302	5670	Federal	GW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 202 (21-34A)	RW 21-34A	NENW	34	070S	220E	4304715303	99996	Federal	WI	I
RWU 204 (23-25A)	RW 23-25A	NESW	25	070S	220E	4304715305	5670	Federal	OW	P
RWU 205 (23-21C)	RW 23-21C	NESW	21	070S	240E	4304715306	5670	Federal	GW	TA
RWU 2 (14-24B)	RW 14-24B	SWSW	24	070S	230E	4304716472	99996	Federal	WI	A
RWU 7 (41-27B)	RW 41-27B	NENE	27	070S	230E	4304716473	99996	Federal	WI	I
RWU 16 (43-28B)	RW 43-28B	NESE	28	070S	230E	4304716475	99996	Federal	WI	I
RWU 25 (23-23B)	RW 23-23B	NESW	23	070S	230E	4304716476	99996	Federal	WI	A
RWU 59 (12-24B)	RW 12-24B	SWNW	24	070S	230E	4304716477	99996	Federal	WI	A
RWU 61 (12-27A)	RW 12-27A	SWNW	27	070S	220E	4304716478	99996	Federal	WI	I
RWU 91 (33-22B)	RW 33-22B	NWSE	22	070S	230E	4304716479	99996	Federal	WI	A
RWU 93 (43-27B)	RW 43-27B	NESE	27	070S	230E	4304716480	99996	Federal	WI	I
RWU 6 (41-21B)	RW 41-21B	NENE	21	070S	230E	4304716482	99996	Federal	WI	A
RWU 68 (41-13B)	RW 41-13B	NENE	13	070S	230E	4304716485	99996	Federal	WI	I
RWU 170 (41-15B)	RW 41-15B	NENE	15	070S	230E	4304716495	99996	Federal	WI	I
RWU 173 (21-21B)	RW 21-21B	NENW	21	070S	230E	4304716496	99996	Federal	WI	A
RWU 182 (14-21B)	RW 14-21B	SWSW	21	070S	230E	4304716497	99996	Federal	WI	A
RWU 185 (41-1B)	RW 41-14B	NENE	14	070S	230E	4304716498	99996	Federal	WI	A
RWU 212 (41-8F)	RW 41-8F	NENE	08	080S	240E	4304720014	5670	Federal	GW	P
RWU 213 (41-33B)	RW 41-33B	NENE	33	070S	230E	4304720060	99996	Federal	WD	A
RWU 215 (43-28A)	RW 43-28A	NESE	28	070S	220E	4304730058	99996	Federal	WD	A
RWU 216 (21-27A)	RW 21-27A	NENW	27	070S	220E	4304730103	99996	Federal	WI	A
RWU 219 (44-21C)	RW 44-21C	SESE	21	070S	240E	4304730149	5670	Federal	GW	S
RWU 220 (22-23B)	RW 22-23B	SENW	23	070S	230E	4304730192	5670	Federal	OW	TA
RWU 221 (13-27B)	RW 13-27B	NWSW	27	070S	230E	4304730199	5670	Federal	OW	TA
RWU 222 (31-27B)	RW 31-27B	NWNE	27	070S	230E	4304730200	5670	Federal	GW	TA
RWU 224 (44-22B)	RW 44-22B	SESE	22	070S	230E	4304730202	5670	Federal	GW	TA
RWU 225 (13-23B)	RW 13-23B	NWSW	23	070S	230E	4304730212	5670	Federal	GW	TA
RWU 226 (24-23B)	RW 24-23B	SESW	23	070S	230E	4304730249	5670	Federal	GW	S
RWU 227 (14-26B)	RW 14-26B	SWSW	26	070S	230E	4304730257	5670	Federal	OW	TA
RWU 228 (21-34B)	RW 21-34B	NENW	34	070S	230E	4304730258	5670	Federal	OW	P
RWU 229 (43-26B)	RW 43-26B	NESE	26	070S	230E	4304730259	5670	Federal	OW	TA
RWU 230 (14-18C)	RW 14-18C	SWSW	18	070S	240E	4304730309	5670	Federal	OW	P
RWU 231 (21-35B)	RW 21-35B	NENW	35	070S	230E	4304730310	5670	Federal	OW	TA
RWU 232 (12-26B)	RW 12-26B	SWNW	26	070S	230E	4304730311	5670	Federal	OW	TA
RWU 233 (12-25B)	RW 12-25B	SWNW	25	070S	230E	4304730312	5670	Federal	OW	TA
RWU 234 (32-24B)	RW 32-24B	SWNE	24	070S	230E	4304730313	5670	Federal	OW	P
RWU 235 (34-18C)	RW 34-18C	SWSE	18	070S	240E	4304730314	5670	Federal	OW	S
RWU 236 (21-19C)	RW 21-19C	NENW	19	070S	240E	4304730340	5670	Federal	GW	P
RWU 237 (14-25B)	RW 14-25B	SWSW	25	070S	230E	4304730341	5670	Federal	OW	P
RWU 238 (32-35B)	RW 32-35B	SWNE	35	070S	230E	4304730342	5670	Federal	OW	TA
RWU 239 (41-35B)	RW 41-35B	NENE	35	070S	230E	4304730343	5670	Federal	OW	TA

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 240 (12-36B)	RW 12-36B	SWNW	36	070S	230E	4304730344	5670	Federal	OW	S
RWU 241 (22-14B)	RW 22-14B	SENE	14	070S	230E	4304730345	5670	Federal	OW	P
RW 42-13B	RW 42-13B	SENE	13	070S	230E	4304730346	5670	Federal	OW	P
RWU 243 (42-18C)	RW 42-18C	SENE	18	070S	240E	4304730347	5670	Federal	OW	TA
RWU 244 (23-19C)	RW 23-19C	NESW	19	070S	240E	4304730348	5670	Federal	GW	P
RWU 246 (22-18C)	RW 22-18C	SENE	18	070S	240E	4304730387	5670	Federal	OW	P
RWU 247 (22-17C)	RW 22-17C	SENE	17	070S	240E	4304730388	5670	Federal	GW	P
RWU 258 (34-22A)	RW 34-22A	SWSE	22	070S	220E	4304730458	5670	Federal	WI	A
RWU 262 (22-26B)	RW 22-26B	SENE	26	070S	230E	4304730517	5670	Federal	GW	TA
RWU 263 (24-26B)	RW 24-26B	SESW	26	070S	230E	4304730518	99996	Federal	WI	I
RWU 264 (31-35B)	RW 31-35B	NWNE	35	070S	230E	4304730519	99996	Federal	WI	A
RWU 265 (44-26B)	RW 44-26B	SESE	26	070S	230E	4304730520	5670	Federal	GW	P
RWU 266 (33-26B)	RW 33-26B	NWSE	26	070S	230E	4304730521	99996	Federal	WI	I
RWU 269 (13-26B)	RW 13-26B	NWSW	26	070S	230E	4304730522	99996	Federal	WI	A
RWU 273 (42-27B)	RW 42-27B	SENE	27	070S	230E	4304731051	5670	Federal	OW	TA
RWU 279 (11-36B)	RW 11-36B	NWNW	36	070S	230E	4304731052	99996	Federal	WI	A
RWU 276 (44-27B)	RW 44-27B	SESE	27	070S	230E	4304731053	5670	Federal	OW	TA
RWU 272 (44-23B)	RW 44-23B	SESE	23	070S	230E	4304731054	5670	Federal	GW	P
RWU 278 (11-26)	RW 11-26	NWNW	26	070S	230E	4304731076	5670	Federal	GW	TA
RWU 275 (31-26B)	RW 31-26B	NWNE	26	070S	230E	4304731077	99996	Federal	WI	A
RWU 280 (11-35B)	RW 11-35B	NWNW	35	070S	230E	4304731079	5670	Federal	OW	P
RWU 282 (42-26B)	RW 42-26B	SENE	26	070S	230E	4304731080	5670	Federal	GW	TA
RWU 271 (42-35B)	RW 42-35B	SENE	35	070S	230E	4304731081	5670	Federal	WI	I
RWU 270 (22-35B)	RW 22-35B	SENE	35	070S	230E	4304731082	5670	Federal	OW	P
RWU 284 (33-23B)	RW 33-23B	NWSE	23	070S	230E	4304731476	5670	Federal	GW	TA
RWU 285 (11-24B)	RW 11-24B	NWNW	24	070S	230E	4304731477	5670	Federal	OW	P
RWU 286 (42-21B)	RW 42-21B	SENE	21	070S	230E	4304731478	5670	Federal	OW	P
RW 44-13B	RW 44-13B	SESE	13	070S	230E	4304731512	5670	Federal	OW	TA
RWU 288 (24-27)	RW 24-27	SESW	27	070S	230E	4304731513	5670	Federal	OW	TA
RWU 289 (13-24B)	RW 13-24B	NWSW	24	070S	230E	4304731517	5670	Federal	OW	P
RWU 292 (42-23B)	RW 42-23B	SENE	23	070S	230E	4304731576	5670	Federal	GW	TA
RWU 295 (11-22B)	RW 11-22B	NWNW	22	070S	230E	4304731577	5670	Federal	GW	TA
RWU 296 (12-35B)	RW 12-35B	SWNW	35	070S	230E	4304731578	5670	Federal	OW	S
RWU 297 (24-15B)	RW 24-15B	SESW	15	070S	230E	4304731579	5670	Federal	OW	P
RWU 293 (22-22A)	RW 22-22A	SENE	22	070S	220E	4304731581	5670	Federal	OW	TA
RWU 294 (24-18C)	RW 24-18C	SESW	18	070S	240E	4304731582	5670	Federal	GW	P
RWU 298 (22-27B)	RW 22-27B	SENE	27	070S	230E	4304731679	5670	Federal	OW	TA
RWU 301 (43-15B)	RW 43-15B	NESE	15	070S	230E	4304731682	5670	Federal	GW	TA
RWU 302 (22-24B)	RW 22-24B	SENE	24	070S	230E	4304731683	5670	Federal	GW	TA
RWU 303 (34-17B)	RW 34-17B	SWSE	17	070S	230E	4304731819	5670	Federal	OW	P
RED WASH 305 (41-4F)	RW 41-4F	C-NE	04	080S	240E	4304732538	5670	Federal	GW	TA

## RED WASH UNIT

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RED WASH 306	RW 23-23C	NESW	23	070S	240E	4304732629	5670	Federal	GW	P
RWU 207	RW 14-17B	SWSW	17	070S	230E	4304732738	5670	Federal	OW	P
RED WASH UNIT 261	RW 23-17B	NESW	17	070S	230E	4304732739	5670	Federal	WI	A
RWU 268 (43-17B)	RW 43-17B	NESE	17	070S	230E	4304732980	5670	Federal	WI	A
RWU 267 (32-17B)	RW 32-17B	SWNE	17	070S	230E	4304732981	5670	Federal	OW	P
RWU 283 (43-18B)	RW 43-18B	NESE	18	070S	230E	4304732982	5670	Federal	WI	A
RWU 299 (32-18B)	RW 32-18B	SWNE	18	070S	230E	4304733018	5670	Federal	OW	P
RWU 42-20B	RW 42-20B	SENE	20	070S	230E	4304733490	5670	Federal	OW	P
RWU 22-20B	RW 22-20B	SENE	20	070S	230E	4304733491	5670	Federal	OW	S
RWU 24-19B	RW 24-19B	SESW	19	070S	230E	4304733492	5670	Federal	OW	P
RWU 13-19B	RW 13-19B	NWSW	19	070S	230E	4304733497	5670	Federal	WI	A
RWU 13-20B	RW 13-20B	NWSW	20	070S	230E	4304733498	5670	Federal	WI	A
RWU 33-19B	RW 33-19B	NWSE	19	070S	230E	4304733499	5670	Federal	WI	A
RWU 33-20B	RW 33-20B	NWSE	20	070S	230E	4304733500	5670	Federal	WI	A
RED WASH 22-21B	RW 22-21B	SENE	21	070S	230E	4304733522	5670	Federal	OW	S
RED WASH 24-20B	RW 24-20B	SESW	20	070S	230E	4304733523	5670	Federal	OW	P
RED WASH 44-19B	RW 44-19B	SESE	19	070S	230E	4304733524	5670	Federal	OW	P
RED WASH 44-20B	RW 44-20B	SESE	20	070S	230E	4304733525	5670	Federal	OW	P
RWU 11-19B	RW 11-19B	NWNW	19	070S	230E	4304733552	5670	Federal	WI	A
RWU 11-20B	RW 11-20B	NWNW	20	070S	230E	4304733553	5670	Federal	WI	A
RWU 24-18B	RW 24-18B	SESW	18	070S	230E	4304733554	5670	Federal	OW	P
RWU 31-19B	RW 31-19B	NWNE	19	070S	230E	4304733555	5670	Federal	WI	A
RWU 42-19B	RW 42-19B	SENE	19	070S	230E	4304733556	5670	Federal	OW	P
RWU 22-19B	RW 22-19B	SENE	19	070S	230E	4304733559	5670	Federal	OW	P
RWU 23-24A	RW 23-24A	NESW	24	070S	220E	4304733567	5670	Federal	OW	P
RWU 34-24A	RW 34-24A	SWSE	24	070S	220E	4304733568	5670	Federal	WI	A
RWU 42-24A	RW 42-24A	SENE	24	070S	220E	4304733569	5670	Federal	OW	S
RWU 11-25A	RW 11-25A	NWNW	25	070S	220E	4304733574	5670	Federal	WI	A
RWU 13-25A	RW 13-25A	NWSW	25	070S	220E	4304733575	5670	Federal	WI	A
RWU 21-25A	RW 21-25A	NENW	25	070S	220E	4304733576	5670	Federal	OW	P
RWU 31-25A	RW 31-25A	NWNE	25	070S	220E	4304733577	5670	Federal	WI	A
RWU 33-25A	RW 33-25A	NWSE	25	070S	220E	4304733578	5670	Federal	WI	A
RW 41-25AX	RW 41-25A	NENE	25	070S	220E	4304733579	5670	Federal	OW	P
RWU 42-25A	RWU 42-25A	SENE	25	070S	220E	4304733580	5670	Federal	OW	TA
RWU 11-29B	RW 11-29B	NWNW	29	070S	230E	4304733590	5670	Federal	WI	A
RWU 12-24A	RW 12-24A	SWNW	24	070S	220E	4304733591	5670	Federal	WI	A
RWU 21-24A	RW 21-24A	NENW	24	070S	220E	4304733592	5670	Federal	OW	P
RWU 34-13A	RW 34-13A	SWSE	13	070S	220E	4304733593	5670	Federal	WI	A
RWU 44-18B	RW 44-18B	SESE	18	070S	230E	4304733594	5670	Federal	OW	P
RW 22-13A	RW 22-13A	SENE	13	070S	220E	4304733765	13296	Federal	OW	S
RWU 22-29B	RW 22-29B	SENE	29	070S	230E	4304733766	5670	Federal	OW	S

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 41-24A	RW 41-24A	NENE	24	070S	220E	4304733769	5670	Federal	OW	P
RWU 42-30B	RW 42-30B	SENE	30	070S	230E	4304733771	5670	Federal	OW	P
RWU 44-30B	RWU 44-30B	SESE	30	070S	230E	4304733772	5670	Federal	OW	P
RWU 11-30B	RW 11-30B	NWNW	30	070S	230E	4304733785	5670	Federal	WI	A
RWU 22-25A	RW 22-25A	SENE	25	070S	220E	4304733786	5670	Federal	OW	P
RWU 31-30B	RW 31-30B	NWNE	30	070S	230E	4304733788	5670	Federal	WI	A
RWU 33-30B	RW 33-30B	NWSE	30	070S	230E	4304733790	5670	Federal	WI	A
RED WASH U 34-27C	RW 34-27C	SWSE	27	070S	240E	4304735045	5670	Federal	GW	P
RWU 34-22C	RW 34-22C	SWSE	22	070S	240E	4304735098	5670	Federal	GW	P
RW 12G-20C	RW 12G-20C	SWNW	20	070S	240E	4304735239	14011	Federal	GW	S
RW 43G-08F	RW 43G-08F	NESE	08	080S	240E	4304735655		Federal	GW	APD
RW 22G-09F	RW 22G-09F	SENE	09	080S	240E	4304735656	15636	Federal	GW	OPS
RWU 34-23AG	RW 34-23AG	SWSE	23	070S	220E	4304735668	5670	Federal	OW	P
RWU 34-27AG	RWU 34-27AD	SWSE	27	070S	220E	4304735669	5670	Federal	OW	DRL
RWU 32-27AG	RWU 32-27AG	SWNE	27	070S	220E	4304735670	5670	Federal	OW	S
RW 14-34AMU	RW 14-34AMU	SWSW	34	070S	220E	4304735671	14277	Federal	GW	P
RW 12-08FG	RW 12-08FG	SWNW	08	080S	240E	4304736348		Federal	GW	APD
RW 44-08FG	RW 44-08FG	SESE	08	080S	240E	4304736349	15261	Federal	GW	P
RW 12-17FG	RW 12-17FG	SWNW	17	080S	240E	4304736350		Federal	GW	APD
RW 34-34 AMU	RW 34-34 AD	SWSE	34	070S	220E	4304736351		Federal	GW	APD
RW 44-35 AMU	RW 44-35 AMU	SESE	35	070S	220E	4304736352		Federal	GW	APD
RW 14-35 AMU	RW 14-35 AMU	SWSW	35	070S	220E	4304736354		Federal	GW	APD
RW 33-31 BMU	RW 33-31 BD	NWSE	31	070S	230E	4304736357		Federal	GW	APD
RW 13-31 BMU	RW 13-31 BD	NWSW	31	070S	230E	4304736358		Federal	GW	APD
RW 32-15FG	RW 32-15FG	SWNE	15	080S	240E	4304736443		Federal	GW	APD
RW 21-26AG	RW 21-26AD	NENW	26	070S	220E	4304736768		Federal	OW	APD
RW 43-26AG	RW 43-26AG	NESE	26	070S	220E	4304736769		Federal	OW	APD
RW 43-23AG	RW 43-23AG	NESE	23	070S	220E	4304736770		Federal	OW	APD
RW 41-26AG	RW 41-26AG	NENE	26	070S	220E	4304736818		Federal	OW	APD
RW 04-25BG	RW 04-25B	NWSW	25	070S	230E	4304736982		Federal	OW	APD
RW 01-25BG	RW 01-25BG	NWNW	25	070S	230E	4304736983		Federal	OW	APD
RW 04-26BG	RW 04-26BG	SESW	26	070S	230E	4304736984		Federal	OW	APD
RW 01-26BG	RW 01-26BG	SWNW	26	070S	230E	4304736985		Federal	OW	APD
RW 01-35BG	RW 01-35BG	SWNW	35	070S	230E	4304736986		Federal	OW	APD

## RED WASH UNIT

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 51 (12-16B)	RW 12-16B	SWNW	16	070S	230E	4304715177	5670	State	OW	P
RWU ST 189 (41-16B)	RW 41-16B	NENE	16	070S	230E	4304715292	5670	State	OW	S
RED WASH UNIT 259	RW 14-16B	SWSW	16	070S	230E	4304732785	5670	State	OW	P
RED WASH UNIT 260	RW 34-16B	SWSE	16	070S	230E	4304732786	5670	State	OW	P
RWU 324 (23-16B)	RW 23-16B	SESW	16	070S	230E	4304733084	5670	State	WI	OPS
RWU 21W-36A	RWU 21W-36A	NENW	36	070S	220E	4304733730		State	GW	LA
RWU 21G-36A	RWU 21G-36A	NENW	36	070S	220E	4304733731		State	OW	LA
RWU 41-36A	RWU 41-36A	NENE	36	070S	220E	4304733732		State	OW	LA
RWU 43-16B	RWU 43-16B	NESE	16	070S	230E	4304733733		State	OW	LA
RWU 21-16B	RWU 21-16B	NENW	16	070S	230E	4304733734		State	OW	LA
RWU 11-36A	RWU 11-36A	NWNW	36	070S	220E	4304733736		State	OW	LA
RWU 13-36A	RWU 13-36A	NWSW	36	070S	220E	4304733737		State	OW	LA
RW 32G-16C	RW 32G-16C	SWNE	16	070S	240E	4304735238	5670	State	GW	P
RW 14-36AMU	RW 14-36AMU	SWSW	36	070S	220E	4304736721		State	GW	APD
RW 01-36BG	RW 01-36BG	NWNW	36	070S	230E	4304736887	5670	State	OW	S
RW 24-16BG	RW 24-16BG	SESW	16	070S	230E	4304737746	5670	State	OW	DRL
RW 12-32BG	RW 12-32BG	SWNW	32	070S	230E	4304737946	15841	State	GW	DRL

**STATE OF UTAH**  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

<b>1. TYPE OF WELL</b> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		<b>5. LEASE DESIGNATION AND SERIAL NUMBER:</b> see attached
<b>2. NAME OF OPERATOR:</b> QUESTAR EXPLORATION AND PRODUCTION COMPANY		<b>6. IF INDIAN, ALLOTTEE OR TRIBE NAME:</b> see attached
<b>3. ADDRESS OF OPERATOR:</b> 1050 17th Street Suite 500 <small>CITY</small> Denver STATE CO ZIP 80265		<b>7. UNIT or CA AGREEMENT NAME:</b> see attached
<b>4. LOCATION OF WELL</b> FOOTAGES AT SURFACE: attached		<b>8. WELL NAME and NUMBER:</b> see attached
QTR/GTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		<b>9. API NUMBER:</b> attached
COUNTY: Uintah		<b>10. FIELD AND POOL, OR WILDCAT:</b>
STATE: UTAH		

**11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> <b>NOTICE OF INTENT</b> (Submit in Duplicate) Approximate date work will start: <u>1/1/2007</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> <b>SUBSEQUENT REPORT</b> (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Operator Name Change</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

**12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS.** Clearly show all pertinent details including dates, depths, volumes, etc.


Effective January 1, 2007 operator of record, QEP Uinta Basin, Inc., will hereafter be known as QUESTAR EXPLORATION AND PRODUCTION COMPANY. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:

Federal Bond Number: 965002976 (BLM Reference No. ESB000024)

Utah State Bond Number: 965003033


Fee Land Bond Number: 965003033

Current operator of record, QEP UINTA BASIN, INC., hereby resigns as operator of the properties as described on the attached list.

  
Jay B. Neese, Executive Vice President, QEP Uinta Basin, Inc.

Successor operator of record, QUESTAR EXPLORATION AND PRODUCTION COMPANY, hereby assumes all rights, duties and obligations as operator of the properties as described on the attached list

  
Jay B. Neese, Executive Vice President  
Questar Exploration and Production Company

NAME (PLEASE PRINT) <u>Debra K. Stanberry</u>	TITLE <u>Supervisor, Regulatory Affairs</u>
SIGNATURE 	DATE <u>3/16/2007</u>

(This space for State use only)

**RECEIVED**

**APR 19 2007**

DIV. OF OIL, GAS & MINING

**STATE OF UTAH**  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

<b>1. TYPE OF WELL</b> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		<b>5. LEASE DESIGNATION AND SERIAL NUMBER:</b> see attached
<b>2. NAME OF OPERATOR:</b> QUESTAR EXPLORATION AND PRODUCTION COMPANY		<b>6. IF INDIAN, ALLOTTEE OR TRIBE NAME:</b> see attached
<b>3. ADDRESS OF OPERATOR:</b> 1050 17th Street Suite 500 City Denver STATE CO ZIP 80265		<b>7. UNIT or CA AGREEMENT NAME:</b> see attached
<b>4. LOCATION OF WELL</b> FOOTAGES AT SURFACE: attached		<b>8. WELL NAME and NUMBER:</b> see attached
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		<b>9. API NUMBER:</b> attached
COUNTY: Uintah		<b>10. FIELD AND POOL, OR WILDCAT:</b>
STATE: UTAH		

**11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> <b>NOTICE OF INTENT</b> (Submit in Duplicate) Approximate date work will start: <u>1/1/2007</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Well Name Changes</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	
	<input type="checkbox"/> <b>SUBSEQUENT REPORT</b> (Submit Original Form Only) Date of work completion: _____		

**12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS.** Clearly show all pertinent details including dates, depths, volumes, etc.

PER THE ATTACHED LIST OF WELLS, QUESTAR EXPLORATION AND PRODUCTION COMPANY REQUESTS THAT THE INDIVIDUAL WELL NAMES BE UPDATED IN YOUR RECORDS.

NAME (PLEASE PRINT) <u>Debra K. Stanberry</u>	TITLE <u>Supervisor, Regulatory Affairs</u>
SIGNATURE	DATE <u>4/17/2007</u>

(This space for State use only)

**RECEIVED**  
**APR 19 2007**  
DIV. OF OIL, GAS & MINING



# United States Department of the Interior

## BUREAU OF LAND MANAGEMENT

Utah State Office  
P.O. Box 45155  
Salt Lake City, UT 84145-0155



IN REPLY REFER TO  
3180  
UT-922

April 23, 2007

Questar Exploration and Production Company  
1050 17th Street, Suite 500  
Denver, Colorado 80265

Re: Red Wash Unit  
Uintah County, Utah

Gentlemen:

On April 12, 2007, we received an indenture dated April 6, 2007, whereby QEP Uinta Basin, Inc. resigned as Unit Operator and Questar Exploration and Production Company was designated as Successor Unit Operator for the Red Wash Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective April 23, 2007. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Red Wash Unit Agreement.

Your nationwide oil and gas bond No. ESB000024 will be used to cover all federal operations within the Red Wash Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Greg J. Noble

Greg J. Noble  
Acting Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)  
SITLA  
Division of Oil, Gas & Mining  
File - Red Wash Unit (w/enclosure)  
Agr. Sec. Chron  
Reading File  
Central Files

UT922:TAThompson:tt:4/23/07

RECEIVED  
APR 30 2007  
DIV. OF OIL, GAS & MINING

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**  
Do not use this form for proposals to drill or to deepen or reentry to a different reservoir  
Use "APPLICATION FOR PERMIT--" for such proposals

5. Lease Designation and Serial No.  
**UTU 02030**

6. If Indian, Allottee or Tribe Name  
**N/A**

7. If Unit or CA, Agreement Designation  
**Redwash Unit**

8. Well Name and No.  
**RWU 23-30B**

9. API Well No.  
**43-047-15172**

10. Field and Pool, or Exploratory Area  
**Redwash**

11. County or Parish, State  
**UINTAH COUNTY, UTAH**

**SUBMIT IN TRIPLICATE**

1. Type of Well  
Oil Gas  
 Well  Well  Other

2. Name of Operator  
**QEP UINTA BASIN, INC.**

3. Address and Telephone No. **Contact: Lucius McGillivray (435) 781-4341**  
**11002 E. 17500 S. VERNAL, UT 84078-8526** **lucius.mcgillivray@questar.com**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
**761' FNL, 1788' FWL, NESW, SECTION 30, T7S, R23E, SLBM**

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input checked="" type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

**Questar requests approval to plug and abandon this well as follows:**

1. Set cement retainer at 4900'
2. Stab into retainer and squeeze 35 sx cement, unstab and dump 35 sx of cement on top of retainer
3. Fill hole with minimum 9 ppg fluid.
4. Perforate the production casing @ 3047'
5. Balance plug from 3047' - 2847' inside production casing and in production casing x open hole annulus.
6. Perforate production casing @ 530', cement from 530' to surface in production casing and in production casing x surface casing annulus.
7. Cut off wellhead, install dryhole marker

**Work will start after Questar receives BLM and UDOGM approval**

**RECEIVED**  
**AUG 13 2007**

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct.  
Signed Lucius McGillivray Title Associate Production Engineer Date 8-7-07

(This space for Federal or State office use)

Approved by: \_\_\_\_\_ Title **Accepted by the** \_\_\_\_\_ Federal Approval Of This  
Conditions of approval, if any \_\_\_\_\_ **Utah Division of** \_\_\_\_\_ Action Is Necessary  
**Oil, Gas and Mining**

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*8/21/07*  
*[Signature]*  
\*See instruction on Reverse Side

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB No. 1004-0137  
Expires: March 31, 2007

**SUNDRY NOTICES AND REPORTS ON WELLS**

*Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.*

**SUBMIT IN TRIPLICATE- Other instructions on reverse side.**

1. Type of Well  
 Oil Well     Gas Well     Other

2. Name of Operator  
**Questar Exploration and Production Inc.**

3a. Address  
**11002 E. 17500 S. VERNAL, UT 84078-8526**

3b. Phone No. (include area code)  
**435-781-4319**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
**1879' FSL, 1788' FWL, NESW, SECTION 18, T7S, R23E, SLBM**  
**30**

5. Lease Serial No.  
**UTU 02030**

6. If Indian, Allottee or Tribe Name  
**N/A**

7. If Unit or CA/Agreement, Name and/or No.  
**Redwash**

8. Well Name and No.  
**RW 23-30B**

9. API Well No.  
**43-047-15172**

10. Field and Pool, or Exploratory Area  
**Redwash**

11. County or Parish, State  
**Uintah**

**12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION				
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input checked="" type="checkbox"/> Recomplete	<input type="checkbox"/> Other _____	
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon		
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleation in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Questar requests approval to recomplete this well as follows:

**MIRU. ND WH and NU BOP**  
**RIH with RBP and set @ 4955', pump 70 sacks of cement through Swab test**  
**if zone is unproductive retrieve RBP and set CICR @4850 and pump 70 sacks through and 30 on top**  
**RU wireline and perforate @ 3030' to squeeze cement**  
**squeeze 100 sacks through perfs between casing and hole**  
**WOC, run CBL**  
**RU wireline and perforate 2953'-71' with 4 JSPF with 90° phasing**  
**Acidize with 500 gal. of 15% HCL w/ additives**  
**Swab test**  
**The well will be placed on production or plugged and abandoned based on the swab test results.**

Work will start after Questar receives BLM and UDOGM approval

**COPY SENT TO OPERATOR**

**Date: 1-24-2008**

**Initials: KS**

14. I hereby certify that the foregoing is true and correct  
 Name (Printed/Typed)

**Lucius McGillivray lucius.mcgillivray@questar.com**

Title **Associate Petroleum Engineer**

Signature

*Lucius McGillivray*

Date

**1-8-08**

**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved by

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Accepted by the  
 High Division of  
 Oil, Gas and Mining  
 Office

Federal Approval of This  
 Action is Necessary

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

By: *[Signature]* RECEIVED

**JAN 18 2008**

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB No. 1004-0137  
Expires: March 31, 2007

**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160 - 3 (APD) for such proposals.*

5. Lease Serial No.  
**UTU 02030**

6. If Indian, Allottee or Tribe Name  
**N/A**

7. If Unit or CA/Agreement, Name and/or No.  
**Redwash**

8. Well Name and No.  
**RW 23-30B**

9. API Well No.  
**43-047-15172**

10. Field and Pool, or Exploratory Area  
**Redwash**

11. County or Parish, State  
**Uintah**

**SUBMIT IN TRIPLICATE- Other instructions on reverse side.**

1. Type of Well  
 Oil Well  Gas Well  Other

2. Name of Operator  
**Questar Exploration and Production Inc.**

3a. Address  
**11002 E. 17500 S. VERNAL, UT 84078-8526**

3b. Phone No. (include area code)  
**435-781-4319**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
**NESW, SECTION 30, T7S, R23E, SLBM**

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

**Questar Exploration and Production reports the following work to plug and abandon was finished on November 26, 2008 as follows:**

1. Set CICR @ 4840'
2. Pump 100 sacks under and 35 sacks on top
3. Perforate @ 3050'
4. balanced 80 sack plug at 3050'
5. Tagged top of plug @ 2781'
6. Perforate @ 530'
7. Pump 204 sacks down tubing through perms and back up to surface
8. Weld on plate

**BLM on location was Glade Rich.**

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) **Lucius McGillivray lucius.mcgillivray@questar.com** Title **Associate Petroleum Engineer**

Signature *Lucius McGillivray* Date **12/1/08**

**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved by \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office \_\_\_\_\_

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**RECEIVED**

**DEC 03 2008**

**DIV. OF OIL, GAS & MINING**

**STATE OF UTAH**  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 3

AMENDED REPORT

<b>APPLICATION FOR PERMIT TO DRILL</b>						<b>1. WELL NAME and NUMBER</b> RW 23-30B				
<b>2. TYPE OF WORK</b> DRILL NEW WELL <input type="radio"/> REENTER P&A WELL <input checked="" type="radio"/> DEEPEN WELL <input type="radio"/>						<b>3. FIELD OR WILDCAT</b> RED WASH				
<b>4. TYPE OF WELL</b> Gas Well Coalbed Methane Well: NO						<b>5. UNIT or COMMUNITIZATION AGREEMENT NAME</b> RED WASH				
<b>6. NAME OF OPERATOR</b> QEP ENERGY COMPANY						<b>7. OPERATOR PHONE</b> 303 308-3068				
<b>8. ADDRESS OF OPERATOR</b> 11002 East 17500 South, Vernal, Ut, 84078						<b>9. OPERATOR E-MAIL</b> debbie.stanberry@questar.com				
<b>10. MINERAL LEASE NUMBER (FEDERAL, INDIAN, OR STATE)</b> UTU02030			<b>11. MINERAL OWNERSHIP</b> FEDERAL <input checked="" type="radio"/> INDIAN <input type="radio"/> STATE <input type="radio"/> FEE <input type="radio"/>			<b>12. SURFACE OWNERSHIP</b> FEDERAL <input checked="" type="radio"/> INDIAN <input type="radio"/> STATE <input type="radio"/> FEE <input type="radio"/>				
<b>13. NAME OF SURFACE OWNER (if box 12 = 'fee')</b>						<b>14. SURFACE OWNER PHONE (if box 12 = 'fee')</b>				
<b>15. ADDRESS OF SURFACE OWNER (if box 12 = 'fee')</b>						<b>16. SURFACE OWNER E-MAIL (if box 12 = 'fee')</b>				
<b>17. INDIAN ALLOTTEE OR TRIBE NAME (if box 12 = 'INDIAN')</b>			<b>18. INTEND TO COMMINGLE PRODUCTION FROM MULTIPLE FORMATIONS</b> YES <input type="radio"/> (Submit Commingling Application) NO <input checked="" type="radio"/>			<b>19. SLANT</b> VERTICAL <input checked="" type="radio"/> DIRECTIONAL <input type="radio"/> HORIZONTAL <input type="radio"/>				
<b>20. LOCATION OF WELL</b>		<b>FOOTAGES</b>		<b>QTR-QTR</b>	<b>SECTION</b>	<b>TOWNSHIP</b>	<b>RANGE</b>	<b>MERIDIAN</b>		
LOCATION AT SURFACE		1873 FSL 1790 FWL		NESW	30	7.0 S	23.0 E	S		
Top of Uppermost Producing Zone		1873 FSL 1790 FWL		NESW	30	7.0 S	23.0 E	S		
At Total Depth		1873 FSL 1790 FWL		NESW	30	7.0 S	23.0 E	S		
<b>21. COUNTY</b> UINTAH			<b>22. DISTANCE TO NEAREST LEASE LINE (Feet)</b> 1790			<b>23. NUMBER OF ACRES IN DRILLING UNIT</b> 40				
			<b>25. DISTANCE TO NEAREST WELL IN SAME POOL (Applied For Drilling or Completed)</b> 1350			<b>26. PROPOSED DEPTH</b> MD: 11524 TVD: 11524				
<b>27. ELEVATION - GROUND LEVEL</b> 5452			<b>28. BOND NUMBER</b> ESB000024			<b>29. SOURCE OF DRILLING WATER / WATER RIGHTS APPROVAL NUMBER IF APPLICABLE</b> A-36125/ 49-2153				
<b>Hole, Casing, and Cement Information</b>										
String	Hole Size	Casing Size	Length	Weight	Grade & Thread	Max Mud Wt.	Cement	Sacks	Yield	Weight
Surf	9	7	0 - 5991	23.0	J-55 LT&C	0.0	Unknown	0	0.0	0.0
Prod	6.125	4.5	0 - 11563	11.6	HCP-110 LT&C	10.5	Halliburton Light , Type Unknown	230	3.18	11.0
							Halliburton Premium , Type Unknown	170	1.71	13.5
<b>ATTACHMENTS</b>										
<b>VERIFY THE FOLLOWING ARE ATTACHED IN ACCORDANCE WITH THE UTAH OIL AND GAS CONSERVATION GENERAL RULES</b>										
<input checked="" type="checkbox"/> WELL PLAT OR MAP PREPARED BY LICENSED SURVEYOR OR ENGINEER					<input checked="" type="checkbox"/> COMPLETE DRILLING PLAN					
<input type="checkbox"/> AFFIDAVIT OF STATUS OF SURFACE OWNER AGREEMENT (IF FEE SURFACE)					<input type="checkbox"/> FORM 5. IF OPERATOR IS OTHER THAN THE LEASE OWNER					
<input type="checkbox"/> DIRECTIONAL SURVEY PLAN (IF DIRECTIONALLY OR HORIZONTALLY DRILLED)					<input checked="" type="checkbox"/> TOPOGRAPHICAL MAP					
<b>NAME</b> Valyn Davis			<b>TITLE</b> Regulatory Affairs Analyst			<b>PHONE</b> 435 781-4369				
<b>SIGNATURE</b>			<b>DATE</b> 06/22/2011			<b>EMAIL</b> Valyn.Davis@qepres.com				
<b>API NUMBER ASSIGNED</b> 43047151720000			<b>APPROVAL</b>			 Permit Manager				

**QEP Energy Company**  
**RW 23-30B RE Drilling Prog**  
**API#: 43-047-15172**  
**Summarized Re-Entry Procedure**

1. Excavate around Dry-Hole Marker, expose P&A well.
2. Slip-on and weld 9-5/8" conductor back to surface.
3. MIRU Pulling unit.
4. Wash over and remove 7" casing to approximately 408'.
5. RIH with external casing patch and tie 7" casing back to surface.
6. Install wellhead and pressure test to 3,000 psi.
7. Fill backside of 7" casing with cement back to surface.
8. NU BOP. RIH, drill out P&A plugs to original PBTD.
9. Pressure test previously squeezed perms. Remediate if necessary.
10. RDMO with pulling unit.
11. MIRU drilling rig.
12. NU and test BOPE.
13. Drill out 7" shoe and down to 11,524' TVD with a 6 1/8" bit.
14. If hole conditions permit, log with triple combo.
15. Run and cement 4 1/2" 11.6# HCP-110 casing.
16. ND BOPE.
17. RDMOL.

CONFIDENTIAL

ONSHORE OIL & GAS ORDER NO. 1  
 QEP ENERGY COMPANY  
 RW 23-30B RE (API#: 43-047-15172)

RE-ENTRY DRILLING PROGRAM

ONSHORE OIL & GAS ORDER NO. 1  
 Approval of Operations on Onshore  
 Federal Oil and Gas Leases

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil & Gas No. 1, and the approved plan of operations. The operator is fully responsible for the actions of its subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

1. **Formation Tops**

The estimated top of important geologic markers are as follows:

<u>Formation</u>	<u>Depth, TVD &amp; MD</u>
Green River	2,950'
Mahogany	3,880'
Original TD	6,051'
Wasatch	6,404'
Mesaverde	9,124'
Sego	11,424'
TD	11,524'

2. **Anticipated Depths of Oil, Gas, Water, and Other Mineral Bearing Zones**

The estimated depths at which the top of the anticipated water, oil, gas, or other mineral bearing formations are expected to be encountered as follows:

<u>Substance</u>	<u>Formation</u>	<u>Depth, TVD &amp; MD</u>
Gas	Wasatch	6,404'
Gas	Mesaverde	9,124'
Gas	Sego	11,424'

All fresh water and prospectively valuable minerals encountered during drilling will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

All water shows and water-bearing sands will be reported to the BLM in Vernal, Utah. Copies of State of Utah form OGC-8-X are acceptable. If flows are detected, samples will be submitted to the BLM along with any water analyses conducted. Fresh water will be obtained from Wonsits Valley water right A36125

ONSHORE OIL & GAS ORDER NO. 1  
 QEP ENERGY COMPANY  
 RW 23-30B RE (API#: 43-047-15172)

(which was filed on May 7, 1964) or Red Wash water right # 49-2153 (which was filed on March 25, 1960). It was determined by the Fish and Wildlife Service that any water right number filed before 1989 is not depleting to the Upper Colorado River System, to supply fresh water for drilling purposes. All water resulting from drilling operations will be disposed of at Red Wash Central Battery Disposal site; SWSE, Section 27, T7S, R23E or Wonsits Valley Disposal Site; SWNW, Section 12, T8S, R21E.

3. Operator's Specification for Pressure Control Equipment

- A. 7 1/16" or 11" as available 5000 psi double ram with blind rams and pipe rams, annular preventer and drilling spool or BOP with 2 side outlets.
- B. All BOP connection subject to pressure shall be flanged, welded or clamped.
- C. Kill line (2" min), 2 choke line valves (3" min), choke line (3" min), 2 kill line valves (2" min) and a check valve, 2 chokes with one remotely controlled from rig floor and a pressure gauge on choke manifold.
- D. Upper and Lower Kelly cock valves with handles and safety valve and subs to fit all drill string connections.
- E. IBOP or float sub available.
- F. Fill up line must be installed above the uppermost preventer.
- G. Ram type preventers and associated equipment shall be tested to approved stack working pressure if isolated by test plug or to 50 percent of internal yield pressure of casing whichever is less. BOP and related equipment shall meet the minimum requirements of Onshore Oil and Gas Order No. 2 for equipment and testing requirements, procedures, etc..., for a 5M system and individual components shall be operable as designed.

4. Casing Design:

Hole Size	Csg. Size	Top (MD)	Bottom (MD)	Wt.	Grade	Thread	Cond.	Expected MW(ppg)
15"	10 3/4"	sfc	408'	40.5#	J-55	STC	Existing	N/A
9"	7"	sfc	5,991'	23#	J-55	LTC	Existing	N/A
6 1/8"	4 1/2"	sfc	11,563'	11.6#	HCP-110	LTC	New	8.8 – 10.5

ONSHORE OIL & GAS ORDER NO. 1  
 QEP ENERGY COMPANY  
 RW 23-30B RE (API#: 43-047-15172)

Casing Strengths:				Collapse	Burst	Tensile (min)
10 3/4"	40.5#	J-55	STC	1,580 psi	3,130 psi	420,000 lb.
7"	23#	J-55	LTC	3,270 psi	4,360 psi	313,000 lb.
4 1/2"	11.6#	HCP-110	LTC	8,830 psi	10,710 psi	279,000 lb.

### Casing Design Factors

\*The casing prescribed above meets or exceeds the below listed design factors.

Burst: 1.2

Collapse: 1.2

Tension: 1.6

Maximum anticipated mud weight:

10.5 ppg

Maximum anticipated surface treating pressure:

7,500 psi

## 5. Cementing Program

### 4-1/2" Production Casing: sfc – 11,524'

**Lead Slurry: 3,000' (TOC) – 9,124.** 230 sks (700 ft<sup>3</sup>) Halliburton Extendacem, 3 pps Silicalite (extender), 1 pps Granulite TR 1/4 (LCM), 0.125 pps Poly – E – Flake. Slurry Weight 11.0 lb/gal, 3.18 ft<sup>3</sup>/sk, 25% excess over gauge in open hole only.

**Tail Slurry: 9,124' – 11,524'.** 170 sks (286 ft<sup>3</sup>), Halliburton Expandacem, 0.2% Super CBL (Expander), 0.45% HR-5 (Retarder), 1 pps Granulite TR 1/4, 0.125 pps Poly-E-Flake (LCM). Slurry Weight 13.5 lb/gal, 1.71 ft<sup>3</sup>/sk, 25% excess over gauge hole.

\*Final cement volumes to be calculated from caliper log and will attempt to pump cement to 3,000'.

## 6. Auxiliary Equipment

- A. Kelly Cock – yes
- B. Float at the bit – yes
- C. Monitoring equipment on the mud system – PVT/Flow Show
- D. Full opening safety valve on the rig floor – yes

ONSHORE OIL & GAS ORDER NO. 1  
QEP ENERGY COMPANY  
RW 23-30B RE (API#: 43-047-15172)

- E. Drilling below the 7" casing will be done with water based mud. Maximum anticipated mud weight is 10.5 ppg.
- F. No minimum quantity of weight material will be required to be kept on location.
- G. Gas detector will be used from intermediate casing depth to TD.

7. **Testing, logging and coring program**


- A. Cores – none.
- B. DST – none anticipated
- C. Logging – Mud logging – Surface Casing to TD  
OH Logs: GR-SP-Induction, Neutron Density.
- D. Formation and Completion Interval:  
– Stimulation will be designed for the particular area of interest as encountered.

8. **Anticipated Abnormal Pressures and Temperatures, Other Potential Hazards**


No abnormal temperatures or pressures are anticipated. Maximum anticipated bottom hole pressure equals approximately 6,292 psi. Maximum anticipated bottom hole temperature is 210° F.

H2S has not been encountered in other wells drilled to similar depths in the general area.

ONSHORE OIL & GAS ORDER NO. 1  
QEP ENERGY COMPANY  
RW 23-30B RE (API#: 43-047-15172)



ONSHORE OIL & GAS ORDER NO. 1  
QEP ENERGY COMPANY  
RW 23-30B RE (API#: 43-047-15172)




**5M CHOKES MANIFOLD EQUIPMENT - CONFIGURATION OF CHOKES MAY VARY**

Although not required for any of the choke manifold systems, buffer tanks are sometimes installed downstream of the choke assemblies for the purpose of manifolding the bleed lines together. When buffer tanks are employed, valves shall be installed upstream to isolate a failure or malfunction without interrupting flow control. Though not shown on 2M, 3M, 10M, OR 15M drawings, it would also be applicable to these situations.  
[54 PR 29728, Sept. 27, 1989]

**CONFIDENTIAL**

RW 23-30B RE  
API# 43-047-15172  
NESW Sec 30 T7S R23E  
Uintah County, Utah  
KB 5,467'  
GL 5,453'  
Original Spud Date: 2/1/1956




**CONFIDENTIAL**

T7S, R23E, S.L.B.&M.

QEP ENERGY COMPANY

Well location, RW #23-30B (Re-Entry), located as shown in the NE 1/4 SW 1/4 of Section 30, T7S, R23E, S.L.B.&M., Uintah County, Utah.

API Well Number: 43047151720000




BASIS OF ELEVATION

BENCH MARK 20EAM LOCATED IN THE SE 1/4 OF SECTION 35, T8S, R21E, S.L.B.&M. TAKEN FROM THE OURAY SE, QUADRANGLE, UTAH, UTAH COUNTY, 7.5 MINUTE QUAD (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 4697 FEET.

BASIS OF BEARINGS

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

*Robert L. ...*  
 REGISTERED LAND SURVEYOR  
 REGISTRATION NO. 161319  
 STATE OF UTAH 5-3-11

<b>UINTAH ENGINEERING &amp; LAND SURVEYING</b> 85 SOUTH 200 EAST - VERNAL, UTAH 84078 (435) 789-1017		
SCALE 1" = 1000'	DATE SURVEYED: 04-08-11	DATE DRAWN: 04-14-11
PARTY A.F. J.M. S.R.L.	REFERENCES G.L.O. PLAT	
WEATHER COOL	FILE QEP ENERGY COMPANY	

LEGEND:

- = 90° SYMBOL
- = PROPOSED WELL HEAD.
- = SECTION CORNERS LOCATED.

(NAD 83)  
 LATITUDE = 40°10'42.36" (40.178433)  
 LONGITUDE = 109°22'20.93" (109.372481)  
 (NAD 27)  
 LATITUDE = 40°10'42.49" (40.178469)  
 LONGITUDE = 109°22'18.47" (109.371797)

RECEIVED: Jun. 27, 2011

**QEP ENERGY COMPANY**  
**RW #23-30B (RE-ENTRY)**  
LOCATED IN UINTAH COUNTY, UTAH  
SECTION 30, T7S, R23E, S.L.B.&M.




PHOTO: VIEW FROM CORNER #5 TO LOCATION STAKE

CAMERA ANGLE: EASTERLY



PHOTO: VIEW FROM BEGINNING OF PROPOSED ACCESS

CAMERA ANGLE: NORTHERLY



**U**  
**E**  
**L**  
**S** Uintah Engineering & Land Surveying  
85 South 200 East Vernal, Utah 84078  
(435) 789-1017 \* FAX (435) 789-1813



<b>LOCATION PHOTOS</b>	<b>04</b>	<b>13</b>	<b>11</b>	<b>PHOTO</b>
	MONTH	DAY	YEAR	
TAKEN BY: A.F.	DRAWN BY: Z.L.		REVISED: 00-00-00	

# QEP ENERGY COMPANY

LOCATION LAYOUT FOR  
RW #23-30B (RE-ENTRY)  
SECTION 30, T7S, R23E, S.L.B.&M.  
1873' FSL 1790' FWL

FIGURE #1

SCALE: 1" = 60'  
DATE: 04-15-11  
DRAWN BY: S.R.L.  
REVISED: 5-12-11



Elev. Ungraded Ground At Loc. Stake = 5453.3'  
FINISHED GRADE ELEV. AT LOC. STAKE = 5452.4'


UINTAH ENGINEERING & LAND SURVEYING  
85 So. 200 East \* Vernal, Utah, 84078 \* (435) 789-1017

RECEIVED: Jun. 27, 2011

**QEP ENERGY COMPANY**

**FIGURE #2**





**TYPICAL CROSS SECTIONS FOR  
RW #23-30B (RE-ENTRY)  
SECTION 30, T7S, R23E, S.L.B.&M.  
1873' FSL 1790' FWL**



DATE: 04-15-11  
DRAWN BY: S.R.L.  
REVISED: 05-12-11



CONFIDENTIAL



**NOTE:**

Topsoil should not be Stripped Below Finished Grade on Substructure Area.

APPROXIMATE ACREAGES

WELL SITE DISTURBANCE = ± 1.924 ACRES  
ACCESS ROAD DISTURBANCE = ± 0.032 ACRES  
ROAD RE-ROUTE DISTURBANCE = ± 0.231 ACRES  
PIPELINE DISTURBANCE = ± 0.400 ACRES  
TOTAL = ± 2.587 ACRES

**\* NOTE:**

FILL QUANTITY INCLUDES 5% FOR COMPACTION

APPROXIMATE YARDAGES

(6") Topsoil Stripping = 1,650 Cu. Yds.  
Remaining Location = 11,870 Cu. Yds.  
TOTAL CUT = 13,250 CU.YDS.  
FILL = 5,440 CU.YDS.

EXCESS MATERIAL = 8,080 Cu. Yds.  
Topsoil & Pit Backfill = 1,980 Cu. Yds.  
(1/2 Pit Vol.)  
EXCESS UNBALANCE = 6,100 Cu. Yds.  
(After Interim Rehabilitation)

**UINTAH ENGINEERING & LAND SURVEYING**  
85 So. 200 East \* Vernal, Utah 84078 \* (435) 789-1017

# QEP ENERGY COMPANY


TYPICAL RIG LAYOUT FOR  
RW #23-30B (RE-ENTRY)  
SECTION 30, T7S, R23E, S.L.B.&M.  
1873' FSL 1790' FWL

FIGURE #3

SCALE: 1" = 60'  
DATE: 04-15-11  
DRAWN BY: S.R.L.  
REVISED: 05-12-11



**NOTE:**  
Flare Pit is to be located a min. of 100' from the Well Head.






**QEP ENERGY COMPANY**  
**PRODUCTION FACILITY LAYOUT FOR**  
**RW #23-30B (RE-ENTRY)**  
**SECTION 30, T7S, R23E, S.L.B.&M.**  
**1873' FSL 1790' FWL**

**FIGURE #4**

SCALE: 1" = 60'  
DATE: 04-15-11  
DRAWN BY: S.R.L.  
REVISED: 05-12-11



**CONFIDENTIAL**

 INTERIM RECLAMATION

**UINTAH ENGINEERING & LAND SURVEYING**  
85 So. 200 East \* Vernal, Utah 84078 \* (435) 789-1017

**RECEIVED: Jun. 27, 2011**



QEP ENERGY COMPANY  
RW #23-30B (RE-ENTRY)  
SECTION 30, T7S, R23E, S.L.B.&M.

PROCEED IN AN EASTERLY, THEN SOUTHERLY DIRECTION FROM VERNAL, UTAH ALONG U.S. HIGHWAY 40 APPROXIMATELY 3.9 MILES TO THE JUNCTION OF STATE HIGHWAY 45; EXIT RIGHT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 19.2 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE WEST; TURN RIGHT AND PROCEED IN A WESTERLY DIRECTION APPROXIMATELY 2.6 MILES TO THE JUNCTION OF THIS ROAD AND THE BEGINNING OF THE PROPOSED ACCESS FOR THE RW #14-30B TO THE SOUTH; FOLLOW ROAD FLAGS IN A SOUTHERLY, THEN SOUTHWESTERLY DIRECTION APPROXIMATELY 0.4 MILES TO THE BEGINNING OF THE PROPOSED ROAD RE-ROUTE TO THE SOUTH; FOLLOW ROAD FLAGS IN A SOUTHERLY DIRECTION APPROXIMATELY 335' TO THE BEGINNING OF THE PROPOSED ACCESS TO THE NORTH; FOLLOW ROAD FLAGS IN A NORTHERLY DIRECTION APPROXIMATELY 46' TO THE PROPOSED LOCATION.

TOTAL DISTANCE FROM VERNAL, UTAH TO THE PROPOSED WELL LOCATION IS APPROXIMATELY 26.2 MILES.

CONFIDENTIAL





**PROPOSED LOCATION:  
RW #23-30B (RE-ENTRY)**

**PROPOSED ACCESS FOR  
THE RW #14-30B 0.4 MI. +/-**

**SEE DETAIL "A"**

**LEGEND:**

- EXISTING ROAD
- PROPOSED ACCESS ROAD
- EXISTING RE-HABBED ROAD
- PROPOSED ROAD RE-ROUTE

**QEP ENERGY COMPANY**


**RW #23-30B (RE-ENTRY)  
SECTION 30, T7S, R23E, S.L.B.&M.  
1873' FSL 1790' FWL**

**UEIS** Uintah Engineering & Land Surveying  
85 South 200 East Vernal, Utah 84078  
(435) 789-1017 \* FAX (435) 789-1813



**ACCESS ROAD  
MAP** **04 13 11**  
MONTH DAY YEAR  
SCALE: 1" = 2000' DRAWN BY: Z.L. REVISED: 00-00-00

**B  
TOPO**



**PROPOSED LOCATION:  
RW #23-30B (RE-ENTRY)**

**LEGEND:**


- ⊗ DISPOSAL WELLS
- PRODUCING WELLS
- ⊖ SHUT IN WELLS
- ⊗ WATER WELLS
- ⊖ ABANDONED WELLS
- ⊖ TEMPORARILY ABANDONED

**QEP ENERGY COMPANY**

**RW #23-30B (RE-ENTRY)  
SECTION 30, T7S, R23E, S.L.B.&M.  
1873' FSL 1790' FWL**

**U&Ls** Uintah Engineering & Land Surveying  
85 South 200 East Vernal, Utah 84078  
(435) 789-1017 \* FAX (435) 789-1813

**TOPOGRAPHIC MAP** 04 13 11  
MONTH DAY YEAR  
SCALE: 1" = 2000' DRAWN BY: Z.L. REVISED: 00-00-00 **C TOPO**



APPROXIMATE TOTAL PIPELINE RE-ROUTE DISTANCE = 515' +/-

APPROXIMATE TOTAL PIPELINE DISTANCE = 66' +/-

**LEGEND:**

- PROPOSED ACCESS ROAD
- EXISTING PIPELINE
- PROPOSED PIPELINE
- PROPOSED PIPELINE RE-ROUTE
- EXISTING RE-HABBED ROAD
- PROPOSED PIPELINE (SERVICING OTHER WELLS)

**QEP ENERGY COMPANY**

RW #23-30B (RE-ENTRY)  
SECTION 30, T7S, R23E, S.L.B.&M.  
1873' FSL 1790' FWL



Uintah Engineering & Land Surveying  
85 South 200 East Vernal, Utah 84078  
(435) 789-1017 \* FAX (435) 789-1813



TOPOGRAPHIC  
MAP

04 13 11  
MONTH DAY YEAR

SCALE: 1" = 1000' DRAWN BY: Z.L. REVISED: 00-00-00



**WEED DATA SHEET**

**PROJECT NAME:** RW23-30B  
**SURVEYOR:** Stephanie Tomkinson

**DATE:** 5-25-11

	Location GPS Coordinates	Site Description	Weed Species	Cover Class or Number	Pattern	Infestation Size (acres)
1						
2						
3						
4						
5						
6						
7						

**SITE DRAWING (Optional):** Include a sketch of the infestation within the project area. **Count the number** of individuals if possible.

tamarisk on location + side of access road

**\*Cover Class- estimated percent cover, by species, of the infestation**

- 0 = No weeds found
- 1 = Less than 1% (trace)
- 2 = One to five % (low - occasional plants)
- 3 = Six to twenty-five % (moderate - scattered plants)
- 4 = Twenty-five to 100 % (high - fairly dense)

**\*Pattern - pattern of the infestation**

- 0 = No weeds found
- 1 = Single plant or small area of many plants
- 2 = Linear
- 3 = Patchy
- 4 = Block

**\*Infestation Size - number of estimated acres of the infestation**

- 0 = No weeds found
- 1 = Less than one acre
- 2 = One to five acres
- 3 = five or more acres

Cheatgrass canopy cover: 4  
 Russian thistle canopy cover: 2  
 Halogeton canopy cover: 2  
 Kochia canopy cover: 2

*alkali clay*

*greasewood  
 globe mallow  
 rabbit brush  
 horse brush  
 pepperweed  
 lupine  
 Gardner salt bush  
 onion indian plant*

### Additional Operator Remarks

QEP Energy Company proposes to re-enter the existing plugged and abandoned well bore for the RW 23-30B and drill to a depth of 11, 524' to test the Mesa Verde Formation. If productive, casing will be run and the well completed. If dry, the well will be plugged and abandoned as per BLM and State of Utah requirements"

Please see Onshore Order No. 1.

Please refer to QEP Energy Company Greater Deadman Bench  
EIS UT-080-2003-0369V Record of Decision dated March 31, 2008.

Please be advised that QEP Energy Company agrees to be responsible under the terms and conditions of the lease for the operations conducted upon the lease lands.

Bond coverage for this well is provided by Bond No.ESB000024. The principal is QEP Energy Company via surety as consent as provided for the 43 CFR 3104.2.

CONFIDENTIAL

**QEP ENERGY COMPANY  
RW 23-30B  
1873' FSL 1790'FWL  
NESW, SECTION 30, T7S, R23E  
UINTAH COUNTY, UTAH  
LEASE # UTU-02030**

**ONSHORE ORDER NO. 1  
MULTI – POINT SURFACE USE & OPERATIONS PLAN**

An onsite inspection was conducted for the RW 23-30B on May 25, 2011. Weather conditions were sunny at the time of the onsite. In attendance at the inspection were the following individuals:

Kevin Sadlier	Bureau of Land Management
Aaron Roe	Bureau of Land Management
Jan Nelson	QEP Energy Company
Stephanie Tomkinson	QEP Energy Company
Ryan Angus	QEP Energy Company
Valyn Davis	QEP Energy Company
Wade Hafey	QEP Field Service
Andy Floyd	Uintah Engineering & Land Surveying

**1. Existing Roads:**

The proposed well site is approximately 26 miles South of Vernal, Utah.

Refer to Topo Maps A and B for location of access roads within a 2 – mile radius.

All existing roads will be maintained and kept in good repair during all phases of operation.

**2. Planned Access Roads:**

Please refer to QEP Energy Company Greater Deadman Bench EIS UTU-080-200-0369V Record of Decision dated March 31, 2008.

Refer to Topo Map B for the location of the proposed access road.

The existing road will be re-routed due to the position of the pad for a distance of 335', containing approximately .231 acres. There will be a new access road approximately 46.46' in length, containing approximately .032 acres. The access road will be crowned and ditched with a running surface of 18 feet and a maximum disturbed width of 30 feet. Graveling or capping the roadbed will be performed as necessary to provide a well constructed safe road. Should conditions warrant, rock, gravel or culverts will be installed as needed.

**3. Location of Existing Wells Within a 1 – Mile Radius:**

Please refer to Topo Map C.

**4. Location of Existing & Proposed Facilities:**

Please refer to QEP Energy Company Greater Deadman Bench EIS UTU-080-200-0369V Record of Decision dated March 31, 2008.

The following guidelines will apply if the well is productive.

A containment dike will be constructed completely around those production facilities which contain fluids (i.e., production tanks, produced water tanks). These dikes will be constructed of compacted impervious subsoil; hold 110% of the capacity of the largest tank; and, be independent of the back cut. If a Spill Prevention, Control, and Countermeasure (SPCC) Plan is required by the Environmental Protection Agency, the containment dike may be expanded to meet SPCC requirements with approval by the BLM/VFO AO. The specific APD will address additional capacity if such is needed due to environmental concerns. The use of topsoil for the construction of dikes will not be allowed.

All loading lines will be placed inside the berm surrounding the tank batteries.

All permanent (on site six months or longer) above the ground structures constructed or installed, including pumping units, will be painted a color approved by the State.

It was determined on the onsite by the BLM VFO AO that the facilities will be painted Covert Green.

Refer to Topo Map D for the location of the proposed pipeline.

All existing equipment will be moved off location before any construction begins.

The proposed surface pipeline will be constructed utilizing existing disturbed areas to minimize surface disturbance. No construction activities will be allowed outside of the proposed pipeline.

Prior to construction, the Permittee will develop a plan of installation to minimize surface disturbance. Pipe will be strung along the pipeline route with either a flatbed trailer and rubber tired backhoe or a tracked typed side boom. Where surface conditions do not allow the pipe to be strung using conventional methods, the Permittee will utilize pull sections to run the fabricated pipe through the area from central staging areas along the pipeline route.

Upon completion of stringing activities the Permittee will fabricate the pipeline on wooden skids adjacent to the centerline of the pipeline route using truck mounted welding machines. All fabricated piping will be lowered off of the wooden skids and

placed along the centerline. Upon completion of all activities, the wooden skids will be removed from the pipeline route using a flatbed truck or flatbed truck and trailer.

When the surface terrain prohibits the Permittee from safely installing the pipeline along the pipeline route, grading of the route will be required. Prior to installing the pipeline in these areas a plan will be developed to safely install the pipeline while minimizing grading activities and surface disturbances. Additionally, erosion control Best Management Practices will be installed as needed prior to the start of any grading activities. Surface grading will be limited to what is needed to safely install the pipeline. Track type bulldozers and track type backhoes will be utilized for grading activities.

Upon completion of the pipeline installation, the pipeline route will be restored to the pre-disturbance surface contours.

The proposed pipeline to the RW 14-30B will be re-routed due to the placement of the pad for a distance of 515', containing .354 acres.

The proposed pipeline will be a surface 10" or smaller, 66' in length, containing .045 acres.

### **Road Crossings**

Fusion Bond or concrete coated pipe will be used for all road crossings to alleviate future corrosion.

All pipe and fittings used for road crossings will be prefabricated within the proposed pipeline route to minimize the duration of open pipe trench across the roadway. Pipe used for road crossings will be isolated on each end with a flange set and insulation kit and cathodically protected with a magnesium type anode. Adequately sized equipment will be used for minor and major road crossings. Depth of cover for minor roads will be >4' and the depth of cover for major roads will be >6'.

Prior to lowering the pipe in the trench, the Permittee will "Jeep" the pipe to locate and repair any holidays in the pipe coating. Upon lowering the pipe in the trench, 6" of bedding and a minimum of 6" of shading will be installed to protect the pipe using either native soils <1" in diameter or imported sand. Pipe trenches that extend across gravel roads will be backfilled with native soils to within 8" of the driving surface and capped with 3/4" road base. Pipe trenches that extend across asphalt paved roads will be backfilled to 4" of the driving surface with 3/4" road base and capped asphalt material.

### **5. Location and Type of Water Supply:**

Please refer to QEP Energy Company Greater Deadman Bench EIS UTU-080-200-0369V Record of Decision dated March 31, 2008.

Water for drilling purposes would be obtained from Wonsits Valley Water Right # A 36125 (which was filed on May 7, 1964) or Red Wash Water Right # 49-2153

(which was filed on March 25, 1960). It was determined by the Fish and Wildlife Service that any water right number filed before 1989 is not depleting to the Upper Colorado River System.

**6. Source of Construction Materials:**

Please refer to QEP Energy Company Greater Deadman Bench EIS UTU-080-200-0369V Record of Decision dated March 31, 2008.

Surface and subsoil materials in the immediate area will be utilized.

Any gravel will be obtained from a commercial source.

The use of materials under BLM jurisdiction will conform with 43 CFR 3610.2-3.

**7. Methods of Handling Waste Materials:**

Please refer to QEP Energy Company Greater Deadman Bench EIS UTU-080-200-0369V Record of Decision dated March 31, 2008.

Drill cuttings will be contained and buried in the reserve pit.

Drilling fluids including salts and chemicals will be contained in the reserve pit. Upon termination of drilling and completion operations, the liquid contents of the reserve pit will be used at the next drill site or will be removed and disposed of at an approved waste disposal facility within 6 months after drilling is terminated. Immediately upon well completion, any hydrocarbons in the pit shall be removed in accordance with 43 CFR 3162.7-1.

Unless specified in the site specific APD, the reserve pit will be constructed on the location and will not be located within natural drainages, where a flood hazard exists or surface runoff will or damage the pit walls. The reserve pit will be constructed so that it will not leak, break, or allow discharge of liquids.

It will be determined at the on-site inspection if a pit liner is necessary, the reserve pit will be lined with a synthetic reinforced liner, a minimum of 20 millimeters thick, with sufficient bedding used to cover any rocks. The liner will overlap the pit walls and be covered with dirt and/or rocks to hold it in place.

No trash or scrap will be disposed of in the pit.

Reserve pit leaks are considered an undesirable event and will be orally reported to the AO.

After first production, produced wastewater will be confined to the approved pit or storage tank for a period not to exceed 90 days.

After the 90 day period, the produced water will be contained in tanks on location and then hauled by truck to one of the following pre-approved disposal sites:

Red Wash disposal well located in the NESW, Section 28, T7S, R22E,  
Red Wash Central Battery Disposal located SWSE, Section 27, T7S, R23E,  
West End Disposal located in the NESE, Section 28, T7S, R22E,  
or approved third-party surface evaporative pits.

Produced water, oil, and other byproducts will not be applied to roads or well pads for the control of dust or weeds. The dumping of produced fluids on roads, well sites, or other areas will not be allowed.

Any spills of oil, gas, salt water, or other noxious fluids will be immediately cleaned up and removed to an approved disposal site. The spills will be reported to the AO and other authorities as appropriate.

A chemical porta-toilet will be furnished with the drilling rig. The chemical porta-toilet wastes will be hauled to Ashley Valley Sewer and Water System for disposal.

Garbage, trash, and other waste materials will be collected in a portable, self-contained, fully enclosed trash cage during operations. Trash will not be burned on location. All debris and other waste material not contained in the trash cage will be cleaned up and removed from the location immediately after removal of the drilling rig. All trash and waste material will be hauled to the Uintan County Landfill.

No chemicals subject to reporting under SARA Title III (hazardous materials) in an amount greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling, testing, or completing of wells. Furthermore, extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will not be used, produced, stored, transported, or disposed of in association with the drilling, testing, or completing of wells within these areas. Specific APD's shall address any modifications from this policy.

8. **Ancillary Facilities:**

None anticipated.

9. **Well Site Layout: (See Location Layout Diagram)**

The attached Location Layout Diagram describes drill pad cross-sections, cuts and fills and locations of the mud tanks, reserve pit, flare pit, pipe racks, trailer parking, spoil dirt stockpile(s), and surface material stockpile(s).

Please see the attached diagram rig orientation, parking areas, and access roads, as well as the location of the following:

The reserve pit.

The stockpiled topsoil will not be used for facility berms. All brush removed from the well pad during construction will be stockpiled with topsoil.

The flare pit or flare box will be located downwind from the prevailing wind direction.

Any drainage that crosses the well location will be diverted around the location by using ditches, water diversion drains or berms. If deemed necessary at the on-site, erosion drains may be installed to contain sediments that could be produced from access roads and well locations.

A pit liner is required. A felt pit liner will be required if bedrock is encountered.

**10. Fencing Requirements:**

Any open pits will be fenced during the operations. The fencing will be maintained until such time as the pits are backfilled.

All pits will be fenced according to the following minimum standards:

39 inch net wire will be used with at least one strand of barbed wire on top of the net wire. Barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence.

The net wire shall be no more than two inches above the ground. The barbed wire shall be three inches over the net wire. Total height of the fence shall be at least 42 inches.

Corner posts shall be cemented and/or braced in such a manner to keep the fence tight at all times.

Standard steel, wood, or pipe posts shall be used between the corner braces. Maximum distance between any 2 fence posts shall be no greater than 16 feet.

All wire shall be stretched using a stretching device before it is attached to corner posts.

The reserve pit will be fenced on three (3) sides during drilling operations. The fourth side will be put in place when the rig moves off location. The pit will be fenced and maintained until it is backfilled. If drilling operations does not commence within 3 days, the fourth side of the fence will be installed

**11. Plans for Reclamation of the Surface:**

Please refer to QEP Energy Company Uinta Basin Division Reclamation Plan

**Site Specific Procedures:**

**Site Specific Reclamation Summary:**

Reclamation will follow Questar Exploration and Production Company, Uinta Basin Division's Reclamation Plan, September 2009 (Questar's Reclamation Plan) and the BLM Green River District Reclamation Guidelines.

All trash and debris will be removed from the disturbed area.

The disturbed area will be backfilled with subsoil.

Topsoil will be spread to an even, appropriate depth and disked if needed.

Water courses and drainages will be restored.

Erosion control devices will be installed where needed.

Seeding will be done in the fall, prior to ground freeze up.

Seed mix will be submitted to a BLM AO for approval prior to seeding.

Monitoring and reporting will be conducted as stated in Questar's Reclamation Plan. A sundry notice (Form 3160.5), for the Reference Site will be filed at a later date.

It was determined and agreed upon that there is 3" inches of top soil.

**12. Surface Ownership:**

Bureau of Land Management  
170 South 500 East  
Vernal, Utah 84078  
(435) 781-4400

**13. Other Information:**

A Class III archaeological survey was conducted by Montgomery Archaeology Consultants. A copy of this report was submitted on May 17, 2011, **Moac Report No. 11-091** by Montgomery Archaeology Consultants. Cultural resource clearance was recommended for this location.

A Class III paleontological survey was conducted by Intermountain Paleo Consulting. A copy of this report was submitted on May 27, 2011 **IPC # 11-59** by Stephen D. Sandau. The inspection resulted in the location of no fossil resources. However, if vertebrate fossil(s) are found during construction a paleontologist should be immediately notified. QEP will provide Paleo monitor if needed.

**Per the onsite on May 25, 2011, the following items were requested/ discussed.**

There is a Red Tailed Hawk Stipulation from March 15 to August 15. No construction or drilling will commence during this period unless otherwise determined by a wildlife biologist that the site is inactive.

**Lessee's or Operator's Representative & Certification:**

Valyn Davis  
Regulatory Affairs Analyst  
QEP Energy Company  
11002 East 17500 South  
Vernal, UT 84078  
(435) 781-4331


Certification: All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved Plan of Operations, and any applicable Notice to Lessees.

The Operator will be fully responsible for the actions of its subcontractors. A complete copy of the approved "Application for Permit to Drill" will be furnished to the field representative(s) to ensure compliance and shall be on location during all construction and drilling operations.

QEP Energy Company is considered to be the operator of the subject well. QEP Energy Company agrees to be responsible under terms and conditions of the lease for the operations conducted upon leased lands.

Bond coverage pursuant to 43 CFR 3104.2 for lease activities is being provided by Bond No. ESB000024

I hereby certify that I, or persons under my supervision, have inspected the proposed drill site and access route, that I am familiar with the conditions that currently exist; that I have full knowledge of the State and Federal laws applicable to this operations; that the statements made in this plan are, to the best of my knowledge, true and correct; and the work associated with the operations proposed herein will be performed in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

  
Valyn Davis


6/22/2011  
Date



**API Number: 4304715172**  
**Well Name: RW 23-30B**  
**Township T07. Range R2.3. Section 30**  
**Meridian: SLBM**  
**Operator: QEP ENERGY COMPANY**

Map Prepared:  
 Map Produced by Diana Mason

- |               |                                    |
|---------------|------------------------------------|
| <b>Units</b>  | <b>Wells Query</b>                 |
| <b>STATUS</b> | <b>Status</b>                      |
| ACTIVE        | APD - Approved Permit              |
| EXPLORATORY   | DRL - Spudded (Drilling Commenced) |
| GAS STORAGE   | GIW - Gas Injection                |
| NF PP OIL     | GS - Gas Storage                   |
| NF SECONDARY  | LA - Location Abandoned            |
| PI OIL        | LOC - New Location                 |
| PP GAS        | DPS - Operation Suspended          |
| PP GEOTHERML  | PA - Plugged Abandoned             |
| PP OIL        | PGW - Producing Gas Well           |
| SECONDARY     | POW - Producing Oil Well           |
| TERMINATED    | RET - Returned APD                 |
| <b>Fields</b> | SGW - Shut-in Gas Well             |
| Unknown       | SOW - Shut-in Oil Well             |
| ABANDONED     | TA - Temp. Abandoned               |
| ACTIVE        | TW - Test Well                     |
| COMBINED      | WDW - Water Disposal               |
| INACTIVE      | WIW - Water Injection Well         |
| STORAGE       | WSW - Water Supply Well            |
| TERMINATED    |                                    |
| Sections      |                                    |
| Township      |                                    |



# United States Department of the Interior

## BUREAU OF LAND MANAGEMENT

Utah State Office  
P.O. Box 45155  
Salt Lake City, Utah 84145-0155

IN REPLY REFER TO:  
3160  
(UT-922)

June 24, 2011

Memorandum

To: Assistant District Manager Minerals, Vernal District  
From: Michael Coulthard, Petroleum Engineer  
Subject: 2011 Plan of Development Red Wash Unit,  
Uintah County, Utah.

Pursuant to email between Diana Whitney, Division of Oil, Gas and Mining, and Mickey Coulthard, Utah State Office, Bureau of Land Management, the following wells are planned for re-entry, deepening and completion in the Mesaverde Formation. The work is planned for calendar year 2011 within the Red Wash Unit, Uintah County, Utah.

API#	WELL NAME	LOCATION
(Proposed PZ Mesaverde)		
43-047-15242	RWU 34-19B	Sec 19 T07S R23E 0700 FSL 1973 FEL
43-047-16499	RWU 186 (12-30B)	Sec 30 T07S R23E 1984 FNL 0599 FWL
43-047-15174	RWU 32-19B	Sec 19 T07S R23E 1829 FNL 1970 FEL
43-047-15280	RWU 21-30B	Sec 30 T07S R23E 0659 FNL 2182 FWL
43-047-15172	RWU 23-30B	Sec 30 T07S R23E 1873 FSL 1790 FWL

This office has no objection to permitting the wells at this time.

Michael L. Coulthard

Digitally signed by Michael L. Coulthard  
DN: cn=Michael L. Coulthard, o=Bureau of Land Management,  
ou=Branch of Minerals, email=Michael\_Coulthard@blm.gov, c=US  
Date: 2011.06.24 12:57:15 -0600

bcc: File - Red Wash Unit  
Division of Oil Gas and Mining  
Central Files  
Agr. Sec. Chron  
Fluid Chron

MCoulthard:mc:6-24-11

RECEIVED: Jun. 27, 2011

## WORKSHEET APPLICATION FOR PERMIT TO DRILL

**APD RECEIVED:** 6/22/2011

**API NO. ASSIGNED:** 43047151720000

**WELL NAME:** RW 23-30B

**OPERATOR:** QEP ENERGY COMPANY (N3700)

**PHONE NUMBER:** 435 781-4369

**CONTACT:** Valyn Davis

**PROPOSED LOCATION:** NESW 30 070S 230E

**Permit Tech Review:**

**SURFACE:** 1873 FSL 1790 FWL

**Engineering Review:**

**BOTTOM:** 1873 FSL 1790 FWL

**Geology Review:**

**COUNTY:** Uintah

**LATITUDE:** 40.17848

**LONGITUDE:** -109.37177

**UTM SURF EASTINGS:** 638629.00

**NORTHINGS:** 4448628.00

**FIELD NAME:** RED WASH

**LEASE TYPE:** 1 - Federal

**LEASE NUMBER:** UTU02030

**PROPOSED PRODUCING FORMATION(S):** MESA VERDE

**SURFACE OWNER:** 1 - Federal

**COALBED METHANE:** NO

**RECEIVED AND/OR REVIEWED:**

- PLAT
- Bond: FEDERAL - ESB000024
- Potash
- Oil Shale 190-5
- Oil Shale 190-3
- Oil Shale 190-13
- Water Permit: A-36125/ 49-2153
- RDCC Review:
- Fee Surface Agreement
- Intent to Commingle

**Commingling Approved**

**LOCATION AND SITING:**

- R649-2-3.
- Unit: RED WASH
- R649-3-2. General
- R649-3-3. Exception
- Drilling Unit
- Board Cause No: Cause 187-07
- Effective Date: 9/18/2001
- Siting: Suspends General Siting
- R649-3-11. Directional Drill

**Comments:** Presite Completed  
501031 UNIT EFF: 000926 OP FR N0210 EFF 1-1-00: 030902 OP FR N4235:070430 FR N2460: NM FR RWU 45 (23-30B)

**Stipulations:** 4 - Federal Approval - dmason



GARY R. HERBERT  
*Governor*

GREGORY S. BELL  
*Lieutenant Governor*

## State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER  
*Executive Director*

Division of Oil, Gas and Mining

JOHN R. BAZA  
*Division Director*

### Permit To Drill

\*\*\*\*\*

**Well Name:** RW 23-30B  
**API Well Number:** 43047151720000  
**Lease Number:** UTU02030  
**Surface Owner:** FEDERAL  
**Approval Date:** 6/27/2011

**Issued to:**

QEP ENERGY COMPANY, 11002 East 17500 South, Vernal, Ut 84078

**Authority:**

Pursuant to Utah Code Ann. §40-6-1 et seq., and Utah Administrative Code R649-3-1 et seq., the Utah Division of Oil, Gas and Mining issues conditions of approval, and permit to drill the listed well. This permit is issued in accordance with the requirements of Cause 187-07. The expected producing formation or pool is the MESA VERDE Formation(s), completion into any other zones will require filing a Sundry Notice (Form 9). Completion and commingling of more than one pool will require approval in accordance with R649-3-22.

**Duration:**

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date

**General:**

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

**Conditions of Approval:**

State approval of this well does not supercede the required federal approval, which must be obtained prior to drilling.

**Notification Requirements:**

The operator is required to notify the Division of Oil, Gas and Mining of the following actions during drilling of this well:

- Within 24 hours following the spudding of the well – contact Carol Daniels at 801-538-5284 (please leave a voicemail message if not available)

OR

submit an electronic sundry notice (pre-registration required) via the Utah Oil & Gas website at <http://oilgas.ogm.utah.gov>

**Reporting Requirements:**

All reports, forms and submittals as required by the Utah Oil and Gas Conservation General Rules will be promptly filed with the Division of Oil, Gas and Mining, including but not limited to:

- Entity Action Form (Form 6) – due within 5 days of spudding the well
- Monthly Status Report (Form 9) – due by 5th day of the following calendar month

- Requests to Change Plans (Form 9) – due prior to implementation
- Written Notice of Emergency Changes (Form 9) – due within 5 days
- Notice of Operations Suspension or Resumption (Form 9) – due prior to implementation
- Report of Water Encountered (Form 7) – due within 30 days after completion
- Well Completion Report (Form 8) – due within 30 days after completion or plugging

**Approved By:**

A handwritten signature in black ink, appearing to read "John Rogers", written over a horizontal line.

For John Rogers  
Associate Director, Oil & Gas

**RECEIVED**

UNITED STATES  
DEPARTMENT OF THE INTERIOR **JUN 28 2011**  
BUREAU OF LAND MANAGEMENT

**APPLICATION FOR PERMIT TO DRILL OR REENTER**

1a. Type of Work: <input type="checkbox"/> DRILL <input checked="" type="checkbox"/> REENTER		<b>CONFIDENTIAL</b>	5. Lease Serial No. UTU02030
1b. Type of Well: <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/> Single Zone <input checked="" type="checkbox"/> Multiple Zone			6. If Indian, Allottee or Tribe Name
2. Name of Operator QEP ENERGY COMPANY		Contact: VALYN DAVIS E-Mail: Valyn.Davis@qepres.com	7. If Unit or CA Agreement, Name and No. 892000761X
3a. Address 11002 EAST 17500 SOUTH VERNAL, UT 84078		3b. Phone No. (include area code) Ph: 435-781-4369 Fx: 435-781-4395	8. Lease Name and Well No. RW 23-30B
4. Location of Well (Report location clearly and in accordance with any State requirements.)* At surface NESW 1873FSL 1790FWL 40.178433 N Lat, 109.372481 W Lon At proposed prod. zone NESW 1873FSL 1790FWL 40.178433 N Lat, 109.372481 W Lon		14. Distance in miles and direction from nearest town or post office* 26	9. API Well No. <b>43-047 15172</b>
15. Distance from proposed location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) 1790		16. No. of Acres in Lease 1875.80	10. Field and Pool, or Exploratory RED WASH
18. Distance from proposed location to nearest well, drilling, completed, applied for, on this lease, ft. 1350		19. Proposed Depth 11524 MD 11524 TVD	11. Sec., T., R., M., or Blk. and Survey or Area Sec 30 T7S R23E Mer SLB
21. Elevations (Show whether DF, KB, RT, GL, etc.) 5452 GL		22. Approximate date work will start 11/01/2011	12. County or Parish UINTAH
			13. State UT
			17. Spacing Unit dedicated to this well 40.00
			20. BLM/BIA Bond No. on file ESB000024
			23. Estimated duration 30 DAYS

24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, shall be attached to this form:

- |   |  |
|---|--|
| 1. Well plat certified by a registered surveyor.  | 4. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above).    |
| 2. A Drilling Plan.   | 5. Operator certification  |
| 3. A Surface Use Plan (if the location is on National Forest System Lands, the SUPO shall be filed with the appropriate Forest Service Office). | 6. Such other site specific information and/or plans as may be required by the authorized officer. |

25. Signature (Electronic Submission)	Name (Printed/Typed) VALYN DAVIS Ph: 435-781-4369	Date 06/28/2011
Title REGULATORY AFFAIRS ANALYST		
Approved by (Signature) 	Name (Printed/Typed) Jerry Kenczka	Date NOV 30 2011
Title Assistant Field Manager Lands & Mineral Resources		
Office VERNAL FIELD OFFICE		

Application approval does not warrant or certify the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.  
Conditions of approval, if any, are attached.

**CONDITIONS OF APPROVAL ATTACHED**

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**RECEIVED**

Additional Operator Remarks (see next page)

Electronic Submission #111709 verified by the BLM Well Information System  
For QEP ENERGY COMPANY, sent to the Vernal  
Committed to AFMSS for processing by LESLIE ROBINSON on 06/29/2011 () DIV. OF OIL, GAS & MINERAL RESOURCES

**DEC 14 2011**

**NOTICE OF APPROVAL**

**UDOGM**

\*\* OPERATOR-SUBMITTED \*\* OPERATOR-SUBMITTED \*\* OPERATOR-SUBMITTED \*\*

11SXS0723A9

NOS-115/20/2011




UNITED STATES DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT  
VERNAL FIELD OFFICE

170 South 500 East

VERNAL, UT 84078

(435) 781-4400



**CONDITIONS OF APPROVAL FOR APPLICATION FOR PERMIT TO DRILL**

Company: QEP Energy Company  
Well No: RW 23-30B  
API No: 43-047-15172

Location: NESW, Sec. 30, T7S, R23E  
Lease No: UTU-02030  
Agreement:

**OFFICE NUMBER: (435) 781-4400**

**OFFICE FAX NUMBER: (435) 781-3420**

**A COPY OF THESE CONDITIONS SHALL BE FURNISHED TO YOUR  
FIELD REPRESENTATIVE TO INSURE COMPLIANCE**

All lease and/or unit operations are to be conducted in such a manner that full compliance is made with the applicable laws, regulations (43 CFR Part 3160), and this approved Application for Permit to Drill including Surface and Downhole Conditions of Approval. The operator is considered fully responsible for the actions of his subcontractors. A copy of the approved APD must be on location during construction, drilling, and completion operations. **This permit is approved for a two (2) year period, or until lease expiration, whichever occurs first. An additional extension, up to two (2) years, may be applied for by sundry notice prior to expiration.**

**NOTIFICATION REQUIREMENTS**

Location Construction (Notify Environmental Scientist)	-	Forty-Eight (48) hours prior to construction of location and access roads.
Location Completion (Notify Environmental Scientist)	-	Prior to moving on the drilling rig.
Spud Notice (Notify Petroleum Engineer)	-	Twenty-Four (24) hours prior to spudding the well.
Casing String & Cementing (Notify Supv. Petroleum Tech.)	-	Twenty-Four (24) hours prior to running casing and cementing all casing strings to: <a href="mailto:blm_ut_vn_opreport@blm.gov">blm ut vn opreport@blm.gov</a>
BOP & Related Equipment Tests (Notify Supv. Petroleum Tech.)	-	Twenty-Four (24) hours prior to initiating pressure tests.
First Production Notice (Notify Petroleum Engineer)	-	Within Five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days.

**SURFACE USE PROGRAM  
 CONDITIONS OF APPROVAL (COAs)**

- All vehicles and equipment shall be cleaned either through power-washing, or other approved method, if the vehicles or equipment were brought in from areas outside the Uinta Basin, to prevent weed seed introduction.
- All disturbance areas shall be monitored for noxious weeds annually, for a minimum of three growing seasons following completion of project or until desirable vegetation is established.
- Reclamation will be completed in accordance with the Questar Exploration and Production Company, Uintah Basin Division's Reclamation Plan on file with the Vernal Field Office of the BLM.
- In the event historic or archaeological resources are uncovered during construction, work will stop immediately and the appropriate BLM AO will be notified.
- If paleontologic resources are uncovered during construction activities, the operator shall immediately suspend all operations that will further disturb such resources, and immediately notify the Authorized Officer (AO). The AO will arrange for a determination of significance and, if necessary, recommend a recovery or avoidance plan.
- QEP has agreed not to construct or drill during the following dates, unless otherwise determined by the BLM wildlife biologist.

<b>Well Name</b>	<b>Burrowing Owl March 1 to August 31</b>	<b>Red Tailed Hawk March 1 to August 15</b>	<b>Ferruginous Hawk March 1 to August 1</b>
RW 12-26B	No	No	No
RW 12-30B	Yes	Yes	No
RW 21-30B	Yes	Yes	No
RW 23-19B	No	No	No
RW 23-30B	No	Yes	No
RW 31-20B	Yes	No	No
RW 32-19B	No	Yes	No
RW 32-29B	No	No	Yes
RW 34-19B	Yes	Yes	No
RW 34-24B	Yes	No	Yes
RW 43-20B	No	No	No
RW 44-25B	No	No	Yes

All internal combustion equipment will be kept in good working order.

Water or other approved dust suppressants will be used at construction sites and along roads, as determined appropriate by the Authorized Officer.

Open burning of garbage or refuse will not occur at well sites or other facilities.

Drill rigs will be equipped with Tier II or better diesel engines.

Low bleed pneumatics will be installed on separator dump valves and other controllers. The use of low bleed pneumatics will result in a lower emission of VOCs.

During completion, flaring will be limited as much as possible. Production equipment and gathering lines will be installed as soon as possible.

Well site telemetry will be utilized as feasible for production operations.

- Following well plugging and abandonment, the location, access roads, pipelines, and other facilities shall be reclaimed. All disturbed surfaces shall be reshaped to approximate the original contour; the top soil respread over the surface; and, the surface revegetated. The surface of approved staging areas where construction activities did not occur may require disking or ripping and reseeding.
- The best method to avoid entrainment is to pump from an off-channel location – one that does not connect to the river during high spring flows. An infiltration gallery constructed in a BLM and Service approved location is best.
- If the pump head is located in the river channel where larval fish are known to occur, the following measures apply:
  - do not situate the pump in a low-flow or no-flow area as these habitats tend to concentrate larval fishes;
  - limit the amount of pumping, to the greatest extent possible, during that period of the year when larval fish may be present (April 1 to August 31); and
  - limit the amount of pumping, to the greatest extent possible, during the pre-dawn hours as larval drift studies indicate that this is a period of greatest daily activity.
- Screen all pump intakes with 3/32" mesh material.
- Approach velocities for intake structures will follow the National Marine Fisheries Service's document "Fish Screening Criteria for Anadromous Salmonids". For projects with an in-stream intake that operate in stream reaches where larval fish may be present, the approach velocity will not exceed 0.33 feet per second (ft/s).
- Report any fish impinged on the intake screen to the Service (801.975.3330) and the Utah Division of Wildlife Resources:
  - Northeastern Region
  - 152 East 100 North, Vernal, UT 84078
  - Phone: (435) 781-9453

**DOWNHOLE PROGRAM  
CONDITIONS OF APPROVAL (COAs)**

**SITE SPECIFIC DOWNHOLE COAs:**

- The Operator shall also comply with applicable laws and regulations; with lease terms, Onshore Oil and Gas Orders, NTL's; and with other orders and instructions of the authorized officer.

**All provisions outlined in Onshore Oil & Gas Order #2 Drilling Operations shall be strictly adhered to.** The following items are emphasized:

**DRILLING/COMPLETION/PRODUCING OPERATING STANDARDS**

- The spud date and time shall be reported orally to Vernal Field Office within 24 hours of spudding.
- Notify Vernal Field Office Supervisory Petroleum Engineering Technician at least 24 hours in advance of casing cementing operations and BOPE & casing pressure tests.
- All requirements listed in Onshore Order #2 III. E. Special Drilling Operations are applicable for air drilling of surface hole.
- Blowout prevention equipment (BOPE) shall remain in use until the well is completed or abandoned. Closing unit controls shall remain unobstructed and readily accessible at all times. Choke manifolds shall be located outside of the rig substructure.
- All BOPE components shall be inspected daily and those inspections shall be recorded in the daily drilling report. Components shall be operated and tested as required by Onshore Oil & Gas Order No. 2 to insure good mechanical working order. All BOPE pressure tests shall be performed by a test pump with a chart recorder and **NOT** by the rig pumps. Test shall be reported in the driller's log.
- BOP drills shall be initially conducted by each drilling crew within 24 hours of drilling out from under the surface casing and weekly thereafter as specified in Onshore Oil & Gas Order No. 2.
- Casing pressure tests are required before drilling out from under all casing strings set and cemented in place.
- No aggressive/fresh hard-banded drill pipe shall be used within casing.
- **Cement baskets shall not be run on surface casing.**
- The operator must report all shows of water or water-bearing sands to the BLM. If flowing water is encountered it must be sampled, analyzed, and a copy of the analyses submitted to the BLM Vernal Field Office.
- The operator must report encounters of all non oil & gas mineral resources (such as Gilsonite, tar sands, oil shale, trona, etc.) to the Vernal Field Office, in writing, within 5 working days of each encounter. Each report shall include the well name/number, well location, date and depth (from KB

or GL) of encounter, vertical footage of the encounter and, the name of the person making the report (along with a telephone number) should the BLM need to obtain additional information.

- A complete set of angular deviation and directional surveys of a directional well will be submitted to the Vernal BLM office engineer within 30 days of the completion of the well.
- While actively drilling, chronologic drilling progress reports shall be filed directly with the BLM, Vernal Field Office on a weekly basis in sundry, letter format or e-mail to the Petroleum Engineers until the well is completed.
- A cement bond log (CBL) will be run from the production casing shoe to the top of cement and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.
- **Please submit an electronic copy of all other logs run on this well in LAS format to BLM\_UT\_VN\_Welllogs@BLM.gov. This submission will supersede the requirement for submittal of paper logs to the BLM.**
- There shall be no deviation from the proposed drilling, completion, and/or workover program as approved. Safe drilling and operating practices must be observed. Any changes in operation must have prior approval from the BLM Vernal Field Office.

## OPERATING REQUIREMENT REMINDERS:

- All wells, whether drilling, producing, suspended, or abandoned, shall be identified in accordance with 43 CFR 3162.6. There shall be a sign or marker with the name of the operator, lease serial number, well number, and surveyed description of the well.
- For information regarding production reporting, contact the Office of Natural Resources Revenue (ONRR) at [www.ONRR.gov](http://www.ONRR.gov).
- Should the well be successfully completed for production, the BLM Vernal Field office must be notified when it is placed in a producing status. Such notification will be by written communication and must be received in this office by not later than the fifth business day following the date on which the well is placed on production. The notification shall provide, as a minimum, the following informational items:
  - Operator name, address, and telephone number.
  - Well name and number.
  - Well location ( $\frac{1}{4}$  $\frac{1}{4}$ , Sec., Twn, Rng, and P.M.).
  - Date well was placed in a producing status (date of first production for which royalty will be paid).
  - The nature of the well's production, (i.e., crude oil, or crude oil and casing head gas, or natural gas and entrained liquid hydrocarbons).
  - The Federal or Indian lease prefix and number on which the well is located; otherwise the non-Federal or non-Indian land category, i.e., State or private.
  - Unit agreement and/or participating area name and number, if applicable.
  - Communitization agreement number, if applicable.
- Any venting or flaring of gas shall be done in accordance with Notice to Lessees (NTL) 4A and needs prior approval from the BLM Vernal Field Office.
- All undesirable events (fires, accidents, blowouts, spills, discharges) as specified in NTL 3A will be reported to the BLM, Vernal Field Office. Major events, as defined in NTL3A, shall be reported verbally within 24 hours, followed by a written report within 15 days. "Other than Major Events" will be reported in writing within 15 days. "Minor Events" will be reported on the Monthly Report of Operations and Production.
- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (BLM Form 3160-4) shall be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs run, core descriptions, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, shall be filed on BLM Form 3160-4. Submit with the well completion report a geologic report including, at a minimum, formation tops, and a summary and conclusions. Also include deviation surveys, sample descriptions, strip logs, core data, drill stem test data, and results of production tests if performed. Samples (cuttings, fluid,

and/or gas) shall be submitted only when requested by the BLM, Vernal Field Office.

- All off-lease storage, off-lease measurement, or commingling on-lease or off-lease, shall have prior written approval from the BLM Vernal Field Office.
- Oil and gas meters shall be calibrated in place prior to any deliveries. The BLM Vernal Field Office Petroleum Engineers will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports shall be submitted to the BLM Vernal Field Office. All measurement facilities will conform to the API standards for liquid hydrocarbons and the AGA standards for natural gas measurement. All measurement points shall be identified as the point of sale or allocation for royalty purposes.
- A schematic facilities diagram as required by Onshore Oil & Gas Order No. 3 shall be submitted to the BLM Vernal Field Office within 30 days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with Onshore Oil & Gas Order No. 3.
- Any additional construction, reconstruction, or alterations of facilities, including roads, gathering lines, batteries, etc., which will result in the disturbance of new ground, shall require the filing of a suitable plan and need prior approval of the BLM Vernal Field Office. Emergency approval may be obtained orally, but such approval does not waive the written report requirement.
- No location shall be constructed or moved, no well shall be plugged, and no drilling or workover equipment shall be removed from a well to be placed in a suspended status without prior approval of the BLM Vernal Field Office. If operations are to be suspended for more than 30 days, prior approval of the BLM Vernal Field Office shall be obtained and notification given before resumption of operations.
- Pursuant to Onshore Oil & Gas Order No. 7, this is authorization for pit disposal of water produced from this well for a period of 90 days from the date of initial production. A permanent disposal method must be approved by this office and in operation prior to the end of this 90-day period. In order to meet this deadline, an application for the proposed permanent disposal method shall be submitted along with any necessary water analyses, as soon as possible, but no later than 45 days after the date of first production. Any method of disposal which has not been approved prior to the end of the authorized 90-day period will be considered as an Incident of Noncompliance and will be grounds for issuing a shut-in order until an acceptable manner for disposing of said water is provided and approved by this office.
- Unless the plugging is to take place immediately upon receipt of oral approval, the Field Office Petroleum Engineers must be notified at least 24 hours in advance of the plugging of the well, in order that a representative may witness plugging operations. If a well is suspended or abandoned, all pits must be fenced immediately until they are backfilled. The "Subsequent Report of Abandonment" (Form BLM 3160-5) must be submitted within 30 days after the actual plugging of the well bore, showing location of plugs, amount of cement in each, and amount of casing left in hole, and the current status of the surface restoration.

<b>STATE OF UTAH</b> DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	<b>FORM 9</b>
<b>SUNDRY NOTICES AND REPORTS ON WELLS</b>	
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	
<b>5. LEASE DESIGNATION AND SERIAL NUMBER:</b> UTU02030	<b>6. IF INDIAN, ALLOTTEE OR TRIBE NAME:</b>
<b>7. UNIT or CA AGREEMENT NAME:</b> RED WASH	<b>8. WELL NAME and NUMBER:</b> RW 23-30B
<b>1. TYPE OF WELL</b> Oil Well	<b>9. API NUMBER:</b> 43047151720000
<b>2. NAME OF OPERATOR:</b> QEP ENERGY COMPANY	<b>9. FIELD and POOL or WILDCAT:</b> RED WASH
<b>3. ADDRESS OF OPERATOR:</b> 11002 East 17500 South , Vernal, Ut, 84078	<b>PHONE NUMBER:</b> 303 308-3068 Ext
<b>4. LOCATION OF WELL</b> <b>FOOTAGES AT SURFACE:</b> 1873 FSL 1790 FWL <b>QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:</b> Qtr/Qtr: NESW Section: 30 Township: 07.0S Range: 23.0E Meridian: S	<b>COUNTY:</b> UINTAH  <b>STATE:</b> UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> <b>NOTICE OF INTENT</b> Approximate date work will start: 6/27/2012	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> CASING REPAIR
<input type="checkbox"/> <b>SUBSEQUENT REPORT</b> Date of Work Completion:	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME
<input type="checkbox"/> <b>SPUD REPORT</b> Date of Spud:	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> CONVERT WELL TYPE
<input type="checkbox"/> <b>DRILLING REPORT</b> Report Date:	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION
	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK
	<input type="checkbox"/> PRODUCTION START OR RESUME	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON
	<input type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input checked="" type="checkbox"/> APD EXTENSION
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> OTHER	OTHER: <input style="width: 100px;" type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

QEP ENERGY COMPANY HEREBY REQUESTS A ONE YEAR EXTENSION FOR THE APD ON THE ABOVE CAPTIONED WELL.

**Approved by the Utah Division of Oil, Gas and Mining**

**Date:** June 28, 2012

**By:**

<b>NAME (PLEASE PRINT)</b> Valyn Davis	<b>PHONE NUMBER</b> 435 781-4369	<b>TITLE</b> Regulatory Affairs Analyst
<b>SIGNATURE</b> N/A	<b>DATE</b> 6/25/2012	



**The Utah Division of Oil, Gas, and Mining**

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

**Request for Permit Extension Validation Well Number 43047151720000**

API: 43047151720000

Well Name: RW 23-30B

Location: 1873 FSL 1790 FWL QTR NESW SEC 30 TWP 070S RNG 230E MER S

Company Permit Issued to: QEP ENERGY COMPANY

Date Original Permit Issued: 6/27/2011

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

- If located on private land, has the ownership changed, if so, has the surface agreement been updated?  Yes  No
- Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?  Yes  No
- Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?  Yes  No
- Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?  Yes  No
- Has the approved source of water for drilling changed?  Yes  No
- Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?  Yes  No
- Is bonding still in place, which covers this proposed well?  Yes  No

Signature: Valyn Davis

Date: 6/25/2012

Title: Regulatory Affairs Analyst Representing: QEP ENERGY COMPANY

<b>STATE OF UTAH</b> DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	<b>FORM 9</b>  <b>5. LEASE DESIGNATION AND SERIAL NUMBER:</b> UTU02030
<b>SUNDRY NOTICES AND REPORTS ON WELLS</b>  Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	<b>6. IF INDIAN, ALLOTTEE OR TRIBE NAME:</b>  <b>7. UNIT or CA AGREEMENT NAME:</b> RED WASH
<b>1. TYPE OF WELL</b> Oil Well	<b>8. WELL NAME and NUMBER:</b> RW 23-30B
<b>2. NAME OF OPERATOR:</b> QEP ENERGY COMPANY	<b>9. API NUMBER:</b> 43047151720000
<b>3. ADDRESS OF OPERATOR:</b> 11002 East 17500 South , Vernal, Ut, 84078	<b>PHONE NUMBER:</b> 303 308-3068 Ext
<b>4. LOCATION OF WELL</b> <b>FOOTAGES AT SURFACE:</b> 1873 FSL 1790 FWL <b>QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:</b> Qtr/Qtr: NESW Section: 30 Township: 07.0S Range: 23.0E Meridian: S	<b>9. FIELD and POOL or WILDCAT:</b> RED WASH  <b>COUNTY:</b> UINTAH  <b>STATE:</b> UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> <b>NOTICE OF INTENT</b> Approximate date work will start: <b>4/1/2013</b>  <input type="checkbox"/> <b>SUBSEQUENT REPORT</b> Date of Work Completion:  <input type="checkbox"/> <b>SPUD REPORT</b> Date of Spud:  <input type="checkbox"/> <b>DRILLING REPORT</b> Report Date:	<input type="checkbox"/> ACIDIZE <input checked="" type="checkbox"/> <b>CHANGE TO PREVIOUS PLANS</b> <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: <input style="width: 100px;" type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

**QEP ENERGY COMPANY REQUESTS TO CHANGE THE DRILLING PLAN FROM WHAT WAS APPROVED ON 6-27-2011 ON THE ABOVE MENTIONED WELL. DRILLING BELOW SURFACE CASING WILL BE WITH WATER BASED DRILLING FLUIDS CONSISTING PRIMARILY OF FRESH WATER, BENTONITE, LIGNITE, CAUSTIC, LIME SODA ASH AND POLYMER. NO CHROMATES WILL BE USED. IT IS NOT INTENDED TO USE OIL IN THE MUD, HOWEVER, IN THE EVENT IT IS USED, OIL CONCENTRATION WILL BE LESS THAN 4% BY VOLUME. MAXIMUM ANTICIPATED MUD WEIGHT IS 9.5 PPG. QEP WOULD LIKE TO OPTIMIZE THE BOTTOM HOLE SPACING OF THE MESA VERDE DEVELOPMENT, THEREFORE, QEP WOULD LIKE TO DRILL THIS WELL WITH A SMALL STEP OUT OF +/- 171', BOTTOM HOLE FOOTAGES ARE: 1990' FSL, 1665' FWL, NESW, SEC. 30, T7S, R23E, 40.178756 LAT, 109.372925 LON. QEP REQUESTS TO CHANGE THE TD TO 11,550' MD.**

**Approved by the Utah Division of Oil, Gas and Mining**

**Date:** January 07, 2013

**By:**

<b>NAME (PLEASE PRINT)</b> Jan Nelson	<b>PHONE NUMBER</b> 435 781-4331	<b>TITLE</b> Permit Agent
<b>SIGNATURE</b> N/A	<b>DATE</b> 12/4/2012	



**QEP ENERGY COMPANY**

Well location, RW #23-30B (RE-ENTRY), located as shown in the NE 1/4 SW 1/4 of Section 30, T7S, R23E, S.L.B.&M., Uintah County, Utah.


**BASIS OF ELEVATION**

BENCH MARK 20EAM LOCATED IN THE SE 1/4 OF SECTION 35, T8S, R21E, S.L.B.&M. TAKEN FROM THE OURAY SE, QUADRANGLE, UTAH, UTAH COUNTY, 7.5 MINUTE QUAD (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 4697 FEET.

**BASIS OF BEARINGS**

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.

LINE TABLE	
LINE	LENGTH
L1	170.66'



SCALE



THIS IS TO CERTIFY THAT THE ABOVE PLAN WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

REGISTERED LAND SURVEYOR  
REGISTRATION NO. 161319  
STATE OF UTAH


REV: 10-11-12 K.O.

**UINTAH ENGINEERING & LAND SURVEYING**

85 SOUTH 200 EAST - VERNAL, UTAH 84078  
(435) 789-1017

SCALE	1" = 1000'	DATE SURVEYED:	04-08-11	DATE DRAWN:	04-14-11
PARTY	A.F. J.M. S.R.L.	REFERENCES	G.L.O. PLAT		
WEATHER	COOL	FILE	QEP ENERGY COMPANY		

**T7S, R23E, S.L.B.&M.**



**LEGEND:**

- = 90° SYMBOL
  - = PROPOSED WELL HEAD.
  - ▲ = SECTION CORNERS LOCATED
- | NAD 83 (TARGET BOTTOM HOLE)            | NAD 83 (SURFACE LOCATION)              |
|--|--|
| LATITUDE = 40°10'43.52" (40.178756)    | LATITUDE = 40°10'42.36" (40.178433)    |
| LONGITUDE = 109°22'22.53" (109.372925) | LONGITUDE = 109°22'20.93" (109.372481) |
| NAD 27 (TARGET BOTTOM HOLE)            | NAD 27 (SURFACE LOCATION)              |
| LATITUDE = 40°10'43.54" (40.178789)    | LATITUDE = 40°10'42.49" (40.178469)    |
| LONGITUDE = 109°22'20.07" (109.372242) | LONGITUDE = 109°22'18.47" (109.371797) |

Sundry Number: 32790 API Well Number: 43047151720000

Sundry Number: 32790 API Well Number: 43047151720000



QEP Energy Company

## **QEP ENERGY (UT)**

**Red Wash**

**RW 23-30B**

**RW 23-30B**

**Re-Entry**

**Plan: Plan ver.0**

## **Standard Planning Report**

**01 October, 2012**



QEP Energy Company



**QEP Resources, Inc.**  
Planning Report



Database:	EDMDB_QEP	Local Co-ordinate Reference:	Well RW 23-30B
Company:	QEP ENERGY (UT)	TVD Reference:	RKB @ 5466.40usft (AZTEC 781)
Project:	Red Wash	MD Reference:	RKB @ 5466.40usft (AZTEC 781)
Site:	RW 23-30B	North Reference:	True
Well:	RW 23-30B	Survey Calculation Method:	Minimum Curvature
Wellbore:	Re-Entry		
Design:	Plan ver.0		

Project	Red Wash		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	Utah Central Zone		Using geodetic scale factor

Site	RW 23-30B				
Site Position:		Northing:	7,240,789.015 usft	Latitude:	40.178433
From:	Lat/Long	Easting:	2,234,809.028 usft	Longitude:	-109.372481
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16 "	Grid Convergence:	1.36 °

Well	RW 23-30B					
Well Position	+N/-S	0.00 usft	Northing:	7,240,789.011 usft	Latitude:	40.178433
	+E/-W	0.00 usft	Easting:	2,234,809.028 usft	Longitude:	-109.372481
Position Uncertainty	0.00 usft	Wellhead Elevation:	5,452.40 usft	Ground Level:	5,452.40 usft	

Wellbore	Re-Entry				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2010	10/1/2012	10.88	66.01	52,310

Design	Plan ver.0			
Audit Notes:				
Version:	Phase:	PLAN	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)
	0.00	0.00	0.00	226.90

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
5,991.00	0.00	0.00	5,991.00	0.00	0.00	0.00	0.00	0.00	0.00	
6,091.00	0.00	0.00	6,091.00	0.00	0.00	0.00	0.00	0.00	0.00	
6,789.33	13.97	263.80	6,782.43	-9.15	-84.20	2.00	2.00	0.00	263.80	
6,929.12	13.97	263.80	6,918.09	-12.80	-117.74	0.00	0.00	0.00	0.00	
7,860.22	0.00	0.00	7,840.00	-25.00	-230.00	1.50	-1.50	0.00	180.00	
9,146.22	0.00	0.00	9,126.00	-25.00	-230.00	0.00	0.00	0.00	0.00	
9,379.56	3.50	131.00	9,359.19	-29.67	-224.62	1.50	1.50	0.00	131.00	
11,550.42	3.50	131.00	11,526.00	-116.62	-124.60	0.00	0.00	0.00	0.00	



**QEP Resources, Inc.**  
Planning Report



<b>Database:</b>	EDMDB_QEP	<b>Local Co-ordinate Reference:</b>	Well RW 23-30B
<b>Company:</b>	QEP ENERGY (UT)	<b>TVD Reference:</b>	RKB @ 5466.40usft (AZTEC 781)
<b>Project:</b>	Red Wash	<b>MD Reference:</b>	RKB @ 5466.40usft (AZTEC 781)
<b>Site:</b>	RW 23-30B	<b>North Reference:</b>	True
<b>Well:</b>	RW 23-30B	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>	Re-Entry		
<b>Design:</b>	Plan ver.0		

Planned Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5,991.00	0.00	0.00	5,991.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6,091.00	0.00	0.00	6,091.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6,789.33	13.97	263.80	6,782.43	-9.15	-84.20	67.73	2.00	2.00	0.00	0.00
6,929.12	13.97	263.80	6,918.09	-12.80	-117.74	94.71	0.00	0.00	0.00	0.00
7,860.22	0.00	0.00	7,840.00	-25.00	-230.00	185.01	1.50	-1.50	0.00	0.00
9,146.22	0.00	0.00	9,126.00	-25.00	-230.00	185.01	0.00	0.00	0.00	0.00
9,379.56	3.50	131.00	9,359.19	-29.67	-224.62	184.28	1.50	1.50	0.00	0.00
11,550.42	3.50	131.00	11,526.00	-116.62	-124.60	170.66	0.00	0.00	0.00	0.00

Design Targets										
Target Name	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude	
RW 23-30B (11C1-30B)	0.00	0.00	9,126.00	-86.98	-182.21	7,240,717.721	2,234,628.480	40.178250	-109.373133	
- hit/miss target										
- Shape										
- plan misses target center by 63.64usft at 9146.16usft MD (9127.94 TVD, -25.00 N, -230.00 E)										
- Circle (radius 100.00)										

Casing Points						
Measured Depth (usft)	Vertical Depth (usft)	Name	Casing Diameter (")	Hole Diameter (")		
5,991.00	5,991.00	7"	7	9		

Formations						
Measured Depth (usft)	Vertical Depth (usft)	Name	Lithology	Dip (°)	Dip Direction (°)	
2,952.00	2,952.00	Green River		0.00		
3,882.00	3,882.00	Mahog. Bench		0.00		
6,406.64	6,406.00	Wasatch		0.00		
9,146.22	9,126.00	Mesaverde		0.00		
11,450.23	11,426.00	Sego		0.00		




# Company Name: QEP ENERGY (UT)


Project: Red Wash  
 Well: RW 23-30B  
 Wellbore: Re-Entry  
 Design: Plan ver.0

Authority: Utah North  
 Magnetic Field  
 Scale: 500000:1  
 Date: 10/16/2011  
 Model: 03/25/10



<b>WELL DETAILS: RW 23-30B</b> Ground Level: 4952.40 +N+S 0.00    +E+W 0.00    Northing 7240789.011    Easting 2234628.023    40.178433    40.178433 Longitude -106.372481    Slot		<b>REFERENCE INFORMATION</b> Co-ordinate (NE) Reference: Well RW 23-30B, True North Vertical (TVD) Reference: RKB @ 5466.40usft (AZTEC 781) Section (VS) Reference: Slot - (0.00N, 0.00E) Measured Depth Reference: RKB @ 5466.40usft (AZTEC 781) Calculation Method: Minimum Curvature	<b>PROJECT DETAILS: Red Wash</b> Geodetic System: US State Plane 1983 Datum: North American Datum 1983 Ellipsoid: GRS 1980 Zone: Utah Central Zone System Datum: Mean Sea Level
---	--	--	--





**QEP Energy Company**

11002 East 17500 South  
Vernal, UT 84078  
Telephone 435-781-4331  
Fax 435-781-4395

[jan.nelson@qepres.com](mailto:jan.nelson@qepres.com)

December 4, 2012

Ms. Diana Mason  
Division of Oil, Gas and Mining  
P.O. Box 145801  
Salt Lake City, UT 84114-6100

RE: Directional Drilling R649-3-11  
Red Wash Unit  
**RW 23-30B**  
1873' FSL, 1790' FWL, NESW, SECTION 30, T7S, R23E(Surface )  
1990' FSL, 1665' FWL, NESW, SECTION 30, T7S, R23E (Bottom Hole)  
Uintah County, Utah

Dear Ms. Mason:

Pursuant to the filing of QEP Energy Company Application for Permit to Drill regarding the above referenced well, we are hereby submitting this letter in accordance with Oil & Gas Conservation Rule R649 -3-11 pertaining to the location and drilling of a directional well.

QEP Energy Company would like to optimize the bottom hole spacing of the Mesa Verde development; therefore, QEP Energy Company would like to drill this well directionally.

Furthermore, QEP Energy Company certifies that it is the sole working interest owner within 460 feet of the entire directional well bore.

Therefore, based on the above stated information QEP Energy Company requests the permit be granted pursuant to Rule R649-3-11.

Sincerely,

A handwritten signature in blue ink that reads 'Jan Nelson'. The signature is written in a cursive, flowing style.

Jan Nelson  
Permit Agent

<b>STATE OF UTAH</b> DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	FORM 9  <b>5.LEASE DESIGNATION AND SERIAL NUMBER:</b> UTU02030
<b>SUNDRY NOTICES AND REPORTS ON WELLS</b>  Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	<b>6. IF INDIAN, ALLOTTEE OR TRIBE NAME:</b>  <b>7.UNIT or CA AGREEMENT NAME:</b> RED WASH
<b>1. TYPE OF WELL</b> Oil Well	<b>8. WELL NAME and NUMBER:</b> RW 23-30B
<b>2. NAME OF OPERATOR:</b> QEP ENERGY COMPANY	<b>9. API NUMBER:</b> 43047151720000
<b>3. ADDRESS OF OPERATOR:</b> 11002 East 17500 South , Vernal, Ut, 84078	<b>PHONE NUMBER:</b> 303 308-3068 Ext
<b>4. LOCATION OF WELL</b> <b>FOOTAGES AT SURFACE:</b> 1873 FSL 1790 FWL <b>QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:</b> Qtr/Qtr: NESW Section: 30 Township: 07.0S Range: 23.0E Meridian: S	<b>9. FIELD and POOL or WILDCAT:</b> RED WASH  <b>COUNTY:</b> UINTAH  <b>STATE:</b> UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> <b>NOTICE OF INTENT</b> Approximate date work will start: 6/27/2014	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> CASING REPAIR
<input type="checkbox"/> <b>SUBSEQUENT REPORT</b> Date of Work Completion:	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME
<input type="checkbox"/> <b>SPUD REPORT</b> Date of Spud:	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> CONVERT WELL TYPE
<input type="checkbox"/> <b>DRILLING REPORT</b> Report Date:	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION
	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK
	<input type="checkbox"/> PRODUCTION START OR RESUME	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON
	<input type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input checked="" type="checkbox"/> APD EXTENSION
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> OTHER	OTHER: <input style="width: 100px;" type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

QEP ENERGY COMPANY HEREBY REQUESTS A ONE YEAR EXTENSION FOR THE APD ON THE ABOVE CAPTIONED WELL.

**Approved by the Utah Division of Oil, Gas and Mining**

**Date:** July 01, 2013

**By:**

<b>NAME (PLEASE PRINT)</b> Valyn Davis	<b>PHONE NUMBER</b> 435 781-4369	<b>TITLE</b> Regulatory Affairs Analyst
<b>SIGNATURE</b> N/A	<b>DATE</b> 6/25/2013	



**The Utah Division of Oil, Gas, and Mining**

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

**Request for Permit Extension Validation Well Number 43047151720000**

API: 43047151720000

Well Name: RW 23-30B

Location: 1873 FSL 1790 FWL QTR NESW SEC 30 TWP 070S RNG 230E MER S

Company Permit Issued to: QEP ENERGY COMPANY

Date Original Permit Issued: 6/27/2011

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

- If located on private land, has the ownership changed, if so, has the surface agreement been updated?  Yes  No
- Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?  Yes  No
- Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?  Yes  No
- Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?  Yes  No
- Has the approved source of water for drilling changed?  Yes  No
- Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?  Yes  No
- Is bonding still in place, which covers this proposed well?  Yes  No

Signature: Valyn Davis

Date: 6/25/2013

Title: Regulatory Affairs Analyst Representing: QEP ENERGY COMPANY

<b>STATE OF UTAH</b> DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	<b>FORM 9</b>
<b>5. LEASE DESIGNATION AND SERIAL NUMBER:</b> UTU02030	
<b>6. IF INDIAN, ALLOTTEE OR TRIBE NAME:</b>	
<b>7. UNIT or CA AGREEMENT NAME:</b> RED WASH	
<b>8. WELL NAME and NUMBER:</b> RW 23-30B	
<b>9. API NUMBER:</b> 43047151720000	
<b>9. FIELD and POOL or WILDCAT:</b> RED WASH	
<b>COUNTY:</b> Uintah	
<b>STATE:</b> UTAH	

**SUNDRY NOTICES AND REPORTS ON WELLS**  
 Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

<b>1. TYPE OF WELL</b> Oil Well	
<b>2. NAME OF OPERATOR:</b> QEP ENERGY COMPANY	
<b>3. ADDRESS OF OPERATOR:</b> 11002 East 17500 South , Vernal, Ut, 84078	<b>PHONE NUMBER:</b> 303 308-3068 Ext
<b>4. LOCATION OF WELL</b> <b>FOOTAGES AT SURFACE:</b> 1873 FSL 1790 FWL <b>QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:</b> Qtr/Qtr: NESW Section: 30 Township: 07.0S Range: 23.0E Meridian: S	

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> <b>NOTICE OF INTENT</b> Approximate date work will start: 6/27/2015	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> CASING REPAIR
<input type="checkbox"/> <b>SUBSEQUENT REPORT</b> Date of Work Completion:	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME
<input type="checkbox"/> <b>SPUD REPORT</b> Date of Spud:	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> CONVERT WELL TYPE
<input type="checkbox"/> <b>DRILLING REPORT</b> Report Date:	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION
	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK
	<input type="checkbox"/> PRODUCTION START OR RESUME	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON
	<input type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input checked="" type="checkbox"/> APD EXTENSION
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> OTHER	OTHER: <input style="width: 100px;" type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.  
 QEP ENERGY COMPANY HEREBY REQUESTS A ONE YEAR EXTENSION FOR THE APD ON THE ABOVE CAPTIONED WELL.

**Approved by the Utah Division of Oil, Gas and Mining**  
 July 01, 2014

**Date:** \_\_\_\_\_

**By:**

<b>NAME (PLEASE PRINT)</b> Valyn Davis	<b>PHONE NUMBER</b> 435 781-4369	<b>TITLE</b> Regulatory Affairs Analyst
<b>SIGNATURE</b> N/A	<b>DATE</b> 6/30/2014	



**The Utah Division of Oil, Gas, and Mining**

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

**Request for Permit Extension Validation Well Number 43047151720000**

API: 43047151720000

Well Name: RW 23-30B

Location: 1873 FSL 1790 FWL QTR NESW SEC 30 TWNP 070S RNG 230E MER S

Company Permit Issued to: QEP ENERGY COMPANY

Date Original Permit Issued: 6/27/2011

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

- If located on private land, has the ownership changed, if so, has the surface agreement been updated?  Yes  No
- Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?  Yes  No
- Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?  Yes  No
- Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?  Yes  No
- Has the approved source of water for drilling changed?  Yes  No
- Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?  Yes  No
- Is bonding still in place, which covers this proposed well?  Yes  No

Signature: Valyn Davis

Date: 6/30/2014

Title: Regulatory Affairs Analyst Representing: QEP ENERGY COMPANY

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

**RECEIVED**

FORM APPROVED  
OMB NO. 1004-0135  
Expires: July 31, 2010

OCT 17 2013

**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*

**BLM**

**SUBMIT IN TRIPLICATE - Other instructions on reverse side.**

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. UTU02030
2. Name of Operator QEP ENERGY COMPANY		6. If Indian, Allottee or Tribe Name
Contact: VALYN DAVIS E-Mail: Valyn.Davis@qepres.com		7. If Unit or CA/Agreement, Name and/or No. 892000761D
3a. Address 11002 EAST 17500 SOUTH VERNAL, UT 84078	3b. Phone No. (include area code) Ph: 435-781-4369 Fx: 435-781-4395	8. Well Name and No. RW 23-30B
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 30 T7S R23E NESW 1873FSL 1790FWL 40.178433 N Lat, 109.372481 W Lon		9. API Well No. 43-047-15172-00-X1
		10. Field and Pool, or Exploratory RED WASH
		11. County or Parish, and State UINTAH COUNTY, UT

**12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Change to Original A PD
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

QEP ENERGY COMPANY HEREBY REQUESTS A TWO YEAR EXTENSION FOR THE APD ON THE ABOVE CAPTIONED WELL.

BLM APPROVAL DATE: 11/30/2011

**RECEIVED**

**AUG 27 2014**

DIV. OF OIL, GAS & MINING


VERNAL FIELD OFFICE
ENG. <u>MR 81714</u>
GEOLOGIST _____
E.S. _____
PETROLEUM _____
RECLAMATION _____

14. I hereby certify that the foregoing is true and correct.

**Electronic Submission #222632 verified by the BLM Well Information System  
For QEP ENERGY COMPANY, sent to the Vernal  
Committed to AFMSS for processing by LESLIE BUHLER on 10/31/2013 (14LBB2360SE)**

Name (Printed/Typed) VALYN DAVIS	Title REGULATORY AFFAIRS ANALYST
Signature (Electronic Submission)	Date 10/10/2013

**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved By 	Title Assistant Field Manager Lands & Mineral Resources	AUG 05 2014
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	<b>VERNAL FIELD OFFICE</b>

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**\*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\***

**UDOGM**

**Revisions to Operator-Submitted EC Data for Sundry Notice #222632**

	<b>Operator Submitted</b>	<b>BLM Revised (AFMSS)</b>
Sundry Type:	OTHER NOI	APDCH NOI
Lease:	UTU02030	UTU02030
Agreement:	892000761D	892000761D (UTU63010D)
Operator:	QEP ENERGY COMPANY 11002 EAST 17500 SOUTH VERNAL, UT 84078 Ph: 435-781-4369	QEP ENERGY COMPANY 11002 EAST 17500 SOUTH VERNAL, UT 84078 Ph: 435-781-4032 Fx: 435-781-4045
Admin Contact:	VALYN DAVIS REGULATORY AFFAIRS ANALYST E-Mail: valyn.davis@qepres.com Cell: 435-828-1058 Ph: 435-781-4369 Fx: 435-781-4395	VALYN DAVIS REGULATORY AFFAIRS ANALYST E-Mail: Valyn.Davis@qepres.com Cell: 435-828-1058 Ph: 435-781-4369 Fx: 435-781-4395
Tech Contact:	VALYN DAVIS REGULATORY AFFAIRS ANALYST E-Mail: valyn.davis@qepres.com Cell: 435-828-1058 Ph: 435-781-4369 Fx: 435-781-4395	VALYN DAVIS REGULATORY AFFAIRS ANALYST E-Mail: Valyn.Davis@qepres.com Cell: 435-828-1058 Ph: 435-781-4369 Fx: 435-781-4395
Location:		
State:	UT	UT
County:	UINTAH	UINTAH
Field/Pool:	RED WASH	RED WASH
Well/Facility:	RW 23-30B Sec 30 T7S R23E Mer SLB NESW 1873FSL 1790FWL 40.178433 N Lat, 109.372481 W Lon	RW 23-30B Sec 30 T7S R23E NESW 1873FSL 1790FWL 40.178433 N Lat, 109.372481 W Lon

# CONDITIONS OF APPROVAL

## QEP Energy Company

Notice of Intent

APD Extension

**Lease:** UTU-02030  
**Well:** RW 23-30B  
**Location:** NESW Sec 30 T7S-R23E

An extension for the referenced APD is granted with the following conditions:

---

1. The APD extension shall expire on 11/30/15
2. No other extension shall be granted.

If you have any other questions concerning this matter, please contact Michael Riches of this office at (435) 781-4438

<b>STATE OF UTAH</b> DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	<b>FORM 9</b>
<b>SUNDRY NOTICES AND REPORTS ON WELLS</b>	
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	
<b>1. TYPE OF WELL</b> Oil Well	<b>5. LEASE DESIGNATION AND SERIAL NUMBER:</b> UTU02030
<b>2. NAME OF OPERATOR:</b> QEP ENERGY COMPANY	<b>6. IF INDIAN, ALLOTTEE OR TRIBE NAME:</b>
<b>3. ADDRESS OF OPERATOR:</b> 11002 East 17500 South , Vernal, Ut, 84078	<b>7. UNIT or CA AGREEMENT NAME:</b> RED WASH
<b>PHONE NUMBER:</b> 303 595-5919 Ext	<b>8. WELL NAME and NUMBER:</b> RW 23-30B
<b>4. LOCATION OF WELL</b> <b>FOOTAGES AT SURFACE:</b> 1873 FSL 1790 FWL <b>QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:</b> Qtr/Qtr: NESW Section: 30 Township: 07.0S Range: 23.0E Meridian: S	<b>9. API NUMBER:</b> 43047151720000
	<b>9. FIELD and POOL or WILDCAT:</b> RED WASH
	<b>COUNTY:</b> UINTAH
	<b>STATE:</b> UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> <b>NOTICE OF INTENT</b> Approximate date work will start: <b>6/27/2016</b>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> CASING REPAIR
<input type="checkbox"/> <b>SUBSEQUENT REPORT</b> Date of Work Completion:	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME
<input type="checkbox"/> <b>SPUD REPORT</b> Date of Spud:	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> CONVERT WELL TYPE
<input type="checkbox"/> <b>DRILLING REPORT</b> Report Date:	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION
	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK
	<input type="checkbox"/> PRODUCTION START OR RESUME	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON
	<input type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input checked="" type="checkbox"/> APD EXTENSION
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> OTHER	OTHER: <input style="width: 100px;" type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

QEP ENERGY COMPANY HEREBY REQUESTS A ONE YEAR EXTENSION FOR THE APD ON THE ABOVE CAPTIONED WELL.

**Approved by the**  
**June 29, 2015**  
**Oil, Gas and Mining**

**Date:** \_\_\_\_\_  
**By:** 

<b>NAME (PLEASE PRINT)</b> Valyn Davis	<b>PHONE NUMBER</b> 435 781-4369	<b>TITLE</b> Regulatory Affairs Analyst
<b>SIGNATURE</b> N/A	<b>DATE</b> 6/25/2015	



**The Utah Division of Oil, Gas, and Mining**

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

**Request for Permit Extension Validation Well Number 43047151720000**

API: 43047151720000

Well Name: RW 23-30B

Location: 1873 FSL 1790 FWL QTR NESW SEC 30 TWP 070S RNG 230E MER S

Company Permit Issued to: QEP ENERGY COMPANY

Date Original Permit Issued: 6/27/2011

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

- If located on private land, has the ownership changed, if so, has the surface agreement been updated?  Yes  No
- Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?  Yes  No
- Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?  Yes  No
- Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?  Yes  No
- Has the approved source of water for drilling changed?  Yes  No
- Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?  Yes  No
- Is bonding still in place, which covers this proposed well?  Yes  No

Signature: Valyn Davis

Date: 6/25/2015

Title: Regulatory Affairs Analyst Representing: QEP ENERGY COMPANY




# United States Department of the Interior

## BUREAU OF LAND MANAGEMENT

Green River District  
Vernal Field Office  
170 South 500 East  
Vernal, UT 84078

<http://www.blm.gov/ut/st/en/fo/vernal.html>



AUG 03 2015

IN REPLY REFER TO:  
3160 (UTG011)

Jan Nelson  
QEP Energy Company  
11002 East 17500 South  
Vernal, UT 84078

Dear Ms. *Nelson*:

The following Applications for Permit to Drill (APD) are being rescinded per your request to this office in an email message to Land Law Examiner Robin R. Hansen received on 7/21/2015. If you intend to drill at this location in the future, a new Application for Permit to Drill must be submitted.

*43-0A7*

	Lease	Well	Aliquot	Sec., T., R.	Date Rec'd	Date Apprv'd
<i>15174</i>	UTU-02030	RW 32-19B	SWNE	Sec. 19-T7S-R23E	6/22/2011	11/30/2011
<i>15242</i>	UTU-02030	RW 34-19B	SWSE	Sec. 19-T7S-R23E	6/22/2011	11/30/2011
<i>15252</i>	UTU-02030	RW 43-19B	NESE	Sec. 19-T7S-R23E	7/29/2011	2/27/2012
<i>31581</i>	UTU-0559	RW 22-22A	SENW	Sec. 22-T7S-R22E	7/29/2011	2/27/2012
<i>15280</i>	UTU-02030	RW 21-30B	NENW	Sec. 30-T7S-R23E	6/28/2011	11/30/2011
<i>15172</i>	UTU-02030	RW 23-30B	NESW	Sec. 30-T7S-R23E	6/28/2011	11/30/2011

This office requires a letter confirming that no surface disturbance has been made for this drill site. Any surface disturbance associated with the approved location of this well is to be rehabilitated. A schedule for this rehabilitation must be submitted to this office. Your cooperation in this matter is appreciated.

If you have any questions regarding APD processing, please contact Robin Hansen at (435) 781-3428.

Sincerely,

/s/ Jerry Kenczka

Jerry Kenczka  
Assistant Field Manager  
Lands & Resource Minerals

RECEIVED

AUG 19 2015

DIV. OF OIL, GAS & MINING

cc: UDOGM

bcc: Well File  
I&E Asst.



GARY R. HERBERT  
Governor

SPENCER J. COX  
Lieutenant Governor

# State of Utah

## DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER  
*Executive Director*

### Division of Oil, Gas and Mining

JOHN R. BAZA  
*Division Director*

June 23, 2016

Jan Nelson  
QEP Energy Company  
11002 East 17500 South  
Vernal, UT 84078

Re: APDs Rescinded for QEP Energy Company, Uintah County

Dear Ms. Nelson:

Enclosed find the list of APDs that is being rescinded. No drilling activity at these locations has been reported to the division. Therefore, approval to drill these wells is hereby rescinded as of June 22, 2016.

A new APD must be filed with this office for approval prior to the commencement of any future work on the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division immediately.

Sincerely,

  
Diana Mason  
Environmental Scientist

cc: Well File  
Bureau of Land Management, Vernal

RW 23-30B 43-047-15172 (RE-ENTRY)  
RW 32-19B 43-047-15174 (RE-ENTRY)  
RW 34-19B 43-047-15242 (RE-ENTRY)  
RW 21-30B 43-047-15280 (RE-ENTRY)  
RW 12-30B 43-047-16499 (RE-ENTRY)

---



Diana Mason <dianawhitney@utah.gov>

## Expired APD's

Jan Nelson <Jan.Nelson@qepres.com>  
To: Diana Mason <dianawhitney@utah.gov>

Wed, Jun 22, 2016 at 8:20 AM

Hi Diana,

The APD's was returned from the BLM for the following:

Well Name	API #
RW 23-30B	4304715172
RW 32-19B	4304715174
RW 34-19B	4304715242
RW 21-30B	4304715280
RW 12-30B	4304716499

Let me know if you have any questions.

Thank you.

**JAN NELSON**  
Sr. Permit Agent, Rockies Division

P 435.781.4331 \ M 435.828.8719

11002 East 17500 South  
Vernal \ UT \ 84078

Jan.Nelson@qepres.com

www.qepres.com

