

FILE NOTATIONS

Entered in NID File

✓

Checked by Chief

R.L.R.

✓

Entered On S R Sheet

Copy NID to Field Office

Initial

Location Map Pinned

✓

Approval Letter

Card Indexed

✓

Disapproval Letter

IWR for State or Fee Land

COMPLETION DATA:

Date Well Completed

6-10-62

Location Inspected

OW ✓

WW _____

TA _____

Bond released

GW _____

OS _____

PA _____

State of Fee Land

LOGS FILED

Driller's Log

11-23-62

Electric Logs (No.)

4

E _____

I _____

E-I ✓

GR _____

GR-N _____

Micro ✓


Lat. _____

Mi-L _____

Sonic ✓

Others

Formation Tester
Perforating Depth Control
Cement Bond



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake City
Lease No. U-000
Unit Red Wash

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Vernal, Utah March 13, 1960

Well No: (23-243) 168 is located 1900 ft. from [S] line and 1900 ft. from [W] line of sec. 24

NE 1/4 SW 1/4 S4 7# R2E RLM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Red Wash Utah Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the ~~contour~~ above sea level is 5640 ft. est

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is proposed to drill a test well for oil or gas to be completed in the lower Green River Formation.
10-3/4" casing to be cemented at approximately 225'.
7" casing to be cemented below lowest productive interval with sufficient cement to reach 4000'.

Top Green River - 2751'
"H" Point - 4607'
"K" Point - 5165'

Subject well is included in First Half 1960 Plan of Development

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company California Oil Company, Western Division

Address P. O. Box 455

Vernal, Utah

Original Signed by
R. W. PATTERSON

By R. W. PATTERSON

Title Field Superintendent

U000, SEC-3; 0000, SEC-1; Gulf, Denver - 1 Conkline-1; NIG-1; File-1

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Budget Bureau No. 43-R306A
Approval expires 12-31-60.
Salt Lake City
LAND OFFICE
LEASE NUMBER
UNIT

Page Four

LESSEE'S MONTHLY REPORT OF OPERATIONS

State Utah County Wasatch Field Red Wash

The following is a correct report of operations and production (including drilling and producing wells) for the month of April, 1962

Agent's address P. O. Box 455 Company California Oil Co., Western Div.

Vernal, Utah

Signed

R. W. [Signature]

Phone

Vernal 2800

Agent's title

Field Supervisor

SEC. AND 1/4 OF 1/4	TWP.	RANGE	WELL NO.	DAYS PRODUCED	BARRELS OF OIL	GRAVITY	CU. FT. OF GAS (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
NE NE 15	7S	R3E	41-15B (170)							<p>Core #1 - 6000-6100'. No oil effective. Drilling 9" hole at 6017'.</p> <p>Present Conditions Depth: 800' Casing: 10-1/4", 40.5#, J-55 cement at 233' (170 sacks)</p> <p>Operations Conducted Moved in Marx-Hesse Rig #1. Spudded on 4-23-62. Drilled 15" hole to 238'. Cemented 10-1/4" casing at 233' with 170 sacks cement. Drilling 9" hole at 800'.</p> <p align="right">Flags: None</p>
NE NE 33	7S	R2E	30-33A (171)							<p>Present Conditions Depth: 500' Casing: 10-1/4", 40.5#, J-55 cemented at 239' (180 sacks) 7", 23#, J-55 cemented at 2929' (400 sacks)</p> <p align="right">Flags: 5000'</p> <p>Operations Conducted Drilled 9" hole to 5660'. Out Core #1 - 5660-5664'. Res 4' shale. Out Core #2 - 5664-5730'. No effective oil sand. Drilled 9" hole to 5909'. Ran Schlumberger IES and MARE logs. BSR #1A (5663-5712) tested wrong interval. Res 1077' water. BSR #1 (5712-5709) 45 min test. Tool opened w/weak blow. GTS in 10 min. TEST. Res 863' gas & water cut oil, 455' muddy water. Pressures: IH-2687, IHP-1450, IP-1506, FP-408, FHP-1408, FP-2662. BSR #2 (5706-5704) 45 min test. GTS in 35 min, TEST and dying in 40 min. Res 229' oil, 27' water cut mud. Pressures: IH-2687, IHP-1712, IP-97, FP-155, FHP-1664, FP-2687. Cemented 7" casing at 2929' with 400 sacks cement. Landed tubing on IHP. Released rig 4-23-62.</p>

NOTE.—There were _____ runs or sales of oil; _____ M cu. ft. of gas sold;

_____ runs or sales of gasoline during the month. (Write "no" where applicable.)

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

Salt Lake City

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LAND OFFICE
LEASE NUMBER **Red Wash**
UNIT

Page **Three**

LESSEE'S MONTHLY REPORT OF OPERATIONS

State **Utah** County **Uintah** Field **Red Wash**

The following is a correct report of operations and production (including drilling and producing wells) for the month of **April**, 19**62**

Agent's address **P. O. Box 455** Company **California Oil Co., Western Div.**
Vernal, Utah Signed **R. W. PATTERSON** by **Original PATTERSON**
Vernal 2000 Agent's title **Field Supervisor**

SEC. AND 1/4 OF 1/4	TWP.	RANGE	WELL NO.	DATE PRODUCED	BARRELS OF OIL	GRAVITY	CU. FT. OF GAS (in thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (if none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
---------------------	------	-------	----------	---------------	----------------	---------	-------------------------------	-------------------------------	--------------------------------------	--

#5 WF, 4000# sand, 300# aluminum pellets and .05#/gal Adomite. Avg rate 35.6 MCF with 2375 psi. ISB 1125 psi. Drilled out BP at 5305' and cleaned out to 5732'. Ran production string tubing, pump and rods. Released rig.

NE SW 24 7S 23E 23-74B (168)

Present Conditions

Depth: 6217' Plugs: None
Casing: 10-3/4", 40.5#, J-55 cmtd at 233' (175 sacks)

Operations Conducted

Moved in Kerr-McGee Rig #23. Spudded 4-2-62. Drilled 15" hole to 240'. Cemented 10-3/4" casing at 233' with 175 sacks. Drilled 9" hole to 5580'. Ran Schlumberger IES and Micro logs. DST #1 (5524-5538) 60 min test. Tool opened w/strong blow. GTS in 1 min, incr to a max of 6.16 MCFD in 25 min and decr to 5.21 MCFD in 60 min. No fluid recovered. Pressures: IH-2020, ISIP-1910, IF-1298, FF-1262, FSIP-1838, FH-2020. DST #2 (5490-5520) 60 min test. Tool opened w/strong blow. GTS in 2 min at 2.42 MCFD rate, decr to 1.86 MCFD in 60 min. Rec 20' oil, 80' oil cut muddy water. Pressures: IH-2700, ISIP-2020, IF-658, FF-407, FSIP-1760, FH-2676. DST #3A (5468-5484) Packers failed. DST #3B (5474-5481) Packers failed. DST #4 (5276-5283) 60 min test. Tool opened w/strong blow. GTS in 10 min, incr to 36.5 MCFD and decr to very weak blow in 60 min. Rec 205' mud cut oil (60% oil), 135' oil cut mud (40% oil), and 275' oil cut mud (5% oil). Pressures: IH-2650, ISIP-1820, IF-260, FF-295k FSIP-1640, FH-2650. DST #5 (5416-5440) 45 min flow. Tool opened w/weak blow and died in 5 min. MCFD. Rec 50' oil cut mud, 275' muddy vtr. Pressures: IH-2645, ISIP-1682k IF-75k FF-135k FSIP-1455, FH-2645. DST #6 (4832-4858) 60 min test. GTS immediately incr to 9 MCFD in 34 min and remaining steady. Rec 60' of muddy vtr. Pressures: IH-2450, ISIP-1800, IF-600k FF-215, FSIP-1775, FH-2385. DST #7 (4434-4456) 90 min test. DST immediately, slowly incr to 213 MCFD in 90 min. Rec 183' gas & vtr cut mud, 92' water. Pressure: IH-2195, ISIP-1670, IF-25, FF-75k FSIP-1555, FH-2146. Drilled 9" hole to 6022'. Cut


NOTE.—There were _____ runs or sales of oil; _____ M cu. ft. of gas sold;

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake City
Lease No. U-032
Unit Red Wash



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Vernal, Utah April 17, 19 62

Well No. ⁽²³⁻²⁴⁸⁾ 168 is located 1900 ft. from 130 _[S] line and 1977 ft. from 16X _[W] line of sec. 24

NE 1/4 SW 1/4 24 7S R2E SLBM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Red Wash Utah Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the ~~surface~~ Kelly Dushing above sea level is 5694.97 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Confirming verbal approval of April 13, 1962 -
It is proposed to change the status of this well from a lower Green River formation test well to a Wasatch formation test well.

10-3/4" casing cemented at 233'.
7" casing to be cemented below lowermost productive interval with sufficient cement to reach 4000'.

- Top Green River - 2751'
- "H" Point - 4607'
- "K" Point - 5265'
- Top of Wasatch - 5560'


I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company California Oil Company, Western Division
Address P. O. Box 455
Vernal, Utah
By R. W. Patterson
Title Field Superintendent

Original Signed by
R. W. PATTERSON

(SUBMIT IN TRIPLICATE)

Land Office **Salt Lake City**
Lease No. **U-082**
Unit **Red Wash**



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	
NOTICE OF INTENTION TO PLUG BACK <input checked="" type="checkbox"/>	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Vernal, Utah **May 16**, 19**62**

Well No. **(23-243) 168** is located **1900** ft. from **NS** line and **1977** ft. from **EW** line of sec. **24**
NE 1/4 SW 1/4 24 **7E** **R3E** **SL. 24**
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Red Wash **Utah** **Utah**
(Field) (County or Subdivision) (State or Territory)

The elevation of the ~~shallowest~~ **Kelly Bushing** above sea level is **5594.97** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We intend to:

1. Lay a 55 sack cement bridge 5570-5720' to plug back and complete well in Green River formation.

All sands encountered in the Washatch were barren of hydrocarbons.

The above work was cleared with URS by Locke - Harstead telephone conversation on May 11, 1962.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **California Oil Company, Western Division**
 Address **P. O. Box 433**
Vernal, Utah
 Original Signed by **R. W. PATTERSON**
 By **R. W. PATTERSON**
 Title **Field Superintendent**

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Budget Bureau No. 42-R356.5
Approval expires 12-31-60.
Salt Lake City

LAND OFFICE _____
LEASE NUMBER Red Wash
UNIT _____

LESSEE'S MONTHLY REPORT OF OPERATIONS

State Utah County Uintah Field Red Wash

The following is a correct report of operations and production (including drilling and producing wells) for the month of June, 1962,

Agent's address P. O. Box 455 Company California Oil Co., Western Div.
Vernal, Utah Signed R. W. PATTERSON

Phone _____ Agent's title Field Superintendent
Vernal 2000


SEC. AND 1/4 OF 1/4	TWP.	RANGE	WELL NO.	DAYS PRODUCED	BARRELS OF OIL	GRAVITY	CU. FT. OF GAS (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
<u>Drilling Operations</u>										
<u>NE SW 24</u>	<u>78</u>	<u>23E</u>	<u>23-24B (168)</u>							
<u>Present Conditions</u>										
Depth: <u>7160'</u> Plugs (5700-5541) (55 sacks)										
Casing: <u>10-3/4", 40.5#, J-55 cemented at 233' (175 sacks)</u>										
<u>7", 23#, J-55 cemented at 5570' (350 sacks)</u>										
<u>Operations Conducted</u>										
Abrasi-perfed 3 - 60° slots at <u>5434</u> and <u>45420'</u> . Acidized and fraced down 7" casing with 8,500 gal #5 BF containing 6,500# sand, 450# aluminum pellets and .05#/gal Adomite. Avg rate 26 BPM with 2500 psi. ISD 1200 psi. Abrasi-perfed 3 - 60° slots at <u>5280'</u> . Acidized and fraced down 7" casing with 10,000 gal #5 BF containing 9000# sand, 450# aluminum pellets and .05#/gal Adomite. Avg rate 28.5 BPM with 2550 psi. ISD 1700 psi. Cleaned out to <u>5540'</u> . Ran prod string tubing, pump and rods. Released rig 6-5-62.										
<u>NE NE 15</u>	<u>78</u>	<u>23E</u>	<u>41-15B (170)</u>							
<u>Present Conditions</u>										
Depth: <u>5414'</u> Plugs: <u>5374'</u>										
Casing: <u>10-3/4", 40.5#, J-55 cmtd at 233' (170 sacks)</u>										
<u>7", 23#, J-55 cmtd at 5410' (350 sacks)</u>										
<u>Operations Conducted</u>										
Moved in R&R completion rig 6-12-62. Ran Schlumber Gamma-Ray log. Abrasi-perfed 3 - 60° slots at <u>5327</u> and <u>5318'</u> . Acidized and fraced down 7" casing with 12,000 gal #5 BF containing 10,000# sand, 600# aluminum pellets and .05#/gal Adomite. Avg rate 23 BPM with 3000 psi. ISD 1800 psi. Abrasi-perfed 3 - 60° slots at <u>5255</u> and <u>5198'</u> . Acidized and fraced down 7" casing with 7,000 gal #5 BF containing 6,000# sand, 300# aluminum pellets and .05#/gal Adomite. Avg rate 23 BPM with 3000 psi. ISD 1900 psi. Set magnesium bridge										

NOTE.—There were 342,240 bbls runs or sales of oil; 363,571 M cu. ft. of gas sold; 457,162 runs or sales of gasoline during the month. (Write "no" where applicable.)

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

01600

U. S. LAND OFFICE Salt Lake City
SERIAL NUMBER U-082
LEASE OR PERMIT TO PROSPECT



T-78

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

LOCATE WELL CORRECTLY

Company California Oil Co., Western Div. Address P. O. Box 455, Vernal, Utah
Lessor or Tract U-082 Field Red Wash State Utah
(23-24B)
Well No. 168 Sec. 24 T. 7S R. 23E Meridian SLBM County Uintah
Location 1980 ft. N. of N. S. Line and 1977 ft. E. of W. Line of Section 24 Elevation 5655 KB
EX EX (Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed R. W. PATTERSON Field Superintendent

Date October 19, 1962 Title Field Superintendent

The summary on this page is for the condition of the well at above date.

Commenced drilling April 2, 1962 Finished drilling June 5, 1962

OIL OR GAS SANDS OR ZONES
(Denote gas by G)

No. 1, from 5477 to 5479 No. 4, from 5280 to _____
No. 2, from 5434 to _____ No. 5, from _____ to _____
No. 3, from 5420 to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from _____ to _____ No. 3, from _____ to _____
No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From-	To-	
<u>10-3/4</u>	<u>40.5</u>	<u>8</u>	<u>API</u>	<u>233'</u>	<u>Open</u>	<u>5570'</u>			
<u>7"</u>	<u>27</u>	<u>8</u>	<u>API</u>	<u>570'</u>	<u>Open</u>	<u>5570'</u>			

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
<u>10-3/4</u>	<u>233'</u>	<u>175</u>	<u>Displace</u>		
<u>7"</u>	<u>5570'</u>	<u>350</u>	<u>Displace</u>		

PLUGS AND ADAPTERS

Heaving plug—Material Cement Length 130 Depth set 5570'

FOLD MARK

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from 0 feet to 7160 feet, and from _____ feet to _____ feet
 Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

DATES

Put to producing June 10, 1962
 The production for the first 24 hours was 351 barrels of fluid of which 75% was oil; 271 BOPD
 emulsion; 25% water; and _____% sediment. Gravity, °Bé. 29.3
 If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
 Rock pressure, lbs. per sq. in. _____

EMPLOYEES

_____, Driller J. C. Woodral, Driller
 J. C. McCarley, Driller
 K. Pearson, Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
0	2755	2755	Sand and Shale
2755	7160	4405	Shale and Sand
Top Green River	2755	(+2900)	
"G"	4420	(+1235)	
"H"	4617	(+1038)	
"I"	4797	(+858)	
"J"	5049	(+606)	
"K"	5172	(+483)	
"L"	5396	(+159)	
Top Wasatch	5584	(+71)	

FORMATION RECORD—CONTINUED

WELL NO. 168 (23-24B)

PROPERTY: Section 24B

RED WASH FIELD

HISTORY OF OIL OR GAS WELL

Kerr-McGee Oil Industries moved in and rigged up. Spudded at 12:00 noon 4-2-62. Drilled 15" hole to 240'. Set 10-3/4" casing to 233' with 175 sacks neat cement containing 2% Calcium Chloride. WOC 12 hrs.

April 3 - April 17, 1962
Drilled 9" hole to 5561'.

April 18, 1962
Ran Schlumberger IES & Micro logs. Ran DST #1. (5524-5538') 60 min test. GTS in 1 min. Flow rate 5.21 MCFD at end of test. No fluid recovery. Pressures: IH - 2820, ISIP - 1910, IF - 1298, FF - 1262, FSIP - 1838, FH - 2820.

April 19, 1962
Ran DST #2 (5490-5520') 60 min test. GTS in 2 min. Flow rate 1.86 MCFD at end of test. Recovered 20' oil and 80' oil cut muddy water. Pressures: IH - 2698, ISIP - 2008, IF - 640, FF - 430, FSIP - 1766, FH - 2648.
DST #3A (5468-5484') 25 min test. GTS in 3 min. Flow rate 8.4 MCFD at end of 18 min. Closed tool after 25 min due to packer failure. No final shut in pressure. Recovered 154' very sli oil, gas cut mud and 320' gas cut oil cut (5% oil) mud. Pressures: IH - 2688, ISIP - 1620, IF - 715, FF - 1618, FSIP ---, FH - 2636. Conditioned hole for DST 3B.

April 20, 1962
Ran DST #3B (5474-5481') Unable to find packer seats that would hold.
DST #4 (5276-5283') 60 min test. GTS in 10 min. Max rate 36.5 MCFD. Recovered 205' mud cut oil (60% oil), 135' oil cut mud (40% oil) and 275' oil cut mud (5% oil). Pressures: IH - 2630, ISIP - 1830, IF - 265, FF - 290, FSIP - 1640, FH - 2630.

April 21, 1962
Ran DST #5 (5416-5440') 45 min test. NGTS. Recovered 50' oil cut mud (40% oil), and 275' muddy oil and gas cut water (5% oil). Pressures: IH - 2688, ISIP - 1680, IF - 95, FF - 158, FSIP - 1598, FH - 2640.
DST #6 (4832-4858') 60 min test. GTS immediately. Flow rate 9.0 MCFD at end of test. Recovered 60' muddy water with trace distillate. Pressures: IH - 2450, ISIP - 1800, IF - 600, FF - 915, FSIP - 1775, FH - 2385.
DST #7 (4434-4456') 90 min test. GTS immediately. Flow rate 213 MCFD at end of test. Recovered 92' gas cut mud w/trace oil, 91' water cut mud w/trace oil and 92' water. Pressures: IH - 2208, ISIP - 1680, IF - 38, FF - 120, FSIP - 1485, FH - 2135.

April 22, 1962
Conditioned mud for logging unit.

April 23 - April 27, 1962
Drilled 9" hole to 6027'.

April 28, 1962
Cutting Core #1 6022-6069'.

April 29, 1962
Cored 6069-6100'. Core #1 (6022-6100') Cut & recovered 78'. No effective oil or gas sand. Drilled 9" hole to 6154'.

April 29 - May 1, 1962
Drilled 9" hole to 6301'.

WELL NO. 168 (23-24B)

PROPERTY: Section 24B

RED WASH FIELD

May 2, 1962

Cutting Core #2 6301-6350'.

May 3, 1962

Cored 6350-6360'. Core #2 (6301-6360') Cut and recovered 59'. No effective oil or gas sand. Drilled 9" hole to 6431'.

May 4 - May 6, 1962

Drilled 9" hole to 6729'.

May 7, 1962

Drilled 9" hole to 6811'. Cored 6811-6825'.

May 8, 1962

Cored 6825-6853'. Core #3 (6811-6853') Cut and recovered 42'. No effective oil or gas sand. Drilled 9" hole to 6876'.

May 9 - May 10, 1962

Drilled 9" hole to 7158'.

May 11, 1962

Drilled 9" hole to 7160'. Ran Schlumberger IES, Micro and Gamma Ray-Sonic logs 7160-5200'.

May 12, 1962

Ran DST #8 (6287-6299') 120 min test. NGTS. Recovered 4371' water. Pressures: IH - 3260, ISIP = 2490, IF - 620, FF - 1970, FSIP - 2400, FH - 3260. Set 55 sack neat cement plug 5700-5570'.

May 13, 1962

Dressed cement plug to 5570'. Cemented 7" casing at 5570' with 350 sacks neat cement.

May 14, 1962

Picked up tubing. Cleaned out to float at 5535'. Released rig at 6:00 A.M.

May 28, 1962

Moved in J. W. Gibson workover rig to complete well.

May 29, 1962

Ran Schlumberger Gamma Collar and Cement Bond logs. Tested interval 5477-79 with Schlumberger Formation Tester. Recovered 0.96 ft³ gas and 10,200 cc water with 1% oil. FSIP 1875 psi, FH 2200 psi. RIH with R-3 packer.

May 30, 1962

Set pkr at 5460'. Broke down interval 5477-5479 with 250 gal acid at 950 psi. Pkr failed. Pooh. RIH with RTTS. Set pkr at 5465'. Made 11 swab runs. Recovered 46.5 bbls water with trace of gas and Red Wash crude.

May 31, 1962

Made 8 swab runs. Recovered 30 bbls gas cut Red Wash crude. GTS following each swab run at \pm 150 MCFD rate. Blow would die in \pm 15 min. Sand-oil fraced holes 5477-79 down 2-1/2' tubing with 6000 gal #5 BF containing 6000# 20-40 sand, 300# 12-16 aluminum pellets and 0.05#/gal Adomite. Avg rate 6 BPM at 4800 psi.

WELL NO. 168 (23-24B)

PROPERTY: Section 24B

RED WASH FIELD

June 1, 1962

POOH with RTTS. RIH with collar locator. Locator failed. POOH. RIH with new locator. Located collars. Abrasiperfed 3 - 60° slots each at 5434' and 5420'. Reversed hole clean.

June 2, 1962

Cleaned out sand to 5445'. Acidized slots at 5434 and 5420' with 300 gal acid. Sand-oil fraced slots down 7" casing with 8500 gal #5 BF containing 6500# 20-40 sand, 450# 12-16 aluminum pellets and 0.05#/gal Adomite. Avg rate 26.3 BPM at 2500 psi.

June 3, 1962

RIH with collar locator and notching tool. Cut 3 - 60° slots at 5280'. Acidized slots with 300 gal acid. POOH. Fraced slots down 7" casing with 10,000 gal #5 BF containing 9000# 20-40 sand, 450# 12-16 aluminum pellets and 0.05#/gal Adomite. Avg rate 28.5 BPM at 2250 psi.

June 4, 1962

Cleaned out to 5540'. Circulated well clean.

June 5, 1962

Ran production tubing. Ran pump and rods. Hung well on. Released rig.

October 11, 1962

California Oil Company
P. O. Box 455
Vernal, Utah

Attn: R. W. Patterson, Field Supt.

Re: Wells No. Red Wash 168 (23-24B)
Sec. 24, T. 7 S, R. 23 E.

Red Wash 169 (21-35A), Sec. 35,
T. 7 S, R. 22 E.

Red Wash 170 (41-15B), Sec. 15,
T. 7 S, R. 23 E.

Gentlemen:

This letter is to advise you that the well logs for the above mentioned wells are due and have not as yet been filed with this office as required by our rules and regulations.

Your prompt attention to the above request will be very much appreciated.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CONNIE F. PALOUKOS
RECORDS CLERK

cfp

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

U-002

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL GAS WELL OTHER

7. UNIT AGREEMENT NAME
RED WASH

2. NAME OF OPERATOR
CALIFORNIA OIL COMPANY WESTERN DIVISION

8. FARM OR LEASE NAME

3. ADDRESS OF OPERATOR
P. O. Box 455 Vernal, Utah

UNIT #68 (23-248)

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)
At surface
1200' -FSL, 1977' FWL Section 24, T7S, R23 E
S1B&M

10. FIELD AND POOL, OR WILDCAT
RED WASH

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

KB 5655

12. COUNTY OR PARISH

13. STATE
UTAH

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF
FRACTURE TREAT
SHOOT OR ACIDIZE
REPAIR WELL
(Other) Convert to dry gas source

PULL OR ALTER CASING
MULTIPLE COMPLETE
ABANDON*
CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF
FRACTURE TREATMENT
SHOOTING OR ACIDIZING
(Other)
REPAIRING WELL
ALTERING CASING
ABANDONMENT*
(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

It is proposed to convert the subject well to a dry gas source as follows:

- 1. Set a CIBP at ± 4000' and cap w/cement.
- 2. Perforate the I sand at 4045 and frac.
- 3. Clean out to PHED.
- 4. Run production tubing.

Present Production: 30 BOPD, 8 BWPD, 641 MCF/D

18. I hereby certify that the foregoing is true and correct.

SIGNED R. W. PATTERSON

TITLE Unit Superintendent

DATE 12-7-64

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

UGGS, SLC-3; O&GOC, SLC-2, GULF-Okla. City-1; Gulf-Chopper-1; Caulkins-1; Marble-Houston-1; File

UNITED STATES DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN L I C I T A T E *
(Other instructions on re-verse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.
U-082

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME
Red Wash

8. FARM OR LEASE NAME

9. WELL NO.
Unit #168 (23-24B)

10. FIELD AND POOL, OR WILDCAT

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

12. COUNTY OR PARISH
Uintah

13. STATE
Utah

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
California Oil Company, Western Division

3. ADDRESS OF OPERATOR
P. O. Box 455 Vernal, Utah

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)
At surface
1980' FSL, 1977' FWL, Sec. 24, T7S, R23E, S16M

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)
KB 5655

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) Conversion to dry gas well <input checked="" type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

The following work was completed on the subject well:

1. Set a cast iron bridge plug at 4925' and capped with cement.
2. Perforated the I sand at 4845' and Bradenhead fraced.
3. Cleaned out to PFTD and ran production tubing. Installed tree and swabbed well in.

Production Before: 43 BOPD, 3 BWP, 1105 MCF/D.
Production After: 6400 MCF/D at 1340# TP.

18. I hereby certify that the foregoing is true and correct
SIGNED **R. W. PATTERSON** *Original Signed by* **R. W. PATTERSON** *Title* **Unit Superintendent** DATE **January 13, 1965**

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

USGS, SLC-3; O&GCC, SLC-2; Gulf, Okla. City-1; Gulf, Casper-1; Caulkins-1; Humble-1; File-1

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TR. DATE*
(Other instructio. OR re-
verse side)

Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
Chevron Oil Company, Western Division

3. ADDRESS OF OPERATOR
P. O. Box 455, Vernal, Utah 84078

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface
1977' FWL and 1980' FSL of Sec. 24, T7S, R23E, S1E4

14. PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.)
KB - 5655

5. LEASE DESIGNATION AND SERIAL NO.
U-082

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME
Red Wash

8. FARM OR LEASE NAME
Unit #168 (23-24E)

9. WELL NO.
Unit #168 (23-24E)

10. FIELD AND POOL, OR WILDCAT

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 24, T7S, R23E

12. COUNTY OR PARISH 13. STATE
Utah Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	
(Other) Expose Addl Sand <input checked="" type="checkbox"/>			

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

It is proposed to expose additional sand at subject well as follows:

1. Drill out cement 4912-25 and Halco CIBP 4925'.
2. Set Baker Model "W" CIBP on wireline at ± 5250'. Dump ± 1 sack cement on top CIBP.
3. Perforate Jg sand from 5146-5152 w/ 2 jets/ft. Breakdown Jg perms.
4. Swab and flow test the Jg perms.
5. RIN w/ production string and land at ± 5160'.

Present Production: (Shut-in April, 1967) 1124 MCFD at ± 90 psi TP.

18. I hereby certify that the foregoing is true and correct

SIGNED R. W. PATTERSON TITLE Unit Superintendent DATE 2-8-68
R. W. PATTERSON

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

U-082

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

7. UNIT AGREEMENT NAME

Red Wash

8. FARM OR LEASE NAME

9. WELL NO.

Unit #168 (23-24B)

10. FIELD AND POOL, OR WILDCAT

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 24, T7S, R23E

12. COUNTY OR PARISH 13. STATE

Uintah

Utah

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
Chevron Oil Company, Western Division

3. ADDRESS OF OPERATOR
P. O. Box 455, Vernal, Utah

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)
At surface

1977' FWL and 1980' FSL of Sec. 24, T7S, R23E, S1E1M

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

KB-5655

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREAT

MULTIPLE COMPLETE

FRACTURE TREATMENT

ALTERING CASING

SHOOT OR ACIDIZE

ABANDON*

SHOOTING OR ACIDIZING

ABANDONMENT*

REPAIR WELL

CHANGE PLANS

(Other) **Expose Addl Sand**

(Other)

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

The following work was completed on subject well as of 3-2-68:

1. Drilled out cement 4913-4925 and Halco CIBP at 4925.
2. Set Baker Model "N" CIBP at 5249'. Capped CIBP w/ 1 sack reg. cement. PBTD at 5244'.
3. Perforated Jg sand 5146-5152 with 2 jets/ft and brokedown.
4. Swabbed and flow tested the Jg perms.
5. RIH w/ tubing and landed at 5137'.

Prior Production: (Shut-in April, 1967) 1124 MCFD at 90 psi TP.

Production After: 2256 MCFD

18. I hereby certify that the foregoing is true and correct

SIGNED R. W. PATTERSON

TITLE **Unit Superintendent**

DATE **May 7, 1968**

R. W. PATTERSON

(This space for Federal or State office use)

APPROVED BY _____

TITLE _____

DATE _____

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

U-082

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Red Wash Unit

8. FARM OR LEASE NAME

9. WELL NO.

#168 (23-24B)

10. FIELD AND POOL, OR WILDCAT

Red Wash - Green River

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 24, T-7-S, R-23-E, SLBM

12. COUNTY OR PARISH 13. STATE

Uintah

Utah

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
Chevron Oil Company - Western Division

3. ADDRESS OF OPERATOR
P. O. Box 599 Denver, Colorado 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)
At surface

1977' E of W & 1980' N of S (NE-1/4SW-1/4)

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

KB 5655'

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other) Converted to Gas Cap Producer

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* This well was converted to a gas cap producer as follows:

1. Cement squeezed interval 4845' & 5146-52' w/250 sx Class G cement.
2. Cleaned out to 5535'.
3. Set 7" cement retainer @ 5270' & cement squeezed intervals 5280', 5420', 5434' & 5477-79' w/200 sx Class G cement.
4. Cleaned out to 5564'.
5. Perforated 5530-36', 5512-14', 5507-10', 5496-5501' w/2 jets/ft.
6. Acidized 5530-36' w/1 B 15% HCL @ 3700-2300 psi. Acidized 5496-5514' w/4-1/2 B, 15% HCL @ 950 psi. Tested perforations 5496-5536' @ 316 MCFD w/trace oil & water.
7. Perforated 5328-31', 5342-47', 5351-53', 5372-74', 5377-79' & 5387-91 w/2 jets/ft.
8. Broke down perforations 5387-91', 5377-79' & 5372-74 @ 1800 psi. Pumped 4 BPM @ 1500 psi.
9. Broke down perforations 5351-53', 5342-47' & 5328-31' @ 1000 psi. Pumped 5 BPM @ 1400 psi. Swabbed & tested 395 MCFD.
10. Acidized perforations 5328-91' w/500 gal 15% HCL @ 1 BPM, 500 psi.
11. Swabbed in & tested 1445 MCFD.
12. Ran 2-7/8" tbg to 5482'.

Production after conversion: 3.5 MCFD

18. I hereby certify that the foregoing is true and correct

SIGNED

R. B. Wacker

TITLE

R. B. Wacker

Division Engineer

DATE

7/20/72

(This space for Federal or State office use)

APPROVED BY

R. B. Wacker

TITLE

Act Dist Eng

DATE

7-31-72

CONDITIONS OF APPROVAL, IF ANY:

RECEIVED

AUG 7 1972

*See Instructions on Reverse Side

PRODUCTION-DENVER

prod

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

5. LEASE DESIGNATION AND SERIAL NO. **U-082**

6. IF INDIAN, ALLOTTED OR TRIBE NAME

7. UNIT AGREEMENT NAME
Red Wash Unit

8. FARM OR LEASE NAME

9. WELL NO.
168 (23-24B)

10. FIELD AND POOL, OR WILDCAT
Red Wash - Green River

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
**Sec. 24, T7S, R23E
SLBM**

12. COUNTY OR PARISH **Uintah** 13. STATE **Utah**

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
Chevron Oil Company - Western Division

3. ADDRESS OF OPERATOR
P. O. Box 599, Denver, Colorado 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)
At surface
1977' E of W & 1980' N of S (NE $\frac{1}{4}$ SW $\frac{1}{4}$)

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, CR, etc.)
KB 5655'

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

We plan to do the following work;

1. Pull tubing.
2. Perforate the following intervals with 2 high-performance jets/ft:
5474'-81', 5460'-62', 5432'-37', 5426'-29', 5418'-22', 5411'-14',
5406'-08', 5288'-92', 5275'-83', 5260'-74', and 5146'-52'.
3. Run in hole w/retrievable bridge plug and packer, straddle the following intervals and acidize each with inhibited 15% HCL:
5460'-81' - 200 gal acid
5406'-37' - 400 gal acid
5260'-92' - 500 gal acid
5146'-52' - 100 gal acid
4. Pull retrievable bridge plug and packer. Run production tubing w/PSN & AC and land near previous depth. Pick up and run rods and 1-3/4" pump.

Present status: Shut in gas well loaded and plugged up w/crude & water.
Last produced 826 M/D in 2/73.

APPROVED BY DIVISION OF
OIL & GAS CONSERVATION
DATE **OCT 25 1973**
BY *C.B. Hughes*

18. I hereby certify that the foregoing is true and correct

SIGNED *J.W. Greer* TITLE J. W. Greer DATE 9/12/73
Div. Drlg. Supt.

(This space for Federal or State office use)

APPROVED BY *Head of Division* TITLE Head of Division DATE OCT 15 1973
CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

SUBMIT IN DUPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
Chevron Oil Company - Western Division

3. ADDRESS OF OPERATOR
P. O. Box 599 Denver, Colorado 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)
At surface
1977' E of W & 1980' N of S (NE 1/4 SW 1/4)

14. PERMIT NO. _____

15. ELEVATIONS (Show whether DF, RT, GR, etc.)
KB 5655

5. LEASE DESIGNATION AND SERIAL NO.
U-082

6. IF INDIAN, ALLOTTEE OR TRIBE NAME _____

7. UNIT AGREEMENT NAME _____

8. FARM OR LEASE NAME
Red Wash Unit

9. WELL NO.
168 (23-24B)

10. FIELD AND POOL, OR WILDCAT
RW - Green River

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
S 24, T7S, R23E, SLBM

12. COUNTY OR PARISH **Uintah** 13. STATE **Utah**

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	SUBSEQUENT REPORT OF:
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
(Other) <input type="checkbox"/>			

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

The following work has been completed:

1. Pulled tbg.
2. Perforated 5474-5481, 5460-5462, 5432-37, 5426-29, 5418-22, 5411-14, 5406-08, 5288-5292, 5275-83, 5260-64, 5146-52 w/2 jets/ft.
3. Acidized as follows:

Interval	Rate	Press	Gals 15% HCl	ISI
5460-81	1 BPM	1000 psi	200 gal	0
5406-37	"	1500 psi	400 "	0
5260-92	"	1750-1300 psi	550	700
5146-52	"	2000 psi	100	1800

4. Ran 2-7/8" tbg to 5498.76. Ran rods & pump.

Status Prior to WO: Shut In
Status After WO: WO installation of flowline

Work Started: 10-24-73
Work Completed: 1-28-74

*USGS 2
STATE 2
PARTNERS 4
FIELD 1
FILE 1*

18. I hereby certify that the foregoing is true and correct

SIGNED *R. B. Wacker* TITLE **R. B. WACKER**
Div. Drlg. Supt. DATE **4-18-74**

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY: _____

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

U-082

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL GAS WELL OTHER

7. UNIT AGREEMENT NAME
Red Wash Unit

2. NAME OF OPERATOR
Chevron U.S.A. Inc.

8. FARM OR LEASE NAME

3. ADDRESS OF OPERATOR
P. O. Box 599, Denver, CO 80201

9. WELL NO.
168 (23-24B)

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

10. FIELD AND POOL, OR WILDCAT
Red Wash-Green River

1977' E of W & 1980' N of S (NE $\frac{1}{4}$ SW $\frac{1}{4}$)

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
S24, T7S, R23E, S1EM

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)
KB 5655'

12. COUNTY OR PARISH
Uintah

13. STATE
Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREAT

MULTIPLE COMPLETE

FRACTURE TREATMENT

ALTERING CASING

SHOOT OR ACIDIZE

ABANDON*

SHOOTING OR ACIDIZING

ABANDONMENT*

REPAIR WELL

CHANGE PLANS

(Other)

(Other)

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

It is proposed to do the following stimulation work.

- MIR & RU. POOH w/rods & tubing.
- RIH w/bit, casing scraper & tubing. Clean out to 5564. POOH.
- Bradenhead frac down casing using 80,000 gals K-1 Super Emulsifrac fluid. 32,000# 100 mesh sand, 88,000# 20/40 sand, 24,000# 10/20 sand, 600# Benzoic acid flakes/Napthalene mix.
- Flush to top of perms w/2% KCl water and clean out sand with notched collar.
- RIH w/tubing assembly.
- Place well on production.

Present Status
7/77 44 BOPD
29 MCFD
89 BWPD

APPROVED BY THE DIVISION OF
OIL, GAS, AND MINING
DATE: Sept. 9, 1977
BY: Ph. [Signature]

- 3-USGS
- 2-State
- 3-Partners
- 1-JCB
- 1-DLD
- 1-Sec. 723
- 1-File

No additional surface disturbances required for this activity.

18. I hereby certify that the foregoing is true and correct

SIGNED

[Signature]

TITLE

J. J. Johnson

Engineering Assistant

DATE

Sept. 7, 1977

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

WELL NAME: RWU #168 (23-24B)

FIELD: Red Wash Unit

PROPOSED TREATMENT PROCEDURE

1. Objective: Acidize to increase production.
2. Size and type of treatment: 5300 gal acid.
3. Intervals to be treated: 5460-5536, 5406-5437, 5328-5391, 5260-5292, 5146-5152.
4. Treatment down casing or tubing: Tubing.
5. Method of localizing its effects: Packer and ball sealers.
6. Disposal of treating fluid: Swab back.
7. Name of company to do work: Dowell, Halliburton, or Western.
8. Anticipated additional surface disturbances: None.
9. Estimated work date: 2/21/80.
10. Present status, current production and producing interval:

<u>Date</u>	<u>BOPD</u>	<u>MCFD</u>	<u>BWPD</u>
1/80	20	-	425
11/77	90	-	400

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well gas well other

2. NAME OF OPERATOR
Chevron U.S.A. Inc.

3. ADDRESS OF OPERATOR
P. O. Box 599, Denver, CO 80201

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1977' FWL & 1980' FSL. (NE 1/4 SW 1/4)
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

5. LEASE
U-082

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME
Red Wash Unit

8. FARM OR LEASE NAME

9. WELL NO.
#168 (23-24B)

10. FIELD OR WILDCAT NAME
Red Wash-Green River

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 24, T7S, R23E

12. COUNTY OR PARISH
Uintah

13. STATE
Utah

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)
KB 5655'

REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

PULL OR ALTER CASING

MULTIPLE COMPLETE

CHANGE ZONES

ABANDON*

(other) _____

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

It is proposed that this well be acidized as follows:

- MI & RU. Hot oil annulus & tbg. ND tree. NU BOPE. POOH w/tbg & pump.
- RIH w/bit, csg scraper, and workstring. CO to + 5564'. Circ hole clean w/2% KCL wtr. POOH.
- RIH w/RBP, pkr & workstring.
- Acidize. See attached.
- RIH w/tbg & pump.
- Place well on production.

APPROVED BY THE DIVISION OF
OIL, GAS, AND MINING

DATE: 2-11-80

BY: *M. Y. Minder*

No additional surface
disturbances required
for this activity.

- 3 - USGS
- 2 - State
- 3 - Partners
- 1 - JCB
- 1 - Sec 723
- 1 - File

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED *Colanda Manna* TITLE Engineering Asst. DATE February 8, 1980

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

RECEIVED

FEB 11 1980

DIVISION OF
OIL, GAS & MINING

WELL NAME RWU #168 (23-24B)

FIELD NAME Red Wash Unit

COMPLETED TREATMENT PROCEDURE

1. Size and type of treatment: 6600 gal 7½% NE acid.
2. Intervals treated: 5460-5536, 5310-5548, 5225-5310, 5146-52.
3. Treatment down casing or tubing: Tubing.
4. Methods used to localize effects: Ball sealers and packers.
5. Disposal of treating fluid: Spent acid was swabbed back.
6. Depth to which well was cleaned out: 5564'.
7. Date of work: 2/11/80
8. Company who performed work: Western.
9. Production interval: 5536-5152.
10. Status and production before treatment:

<u>Date</u>	<u>BOPD</u>	<u>MCFD</u>	<u>BWPD</u>
11/77	90		400

11. Status and production after treatment:

<u>Date</u>	<u>BOPD</u>	<u>MCFD</u>	<u>BWPD</u>
1/80	21		455

**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well gas well other

2. NAME OF OPERATOR
Chevron U.S.A. Inc.

3. ADDRESS OF OPERATOR
P. O. Box 599, Denver, CO 80201

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1977' FWL & 1980' FSL (NE $\frac{1}{4}$ SW $\frac{1}{4}$)
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

5. LEASE
U-082

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME
Red Wash Unit

8. FARM OR LEASE NAME

9. WELL NO.
#168 (23-24B)

10. FIELD OR WILDCAT NAME
Red Wash-Green River

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 24, T7S, R23E

12. COUNTY OR PARISH | 13. STATE
Uintah | Utah

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)
KB 5655'

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	<input type="checkbox"/>		<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>		<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>		<input checked="" type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>		<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>		<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>		<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>		<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>		<input type="checkbox"/>
(other)	<input type="checkbox"/>		<input type="checkbox"/>

RECEIVED

(NOTE: Report results of multiple completion or zone changes on Form 9-330.)

MAR 12 1980

DIVISION OF
OIL, GAS & MINING

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

This well was acidized as follows:

- | | |
|--|------------|
| 1. MI & RU. ND tree. POOH w/tbg & pump. NU BOPE. | 3-USGS |
| 2. RIH w/6-1/8" bit and scraper. CO to 5564. POOH. | 2-State |
| 3. RIH w/RBP & pkr. Set pkr @ 5449, RBP @ 5548. | 3-Partners |
| 4. Acidized as per attached. | 1-JCB |
| 5. POOH w/tbg, RBP & pkr. | 1-File |
| 6. RIH w/tbg & pump. | 1-Sec 723 |
| 7. Turned well over to production. | |

No additional surface
disturbances required
for this activity.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED *Yolanda Namur* TITLE Engineering Asst. DATE March 6, 1980

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
 Oil Gas
 Well Well Other

2. Name of Operator
CHEVRON U.S.A. PRODUCTION COMPANY

3. Address and Telephone No.
P. O. BOX 455, VERNAL, UT 84078 (801) 781-4302

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
1977' FWL, 1980' FSL, SEC. 24, T7S/R23E

5. Lease Designation and Serial No.
U-082

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation
RED WASH UNIT

8. Well Name and No.
RWU #168 (23-24B)

9. API Well No.
43-047-15278

10. Field and Pool, or Exploratory Area
RED WASH-GRN. RIVER

11. County or Parish, State
UINTAH, UTAH

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input checked="" type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input checked="" type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

The following work was completed between 03/15/94 and 03/18/94:

- RIH with 6 1/8" bit and scraper to 5200'.
- Set CIBP at 5105' (New PBD).
- RIH with Lok-set packer and set at 4287'. Found 1 bad joint. Hydro tested in hole to 5000 PSI. Tested casing to 400 PSI: good.
- Perforated the following zones: 4972-4977', 4840-4854', 4708-4718', 4646-4650', 4632-4638', ~~4494-4500', 4468-4472', 4442-4448'.~~
- Flow/swab tested well.
- Perforated the following zones: 4397-4401', 4380-4390'.
- Flow/swab tested well.
- RTP.

Note: Ray Arnold with the BLM witnessed setting CIBP.



14. I hereby certify that the foregoing is true and correct.
 Signed Chana Hough Title Operations Assistant Date 03/21/94

(This space for Federal or State office use)
 Approved by: _____ Title _____ Date Tax Credit

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
Oil Gas
 Well Well Other

2. Name of Operator
CHEVRON U.S.A. PRODUCTION COMPANY

3. Address and Telephone No. **Steve McPherson in Red Wash (801) 781-4310**
11002 E. 17500 S. VERNAL, UT 84078-8526 or **Gary Scott in Rangely, CO. (970) 675-3791**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
1980' FSL & 1977' FWL (NE SW) SECTION 24, T7S, R23E, SLBM

5. Lease Designation and Serial No.
U-082

6. If Indian, Allottee or Tribe Name
N/A

7. If Unit or CA, Agreement Designation
RED WASH UNIT

8. Well Name and No.
Red Wash Unit 168 (23-24B)

9. API Well No.
43-047-15278

10. Field and Pool, or Exploratory Area
RED WASH - GREEN RIVER

11. County or Parish, State
UINTAH, UTAH

12. **CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input checked="" type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>SET NEW CIBP</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

- Hot oil as needed. MIRU. Pull rod pumping equipment and tubing
- Hydrotest in hole to find current leak. Drill out CIBP at 5105' and clean out to ~5325'. TOH.
- Set CIBP at ~5315' above old perforations starting at 5328'.
- Run tubing and rod pumping equipment back in well.
- RDMO. Return well to production.

AUG 24 1995

14. I hereby certify that the foregoing is true and correct.
Signed G.D. SCOTT *G.D. Scott* Title DRILLING TECHNICIAN Date August 24, 1995

(This space for Federal or State office use)

Approved by: _____ Title _____ Date _____

Conditions of approval, if any _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
Oil Gas
 Well Well Other

2. Name of Operator
CHEVRON U.S.A. PRODUCTION COMPANY

3. Address and Telephone No.
11002 E. 17500 S. VERNAL, UT 84078-8526 **Steve McPherson in Red Wash (801) 781-4310**
or Gary Scott in Rangely, CO. (970) 675-3791

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
1980' FSL & 1977' FWL (NE SW) SECTION 24, T7S, R23E, SLBM

5. Lease Designation and Serial No.
U-082

6. If Indian, Allottee or Tribe Name
N/A

7. If Unit or CA, Agreement Designation
RED WASH UNIT

8. Well Name and No.
Red Wash Unit 168 (23-24B)

9. API Well No.
43-047-15278

10. Field and Pool, or Exploratory Area
RED WASH - GREEN RIVER

11. County or Parish, State
UINTAH, UTAH

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA


TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input checked="" type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>SET NEW CIBP</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

Date of Work: 9/23/96 thru 9/26/96

- MIRU. Pull rod pumping equipment and tubing
- Hydrotested in hole to find current leak. Drill out CIBP at 5105' and cleaned out to 5350'. TOH.
- Set CIBP at 5310' exposing perforations 5146-52, 5260-64, 5275-83, & 5288-90'.
- Ran tubing and rod pumping equipment back in well.
- RDMO. Return well to production.



14. I hereby certify that the foregoing is true and correct.
Signed G.D. SCOTT *G.D. Scott* Title DRILLING TECHNICIAN Date October 16, 1996

(This space for Federal or State office use)

Approved by: _____ Title _____ Date ✓ Tax Credit 12/16/96

Conditions of approval, if any _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
Oil Gas
 Well Well Other

2. Name of Operator
CHEVRON U.S.A. PRODUCTION COMPANY

3. Address and Telephone No
11002 E. 17500 S. VERNAL, UT 84078-8526 (801) 781-4300

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
1980' FSL & 1977' FWL (NE SW) SECTION 24, T7S, R23E, SLBM

5. Lease Designation and Serial No.
U-082

6. If Indian, Allottee or Tribe Name
N/A

7. If Unit or CA, Agreement Designation
RED WASH UNIT

8. Well Name and No.
RED WASH UNIT 168 23-24B

9. API Well No.
43-047-15278

10. Field and Pool, or Exploratory Area
RED WASH - GREEN RIVER

11. County or Parish, State
UINTAH, UTAH


12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>Shut in</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

This well was temporarily shut-in as of 3/14/97 pending further evaluation.



14. I hereby certify that the foregoing is true and correct.
Signed DC Lanner Title Computer Systems Operator Date 4/9/97

(This space for Federal or State office use)
Approved by: _____ Title _____ Date _____
Conditions of approval, if any _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
Oil Gas
 Well Well Other

2. Name of Operator
CHEVRON U.S.A. PRODUCTION COMPANY

3. Address and Telephone No
11002 E. 17500 S. VERNAL, UT 84078-8526 (801) 781-4300

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
1980' FSL & 1977' FWL (NE SW) SECTION 24, T7S, R23E, SLBM

5. Lease Designation and Serial No.
U-082

6. If Indian, Allottee or Tribe Name
N/A

7. If Unit or CA, Agreement Designation
RED WASH UNIT

8. Well Name and No.
RED WASH UNIT 168 23-24B

9. API Well No.
43-047-15278

10. Field and Pool, or Exploratory Area
RED WASH - GREEN RIVER

11. County or Parish, State
UINTAH, UTAH


12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>TA STATUS OF WELL</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

CHEVRON IS REQUESTING A TA STATUS ON THE ABOVE WELL. THIS WELL HAS POTENTIAL FUTURE USE IN RECONFIGURED PATTERN WATERFLOOD.



14. I hereby certify that the foregoing is true and correct.
Signed DC Tanner Title COMPUTER SYSTEMS OPERATOR Date 12/10/97

(This space for Federal or State office use)

Approved by: _____ Title _____ Date _____

Conditions of approval, if any _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
Oil Gas
 Well Well Other

2. Name of Operator
CHEVRON U.S.A. PRODUCTION COMPANY

3. Address and Telephone No
11002 E. 17500 S. VERNAL, UT 84078-8526 (801) 781-4300

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
**1980'
1980' FSL & 1977' FWL (NE SW) SECTION 24, T7S, R23E, SLBM**

5. Lease Designation and Serial No.
U-082

6. If Indian, Allottee or Tribe Name
N/A

7. If Unit or CA, Agreement Designation
RED WASH UNIT

8. Well Name and No.
RED WASH UNIT 168 23-24B

9. API Well No.
43-047-15278

10. Field and Pool, or Exploratory Area
RED WASH - GREEN RIVER

11. County or Parish, State
UINTAH, UTAH

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA


TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>TA STATUS FOR WELL</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

WE REQUEST A TA STATUS APPROVAL FOR THIS WELL.

WE PLAN TO RE-EVALUATE THIS WELL FOR POSSIBLE FUTURE WATER INJECTION SERVICE.



14. I hereby certify that the foregoing is true and correct.
Signed **D. C. BEAMAN** *D.C. Beaman* Title **COMPUTER SYSTEMS OPERAOTR** Date **3/18/1999**

(This space for Federal or State office use)

Approved by: _____ Title _____ Date _____

Conditions of approval, if any _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
Oil Gas
 Well Well Other MULTIPLE WELLS SEE ATTACHED LIST

2. Name of Operator
CHEVRON U.S.A. INC.

3. Address and Telephone No
11002 E. 17500 S. VERNAL, UT 84078-8526 (801) 781-4300

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

5. Lease Designation and Serial No.

6. If Indian, Allottee or Tribe Name
N/A

7. If Unit or CA, Agreement Designation
RED WASH UNIT
I-SEC NO 761

8. Well Name and No.

9. API Well No.

10. Field and Pool, or Exploratory Area
RED WASH - GREEN RIVER

11. County or Parish, State
UINTAH, UTAH

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>CHANGE OF OPERATOR</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

As of January 1, 2000 Chevron U.S.A. INC. resigns as Operator of the Red Wash Unit.
The Unit Number is I-SEC NO 761 effective October 31, 1950.

The successor operator under the Unit Agreement will be
Shenandoah Energy Inc.
475 17th Street, Suite 1000
Denver, CO 80202

Agreed and accepted to this 29th day of December, 1999

Shenandoah Energy Inc.
By: *M. L. Solich*
Mitchell L. Solich
President

RECEIVED
DEC 30 1999
DIVISION OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct.
Signed A. E. Wacker *A. E. Wacker* Title Assistant Secretary Date 12/29/99

(This space for Federal or State office use)
Approved by: _____ Title _____ Date _____
Conditions of approval, if any _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH		4-KAS ✓
2. CDW ✓		5-SJ ✓
3. JLT		6-FILE

Enter date after each listed item is completed

X Change of Operator (Well Sold)

Designation of Agent

Operator Name Change (Only)

Merger

The operator of the well(s) listed below has changed, effective:	<u>01-01-2000</u>
FROM: (Old Operator): CHEVRON USA INC Address: 11002 E. 17500 S. VERNAL, UT 84078-8526 Phone: 1-(435)-781-4300 Account No. N0210	TO: (New Operator): SHENANDOAH ENERGY INC Address: 11002 E. 17500 S. VERNAL, UT 84078 Phone: 1-(435)-781-4300 Account N4235

CA No. Unit: RED WASH

WELL(S) NAME	API NO.	ENTITY NO.	SEC. TWN RNG	LEASE TYPE	WELL TYPE	WELL STATUS
RWU 166 (23-14A)	43-047-15276	5670	14-07S-22E	FEDERAL	OW	PA
RWU 146 (12-21A)	43-047-16492	99998	21-07S-22E	FEDERAL	OW	PA
RWU 175 (34-28A)	43-047-15282	5670	28-07S-22E	FEDERAL	OW	PA
RWU 149 (21-33A)	43-047-15262	5670	33-07S-22E	FEDERAL	OW	PA
RWU 155 (23-33A)	43-047-15266	5670	33-07S-22E	FEDERAL	OW	PA
RWU 159 (14-33A)	43-047-15269	5670	33-07S-22E	FEDERAL	OW	PA
RWU 163 (34-33A)	43-047-15273	5670	33-07S-22E	FEDERAL	OW	PA
RWU 171 (32-33A)	43-047-15279	5670	33-07S-22E	FEDERAL	OW	PA
RWU 160 (32-15B)	43-047-15270	5670	15-07S-23E	FEDERAL	OW	P
RWU 162 (12-20B)	43-047-15272	5670	20-07S-23E	FEDERAL	OW	TA
RWU 17 (41-20B)	43-047-15146	5670	20-07S-23E	FEDERAL	OW	TA
RWU 167 (23-21B)	43-047-15277	5670	21-07S-23E	FEDERAL	OW	P
RWU 147 (22-22B)	43-047-15260	5670	22-07S-23E	FEDERAL	OW	P
RWU 168 (23-24B)	43-047-15278	5670	24-07S-23E	FEDERAL	OW	TA
RWU 165 (32-26B)	43-047-15275	5670	26-07S-23E	FEDERAL	GW	S
RWU 164 (12-28B)	43-047-15274	5670	28-07S-23E	FEDERAL	OW	P
RWU 153 (14-29B)	43-047-15265	5670	29-07S-23E	FEDERAL	OW	P
RWU 158 (32-30B)	43-047-15268	5670	30-07S-23E	FEDERAL	OW	P
RWU 172 (21-30B)	43-047-15280	5670	30-07S-23E	FEDERAL	OW	TA
RWU 154 (41-32B)	43-047-16494	5670	32-07S-23E	FEDERAL	OW	PA
RWU 15 (32-17C)	43-047-15145	99998	17-07S-24E	FEDERAL	OW	P
RWU 152 (41-17C)	43-047-16493	5670	17-07S-24E	FEDERAL	GW	PA

OPERATOR CHANGES DOCUMENTATION

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 12-30-1999
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 08-09-2000

3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 08-23-2000
4. Is the new operator registered in the State of Utah: YES Business Number: 224885
5. If **NO**, the operator was contacted on: _____
6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the (merger, name change, or operator change for all wells listed on Federal or Indian leases on: 02/04/2000
7. **Federal and Indian Units:** The BLM or BIA has approved the successor of unit operator for wells listed on: 02/04/2000
8. **Federal and Indian Communization Agreements ("CA"):** The BLM or the BIA has approved the operator change for all wells listed involved in a CA on: N/A
9. **Underground Injection Control ("UIC") Proj:** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: _____

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 09/11/2000
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 09/11/2000
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

STATE BOND VERIFICATION:

1. State well(s) covered by Bond No.: N/A

FEE WELLS - BOND VERIFICATION/LEASE INTEREST OWNER NOTIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed has furnished a bond: N/A
2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A
3. (R649-2-10) The **FORMER** operator of the Fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: _____

FILMING:

1. All attachments to this form have been **MICROFILMED** on: 03-08-01

FILING:

1. **ORIGINALS/COPIES** of all attachments pertaining to each individual well have been filed in each well file on: _____

COMMENTS:



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

RECEIVED

FEB 07 2000

DIVISION OF
OIL, GAS AND MINING

IN REPLY REFER TO
UT-931

February 4, 2000

Shenandoah Energy Inc.
Attn: Rae Cusimano
475 17th Street, Suite 1000
Denver, Colorado 80202

Re: Red Wash Unit
Uintah County, Utah

Gentlemen:

On December 30, 1999, we received an indenture whereby Chevron U.S.A. Inc. resigned as Unit Operator and Shenandoah Energy Inc. was designated as Successor Unit Operator for the Red Wash Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective February 4, 2000. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Red Wash Unit Agreement.

Your statewide (Utah) oil and gas bond No. 0969 will be used to cover all operations within the Red Wash Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure

cc: Chevron U.S.A. Inc.

bcc: Field Manager - Vernal (w/enclosure)
~~DIVISION OF OIL, GAS & MINING~~
Minerals Adjudication Group U-932
File - Red Wash Unit (w/enclosure)
MMS - Data Management Division
Agr. Sec. Chron
Fluid Chron

UT931:TAThompson:tt:2/4/00

Well Status Report
Utah State Office
Bureau of Land Management

Lease	Api Number	Well Name	QTR	Section	Township	Range	Well Status	Operator
UTU0116	4304715258	144 (21-18B) RED WAS	NENW	18	T 7S	R23E TA		CHEVRON U S A INCORPORATED
UTU081	4304715259	145 (24-13B) RED WAS	SESW	13	T 7S	R23E OSI		CHEVRON U S A INCORPORATED
UTU0559	4304716492	146 (12-21A) RED WAS	SWNW	21	T 7S	R22E P+A		CHEVRON U S A INCORPORATED
UTU081	4304715260	147 (22-22B) RED WAS	SESW	22	T 7S	R23E POW		CHEVRON U S A INCORPORATED
UTU081	4304715261	148 (13-22B) RED WAS	NWSW	22	T 7S	R23E WIW		CHEVRON U S A INCORPORATED
UTU0571	4304715262	149 (21-33A) RED WAS	NENW	33	T 7S	R22E P+A		CHEVRON U S A INCORPORATED
UTU02148	4304715145	15 (32-17C) RED WASH	SWNE	17	T 7S	R24E PGW		CHEVRON U S A INCORPORATED
UTU081	4304715263	150 (31-22B) RED WAS	NWNE	22	T 7S	R23E TA		CHEVRON U S A INCORPORATED
UTU081	4304715264	151 (42-14B) RED WAS	SENE	14	T 7S	R23E POW		CHEVRON U S A INCORPORATED
UTU02148	4304716493	152 (41-17C) RED WAS	NENE	17	T 7S	R24E P+A		CHEVRON U S A INCORPORATED
UTU02025	4304715265	153 (14-29B) RED WAS	SWSW	29	T 7S	R23E POW		CHEVRON U S A INCORPORATED
STATE	4304716494	154 (41-32B) RED WAS	NENE	32	T 7S	R23E P+A		CHEVRON USA INC
UTU0571	4304715266	155 (23-33A) RED WAS	NESW	33	T 7S	R22E P+A		CHEVRON U S A INCORPORATED
UTU081	4304715267	156 (23-15B) RED WAS	NESW	15	T 7S	R23E WIW		CHEVRON U S A INCORPORATED
UTU02025	4304715268	158 (32-30B) RED WAS	SWNE	30	T 7S	R23E POW		CHEVRON U S A INCORPORATED
UTU0571	4304715269	159 (14-33A) RED WAS	SWSW	33	T 7S	R22E P+A		CHEVRON U S A INCORPORATED
UTU02030	4304716475	16 (43-28B) RED WASH	NESE	28	T 7S	R23E TA		CHEVRON U S A INCORPORATED
UTU081	4304715270	160 (32-15B) RED WAS	SWNE	15	T 7S	R23E POW		CHEVRON U S A INCORPORATED
UTU02030	4304715271	161 (14-20B) RED WAS	SWSW	20	T 7S	R23E TA		CHEVRON U S A INCORPORATED
UTU02030	4304715272	162 (12-20B) RED WAS	SWNW	20	T 7S	R23E TA		CHEVRON U S A INCORPORATED
UTU0570	4304715273	163 (34-33A) RED WAS	SWSE	33	T 7S	R22E P+A		CHEVRON U S A INCORPORATED
UTU02025	4304715274	164 (12-28B) RED WAS	SWNW	28	T 7S	R23E POW		CHEVRON U S A INCORPORATED
UTU0566	4304715275	165 (32-26B) RED WAS	SWNE	26	T 7S	R23E TA		CHEVRON U S A INCORPORATED
UTU0562	4304715276	166 (23-14A) RED WAS	NESW	14	T 7S	R22E ABD		CHEVRON U S A INCORPORATED
UTU0567	4304715277	167 (23-21B) RED WAS	NESW	21	T 7S	R23E POW		CHEVRON U S A INCORPORATED
UTU082	4304715278	168 (23-24B) RED WAS	NESW	24	T 7S	R23E TA		CHEVRON U S A INCORPORATED
UTU0569	4304715146	17 (41-20B) RED WASH	NENE	20	T 7S	R23E POW		CHEVRON U S A INCORPORATED
UTU081	4304716495	170 (41-15B) RED WAS	NENE	15	T 7S	R23E TA		CHEVRON U S A INCORPORATED
UTU0570	4304715279	171 (32-33A) RED WAS	SWNE	33	T 7S	R22E P+A		CHEVRON U S A INCORPORATED
UTU02030	4304715280	172 (21-30B) RED WAS	NENW	30	T 7S	R23E TA		CHEVRON U S A INCORPORATED
UTU0569	4304716496	173 (21-21B) RED WAS	NENW	21	T 7S	R23E WIW		CHEVRON U S A INCORPORATED
UTU0933	4304715281	174 (21-20B) RED WAS	NENW	20	T 7S	R23E WIW		CHEVRON U S A INCORPORATED
UTU0558	4304715282	175 (34-28A) RED WAS	SWSE	28	T 7S	R22E ABD		CHEVRON U S A INCORPORATED
UTU02030	4304715283	176 (31-28B) RED WAS	NWNE	28	T 7S	R23E TA		CHEVRON U S A INCORPORATED
UTU02030	4304715284	177 (42-28B) RED WAS	SENE	28	T 7S	R23E POW		CHEVRON U S A INCORPORATED
UTU081	4304715285	178 (22-13B) RED WAS	SESW	13	T 7S	R23E TA		CHEVRON U S A INCORPORATED
UTU0570	4304715286	179 (43-33A) RED WAS	NESE	33	T 7S	R22E P+A		CHEVRON U S A INCORPORATED
UTU02149	4304715147	18 (41-19C) RED WASH	NENE	19	T 7S	R24E ABD		CHEVRON U S A INCORPORATED
UTU082	4304715287	180 (31-23B) RED WAS	NWNE	23	T 7S	R23E TA		CHEVRON U S A INCORPORATED
UTU02025	4304715288	181 (34-30B) RED WAS	SWSE	30	T 7S	R23E POW		CHEVRON U S A INCORPORATED
UTU0933	4304716497	182 (14-21B) RED WAS	SWSW	21	T 7S	R23E TA		CHEVRON U S A INCORPORATED
UTU081	4304715289	183 (33-13B) RED WAS	NWSE	13	T 7S	R23E WIW		CHEVRON U S A INCORPORATED
UTU0566	4304715290	184 (23-26B) RED WAS	NESW	26	T 7S	R23E TA		CHEVRON U S A INCORPORATED
UTU081	4304716498	185 (41-14B) RED WAS	NENE	14	T 7S	R23E WIWSI		CHEVRON U S A INCORPORATED
UTU02030	4304716499	186 (12-30B) RED WAS	SWNW	30	T 7S	R23E P+A		CHEVRON U S A INCORPORATED
UTU02030	4304715291	188 (23-20B) RED WAS	NESW	20	T 7S	R23E TA		CHEVRON U S A INCORPORATED
STATE	4304715292	189 (41-16B) RED WAS	NENE	16	T 7S	R23E TA		CHEVRON U S A INCORPORATED
UTU0566	4304715148	19 (34-26B) RED WASH	SWSE	26	T 7S	R23E GSI		CHEVRON U S A INCORPORATED
UTU0560	4304716500	190 (34-29A) RED WAS	SWSE	29	T 7S	R22E P+A		CHEVRON U S A INCORPORATED

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
Oil Gas
 Well Well Other

2. Name of Operator
SHENANDOAH ENERGY, INC

3. Address and Telephone No
11002 E. 17500 S. VERNAL, UT 84078-8526 (801) 781-4300

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
1980' FSL & ~~1977'~~ FWL (NE SW) SECTION 24, T7S, R23E, SLBM

5. Lease Designation and Serial No.
U-082

6. If Indian, Allottee or Tribe Name
N/A

7. If Unit or CA, Agreement Designation
RED WASH UNIT

8. Well Name and No.
RED WASH UNIT 168 23-24B

9. API Well No.
43-047-15278

10. Field and Pool, or Exploratory Area
RED WASH - GREEN RIVER

11. County or Parish, State
UINTAH, UTAH

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>TA STATUS FOR WELL</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

WE REQUEST A TA STATUS APPROVAL FOR THIS WELL.

WE PLAN TO RE-EVALUATE THIS WELL FOR POSSIBLE FUTURE WATER INJECTION SERVICE.

RECEIVED

APR 17 2000

DIVISION OF
OIL, GAS AND MINING

14. I hereby certify that the foregoing is true and correct.
Signed D. C. BEAMAN *D. C. Beaman* Title OFFICE MANAGER Date 04/13/00

(This space for Federal or State office use)

The Extension for Shut-in or Temporarily Abandonment may be issued, in accordance with Accepted by the
Conditions of approval, if any, R649-3-36:1.1, 1.2 & 1.3, upon receipt and review, by the Division of Oil, Gas & Mining of Utah Division of
Title 48 U.S.C. Section 1001 makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. M. Hebertson 10-Mar-2000 Oil, Gas & Mining

*See instruction on Reverse Side

COPY SENT TO OPERATOR
Date: 4-20-00
Initials: CHD

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

5. Lease Serial No.
U0586 *UTU-082*

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on reverse side.

7. If Unit or CA/Agreement, Name and/or No.
8920007610

1. Type of Well
 Oil Well Gas Well Other

8. Well Name and No.
RWU 168 23-24B

2. Name of Operator
SHENANDOAH ENERGY INC. Contact: ANN PETRIK
E-Mail: ann.petrik@questar.com

9. API Well No.
43-047-15278

3a. Address
11002 EAST 17500 SOUTH
VERNAL, UT 84078

3b. Phone No. (include area code)
Ph: 435.781.4306
Fx: 435.781.4329

10. Field and Pool, or Exploratory
RED WASH

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Sec 24 T7S R23E NESW 1980FNL-1977FWL
1980

11. County or Parish, and State
UINTAH COUNTY, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input checked="" type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

WE REQUEST A TA STATUS APPROVAL FOR THIS WELL.

THIS WELL IS A MAIN AREA LINE DRIVE CONVERSION TO INJECTION CANDIDATE.

RECEIVED

THIS SUNDRY IS BEING RETURNED: INSUFFICIENT DATA WAS SUBMITTED TO APPROVE THE PROPOSED OPERATION. The well has been nonactive or nonproductive 5 years & 6 months. In accordance with BLM-8-16, a sundry notice shall be filed indicating the reasons and length of time for the well shut-in or temporary abandonment and a determination of the well's integrity. If the well is not a risk to public health and safety or the environment.

DIV. OF OIL, GAS & MINING

Debra Duff
January 3, 2003
Utah Division of Oil, Gas and Mining

Federal Approval of This Action is Necessary

14. I hereby certify that the foregoing is true and correct.
Electronic Submission #15193 verified by the BLM Well Information System For SHENANDOAH ENERGY INC., sent to the Vernal

Name (Printed/Typed) ANN PETRIK Title ADMINISTRATIVE CONTACT

Signature (Electronic Submission) Date 11/18/2002

THIS SPACE FOR FEDERAL OR STATE OFFICE USE


Approved By _____ Title COPIES SENT TO OPERATOR Date _____

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office CHO

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**** ORIGINAL ** ORIGINAL ****



OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW
3. FILE

Change of Operator (Well Sold)

Designation of Agent/Operator

X Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:		2/1/2003
FROM: (Old Operator):	TO: (New Operator):	
N4235-Shenandoah Energy Inc 11002 E 17500 S Vernal, UT 84078-8526 Phone: (435) 781-4341	N2460-QEP Uinta Basin Inc 11002 E 17500 S Vernal, UT 84078-8526 Phone: (435) 781-4341	

CA No. Unit: RED WASH

WELL(S)										Confid
NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS		
RWU 204 (23-25A)	25	070S	220E	4304715305	5670	Federal	OW	P		
RWU 192 (41-33A)	33	070S	220E	4304715294	5670	Federal	OW	P		
RWU 178 (22-13B)	13	070S	230E	4304715285	5670	Federal	OW	TA		
RWU 194 (12-14B)	14	070S	230E	4304715296	5670	Federal	OW	S		
RWU 162 (12-20B)	20	070S	230E	4304715272	5670	Federal	OW	TA		
RWU 188 (23-20B)	20	070S	230E	4304715291	5670	Federal	OW	TA		
RWU 167 (23-21B)	21	070S	230E	4304715277	5670	Federal	OW	S		
RWU 180 (31-23B)	23	070S	230E	4304715287	5670	Federal	OW	TA		
RWU 168 (23-24B)	24	070S	230E	4304715278	5670	Federal	OW	TA		
RWU 193 (43-24B)	24	070S	230E	4304715295	5670	Federal	GW	S		
RWU 165 (32-26B)	26	070S	230E	4304715275	5670	Federal	GW	TA		
RWU 184 (23-26B)	26	070S	230E	4304715290	5670	Federal	OW	TA		
RWU 19 (34-26B)	26	070S	230E	4304715148	5670	Federal	GW	TA		
RWU 164 (12-28B)	28	070S	230E	4304715274	5670	Federal	OW	P		
RWU 176 (31-28B)	28	070S	230E	4304715283	5670	Federal	OW	TA		
RWU 177 (42-28B)	28	070S	230E	4304715284	5670	Federal	OW	TA		
RWU 172 (21-30B)	30	070S	230E	4304715280	5670	Federal	OW	TA		
RWU 181 (34-30B)	30	070S	230E	4304715288	5670	Federal	OW	P		
RWU 196 (23-17C)	17	070S	240E	4304715298	5670	Federal	GW	S		
RWU 201 (32-28C)	28	070S	240E	4304715302	5670	Federal	GW	P		

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/2/2003
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/2/2003
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/19/2003
- Is the new operator registered in the State of Utah: YES Business Number: 5292864-0151
- If **NO**, the operator was contacted on: _____

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 7/21/2003

8. **Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: 7/21/2003

9. **Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: n/a

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 8/28/2003

2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 8/28/2003

3. Bond information entered in RBDMS on: n/a

4. Fee wells attached to bond in RBDMS on: n/a

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: 965-003-032

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: ESB000024

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: 799446

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number 965-003-033

2. The **FORMER** operator has requested a release of liability from their bond on: n/a
The Division sent response by letter on: n/a

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

May 28, 2003

Division of Oil, Gas, & Mining
1594 West North Temple, Suite 1210
P. O. Box 145801
Salt Lake City, Utah 84114-5801

Attention: John Baza/Jim Thompson

Gentlemen:

This will serve as notice that through the internal corporate changes described below, activities formerly conducted in the name of either Shenandoah Operating Company, LLC (SOC) and/or Shenandoah Energy, Inc. (SEI) will hereafter be conducted in the name of QEP Uinta Basin, Inc.: i) the Shenandoah entities were purchased in July, 2001 by Questar Market Resources, Inc., which is a mid-level holding company for the non-utility businesses of Questar Corporation, ii) Shenandoah Operating Company, LLC has now been merged into Shenandoah Energy, Inc. (SEI), iii) Shenandoah Energy, Inc. has now been re-named **QEP Uinta Basin, Inc.** pursuant to a State of Delaware Amended and Restated Certificate of Incorporation, iv) the same employees will continue to be responsible for operations of the former SOC and SEI properties, both in the field and in the office. Accordingly, the change involves only an internal corporate name change and no third party change of operator is involved. Please alter your records to reflect the entity name change. Attached is a spreadsheet listing all wells affected by this change.

Should you have any questions, please call me at 303 - 308-3056.

Yours truly,



Frank Nielsen
Division Landman

Enclosure

RECEIVED
JUN 02 2003
DIV. OF OIL, GAS & MINING

SEI (N4235) to QEP (N2460) RED WASH UNIT

well name	Sec	T	R	api	Entity	Lease Type	type	stat	
RED WASH 22-21B	21	070S	230E	4304733522	5670	Federal	OW	TA	
RED WASH 24-20B	20	070S	230E	4304733523	5670	Federal	OW	P	
RED WASH 305 (41-4F)	04	080S	240E	4304732538	5670	Federal	GW	TA	
RED WASH 306	23	070S	240E	4304732629	5670	Federal	GW	P	
RED WASH 44-19B	19	070S	230E	4304733524	5670	Federal	OW	P	
RED WASH 44-20B	20	070S	230E	4304733525	5670	Federal	OW	P	
RWU 1 (41-26B)	26	070S	230E	4304715135	5670	Federal	OW	TA	
RWU 10 (12-23B)	23	070S	230E	4304715141	5670	Federal	OW	TA	
RWU 101 (34-21B)	21	070S	230E	4304715220	5670	Federal	OW	P	
RWU 103 (34-15B)	15	070S	230E	4304715222	5670	Federal	OW	P	
RWU 108 (32-21B)	21	070S	230E	4304715226	5670	Federal	OW	P	
RWU 109 (21-28B)	28	070S	230E	4304715227	5670	Federal	OW	P	
RWU 110 (23-23A)	23	070S	220E	4304715228	5670	Federal	OW	P	
RWU 111 (32-24A)	24	070S	220E	4304715229	5670	Federal	OW	TA	
RWU 112 (32-28A)	28	070S	220E	4304715230	5670	Federal	OW	P	
RWU 115 (21-19B)	19	070S	230E	4304715233	5670	Federal	OW	P	
RWU 119 (43-29A)	29	070S	220E	4304715236	5670	Federal	OW	P	
RWU 120 (23-28B)	28	070S	230E	4304715237	5670	Federal	OW	TA	
RWU 121 (13-13B)	13	070S	230E	4304715238	5670	Federal	GW	P	
RWU 122 (24-14B)	14	070S	230E	4304715239	5670	Federal	OW	P	
RWU 125 (34-19B)	19	070S	230E	4304715242	5670	Federal	OW	TA	
RWU 126 (41-29A)	29	070S	220E	4304715243	5670	Federal	OW	P	
RWU 127 (12-19B)	19	070S	230E	4304715244	5670	Federal	OW	TA	
RWU 129 (14-15B)	15	070S	230E	4304715246	5670	Federal	OW	P	
RWU 13 (14-22B)	22	070S	230E	4304715143	5670	Federal	OW	TA	
RWU 133 (41-34B)	34	070S	230E	4304715250	5670	Federal	OW	P	
RWU 136 (43-19B)	19	070S	230E	4304715252	5670	Federal	OW	TA	
RWU 137 (34-28B)	28	070S	230E	4304715253	5670	Federal	GW	TA	
RWU 138 (41-30B)	30	070S	230E	4304715254	5670	Federal	OW	P	
RWU 140 (24-22B)	22	070S	230E	4304715255	5670	Federal	OW	P	
RWU 141 (11-27B)	27	070S	230E	4304715256	5670	Federal	OW	TA	
RWU 143 (33-14B)	14	070S	230E	4304715257	5670	Federal	OW	P	
RWU 144 (21-18B)	18	070S	230E	4304715258	5670	Federal	OW	TA	
RWU 145 (24-13B)	13	070S	230E	4304715259	5670	Federal	OW	TA	
RWU 147 (22-22B)	22	070S	230E	4304715260	5670	Federal	OW	TA	
RWU 15 (32-17C)	17	070S	240E	4304715145	5670	Federal	OW	P	
RWU 151 (42-14B)	14	070S	230E	4304715264	5670	Federal	OW	P	
RWU 153 (14-29B)	29	070S	230E	4304715265	5670	Federal	OW	P	
RWU 158 (32-30B)	30	070S	230E	4304715268	5670	Federal	OW	P	
RWU 160 (32-15B)	15	070S	230E	4304715270	5670	Federal	OW	P	
RWU 162 (12-20B)	20	070S	230E	4304715272	5670	Federal	OW	TA	
RWU 164 (12-28B)	28	070S	230E	4304715274	5670	Federal	OW	P	
RWU 165 (32-26B)	26	070S	230E	4304715275	5670	Federal	GW	TA	
RWU 167 (23-21B)	21	070S	230E	4304715277	5670	Federal	OW	S	
RWU 168 (23-24B)	24	070S	230E	4304715278	5670	Federal	OW	TA	
RWU 172 (21-30B)	30	070S	230E	4304715280	5670	Federal	OW	TA	
RWU 176 (31-28B)	28	070S	230E	4304715283	5670	Federal	OW	TA	
RWU 177 (42-28B)	28	070S	230E	4304715284	5670	Federal	OW	TA	
RWU 178 (22-13B)	13	070S	230E	4304715285	5670	Federal	OW	TA	
RWU 180 (31-23B)	23	070S	230E	4304715287	5670	Federal	OW	TA	
RWU 181 (34-30B)	30	070S	230E	4304715288	5670	Federal	OW	P	
RWU 184 (23-26B)	26	070S	230E	4304715290	5670	Federal	OW	TA	
RWU 188 (23-20B)	20	070S	230E	4304715291	5670	Federal	OW	TA	
RWU 19 (34-26B)	26	070S	230E	4304715148	5670	Federal	GW	TA	
RWU 192 (41-33A)	33	070S	220E	4304715294	5670	Federal	OW	P	
RWU 193 (43-24B)	24	070S	230E	4304715295	5670	Federal	GW	S	
RWU 194 (12-14B)	14	070S	230E	4304715296	5670	Federal	OW	S	
RWU 196 (23-17C)	17	070S	240E	4304715298	5670	Federal	GW	S	
RWU 201 (32-28C)	28	070S	240E	4304715302	5670	Federal	GW	P	
RWU 204 (23-25A)	25	070S	220E	4304715305	5670	Federal	OW	P	
RWU 205 (23-21C)	21	070S	240E	4304715306	5670	Federal	GW	TA	
RWU 207	17	070S	230E	4304732738	5670	Federal	OW	P	
RWU 21 (32-14B)	14	070S	230E	4304715150	5670	Federal	OW	P	
RWU 212 (41-8F)	08	080S	240E	4304720014	5670	Federal	GW	P	
RWU 21-24A	24	070S	220E	4304733592	5670	Federal	OW	P	

SEI (N4235) to QEP (N2460) RED WASH UNIT

well name	Sec	T	R	api	Entity	Lease Type	type	stat	
RWU 21-25A	25	070S	220E	4304733576	5670	Federal	OW	P	
RWU 219 (44-21C)	21	070S	240E	4304730149	5670	Federal	GW	P	
RWU 220 (22-23B)	23	070S	230E	4304730192	5670	Federal	OW	TA	
RWU 221 (13-27B)	27	070S	230E	4304730199	5670	Federal	OW	TA	
RWU 22-13A	13	070S	220E	4304733765	5670	Federal	OW	S	
RWU 22-19B	19	070S	230E	4304733559	5670	Federal	OW	P	
RWU 222 (31-27B)	27	070S	230E	4304730200	5670	Federal	GW	TA	
RWU 22-20B	20	070S	230E	4304733491	5670	Federal	OW	P	
RWU 22-25A	25	070S	220E	4304733786	5670	Federal	OW	P	
RWU 22-29B	29	070S	230E	4304733766	5670	Federal	OW	S	
RWU 224 (44-22B)	22	070S	230E	4304730202	5670	Federal	GW	TA	
RWU 225 (13-23B)	23	070S	230E	4304730212	5670	Federal	GW	TA	
RWU 226 (24-23B)	23	070S	230E	4304730249	5670	Federal	GW	S	
RWU 227 (14-26B)	26	070S	230E	4304730257	5670	Federal	OW	TA	
RWU 228 (21-34B)	34	070S	230E	4304730258	5670	Federal	OW	P	
RWU 229 (43-26B)	26	070S	230E	4304730259	5670	Federal	OW	TA	
RWU 230 (14-18C)	18	070S	240E	4304730309	5670	Federal	OW	TA	
RWU 231 (21-35B)	35	070S	230E	4304730310	5670	Federal	OW	TA	
RWU 232 (12-26B)	26	070S	230E	4304730311	5670	Federal	OW	TA	
RWU 23-24A	24	070S	220E	4304733567	5670	Federal	OW	P	
RWU 233 (12-25B)	25	070S	230E	4304730312	5670	Federal	OW	TA	
RWU 234 (32-24B)	24	070S	230E	4304730313	5670	Federal	OW	P	
RWU 235 (34-18C)	18	070S	240E	4304730314	5670	Federal	OW	P	
RWU 236 (21-19C)	19	070S	240E	4304730340	5670	Federal	GW	P	
RWU 237 (14-25B)	25	070S	230E	4304730341	5670	Federal	OW	P	
RWU 238 (32-35B)	35	070S	230E	4304730342	5670	Federal	OW	TA	
RWU 239 (41-35B)	35	070S	230E	4304730343	5670	Federal	OW	TA	
RWU 24 (34-14B)	14	070S	230E	4304715152	5670	Federal	OW	P	
RWU 240 (12-36B)	36	070S	230E	4304730344	5670	Federal	OW	P	
RWU 241 (22-14B)	14	070S	230E	4304730345	5670	Federal	OW	P	
RWU 24-18B	18	070S	230E	4304733554	5670	Federal	OW	P	
RWU 24-19B	19	070S	230E	4304733492	5670	Federal	OW	P	
RWU 242 (42-13B)	13	070S	230E	4304730346	5670	Federal	OW	P	
RWU 243 (42-18C)	18	070S	240E	4304730347	5670	Federal	OW	TA	
RWU 244 (23-19C)	19	070S	240E	4304730348	5670	Federal	GW	P	
RWU 246 (22-18C)	18	070S	240E	4304730387	5670	Federal	OW	P	
RWU 247 (22-17C)	17	070S	240E	4304730388	5670	Federal	GW	P	
RWU 26 (23-22B)	22	070S	230E	4304715153	5670	Federal	OW	TA	
RWU 262 (22-26B)	26	070S	230E	4304730517	5670	Federal	GW	TA	
RWU 265 (44-26B)	26	070S	230E	4304730520	5670	Federal	GW	P	
RWU 267 (32-17B)	17	070S	230E	4304732981	5670	Federal	OW	P	
RWU 27 (43-14B)	14	070S	230E	4304715154	5670	Federal	OW	TA	
RWU 270 (22-35B)	35	070S	230E	4304731082	5670	Federal	OW	P	
RWU 272 (44-23B)	23	070S	230E	4304731054	5670	Federal	GW	P	
RWU 273 (42-27B)	27	070S	230E	4304731051	5670	Federal	OW	TA	
RWU 276 (44-27B)	27	070S	230E	4304731053	5670	Federal	OW	TA	
RWU 278 (11-26)	26	070S	230E	4304731076	5670	Federal	GW	TA	
RWU 28 (43-22B)	22	070S	230E	4304715155	5670	Federal	OW	P	
RWU 280 (11-35B)	35	070S	230E	4304731079	5670	Federal	OW	P	
RWU 282 (42-26B)	26	070S	230E	4304731080	5670	Federal	GW	TA	
RWU 284 (33-23B)	23	070S	230E	4304731476	5670	Federal	GW	TA	
RWU 285 (11-24B)	24	070S	230E	4304731477	5670	Federal	OW	P	
RWU 286 (42-21B)	21	070S	230E	4304731478	5670	Federal	OW	P	
RWU 287 (44-13B)	13	070S	230E	4304731512	5670	Federal	OW	TA	
RWU 288 (24-27)	27	070S	230E	4304731513	5670	Federal	OW	TA	
RWU 289 (13-24B)	24	070S	230E	4304731517	5670	Federal	OW	P	
RWU 29 (32-23B)	23	070S	230E	4304715156	5670	Federal	OW	P	
RWU 292 (42-23B)	23	070S	230E	4304731576	5670	Federal	GW	TA	
RWU 293 (22-22A)	22	070S	220E	4304731581	5670	Federal	OW	TA	
RWU 294 (24-18C)	18	070S	240E	4304731582	5670	Federal	GW	P	
RWU 295 (11-22B)	22	070S	230E	4304731577	5670	Federal	GW	TA	
RWU 296 (12-35B)	35	070S	230E	4304731578	5670	Federal	OW	P	
RWU 297 (24-15B)	15	070S	230E	4304731579	5670	Federal	OW	P	
RWU 298 (22-27B)	27	070S	230E	4304731679	5670	Federal	OW	TA	
RWU 299 (32-18B)	18	070S	230E	4304733018	5670	Federal	OW	P	

SEI (N4235) to QEP (N2460) RED WASH UNIT

well name	Sec	T	R	api	Entity	Lease Type	type	stat	
RWU 3 (34-23B)	23	070S	230E	4304715136	5670	Federal	OW	P	
RWU 30 (23-13B)	13	070S	230E	4304715157	5670	Federal	GW	TA	
RWU 301 (43-15B)	15	070S	230E	4304731682	5670	Federal	GW	S	
RWU 302 (22-24B)	24	070S	230E	4304731683	5670	Federal	GW	TA	
RWU 303 (34-17B)	17	070S	230E	4304731819	5670	Federal	OW	P	
RWU 31 (34-22B)	22	070S	230E	4304715158	5670	Federal	OW	P	
RWU 33 (14-14B)	14	070S	230E	4304715160	5670	Federal	GW	TA	
RWU 35 (43-13B)	13	070S	230E	4304715162	5670	Federal	OW	TA	
RWU 36 (32-13B)	13	070S	230E	4304715163	5670	Federal	GW	P	
RWU 38 (14-23B)	23	070S	230E	4304715165	5670	Federal	OW	P	
RWU 39 (14-24A)	24	070S	220E	4304715166	5670	Federal	OW	TA	
RWU 4 (41-22B)	22	070S	230E	4304715137	5670	Federal	OW	TA	
RWU 40 (21-24B)	24	070S	230E	4304715167	5670	Federal	OW	TA	
RWU 41 (34-13B)	13	070S	230E	4304715168	5670	Federal	OW	P	
RWU 41-24A	24	070S	220E	4304733769	5670	Federal	OW	P	
RWU 41-25A	25	070S	220E	4304733579	5670	Federal	OW	P	
RWU 42 (21-29C)	29	070S	240E	4304715169	5670	Federal	GW	P	
RWU 42-19B	19	070S	230E	4304733556	5670	Federal	OW	P	
RWU 42-20B	20	070S	230E	4304733490	5670	Federal	OW	P	
RWU 42-24A	24	070S	220E	4304733569	5670	Federal	OW	P	
RWU 42-25A	25	070S	220E	4304733580	5670	Federal	OW	S	
RWU 42-30B	30	070S	230E	4304733771	5670	Federal	OW	P	
RWU 43 (12-17B)	17	070S	230E	4304715170	5670	Federal	OW	P	
RWU 44 (32-33C)	33	070S	240E	4304715171	5670	Federal	GW	P	
RWU 44-18B	18	070S	230E	4304733594	5670	Federal	OW	P	
RWU 44-30B	30	070S	230E	4304733772	5670	Federal	OW	P	
RWU 45 (23-30B)	30	070S	230E	4304715172	5670	Federal	OW	TA	
RWU 46 (41-21C)	21	070S	240E	4304715173	5670	Federal	GW	TA	
RWU 49 (12-29B)	29	070S	230E	4304715175	5670	Federal	OW	TA	
RWU 5 (41-23B)	23	070S	230E	4304715138	5670	Federal	OW	P	
RWU 50 (14-23A)	23	070S	220E	4304715176	5670	Federal	OW	P	
RWU 52 (14-18B)	18	070S	230E	4304715178	5670	Federal	OW	TA	
RWU 53 (41-25A)	25	070S	220E	4304715179	5670	Federal	OW	TA	
RWU 57 (12-18C)	18	070S	240E	4304715183	5670	Federal	OW	P	
RWU 63 (21-22B)	22	070S	230E	4304715186	5670	Federal	GW	TA	
RWU 64 (32-27B)	27	070S	230E	4304715187	5670	Federal	OW	TA	
RWU 66 (34-18B)	18	070S	230E	4304715189	5670	Federal	OW	P	
RWU 67 (42-22B)	22	070S	230E	4304715190	5670	Federal	OW	TA	
RWU 69 (21-27B)	27	070S	230E	4304715191	5670	Federal	OW	TA	
RWU 70 (23-22A)	22	070S	220E	4304715192	5670	Federal	OW	P	
RWU 71 (21-18C)	18	070S	240E	4304715193	5670	Federal	OW	P	
RWU 72 (23-27B)	27	070S	230E	4304715194	5670	Federal	OW	TA	
RWU 74 (12-13B)	13	070S	230E	4304715196	5670	Federal	GW	P	
RWU 75 (21-26B)	26	070S	230E	4304715197	5670	Federal	OW	TA	
RWU 76 (32-18C)	18	070S	240E	4304715198	5670	Federal	GW	S	
RWU 77 (21-13B)	13	070S	230E	4304715199	5670	Federal	OW	P	
RWU 78 (32-28B)	28	070S	230E	4304715200	5670	Federal	OW	P	
RWU 79 (12-27B)	27	070S	230E	4304715201	5670	Federal	OW	TA	
RWU 8 (32-22B)	22	070S	230E	4304715139	5670	Federal	OW	P	
RWU 80 (14-27B)	27	070S	230E	4304715202	5670	Federal	OW	P	
RWU 81 (41-31B)	31	070S	230E	4304715203	5670	Federal	OW	P	
RWU 83 (41-27A)	27	070S	220E	4304715205	5670	Federal	OW	P	
RWU 84 (44-14B)	14	070S	230E	4304715206	5670	Federal	GW	P	
RWU 9 (43-23B)	23	070S	230E	4304715140	5670	Federal	OW	P	
RWU 90 (43-21B)	21	070S	230E	4304715211	5670	Federal	OW	P	
RWU 92 (11-23B)	23	070S	230E	4304715212	5670	Federal	OW	TA	
RWU 94 (12-22A)	22	070S	220E	4304715213	5670	Federal	OW	P	
RWU 99 (12-22B)	22	070S	230E	4304715218	5670	Federal	OW	P	
RED WASH UNIT 259	16	070S	230E	4304732785	5670	State	OW	P	
RED WASH UNIT 260	16	070S	230E	4304732786	5670	State	OW	P	
RWU 51 (12-16B)	16	070S	230E	4304715177	5670	State	OW	P	
RWU ST 189 (41-16B)	16	070S	230E	4304715292	5670	State	OW	P	
RED WASH UNIT 261	17	070S	230E	4304732739	5670	Federal	WI	A	
RWU 100-A (43-21A)	21	070S	220E	4304715219	5670	Federal	WI	A	

SEI (N4235) to QEP (N2460) RED WASH UNIT

well name	Sec	T	R	api	Entity	Lease Type	type	stat	
RWU 102 (41-24A)	24	070S	220E	4304715221	5670	Federal	WI	A	
RWU 11	27	070S	230E	4304715142	5670	Federal	WI	A	
RWU 11-19B	19	070S	230E	4304733552	5670	Federal	WI	A	
RWU 11-20B	20	070S	230E	4304733553	5670	Federal	WI	A	
RWU 11-25A	25	070S	220E	4304733574	5670	Federal	WI	A	
RWU 11-29B	29	070S	230E	4304733590	5670	Federal	WI	A	
RWU 11-30B	30	070S	230E	4304733785	5670	Federal	WI	A	
RWU 12-24A	24	070S	220E	4304733591	5670	Federal	WI	A	
RWU 13-19B	19	070S	230E	4304733497	5670	Federal	WI	A	
RWU 13-20B	20	070S	230E	4304733498	5670	Federal	WI	A	
RWU 13-25A	25	070S	220E	4304733575	5670	Federal	WI	A	
RWU 14 (14-13B)	13	070S	230E	4304715144	5670	Federal	WI	A	
RWU 148 (13-22B)	22	070S	230E	4304715261	5670	Federal	WI	A	
RWU 150 (31-22B)	22	070S	230E	4304715263	5670	Federal	WI	I	
RWU 156 (23-15B)	15	070S	230E	4304715267	5670	Federal	WI	A	
RWU 16 (43-28B)	28	070S	230E	4304716475	5670	Federal	WI	I	
RWU 161 (14-20B)	20	070S	230E	4304715271	5670	Federal	WI	I	
RWU 17 (41-20B)	20	070S	230E	4304715146	5670	Federal	WI	A	
RWU 170 (41-15B)	15	070S	230E	4304716495	5670	Federal	WI	I	
RWU 173 (21-21B)	21	070S	230E	4304716496	5670	Federal	WI	A	
RWU 174 (21-20B)	20	070S	230E	4304715281	5670	Federal	WI	A	
RWU 182 (14-21B)	21	070S	230E	4304716497	5670	Federal	WI	A	
RWU 183 (33-13B)	13	070S	230E	4304715289	5670	Federal	WI	A	
RWU 185 (41-1B)	14	070S	230E	4304716498	5670	Federal	WI	A	
RWU 199 (43-22A)	22	070S	220E	4304715301	5670	Federal	WI	A	
RWU 2 (14-24B)	24	070S	230E	4304716472	5670	Federal	WI	A	
RWU 202 (21-34A)	34	070S	220E	4304715303	5670	Federal	WI	I	
RWU 213 (41-33B)	33	070S	230E	4304720060	5670	Federal	WD	A	
RWU 215 (43-28A)	28	070S	220E	4304730058	5670	Federal	WI	A	
RWU 216 (21-27A)	27	070S	220E	4304730103	5670	Federal	WI	A	
RWU 23 (21-23B)	23	070S	230E	4304715151	5670	Federal	WI	A	
RWU 23-18C (97)	18	070S	240E	4304715216	5670	Federal	WI	I	
RWU 25 (23-23B)	23	070S	230E	4304716476	5670	Federal	WI	A	
RWU 258 (34-22A)	22	070S	220E	4304730458	5670	Federal	WI	A	
RWU 263 (24-26B)	26	070S	230E	4304730518	5670	Federal	WI	I	
RWU 264 (31-35B)	35	070S	230E	4304730519	5670	Federal	WI	A	
RWU 266 (33-26B)	26	070S	230E	4304730521	5670	Federal	WI	I	
RWU 268 (43-17B)	17	070S	230E	4304732980	5670	Federal	WI	A	
RWU 269 (13-26B)	26	070S	230E	4304730522	5670	Federal	WI	I	
RWU 271 (42-35B)	35	070S	230E	4304731081	5670	Federal	WI	I	
RWU 275 (31-26B)	26	070S	230E	4304731077	5670	Federal	WI	A	
RWU 279 (11-36B)	36	070S	230E	4304731052	5670	Federal	WI	A	
RWU 283 (43-18B)	18	070S	230E	4304732982	5670	Federal	WI	A	
RWU 31-19B	19	070S	230E	4304733555	5670	Federal	WI	A	
RWU 31-25A	25	070S	220E	4304733577	5670	Federal	WI	A	
RWU 31-30B	30	070S	230E	4304733788	5670	Federal	WI	A	
RWU 33-19B	19	070S	230E	4304733499	5670	Federal	WI	A	
RWU 33-20B	20	070S	230E	4304733500	5670	Federal	WI	A	
RWU 33-25A	25	070S	220E	4304733578	5670	Federal	WI	A	
RWU 33-30B	30	070S	230E	4304733790	5670	Federal	WI	A	
RWU 34 (23-14B)	14	070S	230E	4304715161	5670	Federal	WI	A	
RWU 34-13A	13	070S	220E	4304733593	5670	Federal	WI	A	
RWU 34-24A	24	070S	220E	4304733568	5670	Federal	WI	A	
RWU 48 (32-19B)	19	070S	230E	4304715174	5670	Federal	WI	I	
RWU 56 (41-28B)	28	070S	230E	4304715182	5670	Federal	WI	A	
RWU 59 (12-24B)	24	070S	230E	4304716477	5670	Federal	WI	A	
RWU 6 (41-21B)	21	070S	230E	4304716482	5670	Federal	WI	A	
RWU 61 (12-27A)	27	070S	220E	4304716478	5670	Federal	WI	I	
RWU 68 (41-13B)	13	070S	230E	4304716485	5670	Federal	WI	I	
RWU 7 (41-27B)	27	070S	230E	4304716473	5670	Federal	WI	I	
RWU 88 (23-18B)	18	070S	230E	4304715210	5670	Federal	WI	A	
RWU 91 (33-22B)	22	070S	230E	4304716479	5670	Federal	WI	A	
RWU 93 (43-27B)	27	070S	230E	4304716480	5670	Federal	WI	I	
RWU 324 (23-16B)	16	070S	230E	4304733084	5670	State	WI	I	



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

IN REPLY REFER TO
UT-922

June 9, 2003

QEP Uinta Basin, Inc.
1050 17th Street, Suite 500
Denver, Colorado 80265

Re: Red Wash Unit
Uintah County, Utah

Gentlemen:

On May 30, 2003, we received an indenture dated February 1, 2003, whereby Shenandoah Energy, Inc. changed its name and QEP Uinta Basin, Inc. was designated as Successor Unit Operator for the Red Wash Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective June 9, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under Red Wash Unit Agreement.

Your nationwide (Eastern States) oil and gas bond No. B000024 will be used to cover all operations within the Red Wash Unit.

It is requested that you notify all interested parties of the name change of unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)
SITLA
Division of Oil, Gas & Mining
Minerals Adjudication Group
File – Red Wash Unit (w/enclosure)
Agr. Sec. Chron
Fluid Chron

UT922:TAThompson:tt:6/9/03

JUL 07 2003

3104 (932.34)WF
Nationwide Bond ESB000024

NOTICE

QEP Uinta Basin, Inc.	:	Oil and Gas
1050 17 th Street Suite 500	:	lease
Denver, Colorado 80265	:	

Name Change Recognized

Acceptable evidence has been filed in this office concerning the name change of Shenandoah Energy Incorporated into QEP Uinta Basin, Incorporated. QEP Uinta Basin, Incorporated is the surviving entity. This name change is recognized effective April 17, 2003.

Eastern States will notify the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice.

If you identify other leases in which the merging entity maintain an interest, please contact this office and we will appropriately document those files with a copy of this notice.

If you have any questions, please contact Bill Forbes at 703-440-1536.

S/ Wilbert B. Forbes

Wilbert B. Forbes
Land Law Examiner
Branch of Use Authorization
Division of Resources Planning,
Use and Protection

bc: JFO,MMS, ES RF, 930 RF, 932.34 RF, E-932: wbf:07 /07/03:440-1536/ QEP Uinta Basin
MFO

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

ROUTING
1. DJJ
2. CDW

Change of Operator (Well Sold)

X - Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

1/1/2007

FROM: (Old Operator): N2460-QEP Uinta Basin, Inc. 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 672-6900	TO: (New Operator): N5085-Questar E&P Company 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 672-6900
---	--

WELL NAME	CA No.	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LISTS					*				

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 4/19/2007
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 4/16/2007
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 1/31/2005
- Is the new operator registered in the State of Utah: Business Number: 764611-0143
- (R649-9-2) Waste Management Plan has been received on: IN PLACE
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: n/a
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 4/23/2007 BIA
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: 4/23/2007
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on:
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on:

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 4/30/2007 and 5/15/2007
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 4/30/2007 and 5/15/2007
- Bond information entered in RBDMS on: 4/30/2007 and 5/15/2007
- Fee/State wells attached to bond in RBDMS on: 4/30/2007 and 5/15/2007
- Injection Projects to new operator in RBDMS on: 4/30/2007 and 5/15/2007
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: ESB000024
- Indian well(s) covered by Bond Number: 799446
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965003033
- The **FORMER** operator has requested a release of liability from their bond on: n/a

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS: THIS IS A COMPANY NAME CHANGE.

SOME WELL NAMES HAVE BEEN CHANGED AS REQUESTED

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 1 (41-26B)	RW 41-26B	NENE	26	070S	230E	4304715135	5670	Federal	OW	TA
RWU 3 (34-23B)	RW 34-23B	SWSE	23	070S	230E	4304715136	5670	Federal	OW	P
RWU 4 (41-22B)	RW 41-22B	NENE	22	070S	230E	4304715137	5670	Federal	OW	TA
RWU 5 (41-23B)	RW 41-23B	NENE	23	070S	230E	4304715138	5670	Federal	OW	P
RWU 8 (32-22B)	RW 32-22B	SWNE	22	070S	230E	4304715139	5670	Federal	OW	P
RWU 9 (43-23B)	RW 43-23B	NESE	23	070S	230E	4304715140	5670	Federal	OW	P
RWU 10 (12-23B)	RW 12-23B	SWNW	23	070S	230E	4304715141	5670	Federal	OW	TA
RWU 11	RW 34-27B	SWSE	27	070S	230E	4304715142	99996	Federal	WI	A
RWU 13 (14-22B)	RW 14-22B	SWSW	22	070S	230E	4304715143	5670	Federal	OW	TA
RW 14-13B	RW 14-13B	SWSW	13	070S	230E	4304715144	99996	Federal	WI	A
RWU 15 (32-17C)	RW 32-17C	SWNE	17	070S	240E	4304715145	5670	Federal	OW	P
RWU 17 (41-20B)	RW 41-20B	NENE	20	070S	230E	4304715146	5670	Federal	WI	A
RWU 19 (34-26B)	RW 34-26B	SWSE	26	070S	230E	4304715148	5670	Federal	GW	S
RWU 21 (32-14B)	RW 32-14B	SWNE	14	070S	230E	4304715150	5670	Federal	OW	P
RWU 23 (21-23B)	RW 21-23B	SENE	23	070S	230E	4304715151	99996	Federal	WI	A
RWU 24 (34-14B)	RW 34-14B	SWSE	14	070S	230E	4304715152	5670	Federal	OW	S
RWU 26 (23-22B)	RW 23-22B	NESW	22	070S	230E	4304715153	5670	Federal	OW	TA
RWU 27 (43-14B)	RW 43-14B	NESE	14	070S	230E	4304715154	5670	Federal	OW	TA
RWU 28 (43-22B)	RW 43-22B	NESE	22	070S	230E	4304715155	5670	Federal	OW	P
RWU 29 (32-23B)	RW 32-23B	SWNE	23	070S	230E	4304715156	5670	Federal	OW	P
RW 23-13B	RW 23-13B	NESW	13	070S	230E	4304715157	5670	Federal	GW	TA
RWU 31 (34-22B)	RW 34-22B	SWSE	22	070S	230E	4304715158	5670	Federal	OW	P
RWU 33 (14-14B)	RW 14-14B	SWSW	14	070S	230E	4304715160	5670	Federal	GW	TA
RWU 34 (23-14B)	RW 23-14B	NESW	14	070S	230E	4304715161	99996	Federal	WI	A
RW 43-13B	RW 43-13B	NESE	13	070S	230E	4304715162	5670	Federal	OW	TA
RWU 36 (32-13B)	RW 32-13B	SWNE	13	070S	230E	4304715163	5670	Federal	GW	P
RWU 38 (14-23B)	RW 14-23B	SWSW	23	070S	230E	4304715165	5670	Federal	OW	P
RWU 39 (14-24A)	RW 14-24A	SWSW	24	070S	220E	4304715166	5670	Federal	OW	TA
RWU 40 (21-24B)	RW 21-24B	NENW	24	070S	230E	4304715167	5670	Federal	OW	TA
RWU 41 (34-13B)	RW 34-13B	SWSE	13	070S	230E	4304715168	5670	Federal	OW	P
RWU 42 (21-29C)	RW 21-29C	NENW	29	070S	240E	4304715169	5670	Federal	GW	P
RWU 43 (12-17B)	RW 12-17B	SWNW	17	070S	230E	4304715170	5670	Federal	OW	P
RWU 44 (32-33C)	RW 32-33C	SWNE	33	070S	240E	4304715171	5670	Federal	GW	P
RWU 45 (23-30B)	RW 23-30B	NESW	30	070S	230E	4304715172	5670	Federal	OW	TA
RWU 46 (41-21C)	RW 41-21C	NENE	21	070S	240E	4304715173	5670	Federal	GW	TA
RWU 48 (32-19B)	RW 32-19B	SWNE	19	070S	230E	4304715174	99996	Federal	WI	I
RWU 49 (12-29B)	RW 12-29B	SWNW	29	070S	230E	4304715175	5670	Federal	OW	TA
RWU 50 (14-23A)	RW 14-23A	SWSW	23	070S	220E	4304715176	5670	Federal	OW	P
RWU 52 (14-18B)	RW 14-18B	SWSW	18	070S	230E	4304715178	5670	Federal	OW	TA
RWU 53 (41-25A)	RW 41-25A	NENE	25	070S	220E	4304715179	5670	Federal	OW	TA
RWU 56 (41-28B)	RW 41-28B	NENE	28	070S	230E	4304715182	99996	Federal	WI	A

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 57 (12-18C)	RW 12-18C	SWNW	18	070S	240E	4304715183	5670	Federal	OW	P
RWU 63 (21-22B)	RW 21-22B	NENW	22	070S	230E	4304715186	5670	Federal	GW	TA
RWU 64 (32-27B)	RW 32-27B	SWNE	27	070S	230E	4304715187	5670	Federal	OW	TA
RWU 66 (34-18B)	RW 34-18B	SWSE	18	070S	230E	4304715189	5670	Federal	OW	P
RWU 67 (42-22B)	RW 42-22B	SENE	22	070S	230E	4304715190	5670	Federal	OW	TA
RWU 69 (21-27B)	RW 21-27B	NENW	27	070S	230E	4304715191	5670	Federal	OW	TA
RWU 70 (23-22A)	RW 23-22A	NESW	22	070S	220E	4304715192	5670	Federal	OW	P
RWU 71 (21-18C)	RW 21-18C	NENW	18	070S	240E	4304715193	5670	Federal	OW	P
RWU 72 (23-27B)	RW 23-27B	NESW	27	070S	230E	4304715194	5670	Federal	OW	TA
RWU 74 (12-13B)	RW 12-13B	SWNW	13	070S	230E	4304715196	5670	Federal	GW	S
RWU 75 (21-26B)	RW 21-26B	NENW	26	070S	230E	4304715197	5670	Federal	OW	TA
RWU 76 (32-18C)	RW 32-18C	SWNE	18	070S	240E	4304715198	5670	Federal	GW	P
RWU 77 (21-13B)	RWU 77 (21-13B)	NENW	13	070S	230E	4304715199	5670	Federal	OW	P
RWU 78 (32-28B)	RW 32-28B	SWNE	28	070S	230E	4304715200	5670	Federal	OW	P
RWU 79 (12-27B)	RW 12-27B	SWNW	27	070S	230E	4304715201	5670	Federal	OW	TA
RWU 80 (14-27B)	RW 14-27B	SWSW	27	070S	230E	4304715202	5670	Federal	OW	S
RWU 81 (41-31B)	RW 41-31B	NENE	31	070S	230E	4304715203	5670	Federal	OW	P
RWU 83 (41-27A)	RW 41-27A	NENE	27	070S	220E	4304715205	5670	Federal	OW	P
RWU 84 (44-14B)	RW 44-14B	SESE	14	070S	230E	4304715206	5670	Federal	GW	P
RWU 88 (23-18B)	RW 23-18B	NESW	18	070S	230E	4304715210	5670	Federal	WI	A
RWU 90 (43-21B)	RW 43-21B	NESE	21	070S	230E	4304715211	5670	Federal	OW	P
RWU 92 (11-23B)	RW 11-23B	NWNW	23	070S	230E	4304715212	5670	Federal	OW	TA
RWU 94 (12-22A)	RW 12-22A	SWNW	22	070S	220E	4304715213	5670	Federal	OW	P
RWU 23-18C (97)	RW 23-18C	NESW	18	070S	240E	4304715216	99996	Federal	WI	I
RWU 99 (12-22B)	RW 12-22B	SWNW	22	070S	230E	4304715218	5670	Federal	OW	P
RWU 100-A (43-21A)	RW 43-21A	NESE	21	070S	220E	4304715219	5670	Federal	WI	A
RWU 101 (34-21B)	RW 34-21B	SWSE	21	070S	230E	4304715220	5670	Federal	OW	P
RWU 102 (41-24A)	RW 41-24A	SENE	24	070S	220E	4304715221	5670	Federal	WI	A
RWU 103 (34-15B)	RW 34-15B	SWSE	15	070S	230E	4304715222	5670	Federal	OW	P
RWU 108 (32-21B)	RW 32-21B	SWNE	21	070S	230E	4304715226	5670	Federal	OW	P
RWU 109 (21-28B)	RW 21-28B	NENW	28	070S	230E	4304715227	5670	Federal	OW	P
RWU 110 (23-23A)	RW 23-23A	NESW	23	070S	220E	4304715228	5670	Federal	OW	P
RWU 111 (32-24A)	RW 32-24A	SWNE	24	070S	220E	4304715229	5670	Federal	OW	S
RWU 112 (32-28A)	RW 32-28A	SWNE	28	070S	220E	4304715230	5670	Federal	OW	S
RWU 115 (21-19B)	RW 21-19B	NENW	19	070S	230E	4304715233	5670	Federal	OW	P
RWU 119 (43-29A)	RW 43-29A	NESE	29	070S	220E	4304715236	5670	Federal	OW	P
RWU 120 (23-28B)	RW 23-28B	NESW	28	070S	230E	4304715237	5670	Federal	OW	TA
RW 13-13B	RW 13-13B	NWSW	13	070S	230E	4304715238	5670	Federal	GW	P
RWU 122 (24-14B)	RW 24-14B	SESW	14	070S	230E	4304715239	5670	Federal	OW	P
RWU 125 (34-19B)	RW 34-19B	SWSE	19	070S	230E	4304715242	5670	Federal	OW	TA
RWU 126 (41-29A)	RW 41-29A	NENE	29	070S	220E	4304715243	5670	Federal	OW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 127 (12-19B)	RW 12-19B	SWNW	19	070S	230E	4304715244	5670	Federal	OW	S
RWU 129 (14-15B)	RW 14-15B	SWSW	15	070S	230E	4304715246	5670	Federal	OW	P
RWU 133 (41-34B)	RW 41-34B	NENE	34	070S	230E	4304715250	5670	Federal	OW	P
RWU 136 (43-19B)	RW 43-19B	NESE	19	070S	230E	4304715252	5670	Federal	OW	TA
RWU 137 (34-28B)	RW 34-28B	SWSE	28	070S	230E	4304715253	5670	Federal	GW	TA
RWU 138 (41-30B)	RW 41-30B	NENE	30	070S	230E	4304715254	5670	Federal	OW	P
RWU 140 (24-22B)	RW 24-22B	SESW	22	070S	230E	4304715255	5670	Federal	OW	P
RWU 141 (11-27B)	RW 11-27B	NWNW	27	070S	230E	4304715256	5670	Federal	OW	TA
RWU 143 (33-14B)	RW 33-14B	NWSE	14	070S	230E	4304715257	5670	Federal	OW	P
RWU 144 (21-18B)	RW 21-18B	NENW	18	070S	230E	4304715258	5670	Federal	OW	TA
RW 24-13B	RW 24-13B	SESW	13	070S	230E	4304715259	5670	Federal	OW	TA
RWU 147 (22-22B)	RW 22-22B	SESW	22	070S	230E	4304715260	5670	Federal	OW	TA
RWU 148 (13-22B)	RW 13-22B	NWSW	22	070S	230E	4304715261	99996	Federal	WI	A
RWU 150 (31-22B)	RW 31-22B	NWNE	22	070S	230E	4304715263	99996	Federal	WI	I
RWU 151 (42-14B)	RW 42-14B	SENE	14	070S	230E	4304715264	5670	Federal	OW	P
RWU 153 (14-29B)	RW 14-29B	SWSW	29	070S	230E	4304715265	5670	Federal	OW	P
RWU 156 (23-15B)	RW 23-15B	NESW	15	070S	230E	4304715267	99990	Federal	WI	A
RWU 158 (32-30B)	RW 32-30B	SWNE	30	070S	230E	4304715268	5670	Federal	OW	P
RWU 160 (32-15B)	RW 32-15B	SWNE	15	070S	230E	4304715270	5670	Federal	OW	P
RWU 161 (14-20B)	RW 14-20B	SWSW	20	070S	230E	4304715271	99996	Federal	WI	I
RWU 162 (12-20B)	RW 12-20B	SWNW	20	070S	230E	4304715272	5670	Federal	OW	P
RWU 164 (12-28B)	RW 12-28B	SWNW	28	070S	230E	4304715274	5670	Federal	OW	P
RWU 165 (32-26B)	RW 32-26B	SWNE	26	070S	230E	4304715275	5670	Federal	GW	TA
RWU 167 (23-21B)	RW 23-21B	NESW	21	070S	230E	4304715277	5670	Federal	OW	S
RWU 168 (23-24B)	RW 23-24B	NESW	24	070S	230E	4304715278	5670	Federal	OW	TA
RWU 172 (21-30B)	RW 21-30B	NENW	30	070S	230E	4304715280	5670	Federal	OW	TA
RWU 174 (21-20B)	RW 21-20B	NENW	20	070S	230E	4304715281	5670	Federal	WI	A
RWU 176 (31-28B)	RW 31-28B	NWNE	28	070S	230E	4304715283	5670	Federal	OW	TA
RWU 177 (42-28B)	RW 42-28B	SENE	28	070S	230E	4304715284	5670	Federal	OW	TA
RW 22-13B	RW 22-13B	SESW	13	070S	230E	4304715285	5670	Federal	OW	TA
RWU 180 (31-23B)	RW 31-23B	NWNE	23	070S	230E	4304715287	5670	Federal	OW	TA
RWU 181 (34-30B)	RW 34-30B	SWSE	30	070S	230E	4304715288	5670	Federal	OW	P
RW 33-13B	RW 33-13B	NWSE	13	070S	230E	4304715289	5670	Federal	WI	A
RWU 184 (23-26B)	RW 23-26B	NESW	26	070S	230E	4304715290	5670	Federal	GW	S
RWU 188 (23-20B)	RW 23-20B	NESW	20	070S	230E	4304715291	5670	Federal	OW	TA
RWU 192 (41-33A)	RW 41-33A	NENE	33	070S	220E	4304715294	5670	Federal	OW	P
RWU 193 (43-24B)	RW 43-24B	NESE	24	070S	230E	4304715295	5670	Federal	GW	TA
RWU 194 (12-14B)	RW 12-14B	SWNW	14	070S	230E	4304715296	5670	Federal	OW	S
RWU 196 (23-17C)	RW 23-17C	NESW	17	070S	240E	4304715298	5670	Federal	GW	TA
RWU 199 (43-22A)	RW 43-22A	NESE	22	070S	220E	4304715301	99996	Federal	WI	A
RWU 201 (32-28C)	RW 32-28C	SWNE	28	070S	240E	4304715302	5670	Federal	GW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 202 (21-34A)	RW 21-34A	NENW	34	070S	220E	4304715303	99996	Federal	WI	I
RWU 204 (23-25A)	RW 23-25A	NESW	25	070S	220E	4304715305	5670	Federal	OW	P
RWU 205 (23-21C)	RW 23-21C	NESW	21	070S	240E	4304715306	5670	Federal	GW	TA
RWU 2 (14-24B)	RW 14-24B	SWSW	24	070S	230E	4304716472	99996	Federal	WI	A
RWU 7 (41-27B)	RW 41-27B	NENE	27	070S	230E	4304716473	99996	Federal	WI	I
RWU 16 (43-28B)	RW 43-28B	NESE	28	070S	230E	4304716475	99996	Federal	WI	I
RWU 25 (23-23B)	RW 23-23B	NESW	23	070S	230E	4304716476	99996	Federal	WI	A
RWU 59 (12-24B)	RW 12-24B	SWNW	24	070S	230E	4304716477	99996	Federal	WI	A
RWU 61 (12-27A)	RW 12-27A	SWNW	27	070S	220E	4304716478	99996	Federal	WI	I
RWU 91 (33-22B)	RW 33-22B	NWSE	22	070S	230E	4304716479	99996	Federal	WI	A
RWU 93 (43-27B)	RW 43-27B	NESE	27	070S	230E	4304716480	99996	Federal	WI	I
RWU 6 (41-21B)	RW 41-21B	NENE	21	070S	230E	4304716482	99996	Federal	WI	A
RWU 68 (41-13B)	RW 41-13B	NENE	13	070S	230E	4304716485	99996	Federal	WI	I
RWU 170 (41-15B)	RW 41-15B	NENE	15	070S	230E	4304716495	99996	Federal	WI	I
RWU 173 (21-21B)	RW 21-21B	NENW	21	070S	230E	4304716496	99996	Federal	WI	A
RWU 182 (14-21B)	RW 14-21B	SWSW	21	070S	230E	4304716497	99996	Federal	WI	A
RWU 185 (41-1B)	RW 41-14B	NENE	14	070S	230E	4304716498	99996	Federal	WI	A
RWU 212 (41-8F)	RW 41-8F	NENE	08	080S	240E	4304720014	5670	Federal	GW	P
RWU 213 (41-33B)	RW 41-33B	NENE	33	070S	230E	4304720060	99996	Federal	WD	A
RWU 215 (43-28A)	RW 43-28A	NESE	28	070S	220E	4304730058	99996	Federal	WD	A
RWU 216 (21-27A)	RW 21-27A	NENW	27	070S	220E	4304730103	99996	Federal	WI	A
RWU 219 (44-21C)	RW 44-21C	SESE	21	070S	240E	4304730149	5670	Federal	GW	S
RWU 220 (22-23B)	RW 22-23B	SENW	23	070S	230E	4304730192	5670	Federal	OW	TA
RWU 221 (13-27B)	RW 13-27B	NWSW	27	070S	230E	4304730199	5670	Federal	OW	TA
RWU 222 (31-27B)	RW 31-27B	NWNE	27	070S	230E	4304730200	5670	Federal	GW	TA
RWU 224 (44-22B)	RW 44-22B	SESE	22	070S	230E	4304730202	5670	Federal	GW	TA
RWU 225 (13-23B)	RW 13-23B	NWSW	23	070S	230E	4304730212	5670	Federal	GW	TA
RWU 226 (24-23B)	RW 24-23B	SESW	23	070S	230E	4304730249	5670	Federal	GW	S
RWU 227 (14-26B)	RW 14-26B	SWSW	26	070S	230E	4304730257	5670	Federal	OW	TA
RWU 228 (21-34B)	RW 21-34B	NENW	34	070S	230E	4304730258	5670	Federal	OW	P
RWU 229 (43-26B)	RW 43-26B	NESE	26	070S	230E	4304730259	5670	Federal	OW	TA
RWU 230 (14-18C)	RW 14-18C	SWSW	18	070S	240E	4304730309	5670	Federal	OW	P
RWU 231 (21-35B)	RW 21-35B	NENW	35	070S	230E	4304730310	5670	Federal	OW	TA
RWU 232 (12-26B)	RW 12-26B	SWNW	26	070S	230E	4304730311	5670	Federal	OW	TA
RWU 233 (12-25B)	RW 12-25B	SWNW	25	070S	230E	4304730312	5670	Federal	OW	TA
RWU 234 (32-24B)	RW 32-24B	SWNE	24	070S	230E	4304730313	5670	Federal	OW	P
RWU 235 (34-18C)	RW 34-18C	SWSE	18	070S	240E	4304730314	5670	Federal	OW	S
RWU 236 (21-19C)	RW 21-19C	NENW	19	070S	240E	4304730340	5670	Federal	GW	P
RWU 237 (14-25B)	RW 14-25B	SWSW	25	070S	230E	4304730341	5670	Federal	OW	P
RWU 238 (32-35B)	RW 32-35B	SWNE	35	070S	230E	4304730342	5670	Federal	OW	TA
RWU 239 (41-35B)	RW 41-35B	NENE	35	070S	230E	4304730343	5670	Federal	OW	TA

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 240 (12-36B)	RW 12-36B	SWNW	36	070S	230E	4304730344	5670	Federal	OW	S
RWU 241 (22-14B)	RW 22-14B	SENE	14	070S	230E	4304730345	5670	Federal	OW	P
RW 42-13B	RW 42-13B	SENE	13	070S	230E	4304730346	5670	Federal	OW	P
RWU 243 (42-18C)	RW 42-18C	SENE	18	070S	240E	4304730347	5670	Federal	OW	TA
RWU 244 (23-19C)	RW 23-19C	NESW	19	070S	240E	4304730348	5670	Federal	GW	P
RWU 246 (22-18C)	RW 22-18C	SENE	18	070S	240E	4304730387	5670	Federal	OW	P
RWU 247 (22-17C)	RW 22-17C	SENE	17	070S	240E	4304730388	5670	Federal	GW	P
RWU 258 (34-22A)	RW 34-22A	SWSE	22	070S	220E	4304730458	5670	Federal	WI	A
RWU 262 (22-26B)	RW 22-26B	SENE	26	070S	230E	4304730517	5670	Federal	GW	TA
RWU 263 (24-26B)	RW 24-26B	SESW	26	070S	230E	4304730518	99996	Federal	WI	I
RWU 264 (31-35B)	RW 31-35B	NWNE	35	070S	230E	4304730519	99996	Federal	WI	A
RWU 265 (44-26B)	RW 44-26B	SESE	26	070S	230E	4304730520	5670	Federal	GW	P
RWU 266 (33-26B)	RW 33-26B	NWSE	26	070S	230E	4304730521	99996	Federal	WI	I
RWU 269 (13-26B)	RW 13-26B	NWSW	26	070S	230E	4304730522	99996	Federal	WI	A
RWU 273 (42-27B)	RW 42-27B	SENE	27	070S	230E	4304731051	5670	Federal	OW	TA
RWU 279 (11-36B)	RW 11-36B	NWNW	36	070S	230E	4304731052	99996	Federal	WI	A
RWU 276 (44-27B)	RW 44-27B	SESE	27	070S	230E	4304731053	5670	Federal	OW	TA
RWU 272 (44-23B)	RW 44-23B	SESE	23	070S	230E	4304731054	5670	Federal	GW	P
RWU 278 (11-26)	RW 11-26	NWNW	26	070S	230E	4304731076	5670	Federal	GW	TA
RWU 275 (31-26B)	RW 31-26B	NWNE	26	070S	230E	4304731077	99996	Federal	WI	A
RWU 280 (11-35B)	RW 11-35B	NWNW	35	070S	230E	4304731079	5670	Federal	OW	P
RWU 282 (42-26B)	RW 42-26B	SENE	26	070S	230E	4304731080	5670	Federal	GW	TA
RWU 271 (42-35B)	RW 42-35B	SENE	35	070S	230E	4304731081	5670	Federal	WI	I
RWU 270 (22-35B)	RW 22-35B	SENE	35	070S	230E	4304731082	5670	Federal	OW	P
RWU 284 (33-23B)	RW 33-23B	NWSE	23	070S	230E	4304731476	5670	Federal	GW	TA
RWU 285 (11-24B)	RW 11-24B	NWNW	24	070S	230E	4304731477	5670	Federal	OW	P
RWU 286 (42-21B)	RW 42-21B	SENE	21	070S	230E	4304731478	5670	Federal	OW	P
RW 44-13B	RW 44-13B	SESE	13	070S	230E	4304731512	5670	Federal	OW	TA
RWU 288 (24-27)	RW 24-27	SESW	27	070S	230E	4304731513	5670	Federal	OW	TA
RWU 289 (13-24B)	RW 13-24B	NWSW	24	070S	230E	4304731517	5670	Federal	OW	P
RWU 292 (42-23B)	RW 42-23B	SENE	23	070S	230E	4304731576	5670	Federal	GW	TA
RWU 295 (11-22B)	RW 11-22B	NWNW	22	070S	230E	4304731577	5670	Federal	GW	TA
RWU 296 (12-35B)	RW 12-35B	SWNW	35	070S	230E	4304731578	5670	Federal	OW	S
RWU 297 (24-15B)	RW 24-15B	SESW	15	070S	230E	4304731579	5670	Federal	OW	P
RWU 293 (22-22A)	RW 22-22A	SENE	22	070S	220E	4304731581	5670	Federal	OW	TA
RWU 294 (24-18C)	RW 24-18C	SESW	18	070S	240E	4304731582	5670	Federal	GW	P
RWU 298 (22-27B)	RW 22-27B	SENE	27	070S	230E	4304731679	5670	Federal	OW	TA
RWU 301 (43-15B)	RW 43-15B	NESE	15	070S	230E	4304731682	5670	Federal	GW	TA
RWU 302 (22-24B)	RW 22-24B	SENE	24	070S	230E	4304731683	5670	Federal	GW	TA
RWU 303 (34-17B)	RW 34-17B	SWSE	17	070S	230E	4304731819	5670	Federal	OW	P
RED WASH 305 (41-4F)	RW 41-4F	C-NE	04	080S	240E	4304732538	5670	Federal	GW	TA

RED WASH UNIT

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RED WASH 306	RW 23-23C	NESW	23	070S	240E	4304732629	5670	Federal	GW	P
RWU 207	RW 14-17B	SWSW	17	070S	230E	4304732738	5670	Federal	OW	P
RED WASH UNIT 261	RW 23-17B	NESW	17	070S	230E	4304732739	5670	Federal	WI	A
RWU 268 (43-17B)	RW 43-17B	NESE	17	070S	230E	4304732980	5670	Federal	WI	A
RWU 267 (32-17B)	RW 32-17B	SWNE	17	070S	230E	4304732981	5670	Federal	OW	P
RWU 283 (43-18B)	RW 43-18B	NESE	18	070S	230E	4304732982	5670	Federal	WI	A
RWU 299 (32-18B)	RW 32-18B	SWNE	18	070S	230E	4304733018	5670	Federal	OW	P
RWU 42-20B	RW 42-20B	SENE	20	070S	230E	4304733490	5670	Federal	OW	P
RWU 22-20B	RW 22-20B	SENE	20	070S	230E	4304733491	5670	Federal	OW	S
RWU 24-19B	RW 24-19B	SESW	19	070S	230E	4304733492	5670	Federal	OW	P
RWU 13-19B	RW 13-19B	NWSW	19	070S	230E	4304733497	5670	Federal	WI	A
RWU 13-20B	RW 13-20B	NWSW	20	070S	230E	4304733498	5670	Federal	WI	A
RWU 33-19B	RW 33-19B	NWSE	19	070S	230E	4304733499	5670	Federal	WI	A
RWU 33-20B	RW 33-20B	NWSE	20	070S	230E	4304733500	5670	Federal	WI	A
RED WASH 22-21B	RW 22-21B	SENE	21	070S	230E	4304733522	5670	Federal	OW	S
RED WASH 24-20B	RW 24-20B	SESW	20	070S	230E	4304733523	5670	Federal	OW	P
RED WASH 44-19B	RW 44-19B	SESE	19	070S	230E	4304733524	5670	Federal	OW	P
RED WASH 44-20B	RW 44-20B	SESE	20	070S	230E	4304733525	5670	Federal	OW	P
RWU 11-19B	RW 11-19B	NWNW	19	070S	230E	4304733552	5670	Federal	WI	A
RWU 11-20B	RW 11-20B	NWNW	20	070S	230E	4304733553	5670	Federal	WI	A
RWU 24-18B	RW 24-18B	SESW	18	070S	230E	4304733554	5670	Federal	OW	P
RWU 31-19B	RW 31-19B	NWNE	19	070S	230E	4304733555	5670	Federal	WI	A
RWU 42-19B	RW 42-19B	SENE	19	070S	230E	4304733556	5670	Federal	OW	P
RWU 22-19B	RW 22-19B	SENE	19	070S	230E	4304733559	5670	Federal	OW	P
RWU 23-24A	RW 23-24A	NESW	24	070S	220E	4304733567	5670	Federal	OW	P
RWU 34-24A	RW 34-24A	SWSE	24	070S	220E	4304733568	5670	Federal	WI	A
RWU 42-24A	RW 42-24A	SENE	24	070S	220E	4304733569	5670	Federal	OW	S
RWU 11-25A	RW 11-25A	NWNW	25	070S	220E	4304733574	5670	Federal	WI	A
RWU 13-25A	RW 13-25A	NWSW	25	070S	220E	4304733575	5670	Federal	WI	A
RWU 21-25A	RW 21-25A	NENW	25	070S	220E	4304733576	5670	Federal	OW	P
RWU 31-25A	RW 31-25A	NWNE	25	070S	220E	4304733577	5670	Federal	WI	A
RWU 33-25A	RW 33-25A	NWSE	25	070S	220E	4304733578	5670	Federal	WI	A
RW 41-25AX	RW 41-25A	NENE	25	070S	220E	4304733579	5670	Federal	OW	P
RWU 42-25A	RWU 42-25A	SENE	25	070S	220E	4304733580	5670	Federal	OW	TA
RWU 11-29B	RW 11-29B	NWNW	29	070S	230E	4304733590	5670	Federal	WI	A
RWU 12-24A	RW 12-24A	SWNW	24	070S	220E	4304733591	5670	Federal	WI	A
RWU 21-24A	RW 21-24A	NENW	24	070S	220E	4304733592	5670	Federal	OW	P
RWU 34-13A	RW 34-13A	SWSE	13	070S	220E	4304733593	5670	Federal	WI	A
RWU 44-18B	RW 44-18B	SESE	18	070S	230E	4304733594	5670	Federal	OW	P
RW 22-13A	RW 22-13A	SENE	13	070S	220E	4304733765	13296	Federal	OW	S
RWU 22-29B	RW 22-29B	SENE	29	070S	230E	4304733766	5670	Federal	OW	S

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 41-24A	RW 41-24A	NENE	24	070S	220E	4304733769	5670	Federal	OW	P
RWU 42-30B	RW 42-30B	SENE	30	070S	230E	4304733771	5670	Federal	OW	P
RWU 44-30B	RWU 44-30B	SESE	30	070S	230E	4304733772	5670	Federal	OW	P
RWU 11-30B	RW 11-30B	NWNW	30	070S	230E	4304733785	5670	Federal	WI	A
RWU 22-25A	RW 22-25A	SENE	25	070S	220E	4304733786	5670	Federal	OW	P
RWU 31-30B	RW 31-30B	NWNE	30	070S	230E	4304733788	5670	Federal	WI	A
RWU 33-30B	RW 33-30B	NWSE	30	070S	230E	4304733790	5670	Federal	WI	A
RED WASH U 34-27C	RW 34-27C	SWSE	27	070S	240E	4304735045	5670	Federal	GW	P
RWU 34-22C	RW 34-22C	SWSE	22	070S	240E	4304735098	5670	Federal	GW	P
RW 12G-20C	RW 12G-20C	SWNW	20	070S	240E	4304735239	14011	Federal	GW	S
RW 43G-08F	RW 43G-08F	NESE	08	080S	240E	4304735655		Federal	GW	APD
RW 22G-09F	RW 22G-09F	SENE	09	080S	240E	4304735656	15636	Federal	GW	OPS
RWU 34-23AG	RW 34-23AG	SWSE	23	070S	220E	4304735668	5670	Federal	OW	P
RWU 34-27AG	RWU 34-27AD	SWSE	27	070S	220E	4304735669	5670	Federal	OW	DRL
RWU 32-27AG	RWU 32-27AG	SWNE	27	070S	220E	4304735670	5670	Federal	OW	S
RW 14-34AMU	RW 14-34AMU	SWSW	34	070S	220E	4304735671	14277	Federal	GW	P
RW 12-08FG	RW 12-08FG	SWNW	08	080S	240E	4304736348		Federal	GW	APD
RW 44-08FG	RW 44-08FG	SESE	08	080S	240E	4304736349	15261	Federal	GW	P
RW 12-17FG	RW 12-17FG	SWNW	17	080S	240E	4304736350		Federal	GW	APD
RW 34-34 AMU	RW 34-34 AD	SWSE	34	070S	220E	4304736351		Federal	GW	APD
RW 44-35 AMU	RW 44-35 AMU	SESE	35	070S	220E	4304736352		Federal	GW	APD
RW 14-35 AMU	RW 14-35 AMU	SWSW	35	070S	220E	4304736354		Federal	GW	APD
RW 33-31 BMU	RW 33-31 BD	NWSE	31	070S	230E	4304736357		Federal	GW	APD
RW 13-31 BMU	RW 13-31 BD	NWSW	31	070S	230E	4304736358		Federal	GW	APD
RW 32-15FG	RW 32-15FG	SWNE	15	080S	240E	4304736443		Federal	GW	APD
RW 21-26AG	RW 21-26AD	NENW	26	070S	220E	4304736768		Federal	OW	APD
RW 43-26AG	RW 43-26AG	NESE	26	070S	220E	4304736769		Federal	OW	APD
RW 43-23AG	RW 43-23AG	NESE	23	070S	220E	4304736770		Federal	OW	APD
RW 41-26AG	RW 41-26AG	NENE	26	070S	220E	4304736818		Federal	OW	APD
RW 04-25BG	RW 04-25B	NWSW	25	070S	230E	4304736982		Federal	OW	APD
RW 01-25BG	RW 01-25BG	NWNW	25	070S	230E	4304736983		Federal	OW	APD
RW 04-26BG	RW 04-26BG	SESW	26	070S	230E	4304736984		Federal	OW	APD
RW 01-26BG	RW 01-26BG	SWNW	26	070S	230E	4304736985		Federal	OW	APD
RW 01-35BG	RW 01-35BG	SWNW	35	070S	230E	4304736986		Federal	OW	APD

RED WASH UNIT

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 51 (12-16B)	RW 12-16B	SWNW	16	070S	230E	4304715177	5670	State	OW	P
RWU ST 189 (41-16B)	RW 41-16B	NENE	16	070S	230E	4304715292	5670	State	OW	S
RED WASH UNIT 259	RW 14-16B	SWSW	16	070S	230E	4304732785	5670	State	OW	P
RED WASH UNIT 260	RW 34-16B	SWSE	16	070S	230E	4304732786	5670	State	OW	P
RWU 324 (23-16B)	RW 23-16B	SESW	16	070S	230E	4304733084	5670	State	WI	OPS
RWU 21W-36A	RWU 21W-36A	NENW	36	070S	220E	4304733730		State	GW	LA
RWU 21G-36A	RWU 21G-36A	NENW	36	070S	220E	4304733731		State	OW	LA
RWU 41-36A	RWU 41-36A	NENE	36	070S	220E	4304733732		State	OW	LA
RWU 43-16B	RWU 43-16B	NESE	16	070S	230E	4304733733		State	OW	LA
RWU 21-16B	RWU 21-16B	NENW	16	070S	230E	4304733734		State	OW	LA
RWU 11-36A	RWU 11-36A	NWNW	36	070S	220E	4304733736		State	OW	LA
RWU 13-36A	RWU 13-36A	NWSW	36	070S	220E	4304733737		State	OW	LA
RW 32G-16C	RW 32G-16C	SWNE	16	070S	240E	4304735238	5670	State	GW	P
RW 14-36AMU	RW 14-36AMU	SWSW	36	070S	220E	4304736721		State	GW	APD
RW 01-36BG	RW 01-36BG	NWNW	36	070S	230E	4304736887	5670	State	OW	S
RW 24-16BG	RW 24-16BG	SESW	16	070S	230E	4304737746	5670	State	OW	DRL
RW 12-32BG	RW 12-32BG	SWNW	32	070S	230E	4304737946	15841	State	GW	DRL

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: see attached
2. NAME OF OPERATOR: QUESTAR EXPLORATION AND PRODUCTION COMPANY		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: see attached
3. ADDRESS OF OPERATOR: 1050 17th Street Suite 500 <small>CITY</small> Denver STATE CO ZIP 80265		7. UNIT or CA AGREEMENT NAME: see attached
4. LOCATION OF WELL FOOTAGES AT SURFACE: attached		8. WELL NAME and NUMBER: see attached
QTR/GTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		9. API NUMBER: attached
COUNTY: Uintah		10. FIELD AND POOL, OR WILDCAT:
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>1/1/2007</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Operator Name Change</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.


Effective January 1, 2007 operator of record, QEP Uinta Basin, Inc., will hereafter be known as QUESTAR EXPLORATION AND PRODUCTION COMPANY. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:

Federal Bond Number: 965002976 (BLM Reference No. ESB000024)

Utah State Bond Number: 965003033


Fee Land Bond Number: 965003033

Current operator of record, QEP UINTA BASIN, INC., hereby resigns as operator of the properties as described on the attached list.


Jay B. Neese, Executive Vice President, QEP Uinta Basin, Inc.

Successor operator of record, QUESTAR EXPLORATION AND PRODUCTION COMPANY, hereby assumes all rights, duties and obligations as operator of the properties as described on the attached list


Jay B. Neese, Executive Vice President
Questar Exploration and Production Company

NAME (PLEASE PRINT) <u>Debra K. Stanberry</u>	TITLE <u>Supervisor, Regulatory Affairs</u>
SIGNATURE 	DATE <u>3/16/2007</u>

(This space for State use only)

RECEIVED
APR 19 2007

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: see attached
2. NAME OF OPERATOR: QUESTAR EXPLORATION AND PRODUCTION COMPANY		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: see attached
3. ADDRESS OF OPERATOR: 1050 17th Street Suite 500 City Denver STATE CO ZIP 80265		7. UNIT or CA AGREEMENT NAME: see attached
4. LOCATION OF WELL FOOTAGES AT SURFACE: attached		8. WELL NAME and NUMBER: see attached
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		9. API NUMBER: attached
COUNTY: Uintah		10. FIELD AND POOL, OR WILDCAT:
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>1/1/2007</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Well Name Changes</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	
	<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____		

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

PER THE ATTACHED LIST OF WELLS, QUESTAR EXPLORATION AND PRODUCTION COMPANY REQUESTS THAT THE INDIVIDUAL WELL NAMES BE UPDATED IN YOUR RECORDS.

NAME (PLEASE PRINT) <u>Debra K. Stanberry</u>	TITLE	Supervisor, Regulatory Affairs
SIGNATURE	DATE	4/17/2007

(This space for State use only)

RECEIVED
APR 19 2007
DIV. OF OIL, GAS & MINING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155



IN REPLY REFER TO
3180
UT-922

April 23, 2007

Questar Exploration and Production Company
1050 17th Street, Suite 500
Denver, Colorado 80265

Re: Red Wash Unit
Uintah County, Utah

Gentlemen:

On April 12, 2007, we received an indenture dated April 6, 2007, whereby QEP Uinta Basin, Inc. resigned as Unit Operator and Questar Exploration and Production Company was designated as Successor Unit Operator for the Red Wash Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective April 23, 2007. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Red Wash Unit Agreement.

Your nationwide oil and gas bond No. ESB000024 will be used to cover all federal operations within the Red Wash Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Greg J. Noble

Greg J. Noble
Acting Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)
SITLA
Division of Oil, Gas & Mining
File - Red Wash Unit (w/enclosure)
Agr. Sec. Chron
Reading File
Central Files

UT922:TAThompson:tt:4/23/07

RECEIVED
APR 30 2007
DIV. OF OIL, GAS & MINING

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
Questar Exploration and Production Inc.

3a. Address
1050 17th Street, Suite 500 Denver, CO 80265

3b. Phone No. (include area code)
303 308-3068

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
1980' FSL, 1977' FWL, NESW, SECTION 24, T7S, R23E, SLBM

5. Lease Serial No.
UTU 082

6. If Indian, Allottee or Tribe Name
N/A

7. If Unit or CA/Agreement, Name and/or No.
Redwash

8. Well Name and No.
RW 23-24B

9. API Well No.
43-047-15278

10. Field and Pool, or Exploratory Area
Redwash

11. County or Parish, State
Uintah

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Questar requests approval to plug and abandon this well as follows:

1. Set cement retainer at 4350'
2. Stab into retainer and squeeze 35 sx cement, unstab and dump 35 sx of cement on top of retainer
3. Fill hole with minimum 9 ppg fluid.
4. Perforate the production casing @ 2855'
5. Balance plug from 2855' - 2655' inside production casing and in production casing x open hole annulus.
6. Perforate production casing @ 260', cement from 260' to surface in production casing and in production casing x surface casing annulus.
7. Cut off wellhead, install dryhole marker

Work will start after Questar receives BLM and UDOGM approval

Please direct all questions regarding paperwork submittal to Debbie Stanberry at (303) 308-3068.
 Please direct all technical questions regarding procedure to Lucius McGillivray at (435) 781-4319.

AUG 24 2007

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) **Debra K. Stanberry** Title **Supervisor, Regulatory Affairs**


Signature  Date **08/17/2007**

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by _____ Title **Accepted by the** Date _____
 Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Office **Utah Division of Oil, Gas and Mining** Federal Approval Of This Action Is Necessary

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

By: 

9-16-07
RM

RECEIVED

Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

OCT 27 2015

FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

BLM

5. Lease Serial No. UTU082

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on reverse side.

7. If Unit or CA/Agreement, Name and/or No. 8920007610

1. Type of Well [X] Oil Well [] Gas Well [] Other

8. Well Name and No. RW 23-24B

2. Name of Operator QEP ENERGY COMPANY Contact: VALYN DAVIS E-Mail: valyn.davis@qepres.com

9. API Well No. 43-047-15278-00-S1

3a. Address 11002 EAST 17500 SOUTH VERNAL, UT 84078

3b. Phone No. (include area code) Ph: 435.781.4369

10. Field and Pool, or Exploratory RED WASH

4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 24 T7S R23E NESW 1980FSL 1980FWL

RECEIVED JUN 13 2016

11. County or Parish, and State UINTAH COUNTY, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

Table with columns: TYPE OF SUBMISSION, TYPE OF ACTION. Includes checkboxes for Notice of Intent, Subsequent Report, Final Abandonment Notice, Acidize, Deepen, Production, Water Shut-Off, etc.

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recomplate in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

THIS WELL WAS PLUGGED AND ABANDONED ON 4/24/2008.

FINAL RECLAMATION WAS CONDUCTED. RECENT MONITORING RESULTS SHOW THAT THE RELATIVE DESIRABLE VEGETATION HAS REACHED THE 75% THRESHOLD AS REQUIRED IN THE BLM GRD RECLAMATION GUIDELINES.

BASED ON THESE RESULTS, QEP ENERGY COMPANY REQUESTS APPROVAL OF THIS FINAL ABANDONMENT NOTICE(FAN).

VERNAL FIELD OFFICE ENG. _____ GEOL. _____ S. _____ PET. _____ REG. _____

see attached

Cancelled 6/9/16 per request of Stephanie Tompkins

14. I hereby certify that the foregoing is true and correct. Electronic Submission #321672 verified by the BLM Well Information System For QEP ENERGY COMPANY, sent to the Vernal Committed to AFMSS for processing by JOHNETTA MAGEE on 10/30/2015 (16JM0150SE) Name (Printed/Typed) VALYN DAVIS Title REGULATORY AFFAIRS ANAGST. Signature (Electronic Submission) Date 10/27/2015

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By _____ Title _____ Date _____ Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Office _____

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

** BLM REVISED **

UDOGM