

FILE NOTATIONS

Entered in NID File

 Location Map Pinned

 Card Indexed

 I.W. to State or Fee Land _____

Checked by Chief J.H.S.

 Copy NID to Field Office

 Approval Letter See Unit

 Disapproval Letter _____

COMPLETION DATA

Date Well Completed 2-19-63
 OW WW _____ TA _____
 GW _____ OS _____ PA _____

Location Inspected _____
 Bond released _____
 State of Fee Land _____

LOGS FILED

Driller's Log 3-1-63
 Electric Logs (No.) 4


E _____ E-I GR GR-N _____ Micro
 Lat. _____ Mi-L _____ Sonic _____ Others Current Unit

(SUBMIT IN TRIPPLICATE)

Land Office Salt Lake City

Lease No. 402030

Unit Red Wash



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Vernal, Utah August 3, 1962

Well No. (42-265) 177 is located 1980 ft. from N line and 660 ft. from E line of sec. 28

SE 1/4 NE 1/4 28 7E 23E SLBM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Red Wash Uintah Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the ~~water table~~ above sea level is 5620 ft. (est.)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is proposed to drill a test well for oil or gas to be completed in the lower Green River formation.
10-3/4" casing to be cemented at ± 220'.
7" casing to be cemented below lowermost productive interval with sufficient cement to reach 4000'.

- Top Green River - 2943'
- "E" Point - 4834'
- "K" Point - 5419'
- "L" Point - 5652'

Subject well included in Second Half 1962 Plan of Development

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company California Oil Company, Western Division

Address P. O. Box 455
Vernal, Utah

By R. W. PATTERSON
Title Field Superintendent


Copy H.P.C.

(SUBMIT IN TRIPLICATE)

Land Office Salt Lake City

Lease No. U-02030

Unit Red Wash



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL <u>Amended</u>	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Vernal, Utah October 30, 1962

Well No. (42-238) 177 is located 1976 ft. from [N] line and 662 ft. from [E] line of sec. 20
SE 1/4 NE 1/4 25 7S R3E T12N
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Red Wash Utah Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the Kelly Bashing ~~structure~~ above sea level is 5609 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is proposed to drill a test well for oil or gas to be completed in the lower Green River formation.
 10-3/4" casing to be cemented at ± 220'.
 7" casing to be cemented below lowest productive interval with sufficient cement to reach 4000'.

Top Green River - 2950'
 "K" Point 4850'
 "X" Point 5420'

Subject well is included in Second Half 1962 Plan of Development.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company California Oil Company, Western Division

Address P. O. Box 455
Vernal, Utah

Original Signed By
 R. W. PATTERSON

By R. W. PATTERSON

Title Field Superintendent

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LAND OFFICE Salt Lake City
LEASE NUMBER _____
UMT Red Wash

LESSEE'S MONTHLY REPORT OF OPERATIONS

State Utah County Uintah Field Red Wash

The following is a correct report of operations and production (including drilling and producing wells) for the month of November, 1962,

Agent's address P. O. Box 455 Company California Oil Co., Western Div.
Vernal, Utah Signed R. W. PATTERSON
789-2442 Agent's title Field Superintendent

SEC. AND 1/4 OF 1/4	TWP.	RANGE	WELL NO.	DAYS PRODUCED	BARRELS OF OIL	GRAVITY	CU. FT. OF GAS (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
DRILLING OPERATIONS										
SE NE 28	78	23E	42-28B	(177)						
Present Conditions										
Depth: <u>5797'</u> PBTD: <u>5763'</u>										
Casing: <u>10-3/4", 40.5#, J-55 cmtd at 223.31' (180 sacks)</u>										
<u>7", 23#, J-55 cmtd at 5797' (400 sacks)</u>										
Operations Conducted										
Moved in Kerr-McGee Rig #23 and rigged up same. Spudded 11:00 A.M. 11-11-62.										
Drd 15" hole to 230'. Cmtd 10-3/4" casing with 180 sacks regular cement.										
Drd 9" hole to 5797', ran Schlumberger IES and Micro logs. DST #1 (5730-5742')										
60 min test. NGTS. Rec 25' mud. Pressures: IH 2836, ISI 291, IF 25, FF 38, FSI 291, FH 2822. DST #2 (5704-5716') 60 min test. NGTS. Rec 10' oil, 140' water. Pressures: IH 2826, ISI 1762, IF 18, FF 50, FSI 1489, FH 2826.										
Demented 7" casing at 5797' with 400 sacks regular cement. Released rig at midnight XXXX 11-30-62.										
NE SE 33	78	22E	43-33A	(179)						
Present Conditions										
Depth: <u>5908'</u> TD PBTD: <u>5849'</u>										
Casing: <u>10-3/4", 40.5#, J-55 cmtd at 226' (180 sacks)</u>										
<u>7", 23#, J-55 cmtd at 5889.54' (400 sacks)</u>										
Operations Conducted										
Drd 9" hole to 5908'. Ran Schlumberger IES and Micro logs. DST #1 (5829-5854)										
90 min test. NGTS. Rec 180' mud. Pressures: IH 2901, ISI 2132, IF 39, FF 63, FSI 1610, FH 2878. DST #2 (5731-5756) 90 min test. NGTS. Rec 180' oil, 30' mud, 270' water. Pressures: IH 2873, ISI 1600, IF 54, FF 182, FSI 1548, FH 2836. Cemented 7" casing at 5889' with 400 sacks regular cement. Released rig at 11-16-62.										

NOTE.—There were 338,770 bbls runs or sales of oil; 292,466 M cu. ft. of gas sold;

398,574 gallons runs or sales of gasoline during the month. (Write "no" where applicable.)

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LAND OFFICE

Salt Lake City

LEASE NUMBER

UNIT

Red Wash

LESSEE'S MONTHLY REPORT OF OPERATIONS

State Utah County Uintah Field Red Wash

The following is a correct report of operations and production (including drilling and producing wells) for the month of December, 19 62,

Agent's address P. O. Box 455 Company California Oil Co., Western Div.

Vernal, Utah Signed R. W. PATTERSON Original Signed by

Phone 789-2442 Agent's R. W. PATTERSON Field Superintendent

SEC. AND ¼ OF ¼	TWP.	RANGE	WELL NO.	DAYS PRODUCED	BARRELS OF OIL	GRAVITY	CU. FT. OF GAS (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
DRILLING OPERATIONS										
SE NE 28	7S	23E	42-28B (177)							
<u>Present Conditions</u>										
Depth: 5797' PSTD: 5763'										
Casing: 10-3/4", 40.5#, J-55 cmtd at 233.31'. (180 sacks)										
7", 23#, J-55 cmtd at 5797' (400 sacks)										
<u>Operations Conducted</u>										
Moved in R&R completion rig 12-13-62. Ran Schlumberger CBL & Gamma Collar										
Logs. Abrasijeted 3 - 60° slots at 5710'. Sand-oil fraced 5710' down 7"										
casing with 10,000 gal #5 BF/RC, 12,500# 20-40 sand, 600# aluminum pellets and										
.05#/gal Adomite. Avg rate 39.2 BPM at 2750 psi, ISI 1300. Abrasijeted 3 -										
60° slots at 5652'. Sand oil fraced 5652' down 7" casing with 14,000 gal										
#5 BF/RC, 19,500# 20-40 sand, 600# aluminum pellets, .05#/gal Adomite at avg										
rate 19 BPM at 3000 psi. ISI 2500. Abrasijeted 3 - 60° slots at 5632'. Sand										
oil fraced 5632' down 7" casing with 12,000 gal #5 BF/RC, 19,500# 20-40 sand										
and .05#/gal Adomite. Avg rate 24 BPM at 3000 psi. Abrasijeted 3 - 60°										
slots at 5615'. Sand oil fraced 5615' down 7" casing with 8000 gal #5 BF/RC,										
9500# 20-40 sand, 600# aluminum pellets. Avg rate 24.8 BPM at 3000 psi.										
1810 ISI. Abrasijeted 3 - 60° slots at 5584'. Sand oil fraced 5584' down 7"										
casing with 10,000 gal #5 BF/RC, 12,500 # 20-40 sand, 600# aluminum pellets and										
.05 #/gal Adomite. Avg rate 17 BPM at 3000 psi, ISI 2400 psi. Abrasijeted										
3 - 60° slots at 5559', Sand oil fraced 5559 down 7" casing with 12,000 gal										
#5 BF, 19,500# 20-40 sand and .05#/gal Adomite. Avg rate 23 BPM at 3000 psi.										
ISI 2700. Abrasijeted 3 - 60° slots at 5498 and 5486. Sand oil fraced slots										
5498 and 5486 down 7" casing with 35,000 gal No. 5 BF, 47,500# 20-40 sand,										
1500# aluminum pellets and .05#/gal Adomite. Avg rate 38 BPM at 2000 psi.										
Ran production string. Released rig 12-30-62.										

NOTE.—There were 366,173 bbls. runs or sales of oil; ~~366,173~~ 297,858 M cu. ft. of gas sold;
395,521 gallons runs or sales of gasoline during the month. (Write "no" where applicable.)

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

SCHLUMBERGER WELL SURVEYING CORPORATION

"Electrical Well Logging"

HOUSTON, TEXAS

PLEASE REPLY TO
SCHLUMBERGER WELL SURVEYING CORP.
P. O. BOX 1825
GRAND JUNCTION, COLORADO

California Oil Company
P.O. Box 1876
Salt Lake City 10, Utah

DATE 5 December 1952

Attn: Mr. H.L. Green

Dear Sir:

We thank you for your business and hope you will contact us on either service or interpretation. Enclosed are 1 prints of the I-24 on:
Company California Oil Company, Well Red Wash Unit # 177 (10-245),
County Wasatch, State Utah, Field Red Wash

Additional prints are being sent to:

1 prints 1 copy
Mr. L. H. Patterson
P.O. Box 495
Vernal, Utah
Attn: J. R. A.

2 prints
M.S.O.B.
416 Empire Building
Salt Lake City, Utah

1 prints
Mudco Oil & Refining Company
Fred Bent.
P.O. Box 1002
Durango, Colorado

1 print
Mudco Oil & Refining Co.
520 Kearns Building
Salt Lake City, Utah

1 prints
Gulf Oil Corporation
P.O. Box 1471
Denver, Wyoming
Attn: E. Johnson

1 print
California Oil Company
Mr. L.C. Jackson III
P.O. Box 760
Denver, Colorado
Attn: G.D. Berry

1 prints
California Oil Company
P.O. Box 1876
Salt Lake 10, Utah
Attn: Mr. L. Porter, Jr.

1 print
State of Utah
110 Exchange Building
Salt Lake City, Utah

1 prints
Gulf Oil Company
Fred Bent.
P.O. Box 2007
Denver, Colorado

1-1/2 prints
Continental Oil Company
1120 1st. National Bank Building
Denver 2, Colorado

The film is being sent to: California Oil Company; Mr. H.L. Green
Attn: Mr. H.L. Green P.O. Box 1876 Salt Lake City, Utah

We are looking forward to serving you on your next well.

Very truly yours,

SCHLUMBERGER WELL SURVEYING CORP.

H. L. Johnson
District Manager

FOLD MARK

7" 5797' 400 Displace

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____

Adapters—Material _____ Size _____

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from 0 feet to 5797 feet, and from _____ feet to _____ feet

Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

DATES

February 23, 19 63 Put to producing February 19, 19 63

The production for the first 24 hours was 112 barrels of fluid of which 78% was oil; _____% emulsion; 22% water; and _____% sediment. Gravity, °Bé. 27.3

If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____

Rock pressure, lbs. per sq. in. _____

EMPLOYEES

_____, Driller _____, Driller

_____, Driller _____, Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
0	2755	2755	Shale & Sand
2755	5797	3042	Sand & Shale
TGR	2940	(2669)	
G	4616	(993)	
H	4814	(795)	
I	5015	(594)	
J	5280	(329)	
K	5407	(202)	
L	5660	(51)	

[OVER]

WELL NO. 177 (42-28B)

PROPERTY: SECTION 28

RED WASH FIELD

HISTORY OF OIL OR GAS WELL

Kerr-McGee Oil Industries, Inc., moved in and rigged up. Spudded at 11:00 A. M. 11-11-62. Drld. 15" hole to 230'. Set 10-3/4" casing 223' with 180 sacks regular cement containing 2% CaCl_2 . WOC 12 hrs.

November 12, 1962 - November 28, 1962

Drilled 9" hole to 5797'. Ran Schlumberger IES and Micro-Logs.

November 29, 1962

Ran DST #1 and #2

DST #1 (5730-5742) 60 min test NGTS rec. 25' mud. Pressures: IH 2836, ISI 291, IF 25, FF 38, FSI 291, FH 2822.

DST #2 (5704-5716) 60 min test NCTS. Recovered 10' oil, 140' water. Pressures: IH 2826, ISI 1762, IF 18, FF 50, FSI 1489, FH 2826.

November 30, 1962

Ran 7" casing to 5797' and cemented in place with 400 sacks neat cement containing 1% CFR-2 and .05% Halad. Picked up tbg. Released rig at midnight 11-30-62.

December 13, 1962

Moved in R&R workover rig to complete well. Ran Schlumberger CBL and Gamma collar log.

December 14, 1962

Cut 3-60° slots at 5710'. Acidized slots with 200 gal. MCA. Fraced slots 5710 down 7" casing with 10,000 gal. #5 BF containing 12,500# 20-40 sand, 600# Al. pellets. and .05#/gal. adomite. Ave. rate 39.2 BPM at 2750 psi.

December 15, 1962

Set BP at 5675'. Cut 3-60° slots at 5652. Spotted 200 gal. MCA. Took acid at 9 BPM at 3,000 psi. No breakdown. Fraced slots 5652' down 7" casing with 14,000 gal. #5 BF containing 17,500# 20-40 sands, 600# Al. pellets and .05#/gal. Adomite. Ave. rate: 19 BPM at 3,000 psi.

December 16, 1962

Tagged fillup at 5325. Cleanout to BP at 5675'. Reset Plug at 5642'.

December 17, 1962

Cut 3-60° slots at 5632'. Acidized slots with 400 gal. MCA. Fraced slots at 5632' down 7" casing with 12,000 gal. #5 BF containing 17,500# 20-40 sand, and 0.05#/gal. adomite. Ave. rate 24 BPM at 3,000 psi.

December 18, 1962

Reset BP at 5625. Cut 3-60° slots at 5615. Fraced slots at 5615' down 7" casing with 8,000 gal. #5 BF containing 9,000# 20-40 sand, 600# Al. pellets, and .05#/gal. adomite Ave. rate 24.8 BPM at 3,000 psi.

December 19, 1962

Reset BP at 5600'. Cut 3-60° slots at 5584'. Broke w/water at 10BPM at 2700 psi. Fraced slots at 5584' down 7" casing with 10,000 gal. #5 BF containing 10,500# 20-40 sand, 600# Al. pellets and .05#/gal. adomite. Average rate 17 BPM at 3,000 psi.

December 20, 1962

Tagged sand at 5466'. Stuck tbg.

WELL NO. 177 (42-28B)

PROPERTY: SECTION 28

RED WASH FIELD

December 21, 1962

Ran McCullough Free point - Free point at 5330'. Tag sand inside tbg. at 5335. Cut tbg at 5321'.

December 22, 1962

Tagged top of sand at 5290'. Washed out to BP at 5600'. Circ. hole clean. POOH w/tbg.

December 23, 1962

RIH w/overshot. Caught fish. POOH w/same. Set BP at 5575'. Cut 3-60° slots at 5559'. Fraced slots 5559' down 7" casing with 12,000 gal #5 BF containing 17,500# 20-40 sand, .05#/gal. adomite. Ave. rate 23 BPM at 3,000 psi.

December 24, 1962

Clean out to BP at 5575. Reset at 5525'.

December 26, 1962

Cut 3-60° slots at 5498 and 5486. Acidized slots at 5498 and 5486 with 200 gal. MCA.

December 27, 1962

Fraced slots at 5498 and 5486 down 7" casing with 35,000 gal. #5 BF containing 42,500 #20-40 sand, 1500# Al. pellets and .05#/gal. adomite. Ave rate 38 BPM at 2,000 psi.

December 28, 1962

POOH w/BP Circ. hole clean.

December 29, 1962

Ran production tbg.

December 30, 1962

Ran pump and rods
Released rig.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

U-02030

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Red Wash

8. FARM OR LEASE NAME

9. WELL NO.

177 (42-28B)

10. FIELD AND POOL, OR WILDCAT

Red Wash

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec 28, T7S, R23E, SLBM

12. COUNTY OR PARISH

Uintah

13. STATE

UT

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
Chevron U.S.A. Inc.

3. ADDRESS OF OPERATOR
P. O. Box 599, Denver, CO 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)
At surface

1978' FNL & 662' FEL (SE $\frac{1}{4}$ NE $\frac{1}{4}$)

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

5609'

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF
FRACTURE TREAT
SHOOT OR ACIDIZE
REPAIR WELL
(Other)

PULL OR ALTER CASING
MULTIPLE COMPLETE
ABANDON*
CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF
FRACTURE TREATMENT
SHOOTING OR ACIDIZING
(Other)

REPAIRING WELL
ALTERING CASING
ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

It is proposed to clean out well to 5750', perforate, acidize and frac well as follows:

- MIR RU. RIH and POOH w/rods, tubing & tubing assembly.
- RIH w/bit, casing scraper & tubing. Clean out to 5750'. POOH.
- Perforate as per the attached.
- RIH w/RBP & packer, straddle intervals & acidize per the attached.
- POOH w/RBP & packer.
- Bradenhead frac down 7" casing using 54,000 gals K-1 Super Emulsifrac, 96,000# 20/40 sand, and 1000# 50/50 mixture of benzoic acid flakes-napthalene mix.
- Flush to top of perms w/2% KCl water.
- GIH with hydrostatic tubing bailer, clean out sand to below 5710'. POOH.
- RIH w/tubing assembly & rods. Place well on production.

No additional surface disturbances required for this activity.

APPROVED BY THE DIVISION OF OIL, GAS, AND MINING

DATE: Jan 15, 1978

BY: P. J. Ansell

- 3-USGS
- 2-State
- 3-Partners
- 1-JCB
- 1-DLD
- 1-Sec. 723
- 1-File

18. I hereby certify that the foregoing is true and correct

SIGNED

J. J. Johnson

TITLE Engineering assistant

J. J. Johnson

DATE 1/5/78

(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

DATE _____

WELL NAME: RWU 177 (42-28R)

FIELD: Red Wash

PROPOSED PERFORATING PROCEDURE

1. Changes intended: Expose additional 45 feet of net effective oil pay.
2. Results anticipated: Increased production.
3. Conditions of well which warrant such work: Decline in production.
4. To be ripped or shot: Shot.
5. Depth, number and size of shots (or depth of rips): 3 shots per foot.

4828-31'	5576-80'
4843-51'	5582-85'
4896-4900'	5586-90'
5111-14'	5596-98'
5126-28'	5610-18'
5353-55'	5628-36'
5482-92'	5647-50'
5494-5505'	
5512-14'	
5556-64'	

6. Date last Log of well filed:
7. Anticipated additional surface disturbances: None.
8. Estimated work date: January 25, 1978
9. Present production and status:

<u>Date</u>	<u>BOPD</u>	<u>MCFD</u>	<u>BWPD</u>
November 1977	44		388

WELL NAME: RWU 177 (42-28B)

FIELD: Red Wash

PROPOSED TREATMENT PROCEDURE

1. Objective: Increase production.
2. Size and type of treatment: 4800 gals 15% HCl.
3. Intervals to be treated: 5647-5710, 5610-36, 5556-98, 5482-5523, 5353-55, 5111-28, 4828-4900.
4. Treatment down casing or tubing: Tubing.
5. Method of localizing its effects: Retrievable bridge plug and packer to straddle zones.
6. Disposal of treating fluid: Spent acid to be swabbed back.
7. Name of company to do work: Dowell, Halliburton, or Western.
8. Anticipated additional surface disturbances: None.
9. Estimated work date: January 26, 1978.
10. Present status, current production and producing interval:

<u>Date</u>	<u>BOPD</u>	<u>MCFD</u>	<u>BWPD</u>
November 1977	44		388

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

U-02030

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

7. UNIT AGREEMENT NAME

Red Wash

8. FARM OR LEASE NAME

9. WELL NO.

177 (42-28B)

10. FIELD AND POOL, OR WILDCAT

Red Wash

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec 28, T7S, R23E, SLBM

12. COUNTY OR PARISH

Uintah

13. STATE

UT

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
Chevron U.S.A. Inc.

3. ADDRESS OF OPERATOR
P. O. Box 599, Denver, CO 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)
At surface
1978' FNL & 662' FEL (SE 1/4 NE 1/4)



14. PERMIT NO.

15. ELEVATIONS (Show whether DF, ST, GR, etc.)

KB 5609

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF
FRACTURE TREAT
SHOOT OR ACIDIZE
REPAIR WELL
(Other)

FULL OR ALTER CASING
MULTIPLE COMPLETE
ABANDON*
CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF
FRACTURE TREATMENT
SHOOTING OR ACIDIZING
(Other)

REPAIRING WELL
ALTERING CASING
ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

The following operations were completed on the above well:

1. MIR & RU. RIH and POOH w/rods, tubing & tubing assembly. NU BOPE.
2. RIH w/bit, casing scraper & tubing. Clean out to 5750'. POOH.
3. Perforate as per the attached.
4. RIH w/RBP & packer. Straddle intervals & acidize per the attached.
5. Run gauge ring to 5600'. Set C1 retainer at 5540. Stung into retainer and pumped 100 sx cement to displace to retainer. Reversed out. POOH.
6. RIH w/bit & scraper to 5540'. POOH.
7. RIH w/RBP & pkr. Set plug at 5425'. Spotted sand on top of RBP, set pkr at 5288'. Wouldn't break down, released pkr.
8. Squeezed perms 5353-55 w/150 sx cement. Press tested. POOH w/pkr.
9. Set pkr at 4755' & plug at 5204'. RU HALCO and frac. Perfs w/27,500 gals using K-1 super emulsifrac fluid, 50,000# 20/40 sand and ball sealers.
10. Flush to top of perms w/2% KCl water.
11. GIH w/hydrostatic tubing bailer, clean out sand to below 5204'. POOH.
12. RIH w/tubing assembly & rods. Place well on production.

No additional surface disturbances required for this activity.

- 1-JCB
- 1-DLD
- 1-Sec 723
- 1-File
- 3-USGS
- 2-State
- 3-Partners

18. I hereby certify that the foregoing is true and correct

SIGNED J. J. Johnson

TITLE Engineering Assistant

DATE July 11, 1978

(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

DATE _____

WELL NAME: RWU 177 (42-28B)

FIELD: Red Wash

COMPLETED PERFORATING PROCEDURE

1. Depth, number and size of shots (or depths of rips): 3 shots per foot.

4828-31	5576-80
4843-51	5582-85
4896-4900	5586-90
5111-5114	5596-98
5126-28	5610-18
5353-55	5628-36
5482-92	5647-50
5494-5505	
5512-14	
5556-64	

2. Company doing work: McCullough

3. Date of work: 3/16/78

4. Additional surface disturbances: None

5. Production after work:

<u>Date</u>	<u>BOPD</u>	<u>MCFD</u>	<u>BWPD</u>
5/78	40	33	312

**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well gas well other
 2. NAME OF OPERATOR
Chevron U.S.A. Inc.
 3. ADDRESS OF OPERATOR
P. O. Box 599, Denver, CO 80201
 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
 AT SURFACE: 1978' FNL & 662' FEL (SE NE)
 AT TOP PROD. INTERVAL:
 AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	<input type="checkbox"/>		<input type="checkbox"/>
FRACTURE TREAT	<input checked="" type="checkbox"/>		<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>		<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>		<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>		<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>		<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>		<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>		<input type="checkbox"/>
(other)	<input type="checkbox"/>		<input type="checkbox"/>

5. LEASE
U-02030
 6. IF INDIAN, ALLOTTEE OR TRIBE NAME
 7. UNIT AGREEMENT NAME
 8. FARM OR LEASE NAME
 9. WELL NO.
177 (42-28B)
 10. FIELD OR WILDCAT NAME
Red Wash
 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec 28, T7S, R23E, SLBM
 12. COUNTY OR PARISH | 13. STATE
Uintah | Utah
 14. API NO.
 15. ELEVATIONS (SHOW DF, KDB, AND WD)
KB 5609'

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

DIVISION OF
OIL, GAS & MINING

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

It is proposed to fracture treat this well as per attached procedure.

**APPROVED BY THE DIVISION
OF OIL, GAS, AND MINING**

DATE: 1-27-81
BY: [Signature]

3-USGS
2-State
3-Partners
1-JAH
1-Sec 723
1-file

PRESENT STATUS:
Date: 1/81
BOPD: + 18
BWPD: + 180

No additional surface
operations required
for this activity.


Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED [Signature] TITLE Technical Asst. DATE 1/23/81

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:



TYPICAL RED WASH LOCATION

PRESENT STATUS

T.D. 5797'
P.B.T.D. 5751'
Casing - 7" 23# J-55 @ 5797'
Tubing - 2-7/8" EWE 6.5# J-55 @ 4760'

KBTH	12.00
BWH	.80
149 Jts.	4680.00
Stretch	2.00
PSN	1.10
1 Jt.	31.00
1 Slit. Jt.	31.00
Baker Anchor Catcher	2.37
1 Jt.	30.40
Landed @	<u>4760.19'</u>

Perforations: 4828-31', 4843-51', 4896-4900', 5111-14', 5126-28', 5482-92',
5494-5505', 5512-14', 5520-23', 5610-18', 5628-36', 5647-50'
(3 jts./ft.), 5652', 5710' (abrasijet slots).

WELL HISTORY

- 12/62 IP: 104 BOPD, 31 BWPD, 137 MCFD. Completion acidized and Bradenhead fraced w/100,000 gal. of 50% Burner Fuel #5, 50% Rangely Crude w/1-2 #/gal. 20/40 sand the following slots: 5486', 5498', 5559', 5584', 5615', 5632', 5652', 5710'.
- 7/66 Bradenhead fraced w/24,000 gal. Rangely Crude w/22,500# 20/40 sand, 3,000 # 8/12 glass beads all slots except 5710' at 66 BPM and 3,000 psi. Before: 67 BOPD, 27 BWPD. After: 124 BOPD, 31 BWPD, 6 months: 51 BOPD, 22 BWPD.
- 3/78 Perforated 4828-31', 4843-51', 4896-4900', 5111-14', 5126-28', 5482-92', 5949-5505', 5512-14', 5520-23', 5610-18', 5628-36', 5647-50'. Fraced down tubing w/27,500 gal. oil-based emulsion frac fluid w/40,000# 20/40 sand at 8.5 BPM and 4,000 psi. Swabbed back viscous emulsion. Fracture failed due to borates in the fresh water obtained from the Green River. It was necessary to acidize to break the emulsion formed in the carrier fluid.

PROCEDURE

1. RU. POOH w/rods and pump. NU BOPE. POOH w/tbg.
2. Clean out to 5751' PBTB w/bit and csg. scraper.
3. RIH w/RBP and packer to swab test the following zones for oil cut:

<u>Zone</u>	<u>RBP</u>	<u>Packer</u>
1	PBTB	5570'
2	5570'	5420'
3	5160'	5060'
4	4950'	4780'

Hydrotest tubing in hole. Swab until oil cut stabilizes. If zone is not giving up fluid, pump into it w/2 % KCL water to break down perms. Pressure test casing to 1500#. Check with Denver before proceeding to frac.

4. Prepare to frac using the following fluid system:

Treatment Fluid: Super Emulsifrac consisting of 0% water phase and 60% hydrocarbon phase.

Water Phase: 2% KCL water with 50# WG-12/M and 5 gals. SEM-7/M, breaker as required. Check water for borates.

Hydrocarbon Phase: Rangely Crude.

Flush: 2% KCL water with 10# WG-12/M.

Pumping Requirements

Pw = 4,326 psi (surface pressure)
Rate = 10 BPM
HHP = 1,060 HHP

TREATMENT SCHEDULE

Zone 1: RTTS at 5,570

Treat down tubing at 10 BPM in 3 stages as follows:

<u>Event</u>	<u>Volume</u>	<u>Fluid</u>	<u>Sand Conc</u>	<u>Sand Type</u>	<u>Sand Volume</u>
a. Pad	3,000	Super E			
b. SLF	2,000	Super E	2	100M	4,000
c. SLF	2,000	Super E	1	20/40	2,000
d. SLF	3,000	Super E	2	20/40	6,000
e. SLF	3,000	Super E	3	20/40	9,000
f. SLF	2,000	Super E	3	10/20	6,000
g. Diversion	500	Super E	Drop balls, 200 lb. TLC-80		
h. Repeat step a through g, once.			after 1st stage: 20 balls		
i. Repeat step a through f.			after 2nd stage: 40 balls		
j. Flush	+1,500	Flush			
k. Allow fracture to close overnight.					
l. Circulate excess sand out.					

Totals: (Not including tank bottoms.)

Super E - 46,000 gal.
Water - 19,900 gal.
Oil - 27,600 gal.
100M - 12,000 lbs.
20/40 - 51,000 lbs.
10/20 - 18,000 lbs.

Zone 2: RTTS at 5,420, RBP at 5,570

Treat down tubing at 10 BPM in 3 stages as follows:

<u>Event</u>	<u>Volume</u>	<u>Fluid</u>	<u>Sand Conc</u>	<u>Sand Type</u>	<u>Sand Volume</u>
a. Pad	3,000	Super E			
b. SLF	2,000	Super E	2	100M	4,000
c. SLF	2,000	Super E	1	20/40	2,000
d. SLF	3,000	Super E	2	20/40	6,000
e. SLF	3,000	Super E	3	20/40	9,000
f. SLF	2,000	Super E	3	10/20	6,000
g. Diversion	500	Super E	Drop balls, 200 lb. TLC-80		
h. Repeat step a through g, once.			after 1st stage 30 balls		
i. Repeat step a through f.			after 2nd stage 30 balls		
j. Flush	+ 1,500	Flush			
k. Allow fracture to close overnight.					
l. Circulate excess sand out.					

Totals: (Not including tank bottoms.)

Super E - 46,000 gal.
 Water - 19,900 gal.
 Oil - 27,600 gal.
 100M - 12,000 lbs.
 20/40 - 51,000 lbs.
 10/20 - 18,000 lbs.

Zone 3: RTTS at 5,060, RBP at 5,160

Treat down tubing at 10 BPM in 1 stage as follows:

<u>Event</u>	<u>Volume</u>	<u>Fluid</u>	<u>Sand Conc</u>	<u>Sand Type</u>	<u>Sand Volume</u>
a. Pad	3,000	Super E			
b. SLF	2,000	Super E	2	100M	4,000
c. SLF	2,000	Super E	1	20/40	2,000
d. SLF	3,000	Super E	2	20/40	6,000
e. SLF	3,000	Super E	3	20/40	9,000
f. SLF	2,000	Super E	3	10/20	6,000
g. Flush	+ 1,500	Flush			
h. Allow fracture to close overnight.					
i. Circulate excess sand out.					

Totals: (Not including tank bottoms.)

Super E - 15,000 gal.
 Water - 7,500 gal.
 Oil - 9,000 gal.
 100M - 4,000 lbs.
 20/40 - 17,000 lbs.
 10/20 - 6,000 lbs.

Zone 4: RTTS at 4,780, RBP at 4,950.

Treat down tubing at 10 BPM in 2 stages as follows:

<u>Event</u>	<u>Volume</u>	<u>Fluid</u>	<u>Sand Conc</u>	<u>Sand Type</u>	<u>Sand Volume</u>
a. Pad	3,000	Super E			
b. SLF	2,000	Super E	2	100M	4,000
c. SLF	2,000	Super E	1	20/40	2,000
d. SLF	3,000	Super E	2	20/40	6,000
e. SLF	3,000	Super E	3	20/40	9,000
f. SLF	2,000	Super E	3	10/20	6,000
g. Diversion	500	Super E	Drop balls, 200 lb. TLC-80.		
h. Repeat steps a through f.					
i. Flush	+ 1,500	Flush	after 1st stage: 30 balls		
j. Allow fracture to close overnight.					
k. Circulate out excess sand.					

Totals: (Not including tank bottoms.)

Super E - 30,500 gal.
 Water - 13,700 gal.
 Oil - 18,300 gal.
 100M - 8,000 lbs.
 20/40 - 34,000 lbs.
 10/20 - 12,000 lbs.

<u>TOTALS:</u>	<u>Zone 1</u>	<u>Zone 2</u>	<u>Zone 3</u>	<u>Zone 4</u>	<u>Totals</u>
Super E	46,000	46,000	15,000	30,500	137,500
Water	19,900	19,900	7,500	13,700	61,000
Oil	27,600	27,600	9,000	18,300	82,500
100M	12,000	12,000	4,000	8,000	36,000
20/40	51,000	51,000	17,000	34,000	153,000
10/20	18,000	18,000	6,000	12,000	54,000

4. RIH w/notched collar to clean out any remaining sand fill.
5. RIH w/tbg., rods and pump. Place well on production and test. Send results to Denver.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

P

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well gas well other

2. NAME OF OPERATOR
Chevron U.S.A. Inc.

3. ADDRESS OF OPERATOR
P. O. Box 599, Denver, CO 80201

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1978' FNL & 662' FEL (SENE)
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF	<input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	<input checked="" type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>	<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>	<input type="checkbox"/>
(other)	<input type="checkbox"/>	<input type="checkbox"/>

5. LEASE
U-02030

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
Red Wash Unit

9. WELL NO.
#177 (42-28B)

10. FIELD OR WILDCAT NAME
Red Wash

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 28, T7S, ~~R2E~~ R.23E, SLBM

12. COUNTY OR PARISH 13. STATE
Uintah Utah

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)
KB 5609

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

This well was fraced as follows:

1. MI & RU, pumped rangely crude dwn tbg, POOH w/rods & pump. NU BOPE, POOH w/tbg.
2. C/O to 5540', make scraper run, RIH & set pkr at 5160'. Swbd perfs: 6482-5523', POOH w/pkr.
3. Hydrotest tbg in hole to 6000 psi.
4. Fraced perfs: 5482-5523' w/30,500 gal Super "E" 8000# 100M SND, 34,000# 20/40 SND, 12,000# 10/20 SND. 511-5128' w/15,000 gals Super "I", 4000# 100M SND, 17,000# 20/40 SND; & 6000# 10/20 SND., 4828-4900 w/30,500 gals Super "E", 8000# 100M SND, 34,000# 20/40 SND, 12,000# 10/20 SND.
5. C/O SND fill w/notched collar, RIH w/tbg, rods & pump.
6. Place well on injection.

3-USGS	3-Partners	1-Sec. 723
2-State	1-JAH	1-File

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Erin M. Leonard TITLE Engineering Asst. DATE November 9, 1981

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

Pres. Status: 8/81 ± 26 BOPD ± 146 BWPD ± 359 MCFD

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well gas well other

2. NAME OF OPERATOR
Chevron USA Inc.

3. ADDRESS OF OPERATOR
P.O. Box 599, Denver, CO 80201

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1978' FNL & 662' FEL (SENE)
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

5. LEASE
U-02025

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME
Red Wash

8. FARM OR LEASE NAME

9. WELL NO.
177 (42-28B)

10. FIELD OR WILDCAT NAME
Red Wash

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
S. 28, T7S, R23E, SE NE

12. COUNTY OR PARISH
Uintah

13. STATE
Utah

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)
KB 5609

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

PULL OR ALTER CASING


MULTIPLE COMPLETE

CHANGE ZONES

ABANDON*

(other)

SUBSEQUENT REPORT OF:



(NOTE: Report results of multiple completion or zone change on Form 9-330.)

DIVISION OF
OIL, GAS & MINING

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

It is proposed to acidize and perform a scale inhibitor squeeze on the open perforations to alleviate a scale problem in this well.

No additional surface
disturbances required
for this activity.

3-BLM
2-state
3-partners
1-S. 723
1-field
1-file

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Arlene F. Bush TITLE Engineering Asst. DATE February 24, 1984

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

RWU NO. 177 (42-28B)
RED WASH UNIT
MAIN AREA

Location: Section 28, Twp 7S, Range 23E, SE $\frac{1}{4}$ NE $\frac{1}{4}$
Uintah County, Utah Lease No. U-02025
TD - 5797 PBSD - 5540' (CIBP) GL - 5596.5' KB - 5609

Casing Detail:

Baker Guide Shoe	0.80
1 jt 7", 23#, J-55 Csg	27.70
Baker Flexiflo Fillup Collar	1.40
181 jts 7", 23# J-55 Csg	<u>5772.97</u>
Total Csg	5802.87
Casing Above KB	<u>5.87</u>
Casing Landed @	5797.00

Initial Completion (12/62)

Cut 3-60° Abrasijets at 5710' and sand-oil squeezed.
Cut 3-60° Abrasijets at 5652' and sand-oil squeezed.
Cut 3-60° Abrasijets at 5632' and sand-oil squeezed.
Cut 3-60° Abrasijets at 5615' and sand-oil squeezed.
Cut 3-60° Abrasijets at 5584' and sand-oil squeezed.
Cut 3-60° Abrasijets at 5559' and sand-oil squeezed.
Cut 3-60° Abrasijets at 5498' and 5486' and sand-oil squeezed.

Initial Production: 104 BOPD, 31 BWP, 137 MCFD

Workovers

1. Sand-oil squeeze perfs 5486-5652

Production Before: 89 BOPD, 34 BWP, 553 MCFD
Production After: 120 BOPD, 29 BWP, 418 MCFD

2. Workover-Eliminate Water and Stimulate Production (4/78)

Perforate 3 omega jets/ft at 5674-50, 5628-36, 5610-18, 5596-98, 5586-90, 5582-85, 5576-80, 5556-64, 5520-23, 5512-14, 5495-5505, 5482-92, 5353-55, 5126-28, 5111-14, 4896-4900, 4843-51, and 4828-31.

Acidize perfs 5646-5710, 5610-36, 5556-98, 5482-5523, 5353-55, 5111-28, and 4828-4900.

Cement squeeze perfs 5556-5710 and 5353-55

Frac perfs 4828-5128

Acidize perfs 4828-4900

Production Before: 30 BOPD, 244 BWP, 8 MCFD
Production After: 36 BOPD, 312 BWP, 20 MCFD

RWU NO. 177 (42-28B)
RED WASH UNIT
MAIN AREA

3. Workover - Stimulate Production (4/81)

Frac perfs 5482-5523 w/Super E.

Production Before: 15 BOPD, 173 BWPD, 21 MCFD

Production After: 42 BOPD, 198 BWPD

Perforations:

Open:

4828-31, 4843-51, 4896-4900, 5111-14, 5126-28, 5482-92, 5494-5505, 5512-14 and 5520-23 w/3 omega jets/ft.

5486 and 5498 w/3-60° Abrasijets

Excluded:

5556-64, 5576-80, 5582-85, 5586-90, 5596-98, 5610-18, 5628-36, and 5647-50 w/3 omega jets/ft.

5559, 5584, 5615, 5632, 5652, and 5710 w/3-60° Abrasijets

Current Production: 13 BOPD, 97 BWPD, 5 MCFD

Tubing Detail

KB	12.00
152 jts 2-7/8", 6.5# EUE 8rd Tbg	4771.87
BAC	2.33
20 jts 2-7/8, 6.5# EUE 8rd Tbg	630.40
PSN	1.10
1 jt same as above	30.49
Slotted joint	24.40
	<u>5472.59</u>

Rod Detail

1 - Pump No. A-132
79 - 3/4" x 25' rods
77 - 7/8" x 25' rods
60 - 1" x 25' rods
1 - 1" x 4' pony
1 - 1-1/2" x 30' polish rod

RWU NO. 177 (42-28B)
RED WASH UNIT
MAIN AREA

Workover Procedure:

1. Hot oil tubing and casing. MIR and RU.
2. POOH w/rods and pump.
3. ND tree. NU BOPE and pressure test.
4. Release BAC. POOH w/2-7/8" production tubing.
5. RIH with bit and clean out to PBTB at 5540. POOH w/bit. Make bit and scraper run to PBTB.
6. RIH with pkr and RBP. Isolate perfs 5482-5523 and acidize w/750 gals 15% HCl acid mixed w/10 gal/M FE-1A iron sequestering agent, 50 gal/M Parasperse Paraffin dispersant, 2 gal/M Tri-S surfactant, 5 gal/M HC-2 suspending agent, 50#/M Spacer Sperser dispersant and 2 gal/M HAI-55 corrosion inhibitor.
7. Swab back acid load (pH = 6).
8. Perform scale inhibitor squeeze as follows:

Solutions: 1 drum T-55 mixed w/10 bbls produced H₂O
 1/2 drum DP-61 mixed w/150 bbls produced H₂O

Pump Schedule: 1) Pump 10 bbls DP-61 solution
 2) Entire T-55 solution
 3) Pump remainder DP-61 solution
 4) Flush to bottom perfs
 5) SWIFN
9. Isolate perfs 5411-55 and acidize w/500 gal 15% HCl acid mixed as in step 6.
10. Swab back acid load.
11. Repeat step 8 but change DP-61 solution to 100 bbls produced H₂O.
12. Isolate perfs 5111-28 and repeat acid job in step 9.

RWU NO. 177 (42-28B)
RED WASH UNIT
MAIN AREA

13. Repeat step 10 and step 11.
14. Isolate perfs 4828-4900 and acidize w/750 gals 15% HCl mixed as in step 6.
15. Repeat step 10 and step 11. POOH with pkr and RBP.
16. RIH w/production equipment as Denver specifies.
17. Return well to production.

NOTE: Keep treating pressures at 1000 psi - if possible.
Run diversion as Denver Drilling specifies.

**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well gas well other

2. NAME OF OPERATOR
Chevron U.S.A. Inc.

3. ADDRESS OF OPERATOR
P.O. Box 599, Denver, CO 80201

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1978' FNL & 662' FEL SENE
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

5. LEASE
U-02025

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME
Red Wash

8. FARM OR LEASE NAME

9. WELL NO.
177 (42-28B)

10. FIELD OR WILDCAT NAME
Red Wash


11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec 28, T7S, R23E

12. COUNTY OR PARISH | 13. STATE
Uintah | Utah

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)
KB 5609'

REQUEST FOR APPROVAL TO:	SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF <input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	<input checked="" type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE <input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES <input type="checkbox"/>	<input type="checkbox"/>
ABANDON* <input type="checkbox"/>	<input type="checkbox"/>
(other) <input type="checkbox"/>	<input type="checkbox"/>



(NOTE: Use for results of multiple completion or zone change on Form 9-330) IQRA

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Well was cleaned out, acidized, and scale inhibitor squeezed as follows:

- | | |
|--|-------------|
| 1. MIR & RU. POOH w/ rods and pump. ND tree. NU BOPE. | |
| 2. POOH w/ tubing. | |
| 3. RIH w/ bit and casing scraper to 5540'. | |
| 4. RIH w/ RBP and packer. Acidized and scale inhibitor squeezes performed. See attachment. | |
| 5. RIH w/ production tubing. | 1-File |
| 6. ND BOPE. NU tree. | 3-BLM |
| 7. RIH w/ rods and pump. | 2-State |
| 8. Turned well over to production | 3-Partners |
| | 1-Sec. 724C |
| | 1-LJT |
| | 1-LRH |
- No additional surface disturbances required for this activity.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED *J.J. Johnson* TITLE Engineering Asst. DATE May 2, 1984

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

WELL NAME RWU 177 (42-28B)

FIELD NAME Red Wash

COMPLETED TREATMENT PROCEDURE

1. Size and type of treatment:

2. Intervals treated: 5482-5523' 750 gals 15% HCl and additives. Scale inhibitor squeeze - 150 bbls DP-61, 10 bbls T-55, and produced water.
5111-5128' 500 gals 15% HCl and additives. Scale inhibitor squeeze - 100 bbls DP-61, 10 bbls T-55, and produced water.
4828-4900'. 750 gals 15% HCl and additives. Scale inhibitor squeeze - 100 bbls DP-61, 10 bbls T-55, and produced water.
3. Treatment down casing or tubing: Tubing
4. Methods used to localize effects: Retrievable Bridge Plug and packer set to straddle interval tested.
5. Disposal of treating fluid: Spen acid was swabbed back to flat tank.

6. Depth to which well was cleaned out: 5540'.
7. Date of work: Mar. 20, 22, 23, 1984
8. Company who performed work: Halliburton
9. Production interval: 4828-5523 and 5486-5498
10. Status and production before treatment:

<u>Date</u>	<u>BOPD</u>	<u>MCFD</u>	<u>BWPD</u>
2/84	16		104

11. Status and production after treatment:

<u>Date</u>	<u>BOPD</u>	<u>MCFD</u>	<u>BWPD</u>
4-15-84	15		159

RECEIVED

AUG 02 1993

Form 3160-5
STATES
(June 1990)

UNITED

DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

DIVISION OF
OIL GAS & MINING

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

Chevron U.S.A. Inc.

3. Address and Telephone No.

P.O. Box 455, Vernal, Utah 84078 (801) 789-2442

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

5. Lease Designation and Serial No.
Various

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation
Red Wash Unit

8. Well Name and No.
See Below

9. API Well No.
See Below

10. Field and Pool, or Exploratory Area
Red Wash-Grn. River

11. County or Parish, State
Uintah, Utah

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>Flowline Replacement</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log forms.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

We propose to replace old buried flowlines and install them above ground on existing right-of-ways. The new lines will be heat traced and insulated. Proposed locations are as follows:

RWU #101 (34-21B) to B Station	43-047-15220	Sec. 21, T7S/R32E	RWU #177 (42-28B) to B Station	43-047-15284	Sec. 28, T7S/R23E
RWU #29 (32-23B) to 31-23B	43-047-15156	Sec. 23, T7S/R23E	RWU #108 (32-21B) to C Station	43-047-15226	Sec. 21, T7S/R23E
RWU #90 (43-21B) to B Station	43-047-15211	Sec. 21, T7S/R23E	RWU #99 (12-22B) to C Station	43-047-15218	Sec. 22, T7S/R23E
RWU #94 (12-22A) to 22A Station	43-047-15213	Sec. 22, T7S/R22E	RWU #242 (42-13B) to 13B Station	43-047-30346	Sec. 13, T7S/R23E
RWU #123 (43-13A) to 18B Station	43-047-15240	Sec. 13, T7S/R22E	RWU #122 (24-14B) to E Station	43-047-15239	Sec. 14, T7S/R23E
RWU #133 (41-34B) to 27B Station	43-047-15250	Sec. 34, T7S/R23E	RWU #41 (34-13B) to H Station	43-047-15168	Sec. 15, T7S/R21E
RWU #64 (32-27B) to G Station	43-047-15187	Sec. 27, T7S/R23E			

ACCEPTED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING

14. I hereby certify that the foregoing is true and correct

Signed BE

Title Operations Supervisor Date 8-3-93

(This space for Federal or State office use)

Approved by:

Title

Date

Conditions of approval, if any:

**UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

5. Lease Designation and Serial No.
U-02030

6. If Indian, Allottee or Tribe Name
N/A

7. If Unit or CA, Agreement Designation
RED WASH UNIT

8. Well Name and No.
RED WASH UNIT 177 (42-28B)

9. API Well No.
43-047-15284

10. Field and Pool, or Exploratory Area
RED WASH - GREEN RIVER

11. County or Parish, State
UINTAH, UTAH

SUBMIT IN TRIPLICATE

1. Type of Well
Oil Gas
 Well Well Other

2. Name of Operator
CHEVRON U.S.A. PRODUCTION COMPANY

3. Address and Telephone No.
11002 E. 17500 S. VERNAL, UT 84078-8526
Steve McPherson in Red Wash (801) 781-4310
or Gary Scott in Rangely, CO. (970) 675-3791

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
1978' FNL & 662' FEL (SE NE) SECTION 28, T7S, R23E, SLBM

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input checked="" type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>ADDED PERFORATIONS</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

- HOT OIL AS NEEDED. MIRU. TOH WITH RODS AND PUMP. ND WH AND NU BOPE. RELEASE TAC AND TOH WITH TUBING.
- CLEAN OUT TO 5540' PBTD.
- SET CIBP AT ~ 4950' AND CAP WITH ~ 2 SACKS CEMENT.
- CEMENT SQUEEZE AS APPROPRIATE TO EXCLUDE PERFORATIONS AT 4896-4900' (Hb50), 4843-51' (Ha) AND 4828-30' (H50). AFTER DRILLING OUT AND OBTAINING POSITIVE TEST, TIH WITH PACKER AND CONDUCT NEGATIVE TEST. ONCE SATISFACTORY RESULTS ARE OBTAINED, DRILL/CLEAN OUT TO ORIGINAL 5540' PBTD.
- TIH AND SET PACKER AT ~ 4550'. PERFORATE THE FOLLOWING INTERVALS THROUGH TUBING USING 4 JSPP, 0 DEGREE PHASING, DECENTRALIZED, MAXIMUM AVAILABLE CHARGE. DEPTHS ARE FROM SCHLUMBERGER ELECTRIC LOG DATED 5/14/62:
4950-58' He
4733-41' GI
4711-14' GJ
4680-83' GIgG
4623-26' G
- FLOW/SWAB TEST AND EVALUATE. TOH WITH PACKER AND RUN ROD PUMPING EQUIPMENT, USING REDESIGNED STRING IF INDICATED.
- RDMO. RETURN TO PRODUCTION.

14. I hereby certify that the foregoing is true and correct.
Signed G.D. SCOTT *G.D. Scott* Title DRILLING TECHNICIAN Date April 2, 1996

(This space for Federal or State office use)

Approved by: _____ Title _____ Date _____

Conditions of approval, if any _____

**Accepted by the
Utah Division of
Oil, Gas and Mining
FOR RECORD ONLY**

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
Oil Gas
 Well Well Other

2. Name of Operator
CHEVRON U.S.A. PRODUCTION COMPANY

3. Address and Telephone No.
11002 E. 17500 S. VERNAL, UT 84078-8526
4310
Steve McPherson in Red Wash (801) 781-
or Gary Scott in Rangely, CO. (970) 675-

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
1978' FNL & 662' FEL (SE NE) SECTION 28, T7S, R23E, SLBM

5. Lease Designation and Serial No.
U-02030

6. If Indian, Allottee or Tribe Name
N/A

7. If Unit or CA, Agreement Designation
RED WASH UNIT

8. Well Name and No.
RED WASH UNIT 177 (42-28B)

9. API Well No.
43-047-15284

10. Field and Pool, or Exploratory Area
RED WASH - GREEN RIVER

11. County or Parish, State
UINTAH, UTAH

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input checked="" type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>ADDED PERFORATIONS</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

THE FOLLOWING WELL WORK WAS PERFORMED FROM 1/6/99 TO 1/27/99:

1. Tested perfs: 5482' - 5523', Wet,
2. Set CUBO @ 5470'
3. Cenebt sqyeeze oerfs 4828 - 4900 w/100 sx g cement
4. Perforated 4" hsc, 4spf 90 degree phasing 5331'-33' and 5352' - 55'. Sand fractured same
5. Tested perfs 5111'-14' and 5122'-28'
6. Perforated 5420'-26' w 4" HSC 4SPF, 90 degree phasing. Tested same 100% H2O. Set CIBPC 5410'
7. New PBTD: 5410'
8. Return to production

14. I hereby certify that the foregoing is true and correct.

Signed D. C. BEAMAN *DC Beaman* Title COMPUTER SYSTEMS OPERATOR Date 03/01/99

(This space for Federal or State office use)

Approved by: _____ Title _____ Date _____

Conditions of approval, if any _____

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH		4-KAS
2. CDW	<input checked="" type="checkbox"/>	5-SJ
3. JLT		6-FILE

Enter date after each listed item is completed

X Change of Operator (Well Sold)

Designation of Agent

Operator Name Change (Only)

Merger

The operator of the well(s) listed below has changed, effective:

01-01-2000

FROM: (Old Operator):

CHEVRON USA INC
 Address: 11002 E. 17500 S.
 VERNAL, UT 84078-8526

Phone: 1-(435)-781-4300

Account No. N0210

TO: (New Operator):

SHENANDOAH ENERGY INC
 Address: 11002 E. 17500 S.
 VERNAL, UT 84078

Phone: 1-(435)-781-4300

Account N4235

CA No.

Unit: RED WASH

WELL(S)

NAME	API NO.	ENTITY NO.	SEC. TWN RNG	LEASE TYPE	WELL TYPE	WELL STATUS
RWU 190 (34-29A)	43-047-16500	99998	29-07S-22E	FEDERAL	IW	PA
RWU 179 (43-33A)	43-047-15286	5670	33-07S-22E	FEDERAL	OW	PA
RWU 192 (41-33A)	43-047-15294	5670	33-07S-22E	FEDERAL	OW	P
RWU 178 (22-13B)	43-047-15285	5670	13-07S-23E	FEDERAL	OW	TA
RWU 191 (12-27B)	43-047-15293	99998	14-07S-23E	FEDERAL	IW	PA
RWU 194 (12-14B)	43-047-15296	5670	14-07S-23E	FEDERAL	OW	P
RWU 189 (41-16B)	43-047-15292	5670	16-07S-23E	STATE	OW	P
RWU 188 (23-20B)	43-047-15291	5670	20-07S-23E	FEDERAL	OW	TA
RWU 180 (31-23B)	43-047-15287	5670	23-07S-23E	FEDERAL	OW	TA
RWU 193 (43-24B)	43-047-15295	5670	24-07S-23E	FEDERAL	GW	P
RWU 184 (23-26B)	43-047-15290	5670	26-07S-23E	FEDERAL	OW	TA
RWU 19 (34-26B)	43-047-15148	5670	26-07S-23E	FEDERAL	GW	P
RWU 176 (31-28B)	43-047-15283	5670	28-07S-23E	FEDERAL	OW	TA
RWU 177 (42-28B)	43-047-15284	5670	28-07S-23E	FEDERAL	OW	TA
RWU 20 (41-29B)	43-047-15149	5670	29-07S-23E	FEDERAL	OW	PA
RWU 181 (34-30B)	43-047-15288	5670	30-07S-23E	FEDERAL	OW	P
RWU 186 (12-30B)	43-047-16499	99998	30-07S-23E	FEDERAL	IW	PA
RWU 198 (21-33B)	43-047-15300	5670	33-07S-23E	FEDERAL	OW	PA
RWU 196 (23-17C)	43-047-15298	5670	17-07S-24E	FEDERAL	GW	P
RWU 195 (43-18C)	43-047-15297	5670	18-07S-24E	FEDERAL	OW	PA
RWU 18 (41-19C)	43-047-15147	5670	19-07S-24E	FEDERAL	GW	PA
RWU 197 (43-21C)	43-047-15299	5670	21-07S-24E	FEDERAL	OW	PA

OPERATOR CHANGES DOCUMENTATION

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 12-30-1999
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 08-09-2000

3. The new company has been checked through the **Department of Commerce, Division of Corporations Database on:** 08-23-2000
4. Is the new operator registered in the State of Utah: YES Business Number: 224885
5. If **NO**, the operator was contacted on: _____
6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the (merger, name change, or operator change for all wells listed on Federal or Indian leases on: 02/04/2000
7. **Federal and Indian Units:** The BLM or BIA has approved the successor of unit operator for wells listed on: 02/04/2000
8. **Federal and Indian Communization Agreements ("CA"):** The BLM or the BIA has approved the operator change for all wells listed involved in a CA on: N/A
9. **Underground Injection Control ("UIC") Proj:** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: _____

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database on:** 09/18/2000
2. Changes have been entered on the **Monthly Operator Change Spread Sheet on:** 09/18/2000
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

STATE BOND VERIFICATION:

1. State well(s) covered by Bond No.: 159261960

FEE WELLS - BOND VERIFICATION/LEASE INTEREST OWNER NOTIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed has furnished a bond: N/A
2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A
3. (R649-2-10) The **FORMER** operator of the Fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: _____

FILMING:

1. All attachments to this form have been **MICROFILMED** on: 3.2.01

FILING:

1. **ORIGINALS/COPIES** of all attachments pertaining to each individual well have been filed in each well file on: _____

COMMENTS:



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

RECEIVED

FEB 07 2000

DIVISION OF
OIL, GAS AND MINING

IN REPLY REFER TO
UT-931

February 4, 2000

Shenandoah Energy Inc.
Attn: Rae Cusimano
475 17th Street, Suite 1000
Denver, Colorado 80202

Re: Red Wash Unit
Uintah County, Utah

Gentlemen:

On December 30, 1999, we received an indenture whereby Chevron U.S.A. Inc. resigned as Unit Operator and Shenandoah Energy Inc. was designated as Successor Unit Operator for the Red Wash Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective February 4, 2000. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Red Wash Unit Agreement.

Your statewide (Utah) oil and gas bond No. 0969 will be used to cover all operations within the Red Wash Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure

cc: Chevron U.S.A. Inc.

bcc: Field Manager - Vernal (w/enclosure)
Division of Oil, Gas & Mining
Minerals Adjudication Group U-932
File - Red Wash Unit (w/enclosure)
MMS - Data Management Division
Agr. Sec. Chron
Fluid Chron

UT931:TAThompson:tt:2/4/00

Well Status Report
Utah State Office
Bureau of Land Management

Lease	Api Number	Well Name	QTR	Section	Township	Range	Well Status	Operator
** Inspection Item: 8920007610								
UTU0566	4304715135	1 (41-26B) RED WASH NENE	26	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU082	4304715141	10 (12-23B) RED WASH SWNW	23	T	7S	R23E OSI	CHEVRON U S A INCORPORATED	
UTU0559	4304715219	100A (43-21A) RED WA NESE	21	T	7S	R22E WIW	CHEVRON U S A INCORPORATED	
UTU0567	4304715220	101 (34-21B) RED WAS SWSE	21	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU0561	4304715221	102 (41-24A) RED WAS SENE	24	T	7S	R22E WIW	CHEVRON U S A INCORPORATED	
UTU081	4304715222	103 (34-15B) RED WAS SWSE	15	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU0559	4304715223	104 (14-22A) RED WAS SWSW	22	T	7S	R22E ABD	CHEVRON U S A INCORPORATED	
UTU0560	4304716487	105 (32-29A) RED WAS SWNE	29	T	7S	R22E P+A	CHEVRON U S A INCORPORATED	
UTU02148	4304715224	106 (12-17C) RED WAS SWNW	17	T	7S	R24E ABD	CHEVRON U S A INCORPORATED	
UTU0558	4304715225	107 (12-28A) RED WAS SWNW	28	T	7S	R22E P+A	CHEVRON U S A INCORPORATED	
UTU0567	4304715226	108 (32-21B) RED WAS SWNE	21	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU02025	4304715227	109 (21-28B) RED WAS NENW	28	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU0566	4304715142	11 (34-27B) RED WASH SWSE	27	T	7S	R23E WIW	CHEVRON U S A INCORPORATED	
UTU0559	4304715228	110 (23-23A) RED WAS NESW	23	T	7S	R22E POW	CHEVRON U S A INCORPORATED	
UTU0561	4304715229	111 (32-24A) RED WAS SWNE	24	T	7S	R22E TA	CHEVRON U S A INCORPORATED	
UTU0558	4304715230	112 (32-28A) RED WAS SWNE	28	T	7S	R22E POW	CHEVRON U S A INCORPORATED	
UTU0558	4304715232	114 (41-28A) RED WAS NENE	28	T	7S	R22E P+A	CHEVRON U S A INCORPORATED	
UTU02030	4304715233	115 (21-19B) RED WAS NENW	19	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU0558	4304715234	116 (23-28A) RED WAS NESW	28	T	7S	R22E P+A	CHEVRON U S A INCORPORATED	
UTU0560	4304716488	117 (14-21A) RED WAS SWSW	21	T	7S	R22E P+A	CHEVRON U S A INCORPORATED	
UTU0560	4304715236	119 (43-29A) RED WAS NESE	29	T	7S	R22E POW	CHEVRON U S A INCORPORATED	
UTU082	4304716474	12 (41-24B) RED WASH NENE	24	T	7S	R23E ABD	CHEVRON U S A INCORPORATED	
UTU02025	4304715237	120 (23-28B) RED WAS NESW	28	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU081	4304715238	121 (13-13B) RED WAS NWSW	13	T	7S	R23E PGW	CHEVRON U S A INCORPORATED	
UTU081	4304715239	122 (24-14B) RED WAS SESW	14	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTSL066446A	4304715240	123 (43-13A) RED WAS NESE	13	T	7S	R22E ABD	CHEVRON U S A INCORPORATED	
UTU0558	4304715241	124 (14-28A) RED WAS SWSW	28	T	7S	R22E P+A	CHEVRON U S A INCORPORATED	
UTU02030	4304715242	125 (34-19B) RED WAS SWSE	19	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU0560	4304715243	126 (41-29A) RED WAS NENE	29	T	7S	R22E POW	CHEVRON U S A INCORPORATED	
UTU02030	4304715244	127 (12-19B) RED WAS SWNW	19	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU0559	4304715245	128 (32-23A) RED WAS SWNE	23	T	7S	R22E ABD	CHEVRON U S A INCORPORATED	
UTU081	4304715246	129 (14-15B) RED WAS SWSW	15	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU081	4304715143	13 (14-22B) RED WASH SWSW	22	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTSL071965	4304715247	130 (32-27C) RED WAS SWNE	27	T	7S	R24E P+A	CHEVRON U S A INCORPORATED	
UTU0559	4304715248	131 (41-22A) RED WAS NENE	22	T	7S	R22E P+A	CHEVRON U S A INCORPORATED	
UTU0823	4304715249	132 (32-5F) RED WASH SWNE	5	T	8S	R24E ABD	CHEVRON U S A INCORPORATED	
UTU0566	4304715250	133 (41-34B) RED WAS NENE	34	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU02025	4304716489	134 (14-28B) RED WAS SWSW	28	T	7S	R23E ABD	CHEVRON U S A INCORPORATED	
UTU0416	4304715251	135 (12-18B) RED WAS SWNW	18	T	7S	R23E ABD	CHEVRON U S A INCORPORATED	
UTU02030	4304715252	136 (43-19B) RED WAS NESE	19	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU02030	4304715253	137 (34-28B) RED WAS SWSE	28	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU02025	4304715254	138 (41-30B) RED WAS NENE	30	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU02025	4304716490	139 (43-29B) RED WAS NESE	29	T	7S	R23E ABD	CHEVRON U S A INCORPORATED	
UTU081	4304715144	14 (14-13B) RED WASH SWSW	13	T	7S	R23E WIWSI	CHEVRON U S A INCORPORATED	
UTU081	4304715255	140 (24-22B) RED WAS SESW	22	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU0566	4304715256	141 (11-27B) RED WAS NWNW	27	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU0571	4304716491	142 (12-33A) RED WAS SWNW	33	T	7S	R22E P+A	CHEVRON U S A INCORPORATED	
UTU081	4304715257	143 (33-14B) RED WAS NWSE	14	T	7S	R23E POW	CHEVRON U S A INCORPORATED	

Well Status Report
Utah State Office
Bureau of Land Management

Lease	Api Number	Well Name	QTR	Section	Township	Range	Well Status	Operator
UTU0116	4304715258	144 (21-18B) RED WAS NENW	18	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU081	4304715259	145 (24-13B) RED WAS SESW	13	T	7S	R23E OSI	CHEVRON U S A INCORPORATED	
UTU0559	4304716492	146 (12-21A) RED WAS SWNW	21	T	7S	R22E P+A	CHEVRON U S A INCORPORATED	
UTU081	4304715260	147 (22-22B) RED WAS SENW	22	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU081	4304715261	148 (13-22B) RED WAS NWSW	22	T	7S	R23E WIW	CHEVRON U S A INCORPORATED	
UTU0571	4304715262	149 (21-33A) RED WAS NENW	33	T	7S	R22E P+A	CHEVRON U S A INCORPORATED	
UTU02148	4304715145	15 (32-17C) RED WASH SWNE	17	T	7S	R24E PGW	CHEVRON U S A INCORPORATED	
UTU081	4304715263	150 (31-22B) RED WAS NWNE	22	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU081	4304715264	151 (42-14B) RED WAS SENE	14	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU02148	4304716493	152 (41-17C) RED WAS NENE	17	T	7S	R24E P+A	CHEVRON U S A INCORPORATED	
UTU02025	4304715265	153 (14-29B) RED WAS SWSW	29	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
STATE	4304716494	154 (41-32B) RED WAS NENE	32	T	7S	R23E P+A	CHEVRON USA INC	
UTU0571	4304715266	155 (23-33A) RED WAS NESW	33	T	7S	R22E P+A	CHEVRON U S A INCORPORATED	
UTU081	4304715267	156 (23-15B) RED WAS NESW	15	T	7S	R23E WIW	CHEVRON U S A INCORPORATED	
UTU02025	4304715268	158 (32-30B) RED WAS SWNE	30	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU0571	4304715269	159 (14-33A) RED WAS SWSW	33	T	7S	R22E P+A	CHEVRON U S A INCORPORATED	
UTU02030	4304716475	16 (43-28B) RED WASH NESE	28	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU081	4304715270	160 (32-15B) RED WAS SWNE	15	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU02030	4304715271	161 (14-20B) RED WAS SWSW	20	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU02030	4304715272	162 (12-20B) RED WAS SWNW	20	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU0570	4304715273	163 (34-33A) RED WAS SWSE	33	T	7S	R22E P+A	CHEVRON U S A INCORPORATED	
UTU02025	4304715274	164 (12-28B) RED WAS SWNW	28	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU0566	4304715275	165 (32-26B) RED WAS SWNE	26	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU0562	4304715276	166 (23-14A) RED WAS NESW	14	T	7S	R22E ABD	CHEVRON U S A INCORPORATED	
UTU0567	4304715277	167 (23-21B) RED WAS NESW	21	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU082	4304715278	168 (23-24B) RED WAS NESW	24	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU0569	4304715146	17 (41-20B) RED WASH NENE	20	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU081	4304716495	170 (41-15B) RED WAS NENE	15	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU0570	4304715279	171 (32-33A) RED WAS SWNE	33	T	7S	R22E P+A	CHEVRON U S A INCORPORATED	
UTU02030	4304715280	172 (21-30B) RED WAS NENW	30	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU0569	4304716496	173 (21-21B) RED WAS NENW	21	T	7S	R23E WIW	CHEVRON U S A INCORPORATED	
UTU0933	4304715281	174 (21-20B) RED WAS NENW	20	T	7S	R23E WIW	CHEVRON U S A INCORPORATED	
UTU0558	4304715282	175 (34-28A) RED WAS SWSE	28	T	7S	R22E ABD	CHEVRON U S A INCORPORATED	
UTU02030	4304715283	176 (31-28B) RED WAS NWNE	28	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU02030	4304715284	177 (42-28B) RED WAS SENE	28	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU081	4304715285	178 (22-13B) RED WAS SENW	13	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU0570	4304715286	179 (43-33A) RED WAS NESE	33	T	7S	R22E P+A	CHEVRON U S A INCORPORATED	
UTU02149	4304715147	18 (41-19C) RED WASH NENE	19	T	7S	R24E ABD	CHEVRON U S A INCORPORATED	
UTU082	4304715287	180 (31-23B) RED WAS NWNE	23	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU02025	4304715288	181 (34-30B) RED WAS SWSE	30	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU0933	4304716497	182 (14-21B) RED WAS SWSW	21	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU081	4304715289	183 (33-13B) RED WAS NWSE	13	T	7S	R23E WIW	CHEVRON U S A INCORPORATED	
UTU0566	4304715290	184 (23-26B) RED WAS NESW	26	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU081	4304716498	185 (41-14B) RED WAS NENE	14	T	7S	R23E WIWSI	CHEVRON U S A INCORPORATED	
UTU02030	4304716499	186 (12-30B) RED WAS SWNW	30	T	7S	R23E P+A	CHEVRON U S A INCORPORATED	
UTU02030	4304715291	188 (23-20B) RED WAS NESW	20	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
STATE	4304715292	189 (41-16B) RED WAS NENE	16	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU0566	4304715148	19 (34-26B) RED WASH SWSE	26	T	7S	R23E GSI	CHEVRON U S A INCORPORATED	
UTU0560	4304716500	190 (34-29A) RED WAS SWSE	29	T	7S	R22E P+A	CHEVRON U S A INCORPORATED	

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 7/21/2003

8. **Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: 7/21/2003

9. **Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: n/a

DATA ENTRY:

- 1. Changes entered in the Oil and Gas Database on: 8/28/2003
- 2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 8/28/2003
- 3. Bond information entered in RBDMS on: n/a
- 4. Fee wells attached to bond in RBDMS on: n/a

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: 965-003-032

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: ESB000024

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: 799446

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number 965-003-033

2. The **FORMER** operator has requested a release of liability from their bond on: n/a
The Division sent response by letter on: n/a

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:



May 28, 2003

Division of Oil, Gas, & Mining
1594 West North Temple, Suite 1210
P. O. Box 145801
Salt Lake City, Utah 84114-5801

Attention: John Baza/Jim Thompson

Gentlemen:

This will serve as notice that through the internal corporate changes described below, activities formerly conducted in the name of either Shenandoah Operating Company, LLC (SOC) and/or Shenandoah Energy, Inc. (SEI) will hereafter be conducted in the name of QEP Uinta Basin, Inc.: i) the Shenandoah entities were purchased in July, 2001 by Questar Market Resources, Inc., which is a mid-level holding company for the non-utility businesses of Questar Corporation, ii) Shenandoah Operating Company, LLC has now been merged into Shenandoah Energy, Inc. (SEI), iii) Shenandoah Energy, Inc. has now been re-named **QEP Uinta Basin, Inc.** pursuant to a State of Delaware Amended and Restated Certificate of Incorporation, iv) the same employees will continue to be responsible for operations of the former SOC and SEI properties, both in the field and in the office. Accordingly, the change involves only an internal corporate name change and no third party change of operator is involved. Please alter your records to reflect the entity name change. Attached is a spreadsheet listing all wells affected by this change.

Should you have any questions, please call me at 303 - 308-3056.

Yours truly,

Frank Nielsen
Division Landman

Enclosure

RECEIVED

JUN 02 2003

DIV. OF OIL, GAS & MINING

SEI (N4235) to QEP (N2460) RED WASH UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat
RED WASH 22-21B	21	070S	230E	4304733522	5670	Federal	OW	TA
RED WASH 24-20B	20	070S	230E	4304733523	5670	Federal	OW	P
RED WASH 305 (41-4F)	04	080S	240E	4304732538	5670	Federal	GW	TA
RED WASH 306	23	070S	240E	4304732629	5670	Federal	GW	P
RED WASH 44-19B	19	070S	230E	4304733524	5670	Federal	OW	P
RED WASH 44-20B	20	070S	230E	4304733525	5670	Federal	OW	P
RWU 1 (41-26B)	26	070S	230E	4304715135	5670	Federal	OW	TA
RWU 10 (12-23B)	23	070S	230E	4304715141	5670	Federal	OW	TA
RWU 101 (34-21B)	21	070S	230E	4304715220	5670	Federal	OW	P
RWU 103 (34-15B)	15	070S	230E	4304715222	5670	Federal	OW	P
RWU 108 (32-21B)	21	070S	230E	4304715226	5670	Federal	OW	P
RWU 109 (21-28B)	28	070S	230E	4304715227	5670	Federal	OW	P
RWU 110 (23-23A)	23	070S	220E	4304715228	5670	Federal	OW	P
RWU 111 (32-24A)	24	070S	220E	4304715229	5670	Federal	OW	TA
RWU 112 (32-28A)	28	070S	220E	4304715230	5670	Federal	OW	P
RWU 115 (21-19B)	19	070S	230E	4304715233	5670	Federal	OW	P
RWU 119 (43-29A)	29	070S	220E	4304715236	5670	Federal	OW	P
RWU 120 (23-28B)	28	070S	230E	4304715237	5670	Federal	OW	TA
RWU 121 (13-13B)	13	070S	230E	4304715238	5670	Federal	GW	P
RWU 122 (24-14B)	14	070S	230E	4304715239	5670	Federal	OW	P
RWU 125 (34-19B)	19	070S	230E	4304715242	5670	Federal	OW	TA
RWU 126 (41-29A)	29	070S	220E	4304715243	5670	Federal	OW	P
RWU 127 (12-19B)	19	070S	230E	4304715244	5670	Federal	OW	TA
RWU 129 (14-15B)	15	070S	230E	4304715246	5670	Federal	OW	P
RWU 13 (14-22B)	22	070S	230E	4304715143	5670	Federal	OW	TA
RWU 133 (41-34B)	34	070S	230E	4304715250	5670	Federal	OW	P
RWU 136 (43-19B)	19	070S	230E	4304715252	5670	Federal	OW	TA
RWU 137 (34-28B)	28	070S	230E	4304715253	5670	Federal	GW	TA
RWU 138 (41-30B)	30	070S	230E	4304715254	5670	Federal	OW	P
RWU 140 (24-22B)	22	070S	230E	4304715255	5670	Federal	OW	P
RWU 141 (11-27B)	27	070S	230E	4304715256	5670	Federal	OW	TA
RWU 143 (33-14B)	14	070S	230E	4304715257	5670	Federal	OW	P
RWU 144 (21-18B)	18	070S	230E	4304715258	5670	Federal	OW	TA
RWU 145 (24-13B)	13	070S	230E	4304715259	5670	Federal	OW	TA
RWU 147 (22-22B)	22	070S	230E	4304715260	5670	Federal	OW	TA
RWU 15 (32-17C)	17	070S	240E	4304715145	5670	Federal	OW	P
RWU 151 (42-14B)	14	070S	230E	4304715264	5670	Federal	OW	P
RWU 153 (14-29B)	29	070S	230E	4304715265	5670	Federal	OW	P
RWU 158 (32-30B)	30	070S	230E	4304715268	5670	Federal	OW	P
RWU 160 (32-15B)	15	070S	230E	4304715270	5670	Federal	OW	P
RWU 162 (12-20B)	20	070S	230E	4304715272	5670	Federal	OW	TA
RWU 164 (12-28B)	28	070S	230E	4304715274	5670	Federal	OW	P
RWU 165 (32-26B)	26	070S	230E	4304715275	5670	Federal	GW	TA
RWU 167 (23-21B)	21	070S	230E	4304715277	5670	Federal	OW	S
RWU 168 (23-24B)	24	070S	230E	4304715278	5670	Federal	OW	TA
RWU 172 (21-30B)	30	070S	230E	4304715280	5670	Federal	OW	TA
RWU 176 (31-28B)	28	070S	230E	4304715283	5670	Federal	OW	TA
RWU 177 (42-28B)	28	070S	230E	4304715284	5670	Federal	OW	TA
RWU 178 (22-13B)	13	070S	230E	4304715285	5670	Federal	OW	TA
RWU 180 (31-23B)	23	070S	230E	4304715287	5670	Federal	OW	TA
RWU 181 (34-30B)	30	070S	230E	4304715288	5670	Federal	OW	P
RWU 184 (23-26B)	26	070S	230E	4304715290	5670	Federal	OW	TA
RWU 188 (23-20B)	20	070S	230E	4304715291	5670	Federal	OW	TA
RWU 19 (34-26B)	26	070S	230E	4304715148	5670	Federal	GW	TA
RWU 192 (41-33A)	33	070S	220E	4304715294	5670	Federal	OW	P
RWU 193 (43-24B)	24	070S	230E	4304715295	5670	Federal	GW	S
RWU 194 (12-14B)	14	070S	230E	4304715296	5670	Federal	OW	S
RWU 196 (23-17C)	17	070S	240E	4304715298	5670	Federal	GW	S
RWU 201 (32-28C)	28	070S	240E	4304715302	5670	Federal	GW	P
RWU 204 (23-25A)	25	070S	220E	4304715305	5670	Federal	OW	P
RWU 205 (23-21C)	21	070S	240E	4304715306	5670	Federal	GW	TA
RWU 207	17	070S	230E	4304732738	5670	Federal	OW	P
RWU 21 (32-14B)	14	070S	230E	4304715150	5670	Federal	OW	P
RWU 212 (41-8F)	08	080S	240E	4304720014	5670	Federal	GW	P
RWU 21-24A	24	070S	220E	4304733592	5670	Federal	OW	P

SEI (N4235) to QEP (N2460) RED WASH UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat
RWU 21-25A	25	070S	220E	4304733576	5670	Federal	OW	P
RWU 219 (44-21C)	21	070S	240E	4304730149	5670	Federal	GW	P
RWU 220 (22-23B)	23	070S	230E	4304730192	5670	Federal	OW	TA
RWU 221 (13-27B)	27	070S	230E	4304730199	5670	Federal	OW	TA
RWU 22-13A	13	070S	220E	4304733765	5670	Federal	OW	S
RWU 22-19B	19	070S	230E	4304733559	5670	Federal	OW	P
RWU 222 (31-27B)	27	070S	230E	4304730200	5670	Federal	GW	TA
RWU 22-20B	20	070S	230E	4304733491	5670	Federal	OW	P
RWU 22-25A	25	070S	220E	4304733786	5670	Federal	OW	P
RWU 22-29B	29	070S	230E	4304733766	5670	Federal	OW	S
RWU 224 (44-22B)	22	070S	230E	4304730202	5670	Federal	GW	TA
RWU 225 (13-23B)	23	070S	230E	4304730212	5670	Federal	GW	TA
RWU 226 (24-23B)	23	070S	230E	4304730249	5670	Federal	GW	S
RWU 227 (14-26B)	26	070S	230E	4304730257	5670	Federal	OW	TA
RWU 228 (21-34B)	34	070S	230E	4304730258	5670	Federal	OW	P
RWU 229 (43-26B)	26	070S	230E	4304730259	5670	Federal	OW	TA
RWU 230 (14-18C)	18	070S	240E	4304730309	5670	Federal	OW	TA
RWU 231 (21-35B)	35	070S	230E	4304730310	5670	Federal	OW	TA
RWU 232 (12-26B)	26	070S	230E	4304730311	5670	Federal	OW	TA
RWU 23-24A	24	070S	220E	4304733567	5670	Federal	OW	P
RWU 233 (12-25B)	25	070S	230E	4304730312	5670	Federal	OW	TA
RWU 234 (32-24B)	24	070S	230E	4304730313	5670	Federal	OW	P
RWU 235 (34-18C)	18	070S	240E	4304730314	5670	Federal	OW	P
RWU 236 (21-19C)	19	070S	240E	4304730340	5670	Federal	GW	P
RWU 237 (14-25B)	25	070S	230E	4304730341	5670	Federal	OW	P
RWU 238 (32-35B)	35	070S	230E	4304730342	5670	Federal	OW	TA
RWU 239 (41-35B)	35	070S	230E	4304730343	5670	Federal	OW	TA
RWU 24 (34-14B)	14	070S	230E	4304715152	5670	Federal	OW	P
RWU 240 (12-36B)	36	070S	230E	4304730344	5670	Federal	OW	P
RWU 241 (22-14B)	14	070S	230E	4304730345	5670	Federal	OW	P
RWU 24-18B	18	070S	230E	4304733554	5670	Federal	OW	P
RWU 24-19B	19	070S	230E	4304733492	5670	Federal	OW	P
RWU 242 (42-13B)	13	070S	230E	4304730346	5670	Federal	OW	P
RWU 243 (42-18C)	18	070S	240E	4304730347	5670	Federal	OW	TA
RWU 244 (23-19C)	19	070S	240E	4304730348	5670	Federal	GW	P
RWU 246 (22-18C)	18	070S	240E	4304730387	5670	Federal	OW	P
RWU 247 (22-17C)	17	070S	240E	4304730388	5670	Federal	GW	P
RWU 26 (23-22B)	22	070S	230E	4304715153	5670	Federal	OW	TA
RWU 262 (22-26B)	26	070S	230E	4304730517	5670	Federal	GW	TA
RWU 265 (44-26B)	26	070S	230E	4304730520	5670	Federal	GW	P
RWU 267 (32-17B)	17	070S	230E	4304732981	5670	Federal	OW	P
RWU 27 (43-14B)	14	070S	230E	4304715154	5670	Federal	OW	TA
RWU 270 (22-35B)	35	070S	230E	4304731082	5670	Federal	OW	P
RWU 272 (44-23B)	23	070S	230E	4304731054	5670	Federal	GW	P
RWU 273 (42-27B)	27	070S	230E	4304731051	5670	Federal	OW	TA
RWU 276 (44-27B)	27	070S	230E	4304731053	5670	Federal	OW	TA
RWU 278 (11-26)	26	070S	230E	4304731076	5670	Federal	GW	TA
RWU 28 (43-22B)	22	070S	230E	4304715155	5670	Federal	OW	P
RWU 280 (11-35B)	35	070S	230E	4304731079	5670	Federal	OW	P
RWU 282 (42-26B)	26	070S	230E	4304731080	5670	Federal	GW	TA
RWU 284 (33-23B)	23	070S	230E	4304731476	5670	Federal	GW	TA
RWU 285 (11-24B)	24	070S	230E	4304731477	5670	Federal	OW	P
RWU 286 (42-21B)	21	070S	230E	4304731478	5670	Federal	OW	P
RWU 287 (44-13B)	13	070S	230E	4304731512	5670	Federal	OW	TA
RWU 288 (24-27)	27	070S	230E	4304731513	5670	Federal	OW	TA
RWU 289 (13-24B)	24	070S	230E	4304731517	5670	Federal	OW	P
RWU 29 (32-23B)	23	070S	230E	4304715156	5670	Federal	OW	P
RWU 292 (42-23B)	23	070S	230E	4304731576	5670	Federal	GW	TA
RWU 293 (22-22A)	22	070S	220E	4304731581	5670	Federal	OW	TA
RWU 294 (24-18C)	18	070S	240E	4304731582	5670	Federal	GW	P
RWU 295 (11-22B)	22	070S	230E	4304731577	5670	Federal	GW	TA
RWU 296 (12-35B)	35	070S	230E	4304731578	5670	Federal	OW	P
RWU 297 (24-15B)	15	070S	230E	4304731579	5670	Federal	OW	P
RWU 298 (22-27B)	27	070S	230E	4304731679	5670	Federal	OW	TA
RWU 299 (32-18B)	18	070S	230E	4304733018	5670	Federal	OW	P

SEI (N4235) to QEP (N2460) RED WASH UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat	
RWU 3 (34-23B)	23	070S	230E	4304715136	5670	Federal	OW	P	
RWU 30 (23-13B)	13	070S	230E	4304715157	5670	Federal	GW	TA	
RWU 301 (43-15B)	15	070S	230E	4304731682	5670	Federal	GW	S	
RWU 302 (22-24B)	24	070S	230E	4304731683	5670	Federal	GW	TA	
RWU 303 (34-17B)	17	070S	230E	4304731819	5670	Federal	OW	P	
RWU 31 (34-22B)	22	070S	230E	4304715158	5670	Federal	OW	P	
RWU 33 (14-14B)	14	070S	230E	4304715160	5670	Federal	GW	TA	
RWU 35 (43-13B)	13	070S	230E	4304715162	5670	Federal	OW	TA	
RWU 36 (32-13B)	13	070S	230E	4304715163	5670	Federal	GW	P	
RWU 38 (14-23B)	23	070S	230E	4304715165	5670	Federal	OW	P	
RWU 39 (14-24A)	24	070S	220E	4304715166	5670	Federal	OW	TA	
RWU 4 (41-22B)	22	070S	230E	4304715137	5670	Federal	OW	TA	
RWU 40 (21-24B)	24	070S	230E	4304715167	5670	Federal	OW	TA	
RWU 41 (34-13B)	13	070S	230E	4304715168	5670	Federal	OW	P	
RWU 41-24A	24	070S	220E	4304733769	5670	Federal	OW	P	
RWU 41-25A	25	070S	220E	4304733579	5670	Federal	OW	P	
RWU 42 (21-29C)	29	070S	240E	4304715169	5670	Federal	GW	P	
RWU 42-19B	19	070S	230E	4304733556	5670	Federal	OW	P	
RWU 42-20B	20	070S	230E	4304733490	5670	Federal	OW	P	
RWU 42-24A	24	070S	220E	4304733569	5670	Federal	OW	P	
RWU 42-25A	25	070S	220E	4304733580	5670	Federal	OW	S	
RWU 42-30B	30	070S	230E	4304733771	5670	Federal	OW	P	
RWU 43 (12-17B)	17	070S	230E	4304715170	5670	Federal	OW	P	
RWU 44 (32-33C)	33	070S	240E	4304715171	5670	Federal	GW	P	
RWU 44-18B	18	070S	230E	4304733594	5670	Federal	OW	P	
RWU 44-30B	30	070S	230E	4304733772	5670	Federal	OW	P	
RWU 45 (23-30B)	30	070S	230E	4304715172	5670	Federal	OW	TA	
RWU 46 (41-21C)	21	070S	240E	4304715173	5670	Federal	GW	TA	
RWU 49 (12-29B)	29	070S	230E	4304715175	5670	Federal	OW	TA	
RWU 5 (41-23B)	23	070S	230E	4304715138	5670	Federal	OW	P	
RWU 50 (14-23A)	23	070S	220E	4304715176	5670	Federal	OW	P	
RWU 52 (14-18B)	18	070S	230E	4304715178	5670	Federal	OW	TA	
RWU 53 (41-25A)	25	070S	220E	4304715179	5670	Federal	OW	TA	
RWU 57 (12-18C)	18	070S	240E	4304715183	5670	Federal	OW	P	
RWU 63 (21-22B)	22	070S	230E	4304715186	5670	Federal	GW	TA	
RWU 64 (32-27B)	27	070S	230E	4304715187	5670	Federal	OW	TA	
RWU 66 (34-18B)	18	070S	230E	4304715189	5670	Federal	OW	P	
RWU 67 (42-22B)	22	070S	230E	4304715190	5670	Federal	OW	TA	
RWU 69 (21-27B)	27	070S	230E	4304715191	5670	Federal	OW	TA	
RWU 70 (23-22A)	22	070S	220E	4304715192	5670	Federal	OW	P	
RWU 71 (21-18C)	18	070S	240E	4304715193	5670	Federal	OW	P	
RWU 72 (23-27B)	27	070S	230E	4304715194	5670	Federal	OW	TA	
RWU 74 (12-13B)	13	070S	230E	4304715196	5670	Federal	GW	P	
RWU 75 (21-26B)	26	070S	230E	4304715197	5670	Federal	OW	TA	
RWU 76 (32-18C)	18	070S	240E	4304715198	5670	Federal	GW	S	
RWU 77 (21-13B)	13	070S	230E	4304715199	5670	Federal	OW	P	
RWU 78 (32-28B)	28	070S	230E	4304715200	5670	Federal	OW	P	
RWU 79 (12-27B)	27	070S	230E	4304715201	5670	Federal	OW	TA	
RWU 8 (32-22B)	22	070S	230E	4304715139	5670	Federal	OW	P	
RWU 80 (14-27B)	27	070S	230E	4304715202	5670	Federal	OW	P	
RWU 81 (41-31B)	31	070S	230E	4304715203	5670	Federal	OW	P	
RWU 83 (41-27A)	27	070S	220E	4304715205	5670	Federal	OW	P	
RWU 84 (44-14B)	14	070S	230E	4304715206	5670	Federal	GW	P	
RWU 9 (43-23B)	23	070S	230E	4304715140	5670	Federal	OW	P	
RWU 90 (43-21B)	21	070S	230E	4304715211	5670	Federal	OW	P	
RWU 92 (11-23B)	23	070S	230E	4304715212	5670	Federal	OW	TA	
RWU 94 (12-22A)	22	070S	220E	4304715213	5670	Federal	OW	P	
RWU 99 (12-22B)	22	070S	230E	4304715218	5670	Federal	OW	P	
RED WASH UNIT 259	16	070S	230E	4304732785	5670	State	OW	P	
RED WASH UNIT 260	16	070S	230E	4304732786	5670	State	OW	P	
RWU 51 (12-16B)	16	070S	230E	4304715177	5670	State	OW	P	
RWU ST 189 (41-16B)	16	070S	230E	4304715292	5670	State	OW	P	
RED WASH UNIT 261	17	070S	230E	4304732739	5670	Federal	WI	A	
RWU 100-A (43-21A)	21	070S	220E	4304715219	5670	Federal	WI	A	

SEI (N4235) to QEP (N2460) RED WASH UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat	
RWU 102 (41-24A)	24	070S	220E	4304715221	5670	Federal	WI	A	
RWU 11	27	070S	230E	4304715142	5670	Federal	WI	A	
RWU 11-19B	19	070S	230E	4304733552	5670	Federal	WI	A	
RWU 11-20B	20	070S	230E	4304733553	5670	Federal	WI	A	
RWU 11-25A	25	070S	220E	4304733574	5670	Federal	WI	A	
RWU 11-29B	29	070S	230E	4304733590	5670	Federal	WI	A	
RWU 11-30B	30	070S	230E	4304733785	5670	Federal	WI	A	
RWU 12-24A	24	070S	220E	4304733591	5670	Federal	WI	A	
RWU 13-19B	19	070S	230E	4304733497	5670	Federal	WI	A	
RWU 13-20B	20	070S	230E	4304733498	5670	Federal	WI	A	
RWU 13-25A	25	070S	220E	4304733575	5670	Federal	WI	A	
RWU 14 (14-13B)	13	070S	230E	4304715144	5670	Federal	WI	A	
RWU 148 (13-22B)	22	070S	230E	4304715261	5670	Federal	WI	A	
RWU 150 (31-22B)	22	070S	230E	4304715263	5670	Federal	WI	I	
RWU 156 (23-15B)	15	070S	230E	4304715267	5670	Federal	WI	A	
RWU 16 (43-28B)	28	070S	230E	4304716475	5670	Federal	WI	I	
RWU 161 (14-20B)	20	070S	230E	4304715271	5670	Federal	WI	I	
RWU 17 (41-20B)	20	070S	230E	4304715146	5670	Federal	WI	A	
RWU 170 (41-15B)	15	070S	230E	4304716495	5670	Federal	WI	I	
RWU 173 (21-21B)	21	070S	230E	4304716496	5670	Federal	WI	A	
RWU 174 (21-20B)	20	070S	230E	4304715281	5670	Federal	WI	A	
RWU 182 (14-21B)	21	070S	230E	4304716497	5670	Federal	WI	A	
RWU 183 (33-13B)	13	070S	230E	4304715289	5670	Federal	WI	A	
RWU 185 (41-1B)	14	070S	230E	4304716498	5670	Federal	WI	A	
RWU 199 (43-22A)	22	070S	220E	4304715301	5670	Federal	WI	A	
RWU 2 (14-24B)	24	070S	230E	4304716472	5670	Federal	WI	A	
RWU 202 (21-34A)	34	070S	220E	4304715303	5670	Federal	WI	I	
RWU 213 (41-33B)	33	070S	230E	4304720060	5670	Federal	WD	A	
RWU 215 (43-28A)	28	070S	220E	4304730058	5670	Federal	WI	A	
RWU 216 (21-27A)	27	070S	220E	4304730103	5670	Federal	WI	A	
RWU 23 (21-23B)	23	070S	230E	4304715151	5670	Federal	WI	A	
RWU 23-18C (97)	18	070S	240E	4304715216	5670	Federal	WI	I	
RWU 25 (23-23B)	23	070S	230E	4304716476	5670	Federal	WI	A	
RWU 258 (34-22A)	22	070S	220E	4304730458	5670	Federal	WI	A	
RWU 263 (24-26B)	26	070S	230E	4304730518	5670	Federal	WI	I	
RWU 264 (31-35B)	35	070S	230E	4304730519	5670	Federal	WI	A	
RWU 266 (33-26B)	26	070S	230E	4304730521	5670	Federal	WI	I	
RWU 268 (43-17B)	17	070S	230E	4304732980	5670	Federal	WI	A	
RWU 269 (13-26B)	26	070S	230E	4304730522	5670	Federal	WI	I	
RWU 271 (42-35B)	35	070S	230E	4304731081	5670	Federal	WI	I	
RWU 275 (31-26B)	26	070S	230E	4304731077	5670	Federal	WI	A	
RWU 279 (11-36B)	36	070S	230E	4304731052	5670	Federal	WI	A	
RWU 283 (43-18B)	18	070S	230E	4304732982	5670	Federal	WI	A	
RWU 31-19B	19	070S	230E	4304733555	5670	Federal	WI	A	
RWU 31-25A	25	070S	220E	4304733577	5670	Federal	WI	A	
RWU 31-30B	30	070S	230E	4304733788	5670	Federal	WI	A	
RWU 33-19B	19	070S	230E	4304733499	5670	Federal	WI	A	
RWU 33-20B	20	070S	230E	4304733500	5670	Federal	WI	A	
RWU 33-25A	25	070S	220E	4304733578	5670	Federal	WI	A	
RWU 33-30B	30	070S	230E	4304733790	5670	Federal	WI	A	
RWU 34 (23-14B)	14	070S	230E	4304715161	5670	Federal	WI	A	
RWU 34-13A	13	070S	220E	4304733593	5670	Federal	WI	A	
RWU 34-24A	24	070S	220E	4304733568	5670	Federal	WI	A	
RWU 48 (32-19B)	19	070S	230E	4304715174	5670	Federal	WI	I	
RWU 56 (41-28B)	28	070S	230E	4304715182	5670	Federal	WI	A	
RWU 59 (12-24B)	24	070S	230E	4304716477	5670	Federal	WI	A	
RWU 6 (41-21B)	21	070S	230E	4304716482	5670	Federal	WI	A	
RWU 61 (12-27A)	27	070S	220E	4304716478	5670	Federal	WI	I	
RWU 68 (41-13B)	13	070S	230E	4304716485	5670	Federal	WI	I	
RWU 7 (41-27B)	27	070S	230E	4304716473	5670	Federal	WI	I	
RWU 88 (23-18B)	18	070S	230E	4304715210	5670	Federal	WI	A	
RWU 91 (33-22B)	22	070S	230E	4304716479	5670	Federal	WI	A	
RWU 93 (43-27B)	27	070S	230E	4304716480	5670	Federal	WI	I	
RWU 324 (23-16B)	16	070S	230E	4304733084	5670	State	WI	I	



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

IN REPLY REFER TO
UT-922

June 9, 2003

QEP Uinta Basin, Inc.
1050 17th Street, Suite 500
Denver, Colorado 80265

Re: Red Wash Unit
Uintah County, Utah

Gentlemen:

On May 30, 2003, we received an indenture dated February 1, 2003, whereby Shenandoah Energy, Inc. changed its name and QEP Uinta Basin, Inc. was designated as Successor Unit Operator for the Red Wash Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective June 9, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under Red Wash Unit Agreement.

Your nationwide (Eastern States) oil and gas bond No. B000024 will be used to cover all operations within the Red Wash Unit.

It is requested that you notify all interested parties of the name change of unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)
SITLA
Division of Oil, Gas & Mining
Minerals Adjudication Group
File - Red Wash Unit (w/enclosure)
Agr. Sec. Chron
Fluid Chron

UT922:TAThompson:tt:6/9/03

JUL 07 2003

3104 (932.34)WF
Nationwide Bond ESB000024

NOTICE

QEP Uinta Basin, Inc.
1050 17th Street Suite 500
Denver, Colorado 80265

:
: Oil and Gas
: lease
:

Name Change Recognized

Acceptable evidence has been filed in this office concerning the name change of Shenandoah Energy Incorporated into QEP Uinta Basin, Incorporated. QEP Uinta Basin, Incorporated is the surviving entity. This name change is recognized effective April 17, 2003.

Eastern States will notify the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice.

If you identify other leases in which the merging entity maintain an interest, please contact this office and we will appropriately document those files with a copy of this notice.

If you have any questions, please contact Bill Forbes at 703-440-1536.

S/ Wilbert B. Forbes

Wilbert B. Forbes
Land Law Examiner
Branch of Use Authorization
Division of Resources Planning,
Use and Protection

bc: JFO, MMS, ES RF, 930 RF, 932.34 RF, E-932: wbf:07 /07/03:440-1536/ QEP Uinta Basin
MFO

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

ROUTING
1. DJJ
2. CDW

Change of Operator (Well Sold)

X - Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

1/1/2007

FROM: (Old Operator): N2460-QEP Uinta Basin, Inc. 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 672-6900	TO: (New Operator): N5085-Questar E&P Company 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 672-6900
---	--

WELL NAME	CA No.	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LISTS					*				

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 4/19/2007
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 4/16/2007
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 1/31/2005
- Is the new operator registered in the State of Utah: Business Number: 764611-0143
- (R649-9-2) Waste Management Plan has been received on: IN PLACE
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: n/a
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 4/23/2007 BIA
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: 4/23/2007
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on:
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on:

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 4/30/2007 and 5/15/2007
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 4/30/2007 and 5/15/2007
- Bond information entered in RBDMS on: 4/30/2007 and 5/15/2007
- Fee/State wells attached to bond in RBDMS on: 4/30/2007 and 5/15/2007
- Injection Projects to new operator in RBDMS on: 4/30/2007 and 5/15/2007
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: ESB000024
- Indian well(s) covered by Bond Number: 799446
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965003033
- The **FORMER** operator has requested a release of liability from their bond on: n/a

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS: THIS IS A COMPANY NAME CHANGE.

SOME WELL NAMES HAVE BEEN CHANGED AS REQUESTED

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 1 (41-26B)	RW 41-26B	NENE	26	070S	230E	4304715135	5670	Federal	OW	TA
RWU 3 (34-23B)	RW 34-23B	SWSE	23	070S	230E	4304715136	5670	Federal	OW	P
RWU 4 (41-22B)	RW 41-22B	NENE	22	070S	230E	4304715137	5670	Federal	OW	TA
RWU 5 (41-23B)	RW 41-23B	NENE	23	070S	230E	4304715138	5670	Federal	OW	P
RWU 8 (32-22B)	RW 32-22B	SWNE	22	070S	230E	4304715139	5670	Federal	OW	P
RWU 9 (43-23B)	RW 43-23B	NESE	23	070S	230E	4304715140	5670	Federal	OW	P
RWU 10 (12-23B)	RW 12-23B	SWNW	23	070S	230E	4304715141	5670	Federal	OW	TA
RWU 11	RW 34-27B	SWSE	27	070S	230E	4304715142	99996	Federal	WI	A
RWU 13 (14-22B)	RW 14-22B	SWSW	22	070S	230E	4304715143	5670	Federal	OW	TA
RW 14-13B	RW 14-13B	SWSW	13	070S	230E	4304715144	99996	Federal	WI	A
RWU 15 (32-17C)	RW 32-17C	SWNE	17	070S	240E	4304715145	5670	Federal	OW	P
RWU 17 (41-20B)	RW 41-20B	NENE	20	070S	230E	4304715146	5670	Federal	WI	A
RWU 19 (34-26B)	RW 34-26B	SWSE	26	070S	230E	4304715148	5670	Federal	GW	S
RWU 21 (32-14B)	RW 32-14B	SWNE	14	070S	230E	4304715150	5670	Federal	OW	P
RWU 23 (21-23B)	RW 21-23B	SENW	23	070S	230E	4304715151	99996	Federal	WI	A
RWU 24 (34-14B)	RW 34-14B	SWSE	14	070S	230E	4304715152	5670	Federal	OW	S
RWU 26 (23-22B)	RW 23-22B	NESW	22	070S	230E	4304715153	5670	Federal	OW	TA
RWU 27 (43-14B)	RW 43-14B	NESE	14	070S	230E	4304715154	5670	Federal	OW	TA
RWU 28 (43-22B)	RW 43-22B	NESE	22	070S	230E	4304715155	5670	Federal	OW	P
RWU 29 (32-23B)	RW 32-23B	SWNE	23	070S	230E	4304715156	5670	Federal	OW	P
RW 23-13B	RW 23-13B	NESW	13	070S	230E	4304715157	5670	Federal	GW	TA
RWU 31 (34-22B)	RW 34-22B	SWSE	22	070S	230E	4304715158	5670	Federal	OW	P
RWU 33 (14-14B)	RW 14-14B	SWSW	14	070S	230E	4304715160	5670	Federal	GW	TA
RWU 34 (23-14B)	RW 23-14B	NESW	14	070S	230E	4304715161	99996	Federal	WI	A
RW 43-13B	RW 43-13B	NESE	13	070S	230E	4304715162	5670	Federal	OW	TA
RWU 36 (32-13B)	RW 32-13B	SWNE	13	070S	230E	4304715163	5670	Federal	GW	P
RWU 38 (14-23B)	RW 14-23B	SWSW	23	070S	230E	4304715165	5670	Federal	OW	P
RWU 39 (14-24A)	RW 14-24A	SWSW	24	070S	220E	4304715166	5670	Federal	OW	TA
RWU 40 (21-24B)	RW 21-24B	NENW	24	070S	230E	4304715167	5670	Federal	OW	TA
RWU 41 (34-13B)	RW 34-13B	SWSE	13	070S	230E	4304715168	5670	Federal	OW	P
RWU 42 (21-29C)	RW 21-29C	NENW	29	070S	240E	4304715169	5670	Federal	GW	P
RWU 43 (12-17B)	RW 12-17B	SWNW	17	070S	230E	4304715170	5670	Federal	OW	P
RWU 44 (32-33C)	RW 32-33C	SWNE	33	070S	240E	4304715171	5670	Federal	GW	P
RWU 45 (23-30B)	RW 23-30B	NESW	30	070S	230E	4304715172	5670	Federal	OW	TA
RWU 46 (41-21C)	RW 41-21C	NENE	21	070S	240E	4304715173	5670	Federal	GW	TA
RWU 48 (32-19B)	RW 32-19B	SWNE	19	070S	230E	4304715174	99996	Federal	WI	I
RWU 49 (12-29B)	RW 12-29B	SWNW	29	070S	230E	4304715175	5670	Federal	OW	TA
RWU 50 (14-23A)	RW 14-23A	SWSW	23	070S	220E	4304715176	5670	Federal	OW	P
RWU 52 (14-18B)	RW 14-18B	SWSW	18	070S	230E	4304715178	5670	Federal	OW	TA
RWU 53 (41-25A)	RW 41-25A	NENE	25	070S	220E	4304715179	5670	Federal	OW	TA
RWU 56 (41-28B)	RW 41-28B	NENE	28	070S	230E	4304715182	99996	Federal	WI	A

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 57 (12-18C)	RW 12-18C	SWNW	18	070S	240E	4304715183	5670	Federal	OW	P
RWU 63 (21-22B)	RW 21-22B	NENW	22	070S	230E	4304715186	5670	Federal	GW	TA
RWU 64 (32-27B)	RW 32-27B	SWNE	27	070S	230E	4304715187	5670	Federal	OW	TA
RWU 66 (34-18B)	RW 34-18B	SWSE	18	070S	230E	4304715189	5670	Federal	OW	P
RWU 67 (42-22B)	RW 42-22B	SENE	22	070S	230E	4304715190	5670	Federal	OW	TA
RWU 69 (21-27B)	RW 21-27B	NENW	27	070S	230E	4304715191	5670	Federal	OW	TA
RWU 70 (23-22A)	RW 23-22A	NESW	22	070S	220E	4304715192	5670	Federal	OW	P
RWU 71 (21-18C)	RW 21-18C	NENW	18	070S	240E	4304715193	5670	Federal	OW	P
RWU 72 (23-27B)	RW 23-27B	NESW	27	070S	230E	4304715194	5670	Federal	OW	TA
RWU 74 (12-13B)	RW 12-13B	SWNW	13	070S	230E	4304715196	5670	Federal	GW	S
RWU 75 (21-26B)	RW 21-26B	NENW	26	070S	230E	4304715197	5670	Federal	OW	TA
RWU 76 (32-18C)	RW 32-18C	SWNE	18	070S	240E	4304715198	5670	Federal	GW	P
RWU 77 (21-13B)	RWU 77 (21-13B)	NENW	13	070S	230E	4304715199	5670	Federal	OW	P
RWU 78 (32-28B)	RW 32-28B	SWNE	28	070S	230E	4304715200	5670	Federal	OW	P
RWU 79 (12-27B)	RW 12-27B	SWNW	27	070S	230E	4304715201	5670	Federal	OW	TA
RWU 80 (14-27B)	RW 14-27B	SWSW	27	070S	230E	4304715202	5670	Federal	OW	S
RWU 81 (41-31B)	RW 41-31B	NENE	31	070S	230E	4304715203	5670	Federal	OW	P
RWU 83 (41-27A)	RW 41-27A	NENE	27	070S	220E	4304715205	5670	Federal	OW	P
RWU 84 (44-14B)	RW 44-14B	SESE	14	070S	230E	4304715206	5670	Federal	GW	P
RWU 88 (23-18B)	RW 23-18B	NESW	18	070S	230E	4304715210	5670	Federal	WI	A
RWU 90 (43-21B)	RW 43-21B	NESE	21	070S	230E	4304715211	5670	Federal	OW	P
RWU 92 (11-23B)	RW 11-23B	NWNW	23	070S	230E	4304715212	5670	Federal	OW	TA
RWU 94 (12-22A)	RW 12-22A	SWNW	22	070S	220E	4304715213	5670	Federal	OW	P
RWU 23-18C (97)	RW 23-18C	NESW	18	070S	240E	4304715216	99996	Federal	WI	I
RWU 99 (12-22B)	RW 12-22B	SWNW	22	070S	230E	4304715218	5670	Federal	OW	P
RWU 100-A (43-21A)	RW 43-21A	NESE	21	070S	220E	4304715219	5670	Federal	WI	A
RWU 101 (34-21B)	RW 34-21B	SWSE	21	070S	230E	4304715220	5670	Federal	OW	P
RWU 102 (41-24A)	RW 41-24A	SENE	24	070S	220E	4304715221	5670	Federal	WI	A
RWU 103 (34-15B)	RW 34-15B	SWSE	15	070S	230E	4304715222	5670	Federal	OW	P
RWU 108 (32-21B)	RW 32-21B	SWNE	21	070S	230E	4304715226	5670	Federal	OW	P
RWU 109 (21-28B)	RW 21-28B	NENW	28	070S	230E	4304715227	5670	Federal	OW	P
RWU 110 (23-23A)	RW 23-23A	NESW	23	070S	220E	4304715228	5670	Federal	OW	P
RWU 111 (32-24A)	RW 32-24A	SWNE	24	070S	220E	4304715229	5670	Federal	OW	S
RWU 112 (32-28A)	RW 32-28A	SWNE	28	070S	220E	4304715230	5670	Federal	OW	S
RWU 115 (21-19B)	RW 21-19B	NENW	19	070S	230E	4304715233	5670	Federal	OW	P
RWU 119 (43-29A)	RW 43-29A	NESE	29	070S	220E	4304715236	5670	Federal	OW	P
RWU 120 (23-28B)	RW 23-28B	NESW	28	070S	230E	4304715237	5670	Federal	OW	TA
RW 13-13B	RW 13-13B	NWSW	13	070S	230E	4304715238	5670	Federal	GW	P
RWU 122 (24-14B)	RW 24-14B	SESW	14	070S	230E	4304715239	5670	Federal	OW	P
RWU 125 (34-19B)	RW 34-19B	SWSE	19	070S	230E	4304715242	5670	Federal	OW	TA
RWU 126 (41-29A)	RW 41-29A	NENE	29	070S	220E	4304715243	5670	Federal	OW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 127 (12-19B)	RW 12-19B	SWNW	19	070S	230E	4304715244	5670	Federal	OW	S
RWU 129 (14-15B)	RW 14-15B	SWSW	15	070S	230E	4304715246	5670	Federal	OW	P
RWU 133 (41-34B)	RW 41-34B	NENE	34	070S	230E	4304715250	5670	Federal	OW	P
RWU 136 (43-19B)	RW 43-19B	NESE	19	070S	230E	4304715252	5670	Federal	OW	TA
RWU 137 (34-28B)	RW 34-28B	SWSE	28	070S	230E	4304715253	5670	Federal	GW	TA
RWU 138 (41-30B)	RW 41-30B	NENE	30	070S	230E	4304715254	5670	Federal	OW	P
RWU 140 (24-22B)	RW 24-22B	SESW	22	070S	230E	4304715255	5670	Federal	OW	P
RWU 141 (11-27B)	RW 11-27B	NWNW	27	070S	230E	4304715256	5670	Federal	OW	TA
RWU 143 (33-14B)	RW 33-14B	NWSE	14	070S	230E	4304715257	5670	Federal	OW	P
RWU 144 (21-18B)	RW 21-18B	NENW	18	070S	230E	4304715258	5670	Federal	OW	TA
RW 24-13B	RW 24-13B	SESW	13	070S	230E	4304715259	5670	Federal	OW	TA
RWU 147 (22-22B)	RW 22-22B	SESW	22	070S	230E	4304715260	5670	Federal	OW	TA
RWU 148 (13-22B)	RW 13-22B	NWSW	22	070S	230E	4304715261	99996	Federal	WI	A
RWU 150 (31-22B)	RW 31-22B	NWNE	22	070S	230E	4304715263	99996	Federal	WI	I
RWU 151 (42-14B)	RW 42-14B	SENE	14	070S	230E	4304715264	5670	Federal	OW	P
RWU 153 (14-29B)	RW 14-29B	SWSW	29	070S	230E	4304715265	5670	Federal	OW	P
RWU 156 (23-15B)	RW 23-15B	NESW	15	070S	230E	4304715267	99990	Federal	WI	A
RWU 158 (32-30B)	RW 32-30B	SWNE	30	070S	230E	4304715268	5670	Federal	OW	P
RWU 160 (32-15B)	RW 32-15B	SWNE	15	070S	230E	4304715270	5670	Federal	OW	P
RWU 161 (14-20B)	RW 14-20B	SWSW	20	070S	230E	4304715271	99996	Federal	WI	I
RWU 162 (12-20B)	RW 12-20B	SWNW	20	070S	230E	4304715272	5670	Federal	OW	P
RWU 164 (12-28B)	RW 12-28B	SWNW	28	070S	230E	4304715274	5670	Federal	OW	P
RWU 165 (32-26B)	RW 32-26B	SWNE	26	070S	230E	4304715275	5670	Federal	GW	TA
RWU 167 (23-21B)	RW 23-21B	NESW	21	070S	230E	4304715277	5670	Federal	OW	S
RWU 168 (23-24B)	RW 23-24B	NESW	24	070S	230E	4304715278	5670	Federal	OW	TA
RWU 172 (21-30B)	RW 21-30B	NENW	30	070S	230E	4304715280	5670	Federal	OW	TA
RWU 174 (21-20B)	RW 21-20B	NENW	20	070S	230E	4304715281	5670	Federal	WI	A
RWU 176 (31-28B)	RW 31-28B	NWNE	28	070S	230E	4304715283	5670	Federal	OW	TA
RWU 177 (42-28B)	RW 42-28B	SENE	28	070S	230E	4304715284	5670	Federal	OW	TA
RW 22-13B	RW 22-13B	SESW	13	070S	230E	4304715285	5670	Federal	OW	TA
RWU 180 (31-23B)	RW 31-23B	NWNE	23	070S	230E	4304715287	5670	Federal	OW	TA
RWU 181 (34-30B)	RW 34-30B	SWSE	30	070S	230E	4304715288	5670	Federal	OW	P
RW 33-13B	RW 33-13B	NWSE	13	070S	230E	4304715289	5670	Federal	WI	A
RWU 184 (23-26B)	RW 23-26B	NESW	26	070S	230E	4304715290	5670	Federal	GW	S
RWU 188 (23-20B)	RW 23-20B	NESW	20	070S	230E	4304715291	5670	Federal	OW	TA
RWU 192 (41-33A)	RW 41-33A	NENE	33	070S	220E	4304715294	5670	Federal	OW	P
RWU 193 (43-24B)	RW 43-24B	NESE	24	070S	230E	4304715295	5670	Federal	GW	TA
RWU 194 (12-14B)	RW 12-14B	SWNW	14	070S	230E	4304715296	5670	Federal	OW	S
RWU 196 (23-17C)	RW 23-17C	NESW	17	070S	240E	4304715298	5670	Federal	GW	TA
RWU 199 (43-22A)	RW 43-22A	NESE	22	070S	220E	4304715301	99996	Federal	WI	A
RWU 201 (32-28C)	RW 32-28C	SWNE	28	070S	240E	4304715302	5670	Federal	GW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 202 (21-34A)	RW 21-34A	NENW	34	070S	220E	4304715303	99996	Federal	WI	I
RWU 204 (23-25A)	RW 23-25A	NESW	25	070S	220E	4304715305	5670	Federal	OW	P
RWU 205 (23-21C)	RW 23-21C	NESW	21	070S	240E	4304715306	5670	Federal	GW	TA
RWU 2 (14-24B)	RW 14-24B	SWSW	24	070S	230E	4304716472	99996	Federal	WI	A
RWU 7 (41-27B)	RW 41-27B	NENE	27	070S	230E	4304716473	99996	Federal	WI	I
RWU 16 (43-28B)	RW 43-28B	NESE	28	070S	230E	4304716475	99996	Federal	WI	I
RWU 25 (23-23B)	RW 23-23B	NESW	23	070S	230E	4304716476	99996	Federal	WI	A
RWU 59 (12-24B)	RW 12-24B	SWNW	24	070S	230E	4304716477	99996	Federal	WI	A
RWU 61 (12-27A)	RW 12-27A	SWNW	27	070S	220E	4304716478	99996	Federal	WI	I
RWU 91 (33-22B)	RW 33-22B	NWSE	22	070S	230E	4304716479	99996	Federal	WI	A
RWU 93 (43-27B)	RW 43-27B	NESE	27	070S	230E	4304716480	99996	Federal	WI	I
RWU 6 (41-21B)	RW 41-21B	NENE	21	070S	230E	4304716482	99996	Federal	WI	A
RWU 68 (41-13B)	RW 41-13B	NENE	13	070S	230E	4304716485	99996	Federal	WI	I
RWU 170 (41-15B)	RW 41-15B	NENE	15	070S	230E	4304716495	99996	Federal	WI	I
RWU 173 (21-21B)	RW 21-21B	NENW	21	070S	230E	4304716496	99996	Federal	WI	A
RWU 182 (14-21B)	RW 14-21B	SWSW	21	070S	230E	4304716497	99996	Federal	WI	A
RWU 185 (41-1B)	RW 41-14B	NENE	14	070S	230E	4304716498	99996	Federal	WI	A
RWU 212 (41-8F)	RW 41-8F	NENE	08	080S	240E	4304720014	5670	Federal	GW	P
RWU 213 (41-33B)	RW 41-33B	NENE	33	070S	230E	4304720060	99996	Federal	WD	A
RWU 215 (43-28A)	RW 43-28A	NESE	28	070S	220E	4304730058	99996	Federal	WD	A
RWU 216 (21-27A)	RW 21-27A	NENW	27	070S	220E	4304730103	99996	Federal	WI	A
RWU 219 (44-21C)	RW 44-21C	SESE	21	070S	240E	4304730149	5670	Federal	GW	S
RWU 220 (22-23B)	RW 22-23B	SENW	23	070S	230E	4304730192	5670	Federal	OW	TA
RWU 221 (13-27B)	RW 13-27B	NWSW	27	070S	230E	4304730199	5670	Federal	OW	TA
RWU 222 (31-27B)	RW 31-27B	NWNE	27	070S	230E	4304730200	5670	Federal	GW	TA
RWU 224 (44-22B)	RW 44-22B	SESE	22	070S	230E	4304730202	5670	Federal	GW	TA
RWU 225 (13-23B)	RW 13-23B	NWSW	23	070S	230E	4304730212	5670	Federal	GW	TA
RWU 226 (24-23B)	RW 24-23B	SESW	23	070S	230E	4304730249	5670	Federal	GW	S
RWU 227 (14-26B)	RW 14-26B	SWSW	26	070S	230E	4304730257	5670	Federal	OW	TA
RWU 228 (21-34B)	RW 21-34B	NENW	34	070S	230E	4304730258	5670	Federal	OW	P
RWU 229 (43-26B)	RW 43-26B	NESE	26	070S	230E	4304730259	5670	Federal	OW	TA
RWU 230 (14-18C)	RW 14-18C	SWSW	18	070S	240E	4304730309	5670	Federal	OW	P
RWU 231 (21-35B)	RW 21-35B	NENW	35	070S	230E	4304730310	5670	Federal	OW	TA
RWU 232 (12-26B)	RW 12-26B	SWNW	26	070S	230E	4304730311	5670	Federal	OW	TA
RWU 233 (12-25B)	RW 12-25B	SWNW	25	070S	230E	4304730312	5670	Federal	OW	TA
RWU 234 (32-24B)	RW 32-24B	SWNE	24	070S	230E	4304730313	5670	Federal	OW	P
RWU 235 (34-18C)	RW 34-18C	SWSE	18	070S	240E	4304730314	5670	Federal	OW	S
RWU 236 (21-19C)	RW 21-19C	NENW	19	070S	240E	4304730340	5670	Federal	GW	P
RWU 237 (14-25B)	RW 14-25B	SWSW	25	070S	230E	4304730341	5670	Federal	OW	P
RWU 238 (32-35B)	RW 32-35B	SWNE	35	070S	230E	4304730342	5670	Federal	OW	TA
RWU 239 (41-35B)	RW 41-35B	NENE	35	070S	230E	4304730343	5670	Federal	OW	TA

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 240 (12-36B)	RW 12-36B	SWNW	36	070S	230E	4304730344	5670	Federal	OW	S
RWU 241 (22-14B)	RW 22-14B	SENW	14	070S	230E	4304730345	5670	Federal	OW	P
RW 42-13B	RW 42-13B	SENE	13	070S	230E	4304730346	5670	Federal	OW	P
RWU 243 (42-18C)	RW 42-18C	SENE	18	070S	240E	4304730347	5670	Federal	OW	TA
RWU 244 (23-19C)	RW 23-19C	NESW	19	070S	240E	4304730348	5670	Federal	GW	P
RWU 246 (22-18C)	RW 22-18C	SENW	18	070S	240E	4304730387	5670	Federal	OW	P
RWU 247 (22-17C)	RW 22-17C	SENW	17	070S	240E	4304730388	5670	Federal	GW	P
RWU 258 (34-22A)	RW 34-22A	SWSE	22	070S	220E	4304730458	5670	Federal	WI	A
RWU 262 (22-26B)	RW 22-26B	SENW	26	070S	230E	4304730517	5670	Federal	GW	TA
RWU 263 (24-26B)	RW 24-26B	SESW	26	070S	230E	4304730518	99996	Federal	WI	I
RWU 264 (31-35B)	RW 31-35B	NWNE	35	070S	230E	4304730519	99996	Federal	WI	A
RWU 265 (44-26B)	RW 44-26B	SESE	26	070S	230E	4304730520	5670	Federal	GW	P
RWU 266 (33-26B)	RW 33-26B	NWSE	26	070S	230E	4304730521	99996	Federal	WI	I
RWU 269 (13-26B)	RW 13-26B	NWSW	26	070S	230E	4304730522	99996	Federal	WI	A
RWU 273 (42-27B)	RW 42-27B	SENE	27	070S	230E	4304731051	5670	Federal	OW	TA
RWU 279 (11-36B)	RW 11-36B	NWNW	36	070S	230E	4304731052	99996	Federal	WI	A
RWU 276 (44-27B)	RW 44-27B	SESE	27	070S	230E	4304731053	5670	Federal	OW	TA
RWU 272 (44-23B)	RW 44-23B	SESE	23	070S	230E	4304731054	5670	Federal	GW	P
RWU 278 (11-26)	RW 11-26	NWNW	26	070S	230E	4304731076	5670	Federal	GW	TA
RWU 275 (31-26B)	RW 31-26B	NWNE	26	070S	230E	4304731077	99996	Federal	WI	A
RWU 280 (11-35B)	RW 11-35B	NWNW	35	070S	230E	4304731079	5670	Federal	OW	P
RWU 282 (42-26B)	RW 42-26B	SENE	26	070S	230E	4304731080	5670	Federal	GW	TA
RWU 271 (42-35B)	RW 42-35B	SENE	35	070S	230E	4304731081	5670	Federal	WI	I
RWU 270 (22-35B)	RW 22-35B	SENW	35	070S	230E	4304731082	5670	Federal	OW	P
RWU 284 (33-23B)	RW 33-23B	NWSE	23	070S	230E	4304731476	5670	Federal	GW	TA
RWU 285 (11-24B)	RW 11-24B	NWNW	24	070S	230E	4304731477	5670	Federal	OW	P
RWU 286 (42-21B)	RW 42-21B	SENE	21	070S	230E	4304731478	5670	Federal	OW	P
RW 44-13B	RW 44-13B	SESE	13	070S	230E	4304731512	5670	Federal	OW	TA
RWU 288 (24-27)	RW 24-27	SESW	27	070S	230E	4304731513	5670	Federal	OW	TA
RWU 289 (13-24B)	RW 13-24B	NWSW	24	070S	230E	4304731517	5670	Federal	OW	P
RWU 292 (42-23B)	RW 42-23B	SENE	23	070S	230E	4304731576	5670	Federal	GW	TA
RWU 295 (11-22B)	RW 11-22B	NWNW	22	070S	230E	4304731577	5670	Federal	GW	TA
RWU 296 (12-35B)	RW 12-35B	SWNW	35	070S	230E	4304731578	5670	Federal	OW	S
RWU 297 (24-15B)	RW 24-15B	SESW	15	070S	230E	4304731579	5670	Federal	OW	P
RWU 293 (22-22A)	RW 22-22A	SENW	22	070S	220E	4304731581	5670	Federal	OW	TA
RWU 294 (24-18C)	RW 24-18C	SESW	18	070S	240E	4304731582	5670	Federal	GW	P
RWU 298 (22-27B)	RW 22-27B	SENW	27	070S	230E	4304731679	5670	Federal	OW	TA
RWU 301 (43-15B)	RW 43-15B	NESE	15	070S	230E	4304731682	5670	Federal	GW	TA
RWU 302 (22-24B)	RW 22-24B	SENW	24	070S	230E	4304731683	5670	Federal	GW	TA
RWU 303 (34-17B)	RW 34-17B	SWSE	17	070S	230E	4304731819	5670	Federal	OW	P
RED WASH 305 (41-4F)	RW 41-4F	C-NE	04	080S	240E	4304732538	5670	Federal	GW	TA

RED WASH UNIT

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RED WASH 306	RW 23-23C	NESW	23	070S	240E	4304732629	5670	Federal	GW	P
RWU 207	RW 14-17B	SWSW	17	070S	230E	4304732738	5670	Federal	OW	P
RED WASH UNIT 261	RW 23-17B	NESW	17	070S	230E	4304732739	5670	Federal	WI	A
RWU 268 (43-17B)	RW 43-17B	NESE	17	070S	230E	4304732980	5670	Federal	WI	A
RWU 267 (32-17B)	RW 32-17B	SWNE	17	070S	230E	4304732981	5670	Federal	OW	P
RWU 283 (43-18B)	RW 43-18B	NESE	18	070S	230E	4304732982	5670	Federal	WI	A
RWU 299 (32-18B)	RW 32-18B	SWNE	18	070S	230E	4304733018	5670	Federal	OW	P
RWU 42-20B	RW 42-20B	SENE	20	070S	230E	4304733490	5670	Federal	OW	P
RWU 22-20B	RW 22-20B	SENE	20	070S	230E	4304733491	5670	Federal	OW	S
RWU 24-19B	RW 24-19B	SESW	19	070S	230E	4304733492	5670	Federal	OW	P
RWU 13-19B	RW 13-19B	NWSW	19	070S	230E	4304733497	5670	Federal	WI	A
RWU 13-20B	RW 13-20B	NWSW	20	070S	230E	4304733498	5670	Federal	WI	A
RWU 33-19B	RW 33-19B	NWSE	19	070S	230E	4304733499	5670	Federal	WI	A
RWU 33-20B	RW 33-20B	NWSE	20	070S	230E	4304733500	5670	Federal	WI	A
RED WASH 22-21B	RW 22-21B	SENE	21	070S	230E	4304733522	5670	Federal	OW	S
RED WASH 24-20B	RW 24-20B	SESW	20	070S	230E	4304733523	5670	Federal	OW	P
RED WASH 44-19B	RW 44-19B	SESE	19	070S	230E	4304733524	5670	Federal	OW	P
RED WASH 44-20B	RW 44-20B	SESE	20	070S	230E	4304733525	5670	Federal	OW	P
RWU 11-19B	RW 11-19B	NWNW	19	070S	230E	4304733552	5670	Federal	WI	A
RWU 11-20B	RW 11-20B	NWNW	20	070S	230E	4304733553	5670	Federal	WI	A
RWU 24-18B	RW 24-18B	SESW	18	070S	230E	4304733554	5670	Federal	OW	P
RWU 31-19B	RW 31-19B	NWNE	19	070S	230E	4304733555	5670	Federal	WI	A
RWU 42-19B	RW 42-19B	SENE	19	070S	230E	4304733556	5670	Federal	OW	P
RWU 22-19B	RW 22-19B	SENE	19	070S	230E	4304733559	5670	Federal	OW	P
RWU 23-24A	RW 23-24A	NESW	24	070S	220E	4304733567	5670	Federal	OW	P
RWU 34-24A	RW 34-24A	SWSE	24	070S	220E	4304733568	5670	Federal	WI	A
RWU 42-24A	RW 42-24A	SENE	24	070S	220E	4304733569	5670	Federal	OW	S
RWU 11-25A	RW 11-25A	NWNW	25	070S	220E	4304733574	5670	Federal	WI	A
RWU 13-25A	RW 13-25A	NWSW	25	070S	220E	4304733575	5670	Federal	WI	A
RWU 21-25A	RW 21-25A	NENW	25	070S	220E	4304733576	5670	Federal	OW	P
RWU 31-25A	RW 31-25A	NWNE	25	070S	220E	4304733577	5670	Federal	WI	A
RWU 33-25A	RW 33-25A	NWSE	25	070S	220E	4304733578	5670	Federal	WI	A
RW 41-25AX	RW 41-25A	NENE	25	070S	220E	4304733579	5670	Federal	OW	P
RWU 42-25A	RWU 42-25A	SENE	25	070S	220E	4304733580	5670	Federal	OW	TA
RWU 11-29B	RW 11-29B	NWNW	29	070S	230E	4304733590	5670	Federal	WI	A
RWU 12-24A	RW 12-24A	SWNW	24	070S	220E	4304733591	5670	Federal	WI	A
RWU 21-24A	RW 21-24A	NENW	24	070S	220E	4304733592	5670	Federal	OW	P
RWU 34-13A	RW 34-13A	SWSE	13	070S	220E	4304733593	5670	Federal	WI	A
RWU 44-18B	RW 44-18B	SESE	18	070S	230E	4304733594	5670	Federal	OW	P
RW 22-13A	RW 22-13A	SENE	13	070S	220E	4304733765	13296	Federal	OW	S
RWU 22-29B	RW 22-29B	SENE	29	070S	230E	4304733766	5670	Federal	OW	S

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 41-24A	RW 41-24A	NENE	24	070S	220E	4304733769	5670	Federal	OW	P
RWU 42-30B	RW 42-30B	SENE	30	070S	230E	4304733771	5670	Federal	OW	P
RWU 44-30B	RWU 44-30B	SESE	30	070S	230E	4304733772	5670	Federal	OW	P
RWU 11-30B	RW 11-30B	NWNW	30	070S	230E	4304733785	5670	Federal	WI	A
RWU 22-25A	RW 22-25A	SENE	25	070S	220E	4304733786	5670	Federal	OW	P
RWU 31-30B	RW 31-30B	NWNE	30	070S	230E	4304733788	5670	Federal	WI	A
RWU 33-30B	RW 33-30B	NWSE	30	070S	230E	4304733790	5670	Federal	WI	A
RED WASH U 34-27C	RW 34-27C	SWSE	27	070S	240E	4304735045	5670	Federal	GW	P
RWU 34-22C	RW 34-22C	SWSE	22	070S	240E	4304735098	5670	Federal	GW	P
RW 12G-20C	RW 12G-20C	SWNW	20	070S	240E	4304735239	14011	Federal	GW	S
RW 43G-08F	RW 43G-08F	NESE	08	080S	240E	4304735655		Federal	GW	APD
RW 22G-09F	RW 22G-09F	SENE	09	080S	240E	4304735656	15636	Federal	GW	OPS
RWU 34-23AG	RW 34-23AG	SWSE	23	070S	220E	4304735668	5670	Federal	OW	P
RWU 34-27AG	RWU 34-27AD	SWSE	27	070S	220E	4304735669	5670	Federal	OW	DRL
RWU 32-27AG	RWU 32-27AG	SWNE	27	070S	220E	4304735670	5670	Federal	OW	S
RW 14-34AMU	RW 14-34AMU	SWSW	34	070S	220E	4304735671	14277	Federal	GW	P
RW 12-08FG	RW 12-08FG	SWNW	08	080S	240E	4304736348		Federal	GW	APD
RW 44-08FG	RW 44-08FG	SESE	08	080S	240E	4304736349	15261	Federal	GW	P
RW 12-17FG	RW 12-17FG	SWNW	17	080S	240E	4304736350		Federal	GW	APD
RW 34-34 AMU	RW 34-34 AD	SWSE	34	070S	220E	4304736351		Federal	GW	APD
RW 44-35 AMU	RW 44-35 AMU	SESE	35	070S	220E	4304736352		Federal	GW	APD
RW 14-35 AMU	RW 14-35 AMU	SWSW	35	070S	220E	4304736354		Federal	GW	APD
RW 33-31 BMU	RW 33-31 BD	NWSE	31	070S	230E	4304736357		Federal	GW	APD
RW 13-31 BMU	RW 13-31 BD	NWSW	31	070S	230E	4304736358		Federal	GW	APD
RW 32-15FG	RW 32-15FG	SWNE	15	080S	240E	4304736443		Federal	GW	APD
RW 21-26AG	RW 21-26AD	NENW	26	070S	220E	4304736768		Federal	OW	APD
RW 43-26AG	RW 43-26AG	NESE	26	070S	220E	4304736769		Federal	OW	APD
RW 43-23AG	RW 43-23AG	NESE	23	070S	220E	4304736770		Federal	OW	APD
RW 41-26AG	RW 41-26AG	NENE	26	070S	220E	4304736818		Federal	OW	APD
RW 04-25BG	RW 04-25B	NWSW	25	070S	230E	4304736982		Federal	OW	APD
RW 01-25BG	RW 01-25BG	NWNW	25	070S	230E	4304736983		Federal	OW	APD
RW 04-26BG	RW 04-26BG	SESW	26	070S	230E	4304736984		Federal	OW	APD
RW 01-26BG	RW 01-26BG	SWNW	26	070S	230E	4304736985		Federal	OW	APD
RW 01-35BG	RW 01-35BG	SWNW	35	070S	230E	4304736986		Federal	OW	APD

RED WASH UNIT

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 51 (12-16B)	RW 12-16B	SWNW	16	070S	230E	4304715177	5670	State	OW	P
RWU ST 189 (41-16B)	RW 41-16B	NENE	16	070S	230E	4304715292	5670	State	OW	S
RED WASH UNIT 259	RW 14-16B	SWSW	16	070S	230E	4304732785	5670	State	OW	P
RED WASH UNIT 260	RW 34-16B	SWSE	16	070S	230E	4304732786	5670	State	OW	P
RWU 324 (23-16B)	RW 23-16B	SESW	16	070S	230E	4304733084	5670	State	WI	OPS
RWU 21W-36A	RWU 21W-36A	NENW	36	070S	220E	4304733730		State	GW	LA
RWU 21G-36A	RWU 21G-36A	NENW	36	070S	220E	4304733731		State	OW	LA
RWU 41-36A	RWU 41-36A	NENE	36	070S	220E	4304733732		State	OW	LA
RWU 43-16B	RWU 43-16B	NESE	16	070S	230E	4304733733		State	OW	LA
RWU 21-16B	RWU 21-16B	NENW	16	070S	230E	4304733734		State	OW	LA
RWU 11-36A	RWU 11-36A	NWNW	36	070S	220E	4304733736		State	OW	LA
RWU 13-36A	RWU 13-36A	NWSW	36	070S	220E	4304733737		State	OW	LA
RW 32G-16C	RW 32G-16C	SWNE	16	070S	240E	4304735238	5670	State	GW	P
RW 14-36AMU	RW 14-36AMU	SWSW	36	070S	220E	4304736721		State	GW	APD
RW 01-36BG	RW 01-36BG	NWNW	36	070S	230E	4304736887	5670	State	OW	S
RW 24-16BG	RW 24-16BG	SESW	16	070S	230E	4304737746	5670	State	OW	DRL
RW 12-32BG	RW 12-32BG	SWNW	32	070S	230E	4304737946	15841	State	GW	DRL

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: see attached
2. NAME OF OPERATOR: QUESTAR EXPLORATION AND PRODUCTION COMPANY		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: see attached
3. ADDRESS OF OPERATOR: 1050 17th Street Suite 500 <small>CITY</small> Denver STATE CO ZIP 80265		7. UNIT or CA AGREEMENT NAME: see attached
4. LOCATION OF WELL FOOTAGES AT SURFACE: attached		8. WELL NAME and NUMBER: see attached
QTR/GTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		9. API NUMBER: attached
COUNTY: Uintah		10. FIELD AND POOL, OR WILDCAT:
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>1/1/2007</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Operator Name Change</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.


Effective January 1, 2007 operator of record, QEP Uinta Basin, Inc., will hereafter be known as QUESTAR EXPLORATION AND PRODUCTION COMPANY. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:

Federal Bond Number: 965002976 (BLM Reference No. ESB000024)

Utah State Bond Number: 965003033


Fee Land Bond Number: 965003033

Current operator of record, QEP UINTA BASIN, INC., hereby resigns as operator of the properties as described on the attached list.


Jay B. Neese, Executive Vice President, QEP Uinta Basin, Inc.

Successor operator of record, QUESTAR EXPLORATION AND PRODUCTION COMPANY, hereby assumes all rights, duties and obligations as operator of the properties as described on the attached list


Jay B. Neese, Executive Vice President
Questar Exploration and Production Company

NAME (PLEASE PRINT) <u>Debra K. Stanberry</u>	TITLE <u>Supervisor, Regulatory Affairs</u>
SIGNATURE 	DATE <u>3/16/2007</u>

(This space for State use only)

RECEIVED
APR 19 2007

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: see attached
2. NAME OF OPERATOR: QUESTAR EXPLORATION AND PRODUCTION COMPANY		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: see attached
3. ADDRESS OF OPERATOR: 1050 17th Street Suite 500 City Denver STATE CO ZIP 80265		7. UNIT or CA AGREEMENT NAME: see attached
4. LOCATION OF WELL FOOTAGES AT SURFACE: attached		8. WELL NAME and NUMBER: see attached
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		9. API NUMBER: attached
COUNTY: Uintah		10. FIELD AND POOL, OR WILDCAT:
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>1/1/2007</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Well Name Changes</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	
	<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____		

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

PER THE ATTACHED LIST OF WELLS, QUESTAR EXPLORATION AND PRODUCTION COMPANY REQUESTS THAT THE INDIVIDUAL WELL NAMES BE UPDATED IN YOUR RECORDS.

NAME (PLEASE PRINT) <u>Debra K. Stanberry</u>	TITLE <u>Supervisor, Regulatory Affairs</u>
SIGNATURE	DATE <u>4/17/2007</u>

(This space for State use only)

RECEIVED
APR 19 2007
DIV. OF OIL, GAS & MINING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155



IN REPLY REFER TO
3180
UT-922

April 23, 2007

Questar Exploration and Production Company
1050 17th Street, Suite 500
Denver, Colorado 80265

Re: Red Wash Unit
Uintah County, Utah

Gentlemen:

On April 12, 2007, we received an indenture dated April 6, 2007, whereby QEP Uinta Basin, Inc. resigned as Unit Operator and Questar Exploration and Production Company was designated as Successor Unit Operator for the Red Wash Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective April 23, 2007. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Red Wash Unit Agreement.

Your nationwide oil and gas bond No. ESB000024 will be used to cover all federal operations within the Red Wash Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Greg J. Noble

Greg J. Noble
Acting Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)
SITLA
Division of Oil, Gas & Mining
File - Red Wash Unit (w/enclosure)
Agr. Sec. Chron
Reading File
Central Files

UT922:TAThompson:tt:4/23/07

RECEIVED
APR 30 2007
DIV. OF OIL, GAS & MINING

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
UTU 02030

6. If Indian, Allottee or Tribe Name
N/A

7. If Unit or CA/Agreement, Name and/or No.
Redwash

8. Well Name and No.
RW 42-28B

9. API Well No.
43-047-15284

10. Field and Pool, or Exploratory Area
Redwash

11. County or Parish, State
Uintah

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
Questar Exploration and Production Inc.

3a. Address
1050 17th Street, Suite 500 Denver, CO 80265

3b. Phone No. (include area code)
303 308-3068

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
1978' FNL, 662' FEL, SENE, SECTION 28, T7S, R23E, SLBM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Questar requests approval to plug and abandon this well as follows:

1. Set cement retainer at 5085'
2. Stab into retainer and squeeze 35 sx cement, unstab and dump 35 sx of cement on top of retainer
3. Fill hole with minimum 9 ppg fluid.
4. Perforate the production casing @ 3040'
5. Balance plug from 3040' - 2840' inside production casing and in production casing x open hole annulus.
6. Perforate production casing @ 250', cement from 250' to surface in production casing and in production casing x surface casing annulus.
7. Cut off wellhead, install dryhole marker


Work will start after Questar receives BLM and UDOGM approval

Please direct all questions regarding paperwork submittal to Debbie Stanberry at (303) 308-3068.
Please direct all technical questions regarding procedure to Lucius McGillivray at (435) 781-4319.

AUG 24 2007

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) **Debra K. Stanberry** Title **Supervisor, Regulatory Affairs**

Signature  Date **08/17/2007**

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by _____ Date _____ Federal Approval Of This Action Is Necessary

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Accepted by the **Utah Division of Oil, Gas and Mining** Office _____ Date _____

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

9-6-07
RM

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: July 31, 2010

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
UTU 02030

6. If Indian, Allottee or Tribe Name
N/A

SUBMIT IN TRIPLICATE – Other instructions on page 2.

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator
Questar Exploration and Production Co.

3a. Address
11002 E. 17500 S. Vernal, UT 84078-8526

3b. Phone No. (include area code)
435 781-4319

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
1978' FNL, 662' FEL, SENE, SECTION 28, T7S, R23E, SLBM

7. If Unit of CA/Agreement, Name and/or No.
Redwash

8. Well Name and No.
RW 42-28B

9. API Well No.
43-047-15284

10. Field and Pool or Exploratory Area
Redwash

11. Country or Parish, State
Uintah

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

Questar Exploration and Production reports the following work to plug and abandon was finished on May 6, 2009 as follows:

2. Set CICR @ 5056'
3. No rate through, pumped 50 sacks on top
5. Perforate @ 3045', good rate, perforate @ 270'
6. Trip in to 3099', pumped 90 sacks, WOC, tag TOC @ 2737'
7. Pump 125 sacks down production casing through annulus to surface, cut off wellhead
8. Top off with 10 sacks
9. Weld on plate


BLM on location was Bill Owens.

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)

Lucius McGillivray

Title Associate Petroleum Engineer

Signature



Date

5/7/09

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

RECEIVED

MAY 11 2009