

UTAH OIL AND GAS CONSERVATION COMMISSION

REMARKS: WELL LOG ELECTRIC FILE WATER SANDS LOCATION ECTED SUB. REPORT/abd.

X 930803 converted to Gas Producer eff. 5-14-93

8-7-72 Subsequent Report of Converting to Water Injection also oper chg from Calif. Oil Co.

DATE FILED 5/11/64

LAND: FEE & PATENTED STATE LEASE NO. PUBLIC LEASE NO. U-02148 INDIAN

DRILLING APPROVED: In Unit

SPUDED IN: 5-15-64

COMPLETED: 8-8-64 PUT TO PRODUCING: 8-21-64 * 10-1-72 Commenced Inj.

INITIAL PRODUCTION: 58 bopd, 14 BWPD

GRAVITY A.P.I. 28°

GOR:

PRODUCING ZONES: 4392'-98', 4442'-46', 5346'-48', 5351'-53', 5359'-61', 5385'-5405' (6 CRW)

TOTAL DEPTH: 5438'

WELL ELEVATION: 5669' GR

DATE ABANDONED:

FIELD: Red Wash

UNIT: Red Wash

COUNTY: Uintah

WELL NO. RED WASH UNIT #196 (23-17C) 2

API NO. 43-047-15298

LOCATION T890+ FT. FROM ~~X~~ (S) LINE, 1958'

FT. FROM ~~X~~ (W) LINE. SW NE SW 1/4-1/4 SEC. 17

188+

TWP.	RGE.	SEC.	OPERATOR	TWP.	RGE.	SEC.	OPERATOR:
							<input checked="" type="checkbox"/>

UTAH OIL AND GAS CONSERVATION COMMISSION

REMARKS: WELL LOG ELECTRIC LOG FILE WATER SANDS LOCATION ECTED SUB. REPORT/abd.

#930803 converted to GAS Producer eff. 5-14-93

8-7-72 Subsequent Report of Converting to Water Injection also oper chg from Calif. Oil Co.

DATE FILED 5/11/64

LAND: FEE & PATENTED STATE LEASE NO. PUBLIC LEASE NO. U-02148 INDIAN

DRILLING APPROVED: In Unit

SPUDED IN: 5/10/64

COMPLETED: PUT TO PRODUCING: * 10-1-72 Commenced Inf.

INITIAL PRODUCTION: 221 bbl / day

GRAVITY A.P.I.

GOR:

PRODUCING ZONES: (B.P.)

TOTAL DEPTH:

WELL ELEVATION:

DATE ABANDONED:

FIELD: Red Wash

UNIT: Red Wash

COUNTY: Uintah

WELL NO. RED WASH UNIT #196 (23-17C) 2

API NO. 43-047-15298

LOCATION 1890+ FT. FROM ~~XX~~ (S) LINE, 1953'

FT. FROM ~~XX~~ (W) LINE. SW NE SW" 1/4 - 1/4 SEC. 17

188+

TWP.	RGE.	SEC.	OPERATOR	TWP.	RGE.	SEC.	OPERATOR
				7 S	24 E	17	CHEVRON OIL COMPANY ✓


QUATERNARY	Star Point	Chinle	Molas
Alluvium	Wahweap	Shinarump	Manning Canyon
Lake beds	Masuk	Moenkopi	Mississippian
Pleistocene	Colorado	Sinbad	Humbug
Lake beds	Sego	PERMIAN	Brazer
TERTIARY	Buck Tongue	Kaibab	Pilot Shale
Pliocene	Castlegate	Coconino	Madison
Salt Lake	Mancos	Cutler	Leadville
Oligocene	Upper	Hoskinnini	Redwall
Norwood	Middle	DeChelly	DEVONIAN
Eocene	Lower	White Rim	Upper
Duchesne River	Emery	Organ Rock	Middle
Uinta	Blue Gate	Cedar Mesa	Lower
Bridger	Ferron	Halgaite Tongue	Ouray
Green River	Frontier	Phosphoria	Elbert
F	Dakota	Park City	McCracken
G	Burro Canyon	Rico (Goodridge)	Aneth
H	Cedar Mountain	Supai	Simonsen Dolomite
I	Buckhorn	Wolfcamp	Sevy Dolomite
J	JURASSIC	CARBONIFEROUS	North Point
K	Morrison	Pennsylvanian	SILURIAN
L	Salt Wash	Oquirrh	Laketown Dolomite
Colton	San Rafeal Gr.	Weber	ORDOVICIAN
Flagstaff	Summerville	Morgan	Eureka Quartzite
North Horn	Bluff Sandstone	Hermosa	Pogonip Limestone
Almy	Curtis		CAMBRIAN
Paleocene	Entrada	Pardox	Lynch
Current Creek	Moab Tongue	Ismay	Bowman
North Horn	Carmel	Desert Creek	Tapeats
CRETACEOUS	Glen Canyon Gr.	Akahi	Ophir
Montana	Navajo	Barker Creek	Tintic
Mesaverde	Kayenta		PRE-CAMBRIAN
Price River	Wingate	Cane Creek	
Blackhawk	TRINAC		

Sub Report of Converting To Electric Injection
8-7-72

FILE NOTATIONS	
Entered in NID File	<input checked="" type="checkbox"/>
Entered On S R Sheet	<input checked="" type="checkbox"/>
Location Map Pinned	<input checked="" type="checkbox"/>
Card Indexed	<input checked="" type="checkbox"/>
I W R for State or Fee Land	<input type="checkbox"/>
Checked by Chief	<u>JMB</u>
Copy NID to Field Office	<input checked="" type="checkbox"/>
Approval Letter	<u>John Smith</u>
Disapproval Letter	<input type="checkbox"/>
COMPLETION DATA:	
Date Well Completed	<u>8/21/64</u>
Location Inspected	<input type="checkbox"/>
OW <input checked="" type="checkbox"/> WW <input type="checkbox"/> TA <input type="checkbox"/>	Bond released
GW <input type="checkbox"/> OS <input type="checkbox"/> PA <input type="checkbox"/>	State of Fee Land <input type="checkbox"/>
LOGS FILED	
Driller's Log	<u>9/3/64</u>
Electric Logs (No.)	<u>6</u>
E <input type="checkbox"/> I <input type="checkbox"/> E-I <input checked="" type="checkbox"/> GR <input type="checkbox"/> GR-N <input type="checkbox"/> Micro <input checked="" type="checkbox"/>	
Lat <input type="checkbox"/> MI-L <input type="checkbox"/> Sonic <input type="checkbox"/> Others	<u>CEMENT BOND LOG</u>

~~Preparing Depth Control + Casing Collar Log + Rebocking Record~~
ALSO AN ACOUSTIC CEMENT BOND MICRO - SEISMOGRAM LOG

Page 4 of 4



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake City
Lease No. U-02148
Unit Red Wash

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Vernal, Utah May 8, 1964

Well No. (23-17C) 196 is located 1890 ft. from NE line and 1953 ft. from W line of sec. 17

SW

NE 1/4 SW 1/4 17 7E 24E S12M
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Red Wash Utah Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the ~~surface~~ Kelly Bushing above sea level is 5715 ft. (est.)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is proposed to drill a test well for oil or gas to be completed in the lower Green River formation.

10-3/4" casing to be cemented at + 220'.
5-1/2" casing to be cemented below lowermost productive interval with sufficient cement to reach 4000'.

Top: Green River - 2781'
H Point - 4622'
K Point - 5155'
Est. TD - 5472'

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company California Oil Company, Western Division

Address P. O. Box 455

Vernal, Utah

[Signature]
By R. W. PATTERSON

Title Unit Superintendent

W-1, SLO-3; G-200, SLO-1; Gulf, Okla. City-1; Gulf, Casper-1; Gaultins-1; W-1; File-1

Copy made

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

LAND OFFICE LEASE NUMBER UNIT Red Wash

LESSEE'S MONTHLY REPORT OF OPERATIONS

State Utah County Uintah Field Red Wash

The following is a correct report of operations and production (including drilling and producing wells) for the month of May, 1964

Agent's address P. O. Box 455 Company California Oil Co., Western Div.

Bernal, Utah Signed R. W. PATTERSON

Phone 789-2442 Agent's title Unit Superintendent

Table with 11 columns: SEC. AND 1/4 OF 1/4, TWP., RANGE, WELL NO., DAYS PRODUCED, BARRELS OF OIL, GRAVITY, CU. FT. OF GAS (In thousands), GALLONS OF GASOLINE RECOVERED, BARRELS OF WATER (If none, so state), REMARKS. Includes flow test data and gas production/disposition summary.

NOTE.—There were runs or sales of oil; M cu. ft. of gas sold;

runs or sales of gasoline during the month. (Write "no" where applicable.)

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Public Report of Progress
Bureau of Geology
Salt Lake City

LAND OFFICE
LEASE NUMBER
DATE

Red Wash

LESSEE'S MONTHLY REPORT OF OPERATIONS

Page 3

State Utah County Uintah Field Red Wash

The following is a correct report of operations and production (including drilling and producing wells) for the month of May, 1964.

Agent's address P. O. Box 455
Vernal, Utah
Phone 769-2442

Company California Oil Co., Western Div.
Signed R. W. PATTERSON
Agent's title Unit Superintendent

SEC. AND 1/4 OF 1/4	TWP.	RANGE	WELL NO.	DATE PRODUCED	BARRELS OF OIL PRODUCED	CU. FT. OF GAS (in thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (if none, so state)	REMARKS
									<p>Spotted 150 gal MCA to perfs 4707 (H_c) and broke down at 4000 psi. Set RBP at 4800 and FBC at 4725, squeezed perfs 4768 and 4756 (H_g) with 2500 gal RC containing 500# 8-12 glass beads and .05#/gal Adomite at an avg rate of 3-3/4" bpm at 2900 psi. Released FBC at 4725 and circulated down to RBP at 4800' (10' fill on BP). Cleaned string and circulated with oil. Reset RBP at 4740'. POOH with tbg and FBC. Attempted to Bradenhead frac perfs 4707 (H_c) with 15,000 gal RWC/RC (50/50) containing 11,000# 20-40 sand, 1000# 8-12 glass beads and .05#/gal Adomite. Fracing at 23 BPM and 2900 psi well locked up when pad hit formation. Attempted to continue frac, perfs still would not feed. No treatment to formation. Circulated out 8' fill down to RBP at 4740'. Set FBC at 4690'. Fraced perfs 4707 (H_c) down 2-1/2" tbg. with 2500 gal RWC/RC containing 200# 12-20 glass beads and .05#/gal Adomite at an avg rate of 11 BPM at 5000 psi. Cleaned out 2' glass beads on top RBP at 4740'. Retrieved BP and lowered tbg. to FBC at 5379'. Circ on bottom. POOH with tbg, FBC and RBP. RIH with prod tbg string. RIH with pump and rods. Released rig at 2:00 P.M. 5-31-64.</p>
NE SW 17	7N	24E	196	(23-17C)					<p><u>Present Conditions</u> Total Depth: 5438' Casing: 10-3/4", 40.5', J-55 cemented at 233.86' with 165 sax 5-1/2", 15.5', J-55 cemented at 5437.80' with 310 sax.</p> <p><u>Operations Conducted</u> Hired in Law-Jones Oil Industries, Inc. Spudded in at 3:00 p.m. 5-15-64. Drilled 15" hole to 238'. Cemented 10-3/4", 40.5', J-55 casing in place at 233.86' with 165 sacks Ideal reg cement containing 2% HA-5. Drilled 7-7/8" hole to 5438' TB. Schulzberger ran IES and Microlog Caliper logs. Ran DET #1 (5374-5443) (L, 1/2") 45 min flow test. GTS in 1 minute gauged to max of 177 MW/D in 45 min. Sec 20' all gas cut mat. Pressures: IHH 2682, IBI 1867, IF 75, IF 87, FHI 1470, FHI 2690. DET #2 (5347-5362) (L), 45 min flow test. IHH. Sec 130' dark brown BPP oil, 90' oil all mat cut at base. Pressures: IHH 2641, IBI 1373, IF 46, IF 90, FHI 1433, FHI 2641. DET #3 (4392-4441)</p>

NOTE.—There were none runs or sales of oil; _____ M cu. ft. of gas sold;


NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

OAG ce

Form 9-330

Form approved by Budget Bureau No. 42-B355.4

U. S. LAND OFFICE Salt Lake City U-02148 SERIAL NUMBER LEASE OR PERMIT TO PROSPECT



UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

LOCATE WELL CORRECTLY

Company California Oil Co., Western Div. Address P. O. Box 455, Vernal, Utah Lessor or Tract U-02148 Field Red Wash State Utah Well No. 23-176 (196) Sec. 17 T. 78 R. 24E Meridian SLM County Uintah Location 1887 ft. [N.] of S Line and 1952 ft. [E.] of W Line of Sec. 17 Elevation 5669 G.L. (Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records. Signed R. W. PATTERSON R. W. PATTERSON

Date September 1, 1964 Title Unit Superintendent

The summary on this page is for the condition of the well at above date.

Commenced drilling May 15, 1964 Finished drilling August 8, 1964

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from 5346 to 5348 No. 4, from 4392 to 4398 (G) No. 2, from 5351 to 5353 No. 5, from 4442 to 4446 (G) No. 3, from 5359 to 5361 No. 6, from 5385 to 5405 (G)

IMPORTANT WATER SANDS

No. 1, from None to No. 3, from No. 2, from No. 4, from

CASING RECORD

Table with columns: Size casing, Weight per foot, Threads per inch, Make, Amount, Kind of shoe, Cut and pulled from, Perforated (From-To), Purpose. Includes entries for 10-3/4 and 5-1/2 inch casings with various amounts and shoe types.

MUDDING AND CEMENTING RECORD

Table with columns: Size casing, Where set, Number sacks of cement, Method used, Mud gravity, Amount of mud used. Includes entries for 10-3/4 and 5-1/2 inch casings with cement amounts and displaced methods.

PLUGS AND ADAPTERS

Heaving plug—Material Length Depth set

FOLD MARK

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from 0 feet to 5438 feet, and from _____ feet to _____ feet

Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

DATES

_____, 19____ 58 BOPD Put to producing August 21, 19 64

The production for the first 24 hours was 80 barrels of fluid of which 72 % was oil; _____ % emulsion; 18 % water; and _____ % sediment. Gravity, °Bé. 28° API

If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____

Rock pressure, lbs. per sq. in. _____

EMPLOYEES

L. Pearson, Driller V. Beavers, Driller

L. M. Powers, Driller El Baxendale Pusher ~~Driller~~

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
0	2710	2710	Shale and Sand
2710	5438	2728	Sand and Shale
Top Green River	2710	(+2971)	
Basal "F"	4305	(+1376)	
G	4380	(+1301)	
H	4591	(+1090)	
I	4763	(+918)	
J	5000	(+681)	
K	5131	(+550)	
L	5341	(+340)	

H.

HISTORY LOG OF OIL OR GAS WELL

Kerr-McGee Oil Industries, Inc. moved in and rigged up. Spudded at 3:00 P.M. 5-15-64. Drilled 15" hole to 238'. Cemented 10-3/4" surface casing in place at 233.86' with 165 sacks reg. cement containing 2% HA-5.

May 16 - May 26, 1964

Drilled 7-7/8" hole from 238' to 5438' TD. Schlumberger ran IES and Micro-Caliper Log.

May 27, 1964.

Ran DST #1 (5374-5443) (L_A & L_{A(a)}) 45 min flow test. GTS in 6 min. Reached max of 177 MCF/D in 45 min. Recovered 20' sli gas cut mud. Pressures: IHH 2682, ISI 1867, IF 75, FF 87, FSI 1470, FHH 2650. Ran DST #2 (5347-5362) (L sand) 45 min flow test. NGTS. Recovered 130' drk brown HFP oil; 90' oil, sli mud cut at base. Pressures: IHH 2641, ISI 1373, IF 46, FF 90, FSI 1433, FHH 2641. Ran DST #3 (4392-4441) (G, G_A & G_B sands) 50 min flow test. GTS in 6 min. Reached max of 779 MCF/D in 60 min. (Includes 10 min IF time). Recovered 90' sli gas cut mud and 90' heavy water cut mud. Pressures: IHH 2162, ISI 1761, IF 156, FF 241, FSI 1751, FHH 2141.

May 28, 1964

Ran DST #4 (4324-4373) (Basal F) 50 min flow test. NGTS. Recovered 210' water cut mud with scum oil, 270' muddy water with scum oil and 808' water. Pressures: IHH 2239, ISI 1589, IF 327, FF 596, FSI 1538, FHH 2227. Cemented 5-1/2" casing in place at 5437.80' with 310 sacks Poxmix cmt in two stages.

May 29, 1964

Released rig at 8:00 A.M.

June 19, 1964

Moved in J. W. Gibson workover rig. Drilled out D. V. tool at 4477'.

June 20, 1964

Schlumberger ran Gamma Collar log and CBL. Perforated (L) sand at 5361, 5352 and 5347 with 4 way combination jets.

June 21, 1964

Welex ran CBL with Seismogram.

June 22, 1964

Selectively brokedown perfs 5361, 5352 and 5347. Bradenhead frac'd perfs 5361, 5352 and 5347 with 5600 gal RWC/RC (50/50) containing 150 gal MCA, 2600# 8-12 glass beads and .05#/gal Adomite. Screened out with above treatment to formation. Avg rate before screen out was 35 BPM at 3000 psi.

June 23, 1964

Cleaned out to 5404'.

June 24, 1964

Tubing frac'd perfs 5347, 5352 and 5361 with 3950 "slick" RWC/RC (50/50) containing 975# 12/20 glass beads and .05#/gal Adomite. Screened out with above treatment to formation. Avg rate before screen out was 11.0 BPM at 5200 psi. Cleaned out to 5404' and RIH with tubing prod. string.

June 25, 1964

RIH with pump and rods. Released rig.

August 5, 1964

Moved in J. W. Gibson workover rig.

August 6, 1964

Abrasijetted vertically opposed notches from 5360-62, 5351-53 and 5346-48 (L).
Bradenhead frac'd down 5-1/2" casing with 9500 gal RWC/RC (50/50) containing 5000#
20-40 sand, 1500# 12-20 glass beads and .05#/gal Adomite at an avg rate of 33.6 BPM
at 2800 psi.

August 7, 1964

Cleaned out to 5404'. RIH with tubing production string.

August 8, 1964

RIH with pumps and rods. Released rig.

*copy of report by
1/20/64
X*

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LAND OFFICE
LEASE NUMBER
UNIT

LESSEE'S MONTHLY REPORT OF OPERATIONS

State Utah County Uintah Field Red Wash

The following is a correct report of operations and production (including drilling and producing wells) for the month of June, 1964,

Agent's address P. O. Box 455 Company California Oil Co., Western Div.
Vernal, Utah Signed B. W. PATTERSON *Original Signed by W. P. PATTERSON*
Phone 789-2442 Agent's title Unit Superintendent

SEC. AND 1/4 OF 1/4	TWP.	RANGE	WELL NO.	DAYS PRODUCED	BARRELS OF OIL	GRAVITY	CU. FT. OF GAS (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
NE SW 17	7S	24E	196	(23-17C)						
<p><u>Present Conditions</u> Total Depth: <u>5438'</u> FWED: 5404' Casing: <u>10-3/4", 40.5#, J-55 cemented at 233.86' with 165 sacks.</u> <u>5-1/2", 15.5#, J-55 cemented at 5437.80' with 310 sacks.</u></p> <p><u>Operations Conducted</u> Moved in J. W. Gibson Workover Rig 6-19-64. Tagged fill at 4465'. Cleaned out fill & drilled out DV tool at 4477' and tagged float collar at 5404'. Ran Schlumberger Gamma Collar Log, CBL and Mono Cable CBL. Perforated "L" sand at 5361, 5352 and 5347' with 4-way super and crack jets in tandem. Welox ran CBL with Micro-Seismogram. Spotted 150 gal MCA to perf 5361 (L), perfs broke down at 5000 psi. Perf 5352 (L) started feeding at 1500 psi with RC. Spotted 150 gal MCA to perf 5347 (L), established rate of 7-1/2 bbl per minute at 2800 psi, v/RC. Attempted to broadenhead frac (L) perfs 5361, 5352 and 5347. Perfs screened out. Estimated treatment to formation 5600 gal HWC/RC (50/50) containing 150 gal MCA, 2600# 8/12 glass beads and .05#/gal Adomite. Avg rate before screen out was 35 BPM at 3000 psi. Tagged fill at 4893'. Cleaned out to 5404' (FWED). Set FBC at 5320', attempted to tubing frac "L" perfs 5361, 5352 and 5347'. Perfs screened out again. Estimated treatment to formation 3950 gal (J-105 treated) HWC/RC (50/50) containing 975# 12/20 glass beads, and .05#/gal Adomite. Avg rate before screen out was 11.0 bpm at 5200 psi. Cleaned out to 5404' (FWED). POOH with FBC and tubing. RIN with tubing production string, pump and rods. Rang well on and released rig 6-25-64.</p>										
NE NW 33	7S	23E	198	(21-33B)						
<p><u>Present Conditions</u> Total Depth: <u>5592'</u> Casing: <u>10-3/4", 40.5#, J-55 cemented at 229.55' with 160 sacks.</u> <u>5-1/2", 15.5#, J-55 cemented at 5591.91' with 250 sacks.</u></p>										

NOTE.—There were 337,069 bbls. runs or sales of oil; 286,429 M cu. ft. of gas sold; 406,327 gals. runs or sales of gasoline during the month. (Write "no" where applicable.)

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

H

A *PMB*
September 29, 1964

California Oil Company
P. O. Box 455
Vernal, Utah

Re: Well No. Red Wash Unit #196 (23-17C)
Sec. 17, T. 7 S., R. 24 E.,
Uintah County, Utah

Gentlemen:

Upon reviewing your "Log of Oil or Gas Well" for the above mentioned well, we note that you have this well located 1887' FSL & 1952' FWL of Section 17. However, our records indicate this well to be located 1890' FSL & 1953' FWL of Section 17.

Would you please advise as to the correct location.
Thank you.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

KATHY G. WARNER
RECORDS CLERK

KGW: cnp

U

August 27, 1964

California Oil Company, Western Division
P. O. Box 455
Vernal, Utah

Attention: Mr. R. W. Patterson, Unit Superintendent

Re: Well No. Red Wash WI-33A-#1
Sec. 33, T. 7 S., R. 22 E.,
Uintah County, Utah

Well No. Red Wash Unit #196(23-17C)
Sec. 17, T. 7 S., R. 24 E.,
Uintah County, Utah

Gentlemen:

Our records indicate that you have not filed a Monthly Report of Operations for the month of July, 1964, for the subject wells. Rule C-22(1), General Rules and Regulations and Rules of Practice and Procedure, Utah State Oil and Gas Conservation Commission, requires that said reports be filed on or before the sixteenth (16) day of the succeeding month. This report may be filed on Form CGCC-1b, (U. S. Geological Survey Form 9-331, "Sundry Notices and Reports on Wells"), or on company forms containing substantially the same information. We are enclosing forms for your convenience.

Your immediate attention is required in this matter.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION




KATHY G. WARNER
RECORDS CLERK

KGW:bc

Enclosure - Forms

EXISTING

PROPOSED



RET. P.R.

RWU # 196 (23-17C)

pw

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

U-02148

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Red Wash Unit

8. FARM OR LEASE NAME

9. WELL NO.

196 (23-17C)

10. FIELD AND POOL, OR WILDCAT

Red Wash - Green River

11. SEC., T., R., M., OR BLK. AND SURVEY OF AREA

S17, T7S, R24E, S16M

12. COUNTY OR PARISH

Uintah

13. STATE

Utah

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to different reservoir. Use "APPLICATION FOR PERMIT" for such proposals.)

1.

OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR

Chevron Oil Company - Western Division

3. ADDRESS OF OPERATOR

P. O. Box 599 Denver, Colorado 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)
At surface

1952' FWL & 1887' FSL (18 1/2 SW 1/4)

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, CR, etc.)

5669' OL

12. COUNTY OR PARISH

Uintah

13. STATE

Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETION

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other) **Converted to water injection**

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

This well was converted to water injection as follows.

1. Drilled out to 5426' (Schl.).
2. Perforated 5372-76' w/2 jets/ft.
3. Set packer @ 5397' & tested casing to 3000 psi.
4. Pumped into perfs 5372-76' @ 4-1/2 BPM @ 1300 psi.
5. Perforated 5345-47, 5351-53, 5357-61, 5384-89, 5393-405 & 5408-12' w/2 jets/ft.
6. Pumped into perfs as follows: 5384-5412' @ 6-1/2 BPM @ 2000 psi; 5345-61' @ 5 BPM @ 2000 psi.
7. Installed 3000# tubing head.
8. Ran 2-7/8" tubing w/Low-Set packer set @ 5369'.

Present Status: SI; ready for injection.

RECEIVED

AUG 15 1972

PRODUCTION-DENVER

18. I hereby certify that the foregoing is true and correct

Original Signed by

SIGNED

R. B. WACKER

R. B. Wacker

TITLE

Division Engineer

DATE

8/1/72

(This space for Federal or State office use)

APPROVED BY

RWB

TITLE

Act Dist Engr

DATE

8-9-72

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

pw

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPlicate*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> Water Injection		5. LEASE DESIGNATION AND SERIAL NO. U-02148
2. NAME OF OPERATOR Chevron Oil Company - Western Division		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR P. O. Box 599, Denver, Colorado 80201		7. UNIT AGREEMENT NAME Red Wash
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1952' FWL & 1887' FSL (NE-1/4 SW-1/4)		8. FARM OR LEASE NAME Red Wash Unit
14. PERMIT NO.		9. WELL NO. 196 (23-17C)
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 5669' GL		10. FIELD AND POOL, OR WILDCAT Red Wash - Green River
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 17, T7S, R24E, SLBM
		12. COUNTY OR PARISH Uintah
		13. STATE Utah

RECEIVED
BR. OF OIL & GAS SURVEY
JAN 9 1973
U. S. GEOLOGICAL SURVEY
SALT LAKE CITY, UTAH

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <u>Converted to Water Injection</u> <input checked="" type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

The above well started injection on 10-1-72 at the rate of 603 BWPD with a tubing pressure of 50.

18. I hereby certify that the foregoing is true and correct

SIGNED Original Signed by J. W. GREER TITLE J. W. GREER DATE 1/10/73

(This space for Federal or State office use)

ACCEPTED (ORIG. SCG) G. R. DANIELS TITLE DISTRICT ENGINEER DATE JAN 9 1973

CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

U-02148

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Red Wash

8. FARM OR LEASE NAME

9. WELL NO.

196 (23-17C)

10. FIELD AND POOL, OR WILDCAT

Red Wash

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec 17, T7S, R24E SLB&M

12. COUNTY OR PARISH 18. STATE

Uintah

Utah

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL GAS WELL OTHER Water Injection

2. NAME OF OPERATOR
Chevron U.S.A. Inc.

3. ADDRESS OF OPERATOR
P. O. Box 599, Denver, Colorado 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)
At surface
1952' FWL and 1887' FSL (NE 1/4 SW 1/4)

14. PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.)
GL 5669

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

It is proposed to clean out well, acidize and eliminate tubing-casing annulus injection as follows:

- MIR & RU. ND tree. NU BOPE. Circ hole w/injection water. POOH w/tbg and packer.
- RIH w/bit, casing scraper and workstring. Clean out to 5426. POOH.
- RIH w/packer, RBP and workstring. Straddle intervals 5372-5412, 5345-62 and acidize each interval. See attached.
- RIH w/new plastic coated 2-7/8" tbg and Baker Model "FH" Hydrostatic Ret. casing packer, set packer at 5300. Packer to be TK 69 coated.
- Place well on injection.

APPROVED BY THE DIVISION OF
OIL, GAS, AND MINING

DATE: 6-19-79

BY: M. G. Minder

- 3- USGS
- 2- State
- 3- Partners
- 1- JCB
- 1- DLD
- 1- Sec 723
- 1- File

No additional surface disturbances required for this activity.

18. I hereby certify that the foregoing is true and correct

SIGNED J. Johnson TITLE Engineering Assistant DATE May 15, 1979

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

WELL NAME: RWU 196 (23-17C)

FIELD: Red Wash

PROPOSED TREATMENT PROCEDURE

1. Objective: Remove scale buildup and increase injection rate and sand coverage.
2. Size and type of treatment: 2200 gal. 15% HCL acid.
3. Intervals to be treated: 5372-5412, 5345-62
4. Treatment down casing or tubing: tubing
5. Method of localizing its effects: Retrievable bridge plug, packer and ball sealers to be used as diverting agents.
6. Disposal of treating fluid: Spent acid will be swabbed back to flat tank.
7. Name of company to do work: Dowell, Halliburton or Western
8. Anticipated additional surface disturbances: None
9. Estimated work date: June 16, 1979
10. Present status, current production and producing interval: Injecting

<u>Date</u>	<u>BOPD</u>	<u>MCFD</u>	<u>BWPD</u>
3/79			680 Down tubing - casing annulus
3/79			101 Down tubing

**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well gas well other Water Injection

2. NAME OF OPERATOR
Chevron U.S.A. Inc.

3. ADDRESS OF OPERATOR
P. O. Box 599, Denver, CO 80201

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1952' FWL & 1887' FSL (NE $\frac{1}{4}$ SW $\frac{1}{4}$)
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

5. LEASE
U-02148

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME
Red Wash

8. FARM OR LEASE NAME

9. WELL NO.
196 (23-17C)

10. FIELD OR WILDCAT NAME
Red Wash

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 17, T7S, R24E

12. COUNTY OR PARISH | 13. STATE
Uintah | Utah

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)
GL 5669

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	<input type="checkbox"/>		<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>		<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>		<input checked="" type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>		<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>		<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>		<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>		<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>		<input type="checkbox"/>
(other)	<input type="checkbox"/>		<input type="checkbox"/>

RECEIVED
NO. 2. Report results of multiple completion or zone change on Form 9-330.
JAN 14 1980

DIVISION OF
OIL, GAS & MINING

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Well was cleaned out, and acidized as follows:

- | | |
|---|--------------|
| 1. MI & RU. | 3 - USGS |
| 2. POOH and LD 2-7/8" tbg. | 2 - State |
| 3. RIH w/bit & scraper. CO to 5426. POOH. | 3 - Partners |
| 4. RIH w/RBP and pkr. Acidized. See attached. | 1 - JCB |
| 5. POOH & LD workstring. | 1 - Sec 723 |
| 6. RIH w/loc set pkr & new 2-7/8" tbg. | 1 - File |
| 7. RD & MO. | |
| 8. Placed well on injection. | |

No additional surface disturbances required for this activity.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Alanda J. Hanna TITLE Engineering Asst. DATE Dec. 17, 1979

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

WELL NAME 196 (23-17C)

FIELD NAME Red Wash

COMPLETED TREATMENT PROCEDURE

1. Size and type of treatment: 2200 gal. 15% HCL.
2. Intervals treated: 5345-5412.
3. Treatment down casing or tubing. Tubing.
4. Methods used to localize effects: Ball sealers.
5. Disposal of treating fluid: Spent acid was swabbed back.
6. Depth to which well was cleaned out:
7. Time spent bailing and cleaning out:
8. Date of work: 9-13-79.
9. Company who performed work: Dowell.
10. Production interval: 5345-5412.
11. Status and production before treatment:

<u>Date</u>	<u>BOPD</u>	<u>MCFD</u>	<u>BWPD</u>
3/79			680 - tbg-csg annulus 101 - tbg

12. Status and production after treatment:

<u>Date</u>	<u>BOPD</u>	<u>MCFD</u>	<u>BWPD</u>
10/79			141 - tbg-csg annulus 8 - tbg

CHECKLIST FOR INJECTION WELL APPLICATION AND FILE REVIEW
* * * * *

Operator: Cherwon Well No. 23-17C (196)
 County: Ventate T 75 R 24E Sec. 17 API# 43-047-15298
 New Well Conversion Disposal Well Enhanced Recovery Well

	YES	NO
UIC Forms Completed	<u>✓</u>	
Plat including Surface Owners, Leaseholders, and wells of available record	<u>✓</u>	
Schematic Diagram	<u>✓</u>	
Fracture Information	<u>✓</u>	
Pressure and Rate Control	<u>✓</u>	
Adequate Geologic Information	<u>✓</u>	
Fluid Source	<u>Greenwich</u>	
Analysis of Injection Fluid	Yes <u>✓</u> No <u> </u>	TDS <u>5460</u>
Analysis of Water in Formation to be injected into	Yes <u>✓</u> No <u> </u>	TDS <u>2146</u>
Known USDW in area	<u>Ventate</u>	Depth <u>2700</u>
Number of wells in area of review	<u>5</u> Prod. <u>5</u> P&A <u>0</u>	Water <u>0</u> Inj. <u>0</u>
Aquifer Exemption	Yes <u>✓</u> NA <u> </u>	
Mechanical Integrity Test	Yes <u>✓</u> No <u> </u>	
Date	<u>12-16-80</u>	Type <u>Tracer</u>

Comments: Top of cement 3800' - Bottom 5438'

Reviewed by: *[Signature]*

STATE OF UTAH
 DIVISION OF OIL, GAS, AND MINING
 ROOM 4241 STATE OFFICE BUILDING
 SALT LAKE CITY, UTAH 84114
 (801) 533-5771
 (RULE 1-5)

FORM NO. DOGM-UIC-1

IN THE MATTER OF THE APPLICATION OF

Chevron U.S.A. Inc.

CAUSE NO. _____

ADDRESS P. O. Box 599
Denver, CO ZIP 80201

ENHANCED RECOVERY INJ. WELL	<input checked="" type="checkbox"/>
DISPOSAL WELL	<input type="checkbox"/>

INDIVIDUAL _____ PARTNERSHIP _____ CORPORATION X
 FOR ADMINISTRATIVE APPROVAL TO DISPOSE OR
 INJECT FLUID INTO THE ...RTU..No....196..... WELL
 SEC. 17 TWP. 7S RANGE 24E
Uintah COUNTY, UTAH

APPLICATION

Comes now the applicant and shows the Division the following:

1. That Rule 1-5 (b) 6 authorizes administrative approval of enhanced recovery injections or disposal operations.
2. That the applicant submits the following information.

Lease Name <u>U-02148</u>	Well No. <u>196 (23-17C)</u>	Field <u>Red Wash</u>	County <u>Uintah</u>
Location of Enhanced Recovery Injection or Disposal Well <u>NE 1/4 SW 1/4</u> Sec. <u>17</u> Twp. <u>7S</u> Rge. <u>24E</u>			
New Well To Be Drilled Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Old Well To Be Converted Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Casing Test Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date <u>9/12/79</u>	
Depth-Base Lowest Known Fresh Water Within 1/2 Mile <u>2700</u>	Does Injection Zone Contain Oil-Gas-Fresh Water Within 1/2 Mile YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	State What <u>oil & gas</u>	
Location of Fresh water from the Green River Injection Source(s) <u>River</u>	Geologic Name(s) and Depth of Source(s) <u>Not Applicable</u>		
Geologic Name of Injection Zone <u>Green River</u>	Depth of Injection Interval <u>5345</u> to <u>5412</u>		
a. Top of the Perforated Interval: <u>5345</u>	b. Base of Fresh Water: <u>2700</u>	c. Intervening Thickness (a minus b) <u>2645</u>	
Is the intervening thickness sufficient to show fresh water will be protected without additional data? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO			
Lithology of Intervening Zones <u>sand-shale</u>			
Injection Rates and Pressures Maximum = <u>2500 B/D</u> , Working = <u>800</u> B/D Maximum = <u>3000 psi</u> , Working = <u>2000</u> PSI			
The Names and Addresses of Those To Whom Copies of This Application and Attachments Have Been Sent			
<u>Bureau of Land Management, State of Utah</u>			
<u>1400 University Club Building</u>			
<u>136 East South Temple</u>			
<u>Salt Lake City, Utah 84111</u>			

RECEIVED
JUL 20 1983

State of Colorado)

R. H. Elliott
Applicant
DIVISION OF OIL, GAS & MINING

County of Denver)

R. H. ELLIOTT

Before me, the undersigned authority, on this day personally appeared R. H. Elliott known to me to be the person whose name is subscribed to the above instrument, who being by me duly sworn on oath states, that he is duly authorized to make the above report and that he has knowledge of the facts stated therein, and that said report is true and correct.

Suscribed and sworn to before me this 19 day of July, 19 83

SEAL My commission expires July 5, 1987.

Louis J. Thompson
Notary Public in and for Colorado


My commission expires address is:
700 South Colorado Blvd.
Denver, CO 80222

1. Attach qualitative and quantitative analysis of fresh water from 2 or more producing wells within 1 mile of injection well showing location of wells and date samples were taken, or statement as to why samples were not submitted.
2. Attach qualitative and quantitative analysis of representative sample of water to be injected.
3. Attach plat showing subject well and all known oil and gas wells, abandoned, drilling and dry holes within 1/2 mile, together and with name of operator.
4. Attach Drillers Log (Form DOGM-UIC-2). (Appropriate Surety must be on file with Conservation Division.)
5. Attach Electric or Radioactivity Log of Subject well (if released).
6. Attach schematic drawing of subsurface facilities including; Size, setting depth, amount of cement used measured or calculated tops of cement surface, intermediate (if any) and production casings; size and setting depth of tubing; type and setting depth of packer; geologic name of injection zone showing top and bottom of injection interval.
7. The original and 6 copies of application, and one complete set of attachments shall be mailed to the Division.
8. Deliver 1 copy of application to landowner on whose land injection well is located and to each operator of a producing leasehold within 1/2 mile of injection well.
9. Affidavit of mailing or delivery shall be filed not later than five days after the application is filed.
10. Notice that an application has been filed shall be published by the Division in a newspaper of general circulation in the county in which the well is located. The Division shall file proof of publication before the application is approved. The notice shall include name and address of applicant, location of proposed injection or disposal well, injection zone, injection pressure and volume. If no written objection is received within 15 days from date of publication the application will be approved administratively.
11. A well shall not be used for injection or disposal unless completed machine accounting Form DOGM-UIC-3b is filed September 1st, each year.
12. Approval of this application, if granted, is valid only as long as there is no substantial change in the operations set forth in the application. A substantial operation change requires the approval of a new application.
13. If there is less intervening thickness required by Rule I-5 (b) 4 attach sworn evidence and data.

CASING AND TUBING DATA

NAME OF STRING	SIZE	SETTING DEPTH	SACKS CEMENT	TOP OF CEMENT	TOP DETERMINED BY
Surface	10-3/4"	234	165	surface	returns
Intermediate					
Production	5-1/2"	5438	310	3800	CBL
Tubing	2-7/8"	5301	Name - Type - Depth of Tubing Packer Baker Lok-Set packer @ 5297'		
Total Depth 5438	Geologic Name - Inj. Zone Green River	Depth - Top of Inj. Interval 5345	Depth - Base of Inj. Interval 5412		

SKETCH - SUBSURFACE FACILITY



Form UIC-2

(To be filed within 30 days after drilling is completed)

DEPARTMENT OF NATURAL RESOURCES AND ENERGY

DIVISION OF OIL, GAS, AND MINING
Room 4241 State Office Building
Salt Lake City, Utah 84114

COUNTY LEASE NO.

API NO 43-047-05503

640 Acres

COUNTY Uintah SEC 17 TWP. 7S RGE. 24E

COMPANY OPERATING Chevron U.S.A. Inc.

OFFICE ADDRESS P. O. Box 599

TOWN Denver STATE CO ZIP 80201

FARM NAME Red Wash WELL NO. 196


DRILLING STARTED 5/15 19 64 DRILLING FINISHED 5/26 19 64

DATE OF FIRST PRODUCTION 8/21/64 COMPLETED 8/8/64

WELL LOCATED NE $\frac{1}{4}$ SW $\frac{1}{4}$

1887 FT. FROM SL OF $\frac{1}{4}$ SEC. & 1952 FT. FROM WL OF $\frac{1}{4}$ SEC.

ELEVATION DERRICK FLOOR KB 5681 GROUND 5669



Locate Well Correctly and Outline Lease

TYPE COMPLETION

Single Zone X Order No. _____

Multiple Zone _____ Order No. _____

Cemented _____ Order No. _____

LOCATION EXCEPTION _____ Order No. _____ Penalty _____

OIL OR GAS ZONES

Name	From	To	Name	From	To
Green River	4500	5600			

CASING & CEMENT

Casing Set				Csg. Test	Cement		
Size	Wgt	Grade	Feet	Psi	Sex	Fillup	Top
10-3/4"	40.5#	J-55	234	1200	165	-	surface
5-1/2"	15.5#	J-55	5438	1000	310	-	3800

TOTAL DEPTH 5438

PACKERS SET 5297

COMPLETION & TEST DATA BY PRODUCING FORMATION

1 2 3

FORMATION	Green River		
SPACING & SPACING ORDER NO.	40 -acre spacing		
CLASSIFICATION (Oil; Gas; Dry; Inj. Well)	Enhanced recovery		
PERFORATED	5345-47	5352	5372-76
INTERVALS	5346-48	5357-61	5384-89
	5347	5360-62	5393-5405
	5351-53	5361	5408-12
ACIDIZED?	All perforated intervals		
FRACTURE TREATED?	5346-48	5351-53	5360-62
	5347, 5352, 5361		

INITIAL TEST DATA

Date	8/9/64		
Oil. bbl./day	57		
Oil Gravity	28		
Gas. Cu. Ft./day	788	Mcf	Cf
Gas-Oil Ratio Cu. Ft./Bbl.	13825		
Water-Bbl./day	23		
Pumping or Flowing	pumping		
CHOKE SIZE			
FLOW TUBING PRESSURE			

A record of the formations drilled through, and pertinent remarks are presented on the reverse. (see reverse side)

R.H. Elliott

I, the undersigned, being first duly sworn upon oath, state that this well record is true, correct and complete according to the records of this office and to the best of my knowledge and belief.


My Commission expires July 5, 1987. *(303) 691-7437 R.H. Elliott - Area Prod. Supt.*
Name and title of representative of company

My Business address is: *700 South Colorado Blvd Denver, CO 80222*
I submitted this record to you on this 19 day of July, 19 83
Lois G. Thompson

File

T 7 S, R 24 E, SLB & M

5-16-64



X = Corners Located (Brass Caps)

Scale. 1" = 1000'

Nelson J. Marshall

By: ROSS CONSTRUCTION CO.
Vernal, Utah

PARTY N. J. Marshall
L. Kay


SURVEY
CALIFORNIA OIL CO. RED WASH UNIT # 23-17-C
WELL LOCATION, LOCATED AS SHOWN IN THE
NE1/4 SW1/4 OF SECTION 17, T 7 S, R 24 E,
SLB & M, Uintah County, Utah

DATE May 16, 1964
REFERENCES GLO Plat
Approved May 5, 1937

WEATHER Clear - Warm

FILE Calif. Oil

Ground Level 5669'



Red Wash Unit 196 (23-17C)
Wellbore Schematic

CBL DESCRIPTIONS

Injection Well

RWU No. 196 (23-17C)

The CBL indicates the cement top is at + 3800'. The bond from 3800' to 4184' is of poor quality. Good to fair bonding is evident from 4184' to 4450'. A poor quality bond exists from 4450' to 5100'. Bonding is good to fair in quality from 5100' to 5426'. The injection interval is from 5345' to 5412'.

Offset Producers

RWU No. 15 (32-17C)

A cement bond log is not available for No. 15 (32-17C). The cement top is calculated to be at + 4150'. The production interval is 5367'-5413'.

RWU No. 18 (41-19C)

The CBL cement top is at 4090'. Good quality cement exists from TD (5333') to the cement top with a poor streak from 5250'-60' and fair streaks from 5060'-5120', 4295'-4315', and 4150'-90'. The top perforation is at 4182'.

RWU No. 106 (12-17C)

The CBL indicates the cement top is at + 4100'. The bond from 4100' to 4482' is generally poor. Bonding is good to fair from 4482' to 5420' with poor sections from 4630' to 4648' and 4808' to 4811'. Producing interval is from 4804' to 5013'.

RWU No. 195 (43-18C) ✓

The subject well has a good cement bond from the cement top at 4900' to 5500' except for 10' of poor bonding at 5170'. The gross perforated interval is 4777'-5478'.

RWU No. 247 (22-17C) ✓

The CBL in this well indicates good bond from TD (5700'), throughout the entire producing interval, to the cement top at 2970'. The production interval is from 4434'-5332'.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well Gas Well Other *W/W*

2. Name of Operator

CHEVRON U.S.A. PRODUCTION CO.

3. Address and Telephone No.

P.O. BOX 599, DENVER, CO. 80201 (303) 930-3691

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

⁹⁰ ₃
1887 FSL, 1952 FWL, SEC. 17, T7S, R24E

5. Lease Designation and Serial No.

U - 02148

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation
RED WASH

8. Well Name and No.

196 (23-17C)

9. API Well No.

43-047-15298

10. Field and Pool, or Exploratory Area
RED WASH - GRN. RIVER

11. County or Parish, State
UINTAH, UTAH

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other STATUS _____
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

HTIS WELL IS SHUT IN WHILE UPGRADING WELL TEST FACILITIES. WE WILL RE-EVALUATE STATUS AFTER WELL TEST FACILITIES UPGRADES HAVE BEEN COMPLETED.

- 3 - BLM
- 3 - STATE
- 1 - JTC
- 1 - WELL FILE
- 1 - JLW

RECEIVED

APR 09 1992

DIVISION OF
OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Signed *J. H. Walker* Title PERMIT SPECIALIST Date 4/3/92

(This space for Federal or State office use)

Approved by: _____ Title _____ Date _____

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

5. Lease Designation and Serial No.
U-02148

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation
Red Wash Unit

8. Well Name and No.
RW #196 (23-17C)

9. API Well No.
43-047-15298

10. Field and Pool, or Exploratory Area
Red Wash-Grn. River

11. County or Parish, State
Uintah, Utah

SUBMIT IN TRIPLICATE

1. Type of Well
Oil Gas
 Well Well Other

2. Name of Operator
Chevron U.S.A. Inc.

3. Address and Telephone No.
P.O. Box 455, Vernal, Utah 84078 (801) 789-2442

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
**1882' FSL, 195 1/2' FWL, NE/SW-S17-T7S-R24E
1840 3**

RECEIVED
SEP 30 1992
DIVISION OF OIL GAS & MINING

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input checked="" type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input checked="" type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completions on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

We propose to convert this shut-in water injector to a flowing gas producer as follows:

1. Pull injection equipment and clean out to +/-5275'.
2. Set CIBP at +/-5250' and dump 2 sx. cement on top. Conduct mechanical integrity test per EPA guidelines.
3. Set packer at +/-4350' and perforate the following zones with 2 JSPF: 5092-5103' (Jf), 4727-4744' (Hf), 4661-4680' (Hb/Hc), 4598-4616' (H/Ha), 4538-4555' (Gq) and 4392-4466' (Ga/Gb/Gc/Gd/Ge/Gf/Gg/Gh).
4. Swab/flow test well. If economic, turn over to production. Otherwise, temporarily abandon and evaluate for permanent abandonment.

ACCEPTED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING

DATE: **9/30/92**

14. I hereby certify that the foregoing is true and correct

Signed **Stamper McPherson**

Title **Petroleum Engineer**

Date **9/17/92**

(This space for Federal or State office use)

Approved by: _____ Title _____ Date _____

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

See instruction on Reverse Side



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION VIII

999 18th STREET - SUITE 500
DENVER, COLORADO 80202-2466

OCT 28 1992

RECEIVED

NOV 02 1992

DIVISION OF
OIL GAS & MINING

Ref: 8WM-DW

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

Mr. J. T. Conley
Area Operations Supervisor
Chevron U.S.A. Inc.
P.O. Box 455
Vernal, Utah 840748

RE: Request to Convert Red Wash Unit
Water Injectors to Gas Producers:
a) RWU #22 (41-18C) UTO2427,
b) RWU #196 (13-17C) UTO2413,
Uintah County, Utah

Dear Mr. Conley:

Your September 21, 1992 request to convert the above-cited Red Wash Unit injectors to gas production status, together with your enclosed supporting documents have been reviewed. Your procedure for the proposed plug-back (from the current injection intervals), for the mechanical integrity pressure testing of the plugged-back wells, and for the recompletion of these two injection wells to gas producers is considered adequate to justify your request.

Be advised that your request and proposed procedures for conversion of these two injection wells to gas production status is hereby approved with the following provisions:

- 1) A documented, satisfactory, forty-five (45) minute Mechanical Integrity Test (MIT) is conducted on the plugged back portion of the well at a pressure of at least 500 psi [with no-greater-than ten (10) percent pressure loss]; and
- 2) A copy of six (6) months gas production records (as submitted to the State of Utah) is submitted to EPA for each plugged back well.



Chevron U.S.A. Inc.
P.O. Box 455, Vernal, UT 84078 • Phone (801) 789-2442

FEBRUARY 15, 1993

ANNUAL REPORT OF
SHUT-IN WELLS
WONSITS VALLEY STATE/FEDERAL UNIT
UINTAH COUNTY, UTAH

BUREAU OF LAND MANAGEMENT
170 SOUTH 500 EAST
VERNAL, UT 84078

GENTLEMEN:

Enclosed, please find the annual report of shut-in wells in Red Wash Unit. If you have any questions, please call the above address.

Sincerely,

J.T. CONLEY
AREA OPERATIONS SUPERVISOR

sdm
Enclosures

cc: State of Utah
Department of Natural Resources
Division of Oil, Gas and Mining
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, UT 84180-1203

RECEIVED

FEB 18 1993

DIVISION OF
OIL GAS & MINING

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

5. Lease Designation and Serial No.
U-02148

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation
Red Wash Unit

8. Well Name and No.
RWU #196 (23-17C)

9. API Well No.
43-047-15298

10. Field and Pool, or Exploratory Area
Red Wash-Grn. River

11. County or Parish, State
Uintah, Utah

SUBMIT IN TRIPLICATE

1. Type of Well
Oil Gas
Well Well Other

2. Name of Operator
Chevron U.S.A. Inc.

3. Address and Telephone No.
P.O. Box 455, Vernal, Utah 84078 (801) 789-2442

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1887 FSL, 1952 FWL, SEC. 17, T7S, R24E
1887 FSL, 1952 FWL

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other _____	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Well test facility upgrades were completed in 1992. We plan to re-evaluate this shut-in injection well during 1993.

RECEIVED

FEB 18 1993

DIVISION OF
OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct.

Signed

Dana Hough

Title

Oper Assistant

Date

02/09/93

(This space for Federal or State office use)

Approved by:

Title

Date

Conditions of approval, if any:



Chevron U.S.A. Inc.

P.O. Box 455, Vernal, UT 84078 • Phone (801) 789-2442

FEBRUARY 15, 1993

**ANNUAL REPORT OF
SHUT-IN WELLS
RED WASH UNIT
UINTAH COUNTY, UTAH**

**BUREAU OF LAND MANAGEMENT
170 SOUTH 500 EAST
VERNAL, UT 84078**

GENTLEMEN:

Enclosed, please find the annual report of shut-in wells in Red Wash Unit. If you have any questions, please call the above address.

Sincerely,



**J.T. CONLEY
AREA OPERATIONS SUPERVISOR**

sdm
Enclosures

cc: State of Utah
Department of Natural Resources
Division of Oil, Gas and Mining
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, UT 84180-1203

Buttram Energies, Inc.
6303 Waterford Boulevard, Suite 220
Oklahoma City, OK 73116

RECEIVED

FEB 18 1993

**DIVISION OF
OIL GAS & MINING**

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

5. Lease Designation and Serial No.
U-02148

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation
Red Wash Unit

8. Well Name and No.
RWU #196 (23-17C)

9. API Well No.
43-047-15298

10. Field and Pool, or Exploratory Area
Red Wash-Grn. River

11. County or Parish, State
Uintah, Utah

SUBMIT IN TRIPLICATE

1. Type of Well
Oil Gas
Well Well Other

2. Name of Operator
Chevron U.S.A. Inc.

3. Address and Telephone No.
P.O. Box 455, Vernal, Utah 84078 (801) 789-2442

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
1887' FSL, 1952' FWL, NE/SW-S17-T7S-R24E

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input checked="" type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input checked="" type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

The recompletion work on the subject shut-in water injector was completed and converted to a gas producer between 05/12/93 and 05/14/93:

- Clean out to 5290' and set CIBP at 5250'. Dump bailed 235' cement on CIPB. New PBTB 5215'.
- Set packer at 4303'. Tested casing to 500 PSI; good.
- Perforated through tubing with 2 JSPF at 5092-5103 (Jf), 4727-4744' (Hf).
- Swab/flow test well.
- Return well to production.

Notified Chuck Williams with the EPA and Ed Forsman with the BLM to witness.

RECEIVED

JUN 07 1993

DIVISION OF
OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct

Signed

Chana Hough

Title

Oper Assistant

Date

06/01/93

(This space for Federal or State office use)

Approved by:

Title

Date

Conditions of approval, if any:

OPERATOR CHEVRON USA INC

OPERATOR ACCT. NO. N 0210

ADDRESS _____

ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WELL NAME	WELL LOCATION					SPUD DATE	EFFECTIVE DATE
					QQ	SC	TP	RG	COUNTY		
C	99996	05670	43-047+16483	RWU 22 (41-18C)	NENE	18	7S	24E	UINTAH	1-26-53	6-1-93
WELL 1 COMMENTS: *CONVERTED FR WIW TO PGW EFF 6-1-93. (RED WASH UNIT/BASAL GREEN RIVER P.A.)											
C	99996	05670	43-047-15298	RWU 196 (23-17C)	NESW	17	7S	24E	UINTAH	5-15-64	5-14-93
WELL 2 COMMENTS: *CONVERTED FR WIW TO PGW EFF 5-14-93. (RED WASH UNIT/BASAL GREEN RIVER P.A.)											
WELL 3 COMMENTS:											
WELL 4 COMMENTS:											
WELL 5 COMMENTS:											

- ACTION CONES (See Instructions on back of form)
- A - Establish new entity for new well (single well only)
 - B - Add new well to existing entity (group or unit well)
 - C - Re-assign well from one existing entity to another existing entity
 - D - Re-assign well from one existing entity to a new entity
 - E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected.

L. CORDOVA (DOGM)
Signature
ADMIN. ANALYST 8-3-93
Title Date
Phone No. ()

**UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
 Oil Gas
 Well Well Other

2. Name of Operator
CHEVRON U.S.A. PRODUCTION COMPANY

3. Address and Telephone No.
11002 EAST 17500 SOUTH, VERNAL, UT 84078-8526 (801) 781-4302

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
1887' FSL, 1952' FWL, SEC. 17, T7S/R24E, NE/SW

5. Lease Designation and Serial No.
U-02148

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation
RED WASH UNIT

8. Well Name and No.
RWU #196 (23-17C)

9. API Well No.
43-047-15298

10. Field and Pool, or Exploratory Area
RED WASH-GRN. RIVER

11. County or Parish, State
UINTAH, UTAH

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA


TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input checked="" type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

The following work was completed between 04/01/94 and 04/13/94:

- MIRU.
- Perforated the following zones with 4 JSPP: 4661-4680', 4598-4616', 4426-4466', 4392-4426'.
- RDMO.



14. I hereby certify that the foregoing is true and correct.
 Signed: *Chase Ruff* Title: Operations Assistant Date: 05/23/94

(This space for Federal or State office use)

Approved by: _____ Title: _____ Date: _____

Conditions of approval, if any

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

Lease Designation and Serial No.

U-02148

Indian, Allottee or Tribe Name

Unit or CA, Agreement Designation

RED WASH UNIT

Well Name and No.

RWU #196 (23-17C)

API Well No.

43-047-15298

Field and Pool, or Exploratory Area

RED WASH - GRN. RIVER

County or Parish, State

UNTAH, UTAH

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Gas

Well Well Other

2. Name of Operator

CHEVRON U.S.A. PRODUCTION COMPANY

3. Address and Telephone No.

11002 E. 17500 S., VERNAL, UT 84078-8526 (801) 781-4300

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SEC. 17, T7S/R24E, 1887' FSL, 1952' FWL

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

Notice of Intent

Abandonment

Change of Plans

Subsequent Report

Recompletion

New Construction

Final Abandonment Notice

Plugging Back

Non-Routine Fracturing

Casing Repair

Water Shut-Off

Altering Casing

Conversion to Injection

Other Replace Bellows gas meter

Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log Form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

We request permission to replace dry flow Bellows gas meters with electronic flow meters (EFM) at the following facility:

RWU # 196 (23-17C), Gas Well # 196 (23-17C) Meter

Documentation will be conducted according to Onshore Order No. 5 Paragraph III. Hard copies of monthly volume statements will be retained along with electronic data.

Calibration will continue as previously scheduled.

Volume reporting process will not be changed.

Wayne Bankert is familiar with this type of measurement and has been contacted.

JAN 5 1996

14. I hereby certify that the foregoing is true and correct.
Signed

Title Petroleum Technologist

Date OCTOBER 24, 1995

(This space for Federal or State office use)

Approved by:

Title

Accepted by the
Utah Division of
Oil, Gas and Mining

Conditions of approval, if any

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

FOR RECORD ONLY

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir

Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
 Oil Well Gas Well Other **MULTIPLE WELLS SEE ATTACHED LIST**

2. Name of Operator
CHEVRON U.S.A. INC.

3. Address and Telephone No
11002 E. 17500 S. VERNAL, UT 84078-8526 (801) 781-4300

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

5. Lease Designation and Serial No.

6. If Indian, Allottee or Tribe Name
N/A

7. If Unit or CA, Agreement Designation
**RED WASH UNIT
I-SEC NO 761**

8. Well Name and No.

9. API Well No.

10. Field and Pool, or Exploratory Area
RED WASH - GREEN RIVER

11. County or Parish, State
UINTAH, UTAH

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other CHANGE OF OPERATOR
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

As of January 1, 2000 Chevron U.S.A. INC. resigns as Operator of the Red Wash Unit. The Unit Number is I-SEC NO 761 effective October 31, 1950.

The successor operator under the Unit Agreement will be
Shenandoah Energy Inc.
 475 17th Street, Suite 1000
 Denver, CO 80202

Agreed and accepted to this 29th day of December, 1999

Shenandoah Energy Inc.
 By: Mitchell L. Solich
 Mitchell L. Solich
 President

RECEIVED

DEC 30 1999

DIVISION OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct.
 Signed A. E. Wacker A. E. Wacker Title Assistant Secretary Date 12/29/99

(This space for Federal or State office use)

Approved by: _____ Title _____ Date _____

Conditions of approval, if any _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH		4-KAS
2. CDW	✓	5- <i>SM</i> ✓
3. JLT		6-FILE

Enter date after each listed item is completed

X Change of Operator (Well Sold)

Designation of Agent

Operator Name Change (Only)

Merger

The operator of the well(s) listed below has changed, effective:

01-01-2000

FROM: (Old Operator):

CHEVRON USA INC
 Address: 11002 E. 17500 S.
 VERNAL, UT 84078-8526

Phone: 1-(435)-781-4300

Account No. N0210

TO: (New Operator):

SHENANDOAH ENERGY INC
 Address: 11002 E. 17500 S.
 VERNAL, UT 84078

Phone: 1-(435)-781-4300

Account N4235

CA No.

Unit: RED WASH

WELL(S)

NAME	API NO.	ENTITY NO.	SEC. TWN RNG	LEASE TYPE	WELL TYPE	WELL STATUS
RWU 190 (34-29A)	43-047-16500	99998	29-07S-22E	FEDERAL	IW	PA
RWU 179 (43-33A)	43-047-15286	5670	33-07S-22E	FEDERAL	OW	PA
RWU 192 (41-33A)	43-047-15294	5670	33-07S-22E	FEDERAL	OW	P
RWU 178 (22-13B)	43-047-15285	5670	13-07S-23E	FEDERAL	OW	TA
RWU 191 (12-27B)	43-047-15293	99998	14-07S-23E	FEDERAL	IW	PA
RWU 194 (12-14B)	43-047-15296	5670	14-07S-23E	FEDERAL	OW	P
RWU 189 (41-16B)	43-047-15292	5670	16-07S-23E	STATE	OW	P
RWU 188 (23-20B)	43-047-15291	5670	20-07S-23E	FEDERAL	OW	TA
RWU 180 (31-23B)	43-047-15287	5670	23-07S-23E	FEDERAL	OW	TA
RWU 193 (43-24B)	43-047-15295	5670	24-07S-23E	FEDERAL	GW	P
RWU 184 (23-26B)	43-047-15290	5670	26-07S-23E	FEDERAL	OW	TA
RWU 19 (34-26B)	43-047-15148	5670	26-07S-23E	FEDERAL	GW	P
RWU 176 (31-28B)	43-047-15283	5670	28-07S-23E	FEDERAL	OW	TA
RWU 177 (42-28B)	43-047-15284	5670	28-07S-23E	FEDERAL	OW	TA
RWU 20 (41-29B)	43-047-15149	5670	29-07S-23E	FEDERAL	OW	PA
RWU 181 (34-30B)	43-047-15288	5670	30-07S-23E	FEDERAL	OW	P
RWU 186 (12-30B)	43-047-16499	99998	30-07S-23E	FEDERAL	IW	PA
RWU 198 (21-33B)	43-047-15300	5670	33-07S-23E	FEDERAL	OW	PA
RWU 196 (23-17C)	43-047-15298	5670	17-07S-24E	FEDERAL	GW	P
RWU 195 (43-18C)	43-047-15297	5670	18-07S-24E	FEDERAL	OW	PA
RWU 18 (41-19C)	43-047-15147	5670	19-07S-24E	FEDERAL	GW	PA
RWU 197 (43-21C)	43-047-15299	5670	21-07S-24E	FEDERAL	OW	PA

OPERATOR CHANGES DOCUMENTATION

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 12-30-1999
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 08-09-2000

3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 08-23-2000
4. Is the new operator registered in the State of Utah: YES Business Number: 224885
5. If **NO**, the operator was contacted on: _____
6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the (merger, name change, or operator change for all wells listed on Federal or Indian leases on: 02/04/2000
7. **Federal and Indian Units:** The BLM or BIA has approved the successor of unit operator for wells listed on: 02/04/2000
8. **Federal and Indian Communization Agreements ("CA"):** The BLM or the BIA has approved the operator change for all wells listed involved in a CA on: N/A
9. **Underground Injection Control ("UIC") Pro:** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: _____

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 09/18/2000
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 09/18/2000
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

STATE BOND VERIFICATION:

1. State well(s) covered by Bond No.: 159261960

FEE WELLS - BOND VERIFICATION/LEASE INTEREST OWNER NOTIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed has furnished a bond: N/A
2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A
3. (R649-2-10) The **FORMER** operator of the Fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on:

FILMING:

1. All attachments to this form have been **MICROFILMED** on: 3-2-01

FILING:

1. **ORIGINALS/COPIES** of all attachments pertaining to each individual well have been filed in each well file on: _____

COMMENTS:



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

RECEIVED

FEB 07 2000

DIVISION OF
OIL, GAS AND MINING

IN REPLY REFER TO
UT-931

February 4, 2000

Shenandoah Energy Inc.
Attn: Rae Cusimano
475 17th Street, Suite 1000
Denver, Colorado 80202

Re: Red Wash Unit
Uintah County, Utah

Gentlemen:

On December 30, 1999, we received an indenture whereby Chevron U.S.A. Inc. resigned as Unit Operator and Shenandoah Energy Inc. was designated as Successor Unit Operator for the Red Wash Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective February 4, 2000. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Red Wash Unit Agreement.

Your statewide (Utah) oil and gas bond No. 0969 will be used to cover all operations within the Red Wash Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure

cc: Chevron U.S.A. Inc.

bcc: Field Manager - Vernal (w/enclosure)

Minerals Adjudication Group U-932
File - Red Wash Unit (w/enclosure)
MMS - Data Management Division
Agr. Sec. Chron
Fluid Chron

UT931:TAThompson:tt:2/4/00

Well Status Report
Utah State Office
Bureau of Land Management

Lease	Api Number	Well Name	QTR	Section	Township	Range	Well Status	Operator
** Inspection Item: 8920007610								
UTU0566	4304715135	1 (41-26B) RED WASH	NENE	26	T 7S	R23E TA		CHEVRON U S A INCORPORATED
UTU082	4304715141	10 (12-23B) RED WASH	SWNW	23	T 7S	R23E OSI		CHEVRON U S A INCORPORATED
UTU0559	4304715219	100A (43-21A) RED WA	NESE	21	T 7S	R22E WIW		CHEVRON U S A INCORPORATED
UTU0567	4304715220	101 (34-21B) RED WAS	SWSE	21	T 7S	R23E POW		CHEVRON U S A INCORPORATED
UTU0561	4304715221	102 (41-24A) RED WAS	SENE	24	T 7S	R22E WIW		CHEVRON U S A INCORPORATED
UTU081	4304715222	103 (34-15B) RED WAS	SWSE	15	T 7S	R23E TA		CHEVRON U S A INCORPORATED
UTU0559	4304715223	104 (14-22A) RED WAS	SWSW	22	T 7S	R22E ABD		CHEVRON U S A INCORPORATED
UTU0560	4304716487	105 (32-29A) RED WAS	SWNE	29	T 7S	R22E P+A		CHEVRON U S A INCORPORATED
UTU02148	4304715224	106 (12-17C) RED WAS	SWNW	17	T 7S	R24E ABD		CHEVRON U S A INCORPORATED
UTU0558	4304715225	107 (12-28A) RED WAS	SWNW	28	T 7S	R22E P+A		CHEVRON U S A INCORPORATED
UTU0567	4304715226	108 (32-21B) RED WAS	SWNE	21	T 7S	R23E POW		CHEVRON U S A INCORPORATED
UTU02025	4304715227	109 (21-28B) RED WAS	NENW	28	T 7S	R23E POW		CHEVRON U S A INCORPORATED
UTU0566	4304715142	11 (34-27B) RED WASH	SWSE	27	T 7S	R23E WIW		CHEVRON U S A INCORPORATED
UTU0559	4304715228	110 (23-23A) RED WAS	NESW	23	T 7S	R22E POW		CHEVRON U S A INCORPORATED
UTU0561	4304715229	111 (32-24A) RED WAS	SWNE	24	T 7S	R22E TA		CHEVRON U S A INCORPORATED
UTU0558	4304715230	112 (32-28A) RED WAS	SWNE	28	T 7S	R22E POW		CHEVRON U S A INCORPORATED
UTU0558	4304715232	114 (41-28A) RED WAS	NENE	28	T 7S	R22E P+A		CHEVRON U S A INCORPORATED
UTU02030	4304715233	115 (21-19B) RED WAS	NENW	19	T 7S	R23E POW		CHEVRON U S A INCORPORATED
UTU0558	4304715234	116 (23-28A) RED WAS	NESW	28	T 7S	R22E P+A		CHEVRON U S A INCORPORATED
UTU0560	4304716488	117 (14-21A) RED WAS	SWSW	21	T 7S	R22E P+A		CHEVRON U S A INCORPORATED
UTU0560	4304715236	119 (43-29A) RED WAS	NESE	29	T 7S	R22E POW		CHEVRON U S A INCORPORATED
UTU082	4304716474	12 (41-24B) RED WASH	NENE	24	T 7S	R23E ABD		CHEVRON U S A INCORPORATED
UTU02025	4304715237	120 (23-28B) RED WAS	NESW	28	T 7S	R23E TA		CHEVRON U S A INCORPORATED
UTU081	4304715238	121 (13-13B) RED WAS	NWSW	13	T 7S	R23E PGW		CHEVRON U S A INCORPORATED
UTU081	4304715239	122 (24-14B) RED WAS	SESW	14	T 7S	R23E POW		CHEVRON U S A INCORPORATED
UTL066446A	4304715240	123 (43-13A) RED WAS	NESE	13	T 7S	R22E ABD		CHEVRON U S A INCORPORATED
UTU0558	4304715241	124 (14-28A) RED WAS	SWSW	28	T 7S	R22E P+A		CHEVRON U S A INCORPORATED
UTU02030	4304715242	125 (34-19B) RED WAS	SWSE	19	T 7S	R23E POW		CHEVRON U S A INCORPORATED
UTU0560	4304715243	126 (41-29A) RED WAS	NENE	29	T 7S	R22E POW		CHEVRON U S A INCORPORATED
UTU02030	4304715244	127 (12-19B) RED WAS	SWNW	19	T 7S	R23E POW		CHEVRON U S A INCORPORATED
UTU0559	4304715245	128 (32-23A) RED WAS	SWNE	23	T 7S	R22E ABD		CHEVRON U S A INCORPORATED
UTU081	4304715246	129 (14-15B) RED WAS	SWSW	15	T 7S	R23E POW		CHEVRON U S A INCORPORATED
UTU081	4304715143	13 (14-22B) RED WASH	SWSW	22	T 7S	R23E TA		CHEVRON U S A INCORPORATED
UTL071965	4304715247	130 (32-27C) RED WAS	SWNE	27	T 7S	R24E P+A		CHEVRON U S A INCORPORATED
UTU0559	4304715248	131 (41-22A) RED WAS	NENE	22	T 7S	R22E P+A		CHEVRON U S A INCORPORATED
UTU0823	4304715249	132 (32-5F) RED WASH	SWNE	5	T 8S	R24E ABD		CHEVRON U S A INCORPORATED
UTU0566	4304715250	133 (41-34B) RED WAS	NENE	34	T 7S	R23E POW		CHEVRON U S A INCORPORATED
UTU02025	4304716489	134 (14-28B) RED WAS	SWSW	28	T 7S	R23E ABD		CHEVRON U S A INCORPORATED
UTU0116	4304715251	135 (12-18B) RED WAS	SWNW	18	T 7S	R23E ABD		CHEVRON U S A INCORPORATED
UTU02030	4304715252	136 (43-19B) RED WAS	NESE	19	T 7S	R23E TA		CHEVRON U S A INCORPORATED
UTU02030	4304715253	137 (34-28B) RED WAS	SWSE	28	T 7S	R23E TA		CHEVRON U S A INCORPORATED
UTU02025	4304715254	138 (41-30B) RED WAS	NENE	30	T 7S	R23E POW		CHEVRON U S A INCORPORATED
UTU02025	4304716490	139 (43-29B) RED WAS	NESE	29	T 7S	R23E ABD		CHEVRON U S A INCORPORATED
UTU081	4304715144	14 (14-13B) RED WASH	SWSW	13	T 7S	R23E WIWSI		CHEVRON U S A INCORPORATED
UTU081	4304715255	140 (24-22B) RED WAS	SESW	22	T 7S	R23E POW		CHEVRON U S A INCORPORATED
UTU0566	4304715256	141 (11-27B) RED WAS	MWNW	27	T 7S	R23E TA		CHEVRON U S A INCORPORATED
UTU0571	4304716491	142 (12-33A) RED WAS	SWNW	33	T 7S	R22E P+A		CHEVRON U S A INCORPORATED
UTU081	4304715257	143 (33-14B) RED WAS	NWSE	14	T 7S	R23E POW		CHEVRON U S A INCORPORATED

Well Status Report
Utah State Office
Bureau of Land Management

Lease	Api Number	Well Name	QTR	Section	Township	Range	Well Status	Operator
UTU0116	4304715258	144 (21-18B) RED WAS NENW	18	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU081	4304715259	145 (24-13B) RED WAS SESW	13	T	7S	R23E OSI	CHEVRON U S A INCORPORATED	
UTU0559	4304716492	146 (12-21A) RED WAS SWNW	21	T	7S	R22E P+A	CHEVRON U S A INCORPORATED	
UTU081	4304715260	147 (22-22B) RED WAS SENW	22	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU081	4304715261	148 (13-22B) RED WAS NWSW	22	T	7S	R23E WIW	CHEVRON U S A INCORPORATED	
UTU0571	4304715262	149 (21-33A) RED WAS NENW	33	T	7S	R22E P+A	CHEVRON U S A INCORPORATED	
UTU02148	4304715145	15 (32-17C) RED WASH SWNE	17	T	7S	R24E PGW	CHEVRON U S A INCORPORATED	
UTU081	4304715263	150 (31-22B) RED WAS NWNE	22	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU081	4304715264	151 (42-14B) RED WAS SENE	14	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU02148	4304716493	152 (41-17C) RED WAS NENE	17	T	7S	R24E P+A	CHEVRON U S A INCORPORATED	
UTU02025	4304715265	153 (14-29B) RED WAS SWSW	29	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
STATE	4304716494	154 (41-32B) RED WAS NENE	32	T	7S	R23E P+A	CHEVRON USA INC	
UTU0571	4304715266	155 (23-33A) RED WAS NESW	33	T	7S	R22E P+A	CHEVRON U S A INCORPORATED	
UTU081	4304715267	156 (23-15B) RED WAS NESW	15	T	7S	R23E WIW	CHEVRON U S A INCORPORATED	
UTU02025	4304715268	158 (32-30B) RED WAS SWNE	30	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU0571	4304715269	159 (14-33A) RED WAS SWSW	33	T	7S	R22E P+A	CHEVRON U S A INCORPORATED	
UTU02030	4304716475	16 (43-28B) RED WASH NESE	28	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU081	4304715270	160 (32-15B) RED WAS SWNE	15	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU02030	4304715271	161 (14-20B) RED WAS SWSW	20	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU02030	4304715272	162 (12-20B) RED WAS SWNW	20	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU0570	4304715273	163 (34-33A) RED WAS SWSE	33	T	7S	R22E P+A	CHEVRON U S A INCORPORATED	
UTU02025	4304715274	164 (12-28B) RED WAS SWNW	28	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU0566	4304715275	165 (32-26B) RED WAS SWNE	26	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU0562	4304715276	166 (23-14A) RED WAS NESW	14	T	7S	R22E ABD	CHEVRON U S A INCORPORATED	
UTU0567	4304715277	167 (23-21B) RED WAS NESW	21	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU082	4304715278	168 (23-24B) RED WAS NESW	24	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU0569	4304715146	17 (41-20B) RED WASH NENE	20	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU081	4304716495	170 (41-15B) RED WAS NENE	15	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU0570	4304715279	171 (32-33A) RED WAS SWNE	33	T	7S	R22E P+A	CHEVRON U S A INCORPORATED	
UTU02030	4304715280	172 (21-30B) RED WAS NENW	30	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU0569	4304716496	173 (21-21B) RED WAS NENW	21	T	7S	R23E WIW	CHEVRON U S A INCORPORATED	
UTU0933	4304715281	174 (21-20B) RED WAS NENW	20	T	7S	R23E WIW	CHEVRON U S A INCORPORATED	
UTU0558	4304715282	175 (34-28A) RED WAS SWSE	28	T	7S	R22E ABD	CHEVRON U S A INCORPORATED	
UTU02030	4304715283	176 (31-28B) RED WAS NWNE	28	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU02030	4304715284	177 (42-28B) RED WAS SENE	28	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU081	4304715285	178 (22-13B) RED WAS SENW	13	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU0570	4304715286	179 (43-33A) RED WAS NESE	33	T	7S	R22E P+A	CHEVRON U S A INCORPORATED	
UTU02149	4304715147	18 (41-19C) RED WASH NENE	19	T	7S	R24E ABD	CHEVRON U S A INCORPORATED	
UTU082	4304715287	180 (31-23B) RED WAS NWNE	23	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU02025	4304715288	181 (34-30B) RED WAS SWSE	30	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU0933	4304716497	182 (14-21B) RED WAS SWSW	21	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU081	4304715289	183 (33-13B) RED WAS NWSE	13	T	7S	R23E WIW	CHEVRON U S A INCORPORATED	
UTU0566	4304715290	184 (23-26B) RED WAS NESW	26	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU081	4304716498	185 (41-14B) RED WAS NENE	14	T	7S	R23E WIWSI	CHEVRON U S A INCORPORATED	
UTU02030	4304716499	186 (12-30B) RED WAS SWNW	30	T	7S	R23E P+A	CHEVRON U S A INCORPORATED	
UTU02030	4304715291	188 (23-20B) RED WAS NESW	20	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
STATE	4304715292	189 (41-16B) RED WAS NENE	16	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU0566	4304715148	19 (34-26B) RED WASH SWSE	26	T	7S	R23E GSI	CHEVRON U S A INCORPORATED	
UTU0560	4304716500	190 (34-29A) RED WAS SWSE	29	T	7S	R22E P+A	CHEVRON U S A INCORPORATED	

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

5. Lease Serial No.
U02148

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on reverse side.

7. If Unit or CA/Agreement, Name and/or No.
8920007610

8. Well Name and No.
RWU #196 23-17C

9. API Well No.
43-047-15298

10. Field and Pool, or Exploratory
RED WASH

11. County or Parish, and State
UINTAH COUNTY, UT

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
SHENANDOAH ENERGY INC. Contact: ANN PETRIK
E-Mail: ann.petrik@questar.com

3a. Address
11002 EAST 17500 SOUTH
VERNAL, UT 84078

3b. Phone No. (include area code)
Ph: 435.781.4306
Fx: 435.781.4329

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Sec 17 T7S R24E NESW 1887FSL 1952FWL

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input checked="" type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

WE REQUEST A TA STATUS APPROVAL FOR THIS WELL.
WE BELIEVE A RETURN TO PRODUCTION COULD BE JUSTIFIED IN THE FUTURE.

RECEIVED
SEP 27 2002
DIVISION OF
OIL, GAS AND MINING

The well is currently in Producing status. In accordance with R649-3-36, the well may remain shut-in or temporarily abandoned until the date at which time the operator shall file a Sundry Notice providing the information specified in R649-3-36.

ACCEPTED BY: D. R. Dunt October 11, 2002
Utah Division of Oil, Gas and Mining

14. I hereby certify that the foregoing is true and correct.
Electronic Submission #14518 verified by the BLM Well Information System For SHENANDOAH ENERGY INC., sent to the Vernal

Name (Printed/Typed) ANN PETRIK Title ADMINISTRATIVE CONTACT

Signature (Electronic Submission) Date 09/24/2002

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By _____ Title _____ Date _____

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office _____

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ****

CONFIDENTIAL

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW
3. FILE

Change of Operator (Well Sold)

Designation of Agent/Operator

X Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:

2/1/2003

FROM: (Old Operator): N4235-Shenandoah Energy Inc 11002 E 17500 S Vernal, UT 84078-8526 Phone: (435) 781-4341	TO: (New Operator): N2460-QEP Uinta Basin Inc 11002 E 17500 S Vernal, UT 84078-8526 Phone: (435) 781-4341
--	---

CA No.

Unit:

RED WASH

WELL(S)

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS	Confid
RWU 204 (23-25A)	25	070S	220E	4304715305	5670	Federal	OW	P	
RWU 192 (41-33A)	33	070S	220E	4304715294	5670	Federal	OW	P	
RWU 178 (22-13B)	13	070S	230E	4304715285	5670	Federal	OW	TA	
RWU 194 (12-14B)	14	070S	230E	4304715296	5670	Federal	OW	S	
RWU 162 (12-20B)	20	070S	230E	4304715272	5670	Federal	OW	TA	
RWU 188 (23-20B)	20	070S	230E	4304715291	5670	Federal	OW	TA	
RWU 167 (23-21B)	21	070S	230E	4304715277	5670	Federal	OW	S	
RWU 180 (31-23B)	23	070S	230E	4304715287	5670	Federal	OW	TA	
RWU 168 (23-24B)	24	070S	230E	4304715278	5670	Federal	OW	TA	
RWU 193 (43-24B)	24	070S	230E	4304715295	5670	Federal	GW	S	
RWU 165 (32-26B)	26	070S	230E	4304715275	5670	Federal	GW	TA	
RWU 184 (23-26B)	26	070S	230E	4304715290	5670	Federal	OW	TA	
RWU 19 (34-26B)	26	070S	230E	4304715148	5670	Federal	GW	TA	
RWU 164 (12-28B)	28	070S	230E	4304715274	5670	Federal	OW	P	
RWU 176 (31-28B)	28	070S	230E	4304715283	5670	Federal	OW	TA	
RWU 177 (42-28B)	28	070S	230E	4304715284	5670	Federal	OW	TA	
RWU 172 (21-30B)	30	070S	230E	4304715280	5670	Federal	OW	TA	
RWU 181 (34-30B)	30	070S	230E	4304715288	5670	Federal	OW	P	
RWU 196 (23-17C)	17	070S	240E	4304715298	5670	Federal	GW	S	
RWU 201 (32-28C)	28	070S	240E	4304715302	5670	Federal	GW	P	

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/2/2003
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/2/2003
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/19/2003
- Is the new operator registered in the State of Utah: YES Business Number: 5292864-0151
- If **NO**, the operator was contacted on: _____

6. (R649-9-2)Waste Management Plan has been received on:

IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 7/21/2003

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 7/21/2003

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: n/a

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 8/28/2003

2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 8/28/2003

3. Bond information entered in RBDMS on: n/a

4. Fee wells attached to bond in RBDMS on: n/a

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: 965-003-032

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: ESB000024

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: 799446

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number 965-003-033

2. The **FORMER** operator has requested a release of liability from their bond on: n/a

The Division sent response by letter on: n/a

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:



May 28, 2003

Division of Oil, Gas, & Mining
1594 West North Temple, Suite 1210
P. O. Box 145801
Salt Lake City, Utah 84114-5801

Attention: John Baza/Jim Thompson

Gentlemen:

This will serve as notice that through the internal corporate changes described below, activities formerly conducted in the name of either Shenandoah Operating Company, LLC (SOC) and/or Shenandoah Energy, Inc. (SEI) will hereafter be conducted in the name of QEP Uinta Basin, Inc.: i) the Shenandoah entities were purchased in July, 2001 by Questar Market Resources, Inc., which is a mid-level holding company for the non-utility businesses of Questar Corporation, ii) Shenandoah Operating Company, LLC has now been merged into Shenandoah Energy, Inc. (SEI), iii) Shenandoah Energy, Inc. has now been re-named **QEP Uinta Basin, Inc.** pursuant to a State of Delaware Amended and Restated Certificate of Incorporation, iv) the same employees will continue to be responsible for operations of the former SOC and SEI properties, both in the field and in the office. Accordingly, the change involves only an internal corporate name change and no third party change of operator is involved. Please alter your records to reflect the entity name change. Attached is a spreadsheet listing all wells affected by this change.

Should you have any questions, please call me at 303 - 308-3056.

Yours truly,

Frank Nielsen
Division Landman

Enclosure

RECEIVED

JUN 02 2003

DIV. OF OIL, GAS & MINING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

IN REPLY REFER TO
UT-922

June 9, 2003

QEP Uinta Basin, Inc.
1050 17th Street, Suite 500
Denver, Colorado 80265

Re: Red Wash Unit
Uintah County, Utah

Gentlemen:

On May 30, 2003, we received an indenture dated February 1, 2003, whereby Shenandoah Energy, Inc. changed its name and QEP Uinta Basin, Inc. was designated as Successor Unit Operator for the Red Wash Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective June 9, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under Red Wash Unit Agreement.

Your nationwide (Eastern States) oil and gas bond No. B000024 will be used to cover all operations within the Red Wash Unit.

It is requested that you notify all interested parties of the name change of unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)
SITLA
Division of Oil, Gas & Mining
Minerals Adjudication Group
File – Red Wash Unit (w/enclosure)
Agr. Sec. Chron
Fluid Chron

UT922:TAThompson:tt:6/9/03

JUL 07 2003

3104 (932.34)WF
Nationwide Bond ESB000024

NOTICE

QEP Uinta Basin, Inc.
1050 17th Street Suite 500
Denver, Colorado 80265

:
: Oil and Gas
: lease
:

Name Change Recognized

Acceptable evidence has been filed in this office concerning the name change of Shenandoah Energy Incorporated into QEP Uinta Basin, Incorporated. QEP Uinta Basin, Incorporated is the surviving entity. This name change is recognized effective April 17, 2003.

Eastern States will notify the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice.

If you identify other leases in which the merging entity maintain an interest, please contact this office and we will appropriately document those files with a copy of this notice.

If you have any questions, please contact Bill Forbes at 703-440-1536.

S/ Wilbert B. Forbes

Wilbert B. Forbes
Land Law Examiner
Branch of Use Authorization
Division of Resources Planning,
Use and Protection

bc: JFO, MMS, ES RF, 930 RF, 932.34 RF, E-932: wbf:07 /07/03:440-1536/ QEP Uinta Basin
MFO

SEI (N4235) to QEP (N2460) RED WASH UNIT

well name	Sec	T	R	api	Entity	Lease Type	type	stat
RED WASH 22-21B	21	070S	230E	4304733522	5670	Federal	OW	TA
RED WASH 24-20B	20	070S	230E	4304733523	5670	Federal	OW	P
RED WASH 305 (41-4F)	04	080S	240E	4304732538	5670	Federal	GW	TA
RED WASH 306	23	070S	240E	4304732629	5670	Federal	GW	P
RED WASH 44-19B	19	070S	230E	4304733524	5670	Federal	OW	P
RED WASH 44-20B	20	070S	230E	4304733525	5670	Federal	OW	P
RWU 1 (41-26B)	26	070S	230E	4304715135	5670	Federal	OW	TA
RWU 10 (12-23B)	23	070S	230E	4304715141	5670	Federal	OW	TA
RWU 101 (34-21B)	21	070S	230E	4304715220	5670	Federal	OW	P
RWU 103 (34-15B)	15	070S	230E	4304715222	5670	Federal	OW	P
RWU 108 (32-21B)	21	070S	230E	4304715226	5670	Federal	OW	P
RWU 109 (21-28B)	28	070S	230E	4304715227	5670	Federal	OW	P
RWU 110 (23-23A)	23	070S	220E	4304715228	5670	Federal	OW	P
RWU 111 (32-24A)	24	070S	220E	4304715229	5670	Federal	OW	TA
RWU 112 (32-28A)	28	070S	220E	4304715230	5670	Federal	OW	P
RWU 115 (21-19B)	19	070S	230E	4304715233	5670	Federal	OW	P
RWU 119 (43-29A)	29	070S	220E	4304715236	5670	Federal	OW	P
RWU 120 (23-28B)	28	070S	230E	4304715237	5670	Federal	OW	TA
RWU 121 (13-13B)	13	070S	230E	4304715238	5670	Federal	GW	P
RWU 122 (24-14B)	14	070S	230E	4304715239	5670	Federal	OW	P
RWU 125 (34-19B)	19	070S	230E	4304715242	5670	Federal	OW	TA
RWU 126 (41-29A)	29	070S	220E	4304715243	5670	Federal	OW	P
RWU 127 (12-19B)	19	070S	230E	4304715244	5670	Federal	OW	TA
RWU 129 (14-15B)	15	070S	230E	4304715246	5670	Federal	OW	P
RWU 13 (14-22B)	22	070S	230E	4304715143	5670	Federal	OW	TA
RWU 133 (41-34B)	34	070S	230E	4304715250	5670	Federal	OW	P
RWU 136 (43-19B)	19	070S	230E	4304715252	5670	Federal	OW	TA
RWU 137 (34-28B)	28	070S	230E	4304715253	5670	Federal	GW	TA
RWU 138 (41-30B)	30	070S	230E	4304715254	5670	Federal	OW	P
RWU 140 (24-22B)	22	070S	230E	4304715255	5670	Federal	OW	P
RWU 141 (11-27B)	27	070S	230E	4304715256	5670	Federal	OW	TA
RWU 143 (33-14B)	14	070S	230E	4304715257	5670	Federal	OW	P
RWU 144 (21-18B)	18	070S	230E	4304715258	5670	Federal	OW	TA
RWU 145 (24-13B)	13	070S	230E	4304715259	5670	Federal	OW	TA
RWU 147 (22-22B)	22	070S	230E	4304715260	5670	Federal	OW	TA
RWU 15 (32-17C)	17	070S	240E	4304715145	5670	Federal	OW	P
RWU 151 (42-14B)	14	070S	230E	4304715264	5670	Federal	OW	P
RWU 153 (14-29B)	29	070S	230E	4304715265	5670	Federal	OW	P
RWU 158 (32-30B)	30	070S	230E	4304715268	5670	Federal	OW	P
RWU 160 (32-15B)	15	070S	230E	4304715270	5670	Federal	OW	P
RWU 162 (12-20B)	20	070S	230E	4304715272	5670	Federal	OW	TA
RWU 164 (12-28B)	28	070S	230E	4304715274	5670	Federal	OW	P
RWU 165 (32-26B)	26	070S	230E	4304715275	5670	Federal	GW	TA
RWU 167 (23-21B)	21	070S	230E	4304715277	5670	Federal	OW	S
RWU 168 (23-24B)	24	070S	230E	4304715278	5670	Federal	OW	TA
RWU 172 (21-30B)	30	070S	230E	4304715280	5670	Federal	OW	TA
RWU 176 (31-28B)	28	070S	230E	4304715283	5670	Federal	OW	TA
RWU 177 (42-28B)	28	070S	230E	4304715284	5670	Federal	OW	TA
RWU 178 (22-13B)	13	070S	230E	4304715285	5670	Federal	OW	TA
RWU 180 (31-23B)	23	070S	230E	4304715287	5670	Federal	OW	TA
RWU 181 (34-30B)	30	070S	230E	4304715288	5670	Federal	OW	P
RWU 184 (23-26B)	26	070S	230E	4304715290	5670	Federal	OW	TA
RWU 188 (23-20B)	20	070S	230E	4304715291	5670	Federal	OW	TA
RWU 19 (34-26B)	26	070S	230E	4304715148	5670	Federal	GW	TA
RWU 192 (41-33A)	33	070S	220E	4304715294	5670	Federal	OW	P
RWU 193 (43-24B)	24	070S	230E	4304715295	5670	Federal	GW	S
RWU 194 (12-14B)	14	070S	230E	4304715296	5670	Federal	OW	S
RWU 196 (23-17C)	17	070S	240E	4304715298	5670	Federal	GW	S
RWU 201 (32-28C)	28	070S	240E	4304715302	5670	Federal	GW	P
RWU 204 (23-25A)	25	070S	220E	4304715305	5670	Federal	OW	P
RWU 205 (23-21C)	21	070S	240E	4304715306	5670	Federal	GW	TA
RWU 207	17	070S	230E	4304732738	5670	Federal	OW	P
RWU 21 (32-14B)	14	070S	230E	4304715150	5670	Federal	OW	P
RWU 212 (41-8F)	08	080S	240E	4304720014	5670	Federal	GW	P
RWU 21-24A	24	070S	220E	4304733592	5670	Federal	OW	P

SEI (N4235) to QEP (N2460) RED WASH UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat
RWU 21-25A	25	070S	220E	4304733576	5670	Federal	OW	P
RWU 219 (44-21C)	21	070S	240E	4304730149	5670	Federal	GW	P
RWU 220 (22-23B)	23	070S	230E	4304730192	5670	Federal	OW	TA
RWU 221 (13-27B)	27	070S	230E	4304730199	5670	Federal	OW	TA
RWU 22-13A	13	070S	220E	4304733765	5670	Federal	OW	S
RWU 22-19B	19	070S	230E	4304733559	5670	Federal	OW	P
RWU 222 (31-27B)	27	070S	230E	4304730200	5670	Federal	GW	TA
RWU 22-20B	20	070S	230E	4304733491	5670	Federal	OW	P
RWU 22-25A	25	070S	220E	4304733786	5670	Federal	OW	P
RWU 22-29B	29	070S	230E	4304733766	5670	Federal	OW	S
RWU 224 (44-22B)	22	070S	230E	4304730202	5670	Federal	GW	TA
RWU 225 (13-23B)	23	070S	230E	4304730212	5670	Federal	GW	TA
RWU 226 (24-23B)	23	070S	230E	4304730249	5670	Federal	GW	S
RWU 227 (14-26B)	26	070S	230E	4304730257	5670	Federal	OW	TA
RWU 228 (21-34B)	34	070S	230E	4304730258	5670	Federal	OW	P
RWU 229 (43-26B)	26	070S	230E	4304730259	5670	Federal	OW	TA
RWU 230 (14-18C)	18	070S	240E	4304730309	5670	Federal	OW	TA
RWU 231 (21-35B)	35	070S	230E	4304730310	5670	Federal	OW	TA
RWU 232 (12-26B)	26	070S	230E	4304730311	5670	Federal	OW	TA
RWU 23-24A	24	070S	220E	4304733567	5670	Federal	OW	P
RWU 233 (12-25B)	25	070S	230E	4304730312	5670	Federal	OW	TA
RWU 234 (32-24B)	24	070S	230E	4304730313	5670	Federal	OW	P
RWU 235 (34-18C)	18	070S	240E	4304730314	5670	Federal	OW	P
RWU 236 (21-19C)	19	070S	240E	4304730340	5670	Federal	GW	P
RWU 237 (14-25B)	25	070S	230E	4304730341	5670	Federal	OW	P
RWU 238 (32-35B)	35	070S	230E	4304730342	5670	Federal	OW	TA
RWU 239 (41-35B)	35	070S	230E	4304730343	5670	Federal	OW	TA
RWU 24 (34-14B)	14	070S	230E	4304715152	5670	Federal	OW	P
RWU 240 (12-36B)	36	070S	230E	4304730344	5670	Federal	OW	P
RWU 241 (22-14B)	14	070S	230E	4304730345	5670	Federal	OW	P
RWU 24-18B	18	070S	230E	4304733554	5670	Federal	OW	P
RWU 24-19B	19	070S	230E	4304733492	5670	Federal	OW	P
RWU 242 (42-13B)	13	070S	230E	4304730346	5670	Federal	OW	P
RWU 243 (42-18C)	18	070S	240E	4304730347	5670	Federal	OW	TA
RWU 244 (23-19C)	19	070S	240E	4304730348	5670	Federal	GW	P
RWU 246 (22-18C)	18	070S	240E	4304730387	5670	Federal	OW	P
RWU 247 (22-17C)	17	070S	240E	4304730388	5670	Federal	GW	P
RWU 26 (23-22B)	22	070S	230E	4304715153	5670	Federal	OW	TA
RWU 262 (22-26B)	26	070S	230E	4304730517	5670	Federal	GW	TA
RWU 265 (44-26B)	26	070S	230E	4304730520	5670	Federal	GW	P
RWU 267 (32-17B)	17	070S	230E	4304732981	5670	Federal	OW	P
RWU 27 (43-14B)	14	070S	230E	4304715154	5670	Federal	OW	TA
RWU 270 (22-35B)	35	070S	230E	4304731082	5670	Federal	OW	P
RWU 272 (44-23B)	23	070S	230E	4304731054	5670	Federal	GW	P
RWU 273 (42-27B)	27	070S	230E	4304731051	5670	Federal	OW	TA
RWU 276 (44-27B)	27	070S	230E	4304731053	5670	Federal	OW	TA
RWU 278 (11-26)	26	070S	230E	4304731076	5670	Federal	GW	TA
RWU 28 (43-22B)	22	070S	230E	4304715155	5670	Federal	OW	P
RWU 280 (11-35B)	35	070S	230E	4304731079	5670	Federal	OW	P
RWU 282 (42-26B)	26	070S	230E	4304731080	5670	Federal	GW	TA
RWU 284 (33-23B)	23	070S	230E	4304731476	5670	Federal	GW	TA
RWU 285 (11-24B)	24	070S	230E	4304731477	5670	Federal	OW	P
RWU 286 (42-21B)	21	070S	230E	4304731478	5670	Federal	OW	P
RWU 287 (44-13B)	13	070S	230E	4304731512	5670	Federal	OW	TA
RWU 288 (24-27)	27	070S	230E	4304731513	5670	Federal	OW	TA
RWU 289 (13-24B)	24	070S	230E	4304731517	5670	Federal	OW	P
RWU 29 (32-23B)	23	070S	230E	4304715156	5670	Federal	OW	P
RWU 292 (42-23B)	23	070S	230E	4304731576	5670	Federal	GW	TA
RWU 293 (22-22A)	22	070S	220E	4304731581	5670	Federal	OW	TA
RWU 294 (24-18C)	18	070S	240E	4304731582	5670	Federal	GW	P
RWU 295 (11-22B)	22	070S	230E	4304731577	5670	Federal	GW	TA
RWU 296 (12-35B)	35	070S	230E	4304731578	5670	Federal	OW	P
RWU 297 (24-15B)	15	070S	230E	4304731579	5670	Federal	OW	P
RWU 298 (22-27B)	27	070S	230E	4304731679	5670	Federal	OW	TA
RWU 299 (32-18B)	18	070S	230E	4304733018	5670	Federal	OW	P

SEI (N4235) to QEP (N2460) RED WASH UNIT

well name	Sec	T	R	api	Entity	Lease Type	type	stat	
RWU 3 (34-23B)	23	070S	230E	4304715136	5670	Federal	OW	P	
RWU 30 (23-13B)	13	070S	230E	4304715157	5670	Federal	GW	TA	
RWU 301 (43-15B)	15	070S	230E	4304731682	5670	Federal	GW	S	
RWU 302 (22-24B)	24	070S	230E	4304731683	5670	Federal	GW	TA	
RWU 303 (34-17B)	17	070S	230E	4304731819	5670	Federal	OW	P	
RWU 31 (34-22B)	22	070S	230E	4304715158	5670	Federal	OW	P	
RWU 33 (14-14B)	14	070S	230E	4304715160	5670	Federal	GW	TA	
RWU 35 (43-13B)	13	070S	230E	4304715162	5670	Federal	OW	TA	
RWU 36 (32-13B)	13	070S	230E	4304715163	5670	Federal	GW	P	
RWU 38 (14-23B)	23	070S	230E	4304715165	5670	Federal	OW	P	
RWU 39 (14-24A)	24	070S	220E	4304715166	5670	Federal	OW	TA	
RWU 4 (41-22B)	22	070S	230E	4304715137	5670	Federal	OW	TA	
RWU 40 (21-24B)	24	070S	230E	4304715167	5670	Federal	OW	TA	
RWU 41 (34-13B)	13	070S	230E	4304715168	5670	Federal	OW	P	
RWU 41-24A	24	070S	220E	4304733769	5670	Federal	OW	P	
RWU 41-25A	25	070S	220E	4304733579	5670	Federal	OW	P	
RWU 42 (21-29C)	29	070S	240E	4304715169	5670	Federal	GW	P	
RWU 42-19B	19	070S	230E	4304733556	5670	Federal	OW	P	
RWU 42-20B	20	070S	230E	4304733490	5670	Federal	OW	P	
RWU 42-24A	24	070S	220E	4304733569	5670	Federal	OW	P	
RWU 42-25A	25	070S	220E	4304733580	5670	Federal	OW	S	
RWU 42-30B	30	070S	230E	4304733771	5670	Federal	OW	P	
RWU 43 (12-17B)	17	070S	230E	4304715170	5670	Federal	OW	P	
RWU 44 (32-33C)	33	070S	240E	4304715171	5670	Federal	GW	P	
RWU 44-18B	18	070S	230E	4304733594	5670	Federal	OW	P	
RWU 44-30B	30	070S	230E	4304733772	5670	Federal	OW	P	
RWU 45 (23-30B)	30	070S	230E	4304715172	5670	Federal	OW	TA	
RWU 46 (41-21C)	21	070S	240E	4304715173	5670	Federal	GW	TA	
RWU 49 (12-29B)	29	070S	230E	4304715175	5670	Federal	OW	TA	
RWU 5 (41-23B)	23	070S	230E	4304715138	5670	Federal	OW	P	
RWU 50 (14-23A)	23	070S	220E	4304715176	5670	Federal	OW	P	
RWU 52 (14-18B)	18	070S	230E	4304715178	5670	Federal	OW	TA	
RWU 53 (41-25A)	25	070S	220E	4304715179	5670	Federal	OW	TA	
RWU 57 (12-18C)	18	070S	240E	4304715183	5670	Federal	OW	P	
RWU 63 (21-22B)	22	070S	230E	4304715186	5670	Federal	GW	TA	
RWU 64 (32-27B)	27	070S	230E	4304715187	5670	Federal	OW	TA	
RWU 66 (34-18B)	18	070S	230E	4304715189	5670	Federal	OW	P	
RWU 67 (42-22B)	22	070S	230E	4304715190	5670	Federal	OW	TA	
RWU 69 (21-27B)	27	070S	230E	4304715191	5670	Federal	OW	TA	
RWU 70 (23-22A)	22	070S	220E	4304715192	5670	Federal	OW	P	
RWU 71 (21-18C)	18	070S	240E	4304715193	5670	Federal	OW	P	
RWU 72 (23-27B)	27	070S	230E	4304715194	5670	Federal	OW	TA	
RWU 74 (12-13B)	13	070S	230E	4304715196	5670	Federal	GW	P	
RWU 75 (21-26B)	26	070S	230E	4304715197	5670	Federal	OW	TA	
RWU 76 (32-18C)	18	070S	240E	4304715198	5670	Federal	GW	S	
RWU 77 (21-13B)	13	070S	230E	4304715199	5670	Federal	OW	P	
RWU 78 (32-28B)	28	070S	230E	4304715200	5670	Federal	OW	P	
RWU 79 (12-27B)	27	070S	230E	4304715201	5670	Federal	OW	TA	
RWU 8 (32-22B)	22	070S	230E	4304715139	5670	Federal	OW	P	
RWU 80 (14-27B)	27	070S	230E	4304715202	5670	Federal	OW	P	
RWU 81 (41-31B)	31	070S	230E	4304715203	5670	Federal	OW	P	
RWU 83 (41-27A)	27	070S	220E	4304715205	5670	Federal	OW	P	
RWU 84 (44-14B)	14	070S	230E	4304715206	5670	Federal	GW	P	
RWU 9 (43-23B)	23	070S	230E	4304715140	5670	Federal	OW	P	
RWU 90 (43-21B)	21	070S	230E	4304715211	5670	Federal	OW	P	
RWU 92 (11-23B)	23	070S	230E	4304715212	5670	Federal	OW	TA	
RWU 94 (12-22A)	22	070S	220E	4304715213	5670	Federal	OW	P	
RWU 99 (12-22B)	22	070S	230E	4304715218	5670	Federal	OW	P	
RED WASH UNIT 259	16	070S	230E	4304732785	5670	State	OW	P	
RED WASH UNIT 260	16	070S	230E	4304732786	5670	State	OW	P	
RWU 51 (12-16B)	16	070S	230E	4304715177	5670	State	OW	P	
RWU ST 189 (41-16B)	16	070S	230E	4304715292	5670	State	OW	P	
RED WASH UNIT 261	17	070S	230E	4304732739	5670	Federal	WI	A	
RWU 100-A (43-21A)	21	070S	220E	4304715219	5670	Federal	WI	A	

SEI (N4235) to QEP (N2460) RED WASH UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat	
RWU 102 (41-24A)	24	070S	220E	4304715221	5670	Federal	WI	A	
RWU 11	27	070S	230E	4304715142	5670	Federal	WI	A	
RWU 11-19B	19	070S	230E	4304733552	5670	Federal	WI	A	
RWU 11-20B	20	070S	230E	4304733553	5670	Federal	WI	A	
RWU 11-25A	25	070S	220E	4304733574	5670	Federal	WI	A	
RWU 11-29B	29	070S	230E	4304733590	5670	Federal	WI	A	
RWU 11-30B	30	070S	230E	4304733785	5670	Federal	WI	A	
RWU 12-24A	24	070S	220E	4304733591	5670	Federal	WI	A	
RWU 13-19B	19	070S	230E	4304733497	5670	Federal	WI	A	
RWU 13-20B	20	070S	230E	4304733498	5670	Federal	WI	A	
RWU 13-25A	25	070S	220E	4304733575	5670	Federal	WI	A	
RWU 14 (14-13B)	13	070S	230E	4304715144	5670	Federal	WI	A	
RWU 148 (13-22B)	22	070S	230E	4304715261	5670	Federal	WI	A	
RWU 150 (31-22B)	22	070S	230E	4304715263	5670	Federal	WI	I	
RWU 156 (23-15B)	15	070S	230E	4304715267	5670	Federal	WI	A	
RWU 16 (43-28B)	28	070S	230E	4304716475	5670	Federal	WI	I	
RWU 161 (14-20B)	20	070S	230E	4304715271	5670	Federal	WI	I	
RWU 17 (41-20B)	20	070S	230E	4304715146	5670	Federal	WI	A	
RWU 170 (41-15B)	15	070S	230E	4304716495	5670	Federal	WI	I	
RWU 173 (21-21B)	21	070S	230E	4304716496	5670	Federal	WI	A	
RWU 174 (21-20B)	20	070S	230E	4304715281	5670	Federal	WI	A	
RWU 182 (14-21B)	21	070S	230E	4304716497	5670	Federal	WI	A	
RWU 183 (33-13B)	13	070S	230E	4304715289	5670	Federal	WI	A	
RWU 185 (41-1B)	14	070S	230E	4304716498	5670	Federal	WI	A	
RWU 199 (43-22A)	22	070S	220E	4304715301	5670	Federal	WI	A	
RWU 2 (14-24B)	24	070S	230E	4304716472	5670	Federal	WI	A	
RWU 202 (21-34A)	34	070S	220E	4304715303	5670	Federal	WI	I	
RWU 213 (41-33B)	33	070S	230E	4304720060	5670	Federal	WD	A	
RWU 215 (43-28A)	28	070S	220E	4304730058	5670	Federal	WI	A	
RWU 216 (21-27A)	27	070S	220E	4304730103	5670	Federal	WI	A	
RWU 23 (21-23B)	23	070S	230E	4304715151	5670	Federal	WI	A	
RWU 23-18C (97)	18	070S	240E	4304715216	5670	Federal	WI	I	
RWU 25 (23-23B)	23	070S	230E	4304716476	5670	Federal	WI	A	
RWU 258 (34-22A)	22	070S	220E	4304730458	5670	Federal	WI	A	
RWU 263 (24-26B)	26	070S	230E	4304730518	5670	Federal	WI	I	
RWU 264 (31-35B)	35	070S	230E	4304730519	5670	Federal	WI	A	
RWU 266 (33-26B)	26	070S	230E	4304730521	5670	Federal	WI	I	
RWU 268 (43-17B)	17	070S	230E	4304732980	5670	Federal	WI	A	
RWU 269 (13-26B)	26	070S	230E	4304730522	5670	Federal	WI	I	
RWU 271 (42-35B)	35	070S	230E	4304731081	5670	Federal	WI	I	
RWU 275 (31-26B)	26	070S	230E	4304731077	5670	Federal	WI	A	
RWU 279 (11-36B)	36	070S	230E	4304731052	5670	Federal	WI	A	
RWU 283 (43-18B)	18	070S	230E	4304732982	5670	Federal	WI	A	
RWU 31-19B	19	070S	230E	4304733555	5670	Federal	WI	A	
RWU 31-25A	25	070S	220E	4304733577	5670	Federal	WI	A	
RWU 31-30B	30	070S	230E	4304733788	5670	Federal	WI	A	
RWU 33-19B	19	070S	230E	4304733499	5670	Federal	WI	A	
RWU 33-20B	20	070S	230E	4304733500	5670	Federal	WI	A	
RWU 33-25A	25	070S	220E	4304733578	5670	Federal	WI	A	
RWU 33-30B	30	070S	230E	4304733790	5670	Federal	WI	A	
RWU 34 (23-14B)	14	070S	230E	4304715161	5670	Federal	WI	A	
RWU 34-13A	13	070S	220E	4304733593	5670	Federal	WI	A	
RWU 34-24A	24	070S	220E	4304733568	5670	Federal	WI	A	
RWU 48 (32-19B)	19	070S	230E	4304715174	5670	Federal	WI	I	
RWU 56 (41-28B)	28	070S	230E	4304715182	5670	Federal	WI	A	
RWU 59 (12-24B)	24	070S	230E	4304716477	5670	Federal	WI	A	
RWU 6 (41-21B)	21	070S	230E	4304716482	5670	Federal	WI	A	
RWU 61 (12-27A)	27	070S	220E	4304716478	5670	Federal	WI	I	
RWU 68 (41-13B)	13	070S	230E	4304716485	5670	Federal	WI	I	
RWU 7 (41-27B)	27	070S	230E	4304716473	5670	Federal	WI	I	
RWU 88 (23-18B)	18	070S	230E	4304715210	5670	Federal	WI	A	
RWU 91 (33-22B)	22	070S	230E	4304716479	5670	Federal	WI	A	
RWU 93 (43-27B)	27	070S	230E	4304716480	5670	Federal	WI	I	
RWU 324 (23-16B)	16	070S	230E	4304733084	5670	State	WI	I	

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
Oil Gas
 Well Well Other

2. Name of Operator
QEP UINTA BASIN, INC.

3. Address and Telephone No. **Contact: Kirk Fleetwood (435) 781-4341**
11002 E. 17500 S. VERNAL, UT 84078-8526
kirk.fleetwood@questar.com

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
1887' FSL, 1952' FWL, NESW, SECTION 17, T7S, R24E, SLBM

5. Lease Designation and Serial No.
UTU 02148

6. If Indian, Allottee or Tribe Name
N/A

7. If Unit or CA, Agreement Designation
Redwash Unit

8. Well Name and No.
RWU 23-17C

9. API Well No.
43-047-15298

10. Field and Pool, or Exploratory Area
Redwash

11. County or Parish, State
UINTAH COUNTY, UTAH

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input checked="" type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

QEP requests approval to recomplete this well as follows:

1. Drill out CIBP @ 5250' and clean out to 5350'
2. Set CIBP at ±5340'
3. Perforate 5328-5335', 5290-5293, 5280-5283', 5256'-5261', 5248'-5252', 5229'-5232', 5213'-5217'
4. Acidize new perfs with 750 gallons 15% HCL
5. Place the well on production

COPY SENT TO OPERATOR
Date: 1-23-06
Initials: CHD

RECEIVED
DEC 23 2005
DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct.
Signed: Kirk Fleetwood Title: Production Engineer Date: 12/22/2005

(This space for Federal or State office use)
Approved by: _____ Title: Accepted by the Utah Division of Oil, Gas and Mining
Date: 12/28/05
Conditions of approval, if any: _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.
By: [Signature]

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

5. Lease Designation and Serial No.
U-02148

6. If Indian, Allottee or Tribe Name
N/A

7. If Unit or CA, Agreement Designation
N/A

8. Well Name and No.
RWU 23-17C (196)

9. API Well No.
43-047-15298

10. Field and Pool, or Exploratory Area
RED WASH

11. County or Parish, State
UINTAH COUNTY, UTAH

SUBMIT IN TRIPLICATE

1. Type of Well
Oil Gas
 Well Well Other

2. Name of Operator
QEP UINTA BASIN, INC.

3. Address and Telephone No. **Contact: dahn.caldwell@questar.com**
11002 E. 17500 S. VERNAL, UT 84078-8526 **435.781.4342 Fax 435.781.4357**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
NESW Sec 17, T7S, R24E
1887' FSL, 1952' FWL

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input checked="" type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

START RECOMPLETION ON 2/14/06 & COMPLETED ON 3/1/06.

1 - ON 2/14/06 - MIRU KEY ENERGY #321 TO START REMEDIAL OPERATIONS ON WELL.
2 - LD POLISH ROD, 1 - 1" X 8' PONY ROD & 204 - 3/4" RODS & PUMP.
3 - DRILL OUT FILL TO THE CIBP @ 5250' & DRILL OUT THE CIBP. CONTINUE TO CLEAN OUT TO 5343'.
4 - MIRU WL & SET 5-1/2" CIBP @ 5340'. PERF THE FOLLOWING INTERVALS @ 3 JPF W/ 120* PHASING USING A 4" CSG GUN; 5328' - 5335'; 5290' - 5293'; 5280' - 5283'; 5256' - 5261'; 5248' - 5252'; 5229' - 5232' & 5213' - 5217'. RIH W/ RET PKR & TBG & SET PKR @ 5193'. BREAKDOWN PERFS DOWN THE TBG & NO APPARENT BREAK & PUMP INTO THE NEW PERFS @ 2-1/2 BPM @ 1500#. FFL @ 2300'.
5 - TESTING GROSS PERFORATED INTERVAL 5213' - 5335'. NO GAS OR OIL & FFL @ 3900'. TEST PERFS 5213' - 5335'. RU SWAB. NO GAS OR OIL & FFL @ 4000'.
6 - RIH W/ TBG DETAIL AS FOLLOWS: NC, 1 JT, SN & 164 JTS OT SURFACE. ALL TBG IS 2-7/8" EUE 8RD J-55 6.5# TBG. LAND TBG TAIL @ 5196'.
7 - ON 3/1/06 - RDMO KEY ENERGY. REPORT DISCONTINUED UNTIL FURTHER ACTIVITY.

3 - BLM, 2- Utah OG&M, 1 - Denver, 1 - file Word file-server

14. I hereby certify that the foregoing is true and correct.
Signed JIM SIMONTON Title COMPLETION SUPERVISOR Date 5/1/06

(This space for Federal or State office use)

Approved by: _____ Title _____ Date _____

Conditions of approval, if any _____

CONFIDENTIAL
RECEIVED

MAY 19 2006

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

ROUTING
1. DJJ
2. CDW

Change of Operator (Well Sold)

X - Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

1/1/2007

FROM: (Old Operator): N2460-QEP Uinta Basin, Inc. 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 672-6900	TO: (New Operator): N5085-Questar E&P Company 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 672-6900
---	--

CA No.		Unit:		RED WASH UNIT				
WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LISTS				*				

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 4/19/2007
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 4/16/2007
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 1/31/2005
- Is the new operator registered in the State of Utah: _____ Business Number: 764611-0143
- (R649-9-2) Waste Management Plan has been received on: IN PLACE
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: n/a
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 4/23/2007 BIA
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: 4/23/2007
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: _____
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: _____

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 4/30/2007 and 5/15/2007
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 4/30/2007 and 5/15/2007
- Bond information entered in RBDMS on: 4/30/2007 and 5/15/2007
- Fee/State wells attached to bond in RBDMS on: 4/30/2007 and 5/15/2007
- Injection Projects to new operator in RBDMS on: 4/30/2007 and 5/15/2007
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: ESB000024
- Indian well(s) covered by Bond Number: 799446
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965003033
- The **FORMER** operator has requested a release of liability from their bond on: n/a

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS: THIS IS A COMPANY NAME CHANGE.

SOME WELL NAMES HAVE BEEN CHANGED AS REQUESTED

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 1 (41-26B)	RW 41-26B	NENE	26	070S	230E	4304715135	5670	Federal	OW	TA
RWU 3 (34-23B)	RW 34-23B	SWSE	23	070S	230E	4304715136	5670	Federal	OW	P
RWU 4 (41-22B)	RW 41-22B	NENE	22	070S	230E	4304715137	5670	Federal	OW	TA
RWU 5 (41-23B)	RW 41-23B	NENE	23	070S	230E	4304715138	5670	Federal	OW	P
RWU 8 (32-22B)	RW 32-22B	SWNE	22	070S	230E	4304715139	5670	Federal	OW	P
RWU 9 (43-23B)	RW 43-23B	NESE	23	070S	230E	4304715140	5670	Federal	OW	P
RWU 10 (12-23B)	RW 12-23B	SWNW	23	070S	230E	4304715141	5670	Federal	OW	TA
RWU 11	RW 34-27B	SWSE	27	070S	230E	4304715142	99996	Federal	WI	A
RWU 13 (14-22B)	RW 14-22B	SWSW	22	070S	230E	4304715143	5670	Federal	OW	TA
RW 14-13B	RW 14-13B	SWSW	13	070S	230E	4304715144	99996	Federal	WI	A
RWU 15 (32-17C)	RW 32-17C	SWNE	17	070S	240E	4304715145	5670	Federal	OW	P
RWU 17 (41-20B)	RW 41-20B	NENE	20	070S	230E	4304715146	5670	Federal	WI	A
RWU 19 (34-26B)	RW 34-26B	SWSE	26	070S	230E	4304715148	5670	Federal	GW	S
RWU 21 (32-14B)	RW 32-14B	SWNE	14	070S	230E	4304715150	5670	Federal	OW	P
RWU 23 (21-23B)	RW 21-23B	SENW	23	070S	230E	4304715151	99996	Federal	WI	A
RWU 24 (34-14B)	RW 34-14B	SWSE	14	070S	230E	4304715152	5670	Federal	OW	S
RWU 26 (23-22B)	RW 23-22B	NESW	22	070S	230E	4304715153	5670	Federal	OW	TA
RWU 27 (43-14B)	RW 43-14B	NESE	14	070S	230E	4304715154	5670	Federal	OW	TA
RWU 28 (43-22B)	RW 43-22B	NESE	22	070S	230E	4304715155	5670	Federal	OW	P
RWU 29 (32-23B)	RW 32-23B	SWNE	23	070S	230E	4304715156	5670	Federal	OW	P
RW 23-13B	RW 23-13B	NESW	13	070S	230E	4304715157	5670	Federal	GW	TA
RWU 31 (34-22B)	RW 34-22B	SWSE	22	070S	230E	4304715158	5670	Federal	OW	P
RWU 33 (14-14B)	RW 14-14B	SWSW	14	070S	230E	4304715160	5670	Federal	GW	TA
RWU 34 (23-14B)	RW 23-14B	NESW	14	070S	230E	4304715161	99996	Federal	WI	A
RW 43-13B	RW 43-13B	NESE	13	070S	230E	4304715162	5670	Federal	OW	TA
RWU 36 (32-13B)	RW 32-13B	SWNE	13	070S	230E	4304715163	5670	Federal	GW	P
RWU 38 (14-23B)	RW 14-23B	SWSW	23	070S	230E	4304715165	5670	Federal	OW	P
RWU 39 (14-24A)	RW 14-24A	SWSW	24	070S	220E	4304715166	5670	Federal	OW	TA
RWU 40 (21-24B)	RW 21-24B	NENW	24	070S	230E	4304715167	5670	Federal	OW	TA
RWU 41 (34-13B)	RW 34-13B	SWSE	13	070S	230E	4304715168	5670	Federal	OW	P
RWU 42 (21-29C)	RW 21-29C	NENW	29	070S	240E	4304715169	5670	Federal	GW	P
RWU 43 (12-17B)	RW 12-17B	SWNW	17	070S	230E	4304715170	5670	Federal	OW	P
RWU 44 (32-33C)	RW 32-33C	SWNE	33	070S	240E	4304715171	5670	Federal	GW	P
RWU 45 (23-30B)	RW 23-30B	NESW	30	070S	230E	4304715172	5670	Federal	OW	TA
RWU 46 (41-21C)	RW 41-21C	NENE	21	070S	240E	4304715173	5670	Federal	GW	TA
RWU 48 (32-19B)	RW 32-19B	SWNE	19	070S	230E	4304715174	99996	Federal	WI	I
RWU 49 (12-29B)	RW 12-29B	SWNW	29	070S	230E	4304715175	5670	Federal	OW	TA
RWU 50 (14-23A)	RW 14-23A	SWSW	23	070S	220E	4304715176	5670	Federal	OW	P
RWU 52 (14-18B)	RW 14-18B	SWSW	18	070S	230E	4304715178	5670	Federal	OW	TA
RWU 53 (41-25A)	RW 41-25A	NENE	25	070S	220E	4304715179	5670	Federal	OW	TA
RWU 56 (41-28B)	RW 41-28B	NENE	28	070S	230E	4304715182	99996	Federal	WI	A

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 57 (12-18C)	RW 12-18C	SWNW	18	070S	240E	4304715183	5670	Federal	OW	P
RWU 63 (21-22B)	RW 21-22B	NENW	22	070S	230E	4304715186	5670	Federal	GW	TA
RWU 64 (32-27B)	RW 32-27B	SWNE	27	070S	230E	4304715187	5670	Federal	OW	TA
RWU 66 (34-18B)	RW 34-18B	SWSE	18	070S	230E	4304715189	5670	Federal	OW	P
RWU 67 (42-22B)	RW 42-22B	SENE	22	070S	230E	4304715190	5670	Federal	OW	TA
RWU 69 (21-27B)	RW 21-27B	NENW	27	070S	230E	4304715191	5670	Federal	OW	TA
RWU 70 (23-22A)	RW 23-22A	NESW	22	070S	220E	4304715192	5670	Federal	OW	P
RWU 71 (21-18C)	RW 21-18C	NENW	18	070S	240E	4304715193	5670	Federal	OW	P
RWU 72 (23-27B)	RW 23-27B	NESW	27	070S	230E	4304715194	5670	Federal	OW	TA
RWU 74 (12-13B)	RW 12-13B	SWNW	13	070S	230E	4304715196	5670	Federal	GW	S
RWU 75 (21-26B)	RW 21-26B	NENW	26	070S	230E	4304715197	5670	Federal	OW	TA
RWU 76 (32-18C)	RW 32-18C	SWNE	18	070S	240E	4304715198	5670	Federal	GW	P
RWU 77 (21-13B)	RWU 77 (21-13B)	NENW	13	070S	230E	4304715199	5670	Federal	OW	P
RWU 78 (32-28B)	RW 32-28B	SWNE	28	070S	230E	4304715200	5670	Federal	OW	P
RWU 79 (12-27B)	RW 12-27B	SWNW	27	070S	230E	4304715201	5670	Federal	OW	TA
RWU 80 (14-27B)	RW 14-27B	SWSW	27	070S	230E	4304715202	5670	Federal	OW	S
RWU 81 (41-31B)	RW 41-31B	NENE	31	070S	230E	4304715203	5670	Federal	OW	P
RWU 83 (41-27A)	RW 41-27A	NENE	27	070S	220E	4304715205	5670	Federal	OW	P
RWU 84 (44-14B)	RW 44-14B	SESE	14	070S	230E	4304715206	5670	Federal	GW	P
RWU 88 (23-18B)	RW 23-18B	NESW	18	070S	230E	4304715210	5670	Federal	WI	A
RWU 90 (43-21B)	RW 43-21B	NESE	21	070S	230E	4304715211	5670	Federal	OW	P
RWU 92 (11-23B)	RW 11-23B	NWNW	23	070S	230E	4304715212	5670	Federal	OW	TA
RWU 94 (12-22A)	RW 12-22A	SWNW	22	070S	220E	4304715213	5670	Federal	OW	P
RWU 23-18C (97)	RW 23-18C	NESW	18	070S	240E	4304715216	99996	Federal	WI	I
RWU 99 (12-22B)	RW 12-22B	SWNW	22	070S	230E	4304715218	5670	Federal	OW	P
RWU 100-A (43-21A)	RW 43-21A	NESE	21	070S	220E	4304715219	5670	Federal	WI	A
RWU 101 (34-21B)	RW 34-21B	SWSE	21	070S	230E	4304715220	5670	Federal	OW	P
RWU 102 (41-24A)	RW 41-24A	SENE	24	070S	220E	4304715221	5670	Federal	WI	A
RWU 103 (34-15B)	RW 34-15B	SWSE	15	070S	230E	4304715222	5670	Federal	OW	P
RWU 108 (32-21B)	RW 32-21B	SWNE	21	070S	230E	4304715226	5670	Federal	OW	P
RWU 109 (21-28B)	RW 21-28B	NENW	28	070S	230E	4304715227	5670	Federal	OW	P
RWU 110 (23-23A)	RW 23-23A	NESW	23	070S	220E	4304715228	5670	Federal	OW	P
RWU 111 (32-24A)	RW 32-24A	SWNE	24	070S	220E	4304715229	5670	Federal	OW	S
RWU 112 (32-28A)	RW 32-28A	SWNE	28	070S	220E	4304715230	5670	Federal	OW	S
RWU 115 (21-19B)	RW 21-19B	NENW	19	070S	230E	4304715233	5670	Federal	OW	P
RWU 119 (43-29A)	RW 43-29A	NESE	29	070S	220E	4304715236	5670	Federal	OW	P
RWU 120 (23-28B)	RW 23-28B	NESW	28	070S	230E	4304715237	5670	Federal	OW	TA
RW 13-13B	RW 13-13B	NWSW	13	070S	230E	4304715238	5670	Federal	GW	P
RWU 122 (24-14B)	RW 24-14B	SESW	14	070S	230E	4304715239	5670	Federal	OW	P
RWU 125 (34-19B)	RW 34-19B	SWSE	19	070S	230E	4304715242	5670	Federal	OW	TA
RWU 126 (41-29A)	RW 41-29A	NENE	29	070S	220E	4304715243	5670	Federal	OW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 127 (12-19B)	RW 12-19B	SWNW	19	070S	230E	4304715244	5670	Federal	OW	S
RWU 129 (14-15B)	RW 14-15B	SWSW	15	070S	230E	4304715246	5670	Federal	OW	P
RWU 133 (41-34B)	RW 41-34B	NENE	34	070S	230E	4304715250	5670	Federal	OW	P
RWU 136 (43-19B)	RW 43-19B	NESE	19	070S	230E	4304715252	5670	Federal	OW	TA
RWU 137 (34-28B)	RW 34-28B	SWSE	28	070S	230E	4304715253	5670	Federal	GW	TA
RWU 138 (41-30B)	RW 41-30B	NENE	30	070S	230E	4304715254	5670	Federal	OW	P
RWU 140 (24-22B)	RW 24-22B	SESW	22	070S	230E	4304715255	5670	Federal	OW	P
RWU 141 (11-27B)	RW 11-27B	NWNW	27	070S	230E	4304715256	5670	Federal	OW	TA
RWU 143 (33-14B)	RW 33-14B	NWSE	14	070S	230E	4304715257	5670	Federal	OW	P
RWU 144 (21-18B)	RW 21-18B	NENW	18	070S	230E	4304715258	5670	Federal	OW	TA
RW 24-13B	RW 24-13B	SESW	13	070S	230E	4304715259	5670	Federal	OW	TA
RWU 147 (22-22B)	RW 22-22B	SESW	22	070S	230E	4304715260	5670	Federal	OW	TA
RWU 148 (13-22B)	RW 13-22B	NWSW	22	070S	230E	4304715261	99996	Federal	WI	A
RWU 150 (31-22B)	RW 31-22B	NWNE	22	070S	230E	4304715263	99996	Federal	WI	I
RWU 151 (42-14B)	RW 42-14B	SENE	14	070S	230E	4304715264	5670	Federal	OW	P
RWU 153 (14-29B)	RW 14-29B	SWSW	29	070S	230E	4304715265	5670	Federal	OW	P
RWU 156 (23-15B)	RW 23-15B	NESW	15	070S	230E	4304715267	99990	Federal	WI	A
RWU 158 (32-30B)	RW 32-30B	SWNE	30	070S	230E	4304715268	5670	Federal	OW	P
RWU 160 (32-15B)	RW 32-15B	SWNE	15	070S	230E	4304715270	5670	Federal	OW	P
RWU 161 (14-20B)	RW 14-20B	SWSW	20	070S	230E	4304715271	99996	Federal	WI	I
RWU 162 (12-20B)	RW 12-20B	SWNW	20	070S	230E	4304715272	5670	Federal	OW	P
RWU 164 (12-28B)	RW 12-28B	SWNW	28	070S	230E	4304715274	5670	Federal	OW	P
RWU 165 (32-26B)	RW 32-26B	SWNE	26	070S	230E	4304715275	5670	Federal	GW	TA
RWU 167 (23-21B)	RW 23-21B	NESW	21	070S	230E	4304715277	5670	Federal	OW	S
RWU 168 (23-24B)	RW 23-24B	NESW	24	070S	230E	4304715278	5670	Federal	OW	TA
RWU 172 (21-30B)	RW 21-30B	NENW	30	070S	230E	4304715280	5670	Federal	OW	TA
RWU 174 (21-20B)	RW 21-20B	NENW	20	070S	230E	4304715281	5670	Federal	WI	A
RWU 176 (31-28B)	RW 31-28B	NWNE	28	070S	230E	4304715283	5670	Federal	OW	TA
RWU 177 (42-28B)	RW 42-28B	SENE	28	070S	230E	4304715284	5670	Federal	OW	TA
RW 22-13B	RW 22-13B	SESW	13	070S	230E	4304715285	5670	Federal	OW	TA
RWU 180 (31-23B)	RW 31-23B	NWNE	23	070S	230E	4304715287	5670	Federal	OW	TA
RWU 181 (34-30B)	RW 34-30B	SWSE	30	070S	230E	4304715288	5670	Federal	OW	P
RW 33-13B	RW 33-13B	NWSE	13	070S	230E	4304715289	5670	Federal	WI	A
RWU 184 (23-26B)	RW 23-26B	NESW	26	070S	230E	4304715290	5670	Federal	GW	S
RWU 188 (23-20B)	RW 23-20B	NESW	20	070S	230E	4304715291	5670	Federal	OW	TA
RWU 192 (41-33A)	RW 41-33A	NENE	33	070S	220E	4304715294	5670	Federal	OW	P
RWU 193 (43-24B)	RW 43-24B	NESE	24	070S	230E	4304715295	5670	Federal	GW	TA
RWU 194 (12-14B)	RW 12-14B	SWNW	14	070S	230E	4304715296	5670	Federal	OW	S
RWU 196 (23-17C)	RW 23-17C	NESW	17	070S	240E	4304715298	5670	Federal	GW	TA
RWU 199 (43-22A)	RW 43-22A	NESE	22	070S	220E	4304715301	99996	Federal	WI	A
RWU 201 (32-28C)	RW 32-28C	SWNE	28	070S	240E	4304715302	5670	Federal	GW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 202 (21-34A)	RW 21-34A	NENW	34	070S	220E	4304715303	99996	Federal	WI	I
RWU 204 (23-25A)	RW 23-25A	NESW	25	070S	220E	4304715305	5670	Federal	OW	P
RWU 205 (23-21C)	RW 23-21C	NESW	21	070S	240E	4304715306	5670	Federal	GW	TA
RWU 2 (14-24B)	RW 14-24B	SWSW	24	070S	230E	4304716472	99996	Federal	WI	A
RWU 7 (41-27B)	RW 41-27B	NENE	27	070S	230E	4304716473	99996	Federal	WI	I
RWU 16 (43-28B)	RW 43-28B	NESE	28	070S	230E	4304716475	99996	Federal	WI	I
RWU 25 (23-23B)	RW 23-23B	NESW	23	070S	230E	4304716476	99996	Federal	WI	A
RWU 59 (12-24B)	RW 12-24B	SWNW	24	070S	230E	4304716477	99996	Federal	WI	A
RWU 61 (12-27A)	RW 12-27A	SWNW	27	070S	220E	4304716478	99996	Federal	WI	I
RWU 91 (33-22B)	RW 33-22B	NWSE	22	070S	230E	4304716479	99996	Federal	WI	A
RWU 93 (43-27B)	RW 43-27B	NESE	27	070S	230E	4304716480	99996	Federal	WI	I
RWU 6 (41-21B)	RW 41-21B	NENE	21	070S	230E	4304716482	99996	Federal	WI	A
RWU 68 (41-13B)	RW 41-13B	NENE	13	070S	230E	4304716485	99996	Federal	WI	I
RWU 170 (41-15B)	RW 41-15B	NENE	15	070S	230E	4304716495	99996	Federal	WI	I
RWU 173 (21-21B)	RW 21-21B	NENW	21	070S	230E	4304716496	99996	Federal	WI	A
RWU 182 (14-21B)	RW 14-21B	SWSW	21	070S	230E	4304716497	99996	Federal	WI	A
RWU 185 (41-1B)	RW 41-14B	NENE	14	070S	230E	4304716498	99996	Federal	WI	A
RWU 212 (41-8F)	RW 41-8F	NENE	08	080S	240E	4304720014	5670	Federal	GW	P
RWU 213 (41-33B)	RW 41-33B	NENE	33	070S	230E	4304720060	99996	Federal	WD	A
RWU 215 (43-28A)	RW 43-28A	NESE	28	070S	220E	4304730058	99996	Federal	WD	A
RWU 216 (21-27A)	RW 21-27A	NENW	27	070S	220E	4304730103	99996	Federal	WI	A
RWU 219 (44-21C)	RW 44-21C	SESE	21	070S	240E	4304730149	5670	Federal	GW	S
RWU 220 (22-23B)	RW 22-23B	SENW	23	070S	230E	4304730192	5670	Federal	OW	TA
RWU 221 (13-27B)	RW 13-27B	NWSW	27	070S	230E	4304730199	5670	Federal	OW	TA
RWU 222 (31-27B)	RW 31-27B	NWNE	27	070S	230E	4304730200	5670	Federal	GW	TA
RWU 224 (44-22B)	RW 44-22B	SESE	22	070S	230E	4304730202	5670	Federal	GW	TA
RWU 225 (13-23B)	RW 13-23B	NWSW	23	070S	230E	4304730212	5670	Federal	GW	TA
RWU 226 (24-23B)	RW 24-23B	SESW	23	070S	230E	4304730249	5670	Federal	GW	S
RWU 227 (14-26B)	RW 14-26B	SWSW	26	070S	230E	4304730257	5670	Federal	OW	TA
RWU 228 (21-34B)	RW 21-34B	NENW	34	070S	230E	4304730258	5670	Federal	OW	P
RWU 229 (43-26B)	RW 43-26B	NESE	26	070S	230E	4304730259	5670	Federal	OW	TA
RWU 230 (14-18C)	RW 14-18C	SWSW	18	070S	240E	4304730309	5670	Federal	OW	P
RWU 231 (21-35B)	RW 21-35B	NENW	35	070S	230E	4304730310	5670	Federal	OW	TA
RWU 232 (12-26B)	RW 12-26B	SWNW	26	070S	230E	4304730311	5670	Federal	OW	TA
RWU 233 (12-25B)	RW 12-25B	SWNW	25	070S	230E	4304730312	5670	Federal	OW	TA
RWU 234 (32-24B)	RW 32-24B	SWNE	24	070S	230E	4304730313	5670	Federal	OW	P
RWU 235 (34-18C)	RW 34-18C	SWSE	18	070S	240E	4304730314	5670	Federal	OW	S
RWU 236 (21-19C)	RW 21-19C	NENW	19	070S	240E	4304730340	5670	Federal	GW	P
RWU 237 (14-25B)	RW 14-25B	SWSW	25	070S	230E	4304730341	5670	Federal	OW	P
RWU 238 (32-35B)	RW 32-35B	SWNE	35	070S	230E	4304730342	5670	Federal	OW	TA
RWU 239 (41-35B)	RW 41-35B	NENE	35	070S	230E	4304730343	5670	Federal	OW	TA

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 240 (12-36B)	RW 12-36B	SWNW	36	070S	230E	4304730344	5670	Federal	OW	S
RWU 241 (22-14B)	RW 22-14B	SENW	14	070S	230E	4304730345	5670	Federal	OW	P
RW 42-13B	RW 42-13B	SENE	13	070S	230E	4304730346	5670	Federal	OW	P
RWU 243 (42-18C)	RW 42-18C	SENE	18	070S	240E	4304730347	5670	Federal	OW	TA
RWU 244 (23-19C)	RW 23-19C	NESW	19	070S	240E	4304730348	5670	Federal	GW	P
RWU 246 (22-18C)	RW 22-18C	SENW	18	070S	240E	4304730387	5670	Federal	OW	P
RWU 247 (22-17C)	RW 22-17C	SENW	17	070S	240E	4304730388	5670	Federal	GW	P
RWU 258 (34-22A)	RW 34-22A	SWSE	22	070S	220E	4304730458	5670	Federal	WI	A
RWU 262 (22-26B)	RW 22-26B	SENW	26	070S	230E	4304730517	5670	Federal	GW	TA
RWU 263 (24-26B)	RW 24-26B	SESW	26	070S	230E	4304730518	99996	Federal	WI	I
RWU 264 (31-35B)	RW 31-35B	NWNE	35	070S	230E	4304730519	99996	Federal	WI	A
RWU 265 (44-26B)	RW 44-26B	SESE	26	070S	230E	4304730520	5670	Federal	GW	P
RWU 266 (33-26B)	RW 33-26B	NWSE	26	070S	230E	4304730521	99996	Federal	WI	I
RWU 269 (13-26B)	RW 13-26B	NWSW	26	070S	230E	4304730522	99996	Federal	WI	A
RWU 273 (42-27B)	RW 42-27B	SENE	27	070S	230E	4304731051	5670	Federal	OW	TA
RWU 279 (11-36B)	RW 11-36B	NWNW	36	070S	230E	4304731052	99996	Federal	WI	A
RWU 276 (44-27B)	RW 44-27B	SESE	27	070S	230E	4304731053	5670	Federal	OW	TA
RWU 272 (44-23B)	RW 44-23B	SESE	23	070S	230E	4304731054	5670	Federal	GW	P
RWU 278 (11-26)	RW 11-26	NWNW	26	070S	230E	4304731076	5670	Federal	GW	TA
RWU 275 (31-26B)	RW 31-26B	NWNE	26	070S	230E	4304731077	99996	Federal	WI	A
RWU 280 (11-35B)	RW 11-35B	NWNW	35	070S	230E	4304731079	5670	Federal	OW	P
RWU 282 (42-26B)	RW 42-26B	SENE	26	070S	230E	4304731080	5670	Federal	GW	TA
RWU 271 (42-35B)	RW 42-35B	SENE	35	070S	230E	4304731081	5670	Federal	WI	I
RWU 270 (22-35B)	RW 22-35B	SENW	35	070S	230E	4304731082	5670	Federal	OW	P
RWU 284 (33-23B)	RW 33-23B	NWSE	23	070S	230E	4304731476	5670	Federal	GW	TA
RWU 285 (11-24B)	RW 11-24B	NWNW	24	070S	230E	4304731477	5670	Federal	OW	P
RWU 286 (42-21B)	RW 42-21B	SENE	21	070S	230E	4304731478	5670	Federal	OW	P
RW 44-13B	RW 44-13B	SESE	13	070S	230E	4304731512	5670	Federal	OW	TA
RWU 288 (24-27)	RW 24-27	SESW	27	070S	230E	4304731513	5670	Federal	OW	TA
RWU 289 (13-24B)	RW 13-24B	NWSW	24	070S	230E	4304731517	5670	Federal	OW	P
RWU 292 (42-23B)	RW 42-23B	SENE	23	070S	230E	4304731576	5670	Federal	GW	TA
RWU 295 (11-22B)	RW 11-22B	NWNW	22	070S	230E	4304731577	5670	Federal	GW	TA
RWU 296 (12-35B)	RW 12-35B	SWNW	35	070S	230E	4304731578	5670	Federal	OW	S
RWU 297 (24-15B)	RW 24-15B	SESW	15	070S	230E	4304731579	5670	Federal	OW	P
RWU 293 (22-22A)	RW 22-22A	SENW	22	070S	220E	4304731581	5670	Federal	OW	TA
RWU 294 (24-18C)	RW 24-18C	SESW	18	070S	240E	4304731582	5670	Federal	GW	P
RWU 298 (22-27B)	RW 22-27B	SENW	27	070S	230E	4304731679	5670	Federal	OW	TA
RWU 301 (43-15B)	RW 43-15B	NESE	15	070S	230E	4304731682	5670	Federal	GW	TA
RWU 302 (22-24B)	RW 22-24B	SENW	24	070S	230E	4304731683	5670	Federal	GW	TA
RWU 303 (34-17B)	RW 34-17B	SWSE	17	070S	230E	4304731819	5670	Federal	OW	P
RED WASH 305 (41-4F)	RW 41-4F	C-NE	04	080S	240E	4304732538	5670	Federal	GW	TA

RED WASH UNIT

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RED WASH 306	RW 23-23C	NESW	23	070S	240E	4304732629	5670	Federal	GW	P
RWU 207	RW 14-17B	SWSW	17	070S	230E	4304732738	5670	Federal	OW	P
RED WASH UNIT 261	RW 23-17B	NESW	17	070S	230E	4304732739	5670	Federal	WI	A
RWU 268 (43-17B)	RW 43-17B	NESE	17	070S	230E	4304732980	5670	Federal	WI	A
RWU 267 (32-17B)	RW 32-17B	SWNE	17	070S	230E	4304732981	5670	Federal	OW	P
RWU 283 (43-18B)	RW 43-18B	NESE	18	070S	230E	4304732982	5670	Federal	WI	A
RWU 299 (32-18B)	RW 32-18B	SWNE	18	070S	230E	4304733018	5670	Federal	OW	P
RWU 42-20B	RW 42-20B	SENE	20	070S	230E	4304733490	5670	Federal	OW	P
RWU 22-20B	RW 22-20B	SENE	20	070S	230E	4304733491	5670	Federal	OW	S
RWU 24-19B	RW 24-19B	SESW	19	070S	230E	4304733492	5670	Federal	OW	P
RWU 13-19B	RW 13-19B	NWSW	19	070S	230E	4304733497	5670	Federal	WI	A
RWU 13-20B	RW 13-20B	NWSW	20	070S	230E	4304733498	5670	Federal	WI	A
RWU 33-19B	RW 33-19B	NWSE	19	070S	230E	4304733499	5670	Federal	WI	A
RWU 33-20B	RW 33-20B	NWSE	20	070S	230E	4304733500	5670	Federal	WI	A
RED WASH 22-21B	RW 22-21B	SENE	21	070S	230E	4304733522	5670	Federal	OW	S
RED WASH 24-20B	RW 24-20B	SESW	20	070S	230E	4304733523	5670	Federal	OW	P
RED WASH 44-19B	RW 44-19B	SESE	19	070S	230E	4304733524	5670	Federal	OW	P
RED WASH 44-20B	RW 44-20B	SESE	20	070S	230E	4304733525	5670	Federal	OW	P
RWU 11-19B	RW 11-19B	NWNW	19	070S	230E	4304733552	5670	Federal	WI	A
RWU 11-20B	RW 11-20B	NWNW	20	070S	230E	4304733553	5670	Federal	WI	A
RWU 24-18B	RW 24-18B	SESW	18	070S	230E	4304733554	5670	Federal	OW	P
RWU 31-19B	RW 31-19B	NWNE	19	070S	230E	4304733555	5670	Federal	WI	A
RWU 42-19B	RW 42-19B	SENE	19	070S	230E	4304733556	5670	Federal	OW	P
RWU 22-19B	RW 22-19B	SENE	19	070S	230E	4304733559	5670	Federal	OW	P
RWU 23-24A	RW 23-24A	NESW	24	070S	220E	4304733567	5670	Federal	OW	P
RWU 34-24A	RW 34-24A	SWSE	24	070S	220E	4304733568	5670	Federal	WI	A
RWU 42-24A	RW 42-24A	SENE	24	070S	220E	4304733569	5670	Federal	OW	S
RWU 11-25A	RW 11-25A	NWNW	25	070S	220E	4304733574	5670	Federal	WI	A
RWU 13-25A	RW 13-25A	NWSW	25	070S	220E	4304733575	5670	Federal	WI	A
RWU 21-25A	RW 21-25A	NENW	25	070S	220E	4304733576	5670	Federal	OW	P
RWU 31-25A	RW 31-25A	NWNE	25	070S	220E	4304733577	5670	Federal	WI	A
RWU 33-25A	RW 33-25A	NWSE	25	070S	220E	4304733578	5670	Federal	WI	A
RW 41-25AX	RW 41-25A	NENE	25	070S	220E	4304733579	5670	Federal	OW	P
RWU 42-25A	RWU 42-25A	SENE	25	070S	220E	4304733580	5670	Federal	OW	TA
RWU 11-29B	RW 11-29B	NWNW	29	070S	230E	4304733590	5670	Federal	WI	A
RWU 12-24A	RW 12-24A	SWNW	24	070S	220E	4304733591	5670	Federal	WI	A
RWU 21-24A	RW 21-24A	NENW	24	070S	220E	4304733592	5670	Federal	OW	P
RWU 34-13A	RW 34-13A	SWSE	13	070S	220E	4304733593	5670	Federal	WI	A
RWU 44-18B	RW 44-18B	SESE	18	070S	230E	4304733594	5670	Federal	OW	P
RW 22-13A	RW 22-13A	SENE	13	070S	220E	4304733765	13296	Federal	OW	S
RWU 22-29B	RW 22-29B	SENE	29	070S	230E	4304733766	5670	Federal	OW	S

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 41-24A	RW 41-24A	NENE	24	070S	220E	4304733769	5670	Federal	OW	P
RWU 42-30B	RW 42-30B	SENE	30	070S	230E	4304733771	5670	Federal	OW	P
RWU 44-30B	RWU 44-30B	SESE	30	070S	230E	4304733772	5670	Federal	OW	P
RWU 11-30B	RW 11-30B	NWNW	30	070S	230E	4304733785	5670	Federal	WI	A
RWU 22-25A	RW 22-25A	SENE	25	070S	220E	4304733786	5670	Federal	OW	P
RWU 31-30B	RW 31-30B	NWNE	30	070S	230E	4304733788	5670	Federal	WI	A
RWU 33-30B	RW 33-30B	NWSE	30	070S	230E	4304733790	5670	Federal	WI	A
RED WASH U 34-27C	RW 34-27C	SWSE	27	070S	240E	4304735045	5670	Federal	GW	P
RWU 34-22C	RW 34-22C	SWSE	22	070S	240E	4304735098	5670	Federal	GW	P
RW 12G-20C	RW 12G-20C	SWNW	20	070S	240E	4304735239	14011	Federal	GW	S
RW 43G-08F	RW 43G-08F	NESE	08	080S	240E	4304735655		Federal	GW	APD
RW 22G-09F	RW 22G-09F	SENE	09	080S	240E	4304735656	15636	Federal	GW	OPS
RWU 34-23AG	RW 34-23AG	SWSE	23	070S	220E	4304735668	5670	Federal	OW	P
RWU 34-27AG	RWU 34-27AD	SWSE	27	070S	220E	4304735669	5670	Federal	OW	DRL
RWU 32-27AG	RWU 32-27AG	SWNE	27	070S	220E	4304735670	5670	Federal	OW	S
RW 14-34AMU	RW 14-34AMU	SWSW	34	070S	220E	4304735671	14277	Federal	GW	P
RW 12-08FG	RW 12-08FG	SWNW	08	080S	240E	4304736348		Federal	GW	APD
RW 44-08FG	RW 44-08FG	SESE	08	080S	240E	4304736349	15261	Federal	GW	P
RW 12-17FG	RW 12-17FG	SWNW	17	080S	240E	4304736350		Federal	GW	APD
RW 34-34 AMU	RW 34-34 AD	SWSE	34	070S	220E	4304736351		Federal	GW	APD
RW 44-35 AMU	RW 44-35 AMU	SESE	35	070S	220E	4304736352		Federal	GW	APD
RW 14-35 AMU	RW 14-35 AMU	SWSW	35	070S	220E	4304736354		Federal	GW	APD
RW 33-31 BMU	RW 33-31 BD	NWSE	31	070S	230E	4304736357		Federal	GW	APD
RW 13-31 BMU	RW 13-31 BD	NWSW	31	070S	230E	4304736358		Federal	GW	APD
RW 32-15FG	RW 32-15FG	SWNE	15	080S	240E	4304736443		Federal	GW	APD
RW 21-26AG	RW 21-26AD	NENW	26	070S	220E	4304736768		Federal	OW	APD
RW 43-26AG	RW 43-26AG	NESE	26	070S	220E	4304736769		Federal	OW	APD
RW 43-23AG	RW 43-23AG	NESE	23	070S	220E	4304736770		Federal	OW	APD
RW 41-26AG	RW 41-26AG	NENE	26	070S	220E	4304736818		Federal	OW	APD
RW 04-25BG	RW 04-25B	NWSW	25	070S	230E	4304736982		Federal	OW	APD
RW 01-25BG	RW 01-25BG	NWNW	25	070S	230E	4304736983		Federal	OW	APD
RW 04-26BG	RW 04-26BG	SESW	26	070S	230E	4304736984		Federal	OW	APD
RW 01-26BG	RW 01-26BG	SWNW	26	070S	230E	4304736985		Federal	OW	APD
RW 01-35BG	RW 01-35BG	SWNW	35	070S	230E	4304736986		Federal	OW	APD

RED WASH UNIT

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 51 (12-16B)	RW 12-16B	SWNW	16	070S	230E	4304715177	5670	State	OW	P
RWU ST 189 (41-16B)	RW 41-16B	NENE	16	070S	230E	4304715292	5670	State	OW	S
RED WASH UNIT 259	RW 14-16B	SWSW	16	070S	230E	4304732785	5670	State	OW	P
RED WASH UNIT 260	RW 34-16B	SWSE	16	070S	230E	4304732786	5670	State	OW	P
RWU 324 (23-16B)	RW 23-16B	SESW	16	070S	230E	4304733084	5670	State	WI	OPS
RWU 21W-36A	RWU 21W-36A	NENW	36	070S	220E	4304733730		State	GW	LA
RWU 21G-36A	RWU 21G-36A	NENW	36	070S	220E	4304733731		State	OW	LA
RWU 41-36A	RWU 41-36A	NENE	36	070S	220E	4304733732		State	OW	LA
RWU 43-16B	RWU 43-16B	NESE	16	070S	230E	4304733733		State	OW	LA
RWU 21-16B	RWU 21-16B	NENW	16	070S	230E	4304733734		State	OW	LA
RWU 11-36A	RWU 11-36A	NWNW	36	070S	220E	4304733736		State	OW	LA
RWU 13-36A	RWU 13-36A	NWSW	36	070S	220E	4304733737		State	OW	LA
RW 32G-16C	RW 32G-16C	SWNE	16	070S	240E	4304735238	5670	State	GW	P
RW 14-36AMU	RW 14-36AMU	SWSW	36	070S	220E	4304736721		State	GW	APD
RW 01-36BG	RW 01-36BG	NWNW	36	070S	230E	4304736887	5670	State	OW	S
RW 24-16BG	RW 24-16BG	SESW	16	070S	230E	4304737746	5670	State	OW	DRL
RW 12-32BG	RW 12-32BG	SWNW	32	070S	230E	4304737946	15841	State	GW	DRL

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: see attached
2. NAME OF OPERATOR: QUESTAR EXPLORATION AND PRODUCTION COMPANY		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: see attached
3. ADDRESS OF OPERATOR: 1050 17th Street Suite 500 <small>CITY</small> Denver STATE CO ZIP 80265		7. UNIT or CA AGREEMENT NAME: see attached
4. LOCATION OF WELL FOOTAGES AT SURFACE: attached		8. WELL NAME and NUMBER: see attached
QTR/GTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		9. API NUMBER: attached
COUNTY: Uintah		10. FIELD AND POOL, OR WILDCAT:
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>1/1/2007</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Operator Name Change</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.


Effective January 1, 2007 operator of record, QEP Uinta Basin, Inc., will hereafter be known as QUESTAR EXPLORATION AND PRODUCTION COMPANY. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:

Federal Bond Number: 965002976 (BLM Reference No. ESB000024)

Utah State Bond Number: 965003033


Fee Land Bond Number: 965003033

Current operator of record, QEP UINTA BASIN, INC., hereby resigns as operator of the properties as described on the attached list.


Jay B. Neese, Executive Vice President, QEP Uinta Basin, Inc.

Successor operator of record, QUESTAR EXPLORATION AND PRODUCTION COMPANY, hereby assumes all rights, duties and obligations as operator of the properties as described on the attached list


Jay B. Neese, Executive Vice President
Questar Exploration and Production Company

NAME (PLEASE PRINT) <u>Debra K. Stanberry</u>	TITLE <u>Supervisor, Regulatory Affairs</u>
SIGNATURE 	DATE <u>3/16/2007</u>

(This space for State use only)

RECEIVED

APR 19 2007

DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: see attached
2. NAME OF OPERATOR: QUESTAR EXPLORATION AND PRODUCTION COMPANY		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: see attached
3. ADDRESS OF OPERATOR: 1050 17th Street Suite 500 City Denver STATE CO ZIP 80265		7. UNIT or CA AGREEMENT NAME: see attached
4. LOCATION OF WELL FOOTAGES AT SURFACE: attached		8. WELL NAME and NUMBER: see attached
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		9. API NUMBER: attached
COUNTY: Uintah		10. FIELD AND POOL, OR WILDCAT:
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>1/1/2007</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Well Name Changes</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	
	<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____		

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

PER THE ATTACHED LIST OF WELLS, QUESTAR EXPLORATION AND PRODUCTION COMPANY REQUESTS THAT THE INDIVIDUAL WELL NAMES BE UPDATED IN YOUR RECORDS.

NAME (PLEASE PRINT) <u>Debra K. Stanberry</u>	TITLE	Supervisor, Regulatory Affairs
SIGNATURE	DATE	4/17/2007

(This space for State use only)

RECEIVED
APR 19 2007
DIV. OF OIL, GAS & MINING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155



IN REPLY REFER TO
3180
UT-922

April 23, 2007

Questar Exploration and Production Company
1050 17th Street, Suite 500
Denver, Colorado 80265

Re: Red Wash Unit
Uintah County, Utah

Gentlemen:

On April 12, 2007, we received an indenture dated April 6, 2007, whereby QEP Uinta Basin, Inc. resigned as Unit Operator and Questar Exploration and Production Company was designated as Successor Unit Operator for the Red Wash Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective April 23, 2007. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Red Wash Unit Agreement.

Your nationwide oil and gas bond No. ESB000024 will be used to cover all federal operations within the Red Wash Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Greg J. Noble

Greg J. Noble
Acting Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)
SITLA
Division of Oil, Gas & Mining
File - Red Wash Unit (w/enclosure)
Agr. Sec. Chron
Reading File
Central Files

UT922:TAThompson:tt:4/23/07

RECEIVED
APR 30 2007
DIV. OF OIL, GAS & MINING

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator **Questar Exploration and Production Inc.**

3a Address
11002 E. 17500 S. VERNAL, UT 84078-8526

3b. Phone No. (include area code)
435-781-4341

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
1887' FSL, 1952' FWL, NESW, SECTION 17, T7S, R24E, SLBM

5. Lease Serial No.
UTU 02148

6. If Indian, Allottee or Tribe Name
N/A

7. If Unit or CA/Agreement, Name and/or No.
Redwash

8. Well Name and No.
RW 23-17C

9. API Well No.
43-047-15298

10. Field and Pool, or Exploratory Area
Redwash

11. County or Parish, State
Uintah

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Questar requests approval to plug and abandon this well as follows:

1. Set cement retainer at 4350'
2. Stab into retainer and squeeze 20 sx cement, unstab and dump 20 sx of cement on top of retainer
3. Fill hole with minimum 9 ppg fluid.
4. Perforate the production casing @ 2810'
5. Balance plug from 2810' - 2610' inside production casing and in production casing x open hole annulus.
6. Perforate production casing @ 284', cement from 284' to surface in production casing and in production casing x surface casing annulus.
7. Cut off wellhead, install dryhole marker

Work will start after Questar receives BLM and UDOGM approval

RECEIVED

MAY 31 2007


DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct
 Name (Printed/Typed)

Kirk Fleetwood Kirk.Fleetwod@Questar.com

Title **Petroleum Engineer**

Signature



Date

05/25/2007

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by _____

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title

**Accepted by the
Utah Division of
Oil, Gas and Mining**


Office

Date **6/19/07**

**Federal Approval Of This
Action Is Necessary**

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

By: 

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator **Questar Exploration and Production Inc.**

3a. Address
11002 E. 17500 S. VERNAL, UT 84078-8526

3b. Phone No. (include area code)
435-781-4319

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
1887' FSL, 1952' FWL, NESW, SECTION 17, T7S, R24E, SLBM

5. Lease Serial No.
UTU 02148

6. If Indian, Allottee or Tribe Name
N/A

7. If Unit or CA/Agreement, Name and/or No.
Redwash

8. Well Name and No.
RW 23-17C

9. API Well No.
43-047-15298

10. Field and Pool, or Exploratory Area
Redwash

11. County or Parish, State
Uintah

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Questar Exploration and Production reports the following work to plug and abandon was completed on October 31, 2007 as follows:

1. Set CICR at 4350', pump 60 sacks through and 20 on top
2. Perforate casing @ 2810'
3. Set CICR @ 2691', pump 60 sacks through and 20 on top
4. Perforate @ 284'
5. Pump 125 sacks down surface casing, through hole in casing @ 284' and good circulation to surface
6. Top off with cement
7. Weld on plate, backfill

14. I hereby certify that the foregoing is true and correct
 Name (Printed/Typed)

Lucius McGillivray lucius.mcgillivray@questar.com

Title **Associate Petroleum Engineer**

Signature **Lucius McGillivray**

Digitally signed by Lucius McGillivray
DN: CN = Lucius McGillivray, C = US
Date: 2008.02.06 08:16:19 -0700

Date

02/05/2008

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by _____ Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Title	Date
	Office	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

RECEIVED

FEB 06 2008