

FILE NOTATIONS

Entered in NID File	<u>Prior to DEBCC</u>	Checked by Chief	_____
Entered On S R Sheet	_____	Copy NID to Field Office	_____ ✓
Location Map Pinned	_____	Approval Letter	_____
Card Indexed	_____	Disapproval Letter	_____
IWR for State or Fee Land	_____		

COMPLETION DATA:

Date Well Completed	<u>4-24-49</u>	Location Inspected	_____
OW <input checked="" type="checkbox"/>	WW _____	TA _____	Bond released
GW _____	CS _____	PA <input checked="" type="checkbox"/>	State of Fee Land _____

LOGS FILED

Driller's Log _____
 Electric Logs (No.) 3

E _____ I _____ E-I _____ GR _____ GR-N _____ Micro _____
 Lat _____ Mi-L _____ Sonic _____ Others Admission (2)

Temperature Log

Scout Report sent out



Noted in the NID File



Location map pinned



Approval or Disapproval Letter



Date Completed, P. & A. or operations suspended



Pin changed on location map



Affidavit and Record of A & P



Water Shut-Off Test



Gas-Oil Ratio Test



Well Log Filed



Red bag

*Remarks
11-1-56 returned
inspected 11-14-56
approved + D 12-14-56*

LOCATION

CORRECTED

IN 3270

TO


1650 FNL 990 FEL

DTS

10/5/98


(SUBMIT IN TRIPLICATE)

Land Office Salt Lake City
 Lease No. 064072
 Unit _____



UNITED STATES
 DEPARTMENT OF THE INTERIOR
 GEOLOGICAL SURVEY

MAR 21 1949



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 12, 1949

Well No. 1-A is located 330 ft. from N line and 330 ft. from W line of SE of
NE of Section 26 T 5 S R 22 E Salt Lake
(4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Ashley Valley Uintah Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4890 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

4255 feet expected depth
 Embar line about 4150 feet
 Weber sand about 4230 feet
 10-3/4" 36# seamless casing 250 feet
 7" 25# J-55 Seamless casing 4230 feet
 2" upset seamless J-75, 6.70# tubing 4255 feet
 10# mud all the way
 500 sacks cement behind 7"
 250 sacks cement behind 10-3/4"

(SEE ATTACHED RIDER FOR APPROVAL)

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company EARL HOLLANDSWORTH & LEE TRAVIS
 Address P. O. Box 1632
Longview, Texas
 BY Earl Hollandsworth
 BY Lee Travis
 Title owners of co-partnership

8
COPY A

get Bureau No. 42-R355.
approval expires 11-30-46.

Form 9-330

Salt Lake


U. S. LAND OFFICE _____

SERIAL NUMBER 051072

LEASE OR PERMIT TO PROSPECT _____

LOCATE WELL CORRECTLY

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



LOG OF OIL OR GAS WELL

Company Earl Hollandsworth & Lee Travis Address P. O. Box 1632, Longview, Texas
 Lessor or Tract Government Field Ashley Valley State Utah
 Well No. 1-A Sec 26 T 15S R 22E Meridian Salt Lake County Uintah
 Location 330 ft. [N] of [S] Line and 330 ft. [E] of [W] Line of [NW] [SE] [NE] Elevation 1891
(Derrick base measured to this level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed Frank Hollandsworth
 Title Superintendent

Date April 29, 1949

The summary on this page is for the condition of the well at above date.

Commenced drilling March 28, 1949 Finished drilling April 21, 1949

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from Navaja 2486' to _____ No. 4, from Locakopi 3390' to _____
 No. 2, from Chinlee 3212' to _____ No. 5, from Phosphoria 4052' to _____
 No. 3, from Shinarump 3295' to _____ No. 6, from Neber 4184' to _____

IMPORTANT WATER SANDS

No. 1, from Frontier 796' to _____ No. 3, from Harrison 1200' to _____
 No. 2, from Dakota 1110' to _____ No. 4, from Entrada 2150' to _____

CASING RECORD Carnel 2397'


Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	
<u>10 3/4"</u>	<u>32.77</u>	<u>8</u>	<u>Waco</u>	<u>1200'</u>	<u>Open</u>	<u>1200'</u>			
<u>7"</u>	<u>23.00</u>	<u>8</u>	<u>Waco</u>	<u>1170'</u>	<u>Open</u>	<u>1170'</u>			

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
<u>10 3/4"</u>	<u>211'</u>	<u>175</u>	<u>circulated</u>	<u>11 1/2</u>	<u>none in cement</u>
<u>7"</u>	<u>4186'</u>	<u>250</u>		<u>14 to 18 1/2</u>	<u>none in cement</u>

PLUGS AND ADAPTERS

MARK




(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office _____

Lease No. 01585

Unit _____



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	X	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

October 28, 1957

Govt. Well No. 1-A is located 330 ft. from [N] line and 330 ft. from [E] line of sec. 26

SE NE (1/4 Sec. and Sec. No.) 5 S (Twp.) 22E (Range) Salt Lake (Meridian)
Ashley Valley (Field) Uintah (County or Subdivision) Utah (State or Territory)

The elevation of the derrick floor above sea level is 4881' ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Top of sand (Weber) is 4202'. Water to be cemented off at 4207'.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Hollandsworth & Travis

Address P. O. Box 1632

Longview, Texas

Approved By [Signature] Agent

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Budget Bureau No. 42-R356.4
Approval expires 12-31-56.

LAND OFFICE Salt Lake
LEASE NUMBER 01585
UNIT _____

LESSEE'S MONTHLY REPORT OF OPERATIONS

Notes
1-6-58
H

State Utah County Uintah Field Ashley Valley

The following is a correct report of operations and production (including drilling and producing wells) for the month of November, 19 57

Agent's address P. O. Box 1632 Company Hollandsworth & Travis
Longview, Texas

Phone Plaza 9-4471 Signed _____ Agent's title Agent

SEC. AND 1/4 OF 1/4	TWP.	RANGE	WELL NO.	DATE PRODUCED	BARRELS OF OIL	GRAVITY	CU. FT. OF GAS (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
SE NE 26	5S	22E	Govt. 1-A		307.27	29	NONE	NONE	97.7	

NOTE.—There were 1 runs or sales of oil; None M cu. ft. of gas sold;

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

Form 9-329
(January 1950)

01585

Land Office

Lease No.

Unit

Notes
12-13
H

(SUBMIT IN TRIPPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

December 3, 19 57

Well No. Govt. 1-A is located 330 ft. from SE line and 330 ft. from W line of sec. 26
SE NE 5 S 22 E Salt Lake
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Ashley Valley Uintah Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4881' ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Squeezed off water and plugged back to 4130'. Perforated from 4084' to 4094' 4 shots per foot, and from 4116' to 4126' 4 shots per foot. Put the well on pump and recovered 47 barrels oil, and water broke in again. Well is now making 2 barrels oil per day and about 100 barrels water. Will produce well for few days and put on another squeeze job and try to shut water off. Testing from 11/26/57.

This location differs from all other paperwork in file - i.e. 330' ESL vs 330' FNL

I understand that this plan of work must receive approval in writing by the Geological Survey by

Company Hollandsworth & Travis

Address P. O. Box 1632

Longview, Texas

By Francis Hollandsworth

Title Agent

W/

01585

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office

Lease No.

Unit

710
12-13
H

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	<input type="checkbox"/>
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	<input type="checkbox"/>
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	<input type="checkbox"/>
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	<input type="checkbox"/>
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	<input type="checkbox"/>
NOTICE OF INTENTION TO ABANDON WELL.....		<input type="checkbox"/>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

December 3, 1957

Well No. Govt. 1-A is located 330 ft. from SE line and 330 ft. from SW line of sec. 26
SE NE 5 S 22 E Salt Lake
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Ashley Valley Uintah Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4881' ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Squeezed off water and plugged back to 4130'. Perforated from 4084' to 4094' 4 shots per foot, and from 4116' to 4126' 4 shots per foot. Put the well on pump and recovered 47 barrels oil, and water broke in again. Well is now making 2 barrels oil per day and about 100 barrels water. Will produce well for few days and put on another squeeze job and try to shut water off. Testing from 11/26/57.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Hollandsworth & Travis

Address P. O. Box 1632

Longview, Texas

By Ernest Hollandsworth

Title Agent

February 16, 1959

Hollandsworth & Travis
P. O. Box 1632
Longview, Texas

Re: Well No. Gov't 1-A,
SE NE 26-5S-22E, SLBM,
Uintah County, Utah

Gentlemen:

On October 28, 1957 you notified this office that the above mentioned well was to be reworked.

As of this date, no electric or driller's logs have been filed with respect thereto.

It would be greatly appreciated if you would furnish us with these logs as soon as possible.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT
EXECUTIVE SECRETARY

CBF:co

Hollandeworth & Travis

P. O. BOX 1632

LONGVIEW, TEXAS

EARL HOLLANDSWORTH
LEE L. TRAVIS

February 27, 1959

Re: Well No. Gov't 1-A
SE NE 26-5S-22E, SLBM
Uintah County, Utah

The State of Utah
Oil & Gas Conservation Commission
310 Newhouse Building
Salt Lake City 11, Utah

Gentlemen:


Attached is a copy of your letter of February 16th together with McCullough's Radiation Log and copy of report submitted to the U. S. Geological Survey covering the reworking of the above captioned well in 1957.

We trust this is the information desired.

Yours very truly,

HOLLANDSWORTH & TRAVIS

BY:



Clarence Keese

BJS

Att.

March 2, 1959

Hollandsworth & Travis
P. O. Box 1632
Longview, Texas

Attention: Clarence Keese

Re: Well No. Gov't A-1, SE NE
26-5S-22E, SLEM, Uintah
County, Utah

Gentlemen:

This is to acknowledge receipt of the Radiation Log and
the copy of the USGS Form 9-331a covering the reworking
of the above mentioned well.

Your prompt consideration in this matter is greatly
appreciated.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FREIGHT
EXECUTIVE SECRETARY

CBF:co

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN THE MANNER
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

Lease # 01585

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Ashley Valley Gov't. A-1

9. WELL NO.

A-1

10. FIELD AND POOL, OR WILDCAT

Ashley Valley

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 26, T 5 S, R 22 E

12. COUNTY OR PARISH

Uintah

13. STATE

Utah

SUNDRY NOTICES AND REPORTS ON WELLS
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
Hollandsworth & Travis

3. ADDRESS OF OPERATOR
P. O. Box 1632, Longview, Texas

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)
At surface **330' from N. line and 330' from E. line - NW-1/4 of SE-1/4 of NE-1/4 Section 26, Township 5 South, Range 22 E., S. L. B. M.**

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)
4881 DF

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input checked="" type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR REPAIR <input checked="" type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Will go back in hole (now producing small amount of oil from Weber at 4235 T. D.) plug back to base of Entrada, gun perforate in the Entrada and cement pipe with 50 sacks common and 210 sacks Pozmix cement in the base of the Entrada. Work will begin August 16th, or sooner if machine becomes available. Work is being done in an attempt to obtain oil production from the Entrada Zone.

APPROVED BY UTAH OIL AND GAS
CONSERVATION COMMISSION
DATE: 8-18-65 by Harvey R. Coombs
PETROLEUM ENGINEER

18. I hereby certify that the foregoing is true and correct
SIGNED [Signature] TITLE Drilling Superintendent DATE 8/9/65

(This space for Federal or State office use)
APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

Hollandsworth & Travis

DRILLING CONTRACTORS - OIL PRODUCERS

P. O. BOX 1632

LONGVIEW, TEXAS

August 13, 1965

EARL HOLLANDSWORTH
LEE L. TRAVIS

United States Department of the Interior
Geological Survey
P. O. Box 400
Casper, Wyoming

Gentlemen:

Enclosed are three copies of your Form 9-331 - Sundry Notices and Reports on Wells, stating our intention to fracture treat and shoot our Government A-1 Well, Ashley Valley Field, Uintah County, Utah.

We are, by a carbon copy of this letter, furnishing the State of Utah with a copy of Form 9-331.

Yours very truly,

HOLLANDSWORTH & TRAVIS

Clarence Keese

plh
Enclosures

cc: The State of Utah
Oil & Gas Conservation Commission
Salt Lake City, Utah

U.S. Geological Survey, Bureau of Oil & Gas
8416 Federal Building
125 South State Street
Salt Lake City, Utah 84111

COPY

P. O. BOX 1632
LONGVIEW, TEXAS

February 2, 1966


Mr. George F. Brown
Acting District Engineer
United States Department of the Interior
Geological Survey
Branch of Oil and Gas Operations
8416 Federal Building
Salt Lake City, Utah 84111

Dear Mr. Brown:

In accordance with the request in your January 21, 1966, letter, and your subsequent telephone conversation with Mr. Frank Hollandsworth and Mr. Clarence Keese, we are enclosing herewith, in triplicate, Form 9-331 describing the work done on the Government 1-A well, Ashley Valley Field, Uintah County, Utah, in 1965.

Yours very truly,

HOLLANDSWORTH & TRAVIS


(Mrs.) Peggy Hughes

plh

Enclosures (3)

cc: The State of Utah
Oil & Gas Conservation Commission
348 East South Temple
Suite 301
Salt Lake City, Utah

**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK DRILL <input type="checkbox"/> DEEPEN <input type="checkbox"/> PLUG BACK <input checked="" type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO. Lease No. 01585
b. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/> SINGLE ZONE <input type="checkbox"/> MULTIPLE ZONE <input type="checkbox"/>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
2. NAME OF OPERATOR Hollandsworth & Travis		7. UNIT AGREEMENT NAME
3. ADDRESS OF OPERATOR P. O. Box 1632, Longview, Texas		8. FARM OR LEASE NAME Government
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.) At surface 330' from N. Line and 330' from E. line, NW-1/4 of NE-1/4 Sec. 26, Township 5 South, R 22 E, S. L. B. M. At proposed prod. zone		9. WELL NO. 1-A
14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* 6 miles east of Vernal, Utah		10. FIELD AND POOL, OR WILDCAT Ashley Valley
15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any) 330' from E. Line 330' fr. N. Line	16. NO. OF ACRES IN LEASE 320	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 26, T 5 S, R 22 E
18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.	19. PROPOSED DEPTH Entrada Formation Workover Rig	12. COUNTY OR PARISH 13. STATE Uintah Utah
21. ELEVATIONS (Show whether DF, RT, GR, etc.) 4881' DF	17. NO. OF ACRES ASSIGNED TO THIS WELL 40	
20. ROTARY OR CABLE TOOLS		22. APPROX. DATE WORK WILL START* 8/17/65

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
	7"	23 lbs.	Bridge Plug @ 3600'	125 sacks standard bulk cement

Set bridge plug @ 3600', perforated Entrada 2190-96. Recompletion in same section. Squeezed, put 100 sacks cement through perforations, reperforated same section using 250 gallons mud-acid. We did not get any pressure on the squeeze job. The well produced small amount of oil and water, approximately 10% oil and 90% water.

Our present plans are to shoot sections both above and below the Entrada Zone, beginning (if weather permits) between the first and fifteenth of ~~May~~ May, 1966.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED *Frank Hollandsworth* TITLE **Drilling Superintendent** DATE **February 2, 1966**

(This space for Federal or State office use)

PERMIT NO. _____ APPROVAL DATE _____

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

COPIES

XERO COPY

XERO COPY

XERO COPY

Comp

Form 271 RECEIVED
(May 1965)
BR. OF OIL & GAS OPERATIONS
FEB 3 1966
APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK
U.S. GEOLOGICAL SURVEY
SALT LAKE CITY, UTAH
1a. TYPE OF WORK
DRILL

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPlicate*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1425.

5. LEASE DESIGNATION AND SERIAL NO.
Lease No. 01585 - P-13

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
Government

9. WELL NO.
1-A

10. FIELD AND POOL, OR WILDCAT
Ashley Valley

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 26, T 5 S, R 22 E

12. COUNTY OR PARISH 13. STATE
Uintah Utah

17. NO. OF ACRES ASSIGNED TO THIS WELL
40

20. ROTARY OR CABLE TOOLS
Entrada Formation Workover Rig

22. APPROX. DATE WORK WILL START*
8/17/65

b. TYPE OF WELL
OIL WELL GAS WELL OTHER SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
Hollandsworth & Travis

3. ADDRESS OF OPERATOR
P. O. Box 1632, Longview, Texas

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements,*)
At surface **330' from N. Line and 330' from E. line, NW-1/4 of NE-1/4 Sec. 26, Township 5 South, R 22 E, S. L. B. M.**
At proposed prod. zone

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
6 miles east of Vernal, Utah

16. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any)
330' from E. Line 330' fr. N. Line

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.
4881' DF

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
	7"	23 lbs.	Bridge Plug @ 3600'	125 sacks standard bulk cement

Set bridge plug @ 3600', perforated Entrada 2190-96. Recompletion in same section. Squeezed, put 100 sacks cement through perforations, re-perforated same section using 250 gallons mud-acid. We did not get any pressure on the squeeze job. The well produced small amount of oil and water, approximately 10% oil and 90% water.

Work comp - off-roof 9-1-65

Our present plans are to shoot sections both above and below the Entrada Zone, beginning (if weather permits) between the first and fifteenth of ~~May~~ May, 1966.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED *Frank Hollandsworth* TITLE Drilling Superintendent DATE February 2, 1966

(This space for Federal or State office use)

PERMIT NO. _____ APPROVAL DATE FEB 16 1966

APPROVED BY (ORIG. SGD.) R. A. SMITH TITLE DISTRICT ENGINEER DATE FEB 16 1966

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions On Reverse Side

ORIGINAL FORWARDED TO CASPER

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPPLICATE*
(Other instructions on re-verse side)

Form approved.
Budget Bureau No. 42 R1424

5. LEASE DESIGNATION AND SERIAL NO.

01585

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT" for such proposals.)

1. GAS WELL OIL WELL OTHER

2. NAME OF OPERATOR

Hollandsworth & Travis

3. ADDRESS OF OPERATOR

P. O. Box 1632, Longview, Texas

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)

At surface 330' from N. line and 330' from E. line
NW-1/4 of NE-1/4 Sec. 26, T 5 S, R 22 E, S. L. B. M.

6 miles East of Vernal, Utah

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4831' DF

7. UNIT AGREEMENT NAME

~~XXXXXXXXXXXXXX~~

8. FARM OR LEASE NAME

~~XXXXXXXXXX~~ Gov't. A-

9. WELL NO.

A-1

10. FIELD AND POOL, OR WILDCAT

Ashley Valley

11. SEC., T., S., M., OR BLK. AND SURVEY OR AREA

Sec. 26, T5S, R22E

12. COUNTY OR PARISH

Utah

13. STATE

Utah

Statement of Intent, or Notice of Abandonment, Report, or Other Data

STATE OF INTENTION TO

SUBSEQUENT REPORT OF:

TEST WATER SHUT OFF

PLUG OR ALTER CASING

WATER SHUT OFF

REPAIRING WELL

FRACTURE TREAT

MULTIPLE COMPLETE

FRACTURE TREATMENT

ALTERING CASING

SHOOT OR ACIDIZE

ABANDON*

SHOOTING OR ACIDIZING

ABANDONMENT*

REPAIR WELL

CHANGE PLANS

(Other)

(Other)

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Squeeze off the present perforations and reperforate.
Also there is a section about 10' (10 feet) above our present perforations which we will test before re-shooting the lower, present section.

APPROVED BY UTAH OIL AND GAS
CONSERVATION COMMISSION

DATE 6-2-66

Paul W. Birchall

CHIEF PETROLEUM ENGINEER

18. I hereby certify that the foregoing is true and correct

T. J. Drilling Superintendent

Signed

[Signature]

DATE May 24, 1966

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

*See Instructions on Reverse Side

Hollandsworth & Travis

DRILLING CONTRACTORS - OIL PRODUCERS

P. O. BOX 1632

LONGVIEW, TEXAS

July 11, 1966

EARL HOLLANDSWORTH
LEE L. TRAVIS


Mr. Rodney A. Smith
District Engineer
United States Department of the Interior
Geological Survey
Branch of Oil and Gas Operations
8416 Federal Building
Salt Lake City, Utah 84111

Dear Mr. Smith:

Enclosed is Form 9-331 - Sundry Notices and Reports on
Wells, covering recent work on the Hollandsworth & Travis
Government A-1 well, Ashley Valley, Uintah County, Utah.

Yours very truly,

HOLLANDSWORTH & TRAVIS


(Mrs.) Peggy Hughes

plh

Enclosure: (3)

cc: Oil & Gas Conservation Commission
Salt Lake City, Utah

COPY

UNITED STATES DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TR. ATE*
(Other instructions on re-verse side)

Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
Hollandsworth & Travis

3. ADDRESS OF OPERATOR
P. O. Box 1632, Longview, Texas

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)
At surface **330' from N. line and 330' from E. line**
NW - 1/4 of NE - 1/4 Sec. 26, T 5 S, R 22 E, S. L. B. M.

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4881' DF

5. LEASE DESIGNATION AND SERIAL NO.

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
Government A-1

9. WELL NO.

10. FIELD AND POOL, OR WILDCAT

A-1
Ashley Valley

11. SEC., T., R., M., OR B.L. AND SURVEY OR AREA

Sec. 26, T5S, R22E

12. COUNTY OR PARISH 13. STATE

Uintah Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREAT

MULTIPLE COMPLETE

FRACTURE TREATMENT

ALTERING CASING

SHOOT OR ACIDIZE

ABANDON*

SHOOTING OR ACIDIZING

ABANDONMENT*

REPAIR WELL

CHANGE PLANS

(Other)

(Other)

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

6/13/66-Used Baker Packer Model R and Baker Manifold w/Baker Eng. Mixed 100 sacks common cement, pumped 10 bbls. water into well ahead of cement. Staged cement after cleaning tubing, did not get squeeze job. Left 37' cement over perforations. Rigged up pump to drill out cement after setting. Left 590# on tubing, maximum pressure 800#.

6/14/66-Pulled tubing and packer out of hole. Ran 6-1/4 bit back in hole, found cement 2170' at 201' over perforations. Drilled out cement to 2185, leaving cement 5' over perforations which are at 2190-2195'. Circulated hole clean, and started out. Water broke back in about four stands after started out. Went back to bottom to drill cement out over perforations to recement. Drilled cement 2197', then pumped out from 2197 to 2205'. This is under perforations. P.B. depth was 2209'. Washed hole, pulled out bit. Hole did not show any water or flow over after got out. Left tubing open on top to check for fillup. Shut down at 4:00 P. M.

6/15/66-Pulled tubing out of hole, ran packer in hole, set 4 jts. off bottom at 2058', swabbed down hole for test. No fluid coming in from perforations 2190-95', which indicated that cement job was O. K. Ran McCullough 1-11/16 mag. jet gun, shot 2670-80' - four shots per ft. Swabbed hole down after shooting, hole making 400' fluid per hr. w/light show oil.

6/16/66-Ran swab 8:00 A. M. found fluid 100' from top of hole, very little oil on top of water, swabbed down. Making about 4 bbls. per hr. w/light show oil. Ran rods w/new oil well 2-1/4 insert pump. Ran to bottom, spaced pump. Put engine on unit 6/17/66. Plan to test from 30 to 60 days from 6/17/66, with your permission.

18. I hereby certify that the foregoing is true and correct

SIGNATURE

Frank Hollandsworth

TITLE **Drilling Superintendent**

DATE **July 11, 1966**

(This space for Federal or State office use)

APPROVED BY _____

TITLE _____

DATE _____

CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO.
2. NAME OF OPERATOR Hollandsworth & Travis		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR P. O. Box 1632, Longview, Texas		7. UNIT AGREEMENT NAME
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 330' from N. line and 330' from E. line NW-1/4 of NE-1/4 Sec. 26, T 5 S, R 22 E, S. L. B. M.		8. FARM OR LEASE NAME Government A-1
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT, GR, etc.) 4881' DF	9. WELL NO. A-1
		10. FIELD AND POOL, OR WILDCAT ASHLEY VALLEY
		11. SEC., T., R., M., OR B.L.K. AND SURVEY OR AREA Sec. 26, T5S, R22E
		12. COUNTY OR PARISH Utah
		13. STATE Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input checked="" type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input checked="" type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Following water shut off and placement of pump on 6/17/66, well has produced approximately 171 bbls. of water per day, no oil.

18. I hereby certify that the foregoing is true and correct
 SIGNATURE: [Signature] TITLE Drilling Superintendent DATE August 12, 1966

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
 CONDITIONS OF APPROVAL, IF ANY:

000 7127

2/10/66
O. H. P.

October 10, 1966

United States Department of the Interior
Geological Survey
Branch of Oil and Gas Operations
8416 Federal Building
Salt Lake City, Utah 84111

Attention: Mr. Rodney A. Smith

Gentlemen:

Enclosed are three copies of Form 9-331 - Sundry Notices and Reports on Wells which sets forth our intention to abandon the Hollandsworth & Travis Government A-1 Well, Ashley Valley Field, Uintah County, Utah.

Yours very truly,

HOLLANDSWORTH & TRAVIS



Frank Hollandsworth
Drilling Superintendent

FH:plh

Enclosures

cc: The State of Utah
Oil & Gas Conservation Commission
Salt Lake City, Utah

COPY

UNITED STATES DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TR. FE*
(Other instructions on re-verse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

Utah 01585

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Government A-1

9. WELL NO.

A-1

10. FIELD AND POOL, OR WILDCAT

Ashley Valley

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 26, T5S, R22E

12. COUNTY OR PARISH

Utah

13. STATE

Utah

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR

Hollandsworth & Travis

3. ADDRESS OF OPERATOR

P. O. Box 1632, Longview, Texas

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)

At surface 330' from N. line and 330' from E. line NW-1/4 of NE-1/4 Sec. 26, T 5 S, R 22 E, S. L. B. M.

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, OR, etc.)

4881' DF

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

~~ABANDONMENT~~ ABANDONMENT

REPAIRING WELL

ALTERING CASING

~~ABANDONMENT~~

(Other)

(NOTE: Report results of multiple completion or Well Completion or Recombination Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Notice of Intention to Abandon:

This notice of intention to abandon is filed because re-working operations as previously reported have failed to re-establish oil production.

Subsequent report of Abandonment will be filed when cementing has been completed.

18. I hereby certify that the foregoing is true and correct

SIGNED *[Signature]* TITLE **Drilling Superintendent**

DATE **10/10/66**

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____

DATE _____

CONDITIONS OF APPROVAL, IF ANY:

October 11, 1966

Hollandsworth & Travis
Attn: Frank Hollandsworth
P. O. Box 1632
Longview, Texas

Re: Government A-1
Sec. 26, T. 5 S., R. 22 E.,
Uintah County, Utah

Dear Frank,

Received your Notice of Intention to abandon the above named well. Would you please furnish this Commission your proposed plugging program in order that we may review it for final approval. It would further be appreciated if you would inform this office as to when the plugging operations will commence in order that the work can be witnessed.

Thank you for your cooperation with respect to this matter.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

PAUL W. BURCHELL
CHIEF PETROLEUM ENGINEER

PWB:kh

EAH

Hollandsworth & Travis

DRILLING CONTRACTORS - OIL PRODUCERS

P. O. BOX 1632

LONGVIEW, TEXAS

EARL HOLLANDSWORTH
LEE L. TRAVIS

October 25, 1966

The State of Utah
Oil & Gas Conservation Commission
348 East South Temple
Suite 301
Salt Lake City, Utah 84111

Attention: Mr. Paul W. Burchell
Chief Petroleum Engineer

Re: Government A-1
Sec. 26, T. 5 S., R. 22 E.
Uintah County, Utah

Gentlemen:

We have your letter dated October 11, 1966, requesting that we furnish our proposed plugging program on the captioned well.

Mr. Frank Hollandsworth is in West Texas, supervising drilling operations on properties which we have acquired, and as soon as he returns to the office, will have him contact you regarding this.

Yours very truly,

HOLLANDSWORTH & TRAVIS


Peggy Hughes

plh

cc: Mr. Frank Hollandsworth

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

AND OFFICE Salt Lake
LEASE NUMBER 01585
UNIT _____

LESSEE'S MONTHLY REPORT OF OPERATIONS

State Utah County Uintah Field Ashley Valley

The following is a correct report of operations and production (including drilling and producing wells) for the month of October, 19 66,

Agent's address P. O. Box 1632 Company HOLLANDSWORTH & TRAVIS
Longview, Texas Signed [Signature]

Phone PL 3-5784 Agent's title Agent

SEC. AND 1/4 OF 1/4	TWP.	RANGE	WELL NO.	DAYS PRODUCED	BARRELS OF OIL	GRAVITY	CU. FT. OF GAS (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
<i>NW 1/4</i> SE NE	58	22E	Govt. A	10	-0-		-0-		1,491	Well was shut down November 11, 1966 & will be plugged and abandoned in near future. Plans are now being made for plugging.

NOTE.—There were No runs or sales of oil; No M cu. ft. of gas sold; No runs or sales of gasoline during the month. (Write "no" where applicable.)

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

Frank Wollengrunt

Unit 421
7" casing - T D - 4186

P B T D - 2289

Perfs - 2070 to 2080 → in cement behind casing
Morrison } all perfs made below
↳ Producer water } in Entada squeezed off

Fronte 2796
Dakota 1110
Morrison 1200
Entada 2156

- ① 20ft across perfs - 2036 to 2136
- ② Cut & ream 7" / 30ft across stub - 50' in 5' 50' dia
- ③ 15ft 1180 - 1220 - Morrison
- ④ 15ft 1090 - 1136 - make Dakota
- ⑤ 15ft 660 - 700 - make Fronte
- ⑥ 45ft 260 - 160 → bag of sub pipe (211)
- ⑦ 3 - 10ft @ sub / make / heavy duty mud
- ⑧ Clean completely

USLS - Plugging Program

11-1-66 - Will

Check with Frank

Wollengrunt & Pulley Carr

OK - JMB

Branch of Oil and Gas Operations
8416 Federal Building
Salt Lake City, Utah, 84111

November 2, 1966

Hollandsworth & Travis
P. O. Box 1632
Longview, Texas

Gentlemen:

We have received and have reviewed the Notice of Intention to Abandon your well 1-A, ~~SE 1/4~~ sec. 26, T. 5 S., R. 22 E., lease Utah 01585, Ashley Creek field, Uintah County, Utah, that you submitted. Since you did not include a proposed plugging program, we have prepared one and are approving the notice to abandon provided the well is plugged in the following manner:

- (1) Place a 20-sack cement plug from 2130-2030'
- (2) Cut and recover maximum amount of 7" casing
- (3) Place a 30-sack cement plug across the 7" casing stub (50' inside stub and 50' inside hole)
- (4) Place a 15-sack cement plug from 1180' to 1220' across the top of the Morrison formation
- (5) Place a 15-sack cement plug from 1090' to 1130' to isolate the Dakota sand
- (6) Place a 15-sack cement plug from 660 - 700' to isolate the Frontier sands
- (7) Place a 45-sack cement plug from 260 - 160' across the base of the surface pipe
- (8) Place a 5 to 10-sack cement plug at the surface with a permanent identification marker
- (9) Place heavy drilling mud between all plugs
- (10) Clean the location of all equipment; i.e. tanks, treater, pump, etc., and debris; level the location, i.e. fill all pits and cellar, etc.; and restore the location as closely as possible to its original condition.

We have not included an alternative program to leave the pipe in the hole because the Frontier, Dakota, and Morrison formations are open behind the pipe and probably should be isolated. If you are able to recover only 1200' or less of the pipe, we will need to discuss changes in the plugging program with you at that time.

If you have any questions concerning the above plugging program, please contact us. We would also like you to notify us when you intend to plug the well as we would like to be present to witness all or a part of the work.

We are advising our Regional Office that your lease has terminated effective October 11, 1966; hence, we would appreciate it if you would have the abandonment work completed as soon as possible.

Sincerely yours,

(ORIG. SGD.) R. A. SMITH

Rodney A. Smith,
District Engineer

cc: State Oil & Gas Conservation Commission
348 East South Temple
Salt Lake City, Utah

January 12, 1967

Hollandsworth & Trevis
P. O. Box 1632
Longview, Texas

Re: Well No. Government #1-A,
Sec. 26, T. 5 S., R. 22 E.,
Uintah County, Utah.

Gentlemen:

This letter is to advise you that the Subsequent Report of Abandonment and Plugging of the above mentioned well is due and has not been filed with this Commission as required by Rule D-2, General Rules and Regulations and Rules of Practice and Procedure, Utah State Oil and Gas Conservation Commission.

Thank you for your attention to this matter.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

SHARON CAMERON
RECORDS CLERK

sc

Hollandsworth & Travis

DRILLING CONTRACTORS - OIL PRODUCERS

P. O. BOX 1632

LONGVIEW, TEXAS

EARL HOLLANDSWORTH
LEE L. TRAVIS

January 16, 1967

The State of Utah
Oil & Gas Conservation Commission
348 East South Temple
Suite 301
Salt Lake City, Utah 84111

Re: Well No. Government #1-A
Sec. 26, T. 5 S., R. 22 E.,
Uintah County, Utah

Gentlemen:

In reply to your letter of January 12, advising us that the Subsequent Report of Abandonment and Plugging of the above captioned well has not been filed, we would like to report that we plan to complete plugging of the well as soon as weather conditions in Utah permit, probably during the spring of this year. When plugging operations have been completed, we will file the Subsequent Report of Abandonment and Plugging.

Yours very truly,

HOLLANDSWORTH & TRAVIS


Frank Hollandsworth
Drilling Superintendent

FH:plh

February 6, 1967

Hollandsworth & Travis
P. O. Box 1632
Longview, Texas

Re: Well No. Government #1-A,
Sec. 26, T. 5 S., R. 22 E.,
Uintah County, Utah.

Gentlemen:

We are in receipt of your Subsequent Report of Abandonment for the above mentioned well. However, upon checking this information, we note that you did not report the abandonment date.

Please submit this date to our office as soon as possible.

Thank you for your cooperation in this matter.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

SHARON CAMERON
RECORDS CLERK

SO;sd

July 28, 1967

Hollandsworth & Travis
P. O. Box 1632
Longview, Texas

Re: Well No. Government #1-A,
Sec. 26, T. 5 S., R. 22 E.,
Uintah County, Utah.

Gentlemen:

Reference is made to our letter of February 6, 1967, requesting the plug and abandonment date for the above captioned well. As of this date we still have not received the information requested.

Please submit this date to this office as soon as possible.

Very truly yours,

DIVISION OF OIL & GAS CONSERVATION

SHARON CAMERON
RECORDS CLERK

SC:cam

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

6. INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Ashley Valley Govt. A-1

9. WELL NO.

A-1

10. FIELD AND POOL, OR WILDCAT

Ashley Valley

11. SEC., T., R., M., OR B.L.K. AND SURVEY OR AREA

Sec. 26, T5S, R22E

12. COUNTY OR PARISH 13. STATE

Utah

Utah

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
Hollandsworth & Travis

3. ADDRESS OF OPERATOR
P. O. Box 1632, Longview, Texas

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)
At surface **330' fr. N. line and 330' fr. E. line,
NW-1/4 of SE-1/4 of NE-1/4 Sec. 26, T5S, R22E, S. L. B. M.**

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4881' DF

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Well plugged as follows:

(PA'd 8-12-67)

25 sack cement plug 1980' - 1837'

15 sack cement plug 76' - 0'

125 sacks between 7" and 10-3/4" pipe

All casing left in hole.

18. I hereby certify that the foregoing is true and correct

SIGNED

James Hollandsworth

TITLE

Drilling Superintendent

DATE

August 31, 1967

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

Hollandsworth & Travis

DRILLING CONTRACTORS - OIL PRODUCERS

P. O. BOX 1632

LONGVIEW, TEXAS

EARL HOLLANDSWORTH
LEE L. TRAVIS

September 1, 1967

Mr. Rodney A. Smith, District Engineer
United States Department of the Interior
Geological Survey
Branch of Oil and Gas Operations
8416 Federal Building
Salt Lake City, Utah 84111

Re: Terminated Oil and
Gas Lease - Utah 01585
Government A-1 well

Dear Mr. Smith:

Enclosed is the original and two copies of Form 9-331 - Abandonment of the captioned lease, and plugging of the well thereon, which have been signed by Frank Hollandsworth, Drilling Superintendent.

Yours very truly,

HOLLANDSWORTH & TRAVIS

Clarence Keese

CK:plh

Enclosures (3)

cc: The State of Utah
Oil & Gas Conservation Commission
348 East South Temple
Suite 301
Salt Lake City, Utah 84111

Handwritten note:
Copy of P & A note
have file

COPY

348 East South Temple
Suite 301
Salt Lake City, Utah 84111

328-5771

October 24, 1967

Hollendsworth & Travis
P. O. Box 1632
Longview, Texas

Re: Well No. Ashley Valley Government
A-1, Sec. 26, T. 5 S., R. 22 E.,
Uintah County, Utah.

Gentlemen:

We are in receipt of your "Subsequent Report of Abandonment"
for the above mentioned well. However, upon checking this information,
we note that the Plug and Abandonment Date was omitted from this report.

Would you please submit to this office said information as soon as
possible.

Thank you.

Very truly yours,

DIVISION OF OIL & GAS CONSERVATION

SHARON CAMERON
RECORDS CLERK

sc



MD

OIL & GAS CONSERVATION BOARD

ELBERT M. DRAPER, JR.
CHAIRMAN

CHARLES R. HENDERSON
GUY N. CARDON
ROBERT R. NORMAN
WALLACE D. YARDLEY

PWP

CLEON B. FEIGHT
DIRECTOR

PAUL W. BURCHELL
CHIEF PETROLEUM ENGINEER

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL & GAS CONSERVATION

348 East South Temple
Suite 301
Salt Lake City, Utah 84111

328-5771

October 24, 1967

Hollandsworth & Travis
P. O. Box 1632
Longview, Texas

Re: Well No. Ashley Valley Government
A-1, Sec. 26, T. 5 S., R. 22 E.,
Uintah County, Utah.

Gentlemen:

We are in receipt of your "Subsequent Report of Abandonment"
for the above mentioned well. However, upon checking this information,
we note that the Plug and Abandonment Date was omitted from this report.

Would you please submit to this office said information as soon as
possible.

Thank you.

Very truly yours,

DIVISION OF OIL & GAS CONSERVATION

Sharon Cameron

SHARON CAMERON
RECORDS CLERK

sc
10/27/67

Plug and Abandonment Date on the captioned well was August 12, 1967.

Peggy Hughes

Peggy Hughes