

UTAH OIL AND GAS CONSERVATION COMMISSION

REMARKS: WELL LOG ELECTRIC LOGS FILE WATER SANDS LOCATION INSPECTED SUB. REPORT/abd.

Original location: 1980' FNL & 1996' FEL, SW NE of Sec. 8, T. 8 S., R. 22 E.

Original Lease No. U-022158

Amended Location: 660' FNL & 660' FEL, C NE NE of Sec. 23, T. 8 S., R. 21 E.

Amended Lease No.: U-0809

* Change of Operator 7.1.85 Commenced injection eff 10-23-92

DATE FILED 4-6-66

LAND: FEE & PATENTED STATE LEASE NO. PUBLIC LEASE NO. U-0807 INDIAN

DRILLING APPROVED: In Unit

SPUDED IN: 4-11-66

COMPLETED: 5-15-66 PUT TO PRODUCING: 5-15-66

INITIAL PRODUCTION: 169 BOPD, 61 MCFG/D, 6 BWPD

GRAVITY A.P.I. 28.6°

GOR: 361:1

PRODUCING ZONES: 5212'-38'

TOTAL DEPTH: 5313'

WELL ELEVATION: 4803'G, 4815'KB

DATE ABANDONED:

FIELD: Wonsits-Wonsits Valley Development Test

UNIT: Wonsits Valley

COUNTY: Uintah

WELL NO. WONSITS VALLEY UNIT FED. #60

APT 43-047-20019

LOCATION 660 FT. FROM (X) LINE, 1996 FT. FROM (E) (X) LINE. SW SE 1/4-1/4 SEC. 15

15

TWP.	RGE.	SEC.	OPERATOR	TWP.	RGE.	SEC.	OPERATOR:
				8 S	21 E	15	CHEVRON GULF OIL CORPORATION

GEOLOGIC TOPS:

Sample Log

QUATERNARY	Star Point	Chinle	Molas
Alluvium	Wahweap	Shinarump	Manning Canyon
Lake beds	Masuk	Moenkopi	Mississippian
Pleistocene	Colorado	Sinbad	Humbug
Lake beds	Sego	PERMIAN	Brazer
TERTIARY	Buck Tongue	Kaibab	Pilot Shale
Pliocene	Castlegate	Coconino	Madison
Salt Lake	Mancos	Cutler	Leadville
Oligocene	Upper	Hoskinnini	Redwall
Norwood	Middle	DeChelly	DEVONIAN
Eocene	Lower	White Rim	Upper
Duchesne River	Emery	Organ Rock	Middle
Uinta	Blue Gate	Cedar Mesa	Lower
Bridger	Ferron	Halgaite Tongue	Ouray
Green River 2,190'	Frontier	Phosphoria	Elbert
Basal 4389'	Dakota	Park City	McCracken
F-2 5120'	Burro Canyon	Rico (Goodridge)	Aneth
G-1 5211'	Cedar Mountain	Supai	Simonson Dolomite
	Buckhorn	Wolfcamp	Sevy Dolomite
	JURASSIC	CARBONIFEROUS	North Point
Wasatch	Morrison	Pennsylvanian	SILURIAN
Stone Cabin	Salt Wash	Oquirrh	Laketown Dolomite
Colton	San Rafael Gr.	Weber	ORDOVICIAN
Flagstaff	Summerville	Morgan	Eureka Quartzite
North Horn	Bluff Sandstone	Hermosa	Pogonip Limestone
Almy	Curtis		CAMBRIAN
Paleocene	Entrada	Pardox	Lynch
Current Creek	Moab Tongue	Ismay	Bowman
North Horn	Carmel	Desert Creek	Tapeats
CRETACEOUS	Glen Canyon Gr.	Akahi	Ophir
Montana	Navajo	Barker Creek	Tintic
Mesaverde	Kayenta		PRE-CAMBRIAN
Price River	Wingate	Cane Creek	
Blackhawk	TRIASSIC		

**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
 DRILL DEEPEN PLUG BACK

b. TYPE OF WELL
 OIL WELL GAS WELL OTHER
 SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
Gulf Oil Corporation

3. ADDRESS OF OPERATOR
P. O. Box 1971, Casper, Wyoming 82601

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*
 At surface At proposed prod. zone
1980' SNL, 1996' WEL (SW NE)

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any)
1980' North

16. NO. OF ACRES IN LEASE
1278

17. NO. OF ACRES ASSIGNED TO THIS WELL
80

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.
**1320' North
1331' East**

19. PROPOSED DEPTH
5700'

20. ROTARY OR CABLE TOOLS
Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
Ungraded ground 5089.44'

22. APPROX. DATE WORK WILL START*
2-12-66

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	8-5/8"	24#	300'	240 sacks
7-7/8"	5-1/2"	14#	5700'	200 sacks

We propose to drill 50' below base of G-1.

*C.R.
F.R.*

See corrected notice

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. ORIGINAL SIGNED BY **J. D. MACKAY** TITLE **Area Engineer** DATE **1-28-66**

(This space for Federal or State office use)

PERMIT NO. _____ APPROVAL DATE _____


APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

cc: Utah O&G Cons. Comm. (2)
C. T. Gilbert (1)

*See Instructions On Reverse Side


T 8 S, R 22 E, SLB&M



Scale: 1" = 1000'

X - Corners located (Brass Cap)

By: ROSS CONSTRUCTION CO,
Vernal, Utah



PARTY R. D. Ross S. L. Cooper WEATHER Cold-Clear	SURVEY GULF OIL CORPORATION WONSITS VALLEY FEDERAL NO. 60 LOCATED AS SHOWN IN SW 1/4, NE 1/4, SEC. 8, T 8 S, R 22 E, SLB&M, UINTAH COUNTY, UTAH.	DATE 1/21/66 REFERENCES USGLO Township Plat FILE Gulf
--	--	--

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
 DRILL DEEPEN PLUG BACK

b. TYPE OF WELL
 OIL WELL GAS WELL OTHER
 SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
Gulf Oil Corporation

3. ADDRESS OF OPERATOR
P. O. Box 1971, Casper, Wyoming 82601

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*
 At surface
660' SNL, 660' WEL (NE NE)
 At proposed prod. zone

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any)
660' North or East

16. NO. OF ACRES IN LEASE
320

17. NO. OF ACRES ASSIGNED TO THIS WELL
80

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.
None

19. PROPOSED DEPTH
5500'

20. ROTARY OR CABLE TOOLS
Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
Ungraded ground 4875'

22. APPROX. DATE WORK WILL START*
2-28-66

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	8-5/8"	240	300'	240 sacks
7-7/8"	5-1/2"	140	5500'	200 sacks

We propose to drill 50' below the top of the Wasatch formation.

This revises Application for Permit to Drill dated January 28, 1966, by changing location of this well (from SW NE Section 8-8S-22E, Lease U-022158) and depth (from 5700') to that shown above.

See corrected application

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. Original Signed By
 SIGNED **LESTER LeFAVOUR** TITLE **Area Production Manager** DATE **2-24-66**

(This space for Federal or State office use)

PERMIT NO. _____ APPROVAL DATE _____


APPROVED BY _____ TITLE _____ DATE _____
 CONDITIONS OF APPROVAL, IF ANY:

cc: Utah O&G Cons. Comm. (2)
 C. T. Gilbert (1)

*See Instructions On Reverse Side

PWB

T 8 S, R 21 E, SLB&M




23

Scale: 1" = 1000'

0 - Corners Re-established

BY: ROSS CONSTRUCTION COMPANY
VERNAL, UTAH



PARTY R. D. Ross
L. E. Heeney

SURVEY
 GULF OIL CORPORATION
 WONSITS VALLEY FEDERAL UNIT WELL NO. 60
 LOCATED AS SHOWN IN THE NE $\frac{1}{4}$, NE $\frac{1}{4}$ SECTION 23
 T8S, R21E, SLB&M, WINTAH COUNTY, UTAH

DATE 2/21/66
 REFERENCES UBGLO
Township Plat
 FILE GULF

WEATHER Warm--Clear

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
 DRILL DEEPEN PLUG BACK

b. TYPE OF WELL
 OIL WELL GAS WELL OTHER
 SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
Gulf Oil Corporation

3. ADDRESS OF OPERATOR
P. O. Box 1971, Casper, Wyoming 82601

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*)
 At surface **660' NSL, 1996' WEL (SW SE)**
 At proposed prod. zone

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any)
660' South

16. NO. OF ACRES IN LEASE
1280

17. NO. OF ACRES ASSIGNED TO THIS WELL
80

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.
1270' North
1396' East

19. PROPOSED DEPTH
5250'

20. ROTARY OR CABLE TOOLS
Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
Ungraded ground 4803'

22. APPROX. DATE WORK WILL START*
April 12, 1966

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	8-5/8"	24#	300'	240 sacks
7-7/8"	5-1/2"	14#	5250'	200 sacks

We propose to drill 50' below base of G-1.

This revises Application for Permit to Drill dated February 24, 1966, by changing location of this well (from NE NE Section 23-8S-21E, SLBGM, Lease U-0809) and depth (from 5500') to that shown above.

Corrected

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED Original Signed By
LESTER LaFAVOUR TITLE Area Production Manager DATE April 5, 1966

(This space for Federal or State office use)

PERMIT NO. _____ APPROVAL DATE _____

APPROVED BY _____ TITLE _____ DATE _____


CONDITIONS OF APPROVAL, IF ANY:

cc: Utah O&G Cons. Comm. (2)
 C. T. Gilbert (1)

*See Instructions On Reverse Side

B.M.D.


T 8 S, R 21 E, SLB&M.



X - Corners Located (Brass Cap)
 O - Corners Re-established

Scale: 1" = 1000'

BY: ROSS CONSTRUCTION COMPANY
 VERNAL, UTAH



PARTY R. D. Ross S. L. Cooper	SURVEY GULF OIL CORPORATION WONSITS VALLEY FEDERAL UNIT WELL NO. 60 LOCATED AS SHOWN IN THE SW ₄ , SE ₄ SECTION 15, T8S, R21E, SLB&M, UTAH COUNTY, UTAH	DATE 3/30/66 REFERENCES UGLO Township Plat FILE GULF
----------------------------------	---	---

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE*

(See other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R365.5.

15

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

5. LEASE DESIGNATION AND SERIAL NO.

U-0807

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Wonsits Valley

8. FARM OR LEASE NAME

Wonsits Valley Fed. Unit

9. WELL NO.

60

10. FIELD AND POOL, OR WILDCAT

Wonsits - Wonsits Valley

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA

15-8S-21E S1/4E4

12. COUNTY OR PARISH

Uintah

13. STATE

Utah

1a. TYPE OF WELL: OIL WELL GAS WELL DRY Other _____

b. TYPE OF COMPLETION: NEW WELL WORK OVER DEEP-EN PUMP BACK REEF. RESER. Other _____

2. NAME OF OPERATOR
Gulf Oil Corporation

3. ADDRESS OF OPERATOR
P.O. Box 1971, Casper, Wyoming

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*
At surface 660' NSL, 1996 WEL (SWSE)

At top prod. interval reported below

At total depth

14. PERMIT NO. DATE ASSUED

15. DATE SPUDDED 4-11-66 16. DATE T.D. REACHED 4-22-66 17. DATE COMPL. (Ready to prod.) 5-15-66 18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* KB 4815, GR 4803 19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD 5313 21. PLUG, BACK T.D., MD & TVD 5275 22. IF MULTIPLE COMPL., HOW MANY* 23. INTERVALS DRILLED BY → all 24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* Basal Green River G-1 5212 - 5238 25. WAS DIRECTIONAL SURVEY MADE no

26. TYPE ELECTRIC AND OTHER LOGS RUN record. Induction-Electrical, microlog, cement bond, casing collar & perforating 27. WAS WELL CORED no

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8	24	296	12 1/2	200 sacks	
5 1/2	14	5298	7-7/8	225 sacks	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)

30. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)
2-7/8	5190	

31. PERFORATION RECORD (Interval, size and number)
G-1 5212 to 5222 and 5233 to 5240
2 jets per foot

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
G-1 5212 - 5222	250 gal. 7 1/2% MCA
5233 - 5240	Fracture treated with 592 bbls. Salt water & 5355# sand, & 6090# glass beads.

33.* PRODUCTION

DATE FIRST PRODUCTION	PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)	WELL STATUS (Producing or shut-in)					
5-5-66	Pumping 13 x 100" SPM, 2 1/2" bore pump	producing					
DATE OF TEST	HOURS TESTED	CHOKER SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
5-15-66	24		→	169	61	6	361:1
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
		→	169	61	6	28.6°	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Fuel and sold TEST WITNESSED BY T. A. Phillips

35. LIST OF ATTACHMENTS
Two copies each of logs listed in item #26

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED Original Signed By LESTER L'FAVOUR TITLE Area Production Manager DATE June 3, 1966

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES:

SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.
No Water Sands Tested.			

38.

GEOLOGIC MARKERS

NAME	TOP	
	MEAS. DEPTH	TRUE VERT. DEPTH
Green River	2190	
Basal Green Rvr.	4309	
F-2	5120	
G-1	5211	

JUN 6 1966

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well gas well other

2. NAME OF OPERATOR
Gulf Oil Corporation, Attn: R. W. Huwaldt

3. ADDRESS OF OPERATOR
P. O. Box 2619, Casper, WY 82602-2619

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE:
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

5. LEASE
U-0806

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME
Wonsits Valley

8. FARM OR LEASE NAME
Wonsits Valley Unit St./Fed.

9. WELL NO.
60

10. FIELD OR WILDCAT NAME
Wonsits Valley

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Section 15-T8S-R21E

12. COUNTY OR PARISH
Uintah

13. STATE
Utah

14. API NO.
43-047-20019

15. ELEVATIONS (SHOW DF, KDB, AND WD)
5192' KD 5178' GL

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

PULL OR ALTER CASING

MULTIPLE COMPLETE

CHANGE ZONES

ABANDON*

(other)

SUBSEQUENT REPORT OF: **RECEIVED**

APR 26 1984

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

DIVISION OF OIL
GAS & MINING

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Scale clean up of Lower Green River perms 5212'-5240' with BJ Hughes.
Treatment down tbg-csg annulus as follows:
1,000 gal 15% Hcl w/5% mutual solvent J-40, 0.5% anti-sludging surfactant J-32, 0.5% non-emulsifying surfactant J-7, 0.5% fines suspending surfactant J-16, 0.5% clay stabilizer "Clay-Trol", 40#/1,000 gal iron sequestering agent Z-3. All surfactants chosen using API RP42 dated, 1977. Flushed to perms w/2% Kcl FSW, AIR 4.5 BPM, AIP 250 psi, ISIP vacuum.

Work performed March 23, 1984.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED D. E. McHugo TITLE Petroleum Engineer DATE April 24, 1984

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

Bureau of Land Management
2000 Administration Building
1745 West 1700 South
Salt Lake City, UT 84104-3884

State of Utah
Dept. of Natural Resources
Division of Oil, Gas and Mining
4241 State Office Building
Salt Lake City, Utah 84114

DeGolyer and MacNaughton
1 Energy Square
Dallas, TX 75206

RWH-INFO

DFM

KSA

RECEIVED

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APR 25 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

DIVISION OF MINING
GAS & MINING

1. oil well gas well other

2. NAME OF OPERATOR
GULF OIL CORPORATION ATTN R.W.HUWALD

3. ADDRESS OF OPERATOR
P O BOX 2619, CASPER, WY 82602 2619

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE:
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF	<input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>	<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>	<input type="checkbox"/>
(other) Blanket Sundry		

5. LEASE
U-0806

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME
Wonsit Valley

8. FARM OR LEASE NAME
Wonsits Valley Unit St/Fed

9. WELL NO. #60

10. FIELD OR WILDCAT NAME
Wonsits Valley

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
8 S. 21 E. 15

12. COUNTY OR PARISH; 13. STATE
Uintah Utah

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Per conversation between K. S. Aslesen & J. Sparger, on March 27, 1985, Temporary lined work pits will be used for all future casing repair work.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED J.R. Bocek TITLE AREA ENGINEER DATE APR 19 1985
J.R. BOCEK (This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

Gulf Oil Exploration and Production Company

L. G. Rader
PRODUCTION MANAGER - CASPER AREA

July 2, 1985

P. O. Box 2619
Casper, WY 82602

State of Utah
Division of Oil, Gas and Mining
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

RECEIVED

JUL 05 1985

Gentlemen:

DIVISION OF
GAS & MINING

Effective July 1, 1985, the corporate name of Gulf Oil Corporation was changed to Chevron U.S.A. Inc. This will be applicable to all operations, agreements, contracts, documents, and permits of Gulf Oil Corporation in the area of and/or under your jurisdiction.

The attached information is being furnished to facilitate the name change of appropriate records under your authority, and submitted as our understanding of the procedure required to accomplish the change.

Please advise this office or the office listed on the attachments should additional information be needed.

Sincerely,



L. G. Rader

KWR/mdb

Attachments



<u>Lease Name</u>	<u>Field</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>County</u>	<u>State</u>
Wonsits Valley Unit #54	Wonsits WV	7	8S	22E	Uintah	UT
Wonsits Valley Unit #55	Wonsits WV	14	8S	21E	Uintah	UT
Wonsits Valley Unit #56	Wonsits WV	1	8S	21E	Uintah	UT
Wonsits Valley Unit #57	Wonsits WV	2	8S	21E	Uintah	UT
Wonsits Valley Unit #58	Wonsits WV	13	8S	21E	Uintah	UT
Wonsits Valley Unit #59	Wonsits WV	14	8S	21E	Uintah	UT
Wonsits Valley Unit #6	Wonsits WV	7	8S	22E	Uintah	UT
Wonsits Valley Unit #60	Wonsits WV	15	8S	21E	Uintah	UT
Wonsits Valley Unit #61	Wonsits WV	18	8S	21E	Uintah	UT
Wonsits Valley Unit #62	Wonsits WV	10	8S	21E	Uintah	UT
Wonsits Valley Unit #63	Wonsits WV	10	8S	21E	Uintah	UT
Wonsits Valley Unit #65	Wonsits WV	15	8S	21E	Uintah	UT
Wonsits Valley Unit #66	Wonsits WV	14	8S	21E	Uintah	UT
Wonsits Valley Unit #67	Wonsits WV	15	8S	21E	Uintah	UT
Wonsits Valley Unit #68	Wonsits WV	15	8S	21E	Uintah	UT
Wonsits Valley Unit #69	Wonsits WV	18	8S	22E	Uintah	UT
Wonsits Valley Unit #70	Wonsits WV	13	8S	21E	Uintah	UT
Wonsits Valley Unit #71	Wonsits WV	15	8S	21E	Uintah	UT
Wonsits Valley Unit #72	Wonsits WV	16	8S	21E	Uintah	UT
Wonsits Valley Unit #73	Wonsits WV	16	8S	21E	Uintah	UT
Wonsits Valley Unit #74	Wonsits WV	16	8S	21E	Uintah	UT
Wonsits Valley Unit #75	Wonsits WV	16	8S	21E	Uintah	UT
Wonsits Valley Unit #78	Wonsits WV	16	8S	21E	Uintah	UT
Wonsits Valley Unit #8	Wonsits WV	12	8S	21E	Uintah	UT
Wonsits Valley Unit #80	Wonsits WV	23	8S	21E	Uintah	UT
Wonsits Valley Unit #81	Wonsits WV	24	8S	21E	Uintah	UT
Wonsits Valley Unit #82	Wonsits WV	24	8S	21E	Uintah	UT
Wonsits Valley Unit #83	Wonsits WV	23	8S	21E	Uintah	UT
Wonsits Valley Unit #84-2	Wonsits WV	23	8S	21E	Uintah	UT
Wonsits Valley Unit #85	Wonsits WV	12	8S	21E	Uintah	UT
Wonsits Valley Unit #86	Wonsits WV	12	8S	21E	Uintah	UT
Wonsits Valley Unit #87	Wonsits WV	12	8S	21E	Uintah	UT
Wonsits Valley Unit #88-2	Wonsits WV	12	8S	21E	Uintah	UT
Wonsits Valley Unit #89	Wonsits WV	7	8S	22E	Uintah	UT
Wonsits Valley Unit #9	Wonsits WV	12	8S	21E	Uintah	UT
Wonsits Valley Unit #92	Wonsits WV	12	8S	21E	Uintah	UT
Wonsits Valley Unit #93	Wonsits WV	11	8S	21E	Uintah	UT
Wonsits Valley Unit #94	Wonsits WV	11	8S	21E	Uintah	UT

06/27/85
leases gulf operated/file2

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPPLICATE
(Other instructions on
reverse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO.
U-0807 Pow-Geu

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT" for such.)

121123

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
Chevron U.S.A. Inc.

3. ADDRESS OF OPERATOR
P.O. Box 599, Denver, CO 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)
At surface
660' FSL and 1996 FEL SW/4 SE/4

RECEIVED
DEC 7 1987

DIVISION OF
OIL GAS & MINING

7. UNIT AGREEMENT NAME
Wonsits Valley

8. FARM OR LEASE NAME
Wonsits Valley Fed. Unit

9. WELL NO.
60

10. FIELD AND POOL, OR WILDCAT
Wonsits Valley-Basal Green River

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
S. 15, T8S, R21E

12. COUNTY OR PARISH
Uintah

13. STATE
Utah

14. PERMIT NO.
API 43-047-20019

15. ELEVATIONS (Show whether DF, RT, GR, etc.)
5192' KB, 5178' GL

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input checked="" type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other): _____	(Other): _____

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) *

It is proposed to patch the 5 1/2" production casing, acid stimulate and return WVFU #60 to production as follows:

1. MIRU. Pull rods and pump. N/U and test BOPE. Pull production tubing. Clean out to PBTD at 5275'.
2. Run RBP and packer. Locate casing leaks. Run pipe inspection logs.
3. Cut and patch 5 1/2" production casing. Cement patch to surface.
4. Clean out to PBTD at 5275'.
5. Acidize G-1 perfs at 5212'-40' with 4000 gallons 15% HCL.
6. Swab back acid load.
7. Run production tubing. N/D BOPE. N/U wellhead. Run pump and rods.
8. Release rig and return well to production.

3-BLM
3-State
1-EEM
1-MKD
3-Drig
1-File

18. I hereby certify that the foregoing is true and correct
SIGNED J. S. Watson TITLE Technical Assistant DATE 12-2-87

(This space for Federal or State office use)
APPROVED BY _____ TITLE _____
CONDITIONS OF APPROVAL, IF ANY:

ACCEPTED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING

Federal approval of this action
is required before commencing
operations.

*See Instructions on Reverse Side

DATE: 12-9-87
BY: John R. Ben

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPL
(Other instructions
verse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
Chevron U.S.A. Inc., Room 1111

3. ADDRESS OF OPERATOR
P. O. Box 599, Denver, Colorado 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)
At surface
660' FSL and 1,996' FEL SW/4SE/4

APR - 1 1988
DIVISION OF
OIL GAS & MINING

5. LEASE DESIGNATION AND SERIAL NO.
U-0807

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME
Wonsits Valley

8. FARM OR LEASE NAME
Wonsits Valley Fed. Unit

9. WELL NO.
60

10. FIELD AND POOL, OR WILDCAT
Wonsits Valley-Basal Green

11. SEC., T., R., M., OR B.L. AND SURVEY OR AREA
River

S. 15, T8S, R21E

12. COUNTY OR PARISH
Uintah

13. STATE
Utah

14. PERMIT NO.
API 43-047-20019

15. ELEVATIONS (Show whether DF, RT, OR, etc.)
5,192' KB, 5,178' GL

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input checked="" type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOT OR ACIDIZING <input checked="" type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) _____	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

The casing was repaired and WVFU #60 was stimulated and returned to production as follows:

- MI Western #18 3-11-88. N/U BOPE. Pulled production.
- Cleaned out to PBTD.
- Isolated casing leaks 322'-416'. Set CIBP at 5,142'.
- Ran casing inspection/pipe recovery logs 5,142'-surface.
- Circulated hole with 9.5 ppg drilling mud. Cut-off 5 1/2" casing and installed casing patch at 1,676'; cemented with 400 sx. Perforated top job down 5 1/2" x 8-5/8" annulus with 200 sx.
- Drilled out cement and casing patch, tested casing to 500 psi - held OK. Drilled out CIBP - cleaned out to PBTD.
- Acidized G-1 perms 5,212'-22' and 5,233'-40' with 4,000 gal. Super X emulsion acid and 1,000 gal. 15% HCL. Swabbed back load. Pumped scale-inhibitor.
- Ran production equipment. BAC at 5,173', E.O.T. at 5,236'. Ran rods. 3 - BLM
3 - State
1 - EEM
1 - MKD
3 - Drlg.
1 - PLM
1 - Sec. 724-C
1 - File
- Released rig 3-26-88. Place well on production.

18. I hereby certify that the foregoing is true and correct

SIGNED J. A. Watson TITLE Technical Assistant DATE March 28, 1988

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPL
(Other instructions
verse side)

Form approved,
Budget Bureau No. 1004-0135
Expires August 31, 1985

15

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
Chevron U.S.A. Inc., Room 1111

3. ADDRESS OF OPERATOR
P. O. Box 599, Denver, Colorado 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)
At surface
660' FSL and 1,996' FEL SW/4SE/4

14. PERMIT NO.
API 43-047-20019

15. ELEVATIONS (Show whether DF, RT, GR, etc.)
5,192' KB, 5,178' GL

5. LEASE DESIGNATION AND SERIAL NO.
U-0807 POW-GRN

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
040705

7. UNIT AGREEMENT NAME
Wonsits Valley

8. FARM OR LEASE NAME
Wonsits Valley Fed. Unit

9. WELL NO.
60

10. FIELD AND POOL, OR WILDCAT
Wonsits Valley-Basal Green

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
River

S. 15, T8S, R21E

12. COUNTY OR PARISH
Uintah

13. STATE
Utah

APR - 1 1988

DIVISION OF
OIL, GAS & MINING

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input checked="" type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOT OR ACIDIZING <input checked="" type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

The casing was repaired and WVFU #60 was stimulated and returned to production as follows:

- MI Western #18 3-11-88. N/U BOPE. Pulled production.
- Cleaned out to PBTD.
- Isolated casing leaks 322'-416'. Set CIBP at 5,142'.
- Ran casing inspection/pipe recovery logs 5,142'-surface.
- Circulated hole with 9.5 ppg drilling mud. Cut-off 5 1/2" casing and installed casing patch at 1,676'; cemented with 400 sx. Perforated top job down 5 1/2" x 8-5/8" annulus with 200 sx.
- Drilled out cement and casing patch, tested casing to 500 psi - held OK. Drilled out CIBP - cleaned out to PBTD.
- Acidized G-1 perms 5,212'-22' and 5,233'-40' with 4,000 gal. Super X emulsion acid and 1,000 gal. 15% HCL. Swabbed back load. Pumped scale-inhibitor.
- Ran production equipment. BAC at 5,173', E.O.T. at 5,236'. Ran rods.
 - 3 - BLM
 - 3 - State
 - 1 - EEM
 - 1 - MKD
 - 3 - Drlg.
 - 1 - PLM
 - 1 - Sec. 724-C
 - 1 - File
- Released rig 3-26-88. Place well on production.

18. I hereby certify that the foregoing is true and correct

SIGNED J.A. Watson TITLE Technical Assistant DATE March 28, 1988

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side


66

20019

St. J. U. 60

Sec 15, T8 S, R21E

Grubly 4/18/89



UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPlicate*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO.

U-0807

6. INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
Chevron U.S.A. Inc., Room 13097

3. ADDRESS OF OPERATOR
P.O. Box 599, Denver, CO 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)
At surface

660' FSL & 1,996' FEL

RECEIVED
FEB 12 1990

7. UNIT AGREEMENT NAME

Wonsits Valley Federal Unit

8. FARM OR LEASE NAME

Wonsits Valley

9. WELL NO.

#60

10. FIELD AND POOL, OR WILDCAT

Wonsits Valley-Basal Green River

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 15, T8S, R21E

14. PERMIT NO.

API 43-047-20019

15. ELEVATIONS (Show whether DF, RT, OR, etc.)

5,192' KB 5,178' GL

12. COUNTY OR PARISH

Uintah

13. STATE

Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON*

REPAIR WELL

CHANGE PLANS

(Other) Tst. csg., return to prod.

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting and proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

- MIRU. Hot oil csg./tbg. as needed. POOH w/rods & pmp.
- ND WH. Rel. BAC. NU & tst. BOPE. POOH w/prod. tbg.
- Clean out w/bit & scraper to PBD @ 5,275'.
- Isolate & repair casing leaks as necessary.
- Acid wash tbg. w/400 gals. 15% HCL.
- Isolate G-1 perms 5,212'-5,240' and acidize w/8,000 gals viscous pad and 8,000 gals. gelled 15% HCL. Pump 2,000 gals. overflush fluid.
- Swab back load.
- Pump scale inhibitor sqz. through perms.
- RIH w/production tbg.
- ND BOPE. Set BAC. NU WH.
- RIH w/pump & rods. Test pump.
- RDMOL. TWOTP.

OIL AND GAS	
DRN	RJF
WJB ✓	GLH
DTS	SLS
3-BLM	
3-State	
1-EEM	
1-MKD	
2-Dr1g.	
1-JLW	
DTAS	
3-	MICROFILM ✓
4-	FILE

18. I hereby certify that the foregoing is true and correct

SIGNED

J. Watson

TITLE

Technical Assistant

DATE

2/7/90

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

ACCEPTED BY THE STATE

OF UTAH DIVISION OF OIL, GAS, AND MINING

DATE: 2-21-90

BY: *John R. Bay*

Federal approval of this action is required before commencing operations

*See Instructions on Reverse Side

**UNITED STATES
DEPARTMENT OF INTERIOR
BUREAU OF LAND MANAGEMENT**

Form Approved
Budget Bureau No.1004-8135

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT-" for such proposals.

5. Lease Designation and Serial No.
U-0807

6. If Indian, Allotte or Tribe Name
UTE- OURAY

7. If Unit or CA. Agreement Designation
WONSITS VALLEY

8. Well Name and No.

WVFU #60

9. API Well No.
43-04720019

10. Field and Pool, or Exploratory Area
WONSITS VALLEY

11. County or Parish, State
Uintah
Utah

SUBMIT IN TRIPLICATE

1. Type of Well

OIL WELL GAS WELL OTHER Water Injector

2. Name of Operator

CHEVRON U.S.A. INC

3. Address and Telephone No.

PO BOX 599 Attn: R.K. LACKEY
DENVER, CO. 80201 [303-930-3695]

4. Location of Well (Footage, Sec.,T.,R.,M., or Survey Description)

660' FSL, 1996' FEL, [SW SE]
SEC 25, T8S, R21E
15

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- Notice of Intent
- Subsequent Report
- Final Abandonment Notice

TYPE OF ACTION

- Abandonment
- Recompletion
- Plugging Back
- Casing Repair
- Altering Casing
- Other
- Change of plans
- New Construction
- Non-Routine Fracturing
- Water Shut-Off
- Conversion to Injection

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

- 1] POH W/ PRODUCTION EQUIPMENT
- 2] CHECK PBTB
- 3] TEST CSG. INTEGRITY
- 4] SET PKR. @ +/- 5150' ON INJECTION TBG.
- 5] PERFORM UIC/MIT 300 PSI FOR 45 MIN.
- 6] BEGIN INJECTION

- 1-EPA
- 3-BLM
- 3-STATE
- 1-JRB
- 1-Drig
- +REK
- +JLW
- +SEC724R
- +SEC724E

Accepted by the State
of Utah Division of
Oil, Gas and Mining
Date: 5-31-91
By: [Signature]



MAY 22 1991

DIVISION OF
OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct

Signed R.K. Lackey Title DRILLING ENGINEER Date 5-15-91

(This space for State office use)

Approved by _____ Title Federal Approval of this Date _____
Conditions of Approval, if any: Action is Necessary



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 REGION VIII
 999 18th STREET - SUITE 500
 DENVER, COLORADO 80202-2405

MECHANICAL INTEGRITY PRESSURE TEST
 CASING/TUBING ANNULUS

Company Name: Chevron USA INC Date: 6-23-92
 Well Name: WVFL #60 Permit No. UT2565-03506
 Field Name: Wonsits Valley County: Lincoln
 Well Location: SW/SE Sec 15 T 8S R 21E
 Well Type: SWD ER 2H Other: Injection Well
 Type of Packer: Baker - LOK-SET Total Depth: 5513'
 Packer Set at (depth): 5147' FT
 Surface Casing Size: 8 5/8" From: Surface FT to 296 FT
 Casing Size: 5 1/2" From: Surface FT to 5298 FT
 Tubing Size: 2 7/8" Tubing Pressure during Test: _____ psig
 Time of Day: 1200 - 1245 am/pm (pm)

	Test #1	Test #2
0 Min:	<u>300</u> psig	_____ psig
5	<u>300</u> psig	_____ psig
10	<u>300</u> psig	_____ psig
15	<u>300</u> psig	_____ psig
20	<u>300</u> psig	_____ psig
25	<u>300</u> psig	_____ psig
30	<u>290</u> psig	_____ psig
35	<u>290</u> psig	_____ psig
40	<u>290</u> psig	_____ psig
✓45	<u>290</u> psig	_____ psig
50	_____ psig	_____ psig
55	_____ psig	_____ psig
60	_____ psig	_____ psig

Test Conducted by: Gudac Bros INC
 Inspected by: S.W. Kellert Chevron USA INC
 Others Present: Ed Gudac, Mike Gudac

NO EPA or BLM Agency Witnessed Tests.

Chevron USA

TICKET NUMBER

1 HR.
077500
500-8000
1000-8500
1500-9000
2000-9500

2000
2500-1000
3000-10500
3500-11000
4000-11500
4500-12000

DATE June 23, 1992

CHEVRON U.S.A. **PRODUCTION CO.**

Date 6-23-92

WELL WVFL #20

S/I/T/R 15/25/21E

Service CO. Gudac Bras. Inc

Operator Ed Gudac

Packer Depth 5147'

Perfo OH 5212 - 5240

Tubing Start: Time N/A

Pressure 0

Tubing Stop: Time N/A

Pressure 0

Casing Start: Time 12:00

Pressure 300

Casing Stop: Time 12:45

Pressure 290

Drilling Representative S.W. Kellet 6-23-92

COMPANY

Y48AH
250 LB. SUBDIVISIONS
PSI

WVFL #20

OPERATOR CHEVRON

1 HR.
077500
500-8000
1000-8500
1500-9000
2000-9500
2500-10000
3000-10500
3500-11000
4000-11500
4500-12000
5000-12500
5500-13000
6000-13500
6500-14000
7000-14500
7500-15000

TRUCK NO.

LEASE WVFL

WVFL #20

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460



WELL REWORK RECORD

NAME AND ADDRESS OF PERMITTEE CHEVRON U.S.A. PRODUCTION COMPANY 100 Chevron Road Rangely, CO 81648 (303) 675-3700	NAME AND ADDRESS OF CONTRACTOR GUDAC BROS. WELL SERVICE 419 South 600 West Vernal, UT 84078
--	---

LOCATE WELL AND OUTLINE UNIT ON SECTION PLAT — 640 ACRES 	STATE UT	COUNTY Uintah	PERMIT NUMBER UT2565-03506
	SURFACE LOCATION DESCRIPTION ¼ OF SW ¼ OF SE ¼ SECTION 15 TOWNSHIP 8S RANGE 21E		
	LOCATE WELL IN TWO DIRECTIONS FROM NEAREST LINES OF QUARTER SECTION AND DRILLING UNIT Surface Location <u>660</u> ft. from (N/S) <u>S</u> Line of quarter section and <u>1996</u> ft. from (E/W) <u>E</u> Line of quarter section		
	WELL ACTIVITY <input type="checkbox"/> Brine Disposal <input checked="" type="checkbox"/> Enhanced Recovery <input type="checkbox"/> Hydrocarbon Storage Lease Name Wonsits Valley Federal Unit	Total Depth Before Rework 5513' Total Depth After Rework 5513' Date Rework Commenced 06-19-92 Date Rework Completed 06-23-92	TYPE OF PERMIT <input checked="" type="checkbox"/> Individual <input type="checkbox"/> Area Number of Wells <u>1</u> Well Number <u>60</u>

WELL CASING RECORD — BEFORE REWORK						
Casing		Cement		Perforations		Acid or Fracture Treatment Record
Size	Depth	Sacks	Type	From	To	
8 5/8"	296'	200	H			
5 1/2"	5298'	225	H	5212'	5240'	None

WELL CASING RECORD — AFTER REWORK (Indicate Additions and Changes Only)						
Casing		Cement		Perforations		Acid or Fracture Treatment Record
Size	Depth	Sacks	Type	From	To	

DESCRIBE REWORK OPERATIONS IN DETAIL USE ADDITIONAL SHEETS IF NECESSARY See attached BLM Form 3160-5 with attachments.	WIRE LINE LOGS, LIST EACH TYPE <table border="1" style="width:100%"> <tr> <th>Log Types</th> <th>Logged Intervals</th> </tr> <tr> <td>None</td> <td></td> </tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </table>		Log Types	Logged Intervals	None					
Log Types	Logged Intervals									
None										

CERTIFICATION

I certify under the penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. (Ref. 40 CFR 144.32).

NAME AND OFFICIAL TITLE (Please type or print) E. A. McKinnon Rangely Profit Center Manager	SIGNATURE 	DATE SIGNED 7/2/92
--	----------------------	------------------------------

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT-" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
Oil Gas
 Well Well Other WATER INJECTOR

2. Name of Operator
Chevron U.S.A. Production Company

3. Address and Telephone No.
100 Chevron Road, Rangely, Colorado 81648 (303) 675-3700

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
660' FSL & 1996' FEL (SW SE) SEC. 15, T8S, R21E

5. Lease Designation and Serial No.
U-0807

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation
WONSITS VALLEY
FEDERAL UNIT

8. Well Name and No.
WVU #60

9. API Well No.
43-047-20019

10. Field and Pool, or Exploratory Area
WONSITS VALLEY

11. County or Parish, State
UINTAH, UTAH

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input checked="" type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completions on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

MIRU, PULL RODS AND PUMP.
ND WELLHEAD, NU & TEST BOPE.
PULL PRODUCTION EQUIPMENT. MAKE BIT & SCRAPER RUN TO 5275' PBDT.
RUN 5 1/2" LOK-SET PKR, 1 JT 2 7/8" TBG, "F" NIPPLE & 2 7/8" TBG TO SURFACE.
TREAT ANNULUS, SET LOK-SET PKR @ 5147'.
ND BOPE, NU WELLHEAD.
PERFORM UIC TEST.
RIG DOWN AND CLEAN LOCATION.

BLM \ EPA NOTIFIED OF UIC TEST. DID NOT WITNESS.

RECEIVED

JUL 20 1992

DIVISION OF
OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct.
Signed J.D. Howard Title Drilling Technologist Date 07-09-92

(This space for Federal or State office use)

Approved by: _____ Title _____ Date _____
Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



Chevron

MAY 29, 1997

**MECHANICAL INTEGRITY TESTS
RED WASH AND WONSITS VALLEY FIELDS
UINTAH COUNTY, UTAH**

**Chevron U.S.A. Production Co.
Rocky Mountain Profit Center
Red Wash Asset Team
11002 East 17500 South
Vernal, UT 84078-8526
(801) 781-4300**

**MR. JOHN CARSON
UIC IMPLEMENTATION SECTION
UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION VIII
999 18th STREET - SUITE 500
DENVER, CO 80202-2466
EFT-T**

Dear Mr. Carson:

Mechanical integrity testing results are enclosed for the following Class II ER wells:

RWU #25 (23-23B)	UT-02420	WVFU #61	UT-02495
RWU #34 (23-14B)	UT-02398	WVFU #66	UT-03098
WVFU #28-2	UT-02510	WVFU #68	UT-02498
WVFU #52	UT-02460	WVFU #140	UT-03508
WVFU #60	UT-03506	WVFU #143	UT-03509

Per EPA guidelines, all wells successfully passed the MIT. Our records indicate that tests for this group of wells completes required 1997 testing.

Sincerely,


J.T. Conley For J.T. Conley

**J. T. CONLEY
RED WASH ASSET TEAM LEADER**

Enclosure

cc: Utah Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
P. O. Box 145801
Salt Lake City, UT 84114-5801
Attn. Mr. Gil Hunt

Bureau of Land Management
Vernal District Office
170 South 500 East
Vernal, UT 84078



Mechanical Integrity Test Casing or Annulus Pressure Test

U.S. Environmental Protection Agency
Underground Injection Control Program, UIC Implementation Section, 8WM-DW
999 18th Street, Suite 500, Denver, CO 80202-2466

EPA Witness: RAVDY WILKINS Date 5/23/97 Time 10:00 am/pm
 Test conducted by: R. WILKINS
 Others present: _____


Well: <u>WVFL #60</u> Field: <u>Wonsita Valley</u> Well Location: <u>SW/SE-15-85-21E</u>	Well ID: <u>API # 43-047-20019</u> EPA ID #: <u>UTO.3506</u> Company: <u>Chevron USA.</u> Address: <u>11002 East 17500 South</u> <u>Vernal UT. 84078-8526</u>
--	---

Well Status: Active

Time	Test #1	Test #2	Test #3
0 min	<u>1000</u> psig	_____ psig	_____ psig
5	_____	_____	_____
10	_____	_____	_____
15	<u>1000</u>	_____	_____
20	_____	_____	_____
25	_____	_____	_____
30 min	<u>1000</u>	_____	_____
35	_____	_____	_____
40	_____	_____	_____
45	_____	_____	_____
50	_____	_____	_____
55	_____	_____	_____
60 min	_____	_____	_____
Tubing press	<u>2000</u> psig	_____ psig	_____ psig

Result (circle) Pass Fail Pass Fail Pass Fail

Signature of EPA Witness: Randy Wilkins
 See back of page for any additional comments & compliance followup.



ARCCO
RECORDING CHARTS

ON 10:00 AM OFF 10:30 AM
5/28 1977 5/23 1977

LOCATION WVEU #60

REMARKS Good Test

P1500
Los Angeles, California

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well Oil Gas
 Well Well Other **MULTIPLE WELLS SEE ATTACHED LIST**

2. Name of Operator
CHEVRON U.S.A. INC.

3. Address and Telephone No.
11002 E. 17500 S. VERNAL, UT 84078-8526 (801) 781-4300

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

5. Lease Designation and Serial No.

6. If Indian, Allottee or Tribe Name
N/A

7. If Unit or CA, Agreement Designation
**Wonsits Valley Federal Unit
14-08-001-8482**

8. Well Name and No.

9. API Well No.

10. Field and Pool, or Exploratory Area
Wonsits Valley - Green River

11. County or Parish, State
UINTAH, UTAH

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other CHANGE OF OPERATOR
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

As of January 1, 2000 Chevron U.S.A. Inc. resigns as Operator of the Wonsits Valley Unit.
The Unit number is 14-08-001-8482 effective November 23, 1962.

The successor operator under the Unit Agreement will be
Shenandoah Energy Inc.
475 17th Street, Suite 1000
Denver, CO 80202

Agreed and accepted to this 29th day of December, 1999

Shenandoah Energy Inc.
By: Mitchell L. Solich
Mitchell L. Solich
President

RECEIVED

DEC 30 1999

DIVISION OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct.
Signed A. E. Wacker A. E. Wacker Title Assistant Secretary Date 12/29/99

(This space for Federal or State office use)

Approved by: _____ Title _____ Date _____
Conditions of approval, if any _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH	4-KAS
2. CDW	5-SJ
3. JLT	6-FILE

Enter date after each listed item is completed

X Change of Operator (Well Sold)

Designation of Agent

Operator Name Change (Only)

Merger

The operator of the well(s) listed below has changed, effective:

01/01/2000

FROM: (Old Operator):

CHEVRON USA INC

Address: 11002 E. 17500 S.

VERNAL, UT 84078-8526

Phone: 1-(435)-781-4300

Account No. N0210

TO: (New Operator):

SHENANDOAH ENERGY INC

Address: 11002 E. 17500 S.

VERNAL, UT 84078

Phone: 1-(435)-781-4300

Account No. N4235

CA No.

Unit:

WONSITS VALLEY

WELL(S)

NAME	API	ENTITY	SECTION	TOWNSHIP	RANGE	LEASE
WVFU 143 (wiw)	43-047-31808	5265	10	08S	21E	FEDERAL
WVFU 36 (wiw)	43-047-15464	5265	10	08S	21E	FEDERAL
WVFU 40-2 (wiw)	43-047-31798	5265	10	08S	21E	FEDERAL
WVFU 28-2 (wiw)	43-047-31524	99990	11	08S	21E	FEDERAL
WVFU 97 (wiw)	43-047-30014	5265	11	08S	21E	FEDERAL
WVFU 9 (wiw)	43-047-15440	5265	12	08S	21E	FEDERAL
WVFU 31 (wiw)	43-047-15460	5265	14	08S	21E	FEDERAL
WVFU 35 (wiw)	43-047-15463	5265	14	08S	21E	FEDERAL
WVFU 59 (wiw)	43-047-20018	5265	14	08S	21E	FEDERAL
WVFU 140 (wiw)	43-047-31707	5265	15	08S	21E	FEDERAL
WVFU 16 (wiw)	43-047-15447	5265	15	08S	21E	FEDERAL
WVFU 41 (wiw)	43-047-15469	5265	15	08S	21E	FEDERAL
WVFU 50 (wiw)	43-047-15477	5265	15	08S	21E	FEDERAL
WVFU 60 (wiw)	43-047-20019	5265	15	08S	21E	FEDERAL
WVFU 67 (wiw)	43-047-20043	5265	15	08S	21E	FEDERAL
WVFU 68 (wiw)	43-047-20047	5265	15	08S	21E	FEDERAL
WVFU 71-2 (wiw)	43-047-32449	5265	15	08S	21E	FEDERAL
WVFU 21 (wiw)	43-047-15452	99990	16	08S	21E	FEDERAL
WVFU 73 (wiw)	43-047-20066	5265	16	08S	21E	FEDERAL
WVFU 126 (wiw)	43-047-30796	5265	21	08S	21E	FEDERAL
WVFU 120 (wiw)	43-047-32462	5265	22	08S	21E	FEDERAL

OPERATOR CHANGES DOCUMENTATION

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 12/30/1999

2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 08/09/2000

3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 08/15/2000



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

RECEIVED

FEB 07 2000

DIVISION OF
OIL, GAS AND MINING

IN REPLY REFER TO
UT-931

February 4, 2000

Shenandoah Energy Inc.
Attn: Rae Cusimano
475 17th Street, Suite 1000
Denver, Colorado 80202

Re: Wonsits Valley Unit
Uintah County, Utah

Gentlemen:

On December 30, 1999, we received an indenture whereby Chevron U.S.A. Inc. resigned as Unit Operator and Shenandoah Energy Inc. was designated as Successor Unit Operator for the Wonsits Valley Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective February 4, 2000. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Wonsits Valley Unit Agreement.

Your statewide (Utah) oil and gas bond No. 0969 will be used to cover all operations within the Wonsits Valley Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure

cc: Chevron U.S.A. Inc.

bcc: Field Manager - Vernal (w/enclosure)
Division of Oil, Gas & Mining
Minerals Adjudication Group U-932
File - Wonsits Valley Unit (w/enclosure)
MMS - Data Management Division
Agr. Sec. Chron
Fluid Chron

UT931:TAThompson:tt:2/4/00

SHENANDOAH ENERGY INC.

11002 E. 17500 S.
VERNAL, UT 84078
PHONE: (435) 781-4300
FAX: (435) 781-4329

RW #48 (32-19B)	SWNE-19-7S-23E	43-047-15174
RW #60 (43-30B)	NESE-30-7S-23E	43-047-15184
RW #213 (41-33B)	NENE-33-7S-23E	43-047-20060

WONSITS VALLEY FEDERAL UNIT

WVFU #120	NENW-22-8S-21E	43-047-32462
WVFU#140	NWNW-15-8S-21E	43-047-31707
WVFU #143	NWSE-10-8S-21E	43-047-31808
WVFU #16	NENE-15-8S-21E	43-047-15447
WVFU #21	NENE-16-8S-21E	43-047-15452
WVFU #28-2	NESW-11-8S-21E	43-047-31524
WVFU #31	NENW-14-8S-21E	43-047-15460
WVFU #35	NESW-14-8S-21E	43-047-15463
WVFU #36	NESW-10-8S-21E	43-047-15464
WVFU #40-2	NESE-10-8S-21E	43-047-31798
WVFU #41	NENW-15-8S-21E	43-047- 15496 15469
WVFU #50	SWNE-15-8S-21E	43-047-15477
WVFU #59	SWNW-14-8S-21E	43-047-20018
WVFU #60	SWSE-15-8S-21E	43-047-20019
WVFU #67	NESW-15-8S-21E	43-047-20043
WVFU #68	NESE-15-8S-21E	43-047-20047
WVFU #71-2	SWSW-15-8S-21E	43-047-32449
WVFU #73	NESE-16-8S-21E	43-047-20066
WVFU #97	NWSW-11-8S-21E	43-047-30014
WVFU #9	NESE-12-8S-21E	43-047-15440
WVFU #126	NWNE-21-8S-21E	43-047-30796
WVFU #72	SWSW-16-8S-21E	43-047-20058
WVFU #78	NESW-16-8S-21E	43-047-20115

GYPSUM HILLS UNIT

GHU #10	NWSE-21-8S-20E	43-047-32306
GHU #12	NESE-19-8S-21E	43-047-32458
GHU#15	SWSW-20-8S-21E	43-047-32648
GHU#17	SWSE-20-8S-21E	43-047-32649
GHU #3	NENE-20-8S-21E	43-047-20002
GHU #6	NENW-20-8S-21E	43-047-30099
GHU #8-1	SWNE-20-8S-21E	43-047-31932

COSTAS FEDERAL

COSTAS FED #1-20-4B	NESW-20-8S-21E	43-047-31006
COSTAS FED #2-20-3B	NESE-20-8S-21E	047-31066
COSTAS FED 33-21-1D	SWNW-21-8S-21E	43-047-31604

BRENNAN BOTTOM UNIT

BRENNAN FED #5	SENW-18-7S-21E	43-047-15420
BRENNAN FED #11	SESW-18-7S-21E	43-047-32772

TRANSFER OF AUTHORITY TO INJECT - UIC FORM 5

Well name and number: See Attachment
Field or Unit name: _____ API no. _____
Well location: QQ _____ section _____ township _____ range _____ county _____
Effective Date of Transfer: _____

CURRENT OPERATOR

Transfer approved by:

Name R.K. Wackowski Company Chevron Production Co.
Signature [Signature] Address 100 Chevron Rd.
Title Unit Manager Rangely, Colo. 81648
Date 7/28/00 Phone (970) 675-3714

Comments:

NEW OPERATOR

Transfer approved by:

Name John Conley Company Shenandoah Energy Inc.
Signature [Signature] Address 11002 E. 17500 S.
Title District Manager Vernal, UT 84078
Date 7-21-00 Phone (435) 781-4300

Comments:

(State use only)

Transfer approved by [Signature] Title Tech. Services Manager

Approval Date 8-21-00 WVFL #73 due for MIT testing.

RECEIVED

AUG 9 2000

DIVISION OF
OIL, GAS AND MINING

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW
3. FILE

Change of Operator (Well Sold)

Designation of Agent/Operator

X Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective: **2/1/2003**

FROM: (Old Operator): N4235-Shenandoah Energy Inc 11002 E 17500 S Vernal, UT 84078-8526 Phone: (435) 781-4341	TO: (New Operator): N2460-QEP Uinta Basin Inc 11002 E 17500 S Vernal, UT 84078-8526 Phone: (435) 781-4341
--	---

CA No. _____ **Unit:** **WONSITS VALLEY UNIT**

WELL(S)

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS	Confid
WVU 143	10	080S	210E	4304731808	5265	Federal	WI	A	
WVU 36	10	080S	210E	4304715464	5265	Federal	WI	A	
WVU 40-2	10	080S	210E	4304731798	5265	Federal	WI	A	
WVU 28-2	11	080S	210E	4304731524	99990	Federal	WI	A	
WVU 97	11	080S	210E	4304730014	5265	Federal	WI	A	
WVU 31	14	080S	210E	4304715460	5265	Federal	WI	A	
WVU 35	14	080S	210E	4304715463	5265	Federal	WI	A	
WVU 59	14	080S	210E	4304720018	5265	Federal	WI	A	
WVU 140	15	080S	210E	4304731707	5265	Federal	WI	A	
WVU 16	15	080S	210E	4304715447	5265	Federal	WI	A	
WVU 41	15	080S	210E	4304715469	5265	Federal	WI	A	
WVU 50	15	080S	210E	4304715477	5265	Federal	WI	A	
WVU 60	15	080S	210E	4304720019	5265	Federal	WI	A	
WVU 67	15	080S	210E	4304720043	5265	Federal	WI	A	
WVU 68	15	080S	210E	4304720047	5265	Federal	WI	A	
WVU 71-2	15	080S	210E	4304732449	5265	Federal	WI	A	
WVU 21	16	080S	210E	4304715452	99990	State	WI	A	
WVU 72	16	080S	210E	4304720058	99990	State	WI	A	
WVU 126	21	080S	210E	4304730796	5265	Federal	WI	A	
WVU 120	22	080S	210E	4304732462	5265	Federal	WI	A	

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/2/2003
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/2/2003
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/19/2003
- Is the new operator registered in the State of Utah: YES Business Number: 5292864-0151
- If **NO**, the operator was contacted on: _____

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 7/21/2003

8. **Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: 7/21/2003

9. **Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 9/10/2003

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 9/16/2003

2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 9/16/2003

3. Bond information entered in RBDMS on: n/a

4. Fee wells attached to bond in RBDMS on: n/a

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: 965-003-032

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: ESB000024

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: 799446

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number 965-003-033

2. The **FORMER** operator has requested a release of liability from their bond on: n/a
The Division sent response by letter on: n/a

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

May 28, 2003

Division of Oil, Gas, & Mining
1594 West North Temple, Suite 1210
P. O. Box 145801
Salt Lake City, Utah 84114-5801

Attention: John Baza/Jim Thompson

Gentlemen:

This will serve as notice that through the internal corporate changes described below, activities formerly conducted in the name of either Shenandoah Operating Company, LLC (SOC) and/or Shenandoah Energy, Inc. (SEI) will hereafter be conducted in the name of QEP Uinta Basin, Inc.: i) the Shenandoah entities were purchased in July, 2001 by Questar Market Resources, Inc., which is a mid-level holding company for the non-utility businesses of Questar Corporation, ii) Shenandoah Operating Company, LLC has now been merged into Shenandoah Energy, Inc. (SEI), iii) Shenandoah Energy, Inc. has now been re-named **QEP Uinta Basin, Inc.** pursuant to a State of Delaware Amended and Restated Certificate of Incorporation, iv) the same employees will continue to be responsible for operations of the former SOC and SEI properties, both in the field and in the office. Accordingly, the change involves only an internal corporate name change and no third party change of operator is involved. Please alter your records to reflect the entity name change. Attached is a spreadsheet listing all wells affected by this change.

Should you have any questions, please call me at 303 - 308-3056.

Yours truly,



Frank Nielsen
Division Landman

Enclosure

RECEIVED

JUN 02 2003

DIV. OF OIL, GAS & MINING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

IN REPLY REFER TO
UT-922

June 9, 2003

QEP Uinta Basin, Inc.
1050 17th Street, Suite 500
Denver, Colorado 80265

Re: Wonsits Valley Unit
Uintah County, Utah

Gentlemen:

On May 30, 2003, we received an indenture dated February 1, 2003, whereby Shenandoah Energy, Inc. changed its name and QEP Uinta Basin, Inc. was designated as Successor Unit Operator for the Wonsits Valley Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective June 9, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under Wonsits Valley Unit Agreement.

Your nationwide (Eastern States) oil and gas bond No. B000024 will be used to cover all operations within the Wonsits Valley Unit.

It is requested that you notify all interested parties of the name change of unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)
SITLA
Division of Oil, Gas & Mining
Minerals Adjudication Group
File – Wonsits Valley Unit (w/enclosure)
Agr. Sec. Chron
Fluid Chron

UT922:TAThompson:tt:6/9/03

JUL 07 2003

3104 (932.34)WF
Nationwide Bond ESB000024

NOTICE

QEP Uinta Basin, Inc.
1050 17th Street Suite 500
Denver, Colorado 80265

:
: Oil and Gas
: lease
:

Name Change Recognized

Acceptable evidence has been filed in this office concerning the name change of Shenandoah Energy Incorporated into QEP Uinta Basin, Incorporated. QEP Uinta Basin, Incorporated is the surviving entity. This name change is recognized effective April 17, 2003.

Eastern States will notify the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice.

If you identify other leases in which the merging entity maintain an interest, please contact this office and we will appropriately document those files with a copy of this notice.

If you have any questions, please contact Bill Forbes at 703-440-1536.

S/Wilbert B. Forbes

Wilbert B. Forbes
Land Law Examiner
Branch of Use Authorization
Division of Resources Planning,
Use and Protection

bc: JFO,MMS, ES RF, 930 RF, 932.34 RF, E-932: wbf:07 /07/03:440-1536/ QEP Uinta Basin
MFO

TRANSFER OF AUTHORITY TO INJECT

Well Name and Number <u>See Attached List</u>		API Number
Location of Well		Field or Unit Name <u>Wonsits Valley</u>
Footage :	County : <u>Wintah</u>	Lease Designation and Number
QQ, Section, Township, Range:	State : <u>UTAH</u>	

EFFECTIVE DATE OF TRANSFER: _____

CURRENT OPERATOR

Company: Shenandoah Energy Inc. Name: John Busch
 Address: 11002 East 17500 South Signature: John Busch
city Vernal state UT zip 84078 Title: District Foreman
 Phone: (435) 781-4300 Date: 9-02-03
 Comments:

NEW OPERATOR

Company: QEP Uinta Basin, Inc. Name: John Busch
 Address: 11002 East 17500 South Signature: John Busch
city Vernal state UT zip 84078 Title: District Foreman
 Phone: _____ Date: 9-02-03
 Comments:

(This space for State use only)

Transfer approved by: [Signature]
 Title: Tech Services Manager

Approval Date: 9-10-03

Comments: Case # 105-02
Located in Tardvan County, EPA primary
UPL agency.

RECEIVED
 SEP 04 2003
 DIV. OF OIL, GAS & MINING

well_name	Sec	T	R	api	Entity	Lease Type	type	stat	Field	Footages
WWFU 120	22	080S	210E	4304732462	5265	Federal	WI	A	Wonsits Valley	561 FNL, 1906 FWL
WWU 126	21	080S	210E	4304730796	5265	Federal	WI	A	Wonsits Valley	761 FNL, 2077 FEL
WWU 140	15	080S	210E	4304731707	5265	Federal	WI	A	Wonsits Valley	612 FNL, 759 FWL
WWU 143	10	080S	210E	4304731808	5265	Federal	WI	A	Wonsits Valley	1858 FSL, 2050 FEL
WWU 16	15	080S	210E	4304715447	5265	Federal	WI	A	Wonsits Valley	660 FNL, 660 FEL
WWU 28-2	11	080S	210E	4304731524	99990	Federal	WI	A	Wonsits Valley	1916 FSL, 2065 FWL
WWU 31	14	080S	210E	4304715460	5265	Federal	WI	A	Wonsits Valley	587 FNL, 1992 FWL
WWU 35	14	080S	210E	4304715463	5265	Federal	WI	A	Wonsits Valley	1928 FSL, 2060 FWL
WWU 36	10	080S	210E	4304715464	5265	Federal	WI	A	Wonsits Valley	1980 FSL, 1980 FWL
WWU 40-2	10	080S	210E	4304731798	5265	Federal	WI	A	Wonsits Valley	1926 FSL, 661 FEL
WWU 41	15	080S	210E	4304715469	5265	Federal	WI	A	Wonsits Valley	560 FNL, 1989 FWL
WWU 50	15	080S	210E	4304715477	5265	Federal	WI	A	Wonsits Valley	1986 FNL, 1990 FEL
WWU 59	14	080S	210E	4304720018	5265	Federal	WI	A	Wonsits Valley	1986 FNL, 660 FWL
WWU 60	15	080S	210E	4304720019	5265	Federal	WI	A	Wonsits Valley	660 FSL, 1996 FEL
WWU 67	15	080S	210E	4304720043	5265	Federal	WI	A	Wonsits Valley	1980 FSL, 1980 FWL
WWU 68	15	080S	210E	4304720047	5265	Federal	WI	A	Wonsits Valley	1930 FSL, 660 FEL
WWU 71-2	15	080S	210E	4304732449	5265	Federal	WI	A	Wonsits Valley	666 FSL, 724 FWL
WWU 97	11	080S	210E	4304730014	5265	Federal	WI	A	Wonsits Valley	1996 FSL, 664 FWL
WWU 21	16	080S	210E	4304715452	99990	State	WI	A	Wonsits Valley	660 FNL, 665 FEL
WWU 72	16	080S	210E	4304720058	99990	State	WI	A	Wonsits Valley	660 FSL, 660 FWL
WWU 73	16	080S	210E	4304720066	5265	State	WI	A	Wonsits Valley	1980 FSL, 660 FEL
WWU 78	16	080S	210E	4304720115	99990	State	WI	A	Wonsits Valley	1980 FSL, 1980 FWL

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVU 16	WV 16	NENE	15	080S	210E	4304715447	5265	Federal	WI	A
WVU 31	WV 31	NENW	14	080S	210E	4304715460	5265	Federal	WI	A
WVU 35	WV 35	NESW	14	080S	210E	4304715463	5265	Federal	WI	A
WV 36	WV 36	NESW	10	080S	210E	4304715464	5265	Federal	WI	A
WVU 41	WV 41	NENW	15	080S	210E	4304715469	5265	Federal	WI	A
WV 43	WV 43	SWSW	11	080S	210E	4304715471	5265	Federal	OW	P
WV 48	WV 48	SWNE	10	080S	210E	4304715476	5265	Federal	OW	P
WVU 50	WV 50	SWNE	15	080S	210E	4304715477	5265	Federal	WI	A
WV 53	WV 53	SWSE	10	080S	210E	4304720003	5265	Federal	OW	P
WVU 55	WV 55	SWNE	14	080S	210E	4304720005	5265	Federal	OW	P
WVU 59	WV 59	SWNW	14	080S	210E	4304720018	5265	Federal	WI	A
WVU 60	WV 60	SWSE	15	080S	210E	4304720019	5265	Federal	WI	A
WV 62	WV 62	SWSW	10	080S	210E	4304720024	5265	Federal	OW	P
WVU 65	WV 65	SWNW	15	080S	210E	4304720041	5265	Federal	OW	P
WVU 67	WV 67	NESW	15	080S	210E	4304720043	5265	Federal	WI	A
WVU 68	WV 68	NESE	15	080S	210E	4304720047	5265	Federal	WI	A
WVU 83	WV 83 WG	NENW	23	080S	210E	4304720205	14864	Federal	GW	S
WV 97	WV 97	NWSW	11	080S	210E	4304730014	5265	Federal	WI	A
WVU 103	WV 103	NWNW	14	080S	210E	4304730021	5265	Federal	OW	P
WVU 104	WV 104	NWNE	15	080S	210E	4304730022	5265	Federal	OW	P
WV 105	WV 105	SESE	10	080S	210E	4304730023	5265	Federal	OW	P
WVU 109	WV 109	SENE	15	080S	210E	4304730045	5265	Federal	OW	P
WVU 110	WV 110	SENW	14	080S	210E	4304730046	5265	Federal	OW	P
WVU 112	WV 112	SENW	15	080S	210E	4304730048	5265	Federal	OW	P
WVU 124	WV 124	NWSE	15	080S	210E	4304730745	5265	Federal	OW	P
WVU 126	WV 126	NWNE	21	080S	210E	4304730796	5265	Federal	WI	A
WV 128	WV 128	SESW	10	080S	210E	4304730798	5265	Federal	OW	P
WVU 132	WV 132	NWSW	15	080S	210E	4304730822	5265	Federal	OW	P
WVU 136	WV 136	NENW	21	080S	210E	4304731047	5265	Federal	OW	S
WV 137	WV 137	SENW	11	080S	210E	4304731523	5265	Federal	OW	P
WV 28-2	WV 28-2	NESW	11	080S	210E	4304731524	99990	Federal	WI	A
WVU 133	WV 133	SESW	15	080S	210E	4304731706	5265	Federal	OW	P
WVU 140	WV 140	NWNW	15	080S	210E	4304731707	5265	Federal	WI	A
WV 40-2	WV 40-2	NESE	10	080S	210E	4304731798	5265	Federal	WI	A
WVU 144	WV 144	SENE	10	080S	210E	4304731807	5265	Federal	OW	P
WV 143	WV 143	NWSE	10	080S	210E	4304731808	5265	Federal	WI	A
WVU 145	WV 145	NWNW	18	080S	220E	4304731820	14864	Federal	GW	P
WVU 121	WV 121	NWSW	14	080S	210E	4304731873	5265	Federal	OW	TA
WVU 135-2	WV 135-2	NENE	21	080S	210E	4304732016	5265	Federal	OW	P
WVU 130	WV 130	NWNW	22	080S	210E	4304732307	5265	Federal	OW	P
WVU 71-2	WV 71-2	SWSW	15	080S	210E	4304732449	5265	Federal	WI	A

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVFU 119	WV 119	NWNW	21	080S	210E	4304732461	5265	Federal	OW	P
WVFU 120	WV 120	NENW	22	080S	210E	4304732462	5265	Federal	WI	A
WVFU 54 WG	WV 54 WG	SWSE	07	080S	220E	4304732821	14864	Federal	GW	P
WVFU 69 WG	WV 69 WG	SWNE	18	080S	220E	4304732829	14864	Federal	GW	P
WVFU 38 WG	WV 38 WG	SWNW	08	080S	220E	4304732831	14864	Federal	GW	P
WVFU 49 WG	WV 49 WG	SWSW	08	080S	220E	4304732832	14864	Federal	GW	P
WVFU 138 WG	WV 138 WG	SWNW	18	080S	220E	4304733054	14864	Federal	GW	P
WVFU 14 WG	WV 14 WG	SWSE	12	080S	210E	4304733070	14864	Federal	GW	P
WVFU 11 WG	WV 11 WG	SWNE	12	080S	210E	4304733085	14864	Federal	GW	P
WVFU 81 WG	WV 81 WG	SWNW	24	080S	210E	4304733086	14864	Federal	GW	P
WVFU 146 WG	WV 146 WG	NWNW	19	080S	220E	4304733128	14864	Federal	GW	P
WVFU 1W-14-8- 21	WV 1W-14-8- 21	NENE	14	080S	210E	4304733220	14864	Federal	GW	P
WVFU 5W-13- 8-21	WV 5W-13- 8-21	SWNW	13	080S	210E	4304733221	14864	Federal	GW	P
WVFU 46 WG	WVFU 46 WG	NESE	07	080S	220E	4304733241	14864	Federal	GW	P
WVFU 9W-14-8-21	WV 9W-14-8-21	NESE	14	080S	210E	4304733269	14864	Federal	GW	P
WVFU 7W-13-8-21	WV 7W-13-8-21	SWNE	13	080S	210E	4304733270	14864	Federal	GW	P
WVFU 1W-18-8-22	WV 1W-18-8-22	NENE	18	080S	220E	4304733294	14864	Federal	GW	P
WVFU 11W-8-8-22	WV 11W-8-8-22	NESW	08	080S	220E	4304733295	14864	Federal	GW	P
WVFU 3W-8-8-22	WV 3W-8-8-22	NENW	08	080S	220E	4304733493	14864	Federal	GW	S
WVFU 5W-7-8-22	WV 5W-7-8-22	SWNW	07	080S	220E	4304733494	14864	Federal	GW	P
WVFU 11W-7-8-22	WV 11W-7-8-22	NESW	07	080S	220E	4304733495	14864	Federal	GW	P
WVFU 13W-7-8-22	WV 13W-7-8-22	SWSW	07	080S	220E	4304733496	14864	Federal	GW	P
WVFU 1W-7-8-22	WV 1W-7-8-22	NENE	07	080S	220E	4304733501	14864	Federal	GW	P
WVFU 3W-7-8-22	WV 3W-7-8-22	NENW	07	080S	220E	4304733502	14864	Federal	GW	P
WV 7WRG-7-8-22	WV 7WRG-7-8-22	SWNE	07	080S	220E	4304733503	5265	Federal	OW	P
WVFU 16W-9-8-21	WV 16W-9-8-21	SESE	09	080S	210E	4304733529	14864	Federal	GW	P
WVFU 1W-12-8-21	WV 1W-12-8-21	NENE	12	080S	210E	4304733531	14864	Federal	GW	P
WVFU 1W-13-8-21	WV 1W-13-8-21	NENE	13	080S	210E	4304733532	14864	Federal	GW	P
WVFU 3W-18-8-22	WV 3W-18-8-22	NENW	18	080S	220E	4304733533	14864	Federal	GW	P
WVFU 9W-12-8-21	WV 9W-12-8-21	NESE	12	080S	210E	4304733534	14864	Federal	GW	P
WVFU 11W-12-8-21	WV 11W-12-8-21	NESW	12	080S	210E	4304733535	14864	Federal	GW	P
WVFU 11W-13-8-21	WV 11W-13-8-21	NESW	13	080S	210E	4304733536	14864	Federal	GW	P
WVFU 13W-12-8-21	WV 13W-12-8-21	SWSW	12	080S	210E	4304733537	14864	Federal	GW	S
WVFU 13W-18-8-22	WV 13W-18-8-22	SWSW	18	080S	220E	4304733538	14864	Federal	GW	P
WVFU 16G-9-8-21	WV 16G-9-8-21	SESE	09	080S	210E	4304733565	5265	Federal	OW	P
WVFU 1W-21-8-21	WV 1W-21-8-21	NENE	21	080S	210E	4304733602	14864	Federal	GW	P
WVFU 3W-13-8-21	WV 3W-13-8-21	NENW	13	080S	210E	4304733603	14864	Federal	GW	S
WVFU 3W-22-8-21	WV 3W-22-8-21	NENW	22	080S	210E	4304733604	14864	Federal	GW	P
WVFU 3W-24-8-21	WV 3W-24-8-21	NENW	24	080S	210E	4304733605	14864	Federal	GW	P
WVFU 13W-13-8-21	WV 13W-13-8-21	SWSW	13	080S	210E	4304733606	14864	Federal	GW	S
WVFU 13W-14-8-21	WV 13W-14-8-21	SWSW	14	080S	210E	4304733607	14864	Federal	GW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVFU 15W-13-8-21	WV 15W-13-8-21	SWSE	13	080S	210E	4304733608	14864	Federal	GW	S
WVFU 1W-24-8-21	WV 1W-24-8-21	NENE	24	080S	210E	4304733613	14864	Federal	GW	P
WVFU 11W-18-8-22	WV 11W-18-8-22	NESW	18	080S	220E	4304733626	14864	Federal	GW	P
WV 2W-10-8-21	WV 2W-10-8-21	NWNE	10	080S	210E	4304733655	14864	Federal	GW	P
WV 4W-11-8-21	WV 4W-11-8-21	NWNW	11	080S	210E	4304733657	14864	Federal	GW	P
WV 12W-10-8-21	WV 12W-10-8-21	NWSW	10	080S	210E	4304733659	14864	Federal	GW	S
WV 12G-10-8-21	WV 12G-10-8-21	NWSW	10	080S	210E	4304733660	5265	Federal	OW	P
WVFU 15W-9-8-21	WV 15W-9-8-21	SWSE	09	080S	210E	4304733661	14864	Federal	GW	P
WVFU 15G-9-8-21	WV 15G-9-8-21	SWSE	09	080S	210E	4304733662	5265	Federal	OW	P
WVFU 2W-13-8-21	WV 2W-13-8-21	NWNE	13	080S	210E	4304733791	14864	Federal	GW	P
WVFU 6W-13-8-21	WV 6W-13-8-21	SENW	13	080S	210E	4304733792	14864	Federal	GW	P
WVFU 8W-13-8-21	WV 8W-13-8-21	SENE	13	080S	210E	4304733793	14864	Federal	GW	P
WV 10W-1-8-21	WV 10W-1-8-21	NWSE	01	080S	210E	4304733794	14864	Federal	GW	TA
WVFU 10W-13-8-21	WV 10W-13-8-21	NWSE	13	080S	210E	4304733795	14864	Federal	GW	P
WVFU 12W-7-8-22	WV 12W-7-8-22	NWSW	07	080S	220E	4304733808	14864	Federal	GW	P
WVFU 6W-8-8-22	WV 6W-8-8-22	SENW	08	080S	220E	4304733811	14864	Federal	GW	P
WVFU 7W-8-8-22	WV 7W-8-8-22	SWNE	08	080S	220E	4304733812	14864	Federal	GW	S
WVFU 10W-7-8-22	WV 10W-7-8-22	NWSE	07	080S	220E	4304733813	14864	Federal	GW	P
WVFU 12W-8-8-22	WV 12W-8-8-22	NWSW	08	080S	220E	4304733815	14864	Federal	GW	P
WVFU 14W-7-8-22	WV 14W-7-8-22	SESW	07	080S	220E	4304733816	14864	Federal	GW	P
WVFU 16W-7-8-22	WV 16W-7-8-22	SESE	07	080S	220E	4304733817	14864	Federal	GW	P
WVFU 6W-7-8-22	WV 6W-7-8-22	SENW	07	080S	220E	4304733828	14864	Federal	GW	P
WVFU 6W-18-8-22	WV 6W-18-8-22	SENW	18	080S	220E	4304733842	14864	Federal	GW	P
WVFU 6WC-18-8-22	WV 6WC-18-8-22	SENW	18	080S	220E	4304733843	14864	Federal	GW	P
WVFU 6WD-18-8-22	WV 6WD-18-8-22	SENW	18	080S	220E	4304733844	14864	Federal	GW	P
WVFU 5W-23-8-21	WV 5W-23-8-21	SWNW	23	080S	210E	4304733860	14864	Federal	GW	P
WVFU 7W-23-8-21	WV 7W-23-8-21	SWNE	23	080S	210E	4304733861	14864	Federal	GW	P
WVFU 8W-12-8-21	WV 8W-12-8-21	SENE	12	080S	210E	4304733862	14864	Federal	GW	P
WVFU 10W-12-8-21	WV 10W-12-8-21	NWSE	12	080S	210E	4304733863	14864	Federal	GW	P
WVFU 14W-12-8-21	WV 14W-12-8-21	SESW	12	080S	210E	4304733864	14864	Federal	GW	P
WVFU 16W-12-8-21	WV 16W-12-8-21	SESE	12	080S	210E	4304733865	14864	Federal	GW	P
WVFU 1W-15-8-21	WV 1W-15-8-21	NENE	15	080S	210E	4304733902	14864	Federal	GW	S
WVFU 1W-22-8-21	WV 1W-22-8-21	NENE	22	080S	210E	4304733903	14864	Federal	GW	P
WVFU 1W-23-8-21	WV 1W-23-8-21	NENE	23	080S	210E	4304733904	14864	Federal	GW	P
WV 6W-11-8-21	WV 6W-11-8-21	SENW	11	080S	210E	4304733906	14864	Federal	GW	P
WVFU 7W-24-8-21	WV 7W-24-8-21	SWNE	24	080S	210E	4304733908	14864	Federal	GW	P
WV 10W-11-8-21	WV 10W-11-8-21	NWSE	11	080S	210E	4304733910	14864	Federal	GW	P
WVFU 11W-15-8-21	WV 11W-15-8-21	NESW	15	080S	210E	4304733911	14864	Federal	GW	P
WV 13W-11-8-21	WV 13W-11-8-21	SWSW	11	080S	210E	4304733913	14864	Federal	GW	S
WVFU 13W-15-8-21	WV 13W-15-8-21	SWSW	15	080S	210E	4304733914	14864	Federal	GW	P
WV 15W-10-8-21	WV 15W-10-8-21	SWSE	10	080S	210E	4304733916	14864	Federal	GW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVFU 15W-15-8-21	WV 15W-15-8-21	SWSE	15	080S	210E	4304733917	14864	Federal	GW	P
WVFU 5W-14-8-21	WV 5W-14-8-21	SWNW	14	080S	210E	4304733953	14864	Federal	GW	P
WVFU 7W-14-8-21	WV 7W-14-8-21	SWNE	14	080S	210E	4304733955	14864	Federal	GW	P
WV 8W-11-8-21	WV 8W-11-8-21	SENE	11	080S	210E	4304733957	14864	Federal	GW	S
WVFU 8W-14-8-21	WV 8W-14-8-21	SENE	14	080S	210E	4304733958	14864	Federal	GW	P
WVFU 9W-15-8-21	WV 9W-15-8-21	NESE	15	080S	210E	4304733959	14864	Federal	GW	P
WVFU 12W-13-8-21	WV 12W-13-8-21	NWSW	13	080S	210E	4304733961	14864	Federal	GW	P
WVFU 14W-13-8-21	WV 14W-13-8-21	SESW	13	080S	210E	4304733962	14864	Federal	GW	P
WVFU 15W-14-8-21	WV 15W-14-8-21	SWSE	14	080S	210E	4304733963	14864	Federal	GW	P
WVFU 2W-18-8-22	WV 2W-18-8-22	NWNE	18	080S	220E	4304733986	14864	Federal	GW	P
WV 8W-18-8-22	WV 8W-18-8-22	SENE	18	080S	220E	4304733989	14864	Federal	GW	P
WVFU 10W-18-8-22	WV 10W-18-8-22	NWSE	18	080S	220E	4304733991	14864	Federal	GW	P
WVFU 12W-18-8-22	WV 12W-18-8-22	NWSW	18	080S	220E	4304733993	14864	Federal	GW	P
WV 14W-18-8-22	WV 14W-18-8-22	SESW	18	080S	220E	4304733995	14864	Federal	GW	P
WVFU 8W-1-8-21	WV 8W-1-8-21	SENE	01	080S	210E	4304734009	14864	Federal	GW	DRL
WV 4W-17-8-22	WV 4W-17-8-22	NWNW	17	080S	220E	4304734038	14864	Federal	GW	P
WV 12G-1-8-21	WV 12G-1-8-21	NWSW	01	080S	210E	4304734108	5265	Federal	OW	TA
WV 2W-14-8-21	WV 2W-14-8-21	NWNE	14	080S	210E	4304734140	14864	Federal	GW	P
GH 2W-21-8-21	GH 2W-21-8-21	NWNE	21	080S	210E	4304734141	14864	Federal	GW	P
WV 2W-23-8-21	WV 2W-23-8-21	NWNE	23	080S	210E	4304734142	14864	Federal	GW	P
GH 3W-21-8-21	WV 3W-21-8-21	NENW	21	080S	210E	4304734143	14864	Federal	GW	P
WV 4W-13-8-21	WV 4W-13-8-21	NWNW	13	080S	210E	4304734144	14864	Federal	GW	P
GH 4W-21-8-21	WV 4W-21-8-21	NWNW	21	080S	210E	4304734145	14864	Federal	GW	P
WV 4W-22-8-21	WV 4W-22-8-21	NWNW	22	080S	210E	4304734146	14864	Federal	GW	P
WV 16W-11-8-21	WV 16W-11-8-21	SESE	11	080S	210E	4304734155	14864	Federal	GW	TA
WV 3W-19-8-22	WV 3W-19-8-22	NENW	19	080S	220E	4304734187	14864	Federal	GW	P
WV 4W-23-8-21	WV 4W-23-8-21	NWNW	23	080S	210E	4304734188	14864	Federal	GW	P
WV 6W-23-8-21	WV 6W-23-8-21	SENE	23	080S	210E	4304734189	14864	Federal	GW	P
WV 2W-15-8-21	WV 2W-15-8-21	NWNE	15	080S	210E	4304734242	14864	Federal	GW	P
WV 2W-22-8-21	WV 2W-22-8-21	NWNE	22	080S	210E	4304734243	14864	Federal	GW	P
WV 4W-14-8-21	WV 4W-14-8-21	NWNW	14	080S	210E	4304734244	14864	Federal	GW	P
WV 6W-12-8-21	WV 6W-12-8-21	SENE	12	080S	210E	4304734245	5265	Federal	GW	S
WV 7W-15-8-21	WV 7W-15-8-21	SWNE	15	080S	210E	4304734246	14864	Federal	GW	P
WV 8W-15-8-21	WV 8W-15-8-21	SENE	15	080S	210E	4304734247	14864	Federal	GW	P
WV 12W-12-8-21	WV 12W-12-8-21	NWSW	12	080S	210E	4304734248	14864	Federal	GW	S
WV 14W-15-8-21	WV 14W-15-8-21	SESW	15	080S	210E	4304734249	14864	Federal	GW	P
WV 16W-10-8-21	WV 16W-10-8-21	SESE	10	080S	210E	4304734250	14864	Federal	GW	P
WV 16W-15-8-21	WV 16W-15-8-21	SESE	15	080S	210E	4304734251	14864	Federal	GW	P
WV 2W-12-8-21	WV 2W-12-8-21	NWNE	12	080S	210E	4304734265	14864	Federal	GW	OPS
WV 3W-12-8-21	WV 3W-12-8-21	NENW	12	080S	210E	4304734267	14864	Federal	GW	OPS
WV 4W-12-8-21	WV 4D-12-8-21	NWNW	12	080S	210E	4304734268	12436	Federal	GW	DRL

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WV 5W-12-8-21	WV 5W-12-8-21	SWNW	12	080S	210E	4304734270	14864	Federal	GW	OPS
WV 6W-14-8-21	WV 6W-14-8-21	SENE	14	080S	210E	4304734271	14864	Federal	GW	P
WV 9W-11-8-21	WV 9W-11-8-21	NESE	11	080S	210E	4304734274	14864	Federal	GW	DRL
WV 10W-14-8-21	WV 10W-14-8-21	NWSE	14	080S	210E	4304734275	14864	Federal	GW	S
WV 11W-14-8-21	WV 11W-14-8-21	NESW	14	080S	210E	4304734277	14864	Federal	GW	P
WV 12W-14-8-21	WV 12W-14-8-21	NWSW	14	080S	210E	4304734279	14864	Federal	GW	S
WV 14M-11-8-21	WV 14M-11-8-21	SESW	11	080S	210E	4304734280	14864	Federal	GW	P
WV 14W-14-8-21	WV 14W-14-8-21	SESW	14	080S	210E	4304734281	14864	Federal	GW	P
WV 16W-14-8-21	WV 16G-14-8-21	SESE	14	080S	210E	4304734283	5265	Federal	OW	S
WV 3MU-15-8-21	WV 3MU-15-8-21	NENW	15	080S	210E	4304734289	14864	Federal	GW	P
WV 4MU-15-8-21	WV 4MU-15-8-21	NWNW	15	080S	210E	4304734291	14864	Federal	GW	P
WV 5MU-15-8-21	WV 5MU-15-8-21	SWNW	15	080S	210E	4304734293	14864	Federal	GW	P
WV 6W-15-8-21	WV 6W-15-8-21	SENE	15	080S	210E	4304734294	14864	Federal	GW	P
WV 10W-15-8-21	WV 10W-15-8-21	NWSE	15	080S	210E	4304734295	14864	Federal	GW	P
WVU 4W-24-8-21	WV 4W-24-8-21	NWNW	24	080S	210E	4304734330	14864	Federal	GW	P
WV 8M-23-8-21	WV 8M-23-8-21	SENE	23	080S	210E	4304734339	14864	Federal	GW	P
WVU 8W-24-8-21	WV 8W-24-8-21	SENE	24	080S	210E	4304734340	14864	Federal	GW	P
WV 2W-8-8-22	WV 2W-8-8-22	NWNE	08	080S	220E	4304734468	14864	Federal	GW	P
WV 8W-7-8-22	WV 8W-7-8-22	SENE	07	080S	220E	4304734469	14864	Federal	GW	S
WV 8W-22-8-21	WV 8W-22-8-21	SENE	22	080S	210E	4304734564	14864	Federal	GW	P
WV 3G-8-8-22	WV 3G-8-8-22	NENW	08	080S	220E	4304734596	5265	Federal	OW	TA
WV 14MU-10-8-21	WV 14MU-10-8-21	SESW	10	080S	210E	4304735879	14864	Federal	GW	P
WV 13MU-10-8-21	WV 13MU-10-8-21	SWSW	10	080S	210E	4304736305	14864	Federal	GW	P
WV 3DML-13-8-21	WV 3D-13-8-21	SENE	13	080S	210E	4304737923	14864	Federal	GW	DRL
WV 14DML-12-8-21	WV 14DML-12-8-21	SESW	12	080S	210E	4304737924	14864	Federal	GW	DRL
WV 15AML-12-8-21	WV 15AML-12-8-21	NWSE	12	080S	210E	4304737925		Federal	GW	APD
WV 13DML-10-8-21	WV 13DML-10-8-21	SWSW	10	080S	210E	4304737926	14864	Federal	GW	P
WV 4DML-15-8-21	WV 4DML-15-8-21	NWNW	15	080S	210E	4304737927	14864	Federal	GW	DRL
WV 13AD-8-8-22	WV 13AD-8-8-22	SWSW	08	080S	220E	4304737945		Federal	GW	APD
WV 11AML-14-8-21	WV 11AD-14-8-21	NWSE	14	080S	210E	4304738049	15899	Federal	GW	APD
WV 11DML-14-8-21	WV 11DML-14-8-21	SESW	14	080S	210E	4304738050		Federal	GW	APD
WV 4AML-19-8-22	WV 4AML-19-8-22	NWNW	19	080S	220E	4304738051		Federal	GW	APD
WV 13CML-8-8-22	WV 13CML-8-8-22	SWSW	08	080S	220E	4304738431		Federal	GW	APD
WV 13BML-18-8-22	WV 13BML-18-8-22	SWSW	18	080S	220E	4304738432		Federal	GW	APD
WV 8BML-18-8-22	WV 8BML-18-8-22	E/NE	18	080S	220E	4304738433		Federal	GW	APD
WV 6ML-24-8-21	WV 6-24-8-21	SENE	24	080S	210E	4304738663		Federal	GW	APD
WV 2ML-24-8-21	WV 2ML-24-8-21	NWNE	24	080S	210E	4304738664		Federal	GW	APD
WV 1DML-13-8-21	WV 1DML-13-8-21	NENE	13	080S	210E	4304738733		Federal	GW	APD
WV 4DML-13-8-21	WV 4DML-13-8-21	NWNW	13	080S	210E	4304738734		Federal	GW	APD
WV 3AML-14-8-21	WV 3AML-14-8-21	NENW	14	080S	210E	4304738736		Federal	GW	APD
WV 16CML-14-8-21	WV 16C-14-8-21	SESE	14	080S	210E	4304738737		Federal	GW	APD

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVU 21	WV 21	NENE	16	080S	210E	4304715452	99990	State	WI	A
WVU 32	WV 32	NENW	16	080S	210E	4304716513	5265	State	OW	P
WVU 72	WV 72	SWSW	16	080S	210E	4304720058	99990	State	WI	A
WVU 73	WV 73	NESE	16	080S	210E	4304720066	5265	State	WI	A
WVU 74	WV 74	SWSE	16	080S	210E	4304720078	5265	State	OW	P
WVU 75	WV 75	SWNE	16	080S	210E	4304720085	5265	State	OW	P
WVU 78	WV 78	NESW	16	080S	210E	4304720115	99990	State	WI	A
WVU 134	WV 134	SESE	16	080S	210E	4304731118	5265	State	OW	P
WVU 141	WV 141	NWSE	16	080S	210E	4304731609	5265	State	OW	P
WVU 127	WV 127	SENE	16	080S	210E	4304731611	5265	State	OW	P
WVU 142	WV 142	SESW	16	080S	210E	4304731612	5265	State	OW	P
WVUFU 9W-13-8-21	WV 9W-13-8-21	NESE	13	080S	210E	4304733223	14864	State	GW	S
WVUFU 2W-16-8-21	WV 2W-16-8-21	NWNE	16	080S	210E	4304733246	14864	State	GW	P
WVUFU 2G-16-8-21	WV 2G-16-8-21	NWNE	16	080S	210E	4304733247	5265	State	OW	P
WVUFU 6W-16-8-21	WV 6W-16-8-21	SENW	16	080S	210E	4304733527	14864	State	GW	P
WVUFU 6G-16-8-21	WV 6G-16-8-21	SENW	16	080S	210E	4304733564	5265	State	OW	P
WVUFU 16W-2-8-21	WV 16W-2-8-21	SESE	02	080S	210E	4304733645	5265	State	OW	S
WVUFU 9W-2-8-21	WV 9W-2-8-21	NESE	02	080S	210E	4304733648	14864	State	GW	P
WVUFU 12W-16-8-21	WV 12W-16-8-21	NWSW	16	080S	210E	4304733649	14864	State	GW	P
WVUFU 12G-16-8-21	WV 12G-16-8-21	NWSW	16	080S	210E	4304733650	5265	State	OW	P
WVUFU 16W-13-8-21	WV 16W-13-8-21	SESE	13	080S	210E	4304733796	14864	State	GW	P
WV 10G-2-8-21	WV 10G-2-8-21	NWSE	02	080S	210E	4304734035	5265	State	OW	P
WV 14G-2-8-21	WV 14G-2-8-21	SESW	02	080S	210E	4304734036	5265	State	OW	P
WV 13G-2-8-21	WV 13G-2-8-21	SWSW	02	080S	210E	4304734068	5265	State	OW	P
WV 5G-16-8-21	WV 5G-16-8-21	SWNW	16	080S	210E	4304734107	5265	State	OW	P
WV 11W-16-8-21	WV 11W-16-8-21	NESW	16	080S	210E	4304734190	14864	State	GW	P
WV 13W-16-8-21	WV 13W-16-8-21	SWSW	16	080S	210E	4304734191	14864	State	GW	P
WV 14W-16-8-21	WV 14W-16-8-21	SESW	16	080S	210E	4304734192	14864	State	GW	P
WV 15W-16-8-21	WV 15W-16-8-21	SWSE	16	080S	210E	4304734224	14864	State	GW	P
WV 16W-16-8-21	WV 16W-16-8-21	SESE	16	080S	210E	4304734225	14864	State	GW	P
WV 1MU-16-8-21	WV 1MU-16-8-21	NENE	16	080S	210E	4304734288	14864	State	GW	P
WV 3W-16-8-21	WV 3W-16-8-21	NENW	16	080S	210E	4304734290		State	GW	LA
WV 4W-16-8-21	WV 4W-16-8-21	NWNW	16	080S	210E	4304734292	12436	State	D	PA
WVU 5W-16-8-21	WV 5W-16-8-21	SWNW	16	080S	210E	4304734321	14864	State	GW	P
WV 7W-16-8-21	WV 7W-16-8-21	SWNE	16	080S	210E	4304734322	14864	State	GW	P
WV 8ML-16-8-21	WV 8ML-16-8-21	SENE	16	080S	210E	4304734323	14864	State	GW	P
WV 9W-16-8-21	WV 9W-16-8-21	NESE	16	080S	210E	4304734325	14864	State	GW	P
WV 10W-16-8-21	WV 10W-16-8-21	NWSE	16	080S	210E	4304734326	14864	State	GW	P
WV 12BML-16-8-21	WV 12BML-16-8-21	SWNW	16	080S	210E	4304737824	14864	State	GW	P
WV 12DML-16-8-21	WV 12D-16-8-21	NWSW	16	080S	210E	4304737870		State	GW	APD
WV 15CML-16-8-21	WV 15CML-16-8-21	SESW	16	080S	210E	4304737871	14864	State	GW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WV 15DML-16-8-21	WV 15DML-16-8-21	SWSE	16	080S	210E	4304737872		State	GW	APD
WV 16DML-13-8-21	WV 16DML-13-8-21	SESE	13	080S	210E	4304738735		State	GW	APD

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER: see attached
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: see attached
		7. UNIT or CA AGREEMENT NAME: see attached
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____	8. WELL NAME and NUMBER: see attached	
2. NAME OF OPERATOR: QUESTAR EXPLORATION AND PRODUCTION COMPANY		9. API NUMBER: attached
3. ADDRESS OF OPERATOR: 1050 17th Street Suite 500 CITY Denver STATE CO ZIP 80265	PHONE NUMBER: (303) 308-3068	10. FIELD AND POOL, OR WILDCAT:

4. LOCATION OF WELL
FOOTAGES AT SURFACE: attached COUNTY: Uintah
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>1/1/2007</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Operator Name Change</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective January 1, 2007 operator of record, QEP Uinta Basin, Inc., will hereafter be known as QUESTAR EXPLORATION AND PRODUCTION COMPANY. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:
Federal Bond Number: 965002976 (BLM Reference No. ESB000024)
Utah State Bond Number: 965003033
Fee Land Bond Number: 965003033
Current operator of record, QEP UINTA BASIN, INC., hereby resigns as operator of the properties as described on the attached list.

Jay B. Neese, Executive Vice President, QEP Uinta Basin, Inc.

Successor operator of record, QUESTAR EXPLORATION AND PRODUCTION COMPANY, hereby assumes all rights, duties and obligations as operator of the properties as described on the attached list

Jay B. Neese, Executive Vice President
Questar Exploration and Production Company

NAME (PLEASE PRINT) <u>Debra K. Stanberry</u>	TITLE <u>Supervisor, Regulatory Affairs</u>
SIGNATURE	DATE <u>3/16/2007</u>

(This space for State use only)

RECEIVED
APR 19 2007

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: see attached
2. NAME OF OPERATOR: QUESTAR EXPLORATION AND PRODUCTION COMPANY		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: see attached
3. ADDRESS OF OPERATOR: 1050 17th Street Suite 500 Denver STATE CO ZIP 80265		7. UNIT or CA AGREEMENT NAME: see attached
4. LOCATION OF WELL FOOTAGES AT SURFACE: attached		8. WELL NAME and NUMBER: see attached
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		9. API NUMBER: attached
COUNTY: Uintah		10. FIELD AND POOL, OR WILDCAT:
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>1/1/2007</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Well Name Changes</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

PER THE ATTACHED LIST OF WELLS, QUESTAR EXPLORATION AND PRODUCTION COMPANY REQUESTS THAT THE INDIVIDUAL WELL NAMES BE UPDATED IN YOUR RECORDS.

NAME (PLEASE PRINT) <u>Debra K. Stanberry</u>	TITLE <u>Supervisor, Regulatory Affairs</u>
SIGNATURE	DATE <u>4/17/2007</u>

(This space for State use only)

RECEIVED
APR 19 2007
DIV. OF OIL, GAS & MINING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155



IN REPLY REFER TO
3180
UT-922

April 23, 2007

Questar Exploration and Production Company
1050 17th Street, Suite 500
Denver, Colorado 80265

Re: Wonsits Valley Unit
Uintah County, Utah

Gentlemen:

On April 12, 2007, we received an indenture dated April 6, 2007, whereby QEP Uinta Basin, Inc. resigned as Unit Operator and Questar Exploration and Production Company was designated as Successor Unit Operator for the Wonsits Valley Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective April 23, 2007. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Wonsits Valley Unit Agreement.

Your nationwide oil and gas bond No. ESB000024 will be used to cover all federal operations within the Wonsits Valley Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Greg J. Noble

Greg J. Noble
Acting Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)
SITLA
Division of Oil, Gas & Mining
File - Wonsits Valley Unit (w/enclosure)
Agr. Sec. Chron
Reading File
Central Files

UT922:TAThompson:tt:4/23/07

RECEIVED

APR 30 2007

DIV. OF OIL, GAS & MINING

MECHANICAL INTEGRITY TEST CASING OR ANNULUS PRESSURE TEST

U.S. ENVIRONMENTAL PROTECTION AGENCY
UNDERGROUND INJECTION CONTROL PROGRAM, UIC IMPLEMENTATION SECTION (8P-W-GW)
999 18TH STREET, SUITE 300, DENVER, CO. 80202-2466

EPA WITNESS: NO DATE: 5/9/2007 TIME: 8:00 AM PM

TEST CONDUCTED BY: Dennis J. Paulson (Questar)

OTHERS PRESENT: (ADVANTAGE OILFIELD SERVICE) KEVIN CARTER

API NUMBER: 43-047-20019 EPA ID NUMBER: UT2565-03506

WELL NAME: <u>WV 60</u>	TYPE: <input checked="" type="checkbox"/> ER <input type="checkbox"/> SWD	STATUS: <input checked="" type="checkbox"/> AC <input type="checkbox"/> TA <input type="checkbox"/> UC
FIELD: <u>WONSITS VALLEY</u>		
WELL LOCATION: <u>SWSE S15-T8S-R21E</u> <input type="checkbox"/> N <input type="checkbox"/> S <input type="checkbox"/> E <input type="checkbox"/> W	COUNTY: <u>UINTAH</u>	STATE: <u>UTAH</u>
OPERATOR: <u>QEP UINTA BASIN INC.</u>		
LAST MIT: <u>13-May-02</u>	MAXIMUM ALLOWABLE PRESSURE: <u>2028</u>	PSIG

IS THIS A REGULAR SCHEDULED TEST? YES NO

INITIAL TEST FOR PERMIT? YES NO

TEST AFTER WELL WORK? YES NO

WELL INJECTING DURING TEST? YES NO IF YES, RATE: 281 BPD

PRE-TEST CASING/TUBING ANNULUS PRESSURE: 2.2 :PSIG

MIT DATA TABLE	TEST #1	TEST #2	TEST #3
TUBING	PRESSURE		
INITIAL PRESSURE	<u>1901</u> PSIG	PSIG	PSIG
END OF TEST PRESSURE	<u>1901</u> PSIG	PSIG	PSIG

CASING/TUBING	ANNULUS	TUBING
0 MINUTES	<u>1089 @8:07:01</u> PSIG	<u>1901</u> PSIG
5 MINUTES	<u>1082.9 @8:12:04</u> PSIG	<u>1901.3</u> PSIG
10 MINUTES	<u>1081.3 @8:17:12</u> PSIG	<u>1901</u> PSIG
15 MINUTES	<u>1080.4 @8:22:11</u> PSIG	<u>1901.1</u> PSIG
20 MINUTES	<u>1079.9 @8:27:21</u> PSIG	<u>1901.1</u> PSIG
25 MINUTES	<u>1079.4 @8:32:11</u> PSIG	<u>1901.2</u> PSIG
30 MINUTES	<u>1079.0 @8:37:12</u> PSIG	<u>1901</u> PSIG
MINUTES	PSIG	PSIG
MINUTES	PSIG	PSIG
RESULT	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL	<input type="checkbox"/> PASS <input type="checkbox"/> FAIL

DOES THE ANNULUS PRESSURE BUILD BACK UP AFTER THE TEST? YES NO


3000	PSIG	7049-1	2 FEB		2007			
DATE	MONTH	YEAR	TIME	FILE	SAMPLE	CASING PSIG	TUBING PSIG	AMBIENT TEMP
9	MAY	2007	8:02:41	1	1	0		73
9	MAY	2007	8:02:51	1	2	0		73
9	MAY	2007	8:03:01	1	3	0		73
9	MAY	2007	8:03:11	1	4	0		73
9	MAY	2007	8:03:21	1	5	0		74
9	MAY	2007	8:03:32	1	6	0		74
9	MAY	2007	8:03:44	1	7	0		74
9	MAY	2007	8:03:51	1	8	0		74
9	MAY	2007	8:04:01	1	9	0		74
9	MAY	2007	8:04:11	1	10	0		74
9	MAY	2007	8:04:21	1	11	0		74
9	MAY	2007	8:04:32	1	12	0		74
9	MAY	2007	8:04:44	1	13	0		74
9	MAY	2007	8:04:51	1	14	0		74
9	MAY	2007	8:05:01	1	15	0		74
9	MAY	2007	8:05:11	1	16	33.927		73
9	MAY	2007	8:05:21	1	17	65.1		73
9	MAY	2007	8:05:32	1	18	95.11		73
9	MAY	2007	8:05:44	1	19	202.3		73
9	MAY	2007	8:05:51	1	20	342.08		73
9	MAY	2007	8:06:01	1	21	543.5		73
9	MAY	2007	8:06:11	1	22	785.3		73
9	MAY	2007	8:06:21	1	23	940.2		73
9	MAY	2007	8:06:31	1	24	1051.2		73
9	MAY	2007	8:06:42	1	25	1090.8		73
9	MAY	2007	8:06:54	1	26	1091		73
9	MAY	2007	8:07:01	1	27	1089	1901	73
9	MAY	2007	8:07:11	1	28	1087.6		73
9	MAY	2007	8:07:21	1	29	1087.3		73
9	MAY	2007	8:07:31	1	30	1086.8		73
9	MAY	2007	8:07:42	1	31	1086.7		73
9	MAY	2007	8:07:54	1	32	1086.5		72
9	MAY	2007	8:08:01	1	33	1086.2		72
9	MAY	2007	8:08:11	1	34	1085.9		72
9	MAY	2007	8:08:21	1	35	1085.7		72
9	MAY	2007	8:08:31	1	36	1085.5		72
9	MAY	2007	8:08:42	1	37	1085.3		72
9	MAY	2007	8:08:54	1	38	1085.1		72
9	MAY	2007	8:09:01	1	39	1084.9		72
9	MAY	2007	8:09:11	1	40	1084.8		72
9	MAY	2007	8:09:21	1	41	1084.6		72
9	MAY	2007	8:09:31	1	42	1084.5		72
9	MAY	2007	8:09:41	1	43	1084.3		72
9	MAY	2007	8:09:52	1	44	1084.2		72
9	MAY	2007	8:10:04	1	45	1084.1		72
9	MAY	2007	8:10:11	1	46	1083.9		72
9	MAY	2007	8:10:21	1	47	1083.9		71
9	MAY	2007	8:10:31	1	48	1083.8		71
9	MAY	2007	8:10:41	1	49	1083.6		71

9	MAY	2007	8:10:52	1	50	1083.5		71
9	MAY	2007	8:11:04	1	51	1083.4		71
9	MAY	2007	8:11:11	1	52	1083.3		71
9	MAY	2007	8:11:21	1	53	1083.2		71
9	MAY	2007	8:11:31	1	54	1083.2		71
9	MAY	2007	8:11:41	1	55	1083		71
9	MAY	2007	8:11:52	1	56	1083		71
9	MAY	2007	8:12:04	1	57	1082.9	1901.3	71
9	MAY	2007	8:12:11	1	58	1082.8		71
9	MAY	2007	8:12:21	1	59	1082.7		71
9	MAY	2007	8:12:31	1	60	1082.7		71
9	MAY	2007	8:12:41	1	61	1082.7		70
9	MAY	2007	8:12:51	1	62	1082.6		70
9	MAY	2007	8:13:02	1	63	1082.5		70
9	MAY	2007	8:13:14	1	64	1082.5		70
9	MAY	2007	8:13:21	1	65	1082.4		70
9	MAY	2007	8:13:31	1	66	1082.3		70
9	MAY	2007	8:13:41	1	67	1082.3		70
9	MAY	2007	8:13:51	1	68	1082.2		70
9	MAY	2007	8:14:02	1	69	1082.1		70
9	MAY	2007	8:14:14	1	70	1082.1		70
9	MAY	2007	8:14:21	1	71	1082		70
9	MAY	2007	8:14:31	1	72	1082		70
9	MAY	2007	8:14:41	1	73	1081.9		70
9	MAY	2007	8:14:51	1	74	1081.9		70
9	MAY	2007	8:15:02	1	75	1081.8		70
9	MAY	2007	8:15:14	1	76	1081.8		69
9	MAY	2007	8:15:21	1	77	1081.8		69
9	MAY	2007	8:15:31	1	78	1081.8		69
9	MAY	2007	8:15:41	1	79	1081.7		69
9	MAY	2007	8:15:51	1	80	1081.6		69
9	MAY	2007	8:16:02	1	81	1081.6		69
9	MAY	2007	8:16:14	1	82	1081.6		69
9	MAY	2007	8:16:21	1	83	1081.5		69
9	MAY	2007	8:16:31	1	84	1081.5		69
9	MAY	2007	8:16:41	1	85	1081.4		69
9	MAY	2007	8:16:51	1	86	1081.4		69
9	MAY	2007	8:17:01	1	87	1081.3		69
9	MAY	2007	8:17:12	1	88	1081.3	1901	69
9	MAY	2007	8:17:24	1	89	1081.3		69
9	MAY	2007	8:17:31	1	90	1081.2		69
9	MAY	2007	8:17:41	1	91	1081.2		69
9	MAY	2007	8:17:51	1	92	1081.2		69
9	MAY	2007	8:18:01	1	93	1081.1		69
9	MAY	2007	8:18:12	1	94	1081.1		69
9	MAY	2007	8:18:24	1	95	1081.1		69
9	MAY	2007	8:18:31	1	96	1081		69
9	MAY	2007	8:18:41	1	97	1081		69
9	MAY	2007	8:18:51	1	98	1081		68
9	MAY	2007	8:19:01	1	99	1081		68
9	MAY	2007	8:19:12	1	100	1081		68
9	MAY	2007	8:19:24	1	101	1080.9		68

9	MAY	2007	8:19:31	1	102	1080.9		68
9	MAY	2007	8:19:41	1	103	1080.9		68
9	MAY	2007	8:19:51	1	104	1080.8		68
9	MAY	2007	8:20:01	1	105	1080.8		68
9	MAY	2007	8:20:11	1	106	1080.8		68
9	MAY	2007	8:20:22	1	107	1080.7		68
9	MAY	2007	8:20:34	1	108	1080.7		68
9	MAY	2007	8:20:41	1	109	1080.7		68
9	MAY	2007	8:20:51	1	110	1080.7		68
9	MAY	2007	8:21:01	1	111	1080.6		68
9	MAY	2007	8:21:11	1	112	1080.6		68
9	MAY	2007	8:21:22	1	113	1080.6		68
9	MAY	2007	8:21:34	1	114	1080.5		68
9	MAY	2007	8:21:41	1	115	1080.5		68
9	MAY	2007	8:21:51	1	116	1080.5		68
9	MAY	2007	8:22:01	1	117	1080.5		68
9	MAY	2007	8:22:11	1	118	1080.4	1901.1	68
9	MAY	2007	8:22:22	1	119	1080.4		68
9	MAY	2007	8:22:34	1	120	1080.5		67
9	MAY	2007	8:22:41	1	121	1080.5		67
9	MAY	2007	8:22:51	1	122	1080.4		67
9	MAY	2007	8:23:01	1	123	1080.4		67
9	MAY	2007	8:23:11	1	124	1080.4		67
9	MAY	2007	8:23:21	1	125	1080.3		67
9	MAY	2007	8:23:32	1	126	1080.3		67
9	MAY	2007	8:23:44	1	127	1080.3		67
9	MAY	2007	8:23:51	1	128	1080.3		67
9	MAY	2007	8:24:01	1	129	1080.3		67
9	MAY	2007	8:24:11	1	130	1080.2		67
9	MAY	2007	8:24:21	1	131	1080.2		67
9	MAY	2007	8:24:32	1	132	1080.2		67
9	MAY	2007	8:24:44	1	133	1080.2		67
9	MAY	2007	8:24:51	1	134	1080.2		67
9	MAY	2007	8:25:01	1	135	1080.1		67
9	MAY	2007	8:25:11	1	136	1080.1		67
9	MAY	2007	8:25:21	1	137	1080.1		67
9	MAY	2007	8:25:32	1	138	1080.1		67
9	MAY	2007	8:25:44	1	139	1080.1		67
9	MAY	2007	8:25:51	1	140	1080.1		67
9	MAY	2007	8:26:01	1	141	1080		67
9	MAY	2007	8:26:11	1	142	1080		67
9	MAY	2007	8:26:21	1	143	1080		67
9	MAY	2007	8:26:31	1	144	1080		67
9	MAY	2007	8:26:42	1	145	1079.9		67
9	MAY	2007	8:26:54	1	146	1079.9		67
9	MAY	2007	8:27:01	1	147	1079.9		67
9	MAY	2007	8:27:11	1	148	1079.9	1901.1	67
9	MAY	2007	8:27:21	1	149	1079.9		67
9	MAY	2007	8:27:31	1	150	1079.9		67
9	MAY	2007	8:27:42	1	151	1079.8		67
9	MAY	2007	8:27:54	1	152	1079.8		67
9	MAY	2007	8:28:01	1	153	1079.8		67

9	MAY	2007	8:28:11	1	154	1079.8		67
9	MAY	2007	8:28:21	1	155	1079.8		67
9	MAY	2007	8:28:31	1	156	1079.8		67
9	MAY	2007	8:28:42	1	157	1079.7		67
9	MAY	2007	8:28:54	1	158	1079.7		67
9	MAY	2007	8:29:01	1	159	1079.7		67
9	MAY	2007	8:29:11	1	160	1079.7		67
9	MAY	2007	8:29:21	1	161	1079.7		67
9	MAY	2007	8:29:31	1	162	1079.6		67
9	MAY	2007	8:29:41	1	163	1079.6		67
9	MAY	2007	8:29:52	1	164	1079.6		67
9	MAY	2007	8:30:04	1	165	1079.6		67
9	MAY	2007	8:30:11	1	166	1079.6		67
9	MAY	2007	8:30:21	1	167	1079.6		67
9	MAY	2007	8:30:31	1	168	1079.6		67
9	MAY	2007	8:30:41	1	169	1079.6		67
9	MAY	2007	8:30:52	1	170	1079.5		67
9	MAY	2007	8:31:04	1	171	1079.5		67
9	MAY	2007	8:31:11	1	172	1079.5		67
9	MAY	2007	8:31:21	1	173	1079.4		68
9	MAY	2007	8:31:31	1	174	1079.4		68
9	MAY	2007	8:31:41	1	175	1079.4		68
9	MAY	2007	8:31:52	1	176	1079.4		68
9	MAY	2007	8:32:04	1	177	1079.4		68
9	MAY	2007	8:32:11	1	178	1079.4	1901.2	68
9	MAY	2007	8:32:21	1	179	1079.4		68
9	MAY	2007	8:32:31	1	180	1079.4		68
9	MAY	2007	8:32:41	1	181	1079.4		68
9	MAY	2007	8:32:51	1	182	1079.3		68
9	MAY	2007	8:33:02	1	183	1079.3		68
9	MAY	2007	8:33:14	1	184	1079.3		68
9	MAY	2007	8:33:21	1	185	1079.3		68
9	MAY	2007	8:33:31	1	186	1079.3		68
9	MAY	2007	8:33:41	1	187	1079.3		68
9	MAY	2007	8:33:51	1	188	1079.2		68
9	MAY	2007	8:34:02	1	189	1079.2		68
9	MAY	2007	8:34:14	1	190	1079.2		68
9	MAY	2007	8:34:21	1	191	1079.2		68
9	MAY	2007	8:34:31	1	192	1079.2		68
9	MAY	2007	8:34:41	1	193	1079.2		68
9	MAY	2007	8:34:51	1	194	1079.2		68
9	MAY	2007	8:35:02	1	195	1079.2		68
9	MAY	2007	8:35:14	1	196	1079.1		69
9	MAY	2007	8:35:21	1	197	1079.1		69
9	MAY	2007	8:35:31	1	198	1079.1		69
9	MAY	2007	8:35:41	1	199	1079.1		69
9	MAY	2007	8:35:51	1	200	1079.1		69
9	MAY	2007	8:36:02	1	201	1079.1		69
9	MAY	2007	8:36:14	1	202	1079.1		69
9	MAY	2007	8:36:21	1	203	1079		69
9	MAY	2007	8:36:31	1	204	1079		69
9	MAY	2007	8:36:41	1	205	1079		69

9	MAY	2007	8:36:51	1	206	1079		69
9	MAY	2007	8:37:01	1	207	1079		69
9	MAY	2007	8:37:12	1	208	1079	1901	69
9	MAY	2007	8:37:24	1	209	1079		69
9	MAY	2007	8:37:31	1	210	1079		69
9	MAY	2007	8:37:41	1	211	1079		69
9	MAY	2007	8:37:51	1	212	1078.9		69
9	MAY	2007	8:38:01	1	213	1078.9		69
9	MAY	2007	8:38:12	1	214	1077.5		69
9	MAY	2007	8:38:24	1	215	833.3		69
9	MAY	2007	8:38:31	1	216	569.4		69
9	MAY	2007	8:38:41	1	217	300.29		69
9	MAY	2007	8:38:51	1	218	31.597		69
9	MAY	2007	8:39:01	1	219	0		69
9	MAY	2007	8:39:12	1	220	0		69
9	MAY	2007	8:39:24	1	221	0		69
9	MAY	2007	8:39:31	1	222	0		69
9	MAY	2007	8:39:41	1	223	0		69
9	MAY	2007	8:39:51	1	224	0		69
9	MAY	2007	8:40:01	1	225	0		69
9	MAY	2007	8:40:11	1	226	0		69
9	MAY	2007	8:40:22	1	227	0		69
9	MAY	2007	8:40:34	1	228	0		69
9	MAY	2007	8:40:41	1	229	0		69
9	MAY	2007	8:40:51	1	230	0		69





Questar Exploration and Production Company
1571 East 1700 South
Vernal, UT 84078
Tel 435 781 4097 • Fax 435 781 4066

A. M. Petrik
Phone: 435-781-4092
Fax: 435-781-4066
Email: ann.petrik@questar.com

May 15, 2007

Via Certified Mail: 7006 2150 0002 4305 7947

Mr. Nathan Wiser (8ENF-UFO)
U.S. Environmental Protection Agency, Region 8
1595 Wynkoop Street
Denver, Colorado 80202-1129

RE: Mechanical Integrity Test (MIT)
for
WV 60
UIC #UT2565-03506
API #43-047-20019
Location: SWSE Section 15 T8S R21E


**Accepted by the
Utah Division of
Oil, Gas and Mining
FOR RECORD ONLY**

Dear Mr. Wiser:

Enclosed for the subject well is the successful MIT result including the Casing or Annulus Pressure Test form and the pressure test chart. The MIT for this well is a regularly scheduled test.

If you have any questions or require additional information, I can be reached at 435-781-4092.

Sincerely,



Ann M. Petrik
Office Administrator I

RECEIVED
MAY 17 2007

DIV. OF OIL, GAS & MINING

Enclosures: MIT Casing or Annulus Pressure Test Form
MIT Results Spreadsheet with Pressure Test Chart

cc: Utah Division of Oil Gas and Mining
1594 West North Temple, Suite 1210
P.O. Box 145801
Salt Lake City, Utah 84114-5801

U.S. Department of the Interior
Bureau of Land Management
Vernal District Office
170 South 500 East
Vernal, Utah 84078

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET (for state use only)

ROUTING
 CDW

Change of Operator (Well Sold)

X - Operator Name Change

The operator of the well(s) listed below has changed, effective:

6/14/2010

FROM: (Old Operator): N5085-Questar Exploration and Production Company 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 308-3048	TO: (New Operator): N3700-QEP Energy Company 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 308-3048
--	---

CA No.

Unit:

WONSITS VALLEY

WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED								

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/28/2010
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/28/2010
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/24/2010
- a. Is the new operator registered in the State of Utah: Business Number: 764611-0143
- a. (R649-9-2) Waste Management Plan has been received on: Requested
- b. Inspections of LA PA state/fee well sites complete on: n/a
- c. Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 8/16/2010 BIA not yet
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: 8/16/2010
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: N/A
- Underground Injection Control ("UIC")** Division has approved UIC Form 5 Transfer of Authority to **Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 6/29/2010

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 6/30/2010
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 6/30/2010
- Bond information entered in RBDMS on: 6/30/2010
- Fee/State wells attached to bond in RBDMS on: 6/30/2010
- Injection Projects to new operator in RBDMS on: 6/30/2010
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: ESB000024
- Indian well(s) covered by Bond Number: 965010693
- a. (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965010695
- b. The **FORMER** operator has requested a release of liability from their bond on: n/a

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER: See attached
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: See attached
		7. UNIT or CA AGREEMENT NAME: See attached
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____	8. WELL NAME and NUMBER: See attached	
2. NAME OF OPERATOR: Questar Exploration and Production Company <i>N5085</i>		9. API NUMBER: Attached
3. ADDRESS OF OPERATOR: 1050 17th Street, Suite 500 CITY Denver STATE CO ZIP 80265	PHONE NUMBER: (303) 672-6900	10. FIELD AND POOL, OR WILDCAT: See attached
4. LOCATION OF WELL FOOTAGES AT SURFACE: See attached		COUNTY: Attached
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>6/14/2010</u> <input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Operator Name Change</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective June 14, 2010 Questar Exploration and Production Company changed its name to QEP Energy Company. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:
 Federal Bond Number: 965002976 (BLM Reference No. ESB000024) *N3700*
 Utah State Bond Number: ~~965003033~~ } *965010695*
 Fee Land Bond Number: ~~965003033~~
 BIA Bond Number: ~~799446~~ *965010693*

The attached document is an all inclusive list of the wells operated by Questar Exploration and Production Company. As of June 14, 2010 QEP Energy Company assumes all rights, duties and obligations as operator of the properties as described on the list

NAME (PLEASE PRINT) <u>Morgan Anderson</u>	TITLE <u>Regulatory Affairs Analyst</u>
SIGNATURE <i>Morgan Anderson</i>	DATE <u>6/23/2010</u>

(This space for State use only)

RECEIVED
JUN 28 2010
DIV. OF OIL, GAS & MINING

APPROVED 6/30/2009
Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)
WONSITS VALLEY
effective June 14, 2010

well_name	sec	twp	rng	api	entity	mineral lease	type	stat	C
WV 16	15	080S	210E	4304715447	5265	Federal	WI	A	
WV 21	16	080S	210E	4304715452	5670	State	WI	A	
WV 31	14	080S	210E	4304715460	5265	Federal	WI	A	
WV 35	14	080S	210E	4304715463	5265	Federal	WI	A	
WV 36	10	080S	210E	4304715464	5265	Federal	WI	A	
WV 41	15	080S	210E	4304715469	5265	Federal	WI	A	
WV 50	15	080S	210E	4304715477	5265	Federal	WI	A	
WV 59	14	080S	210E	4304720018	5265	Federal	WI	A	
WV 60	15	080S	210E	4304720019	5265	Federal	WI	A	
WV 67	15	080S	210E	4304720043	5265	Federal	WI	A	
WV 68	15	080S	210E	4304720047	5265	Federal	WI	A	
WV 72	16	080S	210E	4304720058	5670	State	WI	A	
WV 73	16	080S	210E	4304720066	5265	State	WI	PA	
WV 78	16	080S	210E	4304720115	5670	State	WI	A	
WV 97	11	080S	210E	4304730014	5265	Federal	WI	A	
WV 126	21	080S	210E	4304730796	5265	Federal	WI	A	
WV 28-2	11	080S	210E	4304731524	5670	Federal	WI	A	
WV 140	15	080S	210E	4304731707	5265	Federal	WI	A	
WV 40-2	10	080S	210E	4304731798	5265	Federal	WI	A	
WV 143	10	080S	210E	4304731808	5265	Federal	WI	A	
WV 71-2	15	080S	210E	4304732449	5265	Federal	WI	A	
WV 120	22	080S	210E	4304732462	5265	Federal	WI	A	
WV 3G-8-8-22	08	080S	220E	4304734596	5265	Federal	WI	A	

Bonds: BLM = ESB000024
BIA = 956010693
State = 965010695



United States Department of the Interior



BUREAU OF LAND MANAGEMENT

Utah State Office

P.O. Box 45155

Salt Lake City, UT 84145-0155

<http://www.blm.gov/ut/st/en.html>

IN REPLY REFER TO:
3100
(UT-922)

JUL 28 2010

Memorandum

To: Vernal Field Office, Price Field Office, Moab Field Office

From: Chief, Branch of Minerals

Roger L. Bankert

Subject: Name Change Recognized

Attached is a copy of the Certificate of Name Change issued by the Texas Secretary of State and a decision letter recognizing the name change from the Eastern States Office. We have updated our records to reflect the name change in the attached list of leases.

The name change from **Questar Exploration and Production Company** into **QEP Energy Company** is effective June 8, 2010.

cc: MMS
UDOGM

RECEIVED

AUG 16 2010

DIV. OF OIL, GAS & MINERALS

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

UIC FORM 5


TRANSFER OF AUTHORITY TO INJECT

Well Name and Number See Attached List	API Number Attached
Location of Well Footage : Attached County :	Field or Unit Name Attached
QQ, Section, Township, Range: State : UTAH	Lease Designation and Number Attached

EFFECTIVE DATE OF TRANSFER: 6/14/2010


CURRENT OPERATOR

Company: Questar Exploration and Production Company
Address: 1050 17th Street, Suite 500
city Denver state CO zip 80265
Phone: (303) 672-6900
Comments:

Name: Ann Petrik
Signature: 
Title: Engineering Analyst
Date: 6/28/2010

NEW OPERATOR

Company: QEP Energy Company
Address: 1050 17th Street, Suite 500
city Denver state CO zip 80265
Phone: (303) 672-6900
Comments:

Name: Ann Petrik
Signature: 
Title: Engineering Analyst
Date: 6/28/2010

(This space for State use only)

Transfer approved by: _____
Title: _____

Approval Date: _____

Comments:

**Accepted by the
Utah Division of
Oil, Gas and Mining**
Date: 6/29/10
By: D. Jones

EPA approved well

RECEIVED

JUN 28 2010

DIV. OF OIL, GAS & MINING