

7650
5022
- 2678 KW

Subsequent Report of Abandonment

FILE NOTATIONS

Entered in NID File

Entered on S R Sheet

Location Map Pinned

Card Indexed

I W R for State or Fee Land

Checked by Chief PWB

Copy NID to Field Office

Approval Letter

Disapproval Letter

COMPLETION DATA:

Date Well Completed 6-22-52

Location Inspected

OW

WW

TA

Bond released

GW

OS

PA

State of Fee Land

LOGS FILED

Driller's Log 7-10-52

Electric Logs (No.) 1

E

EI

GR

GRN

Micro

Lat

Mid

Sonic

Others Radiocarbon

4-9-92 JEF

(SUBMIT IN TRIPPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Lead Office Salt Lake City
Lease No. 065901
Unit Vernal



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

February 27, 1952

Well No. U.S.A. #1 is located 660 ft. from SW line and 660 ft. from W line of sec. 9

SW SW Sec. 9 (4 Sec. and Sec. No.) 68 (Twp.) 21E (Range) BLM (Meridian)
Vernal W0 (Field) Utah (County or Subdivision) Utah (State or Territory)

The elevation of the derrick floor above sea level is _____ ft. (Not available at present time.)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

- Rotary drilling equipment will be used to test the Wasatch Formation at approximately 8500'.
- Surface Formation - Duchesne River
 - Casing Program - Surface Casing - Approximately 600' of 10 3/4" OD 2-55
Oil String - Approximately 8400' of 7" OD 2-55 & 2-80
 - Mud Program - Conventional drilling mud will be used
 - Drill Stem Tests - Tests will be taken to evaluate all oil or gas shows
 - Logs - Electric Logs, etcetera, will be run before setting casing or abandonment of well.

(SEE ATTACHED RIDER FOR APPROVAL)

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Carter Oil Company

Address Box 591

Vernal, Utah

By COPY (ORIGINAL SIGNED) J. D. Nunan
Title J. D. Nunan District Engineer

RECEIVED
 JUL 28 1953
 U.S. GEOLOGICAL SURVEY
 SALT LAKE CITY, UTAH

Budget Bureau No. 42-R356.3.
 Approval expires 12-31-52.

UNITED STATES
 DEPARTMENT OF THE INTERIOR
 GEOLOGICAL SURVEY

LAND OFFICE Salt Lake City
 LEASE NUMBER 045901
 UNIT H. S. A. #1
Vernal

LESSEE'S MONTHLY REPORT OF OPERATIONS

State Utah County Uintah Field Vernal WC #6

The following is a correct report of operations and production (including drilling and producing wells) for the month of February, 19 52,

Agent's address Box 591 Company The Carter Oil Company
Vernal, Utah Signed COPY ORIGINAL SIGNED H. W. McCORMICK


Phone 590 Agent's title H. W. McCormick District Superintendent

SEC. AND 1/4 OF 1/4	TWP.	RANGE	WELL NO.	DAYS PRODUCED	BARRELS OF OIL	GRAVITY	CU. FT. OF GAS (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
Sec 9 SW SW	6S	21E	1							Drilling @ 2005'.

ORIGINAL FORWARDED TO CASPER

NOTE.—There were _____ runs or sales of oil; _____ M. cu. ft. of gas sold;

_____ runs or sales of gasoline during the month. (Write "no" where applicable.)
 NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
CONSERVATION DIVISION

Sec. 9
T. 6 S.
R. 21 E.
S. L. Mer.
Ref. No. 1

INDIVIDUAL WELL RECORD

PUBLIC LAND:

Date March 6, 1952

Land office Salt Lake City State Utah
Serial No. 065501 County Uintah
Lessee The Carter Oil Company Field Vernal Unit Area
Operator The Carter Oil Company District Salt Lake City
Well No. 1 Subdivision C SW¹/₄SW¹/₄
Location 660 ft. from S. line and 660 ft. from W. line of sec. 9

Drilling approved March 5, 19 52 Well elevation 5022 feet
Drilling commenced February 22, 19 52 Total depth 9002 feet
Drilling ceased June 27, 19 52 Initial production _____
Completed for production _____, 19 _____ Gravity A. P. I. _____
Abandonment approved _____, 19 _____ Initial R. P. _____

Geologic Formations		Name	Productive Horizons	Contents
Surface	Lowest tested		Depths	
<u>Duchesne River</u>	<u>Wasatch</u>			<u>Dry Hole</u>

WELL STATUS

YEAR	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1952			Drg	Drg	Drg	Abd	Abd					

REMARKS New - noncompetitive lease issued under sec. 17 of Act of 8-8-46
Casing: 10-3/4" cc at 579' w/275 sax
570' / Top of ~~Duchesne River~~ Uinta 2000'
Breen River 4580'
Wasatch 7650'

(SUBMIT IN TRIPLICATE)

Land Office Salt Lake City

Lease No. 065501

Unit Vernal

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

9

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	<u>Report of DST</u>	<input checked="" type="checkbox"/>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 15, 1952

Well No. U.S.A. #1 is located 660 ft. from IXX S line and 660 ft. from IXX W line of sec. 9

SW SW Sec. 9
(¼ Sec. and Sec. No.)

6S
(Twp.)

21E
(Range)

S1M
(Meridian)

Vernal WC
(Field)

Uintah
(County or Subdivision)

Utah
(State or Territory)

The elevation of the derrick floor above sea level is 5022 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

T.D. 4445'. Packer set @ 4393'. Tool open 1 hour. Fair blow initially, increasing to good blow which continued throughout test. Recovered 652' of water, mud and gas-cut. Initial flow pressure 105#, final flow pressure 315#, 15 minute shut in pressure 1455#.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Carter Oil Company

Address Box 591

Vernal, Utah

Z. L. Grimes

By

Z. L. Grimes

Title

District Foreman

(SUBMIT IN TRIPLICATE)

Land Office Salt Lake City
Lease No. 065501
Unit Vernal

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

9

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		<u>Report of Setting Surface Casing</u>	<u>*</u>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 21, 1952

Well No. U.S.A. #1 is located 660 ft. from XN line and 660 ft. from BI line of sec. 9

SW SW Sec. 9
(¼ Sec. and Sec. No.)

6S
(Twp.)

21E
(Range)

SLM
(Meridian)

Vernal WC
(Field)

Uintah
(County or Subdivision)

Utah
(State or Territory)

The elevation of the derrick floor above sea level is 5022 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded 8:45 PM 2/22/52. Set 570' (18 Joints) 10 3/4" OD 40.5# J-55 casing @ 579' with 275 sack cement plus 3% Bentonite. Good cement returns to surface. Job completed at 3:30 A.M. 2/27/52.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Carter Oil Company

Address Box 591

Vernal, Utah

J. D. Nunan

By COPY (ORIGINAL SIGNED) J. D. Nunan
Title District Engineer

Land Office Salt Lake City
Lease No. 065501
Unit Vernal

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

9

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	Report of Drill Stem Test *

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 25, 1952

Well No. U.S.A. #1 is located 660 ft. from SW line and 660 ft. from W line of sec. 9

SW SW Sec. 9
(¼ Sec. and Sec. No.)

6S
(Twp.)

21E
(Range)

SLM
(Meridian)

Vernal WC
(Field)

Uintah
(County or Subdivision)

Utah
(State or Territory)

The elevation of the derrick floor above sea level is 5022 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

T.D. 5027'. Packer set @ 4822'. Tool open 1 hour. Good blow throughout test.
Recovered 3720' fluid: 720' water-cut mud and 3000' very slightly gas-cut water.
Salt content of water 1562 P.P.M. Initial flow pressure 900#, final flow pressure 1900#, 15 minute shut in pressure 2150#.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Carter Oil Company

Address Box 591

Vernal, Utah

By

Z. L. Grimes

Title

District Foreman

(SUBMIT IN TRIPLICATE)

Land Office Salt Lake City
Lease No. 065501
Unit Vernal

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	<u>Report of Drill Stem Test</u>	*

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 31, 1952

Well No. U.S.A. #1 is located 660 ft. from SW line and 660 ft. from W line of sec. 9

SW SW Sec. 9
(¼ Sec. and Sec. No.)

6S
(Twp.)

21E
(Range)

SLM
(Meridian)

Vernal WC
(Field)

Uintah
(County or Subdivision)

Utah
(State or Territory)

The elevation of the derrick floor above sea level is 5022 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Total depth 5314'. Packer set @ 5167'. Tool open 1 hour 25 minutes. Good blow throughout test. Recovered 3240' water slightly salty (7100 PPM) and gas-cut. Initial flow pressure 475#, final flow pressure 1500#, 20 minute shut-in pressure 2150#, hydrostatic pressure 2900#.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Carter Oil Company

Address Box 591

Vernal, Utah

By

J. D. Nunan
COPY (ORIGINAL SIGNED) J. D. Nunan

Title

J. D. Nunan
District Engineer

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LAND OFFICE _____
LEASE NUMBER 065501
UNIT U.S.A. #1

LESSEE'S MONTHLY REPORT OF OPERATIONS


State Utah County Uintah Field Vernal No. 46

The following is a correct report of operations and production (including drilling and producing wells) for the month of March, 1952,

Agent's address Box 591 Company The Carter Oil Company
Vernal, Utah Signed COPY ORIGINAL SIGNED C. L. COOKSEY

Phone 590 Agent's title District Superintendent

SEC. AND 1/4 OF 1/4	TWP.	RANGE	WELL NO.	DATE PRODUCED	BARRELS OF OIL	GRAVITY	CU. FT. OF GAS (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
See 9 SW SW	68	21E	1							Drilling @ 5392'.



NOTE.—There were _____ runs or sales of oil; _____ M. cu. ft. of gas sold;

_____ runs or sales of gasoline during the month. (Write "no" where applicable.)



NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

Form 9-331a
(Feb. 1951)

Land Office Salt Lake City
 Lease No. 065501
 Unit Vernal

(SUBMIT IN TRIPLICATE)

UNITED STATES
 DEPARTMENT OF THE INTERIOR
 GEOLOGICAL SURVEY



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	Report of Drill Stem Test	*

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 22, 1952

Well No. U.S.A. #1 is located 660 ft. from XXX line and 660 ft. from XXX line of sec. 9
 (S) (W)
SW SW Sec. 9 6S 21E SLM
 (1/4 Sec. and Sec. No.) (Twp) (Range) (Meridian)
Vernal W3 Uintah Utah
 (Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5022 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

TD 6922'. Packer set @ 6892'. Tool open 1 hour. Very weak blow for 38 minutes and died. Recovered 30' very slightly gas-cut mud. All pressures 0.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Carter Oil Company
 Address Box 591
Vernal, Utah
 By Z. L. Grimes
 Title District Foreman

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LAND OFFICE _____
LEASE NUMBER 045501
UNIT U. S. A. #1

LESSEE'S MONTHLY REPORT OF OPERATIONS

State Utah County Uintah Field Vernal WJ #6

The following is a correct report of operations and production (including drilling and producing wells) for the month of April, 19 52,

Agent's address Box 591 Company The Carter Oil Company
Vernal, Utah Signed COPY ORIGINAL SIGNED C. L. COOKSEY
Phone 590 Agent's title District Superintendent

SEC. AND 1/4 OF 1/4	TWP.	RANGE	WELL NO.	DAYS PRODUCED	BARRELS OF OIL	GRAVITY	CU. FT. OF GAS (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
Sec 9 SW SW	68	21E	1							Coring @ 7240'.

RECEIVED
MAY 7 1952
U. S. GEOLOGICAL SURVEY
WYOMING

NOTE.—There were _____ runs or sales of oil; _____ M. cu. ft. of gas sold;

_____ runs or sales of gasoline during the month. (Write "no" where applicable.)

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

Form 9-331a
(Feb. 1951)


(SUBMIT IN TRIPLICATE)

Land Office Salt Lake City

Lease No. 065501

Unit Vernal

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	<u>Report of Drill Stem Test</u> *

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

May 4, 1952

Well No. U.S.A. #1 is located 660 ft. from SW line and 660 ft. from W line of sec. 9

SW SW Sec. 9
($\frac{1}{4}$ Sec. and Sec. No.)

6S
(Twp.)

21E
(Range)

SLM
(Meridian)

Vernal WC
(Field)

Uintah
(County or Subdivision)

Utah
(State or Territory)

G.L.

The elevation of the derrick floor above sea level is 5022 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

T.D. 7240'. Packer set @ 7167'. Tool open 1 hour. Weak blow initially increasing to good blow throughout test. Recovered 150' gas cut mud and 685' water. IFP 0#, FFP 500#, 20 minute SIP 510#.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Carter Oil Company

Address Box 591

Vernal, Utah

J. D. Nunan

COPY (ORIGINAL SIGNED) J. D. Nunan

By J. D. Nunan
Title District Engineer

(SUBMIT IN TRIPLICATE)
UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake City
Lease No. 065501
Unit Vernal

9

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	<u>Report of Drill Stem Test</u>	*

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

May 7, 19 52

Well No. U.S.A. #1 is located 660 ft. from TX line and 660 ft. from WX line of sec. 9

SW SW Sec. 9
(1/4 Sec. and Sec. No.)

6S
(Twp.)

21E
(Range)

SLM
(Meridian)

Vernal WC
(Field)

Uintah
(County or Subdivision)

Utah
(State or Territory)

G.L.

The elevation of the derrick floor above sea level is 5022 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

T.D. 7325'. Packer set @ 7230'. Tool open 2 hours. Weak blow throughout test. Recovered 80' slightly gas cut drilling fluid and 10' of 34.4 gravity 105° pour point yellowish oil on top. Initial flow pressure 0#, final flow pressure 0#, 45-minute shut-in pressure 300#.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Carter Oil Company

Address Box 591

Vernal, Utah

J. D. Nunan
By

COPY (ORIGINAL SIGNED) J. D. Nunan

Title J. D. Nunan
District Engineer

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake City

Lease No. 065501

Unit Vernal

MAY 11 1952

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	<u>Report of Drill Stem Test</u>	*

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

May 10, 1952

Well No. U.S.A. #1 is located 660 ft. from TXN line and 660 ft. from WX line of sec. 9
SW SW Sec. 9 6S 21E SLM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Vernal WC Uintah Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5022 ft. G.L.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

T.D. 7394'. Packer set @ 7340'. Tool open 1 hour. Weak blow for 30 minutes and died. Recovered 30' drilling mud. No shows. All pressures 0.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Carter Oil Company

Address Box 591

Vernal, Utah

By J. D. Nunan
 Title District Engineer

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LAND OFFICE Salt Lake City
LEASE NUMBER 065501
UNIT U. S. A. #1

LESSEE'S MONTHLY REPORT OF OPERATIONS

State Utah County Uintah Field Vernal WC #6

The following is a correct report of operations and production (including drilling and producing wells) for the month of May, 1952,

Agent's address Box 591 Company The Carter Oil Company
Vernal, Utah Signed COPY ORIGINAL C. L. COOKSEY
Phone 591 Agent's title District Superintendent

SEC. AND 1/4 OF 1/4	TWP.	RANGE	WELL NO.	DAYS PRODUCED	BARRELS OF OIL	GRAVITY	CU. FT. OF GAS (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
Sec 9 SW SW	6S	21E	1							Coring @ 8237'.

JUN 9 1952

NOTE.—There were _____ runs or sales of oil; _____ M. cu. ft. of gas sold; _____ runs or sales of gasoline during the month. (Write "no" where applicable.)

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

(SUBMIT IN TRIPLICATE)

Land Office Salt Lake City
Lease No. 065501
Unit Vernal

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

ORIGINAL FORWARDED TO CASPER

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO TEST OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	<u>Report of Drill Stem Test</u>	<u>#</u>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 4, 1952

Well No. U.S.A. #1 is located 660 ft. from DX line and 660 ft. from W line of sec. 9

SW SW Sec. 9
(¼ Sec. and Sec. No.)

65
(Twp.)

21E
(Range)

SLM
(Meridian)

Vernal WC
(Field)

Uintah
(County or Sub-Division)

Utah
(State or Territory)

G.L.

The elevation of the derrick floor above sea level is 5022 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

T.D. 8301'. Packer set @ 8245'. 636' water cushion. Tool open 2 hours.
Weak blow throughout test. Recovered water cushion and 150' of slightly oil
and gas cut drilling mud. Initial flow pressure 625#, final flow pressure 625#,
45-minute shut-in pressure 2700#.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Carter Oil Company

Address Box 591

Vernal, Utah

By

Title



COPY (ORIGINAL SIGNED) J. D. Nunan
J. D. Nunan
District Engineer

Form 9-331a
(Feb. 1951)

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake City
Lease No. 065501
Unit Vernal



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	<u>Report of Drill Stem Test</u>	*

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 22, 19 52

Well No. U.S.A. #1 is located 660 ft. from XXN S line and 660 ft. from XXE W line of sec. 9

SW SW Sec. 9
(1/4 Sec. and Sec. No.)

6S
(Twp.)

21E
(Range)

SLM
(Meridian)

Vernal 13
(Field)

Uintah
(County or Subdivision)

G.L.

Utah
(State or Territory)

The elevation of the derrick floor above sea level is 5022 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

T.D. 8845'. Packer set @ 8802'. Open 1 hour. Very slight blow initially, dead in 13 minutes. Recovered 10' drilling mud. All pressures 0#.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Carter Oil Company

Address Box 591

Vernal, Utah

COPY (ORIGINAL SIGNED) J. D. Nunan

By

J. D. Nunan

Title

District Engineer


(SUBMIT IN TRIPLICATE)

Land Office Salt Lake City

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Lease No. 065501

Unit Vernal



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	*		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 27, 19 52

Well No. U.S.A. #1 is located 660 ft. from SW line and 660 ft. from W line of sec. 9

SW Sec. 9
(1/4 Sec. and Sec. No.)

6S
(Twp.)

21E
(Range)

SLM
(Meridian)

Vernal WC
(Field)

Uintah
(County or Subdivision)

Utah
(State or Territory)

G.L.

The elevation of the derrick floor above sea level is 5022 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

T.D. 9002'. 10-3/4" surface pipe set @ 570'. The well will be plugged as follows:

- heavy mud - 9002' to 620'
- 50 sacks cement - 620' to 520'
- Heavy mud - 520' to 15'
- 10 sacks cement - 15' to 0'.

4" marker cemented in cellar 4' above ground level. No water or oil sands present. Verbal approval from C. A. Faustman 6-27-52.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Carter Oil Company

Address Box 591

Vernal, Utah

By

Z. L. Grimes

Title District Foreman

C. A. Faustman

POOR COPY

RECEIVED
 JUL 28 1953
 U.S. GEOLOGICAL SURVEY
 SALT LAKE CITY, UTAH

UNITED STATES
 DEPARTMENT OF THE INTERIOR
 GEOLOGICAL SURVEY

Budget Bureau No. 42-B366.3.
 Approval expires 12-31-52.

LAND OFFICE Salt Lake City
 LEASE NUMBER 065501
 UNIT U. S. A. #1
Vernal

LESSEE'S MONTHLY REPORT OF OPERATIONS

State Utah County Uintah Field Vernal WC #6

The following is a correct report of operations and production (including drilling and producing wells) for the month of June, 1952,

Agent's address Box 591 Company The Carter Oil Company
Vernal, Utah Signed COPY ORIGINAL SIGNED H. W. McCORMICK

Phone 590 Agent's title H. W. McCormick
Dist. Eng.

SEC. AND 1/4 OF 1/4	TWP.	RANGE	WELL NO.	DAYS PRODUCED	BARRELS OF OIL	GRAVITY	CU. FT. OF GAS (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
Sec 9 SW SW	6S	21E	1							Dry and abandoned June 27, 1952.


ORIGINAL FORWARDED TO CASPER

NOTE.—There were _____ runs or sales of oil; _____ M. cu. ft. of gas sold;

_____ runs or sales of gasoline during the month. (Write "no" where applicable.)

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

U. S. LAND OFFICE Salt Lake City
 SERIAL NUMBER 065501
 LEASE OR PERMIT TO PROSPECT _____



LOCATE WELL CORRECTLY

UNITED STATES
 DEPARTMENT OF THE INTERIOR
 GEOLOGICAL SURVEY



ORIGINAL FORWARDED TO CASPER

LOG OF OIL OR GAS WELL

Company The Carter Oil Company Address Vernal, Utah
 Lessor or Tract U. S. A. Field Vernal W.C. #6 State Utah
 Well No. 1 Sec. 9 T. 6S R. 21E Meridian Salt Lake County Uintah
 Location 660 ft. {N.} of N. Line and 660 ft. {E.} of E. Line of SW SW Elevation 5022 G.L.
(Derive floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed **COPY ORIGINAL SIGNED C. L. COOKSEY**

Date July 10, 1952 Title District Superintendent

The summary on this page is for the condition of the well at above date.

Commenced drilling February 22, 1952 Finished drilling June 27, 1952

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from _____ to _____ No. 4, from _____ to _____
 No. 2, from _____ to _____ No. 5, from _____ to _____
 No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from 4865' to 4915' No. 3, from 7220' to 7230'
 No. 2, from 5195' to 5205' No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	
10 3/4	40.5	8rd	Sals	570'	Larkin				

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
10 3/4	479	275 + 3% Bentonite	Halliburton	11.3	

PLUGS AND ADAPTERS

Plugging plug—Material _____ Length _____ Depth set _____
 Adapters—Material _____

MARK

Shot	Shell used	Explosive used	Quantity	Date	Depth shot	Depth casing set

TOOLS USED

Rotary tools were used from 0 feet to 9002 feet, and from _____ feet to _____ feet
 Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

DATES

_____ 19__ Put to producing **Dry Hole** _____, 19__
 The production for the first 24 hours was _____ barrels of fluid of which _____ % was oil; _____ %
 emulsion; _____ % water; and _____ % sediment. Gravity, °Bé. _____
 If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
 Rock pressure, lbs. per sq. in. _____

EMPLOYEES

_____, Driller _____, Driller
 _____, Driller _____, Driller

FORMATION RECORD

FROM-	TO-	TOTAL FEET	FORMATION
0	2000	2000	Duchesne River Formation: Predom. variegated and red shales with a considerable amount of med. to fine grain buff sandstones, very conglomeritic.
2000	4580	2580	Uinta Formation: Predom. variegated and red shales with some white to buff medium grain sandstone. Very few conglomerites.
4580	7650	2670	Green River Formation: Predom. black to dark gray oil shale with fine to medium grain tight sandstones, also some dark gray fossiliferous limestones.
7650	9002	351	Wasatch Formation: Predom. variegated shales and siltstones with tan and light colored tight sandstones.

HISTORY OF OIL OR GAS WELL

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidetracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or bailing.

Completed as a dry hole 6-27-52. Filled with heavy mud 9002-620' 50 sacks cement from 620-520', heavy mud from 520-15' and 10 sacks cement from 15' to 0. 10-3/4" surface pipe abandoned in hole, 790'. A 4" x 4' drill pipe marker was cemented in cellar extending 4' above ground level. Job completed 11:30 P.M. on June 27, 1952.


COPY SIGNED ORIGINAL C. F. COOKER

HISTORY OF OIL OR GAS WELL

GEOLOGICAL SURVEY

DEPARTMENT OF THE INTERIOR

UNITED STATES




DIVISION OF PETROLEUM RESOURCES
BUREAU OF OIL RESERVES
WASHINGTON, D. C.

PAID ONLY

STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION

Salt Lake City, Utah



LOCATE WELL CORRECTLY

To be kept Confidential until _____
(Not to exceed 4 months after filing date)

LOG OF OIL OR GAS WELL

Operating Company The Carter Oil Company Address Vernal, Utah
Lease or Tract U. S. A. Field Vernal W.C. #6 State Utah
Well No. 1 Sec. 9 T. 6S R. 21E Meridian Salt Lake County Uintah
Location 660 ft. S. of N. Line and 660 ft. W. of E. Line of SW SW Elevation 5022 G.L.
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed _____

Date July 10, 1952

Title District Superintendent

The summary on this page is for the condition of the well at above date.

Commenced drilling February 22, 1952 Finished drilling June 27, 1952

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from _____ to _____ No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from 4865' to 4915' No. 3, from 7220' to 7230'
No. 2, from 5195' to 5205' No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	
10 3/4	40.5	8rd	Sm1s	570'	Larkin				

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
10 3/4	479	275 / 3% Bentonite	Halliburton	11.3	

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____

Adapters—Material _____ Size _____

FOLD MARK

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from 0 feet to 9002 feet, and from _____ feet to _____ feet
 Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

DATES

Date P & A _____, 19____ Put to producing ~~Dry Hole~~ _____, 19____

The production for the first 24 hours was _____ barrels of fluid of which _____% was oil; _____% emulsion; _____% water; and _____% sediment. Gravity, °Bé. _____

If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____

Rock pressure, lbs. per sq. in. _____

EMPLOYEES

_____, Driller _____, Driller
 _____, Driller _____, Driller

FORMATION RECORD

FROM-	TO-	TOTAL FEET	FORMATION
			At the end of complete Driller's Log add Geologic Tops. State whether from Electric Logs or samples.
0	2000	2000	Duchesne River Formation: Predom. variegated and red shales with a considerable amount of med. to fine grain buff sandstones, very conglomeritic.
2000	4580	2580	Uinta Formation: Predom. variegated and red shales with some white to buff medium grain sandstone. Very few conglomerites.
4580	7650	2670	Green River Formation: Predom. black to dark gray oil shale with fine to medium grain tight sandstones, also some dark gray fossiliferous limestones.
7650	9002	351	Wasatch Formation: Predom. variegated shales and siltstones with tan and light colored tight sandstones.

[OVER]

FEB 25 1966

FEB 25 1966

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake City
Lease No. 065501
Unit Vernal

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....*
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 30, 1952

Well No. U.S.A. #1 is located 660 ft. from 11X line and 660 ft. from 11A line of sec. 9

S^W 34 Sec. 9 63 21E SLA
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Vernal WC Utah Utah
(Field) (County or Subdivision) (State or Territory)

G.I.

The elevation of the derrick floor above sea level is 5022 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

T.D. 9002'. 10 3/4" surface pipe set @ 570'. The well was plugged as follows:

9002' - 620'	Heavy mud
620' - 520'	50 sacks cement
520' - 15'	Heavy mud
15' - 0'	10 sacks cement

A 4" x 4" drill pipe marker was cemented in cellar extending 4' above ground level. Job completed 11:30 P.M. 6-27-52.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Carter Oil Company
Address Box 591
Vernal, Utah
By J. D. Nunan COPY (ORIGINAL SIGNED)
Title District Engineer

U.S. ARMY ENGINEER DISTRICT, SACRAMENTO

CORPS OF ENGINEERS

FEDERAL & COURTS BLDG., 650 CAPITOL AVE.
P. O. BOX 1739, SACRAMENTO 8, CALIFORNIA

ADDRESS REPLY TO
DISTRICT ENGINEER

28 MAR 1963

REFER TO SPKRC

449-2000
~~449-2000~~

State of Utah
Oil and Gas Conservation Commission
Newhouse Building
Salt Lake City, Utah

Gentlemen:

Certain public lands were withdrawn by Public Land Order 2654, dated 14 March 1962, in the vicinity of Vernal, Utah, for the Vela-Uniform program which is in the national defense effort to improve our capacity to detect and identify underground nuclear explosions.

In this connection the Government's contractor desires to install a shock-measuring device in the abandoned Carter USA No. 1 well located in the southwest quarter of the southwest quarter of Section 9, Township 6 South, Range 21 East, S.L. M., Uintah County, Utah. This installation is not in connection with any oil or gas exploration. When the seismic tests are completed the well will be recapped.

The installation of this device is most urgent to the Government's testing program. Your immediate permission and approval of this matter will be appreciated.

Sincerely yours,

W. Wright Henderson
for CREED B. CARD
Chief, Real Estate Division

Sept 2303

McKittie

April 1, 1963

U. S. Army Engineer Dist., Sacramento
Corps of Engineers
Federal & Courts Building, 650 Capitol Ave.
P. O. Box 1739
Sacramento 8, California

Re: Well No. Carter USA #1
Sec. 9, T. 6 S, R. 21 E.,
Uintah County, Utah

Gentlemen:

Your request to re-enter the above mentioned well for the purpose of installing shock-measuring device is hereby approved.

When the seismic tests are completed would you please advise this office and the Oil and Gas Branch of the U. S. Geological Survey in order that said well may be re-plugged in accordance with existing State and Federal Rules.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FRIGHT
EXECUTIVE DIRECTOR

CBF:cnp

cc: Don Russell, Dist. Eng.,
USGS, Salt Lake City, Utah

February 21, 1966

Humble Oil & Refining Company
P. O. Box 120
Denver, Colorado 80201

Re: Well No. Carter USA #1
Sec. 9, T. 6 S., R. 21 E.,
Uintah County, Utah

Gentlemen:

This letter is to advise you that the electric and/or radioactivity logs for the above mentioned well are due and have not been filed with this Commission as required by our rules and regulations.

If electric and/or radioactivity logs were not run, please make a statement to that effect in order to keep our records accurate and complete.

Thank you for your cooperation in this request.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

ANNETTE R. HANSEN
RECORDS CLERK

ARH:kh

COMMISSIONERS

G. S. THOMSON
CHAIRMAN

R. HENDERSON
M. V. HATCH
J. H. REESE
D. M. DRAPER

EXECUTIVE DIRECTOR
C. B. FEIGHT



PETROLEUM ENGINEERS

PAUL W. BURCHELL
CHIEF ENGINEER

THE STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION

348 EAST SOUTH TEMPLE
SUITE 301
SALT LAKE CITY, UTAH 84111

DAvis 8-5771

February 21, 1966

Humble Oil & Refining Company
P. O. Box 120
Denver, Colorado 80201

Re: Well No. Carter USA #1
Sec. 9, T. 6 S., R. 21 E.,
Uintah County, Utah

Gentlemen:

This letter is to advise you that the electric and/or radio-activity logs for the above mentioned well are due and have not been filed with this Commission as required by our rules and regulations.

If electric and/or radioactivity logs were not run, please make a statement to that effect in order to keep our records accurate and complete.

Thank you for your cooperation in this request.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

ANNETTE R. HANSEN
RECORDS CLERK

ARH:kh

2-23-66

Driller's log, E log and Radioactivity log enclosed.

Humble Oil & Ref. Co.

by Geo. A. Ashland, Jr.

*W&G
Contract #1*

Branch of Oil and Gas Operations
8416 Federal Building
Salt Lake City, Utah, 84111

April 15, 1970

*File in records of
withdrawal*

Memorandum

To: State Director, BLM, Salt Lake City
From: District Engineer, Salt Lake City
Subject: Proposed Withdrawal and Reservation of Lands

Please refer to the notice of proposed withdrawal and reservation of lands, Utah 11462, on page 5969, Federal Register Vol. 35, No. 70, Friday, April 10, 1970. (Copy attached)

A check of the lands involved with existing facilities of the Vela-Uniform program shows the lands do not conform very well with the existing facilities. Attached is a portion of a map showing lands involved outlined in red and the deep well and area of facilities circled in blue. The proposed withdrawal includes the same lands included in the Vela-Uniform withdrawal, but you will note that the facilities lie close to the southern boundary of the proposed withdrawal.

I have not been appraised of the land use or land needs for the proposed seismic observatory. However, it appears that the lands might be consolidated to an area surrounding the existing facilities and possibly reduced in size. In dashed lines on the attached map, I have shown various sized units, 40, 360, and 1000 acres, which would better surround the existing facilities.

As a matter of interest, there are producing oil and gas wells about two miles to the south and southwest of the deep well circled in blue and a likelihood of further oil and gas development in the general area.

In summary, I see no objection to the proposed withdrawal in principle but suggest the possibility of withdrawing those lands which better enclose the existing facilities and reducing the area to only that which is necessary for the program.

(ORIG. SGD.) R. A. SMITH

Rodney A. Smith

Attachments

cc: State Oil & Gas Con. Div. ✓

*Jack! Paul: This is the V. of U. project. I doubt that they need
over 40 or 360 acres
Kool*

has been established to my satisfaction that the circumstances regarding the conviction and the applicant's character and reputation are such that the granting of the relief would not be contrary to the public interest.

Therefore, pursuant to the authority vested in the Secretary of the Treasury by section 925(c), title 18, United States Code and delegated to me by 26 CFR 178.144: *It is ordered*, That Harold L. Winebarger be, and he hereby is, granted relief from any and all disabilities imposed by Federal laws with respect to the acquisition, receipt, transfer, shipment, or possession of firearms and incurred by reason of the conviction hereinabove described.

Signed at Washington, D.C., this 3d day of April 1970.

[SEAL] RANDOLPH W. THROWER,
Commissioner of Internal Revenue.

[F.R. Doc. 70-4391; Filed, Apr. 9, 1970;
8:47 a.m.]

Washington, D.C., this 3d day of April 1970.

RANDOLPH W. THROWER,
Commissioner of Internal Revenue.

[F.R. Doc. 70-4390; Filed, Apr. 9, 1970;
8:47 a.m.]

ROBERT GUY WINEBARGER

Notice of Granting of Relief

Whereas Robert Guy Winebarger, Conover, N.C., has applied for relief from disabilities imposed by Federal laws with respect to the acquisition, receipt, transfer, shipment, or possession of firearms and incurred by reason of a conviction on October 25, 1937, by the United States District Court for the Western District of North Carolina at Statesville, N.C., of a crime punishable by imprisonment for a term of not more than 1 year. Unless relief is granted, the conviction will be unlawful for Mr. Winebarger because of such conviction, to purchase, possess, or receive in interstate or foreign commerce any firearm or ammunition which would be ineligible for purchase under chapter 44, title 18, United States Code, as amended (82 Stat. 236; Appendix), because of such conviction would be unlawful for Mr. Winebarger to receive, possess, or transfer in interstate or affecting commerce, any firearm or ammunition.

Wherefore, I have concluded that the granting of relief to Mr. Winebarger is in the public interest.

Therefore, pursuant to the authority vested in the Secretary of the Treasury by section 925(c), title 18, United States Code and delegated to me by 26 CFR 178.144: *It is ordered*, That Harold L. Winebarger be, and he hereby is, granted relief from any and all disabilities imposed by Federal laws with respect to the acquisition, receipt, transfer, shipment, or possession of firearms and incurred by reason of the conviction hereinabove described.

DEPARTMENT OF THE INTERIOR

Bureau of Land Management

[U-11462]

UTAH

Notice of Proposed Withdrawal and Reservation of Lands

APRIL 3, 1970.

The National Science Foundation, Washington, D.C., has filed application for the withdrawal of the lands described below, from all forms of appropriation including the mining and mineral leasing laws, subject to existing valid rights.

The applicant desires the land for the operation of a geophysical observatory which, because of the nature of the work, will prohibit any concurrent use of the land, except use permitted under the Taylor Grazing Act. The land has been withdrawn for similar purposes since 1962 by the Department of the Air Force.

For a period of 30 days from the date of publication of this notice, all persons who wish to submit comments, suggestions, or objections in connection with the proposed withdrawal may present their views in writing to the undersigned officer of the Bureau of Land Management, Department of the Interior, Post Office Box 11505, Salt Lake City, Utah 84111.

The Department's regulations (43 CFR 2311.1-3(c)) provide that the authorized officer of the Bureau of Land Management will undertake such investigations as are necessary to determine the existing and potential demand for the lands and their resources. He will also undertake negotiations with the applicant agency with the view of adjusting the application to reduce the area to the minimum essential to meet the applicant's needs, to provide for the maximum concurrent utilization of the lands for purposes other than the applicant's, to eliminate lands needed for purposes more essential than the applicant's, and to reach agreement on the concurrent management of the lands and their resources.

The authorized officer will also prepare a report for consideration by the Secretary of the Interior who will determine

whether or not the lands will be withdrawn as requested by the applicant agency.

The determination of the Secretary on the application will be published in the FEDERAL REGISTER. A separate notice will be sent to each interested party of record.

If circumstances warrant, a public hearing will be held at a convenient time and place, which will be announced.

The lands involved in the application are:

SALT LAKE MERIDIAN

T. 6 S., R. 21 E.,
Sec. 4, lots 1, 2, 3, 4, $5\frac{1}{2}N\frac{1}{2}$, $S\frac{1}{2}$ (all);
Sec. 5, lots 1, 2, 3, 4, $5\frac{1}{2}N\frac{1}{2}$, $S\frac{1}{2}$ (all);
Secs. 8 and 9, all.

The above area aggregates 2,312.21 acres.

R. D. NIELSON,
State Director.

[F.R. Doc. 70-4388; Filed, Apr. 9, 1970;
8:47 a.m.]

National Park Service

WHITE SANDS NATIONAL MONUMENT

Notice of Intention To Negotiate a Concession Contract

Pursuant to the provisions of section 5, of the Act of October 9, 1965; (79 Stat. 969; 16 U.S.C. 20) public notice is hereby given that thirty (30) days after the date of publication of this notice, the Department of the Interior, through the Director of the National Park Service, proposes to negotiate a concession contract with T. L. and Thelma Womack authorizing them to continue to provide concession facilities and services for the public at White Sands National Monument, Alamogordo, N. Mex., for a period of 5 years from January 1, 1970, through December 31, 1974.

The foregoing concessioners have performed their obligations under an expired permit to the satisfaction of the National Park Service, and therefore, pursuant to the Act cited above, are entitled to be given preference in the negotiation of a new contract. However, under the Act cited above, the Secretary is also required to consider and evaluate all proposals received as a result of this notice. Any proposal to be considered and evaluated must be submitted within thirty (30) days after the publication date of this notice. Interested parties should contact the Chief, Office of Concessions Management, National Park Service, Washington, D.C. 20240, for information as to the requirements of the proposed contract.

Dated: April 3, 1970.

THOMAS FLYNN,
Assistant Director,
National Park Service.

[F.R. Doc. 70-4363; Filed, Apr. 9, 1970;
8:45 a.m.]