

FILE NOTATIONS

Entered in NID File ✓
Location Map Pinned ✓
Card Indexed ✓

Checked by Chief
Approval Letter
Disapproval Letter

COMPLETION DATA:

Date Well Completed 6/23/78
S/GW

Location Inspected
Bond released
State or Fee Land

OS..... PA.....

LOGS FILED

Driller's Log ✓
Electric Logs (No.) ✓
E..... I..... Dual I Lat..... GR-N..... Micro.....
BHC Sonic GR..... Lat..... MI-L..... Sonic.....
CBLog..... CCLog..... Others.....

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

5. Lease Designation and Serial No.

U-38421 ✓

6. If Indian, Allotted or Tribe Name

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. Type of Work

DRILL

DEEPEN

PLUG BACK

b. Type of Well

Oil Well

Gas Well

Other

Single Zone

Multiple Zone

2. Name of Operator

Enserch Exploration Inc.

3. Address of Operator

Empire Central Bldg., 7701 N. Stemmons Freeway, Dallas, Tex

At surface

75247

1676' FNL 1310 FWL Sec 18-10S-23E

At proposed prod. zone

NE SW NW

7. Unit Agreement Name

8. Farm or Lease Name

Canyon View Federal ✓

9. Well No.

1-18 ✓

10. Field and Pool, or Wildcat

Bonanza ✓

11. Sec., T., R., M., or Blk. and Survey or Area

Sec 18-10S-23E ✓

14. Distance in miles and direction from nearest town or post office*

12. County or Parrish 13. State

Uintah

Utah

15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drlg. line, if any)

16. No. of acres in lease

637.40

17. No. of acres assigned to this well

637.40 ✓

18. Distance from proposed location* to nearest well, drilling, completed, or applied for, on this lease, ft.

19. Proposed depth

7,000

Mesa Verde

20. Rotary or cable tools

Rotary ✓

21. Elevations (Show whether DF, RT, GR, etc.)

5310 Gr

22. Approx. date work will start*

April 1, 1978

23. PROPOSED CASING AND CEMENTING PROGRAM

Size of Hole	Size of Casing	Weight per Foot	Setting Depth	Quantity of Cement
17 1/2	13 3/8	48.0	200	Suff to circulate
7 7/8	4 1/2	11.6	7,000	Suff to cover prod. zones ✓

Operator proposes to drill well to total depth of 7,000' with water and salt base mud drilling fluid to test all zones through the Mesa Verde formation. A 12" x 3000# weld on head and 12" x 3000# doublegate and spherical BOP will be installed and tested to 1000 psi. BOP will be checked daily. If the well is productive, casing will be run. If not, the well will be plugged according to USGS requirements. Location will be restored as per BLM instructions, and regulation dryhole marker erected.

Handwritten signature/initials

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. for Enserch Exploration Inc
Signed: *[Signature]*

Title: Drilling Supervisor

Date: 3-18-78

(This space for Federal or State office use)

Permit No. 43-047-30379

Approval Date

Approved by
Conditions of approval, if any:

Title


Date

PROJECT

T10S, R23E, S.L.B.&M.

ENSERCH EXPLORATION, INC.

Well location, *CANYON VIEW FEDERAL 18-1*, located as shown in the S 1/2 NW 1/4 Section 18, T10S, R23E, S.L.B. & M., Uintah County, State of Utah.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

James Stewart
 REGISTERED LAND SURVEYOR
 REGISTRATION NO 3154
 STATE OF UTAH

UINTAH ENGINEERING & LAND SURVEYING P.O. BOX 4 - 110 EAST - FIRST SOUTH VERNAL, UTAH - 84078	
SCALE 1" = 1000'	DATE 17 March 1978
PARTY G.S. & B.N.	REFERENCES GLO Plats
WEATHER Cool & Windy	FILE Enserch Exploration, Inc.

X = Corners Found & Used.

GEOLOGICAL CASING AND BOPE DATA

1. Surface Formation - Uintah
2. Estimated tops of important geological markers:

Green River	800
Wasatch	4010
Mesa Verde	5620
3. Expected mineral-bearing formation:

Mesa Verde	5620
------------	------
4. Proposed casing program:

Surface casing - New 13 3/8" 48.0# H-40 ST&C 200' ✓
Intermediate (if needed) New 8 5/8" 24.0# K-55 LT&C 2,000' ✓
Production Casing - New 4 1/2" 11.6# N-80 LT&C 7,000' ✓
5. Blowout preventors:
 - A. 12" x 3000# Shafer blowout preventor and Hydril with choke and kill lines.
 - B. Pressure test to 1000 psi before drilling out below the surface casing. Test operation of the BOPE on each trip.
6. Circulating medium:
 - A. Surface to 200' - fresh water, native mud with gel.
 - B. 200' to 4010' - fresh water.
 - C. 4010' to TD - salt based mud.
7. Auxiliary Equipment:
 - A. Kelly Cock
 - B. Float at bit
 - C. Full-opening quick-close drill pipe valve on derrick floor at all times.
8. Testing, logging and coring procedures:
 - A. Cores - None planned
 - B. Tests - Possible DST Wasatch and Mesa Verde
 - C. Logging - Dual Induction Laterolog, Formation Density and Compensated Neutron
9. Anticipated Hazards:

No abnormal pressures or temperatures, hydrogen sulfide or other drilling hazards are anticipated.
10. Anticipated starting date - April 1, 1978 ✓

ENSERCH EXPLORATION
13 Point Surface Use Plan
for
Well Location
Canyon View Federal 18-1
Located In
Section 18, T10S, R23E S.L.B. & M.
Uintah County, Utah

1. EXISTING ROADS

See attached Topographic Map "A", to reach the Enserch Exploration well location located in SW 1/4 NW 1/4 Section 18, T10S, R23E, S.L.B.M., from Vernal Utah.

Proceed East out of Vernal, Utah along U.S. Highway 40, 24 miles to the junction of this highway and Utah State Highway 45 to the South; proceed South along Utah State Highway 45, 22 miles to Bonanza, Utah; proceed in a Westerly direction along an improved dirt road 8.25 miles to the junction of this road and an improved dirt road to the Southwest; proceed South-westerly along this dirt road approximately 4.5 miles to its junction with an improved dirt road to the South; proceed South and then South-easterly along this road approximately 4.5 miles to a point that an existing road from the East intersects this road; proceed in a Southerly direction from this intersection 0.5 miles at which point the proposed access road for Canyon View Federal 18-1 exits to the WNW and will be discussed in Item #2.

U.S. Highway 40 and Utah State Highway 45 are bituminous hard surface roads. The rest of the roads that are described in Item #1 have been built from native materials and range from sandy-clays to heavy clay type materials with a small amounts of gravel and shales.

At the present time there is no major construction anticipated along any portion of the above described road.

The road will be maintained and kept at the necessary standards required for an orderly flow of traffic during the drilling, completion, and production activities of this location.

2. PLANNED ACCESS ROAD

See Topographic Map "B".

The proposed access road leaves the existing road described in Item #1 in the SE 1/4 NW 1/4 Section 18, T10S, R23 E, S.L.N.M., and proceeds in a Westerly direction about 1800 to the proposed location site.

In order to facilitate the anticipated traffic flow necessary to drill and produce this well, the following standards will be met.

This proposed access road will be an 18' crown road (9' either side of the centerline) with drain ditches along either side of the proposed road where it is determined necessary in order to handle any run-off from any normal meteorological conditions that are prevalent to this area.

Back slopes along the cut areas of the road will be 1 1/2 to 1 slopes and terraced.

The road will be centerline flagged prior to the commencement of construction.

PLANNED ACCESS ROAD - continued

The grade of this road will vary from flat to 8%, but will not exceed this amount. This road will be constructed from native borrow materials accumulated during construction.

If deemed necessary by the local governmental agencies or their representatives, turnouts will be installed for safety purposed every 0.25 miles or on the top or ridges that will provide the greatest sight distance. These turnouts will be 200' in length and 12' in width and will be tapered from the shoulder of the road for a distance of 50' in length at both the access and the outlet end.

Any fences that are encountered along this access road will be cut and replaced with a cattleguard with a minimum width of 18' and a loading factor large enough to facilitate the heavy trucks required in the drilling and production of this well.

If cattleguards are to be located at existing gates, they will be installed with the above requirements and with a new gate installed at one end of the cattleguard.

The access from the road to the gate will be of such a nature that there will be no impedance of traffic flow along the main access road and no difficulties encountered by traffic utilizing the gate, either leaving or entering the proposed access road.

The terrain that this access road traverses is along the rim of a ridge that is formed by two small drainages that are non-perennial in nature and flows west-Northwesterly direction and are tributaries to the White River to the West.

This area is vegetated with sparce amounts of stunted sagebrush, grasses, and cacti.

3. LOCATION OF EXISTING WELLS

As shown on Topographic Map "B", there are other producing wells and drill holes within a one-mile radius of the proposed well site. (See location plat for placement of Enserch Exploration well location, Canyon View Federal, within Section 18.)

4. LOCATION OF TANK BATTERIES, PRODUCTION FACILITIES, AND PRODUCTION GATHERING AND SERVICE LINES

All petroleum or gas production facilities are to be contained within the proposed location site. There are no other Enserch Exploration gathering, injection, or disposal lines within a one-mile radius of this location.

In the event production is established, plans for a gas flow line from this location to existing gathering lines or a main production line shall be submitted to the appropriate agencies for approval.

LOCATION OF TANK BATTERIES, PRODUCTION FACILITIES, AND PRODUCTION GATHERING AND SERVICE LINES - continued

The rehabilitation of the disturbed area that is not required for the production of this well, will meet the requirements of Items #7 and #10.

5. LOCATION AND TYPE OF WATER SUPPLY

Water to be used for the drilling of this well will be hauled by truck from an existing loading facility on the White River in the NE 1/4 Section 17, T9S, R22E, S.L.B.M., approximately 13 road miles to the Northwest of the proposed location site.

The roads that will be utilized for this water haul is along an existing improved dirt service road from the Mountain Fuel Bridge on the White River and runs Easterly 6.5 miles to its junction with the improved dirt roads described in item #1 and then follows these roads to the location site.

6. SOURCE OF CONSTRUCTION MATERIALS

All construction materials for this location site and access road shall be borrow materials accumulated during construction of the location site and access road. No additional road gravels or pit lining materials from other sources are anticipated at this time, but if they are required, the appropriate actions will be taken to acquire them from private sources.

7. METHODS FOR HANDLING WASTE DISPOSAL

See Location Layout Sheet.

A reserve and burn pit will be constructed.

The reserve pit will be approximately 8' deep and at least one half of this depth shall be below the surface of existing ground.

One half of the reserve pit will be used as a fresh water storage area during the drilling of this well and the other one half will be used to store non-flammable materials such as cuttings, salts, drilling fluids, chemicals, produced fluids, etc.

If deemed necessary by the agencies concerned, to prevent contamination to surrounding areas, the reserve pits will be lined with a gel.

The pits will have wire and overhead flagging installed at such time as deemed necessary to protect the water fowl, wildlife, and domesticated animals.

At the onset of drilling, this reserve pit will be fenced on three sides, and at the time the drilling activities are completed, it will be fenced on the fourth side and allowed to dry completely prior to the time that back-filling and reclamation activities are attempted.

METHODS FOR HANDLING WASTE DISPOSAL - continued

When the reserve pit dries and the reclamation activities commence, the pits will be covered with a minimum of four feet of soil and all requirements in Item #10 will be followed.

The burn pits will be constructed and fenced on all four sides with a small mesh wire to prevent any flammable materials from escaping and creating a fire hazard.

All flammable materials will be burned and then buried upon completion of this well.

A portable chemical toilet will be supplied for human waste.

8. ANCILLARY FACILITIES

There are no ancillary facilities planned for at the present time and none foreseen in the near future.

9. WELL SITE LAYOUT

See Location Layout Sheet.

The B.L.M. District Manager shall be notified before any construction begins on the proposed location site.

As mentioned in Item #7, the pits will be unlined unless it is determined by the representatives of the agencies involved that the materials are too porous and would cause contamination to the surrounding area; then the pits will be lined with a gel and any other type of material necessary to make it safe and tight.

When drilling activities commence, all work shall proceed in a neat and orderly sequence.

10. PLANS FOR RESTORATION OF SURFACE

As there is some topsoil on the location site, all topsoil shall be stripped and stockpiled. (See Location Layout Sheet and Item #9.) When all drilling and production activities have been completed, and the location site and access road will be reshaped to the original contour and stockpiled topsoil spread over the disturbed area.

Any drainages re-routed during the construction activities shall be restored to their original line of flow as near as possible. Fences around pits are to be removed upon completion of drilling activities and all waste being contained in the trash pits shall be buried with a minimum of 5' cover.

As mentioned in Item #7, the reserve pit will be completely fenced and wired and overhead wire and flagging installed, if there is oil in the pits, and then allowed to completely dry before covering.

OTHER INFORMATION - continued

The area is used by man for the primary purposes of grazing domesticated sheep and cattle.

The birds of the area are raptors, finches, ground sparrows, magpies, crows, and jays.

The Topography of the Immediate Area (See Topographic Map "B".)

Canyon View Federal 18-1 is located on the top of a small ridge that is formed by two non-perennial drainages that are tributaries to the White River to the South and West of this location site.

The majority of the drainages in the area are of a non-perennial nature and drain to the West or South into the White River.

The terrain in the vicinity of the location slopes to the Southwest from a small ridge through the location site at approximately a 4% grade into a small wash. (See Location Layout Sheet.)

The vegetation in the immediate area surrounding the location site is predominately sparse amounts of sagebrush, grasses.

There are no occupied dwellings or other facilities of this nature in the general area.

There are no visible archaeological, historical, or cultural sites within any reasonable proximity of the proposed location site. (See Topography Map "B".)


12. LESSEE'S OR OPERATOR'S REPRESENTATIVE

W.A. McAdam	C. R. Mc ADAM
1640 South 1400 West	Box 3297
Vernal, Utah 84078	GRAND JUNCTION, COLO.
	81501
TELE: 1-801-789-1982	1-303-245-1598

13. CERTIFICATION



I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Enserch Exploration, and its contractors and sub-contractors in conformity with this plan and terms and conditions under which it is approved.

3-18-78
Date




~~W.A. McAdam~~ C. R. Mc ADAM
Drilling Supervisor

ENSERCH EXPLORATION
LOCATION LAYOUT SHEET
CANYON VIEW FEDERAL 18-1
 LOCATED IN SECTION 18, T10S, R23E, S.L.B & M.
 UINTAH COUNTY, UTAH

CROSS SECTIONS





SOILS LITHOLOGY
 — NO SCALE —



APPROX. YARDAGES

CUT 5800 CU. YDS.
 FILL 2300 CU. YDS.






ENSERCH EXPLORATION
CANYON VIEW FED. 18-1




SCALE : 1" = 2000'

ROAD CLASSIFICATION

Light-duty road, all weather, improved surface  Unimproved road, fair or dry weather 





T 9 S
T 10 S

14: Mi.

BONANZA, CT.

WHITE RIVER

ABOVEGROUND PIPELINE

Gas Well

BELO NB. 20-15

2.6 Mi.

Gas Producing ENT.

Proposed Access Road

Proposed Location

Drill Hole

Drill Hole

1800'

2

1

6

6

5

4

12

7

8

9

14

13

18

18

17

16

4740

x5159

5144

5114

x4812

5120

5200

5156

5200

4800

5000

5200

5200

5200

5200

5200

5200

5200

5200

5200

5200

5200

5200

5200

5200

5200

5200

5200

5200

5200

5200

5374

5370

5360

5350

5340

5330

5320

5310

5300

5290

5280

5270

5260

5250

5320

5320

5320

5320

5320

5320

5320

5320

5320

5320

5320

5320

5320

5320

5320

5320

x5248

5200

5200

5200

5200

5200

5200

5200

5300

5300

5300

5300

5300

5300

5300

5300

5300

5300

5300

5300

5300

5300

5300

5300

5300

5300

x5390

5360

5360

5360

5360

5360

5360

5360

5360

5360

5360

5360

5360

5360

5360

x5375

5380

5380

5380

5380

5380

5380

5380

5380

5380

5380

5380

5380

5380

5380

5380

x5372

5320

5320

5320

5320

5320

5320

5320

5320

5320

5320

5320

5320

5320

5320

5320

5320

5320

5320

5320

5320

5320

5320

5320

5320

5320

5320

5320

5320

5320

5320

5320

5320

5390

5390

5390

5390

5390

5390

5390

5390

5390

5390

5390

5390

5390

5390

5390

5390

5390

5390

5390

5390

5390

5390

5390

5390

5390

5390

5390

5390

5390

5390

5390

5390

5390

5390

5390

5390

5390

5390

5390

5390

5390

5390

5390

5390

5546

5400

5400

5400

5400

5400

5400

5400

5400

5400

5400

5400

5400

5400

5400

5400

5400

5400

5400

5400

5400

5400

5400

5400

5546

5400

5400

5400

5400

5400

5400

5400

5400

5400

5400

5400

5400

5400

5400

5400

5400

5400

5400

5400

5400

5400

5400

5400

5546

5400

5400

5400

5400

5400

5400

5400

5400

5400

5400

5400

5400

5400

5400

5400

5400

5400

5400

5400

5400

5400

5400

5400

5328

5381

5546

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

** FILE NOTATIONS **

Date: March 21
Operator: Cusack Exploration
Well No: Amyn View Fed. 1-18
Location: Sec. 18 T. 10S R. 23E County: Utah

File Prepared: Entered on N.I.D.:
Card Indexed: Completion Sheet:

API NUMBER: 43-047-30379

CHECKED BY:

Administrative Assistant [Signature]
Remarks: OK - topog exception
Petroleum Engineer [Signature]
Remarks:
Director 7
Remarks:

INCLUDE WITHIN APPROVAL LETTER:

Bond Required: Survey Plat Required:
Order No. Surface Casing Change
to

Rule C-3(c), Topographic exception/company owns or controls acreage within a 660' radius of proposed site

O.K. Rule C-3 O.K. In Unit

Other:

[Signature]
Letter Written/Approved

March 21, 1978

Enserch Exploration Co.
7701 N. Stemmons Freeway
Empire Central Building
Dallas, Texas 75247

Re: Well No. Canyon View Fed. 1-18
Sec. 18, T. 10 S, R. 23 E,
Uintah County, Utah

Gentlemen:

Insofar as this office is concerned, approval to drill the above referred to well is hereby granted in accordance with Rule C-3(c), General Rules and Regulations and Rules of Practice and Procedure.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

PATRICK L. DRISCOLL - Chief Petroleum Engineer
HOME: 582-7247
OFFICE: 533-5771

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The API number assigned to this well is 43-047-30379.

Very truly yours,

DIVISION OF OIL, GAS AND MINING

CLEON B. FEIGHT
Director

NELSON J. MARSHALL
PHONE 789-0272

GENE STEWART
PHONE 789-1795

LAWRENCE C. KAY
PHONE 789-1125

OFFICE LOCATION
110 E. FIRST SOUTH
PHONE 789-1017

Uintah Engineering & Land Surveying

P. O. BOX 9
VERNAL, UTAH 84078



CIRCULATE TO:

- DIRECTOR
 - PETROLEUM ENGINEER
 - MINE COORDINATOR
 - ADMINISTRATIVE ASSISTANT
 - ALL
- RETURN TO: *[Signature]*
FOR FILING

April 6, 1978

Utah State Natural Resources Department
Oil, Gas and Mining Division
1588 West North Temple
Salt Lake City, Utah 84116

Gentlemen:

As consultants for Enserch Exploration Incorporated, Uintah Engineering and Land Surveying respectfully requests a spacing variance on a well location.

The well in question is Enserch 1-18, located in Section 18, T10S, R23E, S.L.B. & M.

The variance is requested on the grounds that the immediate topography prevents it's being built within the prescribed limits.

Any questions may be directed to Gene Stewart, Uintah Engineering & Land Surveying, Phone - 789-1017.


Very truly yours,

Michael Weber

Michael Weber
Office Manager

cc: files
Ted McAdam

dar



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN OR PLUG BACK

1a. TYPE OF WORK
 DRILL DEEPEN PLUG BACK

b. TYPE OF WELL
 OIL WELL GAS WELL OTHER
 SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
 Enserch Exploration Inc.

3. ADDRESS OF OPERATOR
 Empire Central Bldg., 7701 N. Stemmons Freeway, Dallas, Tex

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*) 76247
 At surface
 1676' FNL ¹³¹⁸ FWL Sec 18-10S-23E
 At proposed prod. zone

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any)
 16. NO. OF ACRES IN LEASE
 637.40

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.
 19. PROPOSED DEPTH
 7,000

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
 5310 Gr

5. LEASE DESIGNATION AND SERIAL NO.
 U-38421
 6. IF INDIAN, ALLOTTEE OR TRIBE NAME
 7. UNIT AGREEMENT NAME
 8. FARM OR LEASE NAME
 Canyon View Federal
 9. WELL NO.
 1-18
 10. FIELD AND POOL, OR WILDCAT
 Bonanza
 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
 Sec 18-10S-23E
 12. COUNTY OR PARISH
 Uintah
 13. STATE
 Utah

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
17 1/2	13 3/8	48.0	200	Suff to circulate
7 7/8	4 1/2	11.6	7,000	Suff to cover prod. zones

Operator proposes to drill well to total depth of 7,000' with water and salt base mud drilling fluid to test all zones through the Mesa Verde formation. A 12" x 3000# weld on head and 12" x 3000# doublegate and spherical BOP will be installed and tested to 1000 psi. BOP will be checked daily. If the well is productive, casing will be run. If not, the well will be plugged according to USGS requirements. Location will be restored as per BLM instructions, and a regulation dryhole marker erected.



State of Utah, Department of Natural Resources
 Division of Oil, Gas, and Mining
 1588 West North Temple
 Salt Lake City, Utah 84116

NOTICE OF APPROVAL

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED for Enserch Exploration Inc.
 TITLE Drilling Supervisor DATE 3-18-78

(This space for Federal or State office use)

PERMIT NO. _____ APPROVAL DATE _____

APPROVED BY (Orig. Sgd.) E. W. Guynn TITLE DISTRICT ENGINEER DATE APR 11 1978
 CONDITIONS OF APPROVAL, IF ANY:

CONDITIONS OF APPROVAL ATTACHED TO OPERATOR'S COPY

*See Instructions On Reverse Side

NECESSARY FLARING OF GAS DURING DRILLING AND COMPLETION APPROVED SUBJECT TO ROYALTY (NTL-4)

State O+G

U.S. GEOLOGICAL SURVEY, CONSERVATION DIVISION

FROM: DISTRICT GEOLOGIST, SALT LAKE CITY, UTAH

TO: DISTRICT ENGINEER, SALT LAKE CITY, UTAH

Well	Location 1318	Lease No.
ENSERCH EXPLORATION INC. # 1-18	1676' FNL x 1310' FNL (SW $\frac{1}{4}$ NW $\frac{1}{4}$) SEC. 18, T. 10S., R. 23E., SLM MOUNTAIN COUNTY, UTAH GLEI. 5310'	U-38421
<p>1. Stratigraphy and Potential Oil and Gas Horizons. The surface rocks are Miocene. The Mesaverde will be tested for gas. Projected operator tops (Green River - 800'; Wasatch - 4010'; Mesaverde - 5620') appear reasonable.</p> <p>2. Fresh Water Sands. Fresh water may be found to depths of about 500 feet. Usable water may occur as deep as 3500 feet in the Green River Formation.</p> <p>3. Other Mineral Bearing Formations. (Coal, Oil Shale, Potash, Etc.) In an area considered valuable prospectively for Silicite. Within oil shale withdrawal 5327'. The Mahogany zone may be encountered at about 1860 feet. Cashion maps show a thickness (92 ft) of oil shale sequence that could yield an average of 25 gallons of oil per ton. The Mahogany zone should be delineated by logs and protection should extend 50 feet above to 100 feet below this zone. Oil shale sequence may be 300 ft in thickness.</p> <p>4. Possible Lost Circulation Zones. Possibly in Green River and Wasatch Formation sands.</p>		
<p>5. Other Horizons Which May Need Special Mud, Casing, or Cementing Programs. Protect any fresh/usable aquifers penetrated.</p>		
<p>6. Possible Abnormal Pressure Zones and Temperature Gradients. Operator does not anticipate abnormal pressures or temperatures in this test.</p>		
<p>7. Competency of Beds at Proposed Casing Setting Points. Probably adequate.</p>		
<p>8. Additional Logs or Samples Needed. In area delineated by Cashion where sonic, density, gamma ray, electric and neutron logs will be useful in evaluating oil shale resource.</p>		
<p>9. References and Remarks. Within KGS. Cashion oil shale maps.</p>		
<p>Date: 3/28/78</p>	<p>Signed: REG.</p>	

Oil and Gas Drilling

EIA No. 975

United States Department of the Interior
Geological Survey
8440 Federal Building
Salt Lake City, Utah 84138

Usual Environmental Impact Analysis

Lease No. U-38421

Operator Enserch Exploration, Inc.

Well No. 1-18

Location 1676' FNL - 1310' FWL Sec. 18 T. 10S R. 23E

County Uintah State Utah Field Bonanza

Status: Surface Ownership Public Minerals Public

Joint Field Inspection Date March 22, 1978

Participants and Organizations:

<u>Steve Ellis</u>	<u>Bureau of Land Management</u>
<u>John Evans</u>	<u>U. S. Geological Survey</u>
<u>Earl Cody</u>	<u>Ross Construction</u>
<u>Gene Stewart</u>	<u>Uintah Engineering</u>
<u>Leonard Heeney</u>	<u>Ross Construction (for Enserch)</u>
<u> </u>	<u> </u>
<u> </u>	<u> </u>
<u> </u>	<u> </u>

Related Environmental Analyses and References:

- (1) Vernal District Oil & Gas EAR, Bureau of Land Management
- (2) Unit Resource Analysis, Bonanza Planning Unit, Bureau of Land Management
- (3) White River Shale Project, Detailed Development Plan
- (4) EIA #941 - Enserch Exploration Co. Well No. 1-17, U. S. Geological Survey
Salt Lake City, Utah

Analysis Prepared by:

John T. Evans
Environmental Scientist
Salt Lake City, Utah

Date April 4, 1978

Proposed Action:

The Operator has submitted an Application for Permit to Drill, Form 9-331C, on March 21, 1978, with a 10-Point drilling and a 13-Point surface use programs, which are on file with the U.S.G.S., Oil and Gas Operations, Salt Lake City, Utah.

The Operator proposes to drill a gas test well with rotary tools to about 7,000 feet T.D. to explore and develop potential hydrocarbon reserves in the Mesa Verde formation.

The Operator proposes to construct: a drill pad 175 feet by 400 feet, a reserve pit 100 feet by 200 feet by 8 feet, a new access road 18 feet wide by 1800 feet long and to place production facilities on the disturbed area of the drill pad.

The Operator plans to upgrade an existing road to an 18 foot crown and ditched road meeting Bureau of Land Management standards from an existing, improved road. Approximately 0.5 miles of road will be improved to these standards.

The Operator proposes to rehabilitate disturbed areas upon completion of operations and areas not needed for production.

If production is established, a plan for a gas flow line would be submitted to the appropriate agencies for approval.

The anticipated starting date is April 1, 1978, and the duration of drilling activities would be about 60 days.

Geology:

The proposed well site is in the eastern portion of the Uintah Basin sub-province of the Colorado plateau geologic province. Uintah formation (tertiary) is present at the surface. A geologic review of the proposed action has been furnished by the Area Geologist, U. S. Geological Survey, Salt Lake City, Utah (See Appendix).

Fresh water sands may be present below the proposed surface casing in the Green River formation. The casing and drilling program would be adjusted as necessary to protect any fresh water aquifers encountered during drilling.

Fresh water may be found to depths of about 500 feet. Usable water may occur as deep as 3500 feet in the Green River formation.

Oil shale may be encountered in the Green River formation. Approval of proposed action would be conditioned that adequate and sufficient electrical/radioactive/density logging surveys would be made to locate and identify any potential mineral resources. The production casing and cementing programs would be adjusted to assure no influence of the hydrocarbon zones on these minerals. In the event the well is abandoned, cement plugs would be placed with drilling fluid in the hole to assure protection of any mineral resources.

All shows of fresh water and minerals would be reported to the District Engineer. Samples would be taken of any water flows and furnished to the District Engineer for analysis.

The potential for loss of circulation would exist and is possible in the sandstone units of the Mesa Verde, the Green River, and the Wasatch formations. The use a special drilling techniques, drilling muds, and loss circulation materials may be effective in controlling loss circulation. The Operator would be advised of the potential hazards. The loss of circulation would result in contamination due to the introduciton of drilling muds, mud chemicals, filler materials, and water deep into permeable zones, fissures, fractures, and caverns within the formation to which fluid loss is occurring.

Gilsonite viens are located in the general region of the proposed action. No known deposits are present in the project area. There are no known geologic hazards or any abnormal pressures expected. The seismic risk has been identified as zone 3, the lowest risk group based on historical earthquake occurrence. (Reference No. 1)

Soils:

No detailed soil survey has been made of the project area. A detailed survey was made in connection with the White River Shale project, (Reference No. 2), T. 10S, R.24E.

Top soils in the project area range from light brownish-gray, sandy

clay-type soils to poorly graded gravels. The soil associations that occur in the area are #51 and #63 as classified by the Soil Conservation Service. Soils of Association #51 occur along the White River. The soils at the drill site are type #63. (Exhibit 1, Reference No. 3)

Top soil will be removed from the surface and stockpiled. This soil would be spread over the surface of the disturbed areas when abandoned to aid in rehabilitation of the surface. Rehabilitation is necessary to retard erosion and encroachment of undesired species upon the disturbed areas.

The Operator proposes to rehabilitate the location and access roads per the recommendations of the Bureau of Land Management.

The reserve pits would be lined with liner or gel to prevent contamination from leakage to surrounding areas. The lining of the reserve pits is necessary as there is very shallow soil and the underlying rock is highly fractured.

Approximately three acres of land will be stripped of vegetation and this would increase erosional potential. Proper construction practice, construction of water bars, reseeding of slope-cut areas would minimize this impact.

The Operator would not push dirt off the top of the small knoll at the drill location and would keep all construction activities on the generally flat areas of the knoll. This would minimize the sediment

production from the drill site. Sediment produced on the disturbed areas would eventually contribute to the sediment load of the White River.

Air:

No detailed air quality or meteorological data is available at the project area. A generalization of air quality, meteorology, precipitation, surface water hydrology or ground water hydrology was presented in EIA No. 941 prepared by the U. S. Geological Survey. EIA No. 941 is on file with the District Engineer of the U. S. Geological Survey, Salt Lake City, Utah.

Fauna and Flora:

Animal and Plant inventory was made by the Bureau of Land Management. No endangered plants or animals are known to habitate on the project area. Small Mammals, rodents, deer, and antelope are known to habitate in the general project area. Animals would probably move away from drilling operations due to noise and increased activity and then return after drilling activities are complete. The area is in an important seasonal wild-life habitat and exploration, drilling, and other development activity will only be allowed during the period from July 20, to May 15. This limitation does not apply to maintenance and operation of producing wells. Two antelopes were observed during the onsite inspection in the project area.

Plants in the area are of the salt-desert-shrub type. Black sage, Shadscale, Curly Grass, Indian Rice Grass, Sanddrop Seed Grass, and Squirreltail Grass are the dominate species in the area.

The proposed action would remove 2-3 acres of sparse vegetation in the project area. The removal of vegetation will increase the erosional potential and there would be a minor decrease in the amount of vegetation available for grazing. The impact is judged to be minor.

Social Economic Effects:

A on-the-ground surface archaeological reconnaissance has been made of the area to be affected by the proposed action, appropriate clearances will be obtained from the surface managing agency. If a historic artifact, an archaeological feature or site is discovered during construction operations, activity would cease until the extent, the scientific importance, and the methods of mitigating the adverse effects can be determined by a qualified cultural resource specialist.

The economic effect of one well would be difficult to determine. The overall effect of oil and gas drilling and production activities are significant in Uintah County.

There are no occupied dwellings or other facilities of this nature in the general area. Minor distraction from the aesthetics would occur over the lifetime of the project and judged to be minor.

The present use of the area is grazing, recreation and oil and gas activities. Some mining does occur near Bonanza. Noise from the drilling operation may temporarily disturb wildlife and people in the area; however, the noise would subside upon completion of drilling activities to near pre-drilling levels. The effects on wildlife would be somewhat mitigated by the moratorium of activity between the periods of May 15 to July 20.

Adverse Environmental Effects which cannot be avoided:

Surface disturbance and removal of vegetation from approximately two acres of land surface for the lifetime of the project which would result in increased and accelerated erosional potential. Grazing would be eliminated in the disturbed areas and there would be minor and temporary disturbance of wildlife and livestock. Minor induced air pollution due to exhaust emissions from rig engines and support traffic engines would occur. Minor increase in dust pollution would occur due to vehicular travel associated with the operation. If the well is a gas producer, additional surface disturbance would be required to install production pipelines. The potential for fires, leaks, spills of gas, oil or water would exist. During construction and drilling phases of the project, noise levels would increase. Potential for sub-surface damage to fresh water aquifers and other geologic formations. Minor distraction from aesthetics during the lifetime of the project. If the well produces, an irreplaceable and irretrievable

commitment of resources would be made in order to supply man's requirements for an energy source.


Alternatives to the Proposed Action:

Not approving the proposed permit--The Oil and Gas Lease grants the lessee exclusive right to drill for, mine, extract, remove, and dispose of all oil and gas deposits.

Deny the proposed permit and suggest an alternate location to minimize environmental impacts. The proposed location layout was changed by reorientating of the drill pad approximately 15° to the east. This change would improve the access to the drill pad and provide a more stable area for the reserve pits. No alternate location on this lease that would significantly reduce the environmental impact could be selected. The drill site was moved 8 feet to the east to avoid a legal subdivision line.

Determination:

This requested action does not constitute a major federal action significantly affecting the environment in the sense of NEPA, Section 102(2)(C).



District Engineer
U. S. Geological Survey
Conservation Division
Oil and Gas Operations
Salt Lake City District

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well gas well other

2. NAME OF OPERATOR
Enserch Exploration, Inc.

3. ADDRESS OF OPERATOR
7701 N. Stemmons Freeway, Dallas, Texas

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1676' FNL & 1310' FWL Sec. 18-10S-23E
AT TOP PROD. INTERVAL: 23E
AT TOTAL DEPTH:

5. LEASE
U-38421

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
Canyon View Federal

9. WELL NO.
1-18

10. FIELD OR WILDCAT NAME
Bonanza

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Section 18-10S-23E

12. COUNTY OR PARISH
Unitah

13. STATE
Utah

14. API NO.
43-047-30379

15. ELEVATIONS (SHOW DF, KDB, AND WD)
5310' G.R.

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF	<input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>	<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>	<input type="checkbox"/>
(other) Drilling Activity	<input type="checkbox"/>	<input type="checkbox"/>

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Spudded April 21, 1978. Drilled 17-1/2" hole to 225'. Set 13-3/8", 48# casing to 218'. Cemented with 300 sacks cement April 23, 1978.

Drilled 12-1/4" hole to 2039', set 8-5/8", 24# casing and cemented with 125 sacks cement April 28, 1978.

Drilled 7-7/8" hole to 7000' and set 4-1/2", 11.6# casing at 7000' cemented with 981 sacks cement May 16, 1978.

Presently preparing to complete for production.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED J.P. [Signature] TITLE Drilling Superintendent DATE May 19, 1978

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIP DATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

U-38421

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

P

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

CANYON VIEW FEDERAL

9. WELL NO.

1-18

10. FIELD AND POOL, OR WILDCAT

Bonanza

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 18, T10S, R23E

12. COUNTY OR PARISH 13. STATE

UINTAH

UTAH

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
ENSERCH EXPLORATION, INC.

3. ADDRESS OF OPERATOR
909 S. MERIDIAN, SUITE 608, OKLAHOMA CITY, OKLAHOMA 73108

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

1676' FNL & 1310' FWL

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

5310' G.L.

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

COMPLETION OPERATIONS

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Awaiting availability of a completion rig.

18. I hereby certify that the foregoing is true and correct

SIGNED

Art W. Winkler

TITLE

DISTRICT PROD. MANAGER

DATE

6-13-78

(This space for Federal or State office use)

APPROVED BY _____

TITLE _____

DATE _____

CONDITIONS OF APPROVAL, IF ANY:

P 5

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

U-38421

5. LEASE DESIGNATION AND SERIAL NO.

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Canyon View Federal

9. WELL NO.

1-18

10. FIELD AND POOL, OR WILDCAT

Bonanza

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA

Section 18-T10S-R23E

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL GAS WELL DRY Other

b. TYPE OF COMPLETION: NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF. RESVR.

2. NAME OF OPERATOR

Enserch Exploration, Inc.

3. ADDRESS OF OPERATOR

7701 N. Stemmons Freeway, Dallas, Texas 75241

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)

At surface 1676' FNL and 1310' FWL - Section 18-T10S R23E

At top prod. interval reported below

At total depth

14. PERMIT NO. DATE ISSUED

12. COUNTY OR PARISH Utah
13. STATE Utah

15. DATE SPUNDED 4-21-78
16. DATE T.D. REACHED 5-14-78
17. DATE COMPL. (Ready to prod.) 6-23-78
18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* 5310 GR
19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD 7001 MD
21. PLUG, BACK T.D., MD & TVD
22. IF MULTIPLE COMPL., HOW MANY*
23. INTERVALS DRILLED BY
ROTARY TOOLS X
CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*
5620 - TD Mesa Verde
25. WAS DIRECTIONAL SURVEY MADE No

26. TYPE ELECTRIC AND OTHER LOGS RUN
CNL-FDC, DIL, Cement Bond Log & Correlation Log
27. WAS WELL CORED No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
20" O.D.		50'			
13 3/8" O.D.	48#/ft.	218'	17 1/4"	300 sacks	
8 5/8" O.D.	24#/ft.	2039'	12 1/4"	125 sacks	
4 1/2" O.D.	11.6#/ft.	7001'	7 7/8"	981 sacks	

29. LINER RECORD				30. TUBING RECORD			
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)

31. PERFORATION RECORD (Interval, size and number)				32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.		
DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED					
6104' - 6114' 11 shots	6576' - 6579' 4 shots	6900-6550'	1500 gal. 7.5% HCl 1.5% HP1 with clay stabilizer & surfactant; 25 ball sealers			
6398' - 6414' 17 shots	6714' - 6724' 11 shots					
6443' - 6447' 5 shots	6815' - 6818' 4 shots					
6478' - 6490' 13 shots	6871' - 6874' 4 shots					
6524' - 6534' 11 shots		6550'-6430'	1500 gal. same acid as above, 30 ball sealers			

33.* PRODUCTION *****
DATE FIRST PRODUCTION
PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)
WELL STATUS (Producing or shut-in) Shut-in
Waiting on pipe-line connection

DATE OF TEST 6-23-78
HOURS TESTED 24
CHOKE SIZE 1/4"
PROD'N. FOR TEST PERIOD
OIL—BBL. GAS—MCF. 1399
WATER—BBL. GAS-OIL RATIO

FLOW. TUBING PRESS. 1750 psi
CASING PRESSURE
CALCULATED 24-HOUR RATE
OIL—BBL. GAS—MCF. WATER—BBL. OIL GRAVITY-API (CORR.)

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)
Vented while tested
TEST WITNESSED BY

35. LIST OF ATTACHMENTS
36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records
SIGNED [Signature] TITLE District Engineer DATE June 27, 1978

*(See Instructions and Spaces for Additional Data on Reverse Side)

RMY

Tobat
R

CIRCULATE TO: *Mike*
Jim *JWS*

- DIRECTOR _____
 - PETROLEUM ENGINEER _____
 - MINE COORDINATOR _____
 - ADMINISTRATIVE ASSISTANT _____
 - ALL _____
- RETURN TO *Foley A.* FOR FILING

STATE OF UTAH
 DEPARTMENT OF NATURAL RESOURCES
 DIVISION OF OIL, GAS, AND MINING
 1588 West North Temple
 Salt Lake City, Utah 84116



REPORT OF WATER ENCOUNTERED DURING DRILLING

Well Name & Number: Canyon View Federal No. 1-18

Operator: Enserch Exploration, Inc.

Address: 7701 N. Stemmons Fwy, Suite 800
Dallas, Texas 75247

Contractor: Thomson Drilling Company

Address: 3515 South Tamarac
Denver, Colorado 80237

Location SE 1/4 NW 1/4; Sec. 18 T. 10 XX R. 23 E; Unitah County.
S XX

Water Sands:

<u>Depth:</u>		<u>Volume:</u>	<u>Quality:</u>
From-	To-	Flow Rate or Head	Fresh or Salty
1.	_____	_____	_____
2.	_____	_____	_____
3.	_____	_____	_____
4.	_____	_____	_____
5.	_____	_____	_____

(Continue on Reverse Side if Necessary)

Formation Tops:

Remarks: Well was drilled with 8.8 to 9.8 ppg fluid and no water was observed.

- NOTE:
- (a) Upon diminishing supply of forms, please inform this office.
 - (b) Report on this form as provided for in Rule C-20, General Rules and Regulations and Rules of Practice and Procedure.
 - (c) If a water analysis has been made of the above reported zone, please forward a copy along with this form.

**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

SUBMIT IN TRIPlicate*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

U-37355

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

CANYON VIEW FEDERAL

9. WELL NO.

1-18

10. FIELD AND POOL, OR WILDCAT

BONANZA

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 18-T10S-R23E

12. COUNTY OR PARISH

Uintah

13. STATE

Utah

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
ENSERCH EXPLORATION, INC.

3. ADDRESS OF OPERATOR
909 S. MERIDIAN, SUITE 608, OKLAHOMA CITY, OKLAHOMA 73108

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)
At surface

1676' FNL & 1310' FWL

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

5310' G.L.

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF
FRACTURE TREAT
SHOOT OR ACIDIZE
REPAIR WELL
(Other)

PULL OR ALTER CASING
MULTIPLE COMPLETE
ABANDON*
CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF
FRACTURE TREATMENT
SHOOTING OR ACIDIZING

REPAIRING WELL
ALTERING CASING
ABANDONMENT*

(Other) **COMPLETION OPERATIONS**

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Rigged up Welex, ran Gamma Ray Correlation with Cement Bond Log from 6889' to 4000'. Perforated with 3 1/8" block fire casing from 6871-74' 4 holes, 6815-18' 4 holes, 6714-24' 11 holes, 6576-79' 4 holes, 6524-34 11 holes, 6478-90' 13 holes, 6443-47' 5 holes, 6398-6414' 17 holes, & 6104-14' 11 holes (total holes-80). Ran Halliburton 4 1/2" retrievable bridge plug and RTTS retrievable packer to 6500'. Rigged up Dowell and treated with 1500 gallons 7 1/2% MSR. Used 25 ball sealers & broke down at 4300 psi at a rate of 5 BPM. Acidized with 3000 gallons 7 1/2% MSR. Dowell treated with 250,000 gallons YF4G and 500,000# sand (100,000# 100 mesh & 400,000# 20/40 mesh sand) in 10 equal stages using 80 ball sealers. Flowing on a positive 1/2" choke at a rate of 500 psi. Gas flowing at a rate of 1399 MCF/D.
SHUT IN AWAITING PIPELINE CONNECTION



18. I hereby certify that the foregoing is true and correct

SIGNED

D. H. Warrick

TITLE

DIST. PRODUCTION MANAGER

DATE

7-10-78

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

SUBMIT IN TRIPlicate*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

U-37355

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Canyon View Federal

9. WELL NO.

1-18

10. FIELD AND POOL, OR WILDCAT

Bonanza

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 18-T10S-R23E

12. COUNTY OR PARISH

Uintah

13. STATE

Utah

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
Enserch Exploration, Inc.

3. ADDRESS OF OPERATOR
909 S. Meridian, Suite 608 Oklahoma City, Oklahoma 73108

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface
1676' FNL & 1310' FWL

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

5310' G.L.

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF
FRACTURE TREAT
SHOOT OR ACIDIZE
REPAIR WELL
(Other)

PULL OR ALTER CASING
MULTIPLE COMPLETE
ABANDON*
CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF
FRACTURE TREATMENT
SHOOTING OR ACIDIZING
(Other)

REPAIRING WELL
ALTERING CASING
ABANDONMENT*

Completion Operations

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Awaiting pipeline connection

P

18. I hereby certify that the foregoing is true and correct.

SIGNED

W. H. Dumbell

TITLE

Dist. Production Manager

DATE

8-17-78

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
(FORM 9-329)
(2/76)
OMB 42-RO 356

MONTHLY REPORT
OF
OPERATIONS

Lease No. U-37355
Communitization Agreement No. _____
Field Name BONANZA
Unit Name CANYON VIEW FEDERAL
Participating Area _____
County UINTAH State UTAH
Operator ENSERCH EXPLORATION, INC.
 Amended Report

The following is a correct report of operations and production (including status of all unplugged wells) for the month of OCTOBER, 19 78

(See Reverse of Form for Instructions)

This report is required by law (30 U.S.C. 189, 30 U.S.C. 359, 25 U.S.C. 396 d), regulation (30 CFR 221.60), and the terms of the lease. Failure to report can result in the assessment of liquidated damages (30 CFR 221.54 (j)), shutting down operations, or basis for recommendation to cancel the lease and forfeit the bond (30 CFR 221.53).

Well No.	Sec. & 1/4 of 1/4	TWP	RNG	Well Status	Days Prod.	*Barrels of Oil	*MCF of Gas	*Barrels of Water	Remarks
18-1	S1/2/ NWL/4 18	10S	23E	TA	0	0	0	0	
*Waiting on pipeline connection									

*If none, so state.

DISPOSITION OF PRODUCTION (Lease, Participating Area, or Communitized Area basis)

	Oil & Condensate (BBLs)	Gas (MCF)	Water (BBLs)
*On hand, Start of Month	_____	XXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXX
*Produced	_____	_____	_____
*Sold	_____	_____	XXXXXXXXXXXXXXXXXX
*Spilled or Lost	_____	XXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXX
*Flared or Vented	XXXXXXXXXXXXXXXXXX	_____	XXXXXXXXXXXXXXXXXX
*Used on Lease	_____	_____	XXXXXXXXXXXXXXXXXX
*Injected	_____	_____	_____
*Surface Pits	XXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXX	_____
*Other (Identify)	_____	_____	_____
*On hand, End of Month	_____	XXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXX
*API Gravity/BTU Content	_____	_____	XXXXXXXXXXXXXXXXXX

Authorized Signature: *D. H. Wentzel*
Title: DISTRICT PRODUCTION MANAGER

Address: 909 S. MERIDIAN, SUITE 608

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

Submit in TRIPPLICATE*
See instructions on
reverse side)

5

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER		5. LEASE DESIGNATION AND SERIAL NO. U-37355
2. NAME OF OPERATOR Enserch Exploration, Inc. - EP Operating Company (303) 831-1616		6. IF INDIAN, ALLOTTEE OR TRIBE NAME N/A
3. ADDRESS OF OPERATOR 1700 Lincoln St., Suite 3600, Denver, Colorado 80203		7. UNIT AGREEMENT NAME n/A
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1676' FNL & 1318' FWL		8. FARM OR LEASE NAME Canyon View Federal
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT, GR, etc.) 5310' G.L.	9. WELL NO. 1-18
		10. FIELD AND POOL, OR WILDCAT Bonanza
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 18-T10S-R23E
		12. COUNTY OR PARISH Uintah
		13. STATE Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <u>Company Name Change</u> <input checked="" type="checkbox"/>	
(Other) <input type="checkbox"/>		(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) *

A new master limited partnership has been formed by Enserch Corporation to carry on all of the oil and gas operations previously conducted for Enserch Exploration, Inc. EP Operating Company, a Texas limited partnership, has been assigned record ownership of all properties previously operated by Enserch Exploration, Inc., and will be the new Operator of these properties effective May 1, 1985

18. I hereby certify that the foregoing is true and correct
 SIGNED Danny E. Hagins TITLE District Prod. Supt. New Enserch Expl., Inc. Managing General Partner DATE 5/7/85
 (This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
 CONDITIONS OF APPROVAL, IF ANY:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

<p>1. <input type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER</p> <p>2. NAME OF OPERATOR EP Operating Co.</p> <p>3. ADDRESS OF OPERATOR 1700 Lincoln Street, Suite 3600, Denver, Colorado 80203</p> <p>4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1676' FNL & 1318' FWL (S/2 NW/4)</p>		<p>5. LEASE DESIGNATION AND SERIAL NO. U-37355</p> <p>6. IF INDIAN, ALLOTTEE OR TRIBE NAME NA</p> <p>7. UNIT AGREEMENT NAME NA</p> <p>8. FARM OR LEASE NAME Canyon View Federal</p> <p>9. WELL NO. 1-18</p> <p>10. FIELD AND POOL, OR WILDCAT Natural Buttes (Bonanza)</p> <p>11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Section 18, T10S, R23E</p>
<p>14. PERMIT NO.</p>	<p>15. ELEVATIONS (Show whether DF, RT, GR, etc.) 5310' GL</p>	<p>12. COUNTY OR PARISH 13. STATE Uintah Utah</p>

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) _____	(Other) _____
(Other) <input type="checkbox"/>	Install 1" Tubing <input checked="" type="checkbox"/>	(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Install 1" coiled tubing inside existing 2 3/8" tubing. This tubing will be a permanent part of this well and is being installed to increase the velocity of fluid movement and increase gas rate.

RECEIVED

SEP 26 1985

**DIVISION OF OIL
GAS & MINING**

18. I hereby certify that the foregoing is true and correct

SIGNED Danny E. Hagins TITLE Production Superintendent DATE 9/24/85
 (This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
 CONDITIONS OF APPROVAL, IF ANY:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

SUBMIT IN TRIPlicate
(other instructions on reverse side)

5

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

5. LEASE DESIGNATION AND SERIAL NO.

U-37355

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

NA

7. UNIT AGREEMENT NAME

NA

8. FARM OR LEASE NAME

Canyon View Federal

9. WELL NO.

#1-18

10. FIELD AND POOL, OR WILDCAT

Natural Buttes

11. SEC., T., R., W., OR BLK. AND SURVEY OR AREA

Section 18, T10S, R23E

12. COUNTY OR PARISH

Uintah

13. STATE

Utah

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
EP Operating Company

3. ADDRESS OF OPERATOR
1700 Lincoln Street, Suite 3600, Denver, Colorado 80202

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)
At surface

1676' FNL, 1318' FWL (S/2 NW/4)

RECEIVED

NOV 15 1985

DIVISION OF OIL
GAS & MINING

14. PERMIT NO.

15. ELEVATIONS (Show whether OF, AT, GR, etc.)

5310' GR

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
(Other) <input type="checkbox"/>	<input type="checkbox"/>

WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
(Other) <u>Install 1" Tubing</u> <input checked="" type="checkbox"/>	<input type="checkbox"/>

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Installed 1" coiled tubing inside existing 2 3/8" tubing.
1" coiled tubing hanging at 6325'.

18. I hereby certify that the foregoing is true and correct

SIGNED Danny C. Lagimodiere TITLE Production Superintendent DATE 11/12/85

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
REMARKS OF APPROVAL, IF ANY:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPPLICATE*
(Other instructions on re-
verse side)

Budget Bureau No. 1004--113
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO.

U-37355

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

N/A

7. UNIT AGREEMENT NAME

N/A

8. FARM OR LEASE NAME

Canyon View Federal

9. WELL NO.

1-18

10. FIELD AND POOL, OR WILDCAT

Natural Buttes (Bonanza)

11. SEC., T., R., M., OR BLE. AND SURVEY OR AREA

Sec. 18, T10S, R23E

12. COUNTY OR PARISH

Uintah

13. STATE

Utah

SUNDRY NOTICES AND REPORTS ON WELLS
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT--" for such proposals.)
RECEIVED
FEB 06 1989

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
EP Operating Company

3. ADDRESS OF OPERATOR
6 Desta Drive, Suite 5250, Midland, TX 79705-5510

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)
At surface
1676' FNL, 1318' FWL, S/2 NW/4

14. PERMIT NO.
43-047-30379

15. ELEVATIONS (Show whether DF, RT, GR, etc.)
5310' GR

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF
FRACTURE TREAT
SHOOT OR ACIDIZE
REPAIR WELL
(Other)
PULL OR ALTER CASING
MULTIPLE COMPLETE
ABANDON*
CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF
FRACTURE TREATMENT
SHOOTING OR ACIDIZING
(Other) Prod:Place Back in Service
(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
REPAIRING WELL
ALTERING CASING
ABANDONMENT*

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Production started from well on 1/25/89, 2:00 PM, 406 MCF gas per day.

18. I hereby certify that the foregoing is true and correct

SIGNED A.D. Lee

TITLE Production Superintendent

DATE 2/1/89

(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

DATE _____

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Form approved. **PSW**
Budget Bureau No. 1004-0135
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO. **5**

U-37355

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Canyon View Federal

9. WELL NO.

1-18

10. FIELD AND POOL, OR WILDCAT

Natural Buttes (Bonanza)

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 18, T10S, R23E

12. COUNTY OR PARISH

Uintah

13. STATE

Utah

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT" for such proposals.)

RECEIVED
NOV 17 1989
DIVISION OF OIL & GAS & MINING

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
EP Operating Company

3. ADDRESS OF OPERATOR
6 Desta Drive, Suite 5250, Midland, TX 79705-0510

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)
At surface
1676' FNL, 1318' FWL

14. PERMIT NO.
43-047-30379

15. ELEVATIONS (Show whether DF, RT, GR, etc.)
5310' GR

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF
FRACTURE TREAT
SHOOT OR ACIDIZE
REPAIR WELL
(Other)

PULL OR ALTER CASING
MULTIPLE COMPLETE
ABANDON*
CHANGE PLANS

WATER SHUT-OFF
FRACTURE TREATMENT
SHOOTING OR ACIDIZING
(Other) Resume Production

REPAIRING WELL
ALTERING CASING
ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

The subject well was returned to production on 11/13/89.

OIL AND GAS	
DRN	RJF
JRB	GLH
DTS	SLS
1-TAS	
2-	MICROFILM
3-	FILE

18. I hereby certify that the foregoing is true and correct

SIGNED S. D. Reed
S. D. Reed

TITLE Production Superintendent

DATE 11/14/89

(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

DATE _____

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: September 30, 1990

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

EP Operating Company L. P.

3. Address and Telephone No.

6 Desta Drive, Suite 5250, Midland, Texas 79705-5510

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1676' FNL, 1318' FWL
Section 18, T10S, R23E

43-047-30779 PGW

5. Lease Designation and Serial No.

U-37355

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Canyon View Fed #1-18

9. API Well No.

10. Field and Pool, or Exploratory Area

Natural Buttes (Bonanza)

11. County or Parish, State

Uintah, Utah

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<u>Resume Production</u>

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

This subject well resumed production 11/22/90.

1978

14. I hereby certify that the foregoing is true and correct

Signed [Signature] Title Production Superintendent Date 11/27/90

(This space for Federal or State office use)

Approved by _____ Title _____ Date _____
Conditions of approval, if any:

**ENSERCH
EXPLORATION INC.**

4849 Greenville Ave., Suite 1200
Dallas, Texas 75206-4186
214-369-7893

Edward L. Johnson
Director
Land Operations
Gulf Coast Region

December 2, 1992

State of Utah
Department of Natural Resources
Division of Oil, Gas and Mining
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

RECEIVED

DEC 07 1992

DIVISION OF
OIL GAS & MINING

ATTENTION: Mr. R. J. Firth

Re: Change of Operator (Form 9)
Unitah & Duchesne Counties, Utah

Dear Mr. Firth:

Enclosed please find twenty-six (26) Form 9s transferring operations from EP Operating Company to Phoenix Hydrocarbons Operating Corp. If you have any questions regarding the above, please call me at (214) 987-6442.

Yours truly,


Dean Edzards

DE:ks
Enclosure

c: Mr. Randy Bailey
P. O. Box 2802
Midland, Texas 79702

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

6. Lease Designation and Serial Number U-37355
7. Indian Allottee or Tribe Name N/A
8. Unit or Communitization Agreement N/A
9. Well Name and Number Canyon View Fed. #1-18
10. API Well Number 4304730379
11. Field and Pool, or Wildcat Natural Buttes (Bonanza)

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT— for such proposals

1. Type of Well
 Oil Well Gas Well Other (specify)

2. Name of Operator
EP Operating Company

3. Address of Operator
6 Desta Drive, #5250, Midland, TX 79705-5510

4. Telephone Number
915-682-9756

5. Location of Well
 Footage : 1,676' FNL, 1,318 FWL (SW/4 NW/4)
 County : Uintah
 QQ, Sec, T., R., M. : Section 18, T10S, R23E
 State : UTAH

12. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
(Submit in Duplicate)

- | | |
|---|---|
| <input type="checkbox"/> Abandonment | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Casing Repair | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Recompletion |
| <input type="checkbox"/> Conversion to Injection | <input type="checkbox"/> Shoot or Acidize |
| <input type="checkbox"/> Fracture Treat | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Multiple Completion | <input type="checkbox"/> Water Shut-Off |
| <input checked="" type="checkbox"/> Other <u>Change of Operator</u> | |
- Approximate Date Work Will Start _____

SUBSEQUENT REPORT
(Submit Original Form Only)

- | | |
|--|---|
| <input type="checkbox"/> Abandonment * | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Casing Repair | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Shoot or Acidize |
| <input type="checkbox"/> Conversion to Injection | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Fracture Treat | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Other _____ | |

Date of Work Completion _____

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.
* Must be accompanied by a cement verification report.

13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Change of Operator from EP Operating Company:

Phoenix Hydrocarbons Operating Corp.
P. O. Box 2802
Midland, Texas 79702
915-682-1186

Effective: September 1, 1992

RECEIVED

DEC 07 1992

DIVISION OF
OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name & Signature Byron W James Title Landman Date 11/23/92
 (State Use Only) Byron W. James

Phoenix Hydrocarbons Operating Corp.

January 5, 1993

State of Utah
Division of Oil, Gas, & Mining
3 Triad Center, #350
Salt Lake City, UT 84180-1203

Attention: Lisha Romero

RE: Sundry Notices
Enserch Exploration Inc. Acquisition


Dear Lisha:

Enclosed you will find the subject Sundry Notices. As per our telephone conversation in early December, we have signed a copy of the original notices which were filed by Enserch Exploration Inc. at the end of November.

In regards to the BLM notices, I am currently working with Enserch Exploration Inc. to get these filed.

If you should have any questions, please call.

Sincerely,



Rhonda Patterson

encl.

RECEIVED

JAN 13 1993

DIVISION OF
OIL GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

6. Lease Designation and Serial Number U-37355
7. Indian Allottee or Tribe Name N/A
8. Unit or Communitization Agreement N/A
9. Well Name and Number Canyon View Fed. #1-18
10. API Well Number 4304730379
11. Field and Pool, or Wildcat Natural Buttes (Bonanza)

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT— for such proposals

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other (specify)	9. Well Name and Number Canyon View Fed. #1-18
2. Name of Operator EP Operating Company	10. API Well Number 4304730379
3. Address of Operator 6 Desta Drive, #5250, Midland, TX 79705-5510	4. Telephone Number 915-682-9756
5. Location of Well Footage : 1,676' FNL, 1,318 FWL (SW/4 NW/4) County : Uintah QQ, Sec. T., R., M. : Section 18, T10S, R23E State : UTAH	

12. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	
NOTICE OF INTENT (Submit in Duplicate) <input type="checkbox"/> Abandonment <input type="checkbox"/> New Construction <input type="checkbox"/> Casing Repair <input type="checkbox"/> Pull or Alter Casing <input type="checkbox"/> Change of Plans <input type="checkbox"/> Recompletion <input type="checkbox"/> Conversion to Injection <input type="checkbox"/> Shoot or Acidize <input type="checkbox"/> Fracture Treat <input type="checkbox"/> Vent or Flare <input type="checkbox"/> Multiple Completion <input type="checkbox"/> Water Shut-Off <input checked="" type="checkbox"/> Other <u>Change of Operator</u> Approximate Date Work Will Start _____	SUBSEQUENT REPORT (Submit Original Form Only) <input type="checkbox"/> Abandonment * <input type="checkbox"/> New Construction <input type="checkbox"/> Casing Repair <input type="checkbox"/> Pull or Alter Casing <input type="checkbox"/> Change of Plans <input type="checkbox"/> Shoot or Acidize <input type="checkbox"/> Conversion to Injection <input type="checkbox"/> Vent or Flare <input type="checkbox"/> Fracture Treat <input type="checkbox"/> Water Shut-Off <input type="checkbox"/> Other _____ Date of Work Completion _____ Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form. * Must be accompanied by a cement verification report.

13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Change of Operator from EP Operating Company:
Phoenix Hydrocarbons Operating Corp.
P. O. Box 2802
Midland, Texas 79702
915-682-1186
Effective: September 1, 1992

RECEIVED
JAN 13 1993
DIVISION OF
OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name & Signature <u>Byron W James</u>	Title <u>Landman</u>	Date <u>11/23/92</u>
(State Use Only) Byron W. James	<u>C.R. Bailey</u>	<u>12/11/92</u>
PHOENIX HYDROCARBONS OPERATING NAME & SIGNATURE	TITLE/DATE	

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: September 30, 1990

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
Phoenix Hydrocarbons Operating Corp.

3. Address and Telephone No.
415 West Wall, #703 Midland, TX 79701 (915)682-1186

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
SE NW Sec 18, T10S, R23E

5. Lease Designation and Serial No.
U-38421

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.
Canyon View Fed #1-18

9. API Well No.
43-047-30379

10. Field and Pool, or Exploratory Area
Natural Buttes (Bonanza)

11. County or Parish, State
Uintah, UT

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent <input type="checkbox"/> Subsequent Report <input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Abandonment <input type="checkbox"/> Recompletion <input type="checkbox"/> Plugging Back <input type="checkbox"/> Casing Repair <input type="checkbox"/> Altering Casing <input checked="" type="checkbox"/> Other <input type="checkbox"/> Change of Plans <input type="checkbox"/> New Construction <input type="checkbox"/> Non-Routine Fracturing <input type="checkbox"/> Water Shut-Off <input type="checkbox"/> Conversion to Injection change of Operator (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Effective September 1, 1992, Phoenix Hydrocarbons Operating Corp. became the Operator of the above named well from EP Operating Company. Reporting responsibilities transferred hands December 1, 1992.
ENSERCH

VEENAL DIST.
 ENG. *2/2/93*
 GEOL. _____
 E.S. _____
 PET. _____
 A.M. _____

RECEIVED
 FEB 08 1993

RECEIVED

MAR 11 1993

DIVISION OF
 OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct

Signed *[Signature]* Title **President** Date *2/4/93*

(This space for Federal or State office use)

Approved by *[Signature]* Title **ASSISTANT DISTRICT MANAGER MINERALS** Date **MAR 8 1993**
 Conditions of approval, if any:

Title 18 U.S.C. Section 1001 makes it a crime for any person knowingly and willfully to make to any department, or agency, of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction

*See instruction on Reverse Side

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

Routing:	
1	REC
2	DTS 7-LEC
3	VLC
4	RJF
5	RWM
6	ADA

Attach all documentation received by the division regarding this change.
 Initial each listed item when completed. Write N/A if item is not applicable.

- Change of Operator (well sold) Designation of Agent
 Designation of Operator Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 9-1-92)

TO (new operator) PHOENIX HYDRO OPER CORP
 (address) PO BOX 2802
MIDLAND TX 79702
RHONDA PATTERSON
 phone (915) 682-1186
 account no. N 9880

FROM (former operator) EP OPERATING CO. LP
 (address) 6 DESTA DRIVE #5250
MIDLAND TX 79705-5510
BYRON JAMES, LANDMAN
 phone (915) 682-9756
 account no. N 0400

Well(s) (attach additional page if needed):

Name: **SEE ATTACHED**	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). *(Rec'd 12-7-92)*
2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form). *(Rec'd 12-14-92) (Rec'd 1-13-93)*
3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes/no) _____ If yes, show company file number: _____
4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of **Federal and Indian** well operator changes should take place prior to completion of steps 5 through 9 below.
5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. *(3-15-93)*
6. Cardex file has been updated for each well listed above. *(3-15-93)*
7. Well file labels have been updated for each well listed above. *(3-15-93)*
8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission. *(3-15-93)*
9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

- 1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) no (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
- 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only)

- 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
- 2. A copy of this form has been placed in the new and former operators' bond files.
- 3. The former operator has requested a release of liability from their bond (yes/no) no. Today's date 1993. If yes, division response was made by letter dated 19 .

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

- 1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated 19 , of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
- 2. Copies of documents have been sent to State Lands for changes involving State leases.
3/16/93 to Ed Bonner

INDEXING

- 1. All attachments to this form have been microfilmed. Date: March 25 1993.

FILED

- 1. Copies of all attachments to this form have been filed in each well file.
- 2. The original of this form and the original attachments have been filed in the Operator Change file.

REMARKS

930308 Btm/Wernal Approved. (Remaining wells involved in C.A.'s e units will be handled on a separate change. Involves 7 wells.

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING
 355 West North Temple, 3 Triad, Suite 350, Salt Lake City, UT 84180-1203

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS:

RHONDA PATTERSON
 PHOENIX HYDRO OPER CORP
 PO BOX 2802
 MIDLAND TX 79702

UTAH ACCOUNT NUMBER: N9880

REPORT PERIOD (MONTH/YEAR): 12 / 93

AMENDED REPORT (Highlight Changes)

Well Name	Producing Zone	Well Status	Days Oper	Production Volumes		
				OIL(BBL)	GAS(MCF)	WATER(BBL)
NO NAME CANYON 2-9						
4304731504 01468 10S 23E 9	MVRD			U-37355		
SHEEPHERDER 1-10						
4304730559 01470 10S 23E 10	MVRD			U-38261	CR-5 (separate chg)	
JACK RABBIT 1-11						
4304730423 01475 10S 23E 11	MVRD			U-38424	CR-23 / B7m Appv. 2-14-94	
NSO FEDERAL 1-12						
4304730560 01480 10S 23E 12	MVRD			U-38423	CR-22 / B7m Appv. 2-14-94	
CANYON VIEW 1-18						
4304730379 01485 10S 23E 18	MVRD			U-38421		
SAGE HEN 1-6						
4304730382 01490 10S 23E 6	MVRD			ML-22186A	U-38419	CR-3 (separate chg)
IKOUT POINT 1-16						
4304730544 01495 10S 23E 16	MVRD			ML-22186A		
WHITE RIVER 1-14						
4304730481 01500 10S 23E 14	MVRD			U-38427		
FLAT MESA 1-7						
4304730365 01505 10S 23E 7	MVRD			U-38420		
FLAT MESA 2-7						
4304730545 01506 10S 23E 7	MVRD			U-38420		
PETE'S FLAT 1-1						
4304730558 01510 10S 23E 1	MVRD			U-40736		
MONUMENT BUTTE 1-3						
4301330642 01515 09S 17E 3	GRRV			U-44004		
MONUMENT BUTTE 2-3						
4301330810 01521 09S 17E 3	GRRV			U-44004		
TOTALS						

COMMENTS: _____

I hereby certify that this report is true and complete to the best of my knowledge.

Date: _____

Name and Signature: _____

Telephone Number: _____

SNYDER OIL CORPORATION

1625 Broadway, Suite 2200
Denver, Colorado 80202
Phone 303-592-8579

RECEIVED

FEB 07 1994

DIVISION OF
OIL, GAS & MINING

January 13, 1994

State of Utah
Division of Oil, Gas, & Mining
3 Triad Center, #350
Salt Lake City, UT 84180-1203

Attention: Lisha Cordova

RE: ~~Change of Operator~~
Sundry Notices

Dear Ms. Cordova:

Effective January 1, 1994, Phoenix Hydrocarbons Operating Corp. will transfer all operations in Utah to Snyder Oil Corporation.

Snyder Oil Corporation is covered by Utah State Bond #582488 and Federal Bond #579354 (Guld Insurance Company).

Attached you will find a list of all wells to be operated by Snyder Oil Corporation. Please note: all of Phoenix Hydrocarbon Operating Corp.'s wells should be transferred.

If you should have any questions, please call.

Sincerely,



Steven G. Van Hook
Attorney-in-Fact

Enclosures

INTEROFFICE COMMUNICATION
SNYDER OIL CORPORATION

TO: George Rooney
FROM: Steve Van Hook *SVH*
DATE: January 17, 1994
RE: Phoenix Acquisition
Transfer of Operator Forms

RECEIVED

FEB 07 1994

DIVISION OF
OIL, GAS & MINING

Accompanying this memo are the following items related to the Phoenix acquisition which require your further handling:

*CBAC
Needs
Copies*

①
②

Original letter dated 12/20/93 from Phoenix to the State of Utah Oil, Gas & Mining Division, with exhibit listing all wells in which SOCO becomes operator. Please mail ASAP with our enclosed cover letter advising SOCO is assuming operations.

Separate executed forms to transfer operations on the Southman Canyon SWD #3 well. Please complete the contact portion of these forms and forward for approval with the State of Utah.

3. For the Walker Hollow Unit, enclosed is a 1/14/94 cover letter from Phoenix Hydrocarbon with a Sundry Notice executed by SOCO and Phoenix for the following unit wells:

McLish #1, 2, 3, 4
Pan Am #2
Walker Hollow U6, J8

4. For operated wells on Federal lands, a separate file for the following wells is enclosed containing in each three original Sundry Notices of the BLM executed by SOCO and Phoenix. Please file with the BLM in triplicate for the following wells:

Castle Peak 1-3
Canyon View 1-18
Crooked Canyon 1-17
Federal 11-1-M
Madeline 4-3-C
Coors 1-14-D
Baser 5-1

No Name 2-9, 1-9
Willow Creek #2
Flat Mesa 2-7
Flat Mesa 1-7
Gusher 15-1-A
Southman Canyon 4-5, 4-4, 1-5
Baser Draw 6-2, 6-1

Memo Re: Phoenix/Transfer of Operator Forms
January 17, 1994
Page 2

Wolf Govt. Federal #1
Monument Butte 2-3
Pete's Flat Federal 1-1
Willow Creek #1
Cliff Edge Fed 1-15
E. Gusher No. 3
Lizzard Creek 1-10
Federal 3-15
Monument Butte 1-3

Federal Miller 1
Sage Brush 1-8
Bitter Creek Federal 1-3
White River 1-14
Southman Canyon SWD #3
Federal 2-10 HB
Horseshoe Bend 2
Natural 1-7 (Love Unit)

Please advise should any questions arise.

SVH/lk

Attachments

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: September 30, 1990

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

5. Lease Designation and Serial No.

U-38421

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Canyon View #1-18

9. API Well No.

43-047-30379

10. Field and Pool, or Exploratory Area

11. County or Parish, State

Uintah, UT

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

Snyder Oil Corporation

3. Address and Telephone No.

1625 Broadway, #2200, Denver, CO 80202 (303)592-8500

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 18, T-10-S, R-23-E

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- Notice of Intent
- Subsequent Report
- Final Abandonment Notice

TYPE OF ACTION

- Abandonment
- Recompletion
- Plugging Back
- Casing Repair
- Altering Casing
- Other
- Change of Plans
- New Construction
- Non-Routine Fracturing
- Water Shut-Off
- Conversion to Injection

Change Of Operator

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*


Effective January 1, 1994, Snyder Oil Corporation will become the operator of the referenced well from Phoenix Hydrocarbons Operating Corp.

Snyder Oil Corporation is covered under Federal Bond #579354 (Gulf Insurance Company) and Utah State Bond #582488.

FFR 22 1994

14. I hereby certify that the foregoing is true and correct

Signed



Title

Attorney-in-fact

Date

1-14-94

(This space for Federal or State office use)

Approved by **HOWARD B. CLEAVINGER II**

Title

**ASSISTANT DISTRICT
MANAGER MINERALS**

Date

FEB 17 1994

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: September 30, 1990

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

5. Lease Designation and Serial No.

V-38421

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Canyon View #1-18

9. API Well No.

43-047-30379

10. Field and Pool, or Exploratory Area

11. County or Parish, State

Uintah, UT

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

Phoenix Hydrocarbons Operating Corp.

3. Address and Telephone No.

415 West Wall, #703 Midland, TX 79701 915-682-1186

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 18, T-10-S, R 23 E

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- Notice of Intent
 Subsequent Report
 Final Abandonment Notice

TYPE OF ACTION

- Abandonment
 Recompletion
 Plugging Back
 Casing Repair
 Altering Casing
 Other
- Change of Plans
 New Construction
 Non-Routine Fracturing
 Water Shut-Off
 Conversion to Injection

Change of Operator

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Effective January 1, 1994, Snyder Oil Corporation will become the Operator of the above referenced well.

FEB 22

14. I hereby certify that the foregoing is true and correct

Signed

[Signature]

Title

President

Date

1/14/94

(This space for Federal or State Office use)

HOWARD B. CLEAVINGER II

Title

ASSISTANT DISTRICT
MANAGER MINERALS

Date

FEB 17 1994

Approved by
Conditions of approval, if any:



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Vernal District Office
170 South 500 East
Vernal, Utah 84078-2799

FEB 28 1994



IN REPLY REFER TO:
3162.3
UT08438

February 17, 1994

Snyder Oil Corporation
Attn: Mr. Steven C. Van Hook
1625 Broadway, Suite #2200
Denver, CO 80202

Re: Well: Canyon View 1-18
SWNW, Sec. 18, T10S, R23E
Lease U - 38421
Uintah County, Utah

Dear Mr. Van Hook:

This correspondence is in regard to the self-certification statement submitted requesting a change in operator for the referenced well. After a review by this office, the change in operator request is approved. Effective immediately, Snyder Oil Corporation is responsible for all operations performed on the referenced well. All liability will now fall under your bond, BLM Bond No. WY2272, for all operations conducted on the referenced well on the leased land.

If you have any other questions concerning this matter, please contact Ed Forsman of this office at (801)789-1362.

Sincerely,

Howard B. Cleavinger II
Assistant District Manager for Minerals

Phoenix Hydrocarbons Operating Corp.

December 20, 1993

State of Utah
Division of Oil, Gas, & Mining
3 Triad Center, #350
Salt Lake City, UT 84180-1203

FEB 28 1994

Attention: Lisha Cordova

RE: Change Of Operator
Sundry Notices

Dear Lisha:


Effective January 1, 1994, Phoenix Hydrocarbons Operating Corp. will transfer all operations in Utah to Snyder Oil Corporation.

Snyder Oil Corporation is covered by Utah State Bond #582488 and Federal Bond #579354 (Guld Insurance Company).

Attached you will find a list of all wells to be Operated by Snyder Oil Corporation. Please note: all of Phoenix Hydrocarbon Operating Corp.'s well should be transfered.

If you should have any questions, please call.

Sincerely,



Rhonda Patterson

encl.

Post-it™ Fax Note		7671	Date	# of pages ▶ 3
To	Lisha		From	Cynthia Brockman
Co./Dept.			Co.	
Phone #			Phone #	
Fax #			Fax #	

UINTAH COUNTY

Well Name	LEASE NUMBER	API NUMBER	LOCATION
Gulf State 36-11	ML-22057	43-047-31350	SEC 36, T-8-S, R-18-E
Gulf State 36-12	ML-22057	43-047-31864	SEC 36, T-8-S, R-18-E
Gulf State 36-13	ML-22057	43-047-31946	SEC 36, T-8-S, R-18-E
Gulf State 36-22	ML-22057	43-047-31892	SEC 36, T-8-S, R-18-E
Pariette Draw 28-44	FEE	43-047-31408	SEC 28, T-4-S, R-2-W
Federal Miller #1	UTU0136484	43-047-30034	SEC 4, T-7-S, R-22-E
Wolf Govt # 1	UTU076939	43-047-16609	SEC 6, T-7-S, R-22-E
McLish #1 (Walker-Hollow)	SL-066341	43-047-20280	SEC 8, T-7-S, R-23-E
McLish #2 (Walker-Hollow)	SL-066341	43-047-30011	SEC 8, T-7-S, R-23-E
McLish #3 (Walker-Hollow)	SL-066341	43-047-30027	SEC 8, T-7-S, R-23-E
McLish #4 (Walker-Hollow)	SL-066341	43-047-30030	SEC 8, T-7-S, R-23-E
Walker Hollow U-8	SL-066341	43-047-31034	SEC 8, T-7-S, R-23-E
Pari American #2	SL-066341	43-047-30038	SEC 8, T-7-S, R-23-E
Walker Hollow U-8	SL-066341	43-047-31062	SEC 8, T-7-S, R-23-E
Basin 6-1	UTU076939	43-047-31833	SEC 6, T-7-S, R-22-E
Basin 6-1	UTU076939	43-047-31834	SEC 6, T-7-S, R-22-E
Basin 6-2	UTU076939	43-047-31859	SEC 6, T-7-S, R-22-E
Southman 1-6	UTU33433	43-047-30856	SEC 6, T-10-S, R-23-E
Southman 4-4	UTU33433	43-047-30632	SEC 4, T-10-S, R-23-E
Southman 4-6	UTU33433	43-047-30633	SEC 6, T-10-S, R-23-E
East Gusher 16-1-A	UTU58097	43-047-31900	SEC 16, T-8-S, R-20-E
Coors 14-1-D	UTU85223	43-047-31304	SEC 14, T-7-S, R-21-E
East Gusher 2-1-A	ML-21181	43-047-31431	SEC 2, T-6-S, R-20-E
Madeline 4-3-C	UTU42469	43-047-32279	SEC 4, T-7-S, R-21-E
Federal 6-6-H	UTU68999	43-047-31803	SEC 6, T-7-S, R-21-E
Federal 11-1-M	UTU64376	43-047-32333	SEC 11, T-6-S, R-20-E
Flat Mesa 1-7	U-38420	43-047-30362	SEC 7, T-10-S, R-23-E
Flat Mesa 2-7	U-38420	43-047-30546	SEC 7, T-10-S, R-23-E
Crooked Canyon 1-17	U-37355	43-047-30369	SEC 17, T-10-S, R-23-E
Willow Creek 2	U-39223	43-047-31818	SEC 6, T-11-S, R-20-E
No Name Canyon 1-8	U-37355	43-047-30378	SEC 9, T-10-S, R-23-E
No Name Canyon 2-9	U-37355	43-047-31604	SEC 9, T-10-S, R-23-E
Canyon View Fed 1-18	U-38421	43-047-30379	SEC 18, T-10-S, R-23-E
Alger Pass #1	ML-36213	43-047-31824	SEC 2, T-11-S, R-19-E
Sage Hen 1-6	U-38419	43-047-30362	SEC 6, T-10-S, R-23-E
Sagebrush 1-8	U-37355	43-047-30383	SEC 8, T-10-S, R-23-E
Southman Canyon SWD 3	U-38427	43-047-16880	SEC 16, T-10-S, R-23-E
Jack Rabbit 1-11	U-38425	43-047-30423	SEC 11, T-10-S, R-23-E
Cliff Edge 1-16	U-38427	43-047-30482	SEC 16, T-10-S, R-23-E
White River 1-14	U-38427	43-047-30481	SEC 14, T-10-S, R-23-E
Bitter Creek Fed 1-3	U-26797	43-047-30624	SEC 3, T-11-S, R-22-E
Lookout Point 1-16	ML-22186-A	43-047-30544	SEC 16, T-10-S, R-23-E
Pete's Flat Fed 1-1	U-40738	43-047-30558	SEC 1, T-10-S, R-23-E
Shepherd Fed 1-10	U-38281	43-047-30558	SEC 10, T-10-S, R-23-E
NSO Fed 1-12	U-38422	43-047-30560	SEC 12, T-10-S, R-23-E
Cottonwood Wash #1	U-40729	43-047-31774	SEC 10, T-12-S, R-21-E
Willow Creek #1	U-34705	43-047-31776	SEC 27, T-11-S, R-20-E
East Bench #1	U-25860	43-047-31778	SEC 33, T-11-S, R-22-E
Lizzard Creek 1-10	U-25860	43-047-31478	SEC 10, T-11-S, R-22-E
Archy Bench #1-2	ML-22348-A	43-047-31489	SEC 2, T-11-S, R-22-E
Coors 2-10-HB	UTU-65222	43-047-32009	SEC 10, T-7-S, R-21-E
E Gusher #3	SL-065841-A	43-047-16560	SEC 3, T-6-S, R-20-E
Natural 1-7	U-6346	43-047-30148	SEC 7, T-11-S, R-21-E
Bonanza Federal 3-16	U-38428	43-047-31278	SEC 16, T-10-S, R-23-E
Lafkas 1-3	CR201	43-047-31178	SEC 3, T-11-S, R-20-E
State 14-16	ML-40904	43-047-31417	SEC 16, T-7-S, R-21-E
Love Unit 1-18	891018090A	43-047-30706	SEC 18, T-11-S, R-22-E
Love Unit 1-11	891018090A	43-047-30817	SEC 11, T-11-S, R-21-E
Love Unit 1-12	891018090A	43-047-30638	SEC 12, T-11-S, R-21-E
Love Unit 4-1	891018090A	43-047-30640	SEC 4, T-11-S, R-21-E
Love Unit B-1-10	891018090A	43-047-30709	SEC 10, T-11-S, R-21-E
Love Unit B-2-3	891018090A	43-047-30766	SEC 3, T-11-S, R-21-E
Horseshoe Bend #2 (AKA)	U-0142176	43-047-16900	SEC 3, T-7-S, R-21-E

DUCHESNE COUNTY

Well Name	LEASE NUMBER	API NUMBER	LOCATION
Pleasant Valley 24-32	FEE	43-013-30888	SEC 24, T-4-S, R-2-W
Castle Peak 1-3	U-47172	43-013-30639	SEC 3, T-9-S, R-16-E
Monument Butte 1-3	U-44004	43-013-30642	SEC 3, T-9-S, R-17-E
Monument Butte 2-3	U-61252	43-013-30810	SEC 3, T-9-S, R-17-E

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

Routing:

1- NO/GR
2- DE 17-SJ
3- VL 8-FILE
4- RJE ✓
5- UC
6- PL ✓

Attach all documentation received by the division regarding this change.
 Initial each listed item when completed. Write N/A if item is not applicable.

- Change of Operator (well sold) Designation of Agent
 Designation of Operator Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 1-01-94)

TO (new operator)	<u>SNYDER OIL CORPORATION</u>	FROM (former operator)	<u>PHOENIX HYDRO OPER CORP</u>
(address)	<u>PO BOX 129</u>	(address)	<u>PO BOX 2802</u>
	<u>BAGGS WY 82321</u>		<u>MIDLAND TX 79702</u>
	<u>KATHY STAMAN</u>		<u>RHONDA PATTERSON</u>
	phone <u>(307) 383-2800</u>		phone <u>(915) 682-1186</u>
	account no. <u>N 1305</u>		account no. <u>N 9880</u>

Well(s) (attach additional page if needed):

Name: <u>**SEE ATTACHED**</u>	API: <u>047-30379</u>	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

- See 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). *(Rec'd 2-28-94)*
- See 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form). *(Rec'd 2-7-94)*
- N/A 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes/no) ____ If yes, show company file number: _____.
- See 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of **Federal and Indian** well operator changes should take place prior to completion of steps 5 through 9 below.
- See 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. *(2-28-94)*
- See 6. Cardex file has been updated for each well listed above. *(2-28-94)*
- See 7. Well file labels have been updated for each well listed above. *(3-2-94)*
- See 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission. *(2-28-94)*
- See 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

- 1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) no (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
- 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only)

*(In progress / Phoenix's IDLOC #m416415 / \$80,000 not to be released until replaced / * Both operators aware.*

- 1. The new operator of any fee lease well listed above has furnished a proper bond.
- 2. A copy of this form has been placed in the new and former operators' bond files. ** Upon compl. of routing.*
- 3. The former operator has requested a release of liability from their bond (yes/no) no. Today's date February 28, 1994. If yes, division response was made by letter dated _____ 19____.

EASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

- 1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated _____ 19____, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested. *OC 3/10/94*
- 2. Copies of documents have been sent to State Lands for changes involving State leases.

FILMING

- 1. All attachments to this form have been microfilmed. Date: March 18 1994.


FILING

- 1. Copies of all attachments to this form have been filed in each well file.
- 2. The original of this form and the original attachments have been filed in the Operator Change file.

COMMENTS

940228 Partial change only. (see separate change)

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING



1. **SUNDRY NOTICES AND REPORTS ON WELLS**
(Do not use this form for proposals to drill or to deepen or plug back to a different depth. Use "APPLICATION FOR PERMIT--" for such proposals.)

5. LEASE DESIGNATION AND SERIAL NO. _____

6. IF INDIAN, ALLOTTEE OR TRIBAL NAME _____

OIL WELL GAS WELL OTHER _____

2. NAME OF OPERATOR
Snyder Oil Corporation

7. UNIT AGREEMENT NAME _____

8. FARM OR LEASE NAME _____

3. ADDRESS OF OPERATOR
1625 Broadway, Suite 2200, Denver, CO 80202 (303) 592-8500

9. WELL NO.
Canyon View Federal #1-18

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)
At surface
1676' FNL & 1318' FWL, SW NW Sec 18-T10S-R23E

10. FIELD AND POOL, OR WILDCAT
Natural Buttes

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA _____

14. API NUMBER
43-047-30379

15. ELEVATIONS (Show whether DF, RT, GR, etc.)
5310' GL 5324' KB

12. COUNTY OR PARISH
Uintah

13. STATE
UT

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input checked="" type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input checked="" type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(OTHER) _____	<input type="checkbox"/>
(OTHER) <input type="checkbox"/>	<input type="checkbox"/>	(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

10/29/94 Set RBP @ 5577'

10/30/94 Set packer @ 2910'. Squeeze cement w/ 250 sx class "G" cement w/ additives.

11/1/94 Perforate Wasatch 4978-4986 w/ 2 spf

11/7/94 Fracture stimulate Wasatch formation w/ 28,350 gal Viking I gel and 127,840# 20/40 mesh sand

11/9/94 POOH w/ RBP

11/10/94 RIH w/ 160 jts 2 3/8", 4.7# J-55 tbg w/ SN (set @ 4957')

18. I hereby certify that the foregoing is true and correct

SIGNED George B. Rooney IV *George B. Rooney IV* TITLE Sr. Petroleum Engineer DATE 11/23/94

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY: _____

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

R E C E I V E D

DEC 23 1994

DIV OF OIL, GAS & MINING

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry a different reservoir.
Use "APPLICATION FOR PERMIT -" for such proposals

6. If Indian, Allottee or Tribe Name
N/A

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well
 Gas Well
 Other

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Canyon View Federal #1-18

9. API Well No.

43-047-30379

10. Field and Pool, or Exploratory Area

Natural Buttes

11. County or Parish, State

Uintah County, UT

2. Name of Operator

SNYDER OIL CORPORATION

3. Address and Telephone No.

1625 BROADWAY, SUITE 2200, DENVER, CO. 80202 (303) 592-8500

4. Location of Well (Footage, Sec., T., R., m., or Survey Description)

1676' FNL & 1318' FWL SW NW Sec 18-T10S-R23E

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

Notice of Intent
 Subsequent Report
 Final Abandonment Notice

TYPE OF ACTION

Abandonment
 Recompletion
 Plugging Back
 Casing Repair
 Altering Casing
 Other

Change of Plans
 New Construction
 Non-Routine Fracturing
 Water Shut-Off
 Conversion to Injection
 Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Snyder Oil Corporation recompleted this well as follows:

- 10/29/94 Set RBP @ 5577'
- 10/30/94 Set packer @ 2910', Squeeze cement w/ 250 sx class "G" w/ additives
- 11/1/94 Perforate Wasatch 4978-4986 w/ 2 spf
- 11/7/94 Fracture stimulate Wasatch formation w/ 28,350 gal Viking I gel and 127,840 # 20/40 mesh sand
- 11/9/94 POOH w/ RBP
- 11/10/94 RIH w/ 160 jts 2 3/8", 4.7# J-55 tbg w/ SN (set @ 4957')

14. I hereby certify that the foregoing is true and correct

Signed

George B. Kenney

Title Sr. Petroleum Engineer

Date 12/19/94

(This space for Federal or State office use)

Approved by

Title

Date

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side



Snyder Oil Corporation

P.O. Box 695
Vernal, Utah 84078
801/789-0323

February 29, 1996

Utah State Division of Oil Gas & Mining
3 Triad Center, Suite #350
355 W. North Temple
Salt Lake City, UT 84180-1203

MAR - 1 1996


RE: Site Security Diagrams

Gentlemen:

Enclosed are copies of Site Security Diagrams for wells operated by Snyder Oil Corporation. We will send you copies of the rest of the diagrams when we receive them from Buys and Associates. If you have any questions, please contact me at 801-789-0323.

Sincerely,

Lucy Nemec
Senior Clerk



SITE SECURITY PLAN LOCATED AT:

SNYDER OIL CORPORATION
 P.O. BOX 695
 VERNAL, UT 84078

43-047-30379

Snyder Oil Corporation
Canyon View Fed 1-18 SENW Sec 18 T10S R23E Uintah Co, UT Lease # U-38421
Prepared By: JT 6/7/95 Revised By: KR 1/17/96
BUYS & ASSOCIATES, INC. Environmental Consultants

SNYDER OIL CORPORATION

VALVING DETAIL

(Site Security Diagram Attachment)

Position of Valves and Use of Seals for Tanks in Production Phase

Valve	Line Purpose	Position	Seal Installed
E	Overflow/Equalizer	Closed	Yes
F	Fill	Open	No
W	Water	Closed	Yes
D	Drain	Closed	Yes
S	Sales	Closed	Yes

Position of Valves and Use of Seals for the Tank in Sales Phase

Valve	Line Purpose	Position	Seal Installed
E	Overflow/Equalizer	Closed	Yes
F	Fill	Closed	Yes
W	Water	Closed	Yes
D	Drain	Closed	Yes
S	Sales	Closed*	Yes

*The sales line will be opened by the purchaser at the time of sale. Until that time the sales line will remain closed and sealed.

SOCO
Snyder Oil Corporation
Southern Region

1200 Smith, Suite 3300
Houston, Texas 77002
713-646-6600

June 7, 1999

State of Utah
Division of Oil, Gas & Mining
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, UT 84180-1203

RE: \$80,000 Surety Blanket P & A Bond #5736975

Dear Sir or Madam:

Santa Fe Snyder Corporation was formed when Snyder Oil Corporation was merged into Santa Fe Energy Resources, Inc. on May 5, 1999. Copies of the approved merger, issued by the Delaware Secretary of State, are enclosed for your files.

As this merger causes "Snyder" to cease to exist and their activities are covered by bond #JZ7777, please release bond # 5736975 and return it to the sender.


Thank you for your assistance in this matter.

Very truly yours,



Phillip W. Bode

Enclosure



Santa Fe Energy Resources, Inc.

June 7, 1999

State of Utah
Division of Oil, Gas & Mining
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, UT 84180-1203

RE: \$80,000 Surety Blanket P & A Bond #JZ7777

Dear Sir or Madam:


Enclosed is the above bond for Santa Fe Snyder Corporation. This corporation was formed when Snyder Oil Corporation was merged into Santa Fe Energy Resources, Inc. on May 5, 1999. Copies of the approved merger, issued by the Delaware Secretary of State, are enclosed for your files.

Thank you for your assistance in this matter.

Very truly yours,



Phillip W. Bode




Enclosure



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155



In Reply Refer To:
3106
U-19037 et al
(UT-932)

JUL 1 1999

NOTICE

Santa Fe Snyder Corporation : Oil and Gas
840 Gessner, Suite 1400 :
Houston, TX 77024 :

Merger Recognized Name Change Recognized

Acceptable evidence has been filed in this office concerning the merger of Snyder Oil Corporation into Santa Fe Energy Resources, Inc. and the name being subsequently changed to Santa Fe Snyder Corporation as the surviving entity.

For our purposes the merger and name change are recognized effective June 1, 1999, per company request.

The oil and gas lease files identified on the enclosed exhibits have been noted as to the merger and name change. The exhibits were compiled from lists supplied by Santa Fe Snyder Corporation. We have not adjudicated the case files to determine if the entities affected by the merger and name change hold an interest in the leases identified, nor have we attempted to identify leases where the entities are the operator on the ground, maintaining no vested record title or operating rights interest. We are notifying the Minerals Management Service and all applicable BLM offices of the merger and name change by a copy of this notice. If additional documentation for a change of operator are required by our Field Offices, you will be contacted by them.

By recognition of the merger and the name change the principal on bonds held by Snyder and Santa Fe are automatically changed to Santa Fe Snyder Corporation. Riders to Nationwide Bond No. 400JF 5493 (BLM Bond No. UT0855) and Nationwide Bond No. 5473615 (BLM Bond No. WY2912) have been filed in the Utah State Office. It is the request of Santa Fe Snyder Corporation to change the name on BLM Bond No. UT0855 to reflect the merger/name change, and to terminate the period of liability on BLM Bond No. WY2912. A decision regarding this matter will follow in due course.

Christopher J. Merritt

Christopher J. Merritt
Acting Group Leader,
Minerals Adjudication Group

Enclosures

1. Santa Fe Energy Resources, Inc. Exhibit of Leases
2. Snyder Oil Corporation Exhibit of Leases

cc:

All State Offices
Moab Field Office
Vernal Field Office
MMS-Reference Data Branch, MS 3130, P.O. Box 5860, Denver, CO 80217
State of Utah, DOGM, Attn: Kristen Risbeck (Ste. 1210) Box 145801, SLC, UT 84114-5801
St. Paul Fire & Marine Insurance Co., 385 Washington St., St. Paul, MN 55102
SAFECO Insurance Company of America, SAFECO Plaza, Seattle, WA 98185
Santa Fe Snyder Corp., Attn: Phyllis Sobotik, 1625 Broadway, #2200, Denver, CO 80202
Irene Anderson (UT-932)
Teresa Thompson (UT-931)

SNYDER LEASES

<u>LESSOR</u>	<u>STATE</u>	<u>LESSOR</u>	<u>STATE</u>
USA COC-33237	CO	USA U-0136484	UT
USA COC-36719	CO	USA U-37573	UT
USA LAES 49122	LA	USA U-33433	UT
USA LAES 49123	LA	USA U-47172	UT
USA LAES 49124	LA	USA U-37355	UT
USA LAES 49125	LA	USA UTU-15855	UT
USA LAES 49127	LA	USA U-0142175	UT
USA LAES 49128	LA	USA UTU-02651	UT
USA LAES 49129	LA	USA UTU-02651-B	UT
USA LAES 49130	LA	USA U-34705	UT
USA LAES 49131	LA	USA U-40729	UT
USA LAES 49132	LA	USA U-58097	UT
USA LAES 49133	LA	USA U-30289	UT
USA LAES 49134	LA	USA UTU-72632	UT
USA LAES 49135	LA	USA UTU-73013	UT
USA LAES 49136	LA	USA UTU-64376	UT
USA LAES 49137	LA	USA UTU-38261	UT
USA LAES 49138	LA	USA UTU-28212	UT
USA LAES 49139	LA	USA UTU-28213	UT
USA LAES 49140	LA	USA UTU-38419	UT
USA LAES 49141	LA	USA U-53861	UT
USA LAES 49142	LA	USA UTU-38418	UT
USA LAES 49143	LA	USA UTU-66401	UT
USA LAES 49144	LA	USA U-38423	UT
USA LAES 49145	LA	USA UTU-38425	UT
USA LAES 49146	LA	USA U-38421	UT
USA LAES 49147	LA	USA UTU-38428	UT
USA LAES 49148	LA	USA U-38420	UT
USA LAES 49149	LA	USA UTU-34350	UT
USA LAES 49150	LA	USA UTU-39223	UT
USA LAES 49151	LA	USA U-64923	UT
USA LAES 49152	LA	USA UTU-40736	UT
USA LAES 49153	LA	USA U-075939	UT
USA LAES 49154	LA	USA U-70235	UT
USA LAES 49155	LA	USA UTU-44426	UT
USA LAES 49156	LA	USA UTU-57495	UT
USA LAES 49157	LA	USA UTU-57503	UT
USA LAES 49158	LA	USA UTU-52106	UT
USA LAES 49159	LA	USA UTU-59121	UT
USA LAES 49160	LA	USA UTU-73009	UT
USA LAES 49161	LA	USA UTU-73010	UT
USA LAES 49162	LA	USA UTU-50490	UT
USA LAES 49163	LA	USA UTU-65126	UT
USA LAES 49164	LA	USA UTU-49228	UT
USA LAES 49165	LA	USA UTU-53127	UT
USA LAES 49166	LA	USA UTU-65132	UT
USA LAES 49167	LA	USA UTU-63951	UT
USA LAES 49168	LA	USA UTU-47483	UT
USA LAES 49169	LA	USA UTU-63978	UT
USA LAES 49170	LA	USA UTU-69116	UT
USA LAES 49171	LA	USA UTU-65138	UT

SNYDER LEASES

<u>LESSOR</u>	<u>STATE</u>	<u>LESSOR</u>	<u>STATE</u>
USA LAES 49172	LA	USA UTU-54774	UT
USA LAES 49173	LA	USA UTU-71230	UT
USA LAES 49174	LA	USA UTU-71234	UT
USA LAES 49175	LA	USA UTU-44799	UT
USA LAES 49176	LA	USA UTU-57512	UT
USA LAES 49177	LA	USA UTU-53084	UT
USA LAES 49178	LA	USA UTU-53938	UT
USA LAES 49179	LA	USA UTU-61936	UT
USA LAES 49180	LA	USA UTU-47127	UT
USA LAES 49181	LA	USA UTU-53918	UT
USA LAES 49183	LA	USA UTU-47484	UT
USA LAES 49194	LA	USA UTU-53946	UT
USA LAES 49198	LA	USA UTU-53941	UT
USA LAES 49199	LA	USA UTU-42531	UT
USA LAES 49200	LA	USA U-49245	UT
USA LAES 49201	LA	USA U-50802	UT
USA MTM-38582-A	MT	USA UTU-0647	UT
USA MTM-63708	MT	USA UTU-50687	UT
USA M-13323 (ND)	ND	USA UTU-37116	UT
USA M-68863 (SD)	SD	USA UTU-59122	UT
USA UTU-70189	UT	USA UTU-63985	UT
USA UTU-73175	UT	USA UTU-52298	UT
USA UTU-73434	UT	USA UTU-7386	UT
USA UTU-73435	UT	USA UTU-67178	UT
USA UTU-73444	UT	USA UTU-67549	UT
USA UTU-73450	UT	USA UTU-74416	UT
USA U-8345	UT	USA UTU-74413	UT
USA U-14646	UT	USA UTU-73900	UT
USA U-66746	UT	USA UTU-67868	UT
USA UTU-42469	UT	USA UTU-74414	UT
USA U-65222	UT	USA UTU-49530	UT
USA U-61263	UT	USA UTU-53860	UT
USA UTU-29535	UT	USA UTU-34711	UT
USA U-25880	UT	USA UTU-46699	UT
USA U-65223	UT	USA UTU-73643	UT
USA U-29797	UT	USA UTU-0141804	UT
USA UTU-0109054	UT	USA UTU-75091	UT
USA UTU-8346	UT	USA UTU-75097	UT
USA U-8347	UT	USA UTU-74972	UT
USA UTU-8344	UT	USA UTU-75096	UT
USA U-8344-A	UT	USA UTU-74415	UT
USA UTU-8348	UT	USA UTU-38401	UT
USA U-38424	UT	USA UTU-38411	UT
USA U-38427	UT	USA UTU-31260	UT
USA SL-065841-A	UT	USA UTU-59654	UT
USA UTU-31736	UT	USA U-14219	UT
USA U-38426	UT	USA UTU-30123	UT
USA U-44090-A	UT	USA UTU-34714	UT
USA U-71694	UT	USA UTU-10134	UT
USA U-72028	UT	USA UTU-10830	UT
USA U-51026	UT	USA UTU-14223	UT

SANTA FE LEASES

<u>LESSOR</u>	<u>STATE</u>	<u>LESSOR</u>	<u>STATE</u>
BLM NMNM-92488	NM	BLM WYW-59145	WY
BLM NMNM-45235	NM	BLM WYW-43661	WY
BLM NMNM-24877	NM	BLM WYW-0311938	WY
BLM NMNM-93398	NM	BLM WYW-52562	WY
BLM NMNM-96591	NM	BLM WYW EV-022932	WY
BLM NMNM-77894	NM	BLM WYW-27645	WY
BLM NMNM-65900	NM	BLM WYW-043930-A	WY
BLM NMNM-87977	NM	BLM WYW EV-026056	WY
BLM NMNM-65864	NM	BLM WYW-0322610	WY
BLM NMNM-95879	NM	BLM WYW-0320213	WY
BLM NMNM-97394	NM	BLM EV-023313-A	WY
BLM NMNM-98005	NM	BLM WYW-9578	WY
BLM NMNM-98006	NM	BLM WYW-96918	WY
BLM NMNM-98010	NM	BLM WYW-0320078	WY
BLM NMNM-95418	NM	BLM WYW-035599	WY
BLM NMNM-25667	NM	BLM WYW-2120	WY
BLM NMNM-98300	NM	BLM WYEV-024469	WY
BLM NMNM-98033	NM	BLM WYW-0136175	WY
BLM NMNM-998271	NM	BLM WYW-0136177	WY
BLM NMNM-98305	NM	BLM WYW-05991	WY
BLM NMNM-91179	NM	BLM WYW-02736	WY
BLM NMNM-85420	NM	BLM WYW EV-025548	WY
BLM NMNM-100956	NM	BLM EV-023313-E	WY
BLM NMNM-58393	NM	BLM EV-023313-B	WY
BLM OKNM 23555	OK	BLM WYW-21124	WY
BLM NM 15074 (OKLA)	OK	BLM WYW EV-022931	WY
BLM UTU-19037	UT	BLM WYW-61240	WY
BLM UTU-55626	UT	BLM WYW-18480	WY
BLM UTU-38354	UT	BLM WYW-51654	WY
BLM UTU-38401	UT	BLM WYW-50676	WY
BLM UTU-38430	UT	BLM COC-036289 A&B	WY
BLM UTU-42823	UT	BLM WYW-0942	WY
BLM WYEV-026201	WY	BLM WYW-63210	WY
BLM WYW-35860	WY	BLM WYW-66866	WY
BLM WYW-47198	WY	BLM WYW-102793	WY
BLM WYEV-022765	WY	BLM WYW-107726	WY
BLM WYEV-023941	WY	BLM W-70335	WY
BLM WYEV-026196	WY	BLM W-70496	WY
BLM WYEV-026201	WY	BLM W-70326	WY
BLM WYEV-026202	WY	BLM W-55746	WY
BLM WYEV-026204	WY	BLM W-56480	WY
BLM WYEV-026205	WY		
BLM WYEV-026208	WY		
BLM WYEV-026209	WY		
BLM WYW-04674	WY		
BLM WYW-023207	WY		
BLM WYW-023211	WY		
BLM WYW-0268735	WY		
BLM WYCHEY-037066	WY		
BLM WYW-58075	WY		
BLM WYW-17284	WY		
BLM WYW-17296	WY		
BLM WYW-17282(A)	WY		
BLM WYW-55067	WY		

Santa Fe Snyder Corporation

July 2, 1999

Utah Division of Oil, Gas & Mining
1594 W. North Temple, Suite 1210
P. O. Box 145801
Salt Lake City, Utah 84114-5801

Attn.: Ms. Kristen Risbeck

RE: Company Merger
Surety Bond Number - JZ 7777
Operator Number - N2000

Dear Ms. Risbeck:

Snyder Oil Corporation (SOCO) and Santa Fe Energy Resources, Inc. (Santa Fe) have merged to form Santa Fe Snyder Corporation (SFS). The legal acceptance date of the merger is May 5, 1999. However in an effort to simplify documentation issues, SFS requests that June 1, 1999 be used as the effective date of merger.

Please change all operated facilities, Applications to Drill (approved and in process) and any other regulatory filings from Snyder Oil Corporation to Santa Fe Snyder Corporation. Attached is the following information in support of this request.


Copy of Merger Certificate
Copy of the Office of the Secretary of State's Acceptance
Sundry Notices for Properties Located on Fee or State Land
Sundry Notice for Federal Properties
Spreadsheet of all Utah Facilities Operated by SOCO

All correspondence, documents, notifications, etc. should continue to be sent to SFS at the following address

1625 Broadway, Suite 2200
Denver, CO 80202


Please inform SFS when this request has been accepted and the changes are finalized. If any questions arise or additional information is required, please contact me at 303-592-8668.

Sincerely,


Phyllis Sobotik
Sr. Regulatory Specialist

/ps
Enclosures:

1625 Broadway
Suite 2200
Denver, Colorado 80202
303/592-8500
Fax 303/592-8600



Office of the Secretary of State

I, EDWARD J. FREEL, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF MERGER, WHICH MERGES:

"SNYDER OIL CORPORATION", A DELAWARE CORPORATION,
WITH AND INTO "SANTA FE ENERGY RESOURCES, INC." UNDER THE NAME OF "SANTA FE SNYDER CORPORATION", A CORPORATION ORGANIZED AND EXISTING UNDER THE LAWS OF THE STATE OF DELAWARE, AS RECEIVED AND FILED IN THIS OFFICE THE FIFTH DAY OF MAY, A.D. 1999, AT 11 O'CLOCK A.M.

A FILED COPY OF THIS CERTIFICATE HAS BEEN FORWARDED TO THE NEW CASTLE COUNTY RECORDER OF DEEDS.



A handwritten signature in cursive script, reading "Edward J. Freel".

Edward J. Freel, Secretary of State

0774411 8100M

991177495

AUTHENTICATION: 9725623

DATE: 05-05-99

CERTIFICATE OF MERGER

Merger of Snyder Oil Corporation, a Delaware corporation
With and Into
Santa Fe Energy Resources, Inc., a Delaware corporation

Pursuant to the provisions of Section 251 of the Delaware General Corporation Law, the undersigned certifies as follows concerning the merger (the "Merger") of Snyder Oil Corporation, a Delaware corporation, with and into Santa Fe Energy Resources, Inc., a Delaware corporation, with Santa Fe Energy Resources, Inc. as the surviving corporation (the "Surviving Corporation").

1. The Agreement and Plan of Merger, dated as of January 13, 1999 (the Agreement and Plan of Merger being hereinafter referred to as the "Merger Agreement") has been approved, adopted, certified, executed and acknowledged by Snyder Oil Corporation and Santa Fe Energy Resources, Inc. in accordance with Section 251 of the Delaware General Corporation Law.

2. The Merger contemplated in the Merger Agreement and this Certificate of Merger will be effective immediately upon the filing of this Certificate of Merger

3. The name of the Surviving Corporation shall be Santa Fe Energy Resources, Inc. which shall be changed herewith to Santa Fe Snyder Corporation.

4. Article FIRST of the Restated Certificate of Incorporation of Santa Fe Energy Resources, Inc. is amended, effective as of the date hereof, to read in its entirety as follows:

"FIRST: The name of the corporation (hereinafter referred to as the "Corporation") is Santa Fe Snyder Corporation."

and that the first paragraph of Article FOURTH of the Restated Certificate of Incorporation of Santa Fe Energy Resources, Inc. is amended, effective as of the date hereof, to read in its entirety as follows:

"FOURTH: The total number of shares of all classes of capital stock which the Corporation shall have authority to issue is 350,000,000, of which 50,000,000 shares shall be Preferred Stock, par value \$.01 per share, and 300,000,000 shares shall be Common Stock, par value \$.01 per share."

The Restated Certificate of Incorporation of Santa Fe Energy Resources, Inc., as amended, in effect at the effective time of the Merger shall be the certificate of incorporation of the

Surviving Corporation.

5. The executed Merger Agreement is on file at the principal place of business of the Surviving Corporation, 1616 South Voss Road, Houston, Texas 77057.

6. A copy of the Merger Agreement will be furnished by the Surviving Corporation, on request and without cost, to any stockholder of Snyder Oil Corporation or Santa Fe Energy Resources, Inc.

Dated this 5th day of May, 1999.

SANTA FE ENERGY RESOURCES, INC.

By: David L. Hicks
Name: David L. Hicks
Title: Vice President — Law and
General Counsel

UTAH FACILITIES

Lease	Unit Name	Tribe Name	Field	Stat	County	1/41/4	S	T	R	Lease Number	Mineral Type	API Number	Comments
✓ Alger Pass #1			Alger Pass (Natural Buttes)	ACT	Uintah	SE/NE	2	11S	19E	ML 36213	STATE	43-047-31824	10828
✓ AnnaBelle #31-2J			Horseshoe Bend	ACT	Uintah	NW/SE	31	6S	21E	N/A	FEE	43-047-31698	10510
✓ Archy Bench State #1-2			Bitter Creek	INA	Uintah	NE/NE	2	11S	22E	ML 22348 A	STATE	43-047-31489	9871
Baser Draw Fed. #1C-31			Horseshoe Bend	ACT	Uintah	NE/SW	31	6S	22E	U 38411	FED	43-047-30831	2710
Baser Draw Fed. #2A-31			Horseshoe Bend	ACT	Uintah	SE/NE	31	6S	22E	U 31260	FED	43-047-30880	2710
Baser Draw Fed. #5-1			Horseshoe Bend	INA	Uintah	NW/NW	5	7S	22E	U 075939	FED	43-047-31833	10862
Baser Draw Fed. #6-1			Horseshoe Bend	ACT	Uintah	Lot 7	6	7S	22E	U 075939	FED	43-047-31834	10863
Baser Draw Fed. #6-2			Horseshoe Bend	ACT	Uintah	SW/NE	6	7S	22E	U 075939	FED	43-047-31859	10967
Bitter Creek #1-3			Bitter Creek	INA	Uintah	SW/NE	3	11S	22E	U 29797	FED	43-047-30524	1460
Bonanza Federal #3-15			Natural Buttes	ACT	Uintah	NE/NW	15	10S	23E	U 66406	FED	43-047-31278	8406
Canyon View #1-18			Natural Buttes	ACT	Uintah	SE/NW	18	10S	23E	U 38421	FED	43-047-30379	1485
Castle Peak #1-3			Monument Butte	INA	Duchesne	NE/NE	3	9S	16E	U 47172	FED	43-013-30639	1522
✓ Castle Peak State #32-16			Monument Butte (Castle Peak)	ACT	Duchesne	SW/NE	16	9S	16E	ML 16532	STATE	43-013-30650	445
✓ Castle Peak State #33-16			Monument Butte (Castle Peak)	ACT	Duchesne	NW/SE	16	9S	16E	ML 16532	STATE	43-013-30640	440
Cliff Edge #1-15			Natural Buttes	TAD	Uintah	NW/SE	15	10S	23E	U 66406	FED	43-047-30462	1524
Coors #14-1D			Horseshoe Bend	INA	Uintah	NW/NW	14	7S	21E	U 65223	FED	43-047-31304	11193
Coors Federal #2-10 (Federal 2-10HB)			Horseshoe Bend	INA	Uintah	SW/NE	10	7S	21E	U 65222	FED	43-047-32009	11255
Cotton Club #1			Horseshoe Bend	ACT	Uintah	NE/NE	31	6S	21E	U 31736	FED	43-047-31643	10380
Cottonwood Wash Unit #1			Buck Canyon	INA	Uintah	SW/NE	10	12S	21E	U 40729	FED	43-047-31774	10754
Crooked Canyon #1-17			Natural Buttes	TAD	Uintah	NE/NW	17	10S	23E	U 37355	FED	43-047-30369	1465
East Bench Unit #1			East Bench (Bench East)	INA	Uintah	NW/SE	33	11S	22E	U 61263	FED	43-047-31778	10795
East Gusher #2-1A			Gusher (Gusher East)	INA	Uintah	SE/SE	3	6S	20E	U 66746	FED	43-047-31431	11333
East Gusher #15-1A			Gusher (Gusher East)	ACT	Uintah	NE/NE	15	6S	20E	U 58007	FED	43-047-31900	11122
Federal #4-1			Horseshoe Bend	ACT	Uintah	NW/NW	4	7S	21E	U 28213	FED	43-047-31693	10196
Federal #4-2F			Horseshoe Bend	ACT	Uintah	SW/NW	4	7S	21E	U 28213	FED	43-047-31853	10933
Federal #5-5H			Horseshoe Bend	ACT	Uintah	SE/NE	5	7S	21E	U 66401	FED	43-047-31903	11138
Federal 11-1M & K1			Gusher (Horseshoe Bend)	INA	Uintah	SW/SW	11	6S	20E	U 20252	FED	43-047-32333	11443
Federal #21-1P			Horseshoe Bend	ACT	Uintah	SE/SE	21	6S	21E	U 30289	FED	43-047-31647	1316
Federal #33-1I			Horseshoe Bend	ACT	Uintah	NE/SE	33	6S	21E	U 44210	FED	43-047-31468	9615
Federal #33-2B			Horseshoe Bend	INA	Uintah	NW/NE	33	6S	21E	U 44210	FED	43-047-31621	9616
Federal #33-4D	Horseshoe Bend		Horseshoe Bend	ACT	Uintah	NW/NW	33	6S	21E	U 44210	FED	43-047-31623	12323
Federal #34-2K			Horseshoe Bend	ACT	Uintah	NE/SW	34	6S	21E	U 63861	FED	43-047-31467	10550
Federal Miller #1			Horseshoe Bend	ACT	Uintah	NW/SW	4	7S	22E	U 0136484	FED	43-047-30034	2750
Flat Mesa #1-7			Natural Buttes	INA	Uintah	NW/SE	7	10S	23E	U 38420	FED	43-047-30365	1505
Flat Mesa #2-7			Natural Buttes	ACT	Uintah	SE/NW	7	10S	23E	U 38420	FED	43-047-30545	1506
✓ Gusher Unit #3			Gusher (Gusher East)	ACT	Uintah	NW/NE	10	6S	20E	ML 06584	STATE	43-047-15590	10341
Horseshoe Bend #2			Horseshoe Bend	INA	Uintah	NW/NE	3	7S	21E	U 0142175	FED	43-047-15800	11628
Horseshoe Bend #4			Horseshoe Bend	INA	Uintah	SE/NW	3	7S	21E	U 0142175	FED	43-047-15802	1315

OPERATOR CHANGE WORKSHEET

Routing:	
1-KDR ✓	6-KAS ✓
2-GLH ✓	7-SJ 9P
3-JRB ✓	8-FILE
4-CDW ✓	9- <i>[Signature]</i>
5-KDR ✓	

Attach all documentation received by the division regarding this change.
 Initial each listed item when completed. Write N/A if item is not applicable.

- Change of Operator (well sold) Designation of Agent
 Designation of Operator Operator Name Change Only (MERGER)

The operator of the well(s) listed below has changed, effective: 6-1-99

TO: (new operator)	<u>SANTE FE SNYDER CORPORATION</u>	FROM: (old operator)	<u>SNYDER OIL CORPORATION</u>
(address)	<u>P.O. BOX 129</u>	(address)	<u>P.O. BOX 129</u>
	<u>BAGGS, WYOMING 82321</u>		<u>BAGGS, WYOMING 82321</u>
Phone:	<u>(307) 383-2800</u>	Phone:	<u>(307) 383-2800</u>
Account no.	<u>N2000 (6-24-99)</u>	Account no.	<u>N1305</u>

WELL(S) attach additional page if needed: *HORSESHOE BEND, LOVE, EAST BENCH & WALKER HOLLOW UNITS

Name: <u>*SEE ATTACHED*</u>	API: <u>43-097-30379</u>	Entity: _____	S _____	T _____	R _____	Lease: _____
Name: _____	API: _____	Entity: _____	S _____	T _____	R _____	Lease: _____
Name: _____	API: _____	Entity: _____	S _____	T _____	R _____	Lease: _____
Name: _____	API: _____	Entity: _____	S _____	T _____	R _____	Lease: _____
Name: _____	API: _____	Entity: _____	S _____	T _____	R _____	Lease: _____
Name: _____	API: _____	Entity: _____	S _____	T _____	R _____	Lease: _____
Name: _____	API: _____	Entity: _____	S _____	T _____	R _____	Lease: _____

OPERATOR CHANGE DOCUMENTATION

1. (r649-8-10) Sundry or other legal documentation has been received from the FORMER operator (attach to this form). *(Rec'd 6.11.99)*
2. (r649-8-10) Sundry or other legal documentation has been received from the NEW operator (Attach to this form). *(Rec'd 6.11.99)*
3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is the company registered with the state? (yes/no) yes If yes, show company file number: #011879
4. FOR INDIAN AND FEDERAL WELLS ONLY. The BLM has been contacted regarding this change. Make note of BLM status in comments section of this form. BLM approval of Federal and Indian well operator changes should ordinarily take place prior to the division's approval, and before the completion of steps 5 through 9 below. *(Rec'd 7.6.99)*
5. Changes have been entered in the Oil and Gas Information System (3270) for each well listed above. *(7.12.99)*
6. Cardex file has been updated for each well listed above.
7. Well file labels have been updated for each well listed above. *(NEW SYSTEM)*
8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to Trust Lands, Sovereign Lands, UGS, Tax Commission, etc. *(8.2.99)*
9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

- DP 1. (r649-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) (no) If entity assignments were changed, attach copies of Form 6, Entity Action Form.
- DP 2. Trust Lands, Sovereign Lands, Tax Commission, etc., have been notified through normal procedures of entity changes.

BOND VERIFICATION - (FEE WELLS ONLY)

- DP 1. (r649-3-1) The NEW operator of any fee lease well listed above has furnished a proper bond. (Rec'd 6.11.99 #J27777)
- DP 2. A copy of this form has been placed in the new and former operator's bond files.
- DP 3. The FORMER operator has requested a release of liability from their bond (yes/no) (no), as of today's date 6.11.99. If yes, division response was made to this request by letter dated Aug. 12, 1999

LEASE INTEREST OWNER NOTIFICATION OF RESPONSIBILITY

- DP 1. Copies of documents have been sent on 8/12/99 to Ed Bonner at Trust Lands for changes involving State leases, in order to remind that agency of their responsibility to review for proper bonding.
- JH 2. (r649-2-10) The former operator of any fee lease wells listed above has been contacted and informed by letter dated _____ 19 __, of their responsibility to notify all interest owners of this change.

FILMING

- KS 1. All attachments to this form have been microfilmed. Today's date: 9-28-99.

FILING

- 1. Copies of all attachments to this form have been filed in each well file.
- 2. The original of this form, and the original attachments are now being filed in the Operator Change file.

COMMENTS

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. U- 38421
2. Name of Operator Coastal Oil & Gas Corporation		6. If Indian, Allottee or Tribe Name N/A
3a. Address P.O. Box 1148, Vernal UT 84078	3b. Phone No. (include area code) (435) 781-7023	7. If Unit or CA/Agreement, Name and/or N/A
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) SW/NW Sec.18, T10S, R23E		8. Well Name and No. Canyon View #1-18
		9. API Well No. 43-047-3079 30379
		10. Field and Pool, or Exploratory Area Natural Buttes
		11. County or Parish, State Uintah UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal
			<input type="checkbox"/> Water Shut-Off
			<input type="checkbox"/> Well Integrity
			<input checked="" type="checkbox"/> Other <u>Workover</u>

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zone. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 day following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the final site is ready for final inspection.)

The Canyon View 1-18 is currently shut in with a suspected casing leak. The well stopped producing in October 1999. Wire line measurements indicated that all the perforations were covered with fill and the fluid level was at the surface. It is proposed that the casing leak be located and squeezed with cement and the well bore be cleaned out to PBTD and acidized.

Please refer to attached Workover Procedure

COPY SENT TO OPERATOR
Date: 12-13-99
Initials: CHD

**Accepted by the
Utah Division of
Oil, Gas and Mining
FOR RECORD ONLY**

RECEIVED
DEC 13 1999
DIVISION OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct Name (Printed/Typed) Katy Dow	Title Environmental Jr. Analyst
<i>Katy Dow</i>	Date 12/8/99

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by	Title <i>Federal Approval of this Action is Necessary</i>
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office

Work over Procedure

Canyon View 1-18

Section 18– T10S – R23E
Natural Buttes Field
Uintah County, Utah

Elevation: 5,310 GL 5,322 KB

Total Depth: 7,001' PBTD: 6,515'

Casing: 13-3/8", 48#, H-40 @ 218' cmt w/ 300 sx
8-5/8", 24#, K-55 @ 2,039' cmt w/ 125 sx
4-1/2", 11.6#, N-80 @ 7,001' cmt w/ 981 sx

Tubing: 160 jts 2-3/8", 4.7# J-55 @ 4,957' w/ PSN on bottom

Perforations: 4,978' – 6,490' (6,524' – 6,874' below CIBP @ 6,515')

Tubular Data:

<u>Description</u>	<u>ID</u> (inches)	<u>Drift</u> (inches)	<u>Capacity</u> (bbls / ft)	<u>Burst</u> (psi)	<u>Collapse</u> (psi)
13-3/8, 48#, H-40	12.715	12.559	0.1570	1,730	770
8-5/8", 24#, K-55	8.097	7.972	0.0637	2,950	1,370
4-1/2", 11.6#, N-80	4.000	3.875	0.0155	7,780	7,010
2-3/8", 4.7#, J-55	1.995	1.901	0.00387	7,700	8,100

Present Status:


Shut in w/ suspected casing leak.

Procedure:

1. MI & RU work over rig, NDWH & NUBOP. POOH w/ 2-3/8" tbg.
2. RIH w/ 3-3/4" gauge ring to 4,950' +/- . If necessary, RIH w/ 3-7/8" mill & csg scrapper to 4,950'.
3. PU & RIH w/ RBP, packer & 2-3/8" tbg. & locate casing leak. Set RBP 50' below leak, spot 1 sk sand on RBP & set packer appx 100' above leak.
4. Establish injection rate into leak. Procedure & amount of cement for squeeze will be determined pending location & size of leak.
5. After leak is squeezed WOC 48 hours. RIH w/ 3-7/8" drag bit & 2-3/8" tbg. Drill out cmt & pressure test squeeze to 500 psi. re- squeeze if necessary.
6. Circulate sand off RBP. POOH & lay down bit. RIH w/ retrieving head & retrieve RBP.
7. RIH w/ bit & tbg, RU air-foam unit & clean out fill from appx 4,961' to PBTD @ 6,515'. Circulate hole clean, POOH & lay down bit.
8. RIH w/ notched collar, 1 jt tbg, PSN & 2-3/8" tbg to 6,490'. RU Service Co. & spot 1,500 gal 15% HCl across perfs.
9. Let acid soak 3-4 hrs then swab back.
10. PU & land tbg w/. EOT @ appx 5,500'. NDBOP, NUWH & return well to production.

Wellbore Diagram

DATE: _____ WELL: Canyon View 1-18 COUNT Uintah SEC: 18
 FOREMAN: _____ FIELD: Natural Buttes STATE: Utah TWS: 10S
 KB: 12 RIG No: _____ RGE: 23E



CASING RECORD

SIZE	WT	GRADE	THD	FROM	TO
13-3/8"	48#	H-40	8 rd	0	218
8-5/8"	24#	K-55	8 rd	0	2,039
4-1/2"	11.6#	N-80	8 rd	0	7,001

TUBING RECORD

SIZE	WT	GRADE	THD	FROM	TO
2-3/8"	4.7#	J-55	8 rd	0	4,957

JTS	PSN	TAC	MUD ANCHOR
160	4,957		Size _____

GAS ACHOR Size _____ Length _____

ROD GUIDE PLACEMENT (DESCRIBE):

PUMP DATA:

MANUFER	SIZE	DESCR
SPM _____		SL _____

COMMENTS/PERFORATIONS:

Perfs: 4978 - 4986
6104 - 6114
6398 - 6414
6443 - 6347
6478 - 6490
CIBP @ 6515'
6524 - 6534
6576 - 6579
6714 - 6724
6815 - 6818
6871 - 6874



Coastal
The Energy People

December 10, 1999

Bureau of Land Management
Vernal District Office
170 South 500 East
Vernal, Utah 84078

RECEIVED

DEC 13 1999

DIVISION OF OIL, GAS & MINING

ATTENTION: Ed Forsman /Wayne Bankert / Greg Darlington

Gentlemen:

Enclosed are the original and two copies of the Sundry Notices and Reports, Well Completion or Recompletion Reports, etc. for the week ending December 10, 1999.

If you have any questions or need additional information, please do not hesitate to call me,(435) 781-7023.

Sincerely,

Katy Dow
Environmental Secretary

Coastal Oil & Gas Corporation

A SUBSIDIARY OF THE COASTAL CORPORATION
1368 S 1200 E • PO BOX 1148 • VERNAL UT 84078 • 435/789-4433 • FAX 435/789-4436

cc w/encl: Mr. Ferron Secakuku
Ute Tribe
Energy & Minerals Resource Department
PO Box 70
Ft. Duchesne, UT 84026

Mr. Charles Cameron
Bureau of Indian Affairs
Uintah & Ouray Agency
Office of Minerals & Mining
PO Box 130
FT. Duchesne, UT 84026

Ms. Lisha Cordova
State of Utah
Division of Oil Gas & Mining
1594 West North Temple, Suite 1210
Salt Lake City, UT 84114

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. U- 38421
2. Name of Operator Coastal Oil & Gas Corporation		6. If Indian, Allottee or Tribe Name N/A
3a. Address P.O. Box 1148, Vernal UT 84078	3b. Phone No. (include area code) (435)781-7023	7. If Unit or CA/Agreement, Name and/or No. N/A
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) SE/NW Sec. 18, T10S, R23E		8. Well Name and No. Canyon View #1-18
		9. API Well No. 43-047-30379
		10. Field and Pool, or Exploratory Area Natural Buttes
		11. County or Parish, State Uintah UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other <u>Completion</u>
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	<u>Report</u>
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the final site is ready for final inspection.)

Subject well placed on production on 3/9/00. Please refer to the attached Chronological Well History.


RECEIVED

MAR 13 2000

DIVISION OF
OIL, GAS AND MINING

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

Katy Dow



Title

Environmental Jr. Analyst

Date

3/10/00

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, and Title 43 U.S.C. Section 1212, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

COASTAL OIL & GAS CORPORATION
PRODUCTION REPORT

CHRONOLOGICAL HISTORY

CANYON VIEW #1-18

NATURAL BUTTES FIELD
UINTAH COUNTY, UTAH
WI: AFE: 11531
PBSD: 6515' PERFS: 4978' - 6490'
CSG: 4.5" @ 7001
FORMATION: WAS
CWC(M\$):

SQZ CSG LEAK, CLEAN OUT & ACIDIZE.

- 02/16/00 RU FLOW BACK TANK ND WH, NU BOP. MIRU DUCO #2, WAIT FOR EQUIP, RU PUMP & SPOT EQUIP, WAIT FOR REST OF EQUIP. SDFN.
(DAY 1)
- 02/17/00 CONT TO ISOLATE HOLE IN CSG. SICP-50 PSI. SITP-0 PSI. OPEN CSG TO FLOWBACK TANK. NO FLOW. PUMP DWN TBG W/ 75 BBLs 2% KCL. CSG CIRC CLEAN. ND WH, NU BOP. RU FLOOR & TBG EQUIP. POOH W/ 160 JTS TBG, SN, NC. PU 3 3/4" MILL & TIH ON 160 JTS TBG TO 4935'. CIRC WELL CLEAN W/ 40 BBLs WTR. POOH W/ TBG AND MILL. RIH W/ PLUG & PKR. SET PLUG @ 4890'. PU SET PKR @ 4859'. TEST CSG & PLUG TO 500 PSI. POOH SET PKR @ 4103'. TEST TO 500 PSI. POOH SET PKR @ 4103'. TEST TO 500 PSI. OK. POOH SET PKR @ 3423. PUMP INTO HOLE IN CSG, 1/2 BPM @ 1000 PSI. TEST CSG ABOVE PKR TO 600 PSI. OK, SWIFN.
(DAY 2)
- 02/18/00 SQZING CMT. OPEN WELL NO PSI, NO WATER FLOW, LOCATED LEAK BETWEEN 3734-3764. PMP'D DOWN TBG .25 BPM AT 1000 PSI. TESTED CSG AT 600 PSI. GOOD SET, PLUG AT 3812 FT. LEFT PKR HANG AT 3734'. SDFN.
(DAY 3)
- 02/19/00 WAIT ON CMT. RU DOWELL. SPOT 1 SK OF SAND ON BP @ 3812'. LD 3 JTS TBG. SET PKR @ 3642'. TEST SURF LINES TO 2500 PSI. PUMP INTO LEAK 1.4 BPM AND 2000 PSI. PUMP 5 BBLs FRESH WTR, 25 SKS (5 BBLs) CLSS G CMT W/ 2% CaCl₂+D65 DISPERSANT +B14 FLUID LOSS. DISPLACE W/ 15 BBLs FRESH WTR. LAST 3 BBLs 1/4 BPM @ 1250 PSI. WAIT ON CMT FOR 40 MIN. BLEED OFF PRESS. NO FLOW. POOH W/ 4 JTS TBG. REV CIRC CLEAN W/ 5 BBLs FRESH WTR. SET PKR @ 3534'. PRESS UP ON SQUEEZE TO 600 PSI. SWIFWE.
(DAY 4)
- 02/22/00 CLEAN OUT WITH AIR FOAM UNIT. 0 PSI ON WELL, RLS PKR, POOH W/ PKR PU & RIH W/ 3.875 BIT & BIT SUB TAG CMT @ 3641'. RU PUMP & PWR SWVL, DRILL CMT TO 3739'. CIRC DWN TO PLUG @ 3812'. PRESS TEST CSG TO 500 PSI. HELD GOOD. RD PWR SWVL. POOH W/ BIT & BIT SUB, RIH RETRIEVE RBP. POOH, RIH W/ 3.375 MILL TO 4008'. SDFN.
(DAY 5)
- 02/23/00 CLEAN OUT WITH AIR FOAM UNIT. RU AIR FOAM UNIT. NO OTHER ACTIVITY DUE TO WEATHER.
(DAY 6)
- 02/24/00 CLEAN OUT W/AIR FOAM. 0 PRESSURE ON WELL RIH TO 4935' WITH STANDS PU 35 JTS. IN SINGLES TAG FILL @ 6019'. FOAM UNIT BROKE DOWN, FIX FOAM UNIT. BREAK CIRCULATION DRILL SCALE FROM 6019', FALL THROUGH AT 6038' TAG SCALE IN SPOTS, DRILL DOWN TO 6509' TD. CIRCULATE HOLE, CLEAN POOH TO 4873. SDFN.
(DAY 7)
- 02/24/00 SPOT ACID ACROSS PERF'S. SICP 1150 PSI. SITP 620 PSI. BLOW WELL DOWN RIH TO PBSD. FOUND NOO FILL POOH W. TBG AND MILL RIH W/ NOTCHED COLLAR AND 1 JTS TBG AND SN AND 210 JTS TBG TO 6486. SHUT DOWNN WAIT FOR ACID TOMORROW AM

(DAY 8)

CANYON VIEW 1-18

02/26/00 SWABBING. END OF TBG @ 6484. MIRU DOWEL. TEST SURFACE LINES TO 2000 PSI. SPOT 750 GALS 15% HCL+ ADDITIVES ACROSS PERFS FROM 6484' TO 5753'. POOH LD 24 JTS TBG. SPOT ACID ACROSS PERF'S FROM 5753-4978'. RD DOWELL. ND BOPE. NU WH. WAIT ON ACID. RU SWAB EQUIP. BROACH TBG TO SEAT NIPPLE. IFL-500'. MAKE 22 SWAB RUNS. RECOVER 162 BBLs FLUID. FFL-3300'. FCP-150 PSI. SWIFN.

(DAY 9)

02/27/00 SWABBING. RD MO SERVICE UNIT. MIRU DELSCO SWABBING. ICP-340 PSI. ITP-100 PSI. IFL-1600'. MAKE 15 SWAB RUNS. RECOVER 93 BBLs FLUID. FTP-0 PSI. FCP-340 PSI. FL-3000'. SWIFN.

(DAY 10)

02/29/00 SWABBING. SICP 620 PSI. SITP 620 PSI INITIAL FL 2000'. MAKE 21 SWAB RUNS REC 110 BBLs FLUID, SLIGHT BLOW AFTER SWAB RUN. FINAL FL 2900' FINAL PRESS 0 PSI, FINAL SCG PRESS 620 PSI.SDFN.

(DAY 11)

02/29/00 SWABBING. SICP 900PSI SITP 660 PSI START TO SWAB INITIAL FL. 2200' MAKE 21 RUNS REC. 104 BBLs. SDFN FINAL FL. 2900' FINAL TBG 40 PSI FINAL CSG 640 PSI.

(DAY 12)

03/01/00 SWABBING. SICP 920 PSI SITB 740 PSI INITIAL FLUID LEVEL 2300', MAKE 16 SWAB RUNS REC 80 BBLs PLUNGER WOULD NOT RUN. FINAL FL. 3100' SICP 600 PSI SITP 40 PSI.

(DAY 13)

03/02/00 SWABBING. SICP 920 PSI SITP 740 PSI INITIAL FL.2400' MAKE 19 SWAB RUNS REC. 98 BBLs FINAL FL. 3500'. SDFN SICP 520 PSI SITP 20 PSI.

(DAY 14)

03/03/00 SWABBING. TP.780 PSI. CP. 920PSI. RAN SWAB FOUND FL @ 2500'. MADE 8 SWAB RUNS & PLUNGER CAME UP. PLUNGER TRIPPED 4 TIMES, WELL DIE. WENT BACK TO SWABBING WELL. MADE TOTAL OF 14 RUNS, RECOVERED 84 BBLs. FFL @ 3400' FTP. 40 PSI. FCP .560 PSI. SDFN.

(DAY 15)

03/04/00 SWABBING. CP 980 PSI. TP 800 PSI. WELL BLEW DN IN 10 MIN. RAN SWAB & FOUND FL @ 2500'. MADE 15 RUNS & REC 84 BBLs. FFL @ 3500', FCP 560 PSI. FTP 40 PSI. SDFN.

(DAY 16)

03/07/00 SWABBING. SITP-1060 PSI, SICP-1160 PSI, IFL 1600'. MAKE 13 SWAB RUNS, TRIP PLUNGER 3 TIMES, REC 78 BBLs. FSICP 600 PSI, FTBG 40 PSI, FFL 3000'. SDFN.

(DAY 17)

03/08/00 CHECK ON WELL. SICP-980 PSI, SITP-700 PSI, IFL 2200'. MADE 4 SWAB RUNS, TRIP PLUNGER 12 TIMES, REC 70 BBLs FL. SICP 700 PSI, FTP 270 PSI, FFL 2800'. LEAVE PLUNGER SWABBING.

(DAY 18)

03/09/00 WELL IS ON PROD. SICP 540 PSI, SITP 190 PSI. PLUNGER IS SWABBING. TURN WELL OVER TO PROD. FSICP 540 PSI, FSITP 190 PSI. LAST REPORT.

(DAY 19)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
 Coastal Oil & Gas Corporation

3a. Address
 P.O. Box 1148, Vernal UT 84078

3b. Phone No. (include area code)
 (435)781-7023

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
 SE/NW Sec. 18, T10S, R23E

5. Lease Serial No.
 U-38421

6. If Indian, Allottee or Tribe Name
 N/A

7. If Unit or CA/Agreement, Name and/or No.
 N/A

8. Well Name and No.
 Canyon View #1-18

9. API Well No.
 43-047-30379

10. Field and Pool, or Exploratory Area
 Natural Buttes Field

11. County or Parish, State
 Uintah UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other <u>Shut-in</u>
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the final site is ready for final inspection.)

Subject well placed on Shut-in status on 3/20/00. Workover Unsuccessful. Uneconomical. Please refer to the attached Chronological Well History.

RECEIVED

APR 03 2000

DIVISION OF
OIL, GAS AND MINING

14. I hereby certify that the foregoing is true and correct
 Name (Printed/Typed) Katy Dow Title Environmental Jr. Analyst

Katy Dow Date 3/29/00

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by _____ Title _____ Date _____

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Office _____

**COASTAL OIL & GAS CORPORATION
PRODUCTION REPORT**

CHRONOLOGICAL HISTORY

CANYON VIEW #1-18

SE/NW SEC. 18, T10S, R23E
NATURAL BUTTES FIELD
UINTAH COUNTY, UTAH
WI: 100% AFE: 11531
PBTD: 6515' PERFS: 4978' - 6490'
CSG: 4.5" @ 7001
FORMATION: WAS
CWC(M\$): \$70,938

RECEIVED

APR 03 2000

**DIVISION OF
OIL, GAS AND MINING**

SQZ CSG LEAK, CLEAN OUT & ACIDIZE.

- 02/16/00 RU FLOW BACK TANK ND WH, NU BOP. MIRU DUCO #2, WAIT FOR EQUIP, RU PUMP & SPOT EQUIP, WAIT FOR REST OF EQUIP. SDFN.
(DAY 1) TC: \$2,786
- 02/17/00 CONT TO ISOLATE HOLE IN CSG. SICP-50 PSI. SITP-0 PSI. OPEN CSG TO FLOWBACK TANK. NO FLOW. PUMP DWN TBG W/ 75 BBLs 2% KCL. CSG CIRC CLEAN. ND WH, NU BOP. RU FLOOR & TBG EQUIP. POOH W/ 160 JTS TBG, SN, NC. PU 3 3/4" MILL & TIH ON 160 JTS TBG TO 4935'. CIRC WELL CLEAN W/ 40 BBLs WTR. POOH W/ TBG AND MILL. RIH W/ PLUG & PKR. SET PLUG @ 4890'. PU SET PKR @ 4859'. TEST CSG & PLUG TO 500 PSI. POOH SET PKR @ 4103'. TEST TO 500 PSI. POOH SET PKR @ 4103'. TEST TO 500 PSI. OK. POOH SET PKR @ 3423. PUMP INTO HOLE IN CSG, 1/2 BPM @ 1000 PSI. TEST CSG ABOVE PKR TO 600 PSI. OK, SWIFN.
(DAY 2) TC: \$12,524
- 02/18/00 SQZING CMT. OPEN WELL NO PSI, NO WATER FLOW, LOCATED LEAK BETWEEN 3734-3764. PMP'D DOWN TBG .25 BPM AT 1000 PSI. TESTED CSG AT 600 PSI. GOOD SET, PLUG AT 3812 FT. LEFT PKR HANG AT 3734'. SDFN.
(DAY 3) TC: \$14,973
- 02/19/00 WAIT ON CMT. RU DOWELL. SPOT 1 SK OF SAND ON BP @ 3812'. LD 3 JTS TBG. SET PKR @ 3642'. TEST SURF LINES TO 2500 PSI. PUMP INTO LEAK 1.4 BPM AND 2000 PSI. PUMP 5 BBLs FRESH WTR, 25 SKS (5 BBLs) CLSS G CMT W/ 2% CaCl+D65 DISPERSANT +B14 FLUID LOSS. DISPLACE W/ 15 BBLs FRESH WTR. LAST 3 BBLs 1/4 BPM @ 1250 PSI. WAIT ON CMT FOR 40 MIN. BLEED OFF PRESS. NO FLOW. POOH W/ 4 JTS TBG. REV CIRC CLEAN W/ 5 BBLs FRESH WTR. SET PKR @ 3534'. PRESS UP ON SQUEEZE TO 600 PSI. SWIFWE.
(DAY 4) TC: \$22,188
- 02/22/00 CLEAN OUT WITH AIR FOAM UNIT. 0 PSI ON WELL, RLS PKR, POOH W/ PKR PU & RIH W/ 3.875 BIT & BIT SUB TAG CMT @ 3641'. RU PUMP & PWR SWVL, DRILL CMT TO 3739'. CIRC DWN TO PLUG @ 3812'. PRESS TEST CSG TO 500 PSI. HELD GOOD. RD PWR SWVL. POOH W/ BIT & BIT SUB, RIH RETRIEVE RBP. POOH, RIH W/ 3.375 MILL TO 4008'. SDFN.
(DAY 5) TC: \$27,421
- 02/23/00 CLEAN OUT WITH AIR FOAM UNIT. RU AIR FOAM UNIT. NO OTHER ACTIVITY DUE TO WEATHER.
(DAY 6) TC: \$29,762
- 02/24/00 CLEAN OUT W/AIR FOAM. 0 PRESSURE ON WELL RIH TO 4935' WITH STANDS PU 35 JTS. IN SINGLES TAG FILL @ 6019'. FOAM UNIT BROKE DOWN, FIX FOAM UNIT. BREAK CIRCULATION DRILL SCALE FROM 6019', FALL THROUGH AT 6038' TAG SCALE IN SPOTS, DRILL DOWN TO 6509' TD. CIRCULATE HOLE, CLEAN POOH TO 4873. SDFN.
(DAY 7) TC: \$43,431
- 02/24/00 SPOT ACID ACROSS PERFS. SICP 1150 PSI. SITP 620 PSI. BLOW WELL DOWN RIH TO PBTD. FOUND NOO FILL POOH W. TBG AND MILL RIH W/ NOTCHED COLLAR AND 1 JTS TBG AND SN AND 210 JTS TBG TO 6486. SHUT DOWNN WAIT FOR ACID TOMORROW AM
(DAY 8) TC: \$47,50
- 02/26/00 SWABBING. END OF TBG @ 6484. MIRU DOWEL. TEST SURFACE LINES TO 2000 PSI. SPOT 750 GALS 15% HCL+ ADDITIVES ACROSS PERFS FROM 6484' TO 5753'. POOH LD 24 JTS TBG. SPOT ACID ACROSS PERFS FORM 5753-4978'. RD DOWELL. ND BOPE. NU WH. WAIT ON ACID. RU SWAB EQUIP. BROACH TBG TO SEAT NIPPLE. IFL-500'. MAKE 22 SWAB RUNS. RECOVER 162 BBLs FLUID. FFL-3300'. FCP-150 PSI. SWIFN.
(DAY 9) TC: \$54,953
- 02/27/00 SWABBING. RD MO SERVICE UNIT. MIRU DELSCO SWABBING. ICP-340 PSI. ITP-100 PSI. IFL-1600'. MAKE 15 SWAB RUNS. RECOVER 93 BBLs FLUID. FTP-0 PSI. FCP-340 PSI. FL-3000'. SWIFN.
(DAY 10) TC: \$57,378

CANYON VIEW 1-18

02/29/00 SWABBING. SICP 620 PSI. SITP 620 PSI INITIAL FL 2000'. MAKE 21 SWAB RUNS REC 110 BBLs FLUID, SLIGHT BLOW AFTER SWAB RUN. FINAL FL 2900' FINAL PRESS 0 PSI, FINAL SCG PRESS 620 PSI.SDFN. (DAY 11) TC: \$58,961

02/29/00 SWABBING. SICP 900PSI SITP 660 PSI START TO SWAB INITIAL FL. 2200' MAKE 21 RUNS REC. 104 BBLs. SDFN FINAL FL. 2900' FINAL TBG 40 PSI FINAL CSG 640 PSI. (DAY 12) TC: \$61,028

03/01/00 SWABBING. SICP 920 PSI SITB 740 PSI INITIAL FLUID LEVEL 2300', MAKE 16 SWAB RUNS REC 80 BBLs PLUNGER WOULD NOT RUN. FINAL FL. 3100' SICP 600 PSI SITP 40 PSI. (DAY 13) TC: \$62,607

03/02/00 SWABBING. SICP 920 PSI SITP 740 PSI INITIAL FL.2400' MAKE 19 SWAB RUNS REC. 98 BBLs FINAL FL. 3500'. SDFN SICP 520 PSI SITP 20 PSI. (DAY 14) TC: \$64,186

03/03/00 SWABBING. TP.780 PSI. CP. 920PSI. RAN SWAB FOUND FL @ 2500'. MADE 8 SWAB RUNS & PLUNGER CAME UP. PLUNGER TRIPPED 4 TIMES, WELL DIE. WENT BACK TO SWABBING WELL. MADE TOTAL OF 14 RUNS, RECOVERED 84 BBLs. FFL @ 3400' FTP. 40 PSI. FCP .560 PSI. SDFN. (DAY 15) TC: \$65,665

03/04/00 SWABBING. CP 980 PSI. TP 800 PSI. WELL BLEW DN IN 10 MIN. RAN SWAB & FOUND FL @ 2500'. MADE 15 RUNS & REC 84 BBLs. FFL @ 3500', FCP 560 PSI. FTP 40 PSI. SDFN. (DAY 16) TC: \$67,144

03/07/00 SWABBING. SITP-1060 PSI, SICP-1160 PSI, IFL 1600'. MAKE 13 SWAB RUNS, TRIP PLUNGER 3 TIMES, REC 78 BBLs. FSICP 600 PSI, FTBG 40 PSI, FFL 3000'. SDFN. (DAY 17) TC: \$68,690

03/08/00 CHECK ON WELL. SICP-980 PSI, SITP-700 PSI, IFL 2200'. MADE 4 SWAB RUNS, TRIP PLUNGER 12 TIMES, REC 70 BBLs FL. SICP 700 PSI, FTP 270 PSI, FFL 2800'. LEAVE PLUNGER SWABBING. (DAY 18) TC: \$70,168

03/09/00 WELL IS ON PROD. SICP 540 PSI, SITP 190 PSI. PLUNGER IS SWABBING. TURN WELL OVER TO PROD. FSICP 540 PSI, FSITP 190 PSI. LAST REPORT. (DAY 19) TC: \$70,938

03/10/00 PROG: FLWG ON 64/64" CHK, SICP: 580#, SITP: 120# 4 MCF, 87 BW. CODE 21- SWBG W/ PLUNGER. FLWG TO TNK.

3/11/00 PROG: FLWG 6 MCF, 97 BW, FTP: 180#, CP: 500 #, 64/64" CHK, 24 HRS.

3/12/00 PROG: FLWG 6 MCF, 89 BW, FTP: 100#, CP: 500#, 64/64" CHK, 24 HRS.

3/13/00 PROG: FLWG 7 MCF, 84 BW, FTP: 80#, CP: 550#, 64/64" CHK, 24 HRS.

03/14/00 PROG: FLWD 8 MCF, 82 BW, FTP: 75#, CP: 500, 24 HRS, LP: 65#.

03/15/00 PROG: FLWD 8 MCF, 82 BW, FTP: 75#, CP: 500, 64/64" CK, 24 HRS, LP: 65#.

03/16/00 PROG: FLWD 8 MCF, FTP: 270#, CP: 500, 64/64" CHK, 24 HRS, LP: 70#.

03/17/00 PROG: FLWD 11 MCF, 75 BW, FTP: 70#, CP: 550, 64/64" CHK, 24 HRS, LP: 58#.

03/18/00 PROG: FLWD 9 MCF, 78 BW, FTP: 360#, CP: 500, 64/64" CHK, 24 HRS, LP: 61#.

03/19/00 PROG: FLWD 9 MCF, 80 BW, FTP: 100#, CP: 520#, 64/64" CHK, 24 HRS, LP: 65#.

03/20/00 PROG: FLWD 8 MCF, 75 BW, FTP: 100#, CP: 500#, 64/64" CHK, 24 HRS, LP: 66#. WORKOVER UNSUCCESSFUL. WILL SHUT IN - UNECONOMICAL.

FINAL REPORT.

RECEIVED

APR 03 2000

DIVISION OF
OIL, GAS AND MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER:
2. NAME OF OPERATOR: El Paso Production Oil & Gas Company		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
3. ADDRESS OF OPERATOR: 8 South 1200 East CITY Vernal STATE Utah ZIP 84078		7. UNIT or CA AGREEMENT NAME:
4. LOCATION OF WELL FOOTAGES AT SURFACE: _____ QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____		8. WELL NAME and NUMBER: Exhibit "A"
PHONE NUMBER: 435-789-4433		9. API NUMBER:
		10. FIELD AND POOL, OR WILDCAT:
		COUNTY: _____
		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA



TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Name Change</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

As a result of the merger between The Coastal Corporation and a wholly owned subsidiary of El Paso Energy Corporation, the name of Coastal Oil & Gas Corporation has been changed to El Paso Production Oil & Gas Company effective March 9, 2001.

See Exhibit "A"

Bond # 400JU0708

Coastal Oil & Gas Corporation	
NAME (PLEASE PRINT) John T. Elzner	TITLE Vice President
SIGNATURE 	DATE 06-15-01
El Paso Production Oil & Gas Company	
NAME (PLEASE PRINT) John T. Elzner	TITLE Vice President
SIGNATURE 	DATE 06-15-01

(This space for State use only)

RECEIVED
JUN 19 2001
DIVISION OF
OIL, GAS AND MINING

I, HARRIET SMITH WINDSOR, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF AMENDMENT OF "COASTAL OIL & GAS CORPORATION", CHANGING ITS NAME FROM "COASTAL OIL & GAS CORPORATION" TO "EL PASO PRODUCTION OIL & GAS COMPANY", FILED IN THIS OFFICE ON THE NINTH DAY OF MARCH, A.D. 2001, AT 11 O'CLOCK A.M.

RECEIVED

JUN 14 2001

DIVISION OF
OIL, GAS AND MINING



Harriet Smith Windsor
Harriet Smith Windsor, Secretary of State

0610204 8100

AUTHENTICATION: 1061007

010162788

DATE: 04-03-01

CERTIFICATE OF AMENDMENT

OF

CERTIFICATE OF INCORPORATION

COASTAL OIL & GAS CORPORATION (the "Company"), a corporation organized and existing under and by virtue of the General Corporation Law of the State of Delaware, DOES HEREBY CERTIFY:

FIRST: That the Board of Directors of the Company, by the unanimous written consent of its members, filed with the minutes of the Board, adopted a resolution proposing and declaring advisable the following amendment to the Certificate of Incorporation of the Company:

RESOLVED that it is deemed advisable that the Certificate of Incorporation of this Company be amended, and that said Certificate of Incorporation be so amended, by changing the Article thereof numbered "FIRST." so that, as amended, said Article shall be and read as follows:

"FIRST. The name of the corporation is El Paso Production Oil & Gas Company."

SECOND: That in lieu of a meeting and vote of stockholders, the stockholders entitled to vote have given unanimous written consent to said amendment in accordance with the provisions of Section 228 of the General Corporation Law of the State of Delaware.

THIRD: That the aforesaid amendment was duly adopted in accordance with the applicable provisions of Sections 242 and 228 of the General Corporation Law of the State of Delaware.

IN WITNESS WHEREOF, said COASTAL OIL & GAS CORPORATION has caused this certificate to be signed on its behalf by a Vice President and attested by an Assistant Secretary, this 9th day of March 2001.

COASTAL OIL & GAS CORPORATION

David L. Siddall
Vice President

Attest:

Margaret E. Roark
Margaret E. Roark, Assistant Secretary

RECEIVED

STATE OF DELAWARE
SECRETARY OF STATE
DIVISION OF CORPORATIONS
FILED 11:00 AM 03/09/2001
010118394 - 0610204

JUN 19 2001

DIVISION OF
OIL, GAS AND MINING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

RECEIVED

JUL 12 2001

**DIVISION OF
OIL, GAS AND MINING**

In Reply Refer To:
3106
UTSL-065841
(UT-924)

JUL 10 2001

NOTICE

El Paso Production Oil & Gas Company : Oil and Gas
Nine Greenway Plaza :
Houston TX 77046-0095 :

Name Change Recognized


Acceptable evidence has been received in this office concerning the name change of Coastal Oil & Gas Corporation into El Paso Production Oil & Gas Company with El Paso Production Oil & Gas Company being the surviving entity.

For our purposes, the name change is recognized effective March 9, 2001.

The oil and gas lease files identified on the enclosed exhibit have been noted as to the name change. The exhibit was compiled from a list of leases obtained from our computer program. We have not abstracted the lease files to determine if the entities affected by this name change hold an interest in the leases identified nor have we attempted to identify leases where the entities are the operator on the ground maintaining no vested recorded title or operating rights interests. We will be notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify additional leases in which the entities maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

Due to the name change, the name of the principal/obligor on the bond is required to be changed from Coastal Oil & Gas Corporation to El Paso Production Oil & Gas Company. You may accomplish this either by consent of surety rider on the original bond or a rider to the original bond. The bonds are held in Wyoming and Colorado.



Opolonia L. Abeyta
Acting Chief, Branch of
Minerals Adjudication

Enclosure

1. Exhibit of Leases (1 pp)

cc: Moab Field Office
Vernal Field Office
MMS, Reference Data Branch, MS3130, PO Box 5860, Denver CO 80217
~~State of Utah, DOGM~~, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC UT 84114
Teresa Thompson (UT-922)
Joe Incardine (UT-921)

Exhibit of Leases

UTUSL-065841A	UTU-47172	UTU-74415	UTU-53860
UTU-28652	UTU-50687	UTU-74416	UTU-66401
UTU-37943	UTU-52298	UTU-75091	UTU-67868
UTU-44089	UTU-0109054	UTU-75096	UTU-65389
UTU-44090A	UTU-0143511	UTU-75097	UTU-77084
UTU-61263	UTU-0143512	UTU-75673	UTU-61430
UTU-00343	UTU-38401	UTU-76259	UTU-72633
UTU-02651	UTU-38411	UTU-76260	UTU-72650
UTU-02651B	UTU-38418	UTU-76261	UTU-49692
UTU-0142175	UTU-38419	UTU-76493	UTU-57894
UTU-70235	UTU-38420	UTU-76495	UTU-76829
UTU-70406	UTU-38421	UTU-76503	UTU-76830
UTU-74954	UTU-38423	UTU-78228	UTU-76831
UTU-75132	UTU-38424	UTU-78714	
UTU-75699	UTU-38425	UTU-78727	
UTU-76242	UTU-38426	UTU-78734	
UTU-78032	UTU-38427	UTU-79012	
UTU-4377	UTU-38428	UTU-79011	
UTU-4378	UTU-53861	UTU-71694	
UTU-7386	UTU-58097	UTU-00576	
UTU-8344A	UTU-64376	UTU-00647	
UTU-8345	UTU-65222	UTU-01470D	
UTU-8347	UTU-65223	UTU-0136484	
UTU-8621	UTU-66746	UTU-8344	
UTU-14646	UTU-67178	UTU-8346	
UTU-15855	UTU-67549	UTU-8648	
UTU-25880	UTU-72028	UTU-28212	
UTU-28213	UTU-72632	UTU-30289	
UTU-29535	UTU-73009	UTU-31260	
UTU-29797	UTU-73010	UTU-33433	
UTU-31736	UTU-73013	UTU-34711	
UTU-34350	UTU-73175	UTU-46699	
UTU-34705	UTU-73434	UTU-78852	
UTU-37116	UTU-73435	UTU-78853	
UTU-37355	UTU-73444	UTU-78854	
UTU-37573	UTU-73450	UTU-075939	
UTU-38261	UTU-73900	UTU-0149767	
UTU-39223	UTU-74409	UTU-2078	
UTU-40729	UTU-74410	UTU-44426	
UTU-40736	UTU-74413	UTU-49530	
UTU-42469	UTU-74414	UTU-51026	

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH		4-KAS
2. CDW ✓		5-LP ✓
3. JLT		6-FILE

Enter date after each listed item is completed

Change of Operator (Well Sold)

Designation of Agent

Operator Name Change (Only)

X Merger

The operator of the well(s) listed below has changed, effective: **3-09-2001**

FROM: (Old Operator):
COASTAL OIL & GAS CORPORATION
Address: 9 GREENWAY PLAZA STE 2721
HOUSTON, TX 77046-0995
Phone: 1-(713)-418-4635
Account N0230

TO: (New Operator):
EL PASO PRODUCTION OIL & GAS COMPANY
Address: 9 GREENWAY PLAZA STE 2721 RM 2975B
HOUSTON, TX 77046-0995
Phone: 1-(832)-676-4721
Account N1845

CA No.

Unit:

WELL(S)

NAME	API NO	ENTITY NO	SEC TWN RNG	LEASE TYPE	WELL TYPE	WELL STATUS
PETES FLAT 1-1	43-047-30558	1510	01-10S-23E	FEDERAL	GW	S
FEDERAL 4-4	43-047-30632	10690	04-10S-23E	FEDERAL	GW	P
SOUTHMAN CANYON 4-5	43-047-30633	6131	05-10S-23E	FEDERAL	GW	P
FEDERAL 1-5 (CA 74473)	43-047-30856	10689	05-10S-23E	FEDERAL	GW	P
SAGE HEN 1-6 (CA CR-3)	43-047-30382	1490	06-10S-23E	FEDERAL	GW	P
FLAT MESA 1-7	43-047-30365	1505	07-10S-23E	FEDERAL	GW	P
FLAT MESA 2-7	43-047-30545	1506	07-10S-23E	FEDERAL	GW	P
SAGE BRUSH 1-8	43-047-30383	1467	08-10S-23E	FEDERAL	GW	TA
NO NAME CANYON 1-9	43-047-30378	1466	09-10S-23E	FEDERAL	GW	P
NO NAME CANYON 2-9	43-047-31504	1468	09-10S-23E	FEDERAL	GW	P
SOUTHMAN CANYON 9-3M	43-047-32540	11767	09-10S-23E	FEDERAL	GW	P
SOUTHMAN CANYON 9-4-J	43-047-32541	11685	09-10S-23E	FEDERAL	GW	P
SHEEPHERDER 1-10 (CA CR-5)	43-047-30559	1470	10-10S-23E	FEDERAL	GW	P
JACK RABBIT 1-11 (CA CR-23)	43-047-30423	1475	11-10S-23E	FEDERAL	GW	S
NSO FEDERAL 1-12 (CA CR-22)	43-047-30560	1480	12-10S-23E	FEDERAL	GW	P
WHITE RIVER 1-14	43-047-30481	1500	14-10S-23E	FEDERAL	GW	P
CLIFF EDGE 1-15	43-047-30462	1524	15-10S-23E	FEDERAL	GW	TA
BONANZA FEDERAL 3-15	43-047-31278	8406	15-10S-23E	FEDERAL	GW	P
CROOKED CANYON 1-17	43-047-30369	1465	17-10S-23E	FEDERAL	GW	S
CANYON VIEW FEDERAL 1-18	43-047-30379	1485	17-10S-23E	FEDERAL	GW	P

OPERATOR CHANGES DOCUMENTATION

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 06/19/2001
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 06/19/2001
- The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 06/21/2001
- Is the new operator registered in the State of Utah: YES Business Number: 608186-0143



WESTPORT OIL AND GAS COMPANY, L.P.

410 Seventeenth Street #2300 Denver Colorado 80202-4436
Telephone: 303 573 5404 Fax: 303 573 5609

February 1, 2002

Department of the Interior
Bureau of Land Management
2850 Youngfield Street
Lakewood, CO 80215-7093
Attention: Ms. Martha Maxwell

RE: BLM Bond CO-1203
BLM Nationwide Bond 158626364
Surety - Continental Casualty Company
Belco Energy Corporation merger into Westport Oil and Gas Company, Inc.
Conversion of Westport Oil and Gas Company, Inc., into Westport Oil and Gas Company, L.P.
Assumption Rider - Westport Oil and Gas Company, L.P.

Dear Ms. Maxwell:

Pursuant to our recent conversations, please find the following list of enclosures for the BLM's consideration and approval:

Two (2) Assumption Riders, fully executed originals.
Copies of Belco Energy Corporation merger into Westport Oil and Gas Company, Inc.
Copies of Westport Oil and Gas Company, Inc., conversion into Westport Oil and Gas Company, L.P.
List of all Federal/BIA/State Leases - Belco/Westport's leases - in all states.

Please inform us of any additional information needed to complete the change to Westport Oil and Gas Company, L.P., as operator of record.

I thank you for your assistance and cooperation in this matter. Please do not hesitate contacting the undersigned, should a question arise.

Sincerely,
Westport Oil and Gas Company, L.P.

Debby J. Black
Debby J. Black
Engineer Technician

Encl;



United States Department of the Interior **RECEIVED**

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

FEB 22 2002

DIVISION OF
OIL, GAS AND MINING

In Reply Refer To:
3106
UTU-25566 et al
(UT-924)

FEB 21 2002

NOTICE

Westport Oil and Gas Company L.P. : Oil and Gas
410 Seventeenth Street, #2300 :
Denver Colorado 80215-7093 :

Name Change Recognized

Acceptable evidence has been received in this office concerning the name change of Westport Oil and Gas Company, Inc. into Westport Oil and Gas Company, L.P. with Westport Oil and Gas Company, L.P. being the surviving entity.


For our purposes, the name change is recognized effective December 31, 2001.

The oil and gas lease files identified have been noted as to the name change. The exhibit was compiled from a list of leases obtained from our computer program. We have not abstracted the lease files to determine if the entities affected by this name change hold an interest in the leases identified nor have we attempted to identify leases where the entities are the operator on the ground maintaining no vested recorded title or operating rights interests. We will be notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify additional leases in which the entities maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

Due to the name change, the name of the principal/obligor on the bond is required to be changed from Westport Oil and Gas Company, Inc. to Westport Oil and Gas Company, L.P.. You may accomplish this either by consent of surety rider on the original bond or a rider to the original bond. The bonds are held in Colorado.

UTU-03405
UTU-20895
UTU-25566
UTU-43156
UTU-49518
UTU-49519
UTU-49522
UTU-49523



Robert Lopez
Chief, Branch of
Minerals Adjudication

cc: Moab Field Office
Vernal Field Office
MMS, Reference Data Branch, MS3130, PO Box 5860, Denver CO 80217
State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC UT 84114
Teresa Thompson (UT-922)
Joe Incardine (UT-921)

memorandum

Branch of Real Estate Services
Uintah & Ouray Agency

Date: 5 December, 2002

Reply to
Attn of: Supervisory Petroleum Engineer

Subject: Modification of Utah Division of Oil, Gas and Mining Regulations

To: Director, Utah Division of Oil, Gas and Mining Division: John Baza


We have been advised of changes occurring with the operation of your database for Change of Operator. You will be modifying your records to reflect Change of Operator once you have received all necessary documentation from the companies involved, and perhaps in advance of our Notice of Concurrence/Approval of Change of Operator where Indian leases are involved.

We have no objection.

With further comment to Rulemaking, I wish to comment concerning the provision of Exhibits for upcoming Hearings. I would like to see the Uintah & Ouray Agency, BIA, and the Ute Indian Tribe, Energy & Mineral Resources Department added to the list of those parties that receive advance Exhibits so as to allow us to have research time prior to Hearing dates. We will be able to provide a more informed recommendation to the Oil, Gas and Mining Board. It would be best if we would receive only those Exhibits that concern Indian lands, specifically on or adjacent to Indian lands. This may be a difficult situation to attain, as it is not always clear where 'on or adjacent' occurs.

I am aware that you have gone to extra effort to correct this matter already, and I fully appreciate it. My request is intended only to allow the addition of Uintah & Ouray Agency and Ute Indian Tribe to the official listing.

We appreciate your concern, and hope that these comments are timely enough for consideration in the revision process.



CC: Minerals & Mining Section of RES
Ute Energy & Mineral Resources Department: Executive Director
chrono



United States Department of the Interior

BUREAU OF INDIAN AFFAIRS

Washington, D.C. 20240

FEB 10 2003

IN REPLY REFER TO:
Real Estate Services

Carroll A. Wilson
Principal Landman
Westport Oil and Gas Company, L.P.
1368 South 1200 East
Vernal, Utah 84078

Dear Mr. Wilson:

This is in response to your request for approval of RLI Insurance Company's Nationwide Oil and Gas Lease Bond No. RLB0005239 executed effective December 17, 2002, (\$150,000 coverage) with Westport Oil and Gas Company, L. P., as principal.

This bond is hereby approved as of the date of this correspondence and will be retained in the Bureau of Indian Affairs' Division of Real Estate Services, 1849 C Street, NW, MS-4512-MIB, Washington, D.C. 20240. All Bureau oil and gas regional offices and the surety are being informed of this action.

In cases where you have existing individual and/or collective bonds on file with one or more of our regional offices, you may now request those offices, directly, to terminate in lieu of coverage under this Nationwide Bond.

Enclosed is a copy of the approved bond for your files. If we may be of further assistance in this matter, please advise.

Sincerely,

Director, Office of Trust Responsibilities

ACTING

Enclosure

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

		5. LEASE DESIGNATION AND SERIAL NUMBER:
		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
		7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		8. WELL NAME and NUMBER: Exhibit "A"
2. NAME OF OPERATOR: El Paso Production Oil & Gas Company		9. API NUMBER:
3. ADDRESS OF OPERATOR: 9 Greenway Plaza CITY Houston STATE TX ZIP 77064-0995		10. FIELD AND POOL, OR WILDCAT:
		PHONE NUMBER: (832) 676-5933

4. LOCATION OF WELL

FOOTAGES AT SURFACE: _____ COUNTY: _____

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____ STATE: **UTAH**

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA


TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Operator change to Westport Oil and Gas Company, L.P., 1670 Broadway, Suite 2800, Denver, CO. 80202-4800, effective December 17, 2002.

BOND # _____
State Surety Bond No. RLB0005236
Fee Bond No. RLB0005238

EL PASO PRODUCTION OIL & GAS COMPANY

By: 
Jon R. Nelsen, Attorney-in-Fact

RECEIVED
FEB 28 2003
DIV. OF OIL, GAS & MINING

WESTPORT OIL AND GAS COMPANY, L.P.			
NAME (PLEASE PRINT) David R. Dix	TITLE Agent and Attorney-in-Fact		
SIGNATURE 	DATE 12/17/02		

(This space for State use only)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
SEE ATTACHED EXHIBIT "A"

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
SEE ATTACHED EXHIBIT "A"

9. API Well No.
SEE ATTACHED EXHIBIT "A"

10. Field and Pool, or Exploratory Area

11. County or Parish, State
UINTAH COUNTY, UT

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
WESTPORT OIL & GAS COMPANY, L.P.

3a. Address
P.O. BOX 1148 VERNAL, UT 84078

3b. Phone No. (include area code)
(435) 781-7023

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
SEE ATTACHED EXHIBIT "A"

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	SUCCESSOR OF
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	OPERATOR

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and so forth. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed when testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator determined that the site is ready for final inspection.

WESTPORT OIL & GAS COMPANY, L.P., IS CONSIDERED TO BE THE OPERATOR ON THE ATTACHED DESCRIBED LANDS AND IS RESPONSIBLE UNDER THE TERMS AND CONDITIONS OF THE LEASE FOR THE OPERATIONS CONDUCTED ON THE LEASED LANDS OR PORTIONS THEREOF, BOND COVERAGE FOR THIS WELL IS PROVIDED BY FEDERAL NATIONWIDE BOND NO. 158626364, EFFECTIVE FEBRUARY 1, 2002, AND BIA NATIONWIDE BOND NO. RLB0005239, EFFECTIVE FEBRUARY 10, 2003.

RECEIVED
MAR 04 2003

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) CHERYL CAMERON	Title OPERATIONS
Signature 	Date March 4, 2003

DIV. OF OIL, GAS & MINING

THIS SPACE FOR FEDERAL OR STATE USE

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW ✓
3. FILE

X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective: 12-17-02	
FROM: (Old Operator):	TO: (New Operator):
EL PASO PRODUCTION OIL & GAS COMPANY	WESTPORT OIL & GAS COMPANY LP
Address: 9 GREENWAY PLAZA	Address: P O BOX 1148
HOUSTON, TX 77064-0995	VERNAL, UT 84078
Phone: 1-(832)-676-5933	Phone: 1-(435)-781-7023
Account No. N1845	Account No. N2115

CA No.

Unit:

WELL(S)	SEC TWN RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
BONANZA 9-5	09-09S-23E	43-047-34088	99999	FEDERAL	GW	APD
BONANZA 9-6	09-09S-23E	43-047-34770	99999	FEDERAL	GW	APD
BONANZA 10-2	10-09S-23E	43-047-34089	99999	FEDERAL	GW	APD
BONANZA 10-3	10-09S-23E	43-047-34090	99999	FEDERAL	GW	APD
BONANZA 10-4	10-09S-23E	43-047-34772	99999	FEDERAL	GW	APD
SHEEPHERDER FED 1-10 (CR-5)	10-09S-23E	43-047-30559	1470	FEDERAL	GW	P
JACK RABBIT 1-11	11-09S-23E	43-047-30423	1475	FEDERAL	GW	S
BONANZA 11-2	11-09S-23E	43-047-34773	99999	FEDERAL	GW	APD
NSO FEDERAL 1-12 (CR-22)	12-09S-23E	43-047-30560	1480	FEDERAL	GW	P
WHITE RIVER 1-14	14-09S-23E	43-047-30481	1500	FEDERAL	GW	S
CLIFF EDGE FEDERAL 1-15	15-09S-23E	43-047-30462	1524	FEDERAL	GW	TA
BONANZA FED 3-15	15-09S-23E	43-047-31278	8406	FEDERAL	GW	P
LOOKOUT POINT STATE 1-16	16-09S-23E	43-047-30544	1495	STATE	GW	P
CROOKED CANYON FED 1-17	17-09S-23E	43-047-30369	1465	FEDERAL	GW	S
CANYON VIEW FED 1-18	18-09S-23E	43-047-30379	1485	FEDERAL	GW	S
HILL FEDERAL 1-10	10-11S-20E	43-047-31026	1368	FEDERAL	GW	TA
WILLOW CREEK UNIT 1	27-11S-20E	43-047-31775	10804	FEDERAL	GW	S
ARCHY BENCH STATE 1-2	02-11S-22E	43-047-31489	9871	STATE	GW	S
BITTER CREEK FEDERAL 1-3	03-11S-22E	43-047-30524	1460	FEDERAL	GW	S
LIZARD CREEK 1-10	10-11S-22E	43-047-31475	9870	FEDERAL	GW	P

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 02/28/2003
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 03/04/2003
- The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 03/06/2003
- Is the new operator registered in the State of Utah: YES Business Number: 1355743-0181
- If **NO**, the operator was contacted on: _____

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM-12/31/2003 BIA-12/5/02

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 02/27/2003

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: 01/09/2003

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 03/27/2003

2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 03/27/2003

3. Bond information entered in RBDMS on: N/A

4. Fee wells attached to bond in RBDMS on: N/A

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: RLB 0005236

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: 158626364

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: RLB 0005239

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number RLB 0005238

2. The **FORMER** operator has requested a release of liability from their bond on: N/A

The Division sent response by letter on: N/A

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
SEE ATTACHED

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
SEE ATTACHED

9. API Well No.
SEE ATTACHED

10. Field and Pool, or Exploratory Area
VARIOUS

11. County or Parish, State
UINTAH, UTAH

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
WESTPORT OIL & GAS COMPANY L.P.

3a. Address
1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)
(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
SEE ATTACHED

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Deepen
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Fracture Treat
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Change Plans
	<input checked="" type="checkbox"/> Plug and Abandon
	<input type="checkbox"/> Convert to Injection
	<input type="checkbox"/> Plug Back
	<input type="checkbox"/> Production (Start/Resume)
	<input type="checkbox"/> Reclamation
	<input type="checkbox"/> Recomplete
	<input checked="" type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Water Disposal
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Well Integrity
	<input type="checkbox"/> Other _____

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomple horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recomple in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

THE OPERATOR REQUESTS AUTHORIZATION TO PLACE THE SUBJECT WELL LOCATIONS ON TEMPORARILY ABANDONMENT STATUS, UNTIL SUCH TIME THE WELL LOCATIONS CAN BE PLUGGED AND ABANDON.

PLEASE REFER TO THE ATTACHED LIST OF PROPOSED PLUG AND ABANDONMENTS FOR THE NEXT 5 YEARS.

COPY SENT TO OPERATOR
 Date: 8-24-04
 Initials: CHP

APPROVED BY THE STATE OF UTAH DIVISION OF OIL, GAS, AND MINING
 DATE: 8/20/2004
 BY: D. S. K. J.

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) Sheila Upchegg	Title Regulatory Analyst
Signature <i>Sheila Upchegg</i>	Date May 25, 2004

*** See Conditions of Approval (Attached)**
Federal Approval of This Action Is Necessary

THIS SPACE FOR FEDERAL OR STATE USE

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Proposed 2007 P&A's - 15 Wells

30494	CIGE 035	1-10-20 NESW	UTU-02270A
30542	CIGE 066	23-10-21 SENW	UTU-02278A
30952	CIGE 073D	5-10-22 SWSW	UTU-01191A
30953	CIGE 074D	6-10-22 NWSE	UTU-01195
31915	CIGE 114	34-9-21 NESE	U-01194A
34436	CIGE 282	7-10-22 NENE	ML-23609
30962	KURIP 01-027	1-9-20 NENW	14-20-H62-3004
30848	NBU 043	26-10-20 NWSE	UTU-4476
30534	NBU 047N2	30-10-22 SESW	UTU-0132568A
31250	NBU 087J	3-10-22 NESW	UTU-01191A
31923	NBU 114	5-10-21 SWSW	UTU-01393D
31982	NBU 149	5-10-22 NESE	UTU-01191
31992	NBU 150	9-10-22 SENW	UTU-01196B
32234	NBU 188	10-10-22 SWSW	U-01196C
33692	WONSITS FEDERAL 01-05	5-8-22 LOT 5	UTU-72633

Proposed 2008 P&A's - 11 wells

32401	NBU 213	15-10-22 NWNW	UTU-025187
32480	NBU 217	28-9-21 NESW	U-05678
32944	NBU 242	5-10-22 SWSE	UTU-01191
32917	NBU 253	10-9-21 SWNW	U-0141315
32929	NBU 262	33-9-21 NENE	UTU-0576
33011	NBU 278	30-9-22 SWSW	U-463
32976	NBU 285	3-10-22 NWNW	UTU-01191
32886	NBU 296 GR	24-10-20 NWNE	UTU-4485
33776	NBU 364	29-9-21 SESE	UTU-0581
30838	NBU 58N2	27-10-22 NENW	U-473
31327	NBU 98-V	34-9-21 SWSW	U-01194-A

69 total wells



State of Utah

Department of
Natural Resources

Division of
Oil, Gas & Mining

ROBERT L. MORGAN
Executive Director

LOWELL P. BRAXTON
Division Director

MICHAEL O. LEAVITT
Governor

OLENE S. WALKER
Lieutenant Governor

CONDITIONS OF APPROVAL TO EXTEND SI/TA OF WELL

Well Name and Number:	Several State and Federal wells
API Number:	See Sundry List
Operator:	Westport Oil and Gas Company L.P.
Reference Document:	Original Sundry dated May 25, 2004, received by DOGM on June 3, 2004

The Division of Oil, Gas and Mining (DOGM) accepts Westport's plan of action to Plug and Abandon sixty-nine wells by year-end 2008. Based upon the plan of action DOGM approves these sixty-nine (69) wells for extended shut-in until September 1, 2005.

Approval Conditions (Federal Approval necessary on all Federal/Indian wells):

1. If SI/TA is desired beyond the approval date listed above, the operator should submit a request for extended SI/TA at that time. Adherence to the accepted plan of action, wellbore conditions etc. will be taken into consideration.
2. A well monitoring program should be in place to ensure that health, safety and the environment are all protected (wellbore integrity).
3. Any changes in wellbore conditions or integrity; or sustained pressure on casing/casing annuli shall be reported to the Division immediately. A new monitoring program or remedial action may be necessary at that time.

Dustin K. Doucet
Petroleum Engineer

August 20, 2004

Date

API #	WELL NAME	S-T-R	LEASE NUMBERS
43-047-			

Proposed 2004 P&A's - 13 Wells

31900	EAST GUSHER 15-1A	15-6-20 NENE	UTU-58007
30423	JACK RABBIT 1-11	11-10-23 SWNE	UTU-38425
32540	SOUTHMAN CANYON 09-03M	9-10-23 SWSW	UTU-37355
32543	SOUTHMAN CANYON 31-01-L	31-9-23 NWSW	UTU-33433
31100	NBU 070N3	3-10-22 SWNW	UTU-01191
30221	NBU 018	10-10-22 SWNE	UTU-025187
20280	WALKER HOLLOW U MCLISH 1	8-7-23 SWSW.	UTU-02651
30011	WALKER HOLLOW U MCLISH 2	8-7-23 SWSE	UTU-02651
30030	WALKER HOLLOW U MCLISH 4	8-7-23 NESW	UTU-02651
31034	WALKER HOLLOW UNIT 6	8-7-23 SESE	UTU-02651
30027	WALKER HOLLOW U MCLISH 3	8-7-23 NESE	UTU-02651
31092	WALKER HOLLOW UNIT J-8	8-7-23 NWSE	UTU-02651
31975	NBU 153	11-10-22 SWNW	U-01197A

Proposed 2005 P&A's - 15 Wells

31833	BASER DRAW 5-1	5-7-22 NWNW	UTU-075939
31834	BASER DRAW 6-1	6-7-22 NWNW	UTU-075939
31859	BASER DRAW FEDERAL 6-2	6-7-22 SWNE	UTU-075939
31304	COORS FEDERAL 14-1D	14-7-21 NWNW	UTU-65223
32009	COORS FEDERAL 2-10HB	10-7-21 NWNW	UTU-6522
30753	DM ICE FRIDAY 34-22	34-8-20 NESE	14-20-H62-2997
32333	FEDERAL 11-1-M	11-6-20 SWSW	UTU-64376
33831	HORSESHOE BEND FED 03-1	3-7-21 NWSE	UTU-0142175
33832	HORSESHOE BEND FED 04-1	4-7-21 NWSE	UTU-66401
33872	HORSESHOE BEND FED 26-3	26-6-21 NWSW	UTU-38401
33667	KENNEDY WASH FED 14-1	14-8-23 NWSW	UTU-71424
30623	SAND RIDGE FED 23-17	17-8-23 NESW	UTU-0143276
31508	STIRRUP FEDERAL 29-2	29-6-21 NWSE	UTU-46699
31634	STIRRUP FEDERAL 29-3	29-6-21 SESE	UTU-78854
30815	WEST WALKER FED. 1-33	33-6-22 NWSW	UTU-38411

Proposed 2006 P&A's - 15 Wells

30524	BITTER CREEK 01-03	3-11-22 SWNE	UTU-29797
30379	CANYON VIEW FEDERAL 1-18	18-10-23 SENW	UTU-38421
30369	CROOKED CYN FED 1-17	17-10-23 NENW	UTU-37355
31778	E BENCH UNIT #1	33-11-22 NWSE	UT-121P
30365	FLAT MESA FED. 1-7	7-10-23 NWSE	UTU-38420
30544	LOOKOUT POINT STATE 1-16	16-10-23 NESE	ML-221886A
30766	LOVE UNIT B2-3	3-11-21 SWSW	UTU-8347
30560	NSO FEDERAL 1-12	12-10-23 NENW	UTU-38423
30558	PETE'S FLAT 1-1	1-10-23 NESE	UTU-40736
30382	SAGE HEN FEDERAL 1-6	6-10-23 NESE	UTU-38419
30383	SAGEBRUSH FEDERAL 1-8	8-10-23 SWNE	UTU-37355
30856	SOUTHMAN CANYON 01-05 FED	5-10-23 SENW	UTU-33433
30632	SOUTHMAN CANYON 4-4	4-10-23 NWSE	UTU-33433
30481	WHITE RIVER 1-14	14-10-23 NENW	UTU-38427
31775	WILLOW CREEK UNIT #1	27-11-20 SENE	UT-128P

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE – Other instructions on reverse side

5. Lease Serial No.
MULTIPLE WELLS- SEE ATTACHED

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.
MULTIPLE WELLS- SEE ATTACHED

8. Well Name and No.
MULTIPLE WELLS- SEE ATTACHED

9. API Well No.
MULTIPLE WELLS- SEE ATTACHED

10. Field and Pool, or Exploratory Area
BONANZA/SOUTHMAN CANYON

11. County or Parish, State
UINTAH COUNTY, UTAH

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
WESTPORT OIL & GAS COMPANY, L.P.

3a. Address
1368 SOUTH 1200 EAST, VERNAL, UTAH 84078

3b. Phone No. (include area code)
435-781-7060

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
MULTIPLE WELLS- SEE ATTACHED

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other VARIANCE
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

Westport Oil & Gas requests a variance to Onshore Order No. 4, Part III C. a. requiring each sales tank be equipped with a pressure- vacuum thief hatch and/or vent line valve. The variance is requested as an economic analysis shows the value of the shrunk condensate will not payout the incremental cost of purchasing and maintaining the valve resulting in a loss of value over the producing life of the well.

The volume lost to shrinkage by dropping the tank pressure from 6 ozs. To 0 psig is shown to be 0.3% of the tank volume. This was determined by lab analysis of a representative sample from the field. The sample shrunk from 98.82% of original volume to 98.52% when the pressure was dropped. The average well produces approximately 6 bbls condensate per month. The resulting shrinkage would amount to 0.56 bbls per month lost volume due to shrinkage. The value of the shrunk and lost condensate does not recoup or payout the cost of installing and maintaining the valves and other devices that hold the positive tank pressure. An economic run based on the loss and costs is attached. Westport Oil & Gas requests approval of this variance in order to increase the value of the well to the operator and the mineral royalty owners.

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) DEBRA DOMENICI	Title ENVIRONMENTAL ASSISTANT
Signature <i>Debra Domenici</i>	Date July 9, 2004

THIS SPACE FOR FEDERAL OR STATE USE

Approved by	Title Accepted by the Utah Division of Oil, Gas and Mining	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Federal Approval Of This Action Is Necessary	
Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.	RECEIVED	JUL 14 2004
(Instructions on reverse)	COPY SENT TO OPERATOR	By: [Signature]
	Date: 7-16-04	Initials: CHD

Westport Oil & Gas, L.P.
Project Economics Worksheet

Instructions: Fill in blue boxed areas with before and after project data. The evaluation results are shown below and graphed automatically at the bottom of the page. This sheet is protected to prevent accidental alteration of the formulas. See JTC for changes. OPX entered as annual costs and/or as unit OPX costs for \$/BF and \$/MCF

Project Name: **Condensate Shrinkage Economics**

Is this job a well pull or production rig job ??? **N** (Y or N)

	BEFORE \$/Year	AFTER \$/Year	DIFFERENCE \$/Year
Gross Oil Revenue	\$1,088	\$1,099	\$11
Gross Gas Revenue	\$0	\$0	\$0
NGL Revenue	\$0	\$0	\$0
PULING UNIT SERVICE			\$0
WIRELINE SERVICE			\$0
SUBSURF EQUIP REPAIRS			\$0
COMPANY LABOR			\$0
CONTRACT LABOR	\$0	\$200	\$200
CONTR SERVICE			\$0
LEASE FUEL GAS	\$0	\$0	\$0
UTILITIES - ELECTRICITY	\$0	\$0	\$0
CHEMICAL TREATING			\$0
MATERIAL & SUPPLY	\$0	\$150	\$150
WATER & HAULING			\$0
ADMINISTRATIVE COSTS			\$0
GAS PLANT PROCESSING			\$0
Totals	\$0	\$350	\$350

Increased OPX Per Year

Investment Breakdown:

	Cap/Exp Code	Cost, \$
Capital \$	820/830/840	\$1,200
Expense \$	830/860	\$0
Total \$		\$1,200

Oil Price	\$ 23.00	\$/BO
Gas Price	\$ 3.10	\$/MCF
Electric Cost	\$ -	\$/ HP / day
OPX/BF	\$ 2.00	\$/BF
OPX/MCF	\$ 0.62	\$/MCF

Production & OPX Detail:

	Before	After	Difference
Oil Production	0.192 BOPD	0.194 BOPD	0.002 BOPD
Gas Production	0 MCFPD	0 MCFPD	0 MCFPD
Wir Production	0 BWPD	0 BWPD	0 BWPD
Horse Power	HP	HP	0 HP
Fuel Gas Burned	MCFPD	MCFPD	0 MCFPD


<p>Project Life: Life = 20.0 Years (Life no longer than 20 years)</p> <p>Internal Rate of Return: After Tax IROR = #DIV/0!</p> <p>AT Cum Cashflow: Operating Cashflow = (\$2,917) (Discounted @ 10%)</p>	<p>Payout Calculation:</p> <p>Payout = $\frac{\text{Total Investment}}{\text{Sum(OPX + Incremental Revenue)}} = 1$</p> <p>Payout occurs when total AT cashflow equals investment See graph below, note years when cashflow reaches zero</p> <p>Payout = NEVER Years or #VALUE! Days</p>
--	--

Gross Reserves:
 Oil Reserves = **6** BO
 Gas Reserves = **0** MCF
 Gas Equiv Reserves = **38** MCFE

Notes/Assumptions:

An average NBU well produces 0.192 Bcpd with no tank pressure. The production is increased to 0.196 Bcpd if 6 ozs of pressure are placed on the tank. The increased production does not payout the valve cost or the estimated annual maintenance costs.

Project: Condensate Shrinkage Economics



Westport Oil and Gas, Inc.
NBU/Ouray Field
RFL 2003-022

COMPARISON OF FLASH BACK PRESSURES

Calculated by Characterized Equation-of-State

Flash Conditions		Gas/Oil Ratio (scf/STbbl) (A)	Specific Gravity of Flashed Gas (Air=1.000)	Separator Volume Factor (B)	Separator Volume Percent (C)
psig	°F				

Calculated at Laboratory Flash Conditions

80	70			1.019	
0	122	30.4	0.993	1.033	101.37%
0	60	0.0	—	1.000	98.14%

Calculated Flash with Backpressure using Tuned EOS

80	70			1.015	
6.0 oz	65	24.6	0.777	1.003	98.82%
0	60	0.0	—	1.000	98.52%
80	70			1.015	
4.0 oz	65	24.7	0.778	1.003	98.82%
0	60	0.0	—	1.000	98.52%
80	70			1.015	
2.0 oz	65	24.7	0.779	1.003	98.82%
0	60	0.0	—	1.000	98.52%
80	70			1.015	
0	65	24.8	0.780	1.003	98.82%
0	60	0.0	—	1.000	98.52%

(A) Cubic Feet of gas at 14.696 psia and 60 °F per Barrel of Stock Tank Oil at 60 °F.

(B) Barrels of oil at indicated pressure and temperature per Barrel of Stock Tank Oil at 60 °F.

(C) Oil volume at indicated pressure and temperature as a percentage of original saturated oil volume.

Note: Bubblepoint of sample in original sample container was 80 psig at 70° F with 1 cc water

ALL WELLS ROCKY MOUNTAIN GAS- BONANZA/SOUTHMAN CANYON ENARDO VARIANCE

WELL	LEGALS				STF LEASE NO	CA NUMBER	API NO
	SEC	TWN	RGE	QTR/QTR			
BONANZA 04-06	4	10S	23E	NESW	U-33433	UTU33433	430473475100S1
BONANZA 06-02	6	10S	23E	NESW	UTU38419	UTU38419	430473484300S1
BONANZA 08-02	8	10S	23E	SESE	UTU37355	UTU37355	430473408700S1
BONANZA 08-03	8	10S	23E	NWNW	U-37355	UTU37355	430473477000S1
BONANZA 09-05	9	10S	23E	SESW	U-37355	UTU37355	430473486600S1
BONANZA 09-06	9	10S	23E	NWNE	U-37355	UTU37355	430473477100S1
BONANZA 10-02	10	10S	23E	NWNW	U72028	UTU80201	430473470400S1
BONANZA 10-03	10	10S	23E	NWNE	UTU38261	CR-5	430473472800S1
BONANZA 10-04	10	10S	23E	SENE	UTU40736	CR-5	430473477200S1
BONANZA 1023-4E	4	10S	23E	SWNW	U-33433		43047353920S1
BONANZA 1023-6C	6	10S	23E	NENW	U-38419	UTU38419	430473515300S1
BONANZA 1023-7B	7	10S	23E	NWNE	U-38420	UTU38420	430473517200S1
BONANZA 1023-7L	7	10S	23E	NWSW	U-38420		430473528900S1
BONANZA 11-02	11	10S	23E	SWNW	UTU38425	CR-23	430473477300S1
BONANZA FEDERAL 03-15	15	10S	23E	NENW	UTU38428	UTU38428	430473127800S1
CANYON VIEW FEDERAL 1-18	18	10S	23E	SENE	UTU38421	UTU38421	430473037900S1
CROOKED CYN FED 1-17	17	10S	23E	NESW	UTU37355	UTU37355	430473036900S1
FLAT MESA FEDERAL 1-7	7	10S	23E	NWSE	UTU38420	UTU38420	430473036500S1
FLAT MESA FEDERAL 2-7	7	10S	23E	SENE	UTU38420	UTU38420	430473054500S1
JACK RABBIT 1-11	11	10S	23E	SWNE	UTU38425	CR-23	430473042300S1
LOOKOUT POINT STATE 1-16	16	10S	23E	NESE	ML22186A		430473054400S1
NO NAME CANYON 1-9	9	10S	23E	SENE	UTU037355	UTU37355	430473037800S1
NO NAME CANYON 2-9	9	10S	23E	NENW	UTU037355	UTU37355	430473150400S1
NSO FEDERAL 1-12	12	10S	23E	NENW	UTU38423	CR-22	430473056000S1
PETE'S FLAT 1-1	1	10S	23E	NESE	UTU40736		430473055800S1
SAGE HEN FEDERAL 1-6	6	10S	23E	NESE	UTU38419	CR-3	430473038200S1
SAGEBRUSH FEDERAL 1-8	8	10S	23E	SWNE	UTU37355	UTU37355	430473038300S1
SHEEPHERDER FEDERAL 1-10	10	10S	23E	NESE	UTU38424	CR-5	430473055900S1
SOUTHMAN CANYON 01-05 FED	5	10S	23E	SENE	UTU33433	UTU74473	430473085600S1
SOUTHMAN CANYON 04-04	4	10S	23E	NWSE	UTU33433	UTU33433	430473063200S1
SOUTHMAN CANYON 04-05	5	10S	23E	NESE	UTU33433	UTU33433	430473063300S1
SOUTHMAN CANYON 09-03M	9	10S	23E	SWSW	UTU37355	UTU37355	430473254000S1
SOUTHMAN CANYON 09-04J	9	10S	23E	NWSE	UTU37355	UTU37355	430473254100S1
SOUTHMAN CANYON 31-01-L	31	09S	23E	NWSW	UTU33433	UTU74898	430473254300S1
SOUTHMAN CANYON 31-02X	31	09S	23E	NWNW	UTU33433	UTU33433	430473489800S1
SOUTHMAN CANYON 31-03	31	09S	23E	SENE	UTU33433	UTU33433	430473472600S1
SOUTHMAN CANYON 31-04	31	09S	23E	SESW	UTU33433		430473472700S1
SOUTHMAN CANYON 923-31B	31	09S	23E	NWNE	U-33433	UTU33433	430473515000S1
SOUTHMAN CANYON 923-31J	31	09S	23E	NWSE	U-33433	UTU33433	430473514900S1
SOUTHMAN CANYON 923-31P	31	09S	23E	SESE	U-33433		430473528800S1
SOUTHMAN CANYON SWD #3	15	10S	23E	NESE	UTU-38427		430471588000S1
WHITE RIVER 1-14	14	10S	23E	NENW	UTU38427	UTU38427	430473048100S1

WELL	LEGALS				STF LEASE NO	CA NUMBER	API NO
	SEC	TWN	RGE	QTR/QTR			
SOUTHMAN CANYON 04-04	4	10S	23E	NWSE	UTU33433	UTU33433	430473063200S1
SOUTHMAN CANYON 04-05	5	10S	23E	NESE	UTU33433	UTU33433	430473063300S1
SOUTHMAN CANYON 09-03M	9	10S	23E	SWSW	UTU37355	UTU37355	430473254000S1
SOUTHMAN CANYON 09-04J	9	10S	23E	NWSE	UTU37355	UTU37355	430473254100S1
SOUTHMAN CANYON 31-01-L	31	09S	23E	NWSW	UTU33433	UTU74898	430473254300S1
SOUTHMAN CANYON 31-02X	31	09S	23E	NWNW	UTU33433	UTU33433	430473489800S1
SOUTHMAN CANYON 31-03	31	09S	23E	SESW	UTU33433	UTU33433	430473472600S1
SOUTHMAN CANYON 31-04	31	09S	23E	SESW	UTU33433		430473472700S1
SOUTHMAN CANYON 923-31B	31	09S	23E	NWNE	U-33433	UTU33433	430473515000S1
SOUTHMAN CANYON 923-31J	31	09S	23E	NWSE	U-33433	UTU33433	430473514900S1
SOUTHMAN CANYON 923-31P	31	09S	23E	SESE	U-33433		430473528800S1
SOUTHMAN CANYON SWD #3	15	10S	23E	NESE	UTU-38427		430471588000S1
WHITE RIVER 1-14	14	10S	23E	NENW	UTU38427	UTU38427	430473048100S1

WELL	LEGALS				STF LEASE NO	CA NUMBER	API NO
	SEC	TWN	RGE	QTR/QTR			
BONANZA 04-06	4	10S	23E	NESW	U-33433	UTU33433	430473475100S1
BONANZA 06-02	6	10S	23E	NESW	UTU38419	UTU38419	430473484300S1
BONANZA 08-02	8	10S	23E	SESE	UTU37355	UTU37355	430473408700S1
BONANZA 08-03	8	10S	23E	NWNW	U-37355	UTU37355	430473477000S1
BONANZA 09-05	9	10S	23E	SESW	U-37355	UTU37355	430473486600S1
BONANZA 09-06	9	10S	23E	NWNE	U-37355	UTU37355	430473477100S1
BONANZA 10-02	10	10S	23E	NWNW	U72028	UTU80201	430473470400S1
BONANZA 10-03	10	10S	23E	NWNE	UTU38261	CR-5	430473472800S1
BONANZA 10-04	10	10S	23E	SENE	UTU40736	CR-5	430473477200S1
BONANZA 1023-2A	2	10S	23E	NENE	ML47062		430473534700S1
BONANZA 1023-2C	2	10S	23E	NENW	ML47062		430473534600S1
BONANZA 1023-2E	2	10S	23E	SWNW	ML47062		430473534500S1
BONANZA 1023-4E	4	10S	23E	SWNW	U-33433		430473539200S1
BONANZA 1023-6C	6	10S	23E	NENW	U-38419	UTU38419	430473515300S1
BONANZA 1023-7B	7	10S	23E	NWNE	U-38420	UTU38420	430473517200S1
BONANZA 1023-7L	7	10S	23E	NWSW	U-38420		430473528900S1
BONANZA 11-02	11	10S	23E	SWNW	UTU38425	CR-23	430473477300S1
BONANZA FEDERAL 03-15	15	10S	23E	NENW	UTU38428	UTU38428	430473127800S1
CANYON VIEW FEDERAL 1-18	18	10S	23E	SENE	UTU38421	UTU38421	430473037900S1
CIGE 008	35	09S	22E	SWSE	UTU010954A	891008900A	430473042700S1
CIGE 009	36	09S	22E	NWSE	ML22650	891008900A	430473041900S1
CIGE 010	2	10S	22E	NWSE	ML22651	891008900A	430473042500S1
CIGE 031	1	10S	22E	SWNW	U011336	891008900A	430473051100S1
CIGE 062D	36	09S	22E	NWSW	ML22650	891008900A	430473088500S1
CIGE 067A	2	10S	22E	NENE	ML22651	891008900A	430473093800S1
CIGE 068D	35	09S	22E	NWSW	UTU010954A	891008900A	430473095100S1
CIGE 089D	34	09S	22E	SENE	UTU0149077	891008900A	430473114600S1
CIGE 105D	1	10S	22E	NENW	U011336	891008900A	430473175800S1
CIGE 118	35	09S	22E	NESE	UTU010954A	891008900A	430473202500S1
CIGE 144	2	10S	22E	SWNE	ML22651	891008900A	430473202200S1
CIGE 147	36	09S	22E	SESW	ML22650	891008900A	430473202000S1
CIGE 153	35	09S	22E	SESW	UTU010954A	891008900A	430473206700S1
CIGE 161	2	10S	22E	SESE	ML22651	891008900A	430473216800S1
CIGE 162	36	09S	22E	SESE	ML22650	891008900A	430473216400S1
CIGE 186	35	09S	22E	NWSE	UTU010954A	891008900A	430473259000S1
CIGE 193	35	09S	22E	SESE	UTU010954A	891008900A	430473297300S1
CIGE 194	1	10S	22E	SWNW	U011336	891008900A	430473293200S1
CIGE 195	2	10S	22E	NWNE	ML22651	891008900A	430473279700S1
CIGE 212	34	09S	22E	NENE	UTU0149077	891008900A	430473293800S1
CIGE 221	36	09S	22E	SWSW	ML22650	891008900A	430473286800S1
CIGE 222	36	09S	22E	NESW	ML22650	891008900A	430473286900S1
CIGE 223	1	10S	22E	NWNW	U011336	891008900A	430473298300S1
CLIFF EDGE 1-15	15	10S	23E	NWSE	UTU38427	UTU38427	430473046200S1
CROOKED CYN FED 1-17	17	10S	23E	NESW	UTU37355	UTU37355	430473036900S1
FLAT MESA FEDERAL 1-7	7	10S	23E	NWSE	UTU38420	UTU38420	430473036500S1
FLAT MESA FEDERAL 2-7	7	10S	23E	SENE	UTU38420	UTU38420	430473054500S1
JACK RABBIT 1-11	11	10S	23E	SWNE	UTU38425	CR-23	430473042300S1
LOOKOUT POINT STATE 1-16	16	10S	23E	NESE	ML22186A		430473054400S1
NBU 024N2	12	10S	22E	SESE	U01197A	891008900A	430473053500S1
NBU 038N2	13	10S	22E	NWSW	U06512	891008900A	430473053600S1
NBU 1022-1G	1	10S	22E	SWNE	U-11336	891008900A	430473517500S1
NBU 922-35K	35	09S	22E	NESW	UTU-010954A	891008900A	430473512600S1
NBU 922-36I	36	09S	22E	NESE	ML-22650	891008900A	430473510700S1
NO NAME CANYON 1-9	9	10S	23E	SENE	UTU037355	UTU37355	430473037800S1
NO NAME CANYON 2-9	9	10S	23E	NENW	UTU037355	UTU37355	430473150400S1
NSO FEDERAL 1-12	12	10S	23E	NENW	UTU38423	CR-22	430473056000S1
PETE'S FLAT 1-1	1	10S	23E	NESE	UTU40736		430473055800S1
SAGE HEN FEDERAL 1-6	6	10S	23E	NESE	UTU38419	CR-3	430473038200S1
SAGEBRUSH FEDERAL 1-8	8	10S	23E	SWNE	UTU37355	UTU37355	430473038300S1
SHEEPHERDER FEDERAL 1-10	10	10S	23E	NESE	UTU38424	CR-5	430473055900S1
SOUTHMAN CANYON 01-05 FED	5	10S	23E	SENE	UTU33433	UTU74473	430473085600S1

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
MULTIPLE WELLS- SEE ATTACHED

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.
MULTIPLE WELLS- SEE ATTACHED

8. Well Name and No.
MULTIPLE WELLS- SEE ATTACHED

9. API Well No.
MULTIPLE WELLS- SEE ATTACHED

10. Field and Pool, or Exploratory Area
MULTIPLE WELLS- SEE ATTACHED

11. County or Parish, State
UINTAH COUNTY, UTAH

SUBMIT IN TRIPLICATE – Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
WESTPORT OIL & GAS COMPANY, L.P.

3a. Address
1368 SOUTH 1200 EAST, VERNAL, UTAH 84078

3b. Phone No. (include area code)
435-781-7060

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
MULTIPLE WELLS- SEE ATTACHED

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize <input type="checkbox"/> Deepen <input type="checkbox"/> Production (Start/Resume) <input type="checkbox"/> Water Shut-Off.
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing <input type="checkbox"/> Fracture Treat <input type="checkbox"/> Reclamation <input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair <input type="checkbox"/> New Construction <input type="checkbox"/> Recomplete <input type="checkbox"/> Other _____
	<input type="checkbox"/> Change Plans <input type="checkbox"/> Plug and Abandon <input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Convert to Injection <input type="checkbox"/> Plug Back <input checked="" type="checkbox"/> Water Disposal

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

Westport Oil & Gas Company rescinds any previously approved disposal sites and proposes that any produced water from the attached list of wells on Exhibit A will be contained in a water tank and will then be hauled by truck to one of the following pre-approved disposal sites: Dalbo, Inc. Disposal Pit; RNI Disposal Pit, Sec. 5-T9S-R22E; Ace Oilfield Disposal, Sec. 2-T6S-R20E; Southman Canyon #3 SWD, Sec. 15-T10S-R23E, API No. 4304715880000S1 CIGE 9 SWD, Sec. 36-T9S-R22E; and Dirty Devil Federal 14-10 SWD, Sec. 10-T9S-R24E, API No. 430473056600S1. The disposal/emergency pits for the locations listed on Exhibit B will be reclaimed within the 2004 year. The rest of the locations that have disposal/emergency pits which are listed on Exhibit C will have their pits reclaimed by September 2008.

RECEIVED
JUL 27 2004

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) DEBRA DOMENICI	Title ENVIRONMENTAL ASSISTANT
Signature <i>Debra Domenici</i>	Date July 22, 2004

DIV. OF OIL, GAS & MINING

THIS SPACE FOR FEDERAL OR STATE USE

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

Accepted by the
Utah Division of
Oil, Gas and Mining
FOR RECORD ONLY

EXHIBIT A

WELL	LEGALS				STF LEASE NO	CA NUMBER	API NO
	SEC	TWN	RGE	QTR/QTR			
SOUTHMAN CANYON 04-04	4	10S	23E	NWSE	UTU33433	UTU33433	430473063200S1
SOUTHMAN CANYON 04-05	5	10S	23E	NESE	UTU33433	UTU33433	430473063300S1
SOUTHMAN CANYON 09-03M	9	10S	23E	SWSW	UTU37355	UTU37355	430473254000S1
SOUTHMAN CANYON 09-04J	9	10S	23E	NWSE	UTU37355	UTU37355	430473254100S1
SOUTHMAN CANYON 31-01-L	31	09S	23E	NWSW	UTU33433	UTU74898	430473254300S1
SOUTHMAN CANYON 31-02X	31	09S	23E	NWNW	UTU33433	UTU33433	430473489800S1
SOUTHMAN CANYON 31-03	31	09S	23E	SESW	UTU33433	UTU33433	430473472600S1
SOUTHMAN CANYON 31-04	31	09S	23E	SESW	UTU33433		430473472700S1
SOUTHMAN CANYON 923-31B	31	09S	23E	NWNE	U-33433	UTU33433	430473515000S1
SOUTHMAN CANYON 923-31J	31	09S	23E	NWSE	U-33433	UTU33433	430473514900S1
SOUTHMAN CANYON 923-31P	31	09S	23E	SESE	U-33433		430473528800S1
SOUTHMAN CANYON SWD #3	15	10S	23E	NESE	UTU-38427		430471588000S1
WHITE RIVER 1-14	14	10S	23E	NENW	UTU38427	UTU38427	430473048100S1

EXHIBIT B
PITS TO BE RECLAIMED IN 2004

WELL	LEGALS				STF LEASE NO	CA NUMBER	API NO
	SEC	TWN	RGE	QTR/QTR			
CIGE 008	35	09S	22E	SWSE	UTU010954A	891008900A	430473042700S1
CIGE 062D	36	09S	22E	NWSW	ML22650	891008900A	430473088500S1
CIGE 153	35	09S	22E	SESW	UTU010954A	891008900A	430473206700S1

EXHIBIT C
PITS TO BE RECLAIMED BY SEPTEMBER, 2008

WELL	LEGALS				STF LEASE NO	CA NUMBER	API NO
	SEC	TWN	RGE	QTR/QTR			
CIGE 008	35	09S	22E	SWSE	UTU010954A	891008900A	430473042700S1
CIGE 009	36	09S	22E	NWSE	ML22650	891008900A	430473041900S1
CIGE 010	2	10S	22E	NWSE	ML22651	891008900A	430473042500S1
CIGE 031	1	10S	22E	SWNW	U011336	891008900A	430473051100S1
CIGE 062D	36	09S	22E	NWSW	ML22650	891008900A	430473088500S1
CIGE 067A	2	10S	22E	NENE	ML22651	891008900A	430473093800S1
CIGE 068D	35	09S	22E	NWSW	UTU010954A	891008900A	430473095100S1
CIGE 089D	34	09S	22E	SENE	UTU0149077	891008900A	430473114600S1
CIGE 105D	1	10S	22E	NENW	U011336	891008900A	430473175800S1
CIGE 118	35	09S	22E	NESE	UTU010954A	891008900A	430473202500S1
CIGE 144	2	10S	22E	SWNE	ML22651	891008900A	430473202200S1
CIGE 153	35	09S	22E	SESW	UTU010954A	891008900A	430473206700S1
CIGE 161	2	10S	22E	SESE	ML22651	891008900A	430473216800S1
CIGE 162	36	09S	22E	SESE	ML22650	891008900A	430473216400S1
NBU 024N2	12	10S	22E	SESE	U01197A	891008900A	430473053500S1
NBU 038N2	13	10S	22E	NWSW	U06512	891008900A	430473053600S1

EXHIBIT A

WELL	LEGALS				STF LEASE NO	CA NUMBER	API NO
	SEC	TWN	RGE	QTR/QTR			
BONANZA 04-06	4	10S	23E	NESW	U-33433	UTU33433	430473475100S1
BONANZA 06-02	6	10S	23E	NESW	UTU38419	UTU38419	430473484300S1
BONANZA 08-02	8	10S	23E	SESE	UTU37355	UTU37355	430473408700S1
BONANZA 08-03	8	10S	23E	NWNW	U-37355	UTU37355	430473477000S1
BONANZA 09-05	9	10S	23E	SESW	U-37355	UTU37355	430473486600S1
BONANZA 09-06	9	10S	23E	NWNE	U-37355	UTU37355	430473477100S1
BONANZA 10-02	10	10S	23E	NWNW	U72028	UTU80201	430473470400S1
BONANZA 10-03	10	10S	23E	NWNE	UTU38261	CR-5	430473472800S1
BONANZA 10-04	10	10S	23E	SENE	UTU40736	CR-5	430473477200S1
BONANZA 1023-2A	2	10S	23E	NENE	ML47062		430473534700S1
BONANZA 1023-2C	2	10S	23E	NENW	ML47062		430473534600S1
BONANZA 1023-2E	2	10S	23E	SWNW	ML47062		430473534500S1
BONANZA 1023-4E	4	10S	23E	SWNW	U-33433		43047353920S1
BONANZA 1023-6C	6	10S	23E	NENW	U-38419	UTU38419	430473515300S1
BONANZA 1023-7B	7	10S	23E	NWNE	U-38420	UTU38420	430473517200S1
BONANZA 1023-7L	7	10S	23E	NWSW	U-38420		430473528900S1
BONANZA 11-02	11	10S	23E	SWNW	UTU38425	CR-23	430473477300S1
BONANZA FEDERAL 03-15	15	10S	23E	NENW	UTU38428	UTU38428	430473127800S1
CANYON VIEW FEDERAL 1-18	18	10S	23E	SENE	UTU38421	UTU38421	430473037900S1
CIGE 008	35	09S	22E	SWSE	UTU010954A	891008900A	430473042700S1
CIGE 009	36	09S	22E	NWSE	ML22650	891008900A	430473041900S1
CIGE 010	2	10S	22E	NWSE	ML22651	891008900A	430473042500S1
CIGE 031	1	10S	22E	SWNW	U011336	891008900A	430473051100S1
CIGE 062D	36	09S	22E	NWSW	ML22650	891008900A	430473088500S1
CIGE 067A	2	10S	22E	NENE	ML22651	891008900A	430473093800S1
CIGE 068D	35	09S	22E	NWSW	UTU010954A	891008900A	430473095100S1
CIGE 089D	34	09S	22E	SENE	UTU0149077	891008900A	430473114600S1
CIGE 105D	1	10S	22E	NENW	U011336	891008900A	430473175800S1
CIGE 118	35	09S	22E	NESE	UTU010954A	891008900A	430473202500S1
CIGE 144	2	10S	22E	SWNE	ML22651	891008900A	430473202200S1
CIGE 147	36	09S	22E	SESW	ML22650	891008900A	430473202000S1
CIGE 153	35	09S	22E	SESW	UTU010954A	891008900A	430473206700S1
CIGE 161	2	10S	22E	SESE	ML22651	891008900A	430473216800S1
CIGE 162	36	09S	22E	SESE	ML22650	891008900A	430473216400S1
CIGE 186	35	09S	22E	NWSE	UTU010954A	891008900A	430473259000S1
CIGE 193	35	09S	22E	SESE	UTU010954A	891008900A	430473297300S1
CIGE 194	1	10S	22E	SWNW	U011336	891008900A	430473293200S1
CIGE 195	2	10S	22E	NWNE	ML22651	891008900A	430473279700S1
CIGE 212	34	09S	22E	NENE	UTU0149077	891008900A	430473293800S1
CIGE 221	36	09S	22E	SWSW	ML22650	891008900A	430473286800S1
CIGE 222	36	09S	22E	NESW	ML22650	891008900A	430473286900S1
CIGE 223	1	10S	22E	NWNW	U011336	891008900A	430473298300S1
CLIFF EDGE 1-15	15	10S	23E	NWSE	UTU38427	UTU38427	430473046200S1
CROOKED CYN FED 1-17	17	10S	23E	NESW	UTU37355	UTU37355	430473036900S1
FLAT MESA FEDERAL 1-7	7	10S	23E	NWSE	UTU38420	UTU38420	430473036500S1
FLAT MESA FEDERAL 2-7	7	10S	23E	SENE	UTU38420	UTU38420	430473054500S1
JACK RABBIT 1-11	11	10S	23E	SWNE	UTU38425	CR-23	430473042300S1
LOOKOUT POINT STATE 1-16	16	10S	23E	NESE	ML22186A		430473054400S1
NBU 024N2	12	10S	22E	SESE	U01197A	891008900A	430473053500S1
NBU 038N2	13	10S	22E	NWSW	U06512	891008900A	430473053600S1
NBU 1022-1G	1	10S	22E	SWNE	U-11336	891008900A	430473517500S1
NBU 922-35K	35	09S	22E	NESW	UTU-010954A	891008900A	430473512600S1
NBU 922-36I	36	09S	22E	NESE	ML-22650	891008900A	430473510700S1
NO NAME CANYON 1-9	9	10S	23E	SENE	UTU037355	UTU37355	430473037800S1
NO NAME CANYON 2-9	9	10S	23E	NENW	UTU037355	UTU37355	430473150400S1
NSO FEDERAL 1-12	12	10S	23E	NENW	UTU38423	CR-22	430473056000S1
PETE'S FLAT 1-1	1	10S	23E	NESE	UTU40736		430473055800S1
SAGE HEN FEDERAL 1-6	6	10S	23E	NESE	UTU38419	CR-3	430473038200S1
SAGEBRUSH FEDERAL 1-8	8	10S	23E	SWNE	UTU37355	UTU37355	430473038300S1
SHEEPHERDER FEDERAL 1-10	10	10S	23E	NESE	UTU38424	CR-5	430473055900S1
SOUTHMAN CANYON 01-05 FED	5	10S	23E	SENE	UTU33433	UTU74473	430473085600S1

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
UTU-38421

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

8. Well Name and No.
CANYON VIEW FED 1-18

9. API Well No.
43-047-30379

10. Field and Pool, or Exploratory Area
NATURAL BUTTES

11. County or Parish, State
UINTAH COUNTY, UTAH

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
WESTPORT OIL & GAS COMPANY L.P.

3a. Address 3b. Phone No. (include area code)
1368 SOUTH 1200 EAST VERNAL, UT 84078 (435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
SWNW SECTION 18-T10S-R23E 1676'FNL & 1318'FWL

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

THE OPERATOR REQUESTS AUTHORIZATION TO PLUG AND ABANDON THE SUBJECT WELL LOCATION.
THE WELL LOCATION HAS HAD A HISTORY OF CASING LEAKS.
THE SUBJECT WELL LOCATION IS CURRENTLY SHUT IN AND TEMPORARILY ABANDONED.

PLEASE REFER TO THE ATTACHED PLUG AND ABANDON PROCEDURE.

COPY SENT TO OPERATOR
Date: 8-29-05
Initials: CHD

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) Sheila Upchego	Title Regulatory Analyst
Signature <i>Sheila Upchego</i>	Date August 17, 2005

THIS SPACE FOR FEDERAL OR STATE DIVISION OF
Oil, Gas and Mining

Approved by _____ Title _____ Date: 8/25/05 By: *[Signature]* Federal Approval Of This Action Is Necessary

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations.

RECEIVED

(Instructions on reverse)

AUG 19 2005

CANYON VIEW FED. 1-18
1676' FNL & 1318' FWL
SWNW – Sec. 18 – T10S – R23E
Uintah County, UT

KBE:	5322'	API NUMBER:	43-047-30379
GLE:	5310'	LEASE NUMBER:	UTU-38421
TD:	7001'	WI:	100%
PBTD:	6961' (FC)	NRI:	75%
	6515 (CIBP)	ORRI:	0%
		UNIT/CA #:	

CASING: 17.5" hole
13.625" 48# H-40 @ 218'.
Cemented with 300 sx. Class G. Circulated 10 BC to pit, TOC @ surface..

12.25" hole
8.625" 24# K-55 @ 2039'.
Cemented with 125 sx. RFC. Good circulation during job, TOC @ ~1700' by calculation.

7.875" hole
4.5" 11.6# N-80 @ 7001'.
Cemented with 981 sx. RFC. TOC @ 4237' by CBL.
2/1991 Cement Squeeze: Fill from 3300' to 3675' by CBL.
11/1994 Cement Squeeze: Fill from 2150' to 3180' by CBL.

TUBING: 2.375" 4.7# J-55 landed at 3901'.

Tubular	Drift inches	Collapse psi	Burst Psi	Capacities		
				Gal./ft.	Cuft./ft.	Bbl./ft.
2.375" 4.7# J-55 tbg.	1.901	8100	7700	0.1626	0.02173	0.00387
4.5" 11.6# N/M/I-80 csg	3.875	6350	7780	0.6528	0.0872	0.01554
8.625" 24# K-55 csg		1780	2950	2.6749	0.3575	0.0636
Annular Capacities						
2.375" tbg. X 4.5" 11.6# csg.				0.4226	0.0565	0.01006
4.5" csg. X 8.625" 24# csg.				1.8487	0.2471	0.04401
8.625" csg. X 13.375" 48# csg.				3.5616	0.4760	0.0848
4.5" csg. X 7.875" hole				1.7052	0.2278	0.0406
8.625" csg. X 12.25" hole				3.0870	0.4127	0.0735
12.25" hole				6.1225	0.8185	0.1458

EXISTING PERFORATIONS:

Formation	Date	Top	Bottom	SPF	Status
Wasatch	11/1/1994	4978	4986	2	Open
Mesa Verde	6/2/1978	6104	6114	1	Open
Mesa Verde	6/2/1978	6398	6414	1	Open
Mesa Verde	6/2/1978	6443	6447	1	Open
Mesa Verde	6/2/1978	6478	6490	1	Open
Mesa Verde	6/2/1978	6524	6534	1	Excl. - CIBP
Mesa Verde	6/2/1978	6576	6579	1	Excl. - CIBP
Mesa Verde	6/2/1978	6714	6724	1	Excl. - CIBP
Mesa Verde	6/2/1978	6815	6818	1	Excl. - CIBP
Mesa Verde	6/2/1978	6871	6874	1	Excl. - CIBP

GEOLOGIC INFORMATION:

Formation	Depth to top, ft.
Uinta	Surface
Green River	800'
Wasatch	4010'
Mesa Verde	5620'

Tech. Pub. #92 Base of USDW's

USDW Elevation	~1000' MSL
USDW Depth	~4322' KBE

WELL HISTORY:**Completion – June 1978**

- TD'd on 5/14/1978.
- Perforated the gross Mesa Verde interval 6104' through 6874', acidized with 3000 gal. 7.5% HCl/1.5% HF using ball sealers in two separate stages, then fractured with 250000 gal. gel containing 100000# 100 mesh and 400000# 20/40 mesh sand.
- Tested 1399 MCFD, 0 BWPD, 1750 psi FTP, 16/64th choke on 6/23/1978.
- Well did not commence sales until February 1980 (waiting on a pipeline).

Workover #1 – November 1984

- No documentation in the file on this workover, just a note that a CIBP was set at 6515' in 11/1984 on the wellbore schematic.

Workover #2 – February 1991

- Isolated and cement squeezed a casing leak between 3400-3523' with 125 sx. Drilled out and RTP.

Workover #3 – October 1994

- Isolated and cement squeezed a casing leak between 3099-3166' with unknown amount of cement. Drilled out and ran CBL. See casing detail for remedial cementing fill.
- Perforated the **Wasatch** interval 4978-4986' and fractured with 28350 gal. gel containing 127840# 20/40 mesh sand.
- Tested 500 MCFD, 0 BWPD, 1200 psi FTP, 1600 psi SICP, 64/64th choke on 11/13/1994.

Workover #4 – February 2000

- Isolated and cement squeezed a casing leak between 3734-3764' with 25 sx. Drilled out, tested squeeze to 500 psi and cleaned out to 6509'.
- Spotted 750 gal 15% HCl across perforations.
- Spent nearly a month trying to swab the well back on, final recorded rate 8 MCFD, 75 BWPD.
- TA'd as uneconomic.

REMARKS:

- No uphole potential, wellbore has had three leaks in the past.
- OFM does not have production data from the original KmV completion 2/1980 through 11/1994. Based on the KmV top and perforation depths, this should have involved the Price River Member.
- **Move to 2005 P&A schedule due to no remaining potential and a history of downhole mechanical problems.**

CANYON VIEW FED. 1-18 P&A PROCEDURE

GENERAL

- H2S MAY BE PRESENT. CHECK FOR H2S AND TAKE APPROPRIATE PRECAUTIONS.
- CEMENT QUANTITIES BELOW ASSUME NEAT CLASS G, YIELD 1.145 CUFT./SX. IF A DIFFERENT PRODUCT IS USED, WELLSITE PERSONNEL ARE RESPONSIBLE FOR CORRECTING QUANTITIES TO YIELD THE STATED SLURRY VOLUME. WHEN SQUEEZING, INCLUDE 10% EXCESS PER 1000' OF DEPTH.
- BRINE WITH A MINIMUM DENSITY OF AT LEAST 9 PPG MUST BE PLACED BETWEEN ALL PLUGS. 10 PPG IS ASSUMED IN THIS PROCEDURE.
- NOTIFY THE BLM AT 435-781-4400 24 HOURS BEFORE MOVING ON LOCATION.

P&A PROCEDURE


1. MIRU. KILL WELL AS NEEDED. ND WH, NU AND TEST BOPE.
2. TOH WITH TUBING. RU WIRELINE AND MAKE A GAUGE RING RUN TO ~4950'.
3. **PLUG #1, PERFORATIONS (TOP PERF @ 4978'), MV TOP (~5620')**: SET CIBP AT ~4950' AND SPOT 50' (~6 SX. OR ~6.5 CUFT.) CLASS G CEMENT ON TOP. DISPLACE WELL WITH 10 PPG BRINE.
4. **PLUG #2, BASE OF USDW'S (~4320'), WASATCH TOP (~4010')**: SPOT A BALANCED CEMENT PLUG FROM ~4420' - ~3910' USING ~56 SX (~64.04 CUFT.) CLASS G CEMENT. DISPLACE WELL WITH 10 PPG BRINE.
5. **PLUG #3, CASING STUB (~2039'), INTERMEDIATE CSG SHOE (~2039')**: CUT 4 1/2" CASING @ ~2039'. PULL AND LD SAME. SPOT 50' (~17 SX OR 18.9 CUFT.) CLASS G CEMENT INSIDE CASING STUB AND 4 1/2" x 7 7/8" ANNULUS. SPOT 200' (~75 SX OR 85.8 CUFT.) CEMENT ON TOP OF CASING STUB. DISPLACE WELL WITH 10 PPG BRINE.
6. **PLUG #4, GREEN RIVER TOP (~800')**: SPOT A BALANCED CEMENT PLUG FROM ~900' - ~700' USING ~62 SX (~71.5 CUFT.) CLASS G CEMENT. DISPLACE WELL WITH 10 PPG BRINE.
7. **PLUG #5, SURFACE**: CUT 8 5/8" CASING @ ~300'. PULL AND LD SAME. SPOT ~300' OF CEMENT INSIDE SURFACE CASING AND 12 1/4" HOLE USING ~226 SX (~259.33 CUFT.) CLASS G CEMENT.
8. CUT OFF WELLHEAD AND INSTALL MARKER PER BLM GUIDELINES.
9. RDMO. TURN OVER TO OPERATIONS FOR SURFACE REHAB.

API Well No: 43-047-30379-00-00 Permit No:
 Company Name: WESTPORT OIL & GAS CO LP
 Location: Sec: 18 T: 10S R: 23E Spot: SWNW
 Coordinates: X: 638928 Y: 4423446
 Field Name: NATURAL BUTTES
 County Name: Uintah

Well Name/No: CANYON VIEW FEDERAL 1-18

String Information

String	Bottom (ft sub)	Diameter (inches)	Weight (lb/ft)	Length (ft)
HOL1	218	17.25		
SURF	218	13.375	40	
HOL2	2039	12.25		
II	2039	8.625	24	
HOL3	7001	7.625		
PROD	7001	4.5	11.6	



Cement from 218 ft. to surface
 Surface: 13.375 in. @ 218 ft.
 Hole: 17.25 in. @ 218 ft.

*Surface plug - 300' - surface
 cut 5 1/8" @ 700'*
 plug #4 - Balanced plug 200'
 700 - 900'

Cement from 2039 ft. to 1700 ft.
 Intermediate: 8.625 in. @ 2039 ft.
 Hole: 12.25 in. @ 2039 ft.
*cut 4 1/2" @ 2039
 plug #3 Balanced - 250'
 2039 - 1839*

Cement from 3180 ft. to 2150 ft.

*plug #2 Balanced
 4420 - 3910*

*2 1/8" @ 4950
 plug #1 4950 - 4900'*

Cement from 7001 ft. to 4237 ft.
 Production: 4.5 in. @ 7001 ft.
 Hole: 7.625 in. @ 7001 ft.

Cement Information

String	BOC (ft sub)	TOC (ft sub)	Class	Sacks
II	2039	1700	UK	125
PROD	7001	4237	UK	981
PROD	3675	3300	UK	981
PROD	3180	2150	UK	981
SURF	218	0	G	300

Perforation Information

Top (ft sub)	Bottom (ft sub)	Shts/Ft	No Shts	Dt Squeeze
6104	6874			
4978	4986			

Formation Information

Formation	Depth
GRRV	800
WSTC	4010
MVRD	5620

TD: ~~5577~~ TVD: PBDT:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
UTU-38421

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
CANYON VIEW 1-18

9. API Well No.
43-047-30379

10. Field and Pool, or Exploratory Area
NATURAL BUTTES

11. County or Parish, State
UINTAH COUNTY, UTAH

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
WESTPORT OIL & GAS COMPANY L.P.

3a. Address
1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)
(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
SWNW SECTION 18-T10S-R23E 1676'FNL & 1318'FWL

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other _____	
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon		
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomple horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recomple in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

MIRU P&A EQUIP TIH/BIT TO 4970' TOH TIH/CIRC & SET @4939'. STING OUT CAP W/10 SX TOH TO 4407' PMP 50 SX BALANCE PLG EST TOC @3743'. CUT/LD 4-1/2"F/2022'. TIH TO 2046'. PMP 100 SX WOC TIH TAG @1775'. LD 8-5/8" F/1195' PARTED TIH & PMP 75 SX F/1240' TO 1158' PER TAG CAP PLG 120 SX. PMP 40 SX @900'. GRAVEL PACK WELL TO 837' CAP W/30 SX TIH/TAG @754' GRAVEL PACK WELL TO 291' PMP 200 SX F/248' TO SURFACE GOOD CMT TO SURFACE WOC. GOOD HARD CMT TO SURFACE IN AM CUT OFF WELL HEAD WELD ON PLATE. RDMO.

THE SUBJECT WELL WAS PLUGGED AND ABANDONED ON 11/11/05.

RECEIVED

DEC 06 2005

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) Sheila Upchego	Title Regulatory Analyst
Signature 	Date December 1, 2005

THIS SPACE FOR FEDERAL OR STATE USE

Approved by	Title	Date
-------------	-------	------

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0137
Expires: November 30, 2000

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

5. Lease Serial No.
UTU-38421

1a. Type of Well Oil Well Gas Dry Other
b. Type of Completion: New Work Over Deepen Plug Back Diff. Resvr.
Other PLUG AND ABANDON

6. If Indian, Allottee or Tribe Name
7. Unit or CA Agreement Name and No.

2. Name of Operator
WESTPORT OIL & GAS COMPANY L.P.

8. Lease Name and Well No.
CANYON VIEW 1-18

3. Address 3a. Phone No. (include area code)
1368 SOUTH 1200 EAST VERNAL, UTAH 84078 (435)-781-7024

9. API Well No.
43-047-30379

4. Location of Well (Report locations clearly and in accordance with Federal requirements)*
At surface SWNW 1676'FNL & 1318'FWL
At top prod. interval reported below

10. Field and Pool, or Exploratory
NATURAL BUTTES UNIT
11. Sec., T., R., M., or Block and Survey or Area SEC 18-T10S-R23E

14. Date Spudded 15. Date T.D. Reached 16. Date Completed
 D & A Ready to Prod.
11/11/05

12. County or Parish 13. State
UINTAH UTAH
17. Elevations (DF, RKB, RT, GL)*
5310'GR

18. Total Depth: MD TVD 19. Plug Back T.D.: MD TVD 20. Depth Bridge Plug Set: MD TVD

21. Type Electric & Other Mechanical Logs Run (Submit copy of each) N/A
22. Was well cored? No Yes (Submit copy)
Was DST run? No Yes (Submit copy)
Directional Survey? No Yes (Submit copy)

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sk. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Set (MD)

25. Producing Intervals 26. Perforation Record

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) N/A			N/A			
B)						
C)						
D)						

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

Depth Interval	Amount and type of Material
N/A	

RECEIVED
DEC 06 2005
DIV. OF OIL, GAS & MINING

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						P&A
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Well Status	
			→						P&A

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Well Status	
			→						

(See instructions and spaces for additional data on reverse side)

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

PLUGGED AND ABANDONED ON 11/11/05

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top
					Meas. Depth


32. Additional remarks (include plugging procedure):

MIRU P&A EQUIP. TIH/BIT TO 4970'. TOH TIH/CIRC & SET @4939'. STING OUT CAP W/10 SX TOH TO 4407'. PMP 50 SX BALANCE PLG EST TOC @3743'. CUT/LD 4-1/2" F/2022'. TIH & PMP 75 SX F/1240' TO 1158' PER TAG CAP PLG 120 SX PMP 40 SX @900'. GRAVEL PACK WELL TO 837' CAP W/30 SX TIH TAG @754' GRAVEL PACK WELL TO 291' PMP 200 SX F/248' TO SURFACE GOOD CMT TO SURFACE. WOC GOOD HARD CMT TO SURFACE IN AM CUT OFF WELL HEAD WELD ON PLATE. RDMO. **THE SUBJECT WELL LOCATION WAS PLUGGED AND ABANDONED ON 11/11/05.**

33. Circle enclosed attachments:

- 1. Electrical/Mechanical Logs (1 full set req'd.)
- 2. Geologic Report
- 3. DST Report
- 4. Directional Survey
- 5. Sundry Notice for plugging and cement verification
- 5. Core Analysis
- 7. Other:

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions)*

Name (please print) Sheila Upchego Title Regulatory Analyst
 Signature  Date 9/13/2001

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

ROUTING
1. DJJ
2. CDW

X Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective: 1/6/2006

FROM: (Old Operator): N2115-Westport Oil & Gas Co., LP 1368 South 1200 East Vernal, UT 84078 Phone: 1-(435) 781-7024	TO: (New Operator): N2995-Kerr-McGee Oil & Gas Onshore, LP 1368 South 1200 East Vernal, UT 84078 Phone: 1-(435) 781-7024
---	--

WELL NAME	CA No.	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
-----------	--------	-----	-----	-----	--------	-----------	------------	-----------	-------------

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 5/10/2006
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 5/10/2006
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 3/7/2006
- Is the new operator registered in the State of Utah: YES Business Number: 1355743-0181
- If **NO**, the operator was contacted on: _____
- (R649-9-2) Waste Management Plan has been received on: IN PLACE
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 3/27/2006 BIA not yet
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: 3/27/2006
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: _____

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 5/15/2006
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 5/15/2006
- Bond information entered in RBDMS on: 5/15/2006
- Fee/State wells attached to bond in RBDMS on: 5/16/2006
- Injection Projects to new operator in RBDMS on: _____
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a Name Change Only

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: CO1203
- Indian well(s) covered by Bond Number: RLB0005239
- (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number RLB0005236
- The **FORMER** operator has requested a release of liability from their bond on: n/a rider added KMG
The Division sent response by letter on: _____

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: 5/16/2006

COMMENTS:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
KERR-McGEE OIL & GAS ONSHORE LP

3a. Address
1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)
(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
SEE ATTACHED

5. Lease Serial No.
MULTIPLE LEASES

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
MUTIPLE WELLS

9. API Well No.

10. Field and Pool, or Exploratory Area

11. County or Parish, State
UINTAH COUNTY, UTAH

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Deepen
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Fracture Treat
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Plug and Abandon
	<input type="checkbox"/> Plug Back
	<input type="checkbox"/> Production (Start/Resume)
	<input type="checkbox"/> Reclamation
	<input type="checkbox"/> Recomplete
	<input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Water Disposal
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Well Integrity
	<input checked="" type="checkbox"/> Other CHANGE OF OPERATOR

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleation in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

PLEASE BE ADVISED THAT KERR-McGEE OIL & GAS ONSHORE LP, IS CONSIDERED TO BE THE OPERATOR OF THE ATTACHED WELL LOCATIONS. EFFECTIVE JANUARY 6, 2006.
 KERR-McGEE OIL & GAS ONSHORE LP, IS RESPONSIBLE UNDER TERMS AND CONDITIONS OF THE LEASE(S) FOR THE OPERATIONS CONDUCTED UPON LEASE LANDS. BOND COVERAGE IS PROVIDED BY STATE OF UTAH NATIONWIDE BOND NO. RLB0005237.

RECEIVED

MAY 10 2006

DIV. OF OIL, GAS & MINING

BLM BOND = C01203
 BIA BOND = RLB0005239

APPROVED 5116106

Earlene Russell
 Division of Oil, Gas and Mining
 Earlene Russell, Engineering Technician

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) RANDY BAYNE	Title DRILLING MANAGER
Signature <i>Randy Bayne</i>	Date May 9, 2006

THIS SPACE FOR FEDERAL OR STATE USE

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

5. Lease Serial No.

MULTIPLE LEASES

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

MUTIPLE WELLS

9. API Well No.

10. Field and Pool, or Exploratory Area

11. County or Parish, State

UINTAH COUNTY, UTAH

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

WESTPORT OIL & GAS COMPANY L.P.

3a. Address

1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)

(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SEE ATTACHED

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other CHANGE OF OPERATOR
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

EFFECTIVE JANUARY 6, 2006, WESTPORT OIL & GAS COMPANY L.P., HAS RELINQUISHED THE OPERATORSHIP OF THE ATTACHED WELL LOCATIONS TO KERR-McGEE OIL & GAS ONSHORE LP.

APPROVED 5/16/06
Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

RECEIVED
MAY 10 2006

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

BRAD LANEY

Signature

Title

ENGINEERING SPECIALIST

Date

May 9, 2006

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Brad Laney

Title

Office

Date

5-9-06

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



United States Department of the Interior

BUREAU OF LAND MANAGEMENT
Colorado State Office
2850 Youngfield Street
Lakewood, Colorado 80215-7076

IN REPLY REFER TO:

CO922 (MM)
3106
COC017387 et. al.

March 23, 2006

NOTICE

Kerr-McGee Oil & Gas Onshore L.P. :
1999 Broadway, Suite 3700 : Oil & Gas
Denver, CO 80202 :

Merger/Name Change - Recognized

On February 28, 2006 this office received acceptable evidence of the following mergers and name conversion:

Kerr-McGee Oil & Gas Onshore L.P., a Delaware Limited Partnership, and Kerr-McGee Oil & Gas Onshore LLC, a Delaware Limited Partnership merger with and into Westport Oil and Gas Company L.P., a Delaware Limited Partnership, and subsequent Westport Oil & Gas Company L.P. name conversion to Kerr-McGee Oil & Gas Onshore L.P.

For our purposes the merger and name conversion was effective January 4, 2006, the date the Secretary of State of Delaware authenticated the mergers and name conversion.

Kerr-McGee Oil & Gas Onshore L.P. provided a list of oil and gas leases held by the merging parties with the request that the Bureau of Land Management change all their lease records from the named entities to the new entity, Kerr-McGee Oil & Gas Onshore L.P. In response to this request each state is asked to retrieve their own list of leases in the names of these entities from the Bureau of Land Management's (BLM) automated LR2000 data base.

The oil and gas lease files identified on the list provided by Kerr-McGee Oil & Gas Onshore L.P. have been updated as to the merger and name conversion. We have not abstracted the lease files to determine if the entities affected by the acceptance of these documents holds an interest in the lease, nor have we attempt to identify leases where the entity is the operator on the ground that maintains vested record title or operating rights interests. If additional documentation, for change of operator, is required you will be contacted directly by the appropriate Field Office. The Mineral Management Services (MMS) and other applicable BLM offices were notified of the merger with a copy of this notice

Please contact this office if you identify additional leases where the merging party maintains an interest, under our jurisdiction, and we will document the case files with a copy of this notice. If the leases are under the jurisdiction of another State Office that information will be forwarded to them for their action.

Three riders accompanied the merger/name conversion documents which will add Kerr-McGee Oil and Gas Onshore LLC as a principal to the 3 Kerr-McGee bonds maintained by the Wyoming State Office. These riders will be forward to them for their acceptance.

The Nationwide Oil & Gas Continental Casualty Company Bond #158626364 (BLM Bond #CO1203), maintained by the Colorado State Office, will remain in full force and effect until an assumption rider is accepted by the Wyoming State Office that conditions their Nationwide Safeco bond to accept all outstanding liability on the oil and gas leases attached to the Colorado bond.

If you have questions about this action you may call me at 303.239.3768.

/s/Martha L. Maxwell
Martha L. Maxwell
Land Law Examiner
Fluid Minerals Adjudication

Attachment:

List of OG Leases to each of the following offices:

MMS MRM, MS 357B-1

WY, UT, NM/OK/TX, MT/ND, WY State Offices

CO Field Offices

Wyoming State Office

Rider #1 to Bond WY2357

Rider #2 to Bond WY1865

Rider #3 to Bond WY1127



United States Department of the Interior



BUREAU OF LAND MANAGEMENT
Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155
<http://www.blm.gov>

IN REPLY REFER TO:
3106
(UT-922)

March 27, 2006

Memorandum

To: Vernal Field Office

From: Chief, Branch of Fluid Minerals

Subject: Merger Approval

Attached is an approved copy of the merger recognized by the Bureau of Land Management, Colorado State Office. We have updated our records to reflect the merger from Westport Oil and Gas Company L.P. into Kerr-McGee Onshore Oil and Gas Company. The merger was approved effective January 4, 2006.

Chief, Branch of
Fluid Minerals

Enclosure

Approval letter from BLM COSO (2 pp)

cc: MMS, Reference Data Branch, James Sykes, PO Box 25165, Denver CO 80225
State of Utah, DOGM, Attn: Earlene Russell, PO Box 145801, SLC UT 84114
Teresa Thompson
Joe Incardine
Connie Seare
Dave Mascarenas
Susan Bauman

RECEIVED

MAR 28 2006

DIV. OF OIL, GAS & MINERALS